


POST REMEDIATION SOIL GAS AND
GROUNDWATER MONITORING RESULTS

UNITED LAUNDRIES AND DRY CLEANERS FACILITY
623 REED AVENUE
MANITOWOC, WISCONSIN

MARCH 18, 2016



Excellence. Innovation. Service. Value.

Since 1954.

Prepared for:

Zenith Properties, LLC
P.O. Box 2033
Manitowoc, Wisconsin 54221-2033

By:

Shannon & Wilson, Inc.
2110 Luann Lane, Suite 101
Madison, Wisconsin 53713

42-1-37409-001

March 18, 2015

Remediation and Redevelopment Program
Wisconsin Department of Natural Resources
2984 Shawano Avenue
P.O. Box 10448
Green Bay, Wisconsin 54307-0448

Attn: Tauren R. Beggs

RE: WDNR BRRTS No. 02-36-544383
Post Remediation Soil Gas and Groundwater Monitoring Results
United Laundries and Dry Cleaners, Inc. 623 Reed Avenue, Manitowoc, Wisconsin

Dear Mr. Beggs:

Shannon & Wilson prepared this Report for the post remediation soil gas and groundwater monitoring program at the United Laundries and Dry Cleaners, Inc. (United) facility. Site activities were completed in accordance with Shannon & Wilson's August 26, 2015 change order request. The change order followed WDNR's review of soil gas and groundwater results described in the October 2014 Annual Report and the June 1, 2015 Status Report. Operation of the SVE system was discontinued in January 2015, and the sub-slab depressurization systems at the Parkview Haven apartment building was shut off prior to soil gas sample collection.


Post remediation monitoring includes the following:

- Installation of one additional off-site downgradient well;
- Collection of additional soil gas samples at the Parkview Haven apartment building during February 2015, August 2015 and February 2016, and
- Collection of quarterly groundwater samples between November 2014 and February 2016.

If you have any questions please call me at (608) 442-5223.

Sincerely,

SHANNON & WILSON, INC.



Mark S. McColloch, P.G.
Senior Associate

MSM:DPT/msm

cc: Steve Hamann, Zenith Properties LLC

2110 Luann Lane, Suite 101
Madison, Wisconsin 53713
608-442-5223 FAX: 608-442-9013
www.shannonwilson.com

41-1-37409-001

TABLE OF CONTENTS

	Page
1.0 INTRODUCTION.....	1
1.1 Site Location	1
1.2 Site History.....	1
1.3 Purpose and Scope	5
2.0 COMPLETED ACTIVITIES	6
2.1 Soil Vapor Extraction System	6
2.2 Off-site Well Installation.....	7
2.3 Groundwater Sample Collection	7
2.4 Sub-floor Vapor Probe and Soil Gas Probe Sample Collection.....	8
3.0 SAMPLE RESULTS.....	10
3.1 SVE Effluent Sample Results	10
3.2 Groundwater Sample Results	11
3.3 Sub-floor Vapor Probe and Soil Gas Probe Sample Results.....	12
4.0 SUMMARY AND CONCLUSIONS.....	14
5.0 RECOMMENDATIONS	16

TABLES

Table 1	Historic Groundwater Sample Results
Table 2	Groundwater Elevations
Table 3	Results for Subfloor Probes – Parkview Haven Apartment Building
Table 4	Results for Soil Gas Probes – Parkview Haven Apartment Building
Table 5	SVE System Contaminant Mass Removal Estimate

FIGURES

Figure 1	Site Location
Figure 2	Site Map with Historic Sample Locations
Figure 3	SVE System
Figure 4	Site Map with Groundwater Elevations and PCE (November 2013)

APPENDICES

Appendix A	MW-10 Soil Boring Log, Well Construction and Well Development Forms
Appendix B	Laboratory Reports - Groundwater Samples November 2014 through February 2016
Appendix C	Laboratory Reports - Effluent Air, Vapor Probe, and Soil Gas Probe Samples

1.0 INTRODUCTION

1.1 Site Location

The United Laundries and Dry Cleaners (United) facility is located at 623 Reed Avenue, Manitowoc, Wisconsin, 54220. As shown on Figure 1, the site is in the southwest quarter of the southwest quarter of Section 17, Township 19 north, Range 24 east of the 7.5 minute topographic quadrangle, Manitowoc, Wisconsin.

The United facility is part of a single story building approximately 7,700 square feet in size. This building contains a coin operated laundry facility, a vacant dry cleaning facility, and a blood donation clinic. The clinic was previously occupied by the Wisconsin Department of Transportation Division of Motor Vehicles (DMV) Service Center. United's coin operated laundry is at the west side of the building, and the former dry cleaning facility is in the center. The clinic occupies the east side of the building. Asphalt paved driveways and parking lots surround the perimeter of this building. The United facility building and surrounding properties are shown on Figure 2.

1.2 Site History

The United facility building has been used as a dry cleaning facility since it was constructed in 1972. The original dry cleaning business operated under the name Reed Avenue Laundry at the west side of the building in the section currently occupied by the coin operated laundry. Triple A Trailer Rental initially occupied the center of the building (contemporaneous with Reed Avenue Laundry). In 1982, United occupied the Triple A Trailer Rental space and the current coin operated laundry facility began operating in the former dry cleaning space. United currently leases the west and center sections from Zenith Properties LLC, the property owner.

Tetrachloroethene (PCE) contamination was initially identified at the adjacent Parkview Haven property during a 2006 site investigation (Terracon, March 2006). That investigation included two borings at the Parkview Haven property and installation of monitoring well MW-1 at the parking lot between the United facility and Parkview Haven property. United performed a subsequent 2007 scoping investigation (NewFields, 2007) including installation of two water table observation wells (MW-2 and MW-3) and groundwater sampling from three wells (including existing monitoring well MW-1) for volatile organic compound (VOC) analysis. Results verified a PCE release from the former dry cleaning operation.

Zenith Properties LLC performed several subsequent investigations between 2010 and 2012 to identify the lateral extent of subsurface contamination. The extent of PCE in soil was identified between September 2010 and April 2011. The extent of PCE in groundwater was evaluated with MW-4 and MW-5 monitoring well installation in September 2010. Additional PCE characterization was identified following groundwater sampling from on-site borings GP-1 through GP-12 in April 2011. Off-site PCE groundwater sampling at adjacent parcels to the east was later performed from borings GP-13 through GP-30 in July 2011, and at off-site downgradient wells MW-6 and MW-7 installed in December 2011. The lateral extent of off-site groundwater contamination to the east was confirmed following the collection of groundwater samples from borings GP-31 through GP-34 in March 2012.

In addition to soil and groundwater, the vapor intrusion pathway was evaluated during an initial vapor intrusion investigation completed in April 2011. Permanent sub-slab vapor probes VP-1 through VP-4 were installed at the United Laundries and Piggly Wiggly buildings; these buildings are adjacent to the soil plume identified during the September 2010 investigation. Sub-floor samples were compared to Regional Screening Levels (RSLs) for volatile contaminants (U.S. EPA, 2010). PCE was detected at concentrations above the USEPA RSLs. In response, two sub-slab depressurization systems (SSDS) were installed at United Laundries, and a third SSDS was installed at Piggly Wiggly in December 2011.

January 2012 test results showed depressurization occurring near each suction point. Additional samples were collected from sub-floor probes in March 2012 three months later. Declining PCE concentrations indicated that the contaminant mass was being removed. Additionally, results for March and August 2012 from the DMV section of the building indicated that vapors remained below the RSL for this non-residential commercial building (WDNR, May 2012).

Vapor intrusion investigations were also completed in December 2011, March 2012, August 2012, and October 2012 to evaluate the vapor intrusion pathway for nearby buildings overlying the PCE groundwater plume. December 2011 soil gas samples were collected from six borings (P-1 through P-6) advanced adjacent to these nearby buildings. USEPA RSLs were exceeded at borings P-2 and P-5 advanced between the Parkview Haven apartment building and parking lot area south of the former dry cleaning facility. In March 2012, two additional borings (P-7 and P-8) were advanced adjacent to this building to further evaluate the vapor intrusion pathway. At each boring shallow soil gas samples were collected five feet below grade, along with deep samples collected approximately five feet above the water table. PCE exceeded USEPA RSLs in both deep samples, but concentrations were below USEPA RSLs for both shallow samples.

In August 2012, soil gas and groundwater samples were collected from four additional borings (GP-35, GP-36, GP-37, and GP-38) advanced west and south of the apartment building. Shallow and deep soil gas samples were collected. These soil gas samples were also collected five feet below grade, and deep soil gas samples were collected approximately five feet above the water table. Additionally, three soil gas probes (SGP-1, SGP-2, and SGP-3) were installed at the north side of the apartment building at that time. PCE exceeded USEPA RSLs in all soil gas probe samples; concentrations were below USEPA RSLs for the remaining shallow and deep samples. Following preliminary review of these results, WDNR requested sub-floor samples from beneath the apartment building. One sub-floor probe (VP-5) was installed in the partial basement and two additional probes (VP-6 and VP-7) were installed beneath the slab on grade concrete floor at the west end of the apartment building. PCE exceed the RSL at VP-5 and VP-7.

In November 2012 off-site wells MW-8 and MW-9 were installed south of the former dry cleaning facility to further characterize groundwater flow conditions beneath the adjacent apartment building. At that time, two shallow SVE wells (SVE-1 and SVE-2) were installed along the north side of the west end of the apartment building. Several short duration pilot tests were performed to evaluate blower size and radius of influence at each SVE well. Pilot testing consisted of connecting different size blowers to SVE wells to measure the induced vacuum at the SVE well and at the nearby soil gas probes and sub-floor probes. Three radon mitigation system blowers and a portable SVE blower were tested at SVE-1 and SVE-2. A radon mitigation system blower was installed at the apartment basement. The blower was connected to an existing drain tile underlying the concrete floor near the tile discharge to sump pit. For this pilot test, the induced vacuum was measured at nearby sub-floor vapor probe VP-5.

Results indicate that a radon mitigation system blower connected to the existing drain tile is suitable for subfloor depressurization beneath the basement. SVE pilot test results indicate that the portable SVE blower resulted in the highest induced vacuum at the SVE wells and largest radius of influence (36 to 40 feet). A radius of influence between 24 and 30 feet was observed for the three radon mitigation blowers tested. Accordingly, two radon mitigation blowers would likely be needed (one for each SVE well) to provide adequate subfloor depressurization for the adjacent apartment building. For a larger radius of influence and induced vacuum, one SVE blower could be connected to both SVE wells.

The *Interim Response Work Plan Addendum and Change Order for a Sub-slab Depressurization System (SSDS) for the Parkview Haven Apartment Building* was submitted to WDNR on February 25, 2013. That Work Plan was prepared in response to a February 11, 2013 letter from WDNR following review of the Supplemental Vapor Intrusion, Off-Site Groundwater

Investigation, and Vapor Mitigation System Documentation Report (dated January 24, 2013). The SSDS utilizing the existing drain tile beneath the basement floor was subsequently installed at the basement sump at the Parkview Haven Apartment building in March 2013.

Shannon & Wilson submitted a Work Plan for soil and groundwater remediation to WDNR on October 14, 2013. In letter dated October 18, 2013 WDNR approved the scope of work presented in that Work Plan. Remedial activities subsequently completed in accordance with the approved work plan included the excavation of contaminated soil and installation and operation of a soil vapor extraction system. Approximately 1,375 cubic yards of contaminated soil was excavated in October 2013. A lateral vent well was installed within the backfilled excavation, and two SVE wells were installed in November 2013. The SVE system began operating in December 2013. The lateral extent of the excavation and the SVE system is shown on Figure 3. Soil excavation activities and SVE installation and startup activities are described in the *Construction Documentation Report for Soil and Groundwater Remediation* dated January 15, 2014.

In the Construction Documentation report Shannon & Wilson recommended operation of the soil vapor extraction system for a minimum of one year and quarterly effluent air and groundwater sample collection during February, May, and August 2014. Results were presented in the *Annual Report for the First Year of Soil and Groundwater Remediation* dated October 20, 2014. Based on monitoring results included in that report, Shannon & Wilson recommended operation of the soil vapor extraction system through 2014, one additional year of quarterly groundwater monitoring, and additional soil gas sample collection after turning off the SVE system. Sample results for November 2014, February 2015, and May 2015 along with soil gas sample results for February 2015 were presented in a June 1, 2015 Status Report.

Following review of that report WDNR requested the installation of one additional off-site downgradient well to further characterize the lateral extent of downgradient groundwater contamination. In the August 26, 2015 Change Order request Shannon & Wilson recommended installation of well MW-10 along with additional groundwater sample collection in August 2015, November 2015, and February 2016 to verify that PCE concentrations continue to decline at the source area and at downgradient wells. Shannon & Wilson also recommended additional soil gas monitoring at the Parkview Haven apartment building in August 2015 and February 2016 to determine the need for this SSDS as a continuing obligation following case closure. The Change Order request was subsequently approved by WDNR on September 3, 2015.

1.3 Purpose and Scope

The purpose of this report is to present post remediation soil gas and groundwater monitoring results for the United Dry Cleaners facility. Sample collection was completed in accordance with recommendations presented in Shannon & Wilson's October 2014 Annual Report, the June 1, 2015 Status Report, and the August 26, 2015 Change Order Request. Post remediation monitoring results presented in this report include the following:

- Installation of off-site downgradient well MW-10;
- Collection of quarterly groundwater samples between November 2014 and February 2016;
- Collection of additional sub-slab vapor probe samples at the Parkview Haven apartment building during February 2015, August 2015 and February 2016, and
- Collection of soil gas probe samples at the Parkview Haven apartment building during February 2015 and August 2015.

2.0 COMPLETED ACTIVITIES

2.1 Soil Vapor Extraction System

As described in the construction documentation report, the soil vapor extraction (SVE) system includes one horizontal well and two vertical wells. Both vertical SVE wells consist of four-inch diameter schedule 40 PVC wells with screens placed between 20 and 50 feet below grade. The horizontal well consists of 80-feet of slotted four-inch diameter schedule 40 PVC pipe installed within the backfilled excavation approximately five-feet below grade. It was installed concurrent with placement of clean backfill material following removal of contaminated soil. The location of horizontal and vertical SVE wells and the VE-1 lateral pipe are shown on Figure 3.

While in operation, the blower, knock out pot, and electric panel was housed in a small shed overlying VE-2. Flexible 4-inch diameter tubing was used to connect the blower to the SVE wells through small holes in the building floor. Effluent for the SVE system was discharged through a four-inch diameter pipe that extends several feet above the roof of the building. To maximize the SVE system radius of influence, the SVE system was operated while connected to one SVE well at a time. The blower was connected to VE-1 between December 2013 and May 2014 and between August 2014 and January 2015. Between May and August 2014 it was connected from VE-2.

Based on the performance curve for the blower the estimated air flow rate for the blower operating with a vacuum pressure of 60 inches of water is approximately 390 standard cubic feet per minute (scfm). Vacuum pressure measurements recorded at nearby wells indicate a 200-foot radius of influence for VE-1 with an induced vacuum of 0.10 inches of water, and a 300-foot radius of influence with an induced vacuum of 0.01 inches. Vacuum pressure measurements for VE-2 indicated a 225-feet radius of influence with an induced vacuum of 0.10 inches of water, and more than a 300-feet radius of influence with an induced vacuum of 0.01 inches. These pressure measurements verify that entire United Laundries building and portions of the adjacent Piggly Wiggly and Parkview Haven buildings are also within the radius of influence for VE-1 and VE-2.

Effluent air samples for the SVE system were collected inside the building from a sample port installed in the side of the discharge pipe. The first effluent sample was collected on December 11, 2013 two hours after system startup. Subsequent effluent samples were collected concurrent with quarterly groundwater sampling during February, May, and August, and December 2014. Effluent sample results are discussed in Section 3.1.

In accordance with recommendations presented in Shannon & Wilson's October 2014 Annual Report and subsequent discussions with WDNR, the SVE system was shut off on January 7, 2015. Based on groundwater and soil gas sample results collected between February and August 2015, electrical service for the SVE system was disconnected in November 2015. The SVE equipment and building remain on-site, but will be removed as soon as arrangements can be made.

2.2 Off-site Well Installation

In response to WDNR's request to further characterize the lateral extent of downgradient groundwater contamination off-site wells MW-10 was installed east of the United Dry Cleaners property. This well was installed at the Holy Family Tamarack facility (339 Reed Avenue) in October 2015. Well MW-10 lies between MW-7 at the east side of the Aurora Health Care property, and boring GP-31 advanced at the former Holy Family Memorial property during a previous site investigation. Well installation was performed in accordance with the August 26, 2015 Change Order request approved by WDNR on September 3, 2015. On- and off-site well and Geoprobe boring are shown on Figure 2.

Prior to mobilization, Shannon & Wilson obtained an access agreement from the Holy Family Tamarack property owner. The well was installed at the lawn area south of the facility parking lot on October 13, 2015. The borehole was advanced with hollow stem augers utilizing a track mounted rotary Geoprobe drill rig. Drilling services were provided by On-site Environmental Services of Stoughton, Wisconsin.

Well MW-10 was constructed with two-inch diameter schedule 40 PVC well casing and screen. The well screen was installed between 32.5 and 42.5 feet below ground surface. A sand pack was placed around the screen as the hollow stem augers were removed. Bentonite chips were then placed in the annular space above the filter pack. The well is encased in flush mount protective well casings cemented in place. Following installation the well was developed by surging and purging 10-well volumes. Subsurface soil units encountered while drilling were visually classified in accordance with the Unified Soil Classification System and recorded on soil boring logs included in Appendix A. Well construction and development reports are also included in Appendix A.

2.3 Groundwater Sample Collection

Quarterly groundwater samples were collected between November 2013 and February 2016. The baseline sample round was collected in November 2013 following excavation and prior to SVE system startup. The SVE system was in operation for sampling between February and

November 2014. Subsequent sampling between February 2015 and February 2016 was completed after the SVE system was shut off. All groundwater samples were submitted to Pace Analytical and analyzed for VOCs by Method 8260. Per WDNR guidelines trip blanks and duplicate samples were collected and analyzed for VOCs for quality assurance / quality control. Historic groundwater monitoring results are summarized in Table 1 and discussed in Section 3.2. Laboratory reports for these events are included in Appendix B. Laboratory reports for previously collected samples were submitted with prior reports.

Prior to sample collection, static water levels were measured at all site wells. Depth to water measurements and groundwater elevations between March 2007 and February 2015 are summarized in Table 2. Well locations and groundwater elevation contours for February 2016 are shown on Figure 4.

2.4 Sub-floor Vapor Probe and Soil Gas Probe Sample Collection

Shannon & Wilson collected additional sub-floor soil gas samples at the Parkview Haven property in February 2015, August 2015, and February 2016 to evaluate the effectiveness of the SVE system. Indoor air samples were also collected from the Parkview Apartment building basement during these same events; the basement door was shut and locked overnight for the 8-hour indoor air tests. Soil gas samples were collected from sub-floor vapor probes VP-5, VP-6, and VP-7 at the apartment building on February 17, 2015, August 31, 2015, and February 18, 2016. VP-5 was installed in the partial basement beneath the center of the building. VP-6 and VP-7 were installed in hallways at the west end of the apartment building (constructed with a slab on grade floor). Sub-floor vapor probes are shown on Figure 2. Parkview Haven vapor probe and indoor results are summarized in Table 3 and results are discussed in Section 3.3.

Soil gas probe were also collected at exterior soil gas probes to evaluate the effectiveness of the SVE system. Exterior soil gas probe SGP-1, SGP-2 and SGP-3 samples were collected in February and August 2015 concurrent with vapor probe sample collection. Exterior soil gas probes are shown on Figure 2. Background samples were also collected in August 2015 and February 2016. The August 2015 background sample was collected at the exterior of the Parkview Haven building near the exterior soil gas probes. The February 2016 background sample was collected near the SVE equipment building. Parkview Haven soil gas probe and background results are summarized in Table 4 and results are discussed in Section 3.3.

All indoor air, background, soil gas probe, and vapor probe samples were collected while the SVE system was off. The SVE system has not operated since it was turned off on January 7, 2015. Additionally, all soil gas samples were collected while the SSDS for the Parkview Haven

Apartment building basement was not in operation. The Parkview Haven Apartment building SSDS was shut off one week prior to February 2015 soil gas sample collection. After collecting samples on February 17, 2015, the SSDS was restarted and operated until it was shut off on August 4, 2015, and has not operated since that time.

All air samples were collected with 6-liter Summa canisters equipped with a laboratory-provided flow controller and particulate filter. Summa cans used for vapor probe samples (VP-5, VP-6, and VP-7) and soil gas probes (SGP-1, SGP-2, and SGP-3) were equipped with 45-minute controllers while summa cans used for indoor air and background samples were equipped with 8-hour controllers. All air samples were analyzed for chlorinated VOCs (cis-1,2-dichloroethene, trans 1,2-dichloroethene, tetrachloroethene, trichloroethene, and vinyl chloride) using EPA Method TO-15 by Pace Analytical Services of Minneapolis, Minnesota. Laboratory reports for samples collected between February 2015 and February 2016 are included in Appendix B.

3.0 SAMPLE RESULTS

3.1 SVE Effluent Sample Results

All effluent air samples were collected while the SVE system was in operation. The first SVE effluent air sample was collected on December 11, 2013 two hours after system startup. Subsequent samples were collected concurrent with quarterly groundwater sample collection during February, May, and August, and December 2014. Each effluent sample was collected with a 6-liter Summa canister equipped with a laboratory-provided 45-minute flow controller and particulate filter. Laboratory reports for the December 2014 effluent soil gas sample is included in Appendix B; laboratory reports for previous effluent samples were appended to the 2014 Annual Report.

Effluent sample results confirmed the SVE system removed significant contaminant mass. The highest concentrations of VOCs were detected at 63,320 ppbv in the December 2013 sample at VE-1 shortly after SVE system startup. Total VOC concentrations then declined to 524.66 ppbv in February 2014 and 116.515 ppbv in May 2014. The SVE system was then connected to VE-2 where total VOCs were detected at 46.137 ppbv. The SVE system was re-connected to VE-1 in August 2014. Total VOCs at VE-1 declined from 270.83 ppbv in August 2014 to 38.820 ppbv in December 2014.

The estimated contaminant mass removed by the SVE system was calculated using the following assumptions:

- The SVE system operated continuously at a flow rate of 390 scfm;
- Elevated VOCs detected in the December 2013 effluent samples declined within the first week of operation. VOC concentrations in the December 2013 sample were used to estimate the contaminant mass removed from VE-1 for the first five days;
- VOC concentrations detected in the February 2014 effluent sample were used to estimate the contaminant mass removed for the next 61 days (through February 15, 2014);
- VOC concentrations detected in the May 2014 effluent sample collected at VE-1 were used to estimate the contaminant mass removed at VE-1 between February 15 and May 14, 2014;
- VOC concentrations detected in the May 2014 effluent sample collected at VE-2 were used to estimate the contaminant mass removed at VE-2 between May 14 and August 19, 2014;

- VOC concentrations detected in the August 2014 effluent sample collected at VE-1 were used to estimate the contaminant mass removed at VE-1 between August 19 and December 7, 2014, and
- VOC concentrations detected in the December 2014 effluent sample collected at VE-1 were used to estimate the contaminant mass removed at VE-1 between December 7, 2014 and January 7, 2015.

Based on these assumptions, approximately 110 pounds of VOCs were removed between December 11, 2013 and January 7, 2015. Effluent results, sample dates, and the estimated contaminant mass removed are summarized in Table 5.

3.2 Groundwater Sample Results

The primary constituent of regulatory concern for groundwater is PCE. As shown in Table 1, since November 2014 PCE exceeded the 5 µg/l Enforcement Standard (ES) at MW-1, MW-2, MW-3, MW-5, MW-6, and MW-7. It also exceeded the 0.5 µg/l Preventive Action Limit (PAL) at MW-8 and MW-10. Well locations are shown on Figures 2 and 4.

In the November 2013 baseline round, the highest PCE concentrations were detected at MW-1 (72.7 µg/l) and MW-2 (35.2 µg/l) near the former dry cleaning facility. PCE was detected at lower concentrations at downgradient wells MW-5 (35.1 µg/l), MW-6 (28.9 µg/l), and MW-7 (15.5 µg/l) to the east, and at sidegradient wells MW-3 (8.4 µg/l) to the north and MW-8 (9.6 µg/l) to the south-southwest. PCE was not detected at MW-9 to the south.

Groundwater monitoring results for samples collected between November 2013 and February 2016 indicate that soil excavation and SVE system operation resulted in an improvement in groundwater quality at wells MW-1, MW-2, MW-3, MW-4, MW-5, and MW-8. As shown in Table 1 PCE concentrations at these wells declined as follows:

- At MW-1 PCE declined from 72.7 µg/l in November 2013 to 11.1 µg/l in February 2016;
- At MW-2 PCE declined from 35.2 µg/l in November 2013 to 8.1 µg/l in February 2016;
- At MW-3 PCE declined from 8.4 µg/l in November 2013 to 5.4 µg/l in February 2016;
- At MW-4 PCE declined from 1.1 µg/l in November 2013 to non-detect between November and February 2016;
- At MW-5 PCE declined from 35.1 µg/l in November 2013 to 5.6 µg/l in February 2016, and
- At MW-8 PCE declined from 9.6 µg/l in November 2013 to 1.9 µg/l in February 2016.

PCE concentrations at downgradient wells MW-6 and MW-7 have remained stable, though the overall trend at far downgradient well MW-7 shows a slight decline. Trends for PCE at these wells are as follows:

- PCE at MW-6 increased from 28.9 µg/l in November 2013 to 34.6 µg/l in February 2014 before declining to 22.7 µg/l in August 2014. PCE then increased to 36.3 µg/l in November 2014, declined to 29.8 µg/l in August 2015, and then increased to 37.2 µg/l in February 2016, and
- PCE at MW-7 increased from 15.5 µg/l in November 2013 to 26 µg/l in February 2014 before declining to 10.3 µg/l in May 2014. PCE then increased to 22.7 µg/l in February 2015 before declining to 17.4 µg/l in November 2015 and 18 µg/l in February 2016.

Groundwater samples were collected at downgradient well MW-10 in November 2015 and February 2016. PCE was detected in both samples at concentration below the PAL indicating that the lateral extent of the PCE plume exceeding the 5 µg/l ES has been identified. Well locations and February 2016 PCE concentrations are shown on Figure 4.

Depth to water measurements taken between November 2014 and February 2016 are consistent with previously observed measurements. These data verify that the primary direction of groundwater flow is to the east as shown on Figure 4. Groundwater elevations measured at MW-1 near the United Dry Cleaning facility building fluctuated from a high of 847.48 in August 2014 to a low of 586.16 in November 2015 as shown in Table 2. In the past three years the seasonal groundwater high was observed in August 2014 and May 2015 and the seasonal groundwater low was observed in February 2014, February 2015, and November 2015.

3.3 Sub-floor Vapor Probe and Soil Gas Probe Sample Results

PCE was detected at soil gas probes SGP-1, SGP-2, and SGP-3 and vapor probes VP-5, VP-6, and VP-7 at the Parkview Haven building prior to installation of the SSDS and SVE systems. Pre and post remediation soil gas samples were compared to Vapor Risk Screening Levels (VRSL)¹ to evaluate SVE system effectiveness and potential need for continued SSDS operation. The VRSL was calculated per Wisconsin Department of Natural Resources (WDNR) guidance. The Vapor Action Level (VAL) for PCE is used to determine the VRSL; the VAL is divided by an attenuation factor (AF) to determine the VRSL. The VAL and AF used to calculate the VRSL were selected based on sample depth (i.e. sub-floor, shallow soil gas, and deep soil gas) and building size and use (i.e. commercial and residential) and are included in Tables 3 and 4.

¹ *Quick Look-Up Table*, Wisconsin Department of Natural Resources, dated May 16, 2012.

Prior to installing the SSDS, PCE was detected in October 2012 soil gas samples at probes VP-5, VP-6, and VP-7. It declined in subsequent samples after installing the SSDS in March 2013. As shown in Table 3, PCE exceeded the VRSL for residential/small commercial building sizes at VP-5 and VP-7 in October 2012 and November 2013. PCE concentrations at VP-5 declined from 1,310 ppbv in October 2012 to 689 ppbv in November 2013. PCE at VP-6 declined from 31 ppbv in October 2012 to 6.2 ppbv in November 2013. However, PCE concentrations at VP-7 increased from 327 ppbv in October 2012 to 619 ppbv in November 2013.

Additional soil gas samples were collected in February 2014 after operating the SVE system for two months, and between February 2015 and February 2016 after the SVE system was shut off. In February 2014, PCE and TCE were detected at low concentrations below the VRSL at VP-5, but no CVOCs were detected at VP-6 and VP-7. After the SVE system was shut off in January 2015, PCE was detected at low concentrations below the VRSL at the three probes in February 2015, August 2015, and February 2016. PCE and TCE were also detected at low concentrations below the VAL in indoor air samples in collected in February 2015, August 2015, and February 2016.

PCE was also detected at exterior gas probes SGP-1, SGP-2, and SGP-3 prior to installation and operation of the SVE and SSDS systems. As shown on Table 4 PCE exceeded the VRSL for residential/small commercial building sizes in August 2012 at SGP-1, SGP-2, and SGP-3 samples. To evaluate SVE operation, additional samples were collected after the SVE system was shut off. PCE was detected at SGP-1, SGP-2, and SGP-3 in February and August 2015 samples at low concentrations below the VRSL.

4.0 SUMMARY AND CONCLUSIONS

Approximately 1,375 cubic yards of PCE contaminated soil were removed from the United Dry Cleaning facility in October 2013. Verification soil samples from the base and sidewalls of the excavation confirmed that shallow residual PCE soil contamination remains beyond the limits of excavation. The excavation was backfilled with clean fill and new asphalt pavement installed in November 2013. Site buildings and pavement provide surface barriers preventing direct contact with residual soil contamination. These surface barriers also protect groundwater by preventing infiltration and contaminant flushing from the unsaturated zone. Additionally, SSDS systems installed at the United Dry Cleaning and adjacent Piggly Wiggly buildings in December 2011 remain in use to prevent vapor migration into these buildings.

SVE wells VE-1 and VE-2 were also installed in November 2013. Well screens for both wells were placed between 20 and 50 feet below grade to remove contaminant mass from the unsaturated zone beneath the excavation and nearby buildings. A horizontal well was also installed within the clean fill used to backfill the excavation; it was placed in close proximity to residual soil contamination remaining at the northwest corner of the backfilled excavation adjacent and adjacent to site buildings. The SVE system was then operated between December 11, 2013 and January 7, 2015 and removed an estimated 110 pounds of CVOCs.

Groundwater monitoring results for samples collected between November 2013 and February 2016 indicate that soil excavation and operation of the SVE system has resulted in an improvement in groundwater quality near the former United Dry Cleaning facility. PCE remains above the 5 µg/l ES at MW-1, MW-2, MW-3, MW-5, MW-6, and MW-7, and above the 0.5 µg/l PAL at MW-8 and MW-10. However, declining trends for PCE have been observed at all wells with the exception of downgradient well MW-6. PCE concentrations at MW-6 remain similar to pre-remediation concentrations. Following removal of contaminant mass from the upgradient source area, future declining trends for PCE at MW-6 are expected in response to natural attenuation. However, several years may be required before a declining trend is observed at MW-6 because the existing buildings and asphalt pavement (between MW-1 and MW-6) prevent infiltration and dilution of the shallow PCE plume. Additionally, based on the low horizontal gradient (0.0025 ft/ft) and distance between MW-1 and MW-6, contaminant travel time from the source area to MW-6 likely exceeds two years.

PCE exceeded the VRSL at sub-floor vapor probes VP-5 and VP-7 in October 2012 prior to installation of the SSDS at the Parkview Haven apartment building in March 2013. After the SSDS was operated for eight months PCE remained above the VRSL at VP-5 and VP-7. Two months following SVE system startup, additional soil gas samples were collected in February

2014; PCE and TCE were detected at low concentrations below the VRSL at VP-5 at that time, and no VOCs were detected at VP-6 and VP-7. After the SVE system was shut off in January 2015, additional soil gas samples were collected in February and August 2015, and February 2016. PCE was detected at the three probes at low concentrations below the VRSL. PCE and TCE were also detected at low concentrations below the VAL in indoor air samples during those events. These results indicate that operation of the SVE system reduced subsurface soil gas concentrations beneath the Parkview Apartment building.

PCE also exceeded the VRSL at exterior soil gas probes SGP-1, SGP-2, and SGP-3 in August 2012 prior operation of the SSDS at the Parkview Haven apartment building and operation of the SVE system. After the SVE system was shut down in January 2015, PCE was detected in February and August 2015 samples at the three probes at low concentrations below the VRSL. These results also indicate that operation of the SVE system reduced subsurface soil gas concentrations adjacent to the Parkview Apartment building.

5.0 RECOMMENDATIONS

Shannon & Wilson recommends no additional soil gas or groundwater monitoring at this time. Conditions of case closure will likely include continued operation of the SSDS at the United Dry Cleaner and Piggly Wiggly buildings. However, post remediation soil gas results indicate no further benefit for continued operation of the SSDS system. Groundwater monitoring results indicate that soil excavation and SVE have resulted in an improvement in groundwater quality. Based on declining trends, PCE concentration will likely fall below the 5 µg/l ES within a reasonable period of time.

As a condition of closure WDNR will also require registration of the United Dry Cleaner site on its GIS Registry of Closed Remediation Sites. Because PCE remains in groundwater above the 5 µg/l Enforcement Standard at downgradient off-site wells MW-6 and MW-7, off-site notification will be included for the following properties:

- Aurora Health care at 601 Reed Avenue
- Lakeside United Methodist Church at 411 Reed Avenue, and
- Holy Family Tamarack Clinic at 339 Reed Avenue.

Following WDNR review and confirmation of these recommendations, off-site notices will be sent to the above referenced property owners. Copies of these notices will be included with the case closure request submittal to WDNR. All site wells will then be properly abandoned as a final condition of closure.

Tables

Table 1 (Page 1 of 2)
Historic Groundwater Sample Results
United Laundries and Dry Cleaners, Inc., 623 Reed Avenue, Manitowoc, Wisconsin

Sample Date / Analyte	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	PAL	ES
January 25, 2006												
Tetrachloroethene (PCE)	180	--	--	--	--	--	--	--	--	--	0.5	5
March 19, 2010												
Tetrachloroethene (PCE)	120	41	17	--	--	--	--	--	--	--	0.5	5
1,1,1 Trichloroethane	<1.8	<0.50>	<0.37>	--	--	--	--	--	--	--	40	200
October 5, 2010												
Tetrachloroethene (PCE)	58.4	62.1	11.8(12.0)	5.2	41.1	--	--	--	--	--	0.5	5
Trichloroethene (TCE)	0.67 J	<0.48	<0.48	<0.48	<0.48	--	--	--	--	--	0.5	5
1,1,1 Trichloroethane	<0.90	1.7	<0.90	<0.90	<0.90	--	--	--	--	--	40	200
April 27, 2011												
Tetrachloroethene (PCE)	87.4(83.1)	71.0	9.9	3.1	40.5	--	--	--	--	--	0.5	5
Trichloroethene (TCE)	0.93 J	<0.48	<0.48	<0.48	<0.48	--	--	--	--	--	0.5	5
1,1,1 Trichloroethane	<0.90	1.3	<0.90	<0.90	<0.90	--	--	--	--	--	40	200
December 21, 2011												
Tetrachloroethene (PCE)	--	--	--	--	--	32.1(30.6)	23.9	--	--	--	0.5	5
Methylene Chloride	--	--	--	--	--	0.46	<0.43	--	--	--	0.5	5
November 14, 2012												
Tetrachloroethene (PCE)	--	--	--	--	--	--	--	13.6(14.2)	<0.45	--	0.5	5
November 19, 2013												
Tetrachloroethene (PCE)	72.7	35.2	8.4	1.1	35.1(31.5)	28.9	15.5	9.6	<0.45	--	0.5	5
Trichloroethene (TCE)	0.97 J	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	<0.36	--	0.5	5
1,1,1 Trichloroethane	0.59 J	0.59 J	<0.44	<0.44	<0.44	<0.44	<0.44	<0.44	<0.44	--	40	200
February 11, 2014												
Tetrachloroethene (PCE)	30.7(31.5)	36.7	--	<0.47	--	34.6	26.0	8.2	--	--	0.5	5
Trichloroethene (TCE)	<0.36	<0.36	--	<0.36	--	<0.36	<0.36	<0.36	--	--	0.5	5
1,1,1 Trichloroethane	<0.44	0.55 J	--	<0.44	--	<0.44	<0.44	<0.44	--	--	40	200

Table 1 (Page 2 of 2)
Historic Groundwater Sample Results
United Laundries and Dry Cleaners, Inc., 623 Reed Avenue, Manitowoc, Wisconsin

Sample Date / Analyte	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	PAL	ES
May 14, 2014												
Tetrachloroethene (PCE)	27.0(27.3)	15.9	5.7	0.96	27.4	24.7	10.3	3.7	<0.45	--	0.5	5
August 19, 2014												
Tetrachloroethene (PCE)	25.5	10.8	4.8	0.69 J	18.7(17.9)	22.7	21.4	2.1	<0.45	--	0.5	5
1,2-Dichlorobenzene	<0.50	<0.50	<0.50	1.1	<0.50	<0.50	<0.50	<0.50	<0.50	--	60	600
November 25, 2014												
Tetrachloroethene (PCE)	19.5	9.2	6.8	<0.50	10.3	36.3	21.4(20.8)	3.5	<0.50	--	0.5	5
February 25, 2015												
Tetrachloroethene (PCE)	20.3	8.4	7.1	<0.50	11.1	30.1(30.1)	22.7	3.0	--	--	0.5	5
May 14, 2015												
Tetrachloroethene (PCE)	16.1	18.6	7.4	<0.50	9.9	33.9	22.4(21.4)	2.8	<0.50	--	0.5	5
August 31, 2015												
Tetrachloroethene (PCE)	12.6(12.9)	9.0	6.8	<0.50	9.1	29.8	22.1	2.6	<0.50	--	0.5	5
Methyl-tert-butyl ether	0.18 J	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	--	12	60 ^a
November 5, 2015												
Tetrachloroethene (PCE)	9.1	12.6	5.7	<0.50	6.8	33.6	17.4(17.2)	2.2	<0.50	2.8	0.5	5
1,1,1 Trichloroethane	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	<0.50	0.83 J	40	200
Methyl-tert-butyl ether	0.18 J	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	<0.17	12	60 ^a
February 17, 2016												
Tetrachloroethene (PCE)	11.1(9.7)	8.1	5.4	<0.50	5.6	37.2	18.0	1.9	<0.50	3.5	0.5	5
Methyl-tert-butyl ether	<0.17(0.29J)	<0.17	0.23 J	<0.17	0.26 J	<0.17	<0.17	<0.17	<0.17	0.29 J	12	60 ^a

PAL - Preventive Action Limit per Wisconsin Admin. Code sec. NR 141.10.

ES - Enforcement Standard per Wisconsin Admin. Code sec. NR 141.10.

< - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

Duplicate sample results are shown in parenthesis.

All concentrations are reported in µg/l.

Concentrations exceeding the PAL are in red italics.

Concentrations exceeding the ES have been shaded yellow.

Table 2 (Page 1 of 2)
Historic Groundwater Elevations
United Laundries and Dry Cleaners, Manitowoc, Wisconsin

Well Location	Date Installed	Reference Elevation *	Ground Surface Elevation	Top of Screen Elevation	Bottom of Screen Elevation	March 13, 2007		April 1, 2007		October 4, 2010	
						Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation
MW-1	1/26/2006	635.82	636.26	591.26	581.26	49.45	586.37	49.15	586.67	48.35	587.47
MW-2	3/13/2007	635.66	636.05	591.05	581.05	49.29	586.37	49.02	586.64	48.23	587.43
MW-3	3/12/2007	635.53	635.82	590.82	580.82	49.21	586.32	48.93	586.60	48.14	587.39
MW-4	9/20/2010	633.47	633.80	590.80	580.80	--	--	--	--	46.09	587.38
MW-5	9/22/2010	634.43	635.0	590.00	580.00	--	--	--	--	47.11	587.32

Well Location	Date Installed	Reference Elevation *	Ground Surface Elevation	Top of Screen Elevation	Bottom of Screen Elevation	April 27, 2011		December 21, 2011		March 20, 2012		August 8, 2012	
						Depth to Water	Groundwater Elevation	Depth to Water	Depth to Water	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation
MW-1	1/26/2006	635.82	636.26	591.26	581.26	47.86	587.96	48.18	587.64	50.29	585.53	48.29	587.53
MW-2	3/13/2007	635.66	636.05	591.05	581.05	47.72	587.94	48.05	587.61	--	--	48.17	587.49
MW-3	3/12/2007	635.53	635.82	590.82	580.82	47.66	587.87	47.96	587.57	50.14	585.39	48.08	587.45
MW-4	9/20/2010	633.47	633.80	590.80	580.80	45.62	587.85	45.89	587.58	48.08	585.39	46.01	587.46
MW-5	9/22/2010	634.43	635.0	590.00	580.00	46.63	587.80	46.92	587.51	49.19	585.24	48.04	586.39
MW-6	12/19/2011	630.26	631.0	591.50	581.50	--	--	43.24	587.02	45.44	584.82	43.33	586.93
MW-7	12/19/2011	619.97	620.5	589.20	579.20	--	--	33.02	586.95	35.28	584.69	33.12	586.85

Well Location	Date Installed	Reference Elevation *	Ground Surface Elevation	Top of Screen Elevation	Bottom of Screen Elevation	November 14, 2012		December 3, 2012		November 19, 2013		February 11, 2014	
						Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation
MW-1	1/26/2006	635.82	636.26	591.26	581.26	48.69	587.13	48.75	587.07	48.55	587.27	49.18	586.64
MW-2	3/13/2007	635.66	636.05	591.05	581.05	48.57	587.09	48.64	587.02	48.42	587.24	49.11	586.55
MW-3	3/12/2007	635.53	635.82	590.82	580.82	48.46	587.07	48.54	586.99	48.33	587.20	--	--
MW-4	9/20/2010	633.47	633.80	590.80	580.80	46.39	587.08	46.47	587.00	46.25	587.22	46.95	586.52
MW-5	9/22/2010	634.43	635.0	590.00	580.00	47.43	587.00	47.50	586.93	47.29	587.14	--	--
MW-6	12/19/2011	630.26	631.0	591.50	581.50	43.73	586.53	43.82	586.44	43.59	586.67	44.17	586.09
MW-7	12/19/2011	619.97	620.5	589.20	579.20	33.51	586.46	33.59	586.38	33.36	586.61	33.94	586.03
MW-8	11/12/2011	631.88	632.36	589.36	579.36	44.76	587.12	44.84	587.04	44.64	587.24	45.13	586.75
MW-9	11/13/2012	626.20	626.57	586.57	576.57	39.09	587.11	39.16	587.04	38.97	587.23	--	--

-- missing data

* Top of PVC well casing elevations surveyed by Steinbrecher & Meneau Inc (SMI) on November 15, 2013.

Table 2 (Page 2 of 2)
Historic Groundwater Elevations
United Laundries and Dry Cleaners, Manitowoc, Wisconsin

Well Location	Date Installed	Reference Elevation *	Ground Surface Elevation	Top of Screen Elevation	Bottom of Screen Elevation	May 14, 2014		August 19, 2014		November 25, 2014		February 24, 2015	
						Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation
MW-1	1/26/2006	635.82	636.26	591.26	581.26	48.50	587.32	48.34	587.48	48.96	586.86	49.48	586.34
MW-2	3/13/2007	635.66	636.05	591.05	581.05	48.41	587.25	48.25	587.41	48.90	586.76	49.33	586.33
MW-3	3/12/2007	635.53	635.82	590.82	580.82	48.28	587.25	48.14	587.39	48.81	586.72	49.20	586.33
MW-4	9/20/2010	633.47	633.80	590.80	580.80	46.19	587.28	46.15	587.32	46.79	586.68	47.12	586.35
MW-5	9/22/2010	634.43	635.0	590.00	580.00	47.29	587.14	47.06	587.37	47.72	586.71	48.15	586.28
MW-6	12/19/2011	630.26	631.0	591.50	581.50	43.42	586.84	43.32	586.94	44.01	586.25	44.36	585.90
MW-7	12/19/2011	619.97	620.5	589.20	579.20	33.17	586.80	33.11	586.86	33.81	586.16	34.11	585.86
MW-8	11/12/2011	631.88	632.36	589.36	579.36	44.57	587.31	44.45	587.43	45.12	586.76	45.51	586.37
MW-9	11/13/2012	626.20	626.57	586.57	576.57	38.89	587.31	38.73	587.47	39.49	586.71	--	--

Well Location	Date Installed	Reference Elevation *	Ground Surface Elevation	Top of Screen Elevation	Bottom of Screen Elevation	May 14, 2015		August xx, 2015		November xx, 2015		February 17, 2016	
						Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation	Depth to Water	Groundwater Elevation
MW-1	1/26/2006	635.82	636.26	591.26	581.26	49.03	586.79	49.45	586.37	49.66	586.16	49.43	586.39
MW-2	3/13/2007	635.66	636.05	591.05	581.05	48.86	586.80	49.35	586.31	49.57	586.09	49.28	586.38
MW-3	3/12/2007	635.53	635.82	590.82	580.82	48.76	586.77	49.23	586.30	49.46	586.07	49.14	586.39
MW-4	9/20/2010	633.47	633.80	590.80	580.80	46.70	586.77	47.16	586.31	47.41	586.06	47.09	586.38
MW-5	9/22/2010	634.43	635.0	590.00	580.00	47.71	586.72	48.15	586.28	48.41	586.02	48.05	586.38
MW-6	12/19/2011	630.26	631.0	591.50	581.50	43.97	586.29	44.33	585.93	44.56	585.70	44.22	586.04
MW-7	12/19/2011	619.97	620.5	589.20	579.20	33.73	586.24	34.10	585.87	34.31	585.66	34.02	585.95
MW-8	11/12/2011	631.88	632.36	589.36	579.36	45.07	586.81	45.54	586.34	45.75	586.13	45.46	586.42
MW-9	11/13/2012	626.20	626.57	586.57	576.57	39.44	586.76	39.83	586.37	40.42	585.78	39.85	586.35
MW-10	10/13/2015	--	--	--	--	--	--	--	--	29.41	--	29.31	--

-- missing data

* Top of PVC well casing elevations surveyed by Steinbrecher & Meneau Inc (SMI) on November 15, 2013.

Table 3
Results for Subfloor Probes – Parkview Haven Apartment Building
United Laundries and Dry Cleaners, Inc., 623 Reed Avenue, Manitowoc, Wisconsin

Sample Location				VP-5	VP-5	VP-5	VP-5	VP-5	Dup-1	VP-5	Dup-1
Sample Date				Oct-12	Nov-13	Feb-14	Feb-15	Aug-15		Feb-16	
Sample Depth (ft.)				< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		< 1.0	
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	sub-slab basement	sub-slab basement	sub-slab basement	sub-slab basement	sub-slab basement		sub-slab basement	
cis-1,2-Dichloroethene	--	NA	0.03	<7	<0.67	<0.67	<0.094	<0.085	<0.085	<0.082	<0.082
trans-1,2-Dichloroethene	--	NA	0.03	<7	<0.67	<0.67	<0.077	<0.13	<0.13	<0.13	<0.13
Tetrachloroethene (PCE)	206.67	6.2	0.03	1,310	689	1.61	5.2	22.1	22.9	0.52	0.58
Trichloroethene (TCE)	13	0.39	0.03	<7	<0.67	11.6	<0.062	<0.070	<0.070	<0.068	<0.068
Vinyl Chloride	21.67	0.65	0.03	<7	<0.67	<0.65	<0.069	<0.10	<0.10	<0.1	<0.1
Sample Location				VP-6	VP-6	VP-6	VP-6	VP-6		VP-6	
Sample Date				Oct-12	Nov-13	Feb-14	Feb-15	Aug-15		Feb-16	
Sample Depth (ft.)				< 1.0	< 1.0	< 1.0	< 1.0	< 1.0		< 1.0	
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	sub-slab hallway	sub-slab hallway	sub-slab hallway	sub-slab hallway	sub-slab hallway		sub-slab hallway	
cis-1,2-Dichloroethene	--	NA	0.03	<0.90	<0.63	<0.67	<0.067	<0.082		<0.082	
trans-1,2-Dichloroethene	--	NA	0.03	<0.90	<0.63	<0.67	<0.057	<0.13		<0.13	
Tetrachloroethene (PCE)	206.67	6.2	0.03	31	6.2	<0.67	0.15	5.7		0.26	
Trichloroethene (TCE)	13	0.39	0.03	<0.90	<0.63	<0.68	<0.046	<0.068		<0.068	
Vinyl Chloride	21.67	0.65	0.03	<0.90	<0.63	<0.65	<0.05	<0.10		<0.1	
Sample Location				VP-7	Dup-1	VP-7	VP-7	VP-7		VP-7	
Sample Date				Oct-12		Nov-13	Feb-14	Feb-15		Aug-15	
Sample Depth (ft.)				< 1.0		< 1.0	< 1.0	< 1.0		< 1.0	
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	sub-slab hallway	sub-slab hallway	sub-slab hallway	sub-slab hallway	sub-slab hallway		sub-slab hallway	
cis-1,2-Dichloroethene	--	NA	0.03	<7	<7	<0.67	<0.67	<0.069	<0.41		<0.082
trans-1,2-Dichloroethene	--	NA	0.03	<7	<7	<0.67	<0.67	<0.057	<0.64		<0.13
Tetrachloroethene (PCE)	206.67	6.2	0.03	327	319	619	<0.67	16.7	48.9		31.3
Trichloroethene (TCE)	13	0.39	0.03	<7	<7	<0.67	<0.68	<0.048	<0.34		<0.068
Vinyl Chloride	21.67	0.65	0.03	<7	<7	<0.67	<0.65	<0.05	<0.50		<0.1
Sample Location				Basement	Basement	Basement	Basement	Basement		Basement	
Sample Date				Oct-12		Nov-13	Feb-14	Feb-15		Aug-15	
Sample Depth (ft.)				0		0	0	0		0	
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	--	Basement (Indoor Air)	--	Basement (Indoor Air)	Basement (Indoor Air)		Basement (Indoor Air)	
cis-1,2-Dichloroethene	--	NA	--	--	--	--	<0.065	<0.082		<0.082	
trans-1,2-Dichloroethene	--	NA	--	--	--	--	<0.055	<0.13		<0.13	
Tetrachloroethene (PCE)	--	6.2	--	--	--	--	0.42	3.8		0.51	
Trichloroethene (TCE)	--	0.39	--	--	--	--	0.031	0.069		<0.068	
Vinyl Chloride	--	0.65	--	--	--	--	<0.046	<0.10		<0.1	

Notes:

¹ Vapor Risk Screening Level (VRSL) = Vapor Action Level (VAL) ÷ Attenuation Factor (AF) per Wisconsin Department of Natural Resources Quick Look-Up Table, dated June 2015.

² Vapor Action Level (VAL) for Residential Land Use per Wisconsin Department of Natural Resources Quick Look-Up Table, dated June 2015.

³ Attenuation Factor (AF) = 0.03 for sub-floor vapor for Residential/Small Commercial Buildings per Wisconsin Department of Natural Resources Quick Look-Up Table, dated June 2015

Concentrations exceeding the VRSL are shaded.

< Below reporting limit

All units are reported in parts per billion by volume (ppbv)

VP -Vapor Probe

DUP-1 -Field duplicate

Table 4
Results for Soil Gas Probes – Parkview Haven Apartment Building
United Laundries and Dry Cleaners, Inc., 623 Reed Avenue, Manitowoc, Wisconsin

Sample Location				SGP-1	SGP-1	SGP-1	SGP-1
Sample Date				Aug-12	Feb-15	Aug-15	Feb-16
Sample Depth (ft.)				4.5-5	4.5-5	4.5-5	4.5-5
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	Soil Gas Probe (Exterior Adjacent to Building)			
cis-1,2-Dichloroethene	--	NA	0.01	<13.9	<0.065	<0.082	--
trans-1,2-Dichloroethene	--	NA	0.01	<13.9	<0.055	<0.13	--
Tetrachloroethene (PCE)	206.67	6.2	0.01	531	0.86	19.9	--
Trichloroethene (TCE)	13	0.39	0.01	<13.9	<0.044	0.13 J	--
Vinyl Chloride	21.67	0.65	0.01	<13.9	<0.046	<0.10	--
Sample Location				SGP-2	Dup-1	SGP-2	SGP-2
Sample Date				Aug-12	Feb-15	Aug-15	Feb-16
Sample Depth (ft.)				4.5-5	4.5-5	4.5-5	4.5-5
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	Soil Gas Probe (Exterior Adjacent to Building)			
cis-1,2-Dichloroethene	--	NA	0.01	<13.9	<13.9	<0.065	<0.085
trans-1,2-Dichloroethene	--	NA	0.01	<13.9	<13.9	<0.055	<0.13
Tetrachloroethene (PCE)	206.67	6.2	0.01	3,290	2,610	1.5	45.1
Trichloroethene (TCE)	13	0.39	0.01	<13.9	<13.9	<0.044	<0.070
Vinyl Chloride	21.67	0.65	0.01	<13.9	<13.9	<0.046	<0.10
Sample Location				SGP-3	SGP-3	SGP-3	SGP-3
Sample Date				Aug-12	Feb-15	Aug-15	Feb-16
Sample Depth (ft.)				4.5-5	4.5-5	4.5-5	4.5-5
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	Soil Gas Probe (Exterior Adjacent to Building)			
cis-1,2-Dichloroethene	--	NA	0.01	<13.9	<0.065	<0.085	--
trans-1,2-Dichloroethene	--	NA	0.01	<13.9	<0.055	<0.13	--
Tetrachloroethene (PCE)	206.67	6.2	0.01	568	0.2 J	49.9	--
Trichloroethene (TCE)	13	0.39	0.01	<13.9	<0.044	0.081 J	--
Vinyl Chloride	21.67	0.65	0.01	<13.9	<0.046	<0.10	--
Sample Location				Background			
Sample Date				Aug-12	Feb-15	Aug-15	
Constituents	Vapor Risk Screening Level ⁽¹⁾	Vapor Action Level ⁽²⁾	Attenuation Factor ⁽³⁾	Exterior Adjacent to Building Between SGP-1 and SGP-2			
cis-1,2-Dichloroethene	--	NA	--	--	--	<0.085	<0.082
trans-1,2-Dichloroethene	--	NA	--	--	--	<0.13	<0.13
Tetrachloroethene (PCE)	--	6.2	--	--	--	<0.056	0.32
Trichloroethene (TCE)	--	0.39	--	--	--	<0.070	0.33
Vinyl Chloride	--	0.65	--	--	--	<0.10	<0.1

Notes:

1. **Vapor Risk Screening Level (VRSL)** = Vapor Action Level (VAL) ÷ Attenuation Factor (AF) per Wisconsin Department of Natural Resources Quick Look-Up Table, dated June 2015.
2. **Vapor Action Level (VAL)** for Residential Land Use per Wisconsin Department of Natural Resources Quick Look-Up Table, dated June 2015.
3. **Attenuation Factor (AF)** = 0.1 for sub-floor vapor for Residential/Small Commercial Buildings per Wisconsin Department of Natural Resources Quick Look-Up Table, dated June 2015
Concentrations exceeding the VRSL are shaded.

< Below reporting limit

J Estimated concentration at or above the LOD and below the LQD.

All units are reported in parts per billion by volume (ppbv)


SGP -Soil Gas Probe

DUP-1 -Field duplicate

Table 5
SVE System Contaminant Mass Removal Estimate
United Laundries and Dry Cleaners, Inc., 623 Reed Avenue, Manitowoc, Wisconsin

Soil Vapor Extraction - Effluent Sample Results						
SVE Wells	VE-1	VE-1	VE-1	VE-2	VE-1	VE-1
Sample Date	11-Dec-13	15-Feb-14	14-May-14	14-May-14	19-Aug-14	7-Dec-14
cis-1,2-Dichloroethene	196	3.9	0.819	<0.27	12.3	0.37
trans-1,2-Dichloroethene	14.1	<0.62	<0.27	<0.27	<2.8	<0.055
Tetrachloroethene	62,800	518	115	46	255	38.1
Trichloroethene	310	2.76	0.696	0.137	3.53	0.35
Vinyl Chloride	<13.4	<0.62	<0.13	<0.13	<1.4	<0.046
Total VOCs	63,320.1	524.66	116.515	46.137	270.830	38.820
Soil Vapor Extraction - Pounds of VOCs Removed						
SVE Wells	VE-1	VE-1	VE-1	VE-2	VE-1	VE-1
Sample Date	11-Dec-13	15-Feb-14	14-May-14	14-May-14	19-Aug-14	7-Dec-14
cis-1,2-Dichloroethene	0.1486	0.0361	0.0109	0.0000	0.1361	0.0017
trans-1,2-Dichloroethene	0.0107					
Tetrachloroethene	81.5399	8.2054	2.6280	1.1587	4.8340	1.0883
Trichloroethene	0.3186	0.0346	0.0126	0.0027	0.0530	0.0079
Vinyl Chloride	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Mass Removed per Interval (lbs.)	82.02	8.28	2.65	6.18	5.02	1.10
Cumulative Mass Removed (lbs.)	82.02	90.29	92.95	99.13	104.15	110.34
Soil Vapor Extraction – Operation Summary						
Days in Operation (Total)	1.0	66.00	154.00	154.00	251.00	392.00
Cumulative Runtime (hours)	2	1,584	3,696	3,696	6,024	9,408
Interval Runtime (hours)	2	1,582	2,114	1	2,328	2,640
Flow Rate (cfm)	390	390	390	390	390	390
Mass Removal Days	5	61	88	97	73	31
From	11-Dec-13	16-Dec-13	15-Feb-14	14-May-14	19-Aug-14	7-Dec-14
To	16-Dec-13	15-Feb-14	14-May-14	19-Aug-14	31-Oct-14	7-Jan-15

Figures



BASE MAP SOURCE: USGS 7.5 MINUTE TOPOGRAPHIC QUADRANGLE,
MANITOWOC, WISCONSIN, DATED 1973.

UNITED DRY CLEANERS
MANITOWOC, WISCONSIN

FIGURE 1
SITE LOCATION


NORTH
SCALE: 1"=1600'
APPROXIMATELY

DRAWN: DDZ

APPROVED: MSM

DATE: December 2013


SHANNON & WILSON, INC.
GEOTECHNICAL AND ENVIRONMENTAL CONSULTANTS



LEGEND

- ◆ VP-1 VAPOR PROBE LOCATION (VP-1 to VP-4 APRIL 2011) (VP-5 to VP-7 OCT 2012)
- P-1 SOIL GAS SAMPLE POINT (DEC 2011, MARCH 2012)
- ▲ SGP-1 SOIL GAS PROBE (AUG 2012)
- ◎ SVE-1 SOIL VENT WELL (NOV 2012)
- VE-1 SVE EXTRACTION POINT (2013)
- GP-1 SHALLOW GROUNDWATER BORING (APRIL 2011)
- GP-3 SHALLOW/DEEP GROUNDWATER NESTED BORING (APRIL 2011)
- GP-13 SHALLOW GROUNDWATER BORING (JULY 2011)
- GP-31 SHALLOW/DEEP GROUNDWATER BORING (MARCH 2012)
- GP-35 SHALLOW GROUNDWATER/SOIL GAS BORING (AUGUST 2012)

● MW-1 MONITORING WELL



SOURCES:
TERRACON, SITE DIAGRAM FOR PARKVIEW HAVEN APARTMENTS,
DATED JANUARY 9, 2006.
MANITOWOC COUNTY/CITY GIS, 2010 AERIAL PHOTOGRAPH.

UNITED DRY CLEANERS
MANITOWOC, WISCONSIN

FIGURE 2
HISTORICAL SAMPLE LOCATIONS
(GROUNDWATER & SOIL GAS/VAPOR)

C:\Projects\37409 United Dry Cleaners\CAD\UDC-Site-2016.dwg [Figure 2 - Sample Locs]	DRAWN BY: DDZ,DAN	DATE: 3/14/2016
Elliott Environmental Consultants		SHANNON & WILSON, INC.




NORTH

UNITED CLEANERS & LAUNDRIES

Former
DMV

PIGGLY WIGGLY



LEGEND

SVE SYSTEM

- PERFORATED 4-INCH PIPE
- SOLID 4-INCH PIPE
- EXTRACTION POINT
- ACCESS POINT
- CONTROL BUILDING
- 2013 EXCAVATION EXTENT
- MW-1 MONITORING WELL

BURIED UTILITY LINES

- WATER
- SANITARY SEWER
- NATURAL GAS
- TELEPHONE/CABLE
- ELECTRIC

OVERHEAD UTILITY LINES

- ELECTRIC WITH UTILITY POLE



SCALE: 1" = 20'

UNITED DRY CLEANERS
MANITOWOC, WISCONSIN


FIGURE 3
SVE SYSTEM

C:\Projects\37409 United Dry Cleaners\CAD\UDC-Site-2016.dwg[Figure 3 - SVE]

DRAWN BY DDZ, DAN
DATE 3/14/2016

SHANNON & WILSON, INC.
GEOTECHNICAL AND ENVIRONMENTAL CONSULTANTS

SOURCES: MANITOWOC COUNTY/CITY GIS, 2010 AERIAL PHOTOGRAPH.



LEGEND

- MW-1 MONITORING WELL
- 87.4 PCE CONCENTRATION (ug/L)*
- 5.0 PCE GROUNDWATER ISOCONTOUR (ug/L)* DASHED WHERE INFERRED
- GROUNDWATER ELEVATION CONTOUR (FT)*
- VE-1 SVE EXTRACTION POINT (2013)

NOTES:

* DATA FROM FEBRUARY 17, 2016
NM = Not measured
Dashed indicates inferred.



SCALE: 1"=100'

UNITED DRY CLEANERS
MANITOWOC, WISCONSIN

FIGURE 4
SITE MAP WITH GROUNDWATER ELEVATIONS
& PCE CONCENTRATIONS (FEBRUARY 2016)


C:\Projects\37409 United Dry Cleaners\CAD\UDC-Site-2016.dwg [Figure 4 - GW]

DRAWN BY: DDZ,DAN DATE: 3/14/2016

APPROVED BY: MSM



SOURCES:
TERRACON, SITE DIAGRAM FOR PARKVIEW HAVEN APARTMENTS,
DATED JANUARY 9, 2006.
MANITOWOC COUNTY/CITY GIS, 2010 AERIAL PHOTOGRAPH.



Appendix A


MW-10 Soil Boring Log, Well Construction and Well Development Forms

Route To:

- Solid Waste
 - Wastewater
 - Emergency Response
 - Haz. Waste
 - Underground Tanks
 - Water Resources
 - Other

Page 1 of 1

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm Shannon & Wilson, Inc. – Madison, WI

This form is authorized by Chapters 144, 147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$4,000 for each violation. Fines not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name

United Laundries and Dry Cleaners

Local Grid Location of Well

ft. N. _____ ft. E.
 S. _____ W.

Well Name

MW-10

Facility License, Permit or Monitoring Number

Grid Origin Location

Lat. _____ Long. _____
St. Plane _____ ft. N, _____ ft. E.

Wis. Unique Well Number

DNR Well Number

Type of Well Water Table Observation Well 11
Piezometer 12

Date Well Installed

1 0 / 1 3 / 1 2
m m d d y y

Distance Well Is From Waste/Source Boundary

Section Location of Waste/Source
NW 1/4 of SW 1/4 of Sec. 17, T. 19 N, R. 24 E
 W

Well Installed By: (Person's Name and Firm)

Tony K.

Is Well A Point of Enforcement Std. Application?

Yes No

Location of Well Relative to Waste/Source

u Upgradient
d Downgradient
s Sidegradient
n Not Known

On-Site Environmental Services

A. Protective pipe, top elevation _____ ft. MSL

Yes No

B. Well casing, top elevation _____ ft. MSL

1. Cap and lock?

Yes No

C. Land surface elevation _____ ft. MSL

2. Protective cover pipe:

9 . 0 in.

D. Surface seal, bottom _____ ft MSL or _____ ft

a. Inside diameter:

1 . 0 ft.

12. USCS classification of soil near screen:

GP GM GC GW SW SP
SM SC ML MH CL CH

Bedrock

b. Length:

Steel

c. Material:

Other

13. Sieve analysis attached? Yes No

FLUSH MOUNT

Yes No

14. Drilling method used: Rotary 5 0

d. Additional protection?
If yes, describe:

9 . 0 in.

Hollow Stem Auger 4 1

3. Surface seal:

1 . 0 ft.

Other

Bentonite 3 0

Concrete 0 1

15. Drilling fluid used: Water 0 2 Air 0 1

Other

Drilling Mud 0 3 None 9 9

4. Material between well casing and protective pipe:

Bentonite 3 0

16. Drilling additives used? Yes No

Annular Space Seal

Native Soil / Sand

Describe: NA

Bentonite 3 0

Gravity 0 8

17. Source of water (attached analysis):

Tremie 0 1

Tremie pumped 0 2

NA

Tremie 0 2

E. Bentonite seal, top _____ ft MSL or 2 . 0 ft

How installed:

0 . 1 ft.

F. Fine sand, top _____ ft MSL or _____ ft

a. Bentonite granules 3 3

G. Filter pack, top _____ ft MSL or 2 8 . 0 ft

b. 1/4 in. 3/8 in. 1/2 in. Bentonite pellets 3 2

H. Screen joint, top _____ ft MSL or 3 2 . 5 ft

c. 9.5 x 50 lb. bags Other

I. Well bottom _____ ft MSL or 4 2 . 5 ft

J. Filter pack, bottom _____ ft MSL or 4 2 . 5 ft

K. Borehole, bottom _____ ft MSL or 4 4 . 0 ft

L. Borehole, diameter 8 . 5 in.

M. O.D. well casing 2 . 3 8 in.

N. I.D. well casing 2 . 0 5 in.

7. Fine sand material: Manufacturer, product name & mesh size

a. _____

b. Volume added _____ lb

8. Filter pack material: Manufacturer, product name & mesh size

a. Red Flint

b. Volume added 3.5 x 50 lb. bags _____ lb

9. Well casing:

Flush threaded PVC schedule 40 2 3

Flush threaded PVC schedule 80 2 4

Other

Schedule 40 PVC

Factory cut 1 1

Continuous slot 0 1

Other

b. Manufacturer _____

c. Slot size _____

d. Slotted length _____

0 . 0 1 0 in.

1 . 0 0 ft

11. Backfill material (below filter pack):

None 1 4

Other

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 

Firm

Shannon & Wilson, Inc. – Madison, WI

Please complete both sides of this form and return to the appropriate DNR office listed at the top of this form as required by chs. 144, 147 and 160, Wis. Stats., and ch. NR 141, Wis. Ad. Code. In accordance with ch. 144, Wis. Stats., failure to file this form may result in a forfeiture of not less than \$10, nor more than \$5000 for each day of violation. In accordance with ch. 147, Wis. Stats., failure to file this form may result in a forfeiture of not more than \$10,000 for each day of violation. NOTE: shaded areas are for DNR use only. See instruction for more information including where the completed form should be sent.

Facility/Project Name United Laundries and Dry Cleaners	County Name Manitowoc	Well Name MW - 10	
Facility License, Permit or Monitoring Number _____	County Code 3 6	Wis. Unique Well Number _____	DNR Well Number _____

1. Can this well be purged dry? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Before Development	After Development
2. Well development method surged with bailer and bailed <input checked="" type="checkbox"/> 4 1 <input checked="" type="checkbox"/> 6 1 surged with bailer and pumped <input type="checkbox"/> 4 2 <input type="checkbox"/> 6 2 surged with block and bailed <input type="checkbox"/> 7 0 <input type="checkbox"/> 2 0 surged with block and pumped <input type="checkbox"/> 1 0 compressed air <input type="checkbox"/> 5 1 bailer only <input type="checkbox"/> 5 0 pumped only <input type="checkbox"/> 5 0 pumped slowly Other _____	11. Depth to Water (from top of well casing) a. <u>2</u> <u>9</u> . <u>5</u> <u>1</u> ft. Date _____ b. <u>1</u> <u>0</u> / <u>1</u> <u>3</u> / <u>1</u> <u>5</u> <u>m</u> <u>m</u> / <u>d</u> <u>d</u> / <u>y</u> <u>y</u>	<u>2</u> <u>9</u> . <u>6</u> <u>7</u> ft. <u>1</u> <u>0</u> / <u>1</u> <u>3</u> / <u>1</u> <u>2</u> <u>m</u> <u>m</u> / <u>d</u> <u>d</u> / <u>y</u> <u>y</u>
3. Time spent developing well <u>1</u> <u>0</u> <u>5</u> min.	12. Sediment in well bottom _____ inches	Time c. <u>1</u> <u>4</u> : <u>1</u> <u>5</u> <input checked="" type="checkbox"/> a.m. <u>1</u> <u>6</u> : <u>0</u> <u>0</u> <input type="checkbox"/> p.m.
4. Depth of well (from top of well casing) <u>4</u> <u>2</u> . <u>15</u> ft.	13. Water clarity Clear <input type="checkbox"/> 1 0 Turbid <input checked="" type="checkbox"/> 1 5 (Describe) _____ Reddish brown, no odor, very turbid _____	Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) _____ Clear, no odor, Slight turbidity. _____
5. Inside diameter of well <u>2</u> . <u>0</u> <u>5</u> in.	14. Total suspended solids _____ mg/l	_____ mg/l
6. Volume of waters in filter pack and well casing <u>1</u> <u>0</u> . <u>0</u> gal.	15. COD _____ mg/l	_____ mg/l
7. Volume of water removed from well <u>1</u> <u>2</u> . <u>5</u> gal.		
8. Volume of water added (if any) _____ gal.		
9. Source of water added NA _____		
10. Analysis performed on water added? (If yes, attach results) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
16. Additional comments on development: Surged with bailer and bailed for 30 minutes, bailed 5 gallons Pumped and surged 90 minutes.		

Well developed by: Person's Name and Firm Name: <u>Mark McColloch</u>	I hereby certify that the above information is true and correct to the best of my knowledge. Signature: <u>Mark A. McColloch</u>
Firm: <u>Shannon & Wilson, Inc. – Madison, WI</u>	Print Initials: <u>M S M</u>

NOTE: Shaded areas are for DNR use only. See instructions for more information including a list of county codes.

Appendix B

Laboratory Reports
Groundwater Samples
November 2014 through February 2016

December 05, 2014

Mark McColloch
SHANNON & WILSON, INC.
2110 Luann Lane
Suite 101
Madison, WI 53713

RE: Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Dear Mark McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on November 25, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

New York Certification #: 11888
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409 UNITED DRY CLEANERS
 Pace Project No.: 40107575

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40107575001	MW-1	Water	11/25/14 15:05	11/25/14 16:15
40107575002	MW-2	Water	11/25/14 13:25	11/25/14 16:15
40107575003	MW-3	Water	11/25/14 13:15	11/25/14 16:15
40107575004	MW-4	Water	11/25/14 12:00	11/25/14 16:15
40107575005	MW-5	Water	11/25/14 14:55	11/25/14 16:15
40107575006	MW-6	Water	11/25/14 11:50	11/25/14 16:15
40107575007	MW-7	Water	11/25/14 11:35	11/25/14 16:15
40107575008	MW-8	Water	11/25/14 10:50	11/25/14 16:15
40107575009	MW-9	Water	11/25/14 10:40	11/25/14 16:15
40107575010	DUP #1	Water	11/25/14 11:40	11/25/14 16:15
40107575011	TRIP BLANK	Water	11/25/14 00:00	11/25/14 16:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409 UNITED DRY CLEANERS
 Pace Project No.: 40107575

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40107575001	MW-1	EPA 8260	HNW	64
40107575002	MW-2	EPA 8260	HNW	64
40107575003	MW-3	EPA 8260	HNW	64
40107575004	MW-4	EPA 8260	HNW	64
40107575005	MW-5	EPA 8260	HNW	64
40107575006	MW-6	EPA 8260	HNW	64
40107575007	MW-7	EPA 8260	HNW	64
40107575008	MW-8	EPA 8260	LAP	64
40107575009	MW-9	EPA 8260	LAP	64
40107575010	DUP #1	EPA 8260	LAP	64
40107575011	TRIP BLANK	EPA 8260	LAP	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Lab Sample ID	Client Sample ID	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40107575001	MW-1	EPA 8260	Tetrachloroethene	19.5	ug/L	1.0	11/29/14 16:46
40107575002	MW-2	EPA 8260	Tetrachloroethene	9.2	ug/L	1.0	11/29/14 17:09
40107575003	MW-3	EPA 8260	Tetrachloroethene	6.8	ug/L	1.0	11/29/14 17:32
40107575005	MW-5	EPA 8260	Tetrachloroethene	10.3	ug/L	1.0	11/29/14 18:19
40107575006	MW-6	EPA 8260	Tetrachloroethene	36.3	ug/L	1.0	11/29/14 18:42
40107575007	MW-7	EPA 8260	Tetrachloroethene	21.4	ug/L	1.0	11/29/14 19:05
40107575008	MW-8	EPA 8260	Tetrachloroethene	3.5	ug/L	1.0	12/04/14 10:39
40107575010	DUP #1	EPA 8260	Tetrachloroethene	20.8	ug/L	1.0	12/04/14 11:48

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-1	Lab ID: 40107575001	Collected: 11/25/14 15:05	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			11/29/14 16:46	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			11/29/14 16:46	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L	1.0	0.16	1			11/29/14 16:46	79-00-5	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			11/29/14 16:46	75-34-3	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			11/29/14 16:46	75-35-4	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			11/29/14 16:46	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			11/29/14 16:46	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			11/29/14 16:46	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			11/29/14 16:46	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			11/29/14 16:46	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	95-50-1	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			11/29/14 16:46	107-06-2	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			11/29/14 16:46	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	541-73-1	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	106-46-7	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			11/29/14 16:46	594-20-7	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			11/29/14 16:46	106-43-4	
Benzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			11/29/14 16:46	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			11/29/14 16:46	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			11/29/14 16:46	74-83-9	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			11/29/14 16:46	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			11/29/14 16:46	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	74-87-3	L3
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	124-48-1	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			11/29/14 16:46	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			11/29/14 16:46	75-71-8	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			11/29/14 16:46	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			11/29/14 16:46	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			11/29/14 16:46	1634-04-4	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			11/29/14 16:46	75-09-2	
Naphthalene	<2.5 ug/L	5.0	2.5	1			11/29/14 16:46	91-20-3	
Styrene	<0.50 ug/L	1.0	0.50	1			11/29/14 16:46	100-42-5	
Tetrachloroethene	19.5 ug/L	1.0	0.50	1			11/29/14 16:46	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-1	Lab ID: 40107575001	Collected: 11/25/14 15:05	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 16:46	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 16:46	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 16:46	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 16:46	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 16:46	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 16:46	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 16:46	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 16:46	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 16:46	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 16:46	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 16:46	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 16:46	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 16:46	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 16:46	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 16:46	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		11/29/14 16:46	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		11/29/14 16:46	1868-53-7	
Toluene-d8 (S)	97 %		70-130		1		11/29/14 16:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-2	Lab ID: 40107575002	Collected: 11/25/14 13:25	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			11/29/14 17:09	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			11/29/14 17:09	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L	1.0	0.16	1			11/29/14 17:09	79-00-5	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			11/29/14 17:09	75-34-3	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			11/29/14 17:09	75-35-4	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			11/29/14 17:09	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			11/29/14 17:09	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			11/29/14 17:09	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			11/29/14 17:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			11/29/14 17:09	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	95-50-1	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			11/29/14 17:09	107-06-2	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			11/29/14 17:09	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	541-73-1	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	106-46-7	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			11/29/14 17:09	594-20-7	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			11/29/14 17:09	106-43-4	
Benzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			11/29/14 17:09	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			11/29/14 17:09	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			11/29/14 17:09	74-83-9	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			11/29/14 17:09	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			11/29/14 17:09	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	74-87-3	L3
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	124-48-1	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			11/29/14 17:09	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			11/29/14 17:09	75-71-8	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			11/29/14 17:09	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			11/29/14 17:09	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			11/29/14 17:09	1634-04-4	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			11/29/14 17:09	75-09-2	
Naphthalene	<2.5 ug/L	5.0	2.5	1			11/29/14 17:09	91-20-3	
Styrene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:09	100-42-5	
Tetrachloroethene	9.2 ug/L	1.0	0.50	1			11/29/14 17:09	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-2	Lab ID: 40107575002	Collected: 11/25/14 13:25	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:09	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 17:09	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 17:09	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 17:09	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 17:09	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:09	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 17:09	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:09	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:09	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:09	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:09	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 17:09	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 17:09	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 17:09	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 17:09	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		11/29/14 17:09	460-00-4	
Dibromofluoromethane (S)	101 %		70-130		1		11/29/14 17:09	1868-53-7	
Toluene-d8 (S)	98 %		70-130		1		11/29/14 17:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-3	Lab ID: 40107575003	Collected: 11/25/14 13:15	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			11/29/14 17:32	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			11/29/14 17:32	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L	1.0	0.16	1			11/29/14 17:32	79-00-5	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			11/29/14 17:32	75-34-3	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			11/29/14 17:32	75-35-4	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			11/29/14 17:32	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			11/29/14 17:32	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			11/29/14 17:32	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			11/29/14 17:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			11/29/14 17:32	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	95-50-1	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			11/29/14 17:32	107-06-2	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			11/29/14 17:32	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	541-73-1	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	106-46-7	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			11/29/14 17:32	594-20-7	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			11/29/14 17:32	106-43-4	
Benzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			11/29/14 17:32	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			11/29/14 17:32	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			11/29/14 17:32	74-83-9	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			11/29/14 17:32	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			11/29/14 17:32	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	74-87-3	L3
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	124-48-1	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			11/29/14 17:32	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			11/29/14 17:32	75-71-8	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			11/29/14 17:32	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			11/29/14 17:32	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			11/29/14 17:32	1634-04-4	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			11/29/14 17:32	75-09-2	
Naphthalene	<2.5 ug/L	5.0	2.5	1			11/29/14 17:32	91-20-3	
Styrene	<0.50 ug/L	1.0	0.50	1			11/29/14 17:32	100-42-5	
Tetrachloroethene	6.8 ug/L	1.0	0.50	1			11/29/14 17:32	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-3	Lab ID: 40107575003	Collected: 11/25/14 13:15	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:32	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 17:32	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 17:32	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 17:32	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 17:32	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:32	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 17:32	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:32	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:32	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:32	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:32	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 17:32	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 17:32	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 17:32	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 17:32	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		11/29/14 17:32	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		11/29/14 17:32	1868-53-7	
Toluene-d8 (S)	97 %		70-130		1		11/29/14 17:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-4	Lab ID: 40107575004	Collected: 11/25/14 12:00	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		11/29/14 17:56	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		11/29/14 17:56	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		11/29/14 17:56	79-00-5	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		11/29/14 17:56	75-34-3	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		11/29/14 17:56	75-35-4	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		11/29/14 17:56	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		11/29/14 17:56	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 17:56	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		11/29/14 17:56	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		11/29/14 17:56	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	95-50-1	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		11/29/14 17:56	107-06-2	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		11/29/14 17:56	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	541-73-1	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	106-46-7	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		11/29/14 17:56	594-20-7	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		11/29/14 17:56	106-43-4	
Benzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		11/29/14 17:56	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		11/29/14 17:56	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		11/29/14 17:56	74-83-9	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		11/29/14 17:56	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		11/29/14 17:56	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	74-87-3	L3
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	124-48-1	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		11/29/14 17:56	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		11/29/14 17:56	75-71-8	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		11/29/14 17:56	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		11/29/14 17:56	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		11/29/14 17:56	1634-04-4	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		11/29/14 17:56	75-09-2	
Naphthalene	<2.5 ug/L		5.0	2.5	1		11/29/14 17:56	91-20-3	
Styrene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	100-42-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-4	Lab ID: 40107575004	Collected: 11/25/14 12:00	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 17:56	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 17:56	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 17:56	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 17:56	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 17:56	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 17:56	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 17:56	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 17:56	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 17:56	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 17:56	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		11/29/14 17:56	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		11/29/14 17:56	1868-53-7	pH
Toluene-d8 (S)	97 %		70-130		1		11/29/14 17:56	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-5	Lab ID: 40107575005	Collected: 11/25/14 14:55	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		11/29/14 18:19	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		11/29/14 18:19	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		11/29/14 18:19	79-00-5	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		11/29/14 18:19	75-34-3	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		11/29/14 18:19	75-35-4	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		11/29/14 18:19	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		11/29/14 18:19	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 18:19	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		11/29/14 18:19	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		11/29/14 18:19	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	95-50-1	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		11/29/14 18:19	107-06-2	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		11/29/14 18:19	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	541-73-1	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	106-46-7	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		11/29/14 18:19	594-20-7	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		11/29/14 18:19	106-43-4	
Benzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		11/29/14 18:19	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		11/29/14 18:19	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		11/29/14 18:19	74-83-9	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		11/29/14 18:19	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		11/29/14 18:19	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	74-87-3	L3
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	124-48-1	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		11/29/14 18:19	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		11/29/14 18:19	75-71-8	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		11/29/14 18:19	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		11/29/14 18:19	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		11/29/14 18:19	1634-04-4	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		11/29/14 18:19	75-09-2	
Naphthalene	<2.5 ug/L		5.0	2.5	1		11/29/14 18:19	91-20-3	
Styrene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	100-42-5	
Tetrachloroethene	10.3 ug/L		1.0	0.50	1		11/29/14 18:19	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-5	Lab ID: 40107575005	Collected: 11/25/14 14:55	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 18:19	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 18:19	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 18:19	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 18:19	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 18:19	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:19	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 18:19	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 18:19	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 18:19	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 18:19	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93 %		59-130		1		11/29/14 18:19	460-00-4	
Dibromofluoromethane (S)	101 %		70-130		1		11/29/14 18:19	1868-53-7	
Toluene-d8 (S)	96 %		70-130		1		11/29/14 18:19	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-6	Lab ID: 40107575006	Collected: 11/25/14 11:50	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			11/29/14 18:42	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			11/29/14 18:42	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L	1.0	0.16	1			11/29/14 18:42	79-00-5	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			11/29/14 18:42	75-34-3	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			11/29/14 18:42	75-35-4	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			11/29/14 18:42	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			11/29/14 18:42	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			11/29/14 18:42	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			11/29/14 18:42	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			11/29/14 18:42	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	95-50-1	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			11/29/14 18:42	107-06-2	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			11/29/14 18:42	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	541-73-1	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	106-46-7	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			11/29/14 18:42	594-20-7	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			11/29/14 18:42	106-43-4	
Benzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			11/29/14 18:42	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			11/29/14 18:42	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			11/29/14 18:42	74-83-9	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			11/29/14 18:42	75-00-3	
Chloroform	<2.5 ug/L	5.0	2.5	1			11/29/14 18:42	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	74-87-3	L3
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	124-48-1	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			11/29/14 18:42	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			11/29/14 18:42	75-71-8	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			11/29/14 18:42	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			11/29/14 18:42	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			11/29/14 18:42	1634-04-4	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			11/29/14 18:42	75-09-2	
Naphthalene	<2.5 ug/L	5.0	2.5	1			11/29/14 18:42	91-20-3	
Styrene	<0.50 ug/L	1.0	0.50	1			11/29/14 18:42	100-42-5	
Tetrachloroethene	36.3 ug/L	1.0	0.50	1			11/29/14 18:42	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-6	Lab ID: 40107575006	Collected: 11/25/14 11:50	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:42	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 18:42	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 18:42	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 18:42	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 18:42	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:42	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 18:42	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:42	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:42	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:42	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 18:42	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 18:42	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 18:42	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 18:42	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 18:42	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95 %		59-130		1		11/29/14 18:42	460-00-4	
Dibromofluoromethane (S)	101 %		70-130		1		11/29/14 18:42	1868-53-7	
Toluene-d8 (S)	99 %		70-130		1		11/29/14 18:42	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-7	Lab ID: 40107575007	Collected: 11/25/14 11:35	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		11/29/14 19:05	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		11/29/14 19:05	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		11/29/14 19:05	79-00-5	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		11/29/14 19:05	75-34-3	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		11/29/14 19:05	75-35-4	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		11/29/14 19:05	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		11/29/14 19:05	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 19:05	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		11/29/14 19:05	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		11/29/14 19:05	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	95-50-1	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		11/29/14 19:05	107-06-2	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		11/29/14 19:05	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	541-73-1	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	106-46-7	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		11/29/14 19:05	594-20-7	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		11/29/14 19:05	106-43-4	
Benzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		11/29/14 19:05	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		11/29/14 19:05	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		11/29/14 19:05	74-83-9	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		11/29/14 19:05	75-00-3	
Chloroform	<2.5 ug/L		5.0	2.5	1		11/29/14 19:05	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	74-87-3	L3
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	124-48-1	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		11/29/14 19:05	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		11/29/14 19:05	75-71-8	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		11/29/14 19:05	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		11/29/14 19:05	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		11/29/14 19:05	1634-04-4	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		11/29/14 19:05	75-09-2	
Naphthalene	<2.5 ug/L		5.0	2.5	1		11/29/14 19:05	91-20-3	
Styrene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	100-42-5	
Tetrachloroethene	21.4 ug/L		1.0	0.50	1		11/29/14 19:05	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-7	Lab ID: 40107575007	Collected: 11/25/14 11:35	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		11/29/14 19:05	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		11/29/14 19:05	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		11/29/14 19:05	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 19:05	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		11/29/14 19:05	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		11/29/14 19:05	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		11/29/14 19:05	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		11/29/14 19:05	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		11/29/14 19:05	156-60-5	
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		11/29/14 19:05	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94 %		59-130		1		11/29/14 19:05	460-00-4	
Dibromofluoromethane (S)	102 %		70-130		1		11/29/14 19:05	1868-53-7	
Toluene-d8 (S)	98 %		70-130		1		11/29/14 19:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-8	Lab ID: 40107575008	Collected: 11/25/14 10:50	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/04/14 10:39	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/04/14 10:39	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/04/14 10:39	79-00-5	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/04/14 10:39	75-34-3	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/04/14 10:39	75-35-4	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/04/14 10:39	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/04/14 10:39	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 10:39	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/04/14 10:39	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/04/14 10:39	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	95-50-1	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/04/14 10:39	107-06-2	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/04/14 10:39	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	541-73-1	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	106-46-7	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/04/14 10:39	594-20-7	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/04/14 10:39	106-43-4	
Benzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/04/14 10:39	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/04/14 10:39	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/04/14 10:39	74-83-9	M1
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/04/14 10:39	75-00-3	L3,M0
Chloroform	<2.5 ug/L		5.0	2.5	1		12/04/14 10:39	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	74-87-3	M1
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	124-48-1	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/04/14 10:39	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/04/14 10:39	75-71-8	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/04/14 10:39	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/04/14 10:39	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/04/14 10:39	1634-04-4	R1
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		12/04/14 10:39	75-09-2	M1
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/04/14 10:39	91-20-3	
Styrene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	100-42-5	M1,R1
Tetrachloroethene	3.5 ug/L		1.0	0.50	1		12/04/14 10:39	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-8	Lab ID: 40107575008	Collected: 11/25/14 10:50	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/04/14 10:39	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/04/14 10:39	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/04/14 10:39	75-01-4	M1
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 10:39	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/04/14 10:39	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 10:39	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 10:39	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/04/14 10:39	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 10:39	156-60-5	L3,M1, R1
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/04/14 10:39	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	77 %		59-130		1		12/04/14 10:39	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		12/04/14 10:39	1868-53-7	
Toluene-d8 (S)	93 %		70-130		1		12/04/14 10:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: MW-9	Lab ID: 40107575009	Collected: 11/25/14 10:40	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			12/04/14 11:25	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			12/04/14 11:25	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L	1.0	0.16	1			12/04/14 11:25	79-00-5	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			12/04/14 11:25	75-34-3	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			12/04/14 11:25	75-35-4	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			12/04/14 11:25	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			12/04/14 11:25	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			12/04/14 11:25	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			12/04/14 11:25	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			12/04/14 11:25	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	95-50-1	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			12/04/14 11:25	107-06-2	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			12/04/14 11:25	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	541-73-1	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	106-46-7	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			12/04/14 11:25	594-20-7	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			12/04/14 11:25	106-43-4	
Benzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			12/04/14 11:25	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			12/04/14 11:25	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			12/04/14 11:25	74-83-9	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			12/04/14 11:25	75-00-3	L3
Chloroform	<2.5 ug/L	5.0	2.5	1			12/04/14 11:25	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	74-87-3	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	124-48-1	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			12/04/14 11:25	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			12/04/14 11:25	75-71-8	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			12/04/14 11:25	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			12/04/14 11:25	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			12/04/14 11:25	1634-04-4	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			12/04/14 11:25	75-09-2	
Naphthalene	<2.5 ug/L	5.0	2.5	1			12/04/14 11:25	91-20-3	
Styrene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	100-42-5	
Tetrachloroethene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:25	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: MW-9	Lab ID: 40107575009	Collected: 11/25/14 10:40	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:25	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/04/14 11:25	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/04/14 11:25	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/04/14 11:25	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 11:25	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:25	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/04/14 11:25	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:25	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:25	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:25	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:25	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 11:25	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/04/14 11:25	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 11:25	156-60-5	L3
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/04/14 11:25	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	79 %		59-130		1		12/04/14 11:25	460-00-4	
Dibromofluoromethane (S)	103 %		70-130		1		12/04/14 11:25	1868-53-7	
Toluene-d8 (S)	95 %		70-130		1		12/04/14 11:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: DUP #1	Lab ID: 40107575010	Collected: 11/25/14 11:40	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L	1.0	0.18	1			12/04/14 11:48	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L	1.0	0.25	1			12/04/14 11:48	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L	1.0	0.16	1			12/04/14 11:48	79-00-5	
1,1-Dichloroethane	<0.24 ug/L	1.0	0.24	1			12/04/14 11:48	75-34-3	
1,1-Dichloroethene	<0.41 ug/L	1.0	0.41	1			12/04/14 11:48	75-35-4	
1,1-Dichloropropene	<0.44 ug/L	1.0	0.44	1			12/04/14 11:48	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L	5.0	2.1	1			12/04/14 11:48	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L	5.0	2.2	1			12/04/14 11:48	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L	5.0	2.2	1			12/04/14 11:48	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L	1.0	0.16	1			12/04/14 11:48	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	95-50-1	
1,2-Dichloroethane	<0.17 ug/L	1.0	0.17	1			12/04/14 11:48	107-06-2	
1,2-Dichloropropane	<0.23 ug/L	1.0	0.23	1			12/04/14 11:48	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	541-73-1	
1,3-Dichloropropane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	106-46-7	
2,2-Dichloropropane	<0.48 ug/L	1.0	0.48	1			12/04/14 11:48	594-20-7	
2-Chlorotoluene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	95-49-8	
4-Chlorotoluene	<0.21 ug/L	1.0	0.21	1			12/04/14 11:48	106-43-4	
Benzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	71-43-2	
Bromobenzene	<0.23 ug/L	1.0	0.23	1			12/04/14 11:48	108-86-1	
Bromochloromethane	<0.34 ug/L	1.0	0.34	1			12/04/14 11:48	74-97-5	
Bromodichloromethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	75-27-4	
Bromoform	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	75-25-2	
Bromomethane	<2.4 ug/L	5.0	2.4	1			12/04/14 11:48	74-83-9	
Carbon tetrachloride	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	56-23-5	
Chlorobenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	108-90-7	
Chloroethane	<0.37 ug/L	1.0	0.37	1			12/04/14 11:48	75-00-3	L3
Chloroform	<2.5 ug/L	5.0	2.5	1			12/04/14 11:48	67-66-3	
Chloromethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	74-87-3	
Dibromochloromethane	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	124-48-1	
Dibromomethane	<0.43 ug/L	1.0	0.43	1			12/04/14 11:48	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L	1.0	0.20	1			12/04/14 11:48	75-71-8	
Diisopropyl ether	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	108-20-3	
Ethylbenzene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L	5.0	2.1	1			12/04/14 11:48	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L	1.0	0.14	1			12/04/14 11:48	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L	1.0	0.17	1			12/04/14 11:48	1634-04-4	
Methylene Chloride	<0.23 ug/L	1.0	0.23	1			12/04/14 11:48	75-09-2	
Naphthalene	<2.5 ug/L	5.0	2.5	1			12/04/14 11:48	91-20-3	
Styrene	<0.50 ug/L	1.0	0.50	1			12/04/14 11:48	100-42-5	
Tetrachloroethene	20.8 ug/L	1.0	0.50	1			12/04/14 11:48	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: DUP #1	Lab ID: 40107575010	Collected: 11/25/14 11:40	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:48	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/04/14 11:48	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/04/14 11:48	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/04/14 11:48	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 11:48	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:48	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/04/14 11:48	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:48	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:48	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:48	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 11:48	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 11:48	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/04/14 11:48	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 11:48	156-60-5	L3
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/04/14 11:48	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	79 %		59-130		1		12/04/14 11:48	460-00-4	
Dibromofluoromethane (S)	105 %		70-130		1		12/04/14 11:48	1868-53-7	
Toluene-d8 (S)	94 %		70-130		1		12/04/14 11:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Sample: TRIP BLANK	Lab ID: 40107575011	Collected: 11/25/14 00:00	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18 ug/L		1.0	0.18	1		12/04/14 13:43	630-20-6	
1,1,1-Trichloroethane	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25 ug/L		1.0	0.25	1		12/04/14 13:43	79-34-5	
1,1,2-Trichloroethane	<0.16 ug/L		1.0	0.16	1		12/04/14 13:43	79-00-5	
1,1-Dichloroethane	<0.24 ug/L		1.0	0.24	1		12/04/14 13:43	75-34-3	
1,1-Dichloroethene	<0.41 ug/L		1.0	0.41	1		12/04/14 13:43	75-35-4	
1,1-Dichloropropene	<0.44 ug/L		1.0	0.44	1		12/04/14 13:43	563-58-6	
1,2,3-Trichlorobenzene	<2.1 ug/L		5.0	2.1	1		12/04/14 13:43	87-61-6	
1,2,3-Trichloropropane	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	96-18-4	
1,2,4-Trichlorobenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 13:43	120-82-1	
1,2,4-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2 ug/L		5.0	2.2	1		12/04/14 13:43	96-12-8	
1,2-Dibromoethane (EDB)	<0.16 ug/L		1.0	0.16	1		12/04/14 13:43	106-93-4	
1,2-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	95-50-1	
1,2-Dichloroethane	<0.17 ug/L		1.0	0.17	1		12/04/14 13:43	107-06-2	
1,2-Dichloropropane	<0.23 ug/L		1.0	0.23	1		12/04/14 13:43	78-87-5	
1,3,5-Trimethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	108-67-8	
1,3-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	541-73-1	
1,3-Dichloropropane	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	142-28-9	
1,4-Dichlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	106-46-7	
2,2-Dichloropropane	<0.48 ug/L		1.0	0.48	1		12/04/14 13:43	594-20-7	
2-Chlorotoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	95-49-8	
4-Chlorotoluene	<0.21 ug/L		1.0	0.21	1		12/04/14 13:43	106-43-4	
Benzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	71-43-2	
Bromobenzene	<0.23 ug/L		1.0	0.23	1		12/04/14 13:43	108-86-1	
Bromochloromethane	<0.34 ug/L		1.0	0.34	1		12/04/14 13:43	74-97-5	
Bromodichloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	75-27-4	
Bromoform	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	75-25-2	
Bromomethane	<2.4 ug/L		5.0	2.4	1		12/04/14 13:43	74-83-9	
Carbon tetrachloride	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	56-23-5	
Chlorobenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	108-90-7	
Chloroethane	<0.37 ug/L		1.0	0.37	1		12/04/14 13:43	75-00-3	L3
Chloroform	<2.5 ug/L		5.0	2.5	1		12/04/14 13:43	67-66-3	
Chloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	74-87-3	
Dibromochloromethane	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	124-48-1	
Dibromomethane	<0.43 ug/L		1.0	0.43	1		12/04/14 13:43	74-95-3	
Dichlorodifluoromethane	<0.20 ug/L		1.0	0.20	1		12/04/14 13:43	75-71-8	
Diisopropyl ether	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	108-20-3	
Ethylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	100-41-4	
Hexachloro-1,3-butadiene	<2.1 ug/L		5.0	2.1	1		12/04/14 13:43	87-68-3	
Isopropylbenzene (Cumene)	<0.14 ug/L		1.0	0.14	1		12/04/14 13:43	98-82-8	
Methyl-tert-butyl ether	<0.17 ug/L		1.0	0.17	1		12/04/14 13:43	1634-04-4	
Methylene Chloride	<0.23 ug/L		1.0	0.23	1		12/04/14 13:43	75-09-2	
Naphthalene	<2.5 ug/L		5.0	2.5	1		12/04/14 13:43	91-20-3	
Styrene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	100-42-5	
Tetrachloroethene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40107575

Sample: TRIP BLANK	Lab ID: 40107575011	Collected: 11/25/14 00:00	Received: 11/25/14 16:15	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	108-88-3	
Trichloroethene	<0.33 ug/L		1.0	0.33	1		12/04/14 13:43	79-01-6	
Trichlorofluoromethane	<0.17 ug/L		1.0	0.17	1		12/04/14 13:43	75-69-4	
Vinyl chloride	<0.18 ug/L		1.0	0.18	1		12/04/14 13:43	75-01-4	
cis-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 13:43	156-59-2	
cis-1,3-Dichloropropene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	10061-01-5	
m&p-Xylene	<1.0 ug/L		2.0	1.0	1		12/04/14 13:43	179601-23-1	
n-Butylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	104-51-8	
n-Propylbenzene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	103-65-1	
o-Xylene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	95-47-6	
p-Isopropyltoluene	<0.50 ug/L		1.0	0.50	1		12/04/14 13:43	99-87-6	
sec-Butylbenzene	<2.2 ug/L		5.0	2.2	1		12/04/14 13:43	135-98-8	
tert-Butylbenzene	<0.18 ug/L		1.0	0.18	1		12/04/14 13:43	98-06-6	
trans-1,2-Dichloroethene	<0.26 ug/L		1.0	0.26	1		12/04/14 13:43	156-60-5	L3
trans-1,3-Dichloropropene	<0.23 ug/L		1.0	0.23	1		12/04/14 13:43	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	76 %		59-130		1		12/04/14 13:43	460-00-4	
Dibromofluoromethane (S)	106 %		70-130		1		12/04/14 13:43	1868-53-7	
Toluene-d8 (S)	94 %		70-130		1		12/04/14 13:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

QC Batch:	MSV/26682	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40107575001, 40107575002, 40107575003, 40107575004, 40107575005, 40107575006, 40107575007		

METHOD BLANK: 1088807 Matrix: Water

Associated Lab Samples: 40107575001, 40107575002, 40107575003, 40107575004, 40107575005, 40107575006, 40107575007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	11/29/14 12:09	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	11/29/14 12:09	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/29/14 12:09	
1,1,2-Trichloroethane	ug/L	<0.16	1.0	11/29/14 12:09	
1,1-Dichloroethane	ug/L	<0.24	1.0	11/29/14 12:09	
1,1-Dichloroethene	ug/L	<0.41	1.0	11/29/14 12:09	
1,1-Dichloropropene	ug/L	<0.44	1.0	11/29/14 12:09	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	11/29/14 12:09	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	11/29/14 12:09	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	11/29/14 12:09	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	11/29/14 12:09	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	11/29/14 12:09	
1,2-Dibromoethane (EDB)	ug/L	<0.16	1.0	11/29/14 12:09	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	11/29/14 12:09	
1,2-Dichloroethane	ug/L	<0.17	1.0	11/29/14 12:09	
1,2-Dichloropropane	ug/L	<0.23	1.0	11/29/14 12:09	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	11/29/14 12:09	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	11/29/14 12:09	
1,3-Dichloropropane	ug/L	<0.50	1.0	11/29/14 12:09	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	11/29/14 12:09	
2,2-Dichloropropane	ug/L	<0.48	1.0	11/29/14 12:09	
2-Chlorotoluene	ug/L	<0.50	1.0	11/29/14 12:09	
4-Chlorotoluene	ug/L	<0.21	1.0	11/29/14 12:09	
Benzene	ug/L	<0.50	1.0	11/29/14 12:09	
Bromobenzene	ug/L	<0.23	1.0	11/29/14 12:09	
Bromoform	ug/L	<0.34	1.0	11/29/14 12:09	
Bromochloromethane	ug/L	<0.50	1.0	11/29/14 12:09	
Bromodichloromethane	ug/L	<0.50	1.0	11/29/14 12:09	
Bromoform	ug/L	<0.50	1.0	11/29/14 12:09	
Bromomethane	ug/L	<2.4	5.0	11/29/14 12:09	
Carbon tetrachloride	ug/L	<0.50	1.0	11/29/14 12:09	
Chlorobenzene	ug/L	<0.50	1.0	11/29/14 12:09	
Chloroethane	ug/L	<0.37	1.0	11/29/14 12:09	
Chloroform	ug/L	<2.5	5.0	11/29/14 12:09	
Chloromethane	ug/L	<0.50	1.0	11/29/14 12:09	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	11/29/14 12:09	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	11/29/14 12:09	
Dibromochloromethane	ug/L	<0.50	1.0	11/29/14 12:09	
Dibromomethane	ug/L	<0.43	1.0	11/29/14 12:09	
Dichlorodifluoromethane	ug/L	<0.20	1.0	11/29/14 12:09	
Diisopropyl ether	ug/L	<0.50	1.0	11/29/14 12:09	
Ethylbenzene	ug/L	<0.50	1.0	11/29/14 12:09	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

METHOD BLANK: 1088807

Matrix: Water

Associated Lab Samples: 40107575001, 40107575002, 40107575003, 40107575004, 40107575005, 40107575006, 40107575007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	11/29/14 12:09	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	11/29/14 12:09	
m&p-Xylene	ug/L	<1.0	2.0	11/29/14 12:09	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	11/29/14 12:09	
Methylene Chloride	ug/L	<0.23	1.0	11/29/14 12:09	
n-Butylbenzene	ug/L	<0.50	1.0	11/29/14 12:09	
n-Propylbenzene	ug/L	<0.50	1.0	11/29/14 12:09	
Naphthalene	ug/L	<2.5	5.0	11/29/14 12:09	
o-Xylene	ug/L	<0.50	1.0	11/29/14 12:09	
p-Isopropyltoluene	ug/L	<0.50	1.0	11/29/14 12:09	
sec-Butylbenzene	ug/L	<2.2	5.0	11/29/14 12:09	
Styrene	ug/L	<0.50	1.0	11/29/14 12:09	
tert-Butylbenzene	ug/L	<0.18	1.0	11/29/14 12:09	
Tetrachloroethene	ug/L	<0.50	1.0	11/29/14 12:09	
Toluene	ug/L	<0.50	1.0	11/29/14 12:09	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	11/29/14 12:09	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	11/29/14 12:09	
Trichloroethene	ug/L	<0.33	1.0	11/29/14 12:09	
Trichlorofluoromethane	ug/L	<0.17	1.0	11/29/14 12:09	
Vinyl chloride	ug/L	<0.18	1.0	11/29/14 12:09	
4-Bromofluorobenzene (S)	%	93	59-130	11/29/14 12:09	
Dibromofluoromethane (S)	%	103	70-130	11/29/14 12:09	
Toluene-d8 (S)	%	98	70-130	11/29/14 12:09	

LABORATORY CONTROL SAMPLE & LCSD: 1088808

1088809

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.9	52.7	106	105	70-130	0	20	
1,1,2,2-Tetrachloroethane	ug/L	50	48.0	47.9	96	96	70-130	0	20	
1,1,2-Trichloroethane	ug/L	50	54.1	53.7	108	107	70-130	1	20	
1,1-Dichloroethane	ug/L	50	56.1	55.6	112	111	70-130	1	20	
1,1-Dichloroethene	ug/L	50	62.9	63.8	126	128	70-132	1	20	
1,2,4-Trichlorobenzene	ug/L	50	51.7	51.9	103	104	70-130	0	20	
1,2-Dibromo-3-chloropropane	ug/L	50	45.8	45.8	92	92	50-150	0	20	
1,2-Dibromoethane (EDB)	ug/L	50	52.4	50.7	105	101	70-130	3	20	
1,2-Dichlorobenzene	ug/L	50	50.8	50.5	102	101	70-130	0	20	
1,2-Dichloroethane	ug/L	50	54.1	54.2	108	108	70-130	0	20	
1,2-Dichloropropane	ug/L	50	55.2	54.1	110	108	70-130	2	20	
1,3-Dichlorobenzene	ug/L	50	49.6	48.8	99	98	70-130	2	20	
1,4-Dichlorobenzene	ug/L	50	50.5	50.3	101	101	70-130	0	20	
Benzene	ug/L	50	54.1	53.4	108	107	70-130	1	20	
Bromodichloromethane	ug/L	50	53.3	52.8	107	106	70-130	1	20	
Bromoform	ug/L	50	51.6	50.4	103	101	70-130	2	20	
Bromomethane	ug/L	50	64.1	66.7	128	133	34-157	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Parameter	Units	Spike	LCS	LCSD	LCS	LCSD	% Rec	RPD	Max	Qualifiers
		Conc.	Result	% Rec	% Rec	Limits	RPD			
Carbon tetrachloride	ug/L	50	56.0	55.5	112	111	70-132	1	20	
Chlorobenzene	ug/L	50	53.9	52.7	108	105	70-130	2	20	
Chloroethane	ug/L	50	64.1	64.8	128	130	60-143	1	20	
Chloroform	ug/L	50	51.5	51.4	103	103	70-130	0	20	
Chloromethane	ug/L	50	78.1	77.3	156	155	43-148	1	20	L0
cis-1,2-Dichloroethene	ug/L	50	54.3	54.3	109	109	51-133	0	20	
cis-1,3-Dichloropropene	ug/L	50	50.0	49.3	100	99	70-130	1	20	
Dibromochloromethane	ug/L	50	55.3	54.0	111	108	70-130	2	20	
Dichlorodifluoromethane	ug/L	50	70.9	70.2	142	140	10-174	1	20	
Ethylbenzene	ug/L	50	54.7	53.8	109	108	70-130	2	20	
Isopropylbenzene (Cumene)	ug/L	50	52.9	52.5	106	105	70-136	1	20	
m&p-Xylene	ug/L	100	106	104	106	104	70-131	2	20	
Methyl-tert-butyl ether	ug/L	50	50.7	50.8	101	102	54-139	0	20	
Methylene Chloride	ug/L	50	60.7	59.8	121	120	70-130	2	20	
o-Xylene	ug/L	50	52.6	50.2	105	100	70-130	5	20	
Styrene	ug/L	50	51.4	50.4	103	101	70-130	2	20	
Tetrachloroethene	ug/L	50	57.6	56.8	115	114	70-130	1	20	
Toluene	ug/L	50	53.8	52.9	108	106	70-130	2	20	
trans-1,2-Dichloroethene	ug/L	50	59.3	60.1	119	120	70-130	1	20	
trans-1,3-Dichloropropene	ug/L	50	48.4	48.4	97	97	70-130	0	20	
Trichloroethene	ug/L	50	56.1	55.6	112	111	70-130	1	20	
Trichlorofluoromethane	ug/L	50	70.4	69.2	141	138	50-150	2	20	
Vinyl chloride	ug/L	50	71.6	70.6	143	141	59-157	1	20	
4-Bromofluorobenzene (S)	%				96	96	59-130			
Dibromofluoromethane (S)	%				101	102	70-130			
Toluene-d8 (S)	%				98	98	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

QC Batch:	MSV/26724	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40107575008, 40107575009, 40107575010, 40107575011		

METHOD BLANK: 1090091 Matrix: Water

Associated Lab Samples: 40107575008, 40107575009, 40107575010, 40107575011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	12/04/14 06:50	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	12/04/14 06:50	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	12/04/14 06:50	
1,1,2-Trichloroethane	ug/L	<0.16	1.0	12/04/14 06:50	
1,1-Dichloroethane	ug/L	<0.24	1.0	12/04/14 06:50	
1,1-Dichloroethene	ug/L	<0.41	1.0	12/04/14 06:50	
1,1-Dichloropropene	ug/L	<0.44	1.0	12/04/14 06:50	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	12/04/14 06:50	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	12/04/14 06:50	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	12/04/14 06:50	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	12/04/14 06:50	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	12/04/14 06:50	
1,2-Dibromoethane (EDB)	ug/L	<0.16	1.0	12/04/14 06:50	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	12/04/14 06:50	
1,2-Dichloroethane	ug/L	<0.17	1.0	12/04/14 06:50	
1,2-Dichloropropane	ug/L	<0.23	1.0	12/04/14 06:50	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	12/04/14 06:50	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	12/04/14 06:50	
1,3-Dichloropropane	ug/L	<0.50	1.0	12/04/14 06:50	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	12/04/14 06:50	
2,2-Dichloropropane	ug/L	<0.48	1.0	12/04/14 06:50	
2-Chlorotoluene	ug/L	<0.50	1.0	12/04/14 06:50	
4-Chlorotoluene	ug/L	<0.21	1.0	12/04/14 06:50	
Benzene	ug/L	<0.50	1.0	12/04/14 06:50	
Bromobenzene	ug/L	<0.23	1.0	12/04/14 06:50	
Bromochloromethane	ug/L	<0.34	1.0	12/04/14 06:50	
Bromodichloromethane	ug/L	<0.50	1.0	12/04/14 06:50	
Bromoform	ug/L	<0.50	1.0	12/04/14 06:50	
Bromomethane	ug/L	<2.4	5.0	12/04/14 06:50	
Carbon tetrachloride	ug/L	<0.50	1.0	12/04/14 06:50	
Chlorobenzene	ug/L	<0.50	1.0	12/04/14 06:50	
Chloroethane	ug/L	<0.37	1.0	12/04/14 06:50	
Chloroform	ug/L	<2.5	5.0	12/04/14 06:50	
Chloromethane	ug/L	<0.50	1.0	12/04/14 06:50	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	12/04/14 06:50	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	12/04/14 06:50	
Dibromochloromethane	ug/L	<0.50	1.0	12/04/14 06:50	
Dibromomethane	ug/L	<0.43	1.0	12/04/14 06:50	
Dichlorodifluoromethane	ug/L	<0.20	1.0	12/04/14 06:50	
Diisopropyl ether	ug/L	<0.50	1.0	12/04/14 06:50	
Ethylbenzene	ug/L	<0.50	1.0	12/04/14 06:50	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

METHOD BLANK: 1090091

Matrix: Water

Associated Lab Samples: 40107575008, 40107575009, 40107575010, 40107575011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	12/04/14 06:50	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	12/04/14 06:50	
m&p-Xylene	ug/L	<1.0	2.0	12/04/14 06:50	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	12/04/14 06:50	
Methylene Chloride	ug/L	<0.23	1.0	12/04/14 06:50	
n-Butylbenzene	ug/L	<0.50	1.0	12/04/14 06:50	
n-Propylbenzene	ug/L	<0.50	1.0	12/04/14 06:50	
Naphthalene	ug/L	<2.5	5.0	12/04/14 06:50	
o-Xylene	ug/L	<0.50	1.0	12/04/14 06:50	
p-Isopropyltoluene	ug/L	<0.50	1.0	12/04/14 06:50	
sec-Butylbenzene	ug/L	<2.2	5.0	12/04/14 06:50	
Styrene	ug/L	<0.50	1.0	12/04/14 06:50	
tert-Butylbenzene	ug/L	<0.18	1.0	12/04/14 06:50	
Tetrachloroethene	ug/L	<0.50	1.0	12/04/14 06:50	
Toluene	ug/L	<0.50	1.0	12/04/14 06:50	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	12/04/14 06:50	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	12/04/14 06:50	
Trichloroethene	ug/L	<0.33	1.0	12/04/14 06:50	
Trichlorofluoromethane	ug/L	<0.17	1.0	12/04/14 06:50	
Vinyl chloride	ug/L	<0.18	1.0	12/04/14 06:50	
4-Bromofluorobenzene (S)	%	78	59-130	12/04/14 06:50	
Dibromofluoromethane (S)	%	100	70-130	12/04/14 06:50	
Toluene-d8 (S)	%	99	70-130	12/04/14 06:50	

LABORATORY CONTROL SAMPLE & LCSD: 1090092

1090093

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	42.0	44.6	84	89	70-130	6	20	
1,1,2,2-Tetrachloroethane	ug/L	50	47.4	47.9	95	96	70-130	1	20	
1,1,2-Trichloroethane	ug/L	50	47.9	47.2	96	94	70-130	1	20	
1,1-Dichloroethane	ug/L	50	45.2	45.8	90	92	70-130	1	20	
1,1-Dichloroethene	ug/L	50	60.7	59.2	121	118	70-132	2	20	
1,2,4-Trichlorobenzene	ug/L	50	48.4	51.3	97	103	70-130	6	20	
1,2-Dibromo-3-chloropropane	ug/L	50	38.3	38.5	77	77	50-150	1	20	
1,2-Dibromoethane (EDB)	ug/L	50	45.5	47.3	91	95	70-130	4	20	
1,2-Dichlorobenzene	ug/L	50	46.9	48.5	94	97	70-130	3	20	
1,2-Dichloroethane	ug/L	50	42.3	41.6	85	83	70-130	2	20	
1,2-Dichloropropane	ug/L	50	48.7	49.8	97	100	70-130	2	20	
1,3-Dichlorobenzene	ug/L	50	46.4	47.9	93	96	70-130	3	20	
1,4-Dichlorobenzene	ug/L	50	47.1	47.4	94	95	70-130	0	20	
Benzene	ug/L	50	47.8	48.3	96	97	70-130	1	20	
Bromodichloromethane	ug/L	50	47.7	49.3	95	99	70-130	3	20	
Bromoform	ug/L	50	42.5	43.6	85	87	70-130	3	20	
Bromomethane	ug/L	50	69.7	73.1	139	146	34-157	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Parameter	Units	Spike	LCS	LCSD	LCS	LCSD	% Rec	RPD	Max	Qualifiers
		Conc.	Result	% Rec	% Rec	Limits	RPD		RPD	
Carbon tetrachloride	ug/L	50	44.2	47.3	88	95	70-132	7	20	
Chlorobenzene	ug/L	50	48.8	49.5	98	99	70-130	1	20	
Chloroethane	ug/L	50	72.3	76.9	145	154	60-143	6	20	L0
Chloroform	ug/L	50	44.8	45.2	90	90	70-130	1	20	
Chloromethane	ug/L	50	69.1	69.6	138	139	43-148	1	20	
cis-1,2-Dichloroethene	ug/L	50	46.3	45.0	93	90	51-133	3	20	
cis-1,3-Dichloropropene	ug/L	50	42.4	43.6	85	87	70-130	3	20	
Dibromochloromethane	ug/L	50	45.4	46.1	91	92	70-130	2	20	
Dichlorodifluoromethane	ug/L	50	53.8	53.8	108	108	10-174	0	20	
Ethylbenzene	ug/L	50	50.1	50.9	100	102	70-130	1	20	
Isopropylbenzene (Cumene)	ug/L	50	53.3	53.5	107	107	70-136	0	20	
m&p-Xylene	ug/L	100	102	103	102	103	70-131	0	20	
Methyl-tert-butyl ether	ug/L	50	33.9	60.8	68	122	54-139	57	20	R1
Methylene Chloride	ug/L	50	64.0	63.0	128	126	70-130	2	20	
o-Xylene	ug/L	50	52.8	53.1	106	106	70-130	1	20	
Styrene	ug/L	50	46.3	47.7	93	95	70-130	3	20	
Tetrachloroethene	ug/L	50	50.5	51.1	101	102	70-130	1	20	
Toluene	ug/L	50	47.6	47.2	95	94	70-130	1	20	
trans-1,2-Dichloroethene	ug/L	50	52.0	68.2	104	136	70-130	27	20	L0,R1
trans-1,3-Dichloropropene	ug/L	50	38.8	39.5	78	79	70-130	2	20	
Trichloroethene	ug/L	50	48.8	49.4	98	99	70-130	1	20	
Trichlorofluoromethane	ug/L	50	61.8	61.2	124	122	50-150	1	20	
Vinyl chloride	ug/L	50	72.6	73.7	145	147	59-157	1	20	
4-Bromofluorobenzene (S)	%				95	96	59-130			
Dibromofluoromethane (S)	%				93	95	70-130			
Toluene-d8 (S)	%				96	97	70-130			

Parameter	Units	40107575008		MSD		MS	MSD	MS	MSD	% Rec	Max
		Result	Spike Conc.	Spike Conc.	Result						
1,1,1-Trichloroethane	ug/L	<0.50	50	50	48.1	48.3	96	97	70-130	1	20
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	53.6	53.5	107	107	70-130	0	20
1,1,2-Trichloroethane	ug/L	<0.16	50	50	51.3	51.1	103	102	70-130	1	20
1,1-Dichloroethane	ug/L	<0.24	50	50	48.9	49.4	98	99	70-130	1	20
1,1-Dichloroethene	ug/L	<0.41	50	50	61.9	64.7	124	129	70-138	4	20
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	54.4	54.0	109	108	70-130	1	20
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	43.0	42.7	86	85	50-150	1	20
1,2-Dibromoethane (EDB)	ug/L	<0.16	50	50	52.2	50.6	104	101	70-130	3	20
1,2-Dichlorobenzene	ug/L	<0.50	50	50	52.1	52.0	104	104	70-130	0	20
1,2-Dichloroethane	ug/L	<0.17	50	50	45.0	46.4	90	93	70-130	3	20
1,2-Dichloropropane	ug/L	<0.23	50	50	52.5	52.6	105	105	70-130	0	20
1,3-Dichlorobenzene	ug/L	<0.50	50	50	51.6	50.7	103	101	70-130	2	20
1,4-Dichlorobenzene	ug/L	<0.50	50	50	50.1	51.5	100	103	70-130	3	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

Parameter	Units	40107575008		MSD		1091191		% Rec	MSD % Rec	% Rec Limits	Max	
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec				RPD RPD	RPD RPD
Benzene	ug/L	<0.50	50	50	52.6	52.1	105	104	70-130	1	20	
Bromodichloromethane	ug/L	<0.50	50	50	51.7	52.2	103	104	70-130	1	20	
Bromoform	ug/L	<0.50	50	50	44.6	44.9	89	90	70-130	1	20	
Bromomethane	ug/L	<2.4	50	50	82.8	83.4	166	167	34-159	1	20	M1
Carbon tetrachloride	ug/L	<0.50	50	50	50.5	49.6	101	99	70-132	2	20	
Chlorobenzene	ug/L	<0.50	50	50	54.4	52.4	109	105	70-130	4	20	
Chloroethane	ug/L	<0.37	50	50	83.2	82.3	166	165	60-143	1	20	M0
Chloroform	ug/L	<2.5	50	50	47.2	48.6	94	97	70-130	3	20	
Chloromethane	ug/L	<0.50	50	50	74.5	76.2	149	152	43-149	2	20	M1
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	50.7	50.6	101	101	48-137	0	33	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	46.0	46.3	92	93	70-130	1	20	
Dibromochloromethane	ug/L	<0.50	50	50	50.0	49.1	100	98	70-130	2	20	
Dichlorodifluoromethane	ug/L	<0.20	50	50	64.7	66.5	129	133	10-174	3	20	
Ethylbenzene	ug/L	<0.50	50	50	53.7	50.8	107	102	70-130	6	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	56.1	53.3	112	107	70-136	5	20	
m&p-Xylene	ug/L	<1.0	100	100	105	96.0	105	96	70-135	8	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	61.8	36.3	124	73	54-139	52	20	R1
Methylene Chloride	ug/L	<0.23	50	50	69.0	69.1	138	138	70-133	0	20	M1
o-Xylene	ug/L	<0.50	50	50	53.5	50.0	107	100	70-130	7	20	
Styrene	ug/L	<0.50	50	50	35.8	27.0	72	54	70-130	28	20	M1,R1
Tetrachloroethene	ug/L	3.5	50	50	59.8	58.2	113	110	70-130	3	20	
Toluene	ug/L	<0.50	50	50	49.9	48.6	100	97	70-130	3	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	71.2	52.3	142	105	70-130	31	20	M1,R1
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	42.0	41.0	84	82	70-130	2	20	
Trichloroethene	ug/L	<0.33	50	50	49.3	51.4	99	103	70-130	4	20	
Trichlorofluoromethane	ug/L	<0.17	50	50	66.8	66.3	134	133	50-150	1	20	
Vinyl chloride	ug/L	<0.18	50	50	80.9	80.1	162	160	59-158	1	20	M1
4-Bromofluorobenzene (S)	%						99	94	59-130			
Dibromofluoromethane (S)	%						100	101	70-130			
Toluene-d8 (S)	%						95	95	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40107575

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

LOD - Limit of Detection.

LOQ - Limit of Quantitation.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.
- L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.
- M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
- R1 RPD value was outside control limits.
- pH Post-analysis pH measurement indicates insufficient VOA sample preservation.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409 UNITED DRY CLEANERS
 Pace Project No.: 40107575

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40107575001	MW-1	EPA 8260	MSV/26682		
40107575002	MW-2	EPA 8260	MSV/26682		
40107575003	MW-3	EPA 8260	MSV/26682		
40107575004	MW-4	EPA 8260	MSV/26682		
40107575005	MW-5	EPA 8260	MSV/26682		
40107575006	MW-6	EPA 8260	MSV/26682		
40107575007	MW-7	EPA 8260	MSV/26682		
40107575008	MW-8	EPA 8260	MSV/26724		
40107575009	MW-9	EPA 8260	MSV/26724		
40107575010	DUP #1	EPA 8260	MSV/26724		
40107575011	TRIP BLANK	EPA 8260	MSV/26724		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: Siemens & Williams, INC.
Branch/Location: MPDI SDN, WI

Project Contact: M. REK M. COOPER
Phone: 608/442-5223

Project Number: 42-1-37409

Project Name: WIND FARM

Project State: WISCONSIN

Sampled By (Print): M. REK S. M. COOPER

Sampled By (Sign): M. REK S. M. COOPER

PO#:

Program:

Data Package Options MS4/MSD

EPA Level III On your sample
 EPA Level IV NOT needed on your sample

Matrix Codes

A = Air
B = Biota
C = Charcoal
O = Oil
S = Soil
Sl = Sludge

W = Water
DW = Drinking Water
GW = Ground Water
SW = Surface Water
WW = Waste Water
WP = Wipe

H=NonH
B=HCl
C=H2SO4
D=HNO3
E=DI Water
F=Methanol
G=NaOH
I=Sodium Bisulfite
J=Other

FILTERED?
(YES/NO)

PICK
LATER

Y/N

N

</

Pace Container Order #5793

40107575

Addresses

Order By :

Company SHANNON & WILSON, INC.
 Contact McColloch, Mark
 Email msm@shanwil.com
 Address 2110 Luann Lane
 Address 2 Suite 101
 City Madison
 State WI Zip 53713
 Phone 608-442-5223

Ship To :

Company SHANNON & WILSON, INC.
 Contact McColloch, Mark
 Email msm@shanwil.com
 Address 2110 Luann Lane
 Address 2 Suite 101
 City Madison
 State WI Zip 53713
 Phone 608-442-5223

Return To:

Company Pace Analytical Green Bay
 Contact Mleczko, Steven
 Email steve.mleczko@pacelabs.com
 Address 1241 Bellevue Street
 Address 2 Suite 9
 City Green Bay
 State WI Zip 54302
 Phone 920-321-9411

Info

Project Name United Dry Cleaners

Due Date 11/20/2014

Profile _____

Quote _____

Project Manager Mleczko, Steven

Return _____

Carrier Most Economical

Location WI

Trip Blanks

Include Trip Blanks

Bottle Labels

Blank
 Pre-Printed No Sample IDs
 Pre-Printed With Sample IDs

Bottles

Boxed Cases
 Individually Wrapped
 Grouped By Sample

Return Shipping Labels

No Shipper Number
 With Shipper Number

Misc

Sampling Instructions
 Custody Seal
 Temp. Blanks
 Coolers 1
 Syringes

Extra Bubble Wrap
 Short Hold/Rush Stickers
 DI Water Liter(s)
 USDA Regulated Soils

COC Options

Number of Blanks 1
 Pre-Printed

# of Samples	Matrix	Test	Container	# of QC	Total	Lot #	Notes
10	WT	VOC by 8260	3-40ml clear vial HCl-hydrochloric acid	0	30	091514-3BZB	
1	WT	Trip Blank	2-40mL HCL w/custody seal	0	2	102014-3CCL	

Hazard Shipping Placard In Place : NA

*Sample receiving hours are Monday through Friday 8:00 am to 6:00 pm and Saturday from 9:00 am to 12:00 pm unless special arrangements are made with your project manager.

*Pace Analytical reserves the right to return hazardous, toxic, or radioactive samples to you.

*Pace Analytical reserves the right to charge for unused bottles, as well as cost associated with sample storage and disposal.

*Payment term are net 30 days.

*Please include the proposal number on the chain of custody to insure proper billing.

Sample Notes

Ship Date : 11/19/2014

Prepared By: Mai Yer Her

Verified By:

Internal Notes

Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Pace Analytical™

Project #

WO# : 40107575



40107575

Client Name: Shannon & W. /son

Courier: FedEx UPS Client Pace Other:
Tracking #:

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used N/A

Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 40.1 /Corr:

Biological Tissue is Frozen: yes no

Temp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments:

Person examining contents:

Date: 11-25-14

Initials: KB

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.		
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. Sample size filled in by lab 11-25-14 KB		
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3. No analysis either		
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.		
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:		
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.		
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.		
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.		
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.		
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.		
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.		
-Includes date/time/ID/Analysis Matrix:	<u>W</u>			
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH +ZnAct		
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO ₃ , H ₂ SO ₄ ≤2%, NaOH+ZnAct ≥9%, NaOH ≥12%)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
exceptions: <u>OA</u> coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed	Lab Std #/ID of preservative	Date/ Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14. <u>1/24</u>	<u>011</u>	<u>11-25-14 KB</u>
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.		
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Pace Trip Blank Lot # (if purchased): <u>10 2014 - 3CL</u>				

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____
Comments/ Resolution: _____

Project Manager Review: J/T/DM

Date: 11/25/14

February 27, 2015

Mark McColloch
SHANNON & WILSON, INC.
2110 Luann Lane
Suite 101
Madison, WI 53713

RE: Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40110966

Dear Mark McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on February 25, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40110966

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

New York Certification #: 11888
North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409 UNITED DRY CLEANERS
 Pace Project No.: 40110966

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40110966001	MW-1	Water	02/25/15 11:35	02/25/15 12:42
40110966002	MW-2	Water	02/25/15 10:50	02/25/15 12:42
40110966003	MW-3	Water	02/25/15 10:35	02/25/15 12:42
40110966004	MW-4	Water	02/25/15 10:15	02/25/15 12:42
40110966005	MW-5	Water	02/25/15 11:30	02/25/15 12:42
40110966006	MW-6	Water	02/25/15 09:25	02/25/15 12:42
40110966007	MW-7	Water	02/25/15 09:05	02/25/15 12:42
40110966008	MW-8	Water	02/25/15 08:30	02/25/15 12:42
40110966009	DUP #1	Water	02/25/15 09:20	02/25/15 12:42
40110966010	TRIP BLANK	Water	02/25/15 00:00	02/25/15 12:42

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409 UNITED DRY CLEANERS
 Pace Project No.: 40110966

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40110966001	MW-1	EPA 8260	HNW	64
40110966002	MW-2	EPA 8260	HNW	64
40110966003	MW-3	EPA 8260	HNW	64
40110966004	MW-4	EPA 8260	HNW	64
40110966005	MW-5	EPA 8260	HNW	64
40110966006	MW-6	EPA 8260	HNW	64
40110966007	MW-7	EPA 8260	HNW	64
40110966008	MW-8	EPA 8260	HNW	64
40110966009	DUP #1	EPA 8260	HNW	64
40110966010	TRIP BLANK	EPA 8260	HNW	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40110966001	MW-1					
EPA 8260	Tetrachloroethene	20.3	ug/L	1.0	02/26/15 12:49	
40110966002	MW-2					
EPA 8260	Tetrachloroethene	8.4	ug/L	1.0	02/26/15 13:12	
40110966003	MW-3					
EPA 8260	Tetrachloroethene	7.1	ug/L	1.0	02/26/15 13:35	
40110966005	MW-5					
EPA 8260	Tetrachloroethene	11.1	ug/L	1.0	02/26/15 14:21	
40110966006	MW-6					
EPA 8260	Tetrachloroethene	30.1	ug/L	1.0	02/26/15 14:44	
40110966007	MW-7					
EPA 8260	Tetrachloroethene	22.7	ug/L	1.0	02/26/15 15:07	
40110966008	MW-8					
EPA 8260	Tetrachloroethene	3.0	ug/L	1.0	02/26/15 15:29	
40110966009	DUP #1					
EPA 8260	Tetrachloroethene	30.1	ug/L	1.0	02/26/15 15:52	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-1	Lab ID: 40110966001	Collected: 02/25/15 11:35	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 12:49	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 12:49	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 12:49	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 12:49	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 12:49	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 12:49	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 12:49	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 12:49	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 12:49	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 12:49	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 12:49	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 12:49	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 12:49	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 12:49	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 12:49	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 12:49	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 12:49	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 12:49	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 12:49	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 12:49	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 12:49	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 12:49	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 12:49	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 12:49	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 12:49	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 12:49	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	100-42-5	
Tetrachloroethene	20.3	ug/L	1.0	0.50	1		02/26/15 12:49	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-1	Lab ID: 40110966001	Collected: 02/25/15 11:35	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 12:49	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 12:49	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 12:49	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 12:49	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 12:49	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 12:49	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 12:49	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 12:49	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 12:49	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 12:49	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	59-130		1		02/26/15 12:49	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		02/26/15 12:49	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		02/26/15 12:49	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-2	Lab ID: 40110966002	Collected: 02/25/15 10:50	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 13:12	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 13:12	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 13:12	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 13:12	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 13:12	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 13:12	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 13:12	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 13:12	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 13:12	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 13:12	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 13:12	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 13:12	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 13:12	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 13:12	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 13:12	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 13:12	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 13:12	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 13:12	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 13:12	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 13:12	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 13:12	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 13:12	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 13:12	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 13:12	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 13:12	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 13:12	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	100-42-5	
Tetrachloroethene	8.4	ug/L	1.0	0.50	1		02/26/15 13:12	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-2	Lab ID: 40110966002	Collected: 02/25/15 10:50	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 13:12	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 13:12	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 13:12	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 13:12	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 13:12	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:12	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 13:12	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 13:12	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 13:12	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 13:12	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	83	%	59-130		1		02/26/15 13:12	460-00-4	
Dibromofluoromethane (S)	113	%	70-130		1		02/26/15 13:12	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		02/26/15 13:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-3	Lab ID: 40110966003	Collected: 02/25/15 10:35	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 13:35	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 13:35	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 13:35	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 13:35	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 13:35	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 13:35	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 13:35	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 13:35	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 13:35	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 13:35	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 13:35	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 13:35	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 13:35	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 13:35	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 13:35	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 13:35	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 13:35	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 13:35	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 13:35	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 13:35	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 13:35	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 13:35	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 13:35	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 13:35	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 13:35	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 13:35	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	100-42-5	
Tetrachloroethene	7.1	ug/L	1.0	0.50	1		02/26/15 13:35	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40110966

Sample: MW-3	Lab ID: 40110966003	Collected: 02/25/15 10:35	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 13:35	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 13:35	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 13:35	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 13:35	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 13:35	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:35	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 13:35	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 13:35	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 13:35	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 13:35	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	59-130		1		02/26/15 13:35	460-00-4	
Dibromofluoromethane (S)	113	%	70-130		1		02/26/15 13:35	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/26/15 13:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-4	Lab ID: 40110966004	Collected: 02/25/15 10:15	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 13:58	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 13:58	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 13:58	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 13:58	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 13:58	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 13:58	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 13:58	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 13:58	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 13:58	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 13:58	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 13:58	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 13:58	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 13:58	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 13:58	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 13:58	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 13:58	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 13:58	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 13:58	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 13:58	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 13:58	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 13:58	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 13:58	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 13:58	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 13:58	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 13:58	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 13:58	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-4 **Lab ID: 40110966004** Collected: 02/25/15 10:15 Received: 02/25/15 12:42 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 13:58	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 13:58	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 13:58	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 13:58	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 13:58	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 13:58	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 13:58	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 13:58	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 13:58	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 13:58	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	59-130		1		02/26/15 13:58	460-00-4	
Dibromofluoromethane (S)	113	%	70-130		1		02/26/15 13:58	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/26/15 13:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-5	Lab ID: 40110966005	Collected: 02/25/15 11:30	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 14:21	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 14:21	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 14:21	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 14:21	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 14:21	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 14:21	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 14:21	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 14:21	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 14:21	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 14:21	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 14:21	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 14:21	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 14:21	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 14:21	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 14:21	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 14:21	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 14:21	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 14:21	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 14:21	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 14:21	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 14:21	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 14:21	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 14:21	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 14:21	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 14:21	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 14:21	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	100-42-5	
Tetrachloroethene	11.1	ug/L	1.0	0.50	1		02/26/15 14:21	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-5	Lab ID: 40110966005	Collected: 02/25/15 11:30	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 14:21	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 14:21	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 14:21	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 14:21	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 14:21	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:21	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 14:21	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 14:21	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 14:21	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 14:21	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	59-130		1		02/26/15 14:21	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		02/26/15 14:21	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		02/26/15 14:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-6	Lab ID: 40110966006	Collected: 02/25/15 09:25	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 14:44	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 14:44	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 14:44	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 14:44	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 14:44	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 14:44	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 14:44	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 14:44	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 14:44	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 14:44	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 14:44	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 14:44	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 14:44	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 14:44	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 14:44	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 14:44	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 14:44	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 14:44	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 14:44	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 14:44	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 14:44	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 14:44	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 14:44	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 14:44	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 14:44	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 14:44	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	100-42-5	
Tetrachloroethene	30.1	ug/L	1.0	0.50	1		02/26/15 14:44	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-6	Lab ID: 40110966006	Collected: 02/25/15 09:25	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 14:44	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 14:44	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 14:44	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 14:44	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 14:44	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 14:44	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 14:44	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 14:44	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 14:44	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 14:44	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	59-130		1		02/26/15 14:44	460-00-4	
Dibromofluoromethane (S)	114	%	70-130		1		02/26/15 14:44	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		02/26/15 14:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-7	Lab ID: 40110966007	Collected: 02/25/15 09:05	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 15:07	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 15:07	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 15:07	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 15:07	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 15:07	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 15:07	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 15:07	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 15:07	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 15:07	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 15:07	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 15:07	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 15:07	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 15:07	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 15:07	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 15:07	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 15:07	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 15:07	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 15:07	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 15:07	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 15:07	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 15:07	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 15:07	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 15:07	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 15:07	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 15:07	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 15:07	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	100-42-5	
Tetrachloroethene	22.7	ug/L	1.0	0.50	1		02/26/15 15:07	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-7	Lab ID: 40110966007	Collected: 02/25/15 09:05	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 15:07	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 15:07	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 15:07	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 15:07	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 15:07	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:07	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 15:07	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 15:07	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 15:07	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 15:07	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	59-130		1		02/26/15 15:07	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		02/26/15 15:07	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		02/26/15 15:07	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-8	Lab ID: 40110966008	Collected: 02/25/15 08:30	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 15:29	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 15:29	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 15:29	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 15:29	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 15:29	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 15:29	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 15:29	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 15:29	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 15:29	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 15:29	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 15:29	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 15:29	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 15:29	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 15:29	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 15:29	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 15:29	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 15:29	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 15:29	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 15:29	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 15:29	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 15:29	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 15:29	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 15:29	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 15:29	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 15:29	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 15:29	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	100-42-5	
Tetrachloroethene	3.0	ug/L	1.0	0.50	1		02/26/15 15:29	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: MW-8 Lab ID: 40110966008 Collected: 02/25/15 08:30 Received: 02/25/15 12:42 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 15:29	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 15:29	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 15:29	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 15:29	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 15:29	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:29	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 15:29	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 15:29	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 15:29	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 15:29	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	86	%	59-130		1		02/26/15 15:29	460-00-4	
Dibromofluoromethane (S)	114	%	70-130		1		02/26/15 15:29	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/26/15 15:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: DUP #1	Lab ID: 40110966009	Collected: 02/25/15 09:20	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 15:52	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 15:52	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 15:52	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 15:52	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 15:52	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 15:52	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 15:52	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 15:52	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 15:52	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 15:52	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 15:52	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 15:52	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 15:52	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 15:52	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 15:52	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 15:52	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 15:52	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 15:52	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 15:52	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 15:52	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 15:52	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 15:52	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 15:52	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 15:52	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 15:52	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 15:52	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	100-42-5	
Tetrachloroethene	30.1	ug/L	1.0	0.50	1		02/26/15 15:52	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: DUP #1	Lab ID: 40110966009	Collected: 02/25/15 09:20	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 15:52	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 15:52	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 15:52	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 15:52	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 15:52	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 15:52	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 15:52	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 15:52	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 15:52	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 15:52	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	85	%	59-130		1		02/26/15 15:52	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		02/26/15 15:52	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/26/15 15:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Sample: TRIP BLANK	Lab ID: 40110966010	Collected: 02/25/15 00:00	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/26/15 16:15	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/26/15 16:15	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/26/15 16:15	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/26/15 16:15	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/26/15 16:15	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/26/15 16:15	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/26/15 16:15	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 16:15	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/26/15 16:15	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/26/15 16:15	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/26/15 16:15	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/26/15 16:15	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/26/15 16:15	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/26/15 16:15	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/26/15 16:15	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/26/15 16:15	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/26/15 16:15	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/26/15 16:15	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/26/15 16:15	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/26/15 16:15	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/26/15 16:15	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/26/15 16:15	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/26/15 16:15	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/26/15 16:15	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/26/15 16:15	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/26/15 16:15	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40110966

Sample: TRIP BLANK	Lab ID: 40110966010	Collected: 02/25/15 00:00	Received: 02/25/15 12:42	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/26/15 16:15	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/26/15 16:15	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/26/15 16:15	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 16:15	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/26/15 16:15	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/26/15 16:15	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/26/15 16:15	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/26/15 16:15	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/26/15 16:15	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/26/15 16:15	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	59-130		1		02/26/15 16:15	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		02/26/15 16:15	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		02/26/15 16:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

QC Batch:	MSV/27562	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40110966001, 40110966002, 40110966003, 40110966004, 40110966005, 40110966006, 40110966007, 40110966008, 40110966009, 40110966010		

METHOD BLANK: 1121429 Matrix: Water

Associated Lab Samples: 40110966001, 40110966002, 40110966003, 40110966004, 40110966005, 40110966006, 40110966007,
40110966008, 40110966009, 40110966010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	02/26/15 07:27	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	02/26/15 07:27	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	02/26/15 07:27	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	02/26/15 07:27	
1,1-Dichloroethane	ug/L	<0.24	1.0	02/26/15 07:27	
1,1-Dichloroethene	ug/L	<0.41	1.0	02/26/15 07:27	
1,1-Dichloropropene	ug/L	<0.44	1.0	02/26/15 07:27	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	02/26/15 07:27	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	02/26/15 07:27	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	02/26/15 07:27	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	02/26/15 07:27	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	02/26/15 07:27	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	02/26/15 07:27	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	02/26/15 07:27	
1,2-Dichloroethane	ug/L	<0.17	1.0	02/26/15 07:27	
1,2-Dichloropropane	ug/L	<0.23	1.0	02/26/15 07:27	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	02/26/15 07:27	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	02/26/15 07:27	
1,3-Dichloropropene	ug/L	<0.50	1.0	02/26/15 07:27	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	02/26/15 07:27	
2,2-Dichloropropane	ug/L	<0.48	1.0	02/26/15 07:27	
2-Chlorotoluene	ug/L	<0.50	1.0	02/26/15 07:27	
4-Chlorotoluene	ug/L	<0.21	1.0	02/26/15 07:27	
Benzene	ug/L	<0.50	1.0	02/26/15 07:27	
Bromobenzene	ug/L	<0.23	1.0	02/26/15 07:27	
Bromochloromethane	ug/L	<0.34	1.0	02/26/15 07:27	
Bromodichloromethane	ug/L	<0.50	1.0	02/26/15 07:27	
Bromoform	ug/L	<0.50	1.0	02/26/15 07:27	
Bromomethane	ug/L	<2.4	5.0	02/26/15 07:27	
Carbon tetrachloride	ug/L	<0.50	1.0	02/26/15 07:27	
Chlorobenzene	ug/L	<0.50	1.0	02/26/15 07:27	
Chloroethane	ug/L	<0.37	1.0	02/26/15 07:27	
Chloroform	ug/L	<2.5	5.0	02/26/15 07:27	
Chloromethane	ug/L	<0.50	1.0	02/26/15 07:27	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	02/26/15 07:27	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	02/26/15 07:27	
Dibromochloromethane	ug/L	<0.50	1.0	02/26/15 07:27	
Dibromomethane	ug/L	<0.43	1.0	02/26/15 07:27	
Dichlorodifluoromethane	ug/L	<0.22	1.0	02/26/15 07:27	
Diisopropyl ether	ug/L	<0.50	1.0	02/26/15 07:27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

METHOD BLANK: 1121429

Matrix: Water

Associated Lab Samples: 40110966001, 40110966002, 40110966003, 40110966004, 40110966005, 40110966006, 40110966007,
40110966008, 40110966009, 40110966010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	02/26/15 07:27	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	02/26/15 07:27	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	02/26/15 07:27	
m&p-Xylene	ug/L	<1.0	2.0	02/26/15 07:27	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	02/26/15 07:27	
Methylene Chloride	ug/L	<0.23	1.0	02/26/15 07:27	
n-Butylbenzene	ug/L	<0.50	1.0	02/26/15 07:27	
n-Propylbenzene	ug/L	<0.50	1.0	02/26/15 07:27	
Naphthalene	ug/L	<2.5	5.0	02/26/15 07:27	
o-Xylene	ug/L	<0.50	1.0	02/26/15 07:27	
p-Isopropyltoluene	ug/L	<0.50	1.0	02/26/15 07:27	
sec-Butylbenzene	ug/L	<2.2	5.0	02/26/15 07:27	
Styrene	ug/L	<0.50	1.0	02/26/15 07:27	
tert-Butylbenzene	ug/L	<0.18	1.0	02/26/15 07:27	
Tetrachloroethene	ug/L	<0.50	1.0	02/26/15 07:27	
Toluene	ug/L	<0.50	1.0	02/26/15 07:27	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	02/26/15 07:27	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	02/26/15 07:27	
Trichloroethene	ug/L	<0.33	1.0	02/26/15 07:27	
Trichlorofluoromethane	ug/L	<0.18	1.0	02/26/15 07:27	
Vinyl chloride	ug/L	<0.18	1.0	02/26/15 07:27	
4-Bromofluorobenzene (S)	%	89	59-130	02/26/15 07:27	
Dibromofluoromethane (S)	%	107	70-130	02/26/15 07:27	
Toluene-d8 (S)	%	95	70-130	02/26/15 07:27	

LABORATORY CONTROL SAMPLE & LCSD: 1121430

1121431

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.2	55.5	106	111	70-130	4	20	
1,1,2,2-Tetrachloroethane	ug/L	50	51.1	50.8	102	102	70-130	0	20	
1,1,2-Trichloroethane	ug/L	50	43.7	43.1	87	86	70-130	1	20	
1,1-Dichloroethane	ug/L	50	58.4	59.1	117	118	70-130	1	20	
1,1-Dichloroethene	ug/L	50	50.1	51.6	100	103	70-132	3	20	
1,2,4-Trichlorobenzene	ug/L	50	47.5	48.1	95	96	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	50	42.1	39.4	84	79	50-150	7	20	
1,2-Dibromoethane (EDB)	ug/L	50	48.2	47.3	96	95	70-130	2	20	
1,2-Dichlorobenzene	ug/L	50	49.6	50.3	99	101	70-130	1	20	
1,2-Dichloroethane	ug/L	50	59.4	63.5	119	127	70-130	7	20	
1,2-Dichloropropane	ug/L	50	44.5	44.9	89	90	70-130	1	20	
1,3-Dichlorobenzene	ug/L	50	48.9	49.1	98	98	70-130	0	20	
1,4-Dichlorobenzene	ug/L	50	46.3	46.4	93	93	70-130	0	20	
Benzene	ug/L	50	54.7	55.5	109	111	70-130	1	20	
Bromodichloromethane	ug/L	50	45.6	44.9	91	90	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Parameter	Units	1121430		1121431		% Rec	Limits	RPD	Max RPD		Qualifiers
		Spike Conc.	LCS Result	LCSD Result	% Rec				RPD	RPD	
Bromoform	ug/L	50	53.3	52.4	107	105	70-130	2	20		
Bromomethane	ug/L	50	27.1	29.1	54	58	34-157	7	20		
Carbon tetrachloride	ug/L	50	64.6	65.9	129	132	70-132	2	20		
Chlorobenzene	ug/L	50	50.2	50.5	100	101	70-130	1	20		
Chloroethane	ug/L	50	59.7	59.4	119	119	60-143	1	20		
Chloroform	ug/L	50	48.8	51.4	98	103	70-130	5	20		
Chloromethane	ug/L	50	57.3	60.8	115	122	43-148	6	20		
cis-1,2-Dichloroethene	ug/L	50	48.8	50.6	98	101	51-133	3	20		
cis-1,3-Dichloropropene	ug/L	50	41.7	41.4	83	83	70-130	1	20		
Dibromochloromethane	ug/L	50	50.4	51.1	101	102	70-130	1	20		
Dichlorodifluoromethane	ug/L	50	48.8	53.4	98	107	10-174	9	20		
Ethylbenzene	ug/L	50	46.1	46.2	92	92	70-130	0	20		
Isopropylbenzene (Cumene)	ug/L	50	48.7	48.8	97	98	70-136	0	20		
m&p-Xylene	ug/L	100	93.9	97.4	94	97	70-131	4	20		
Methyl-tert-butyl ether	ug/L	50	48.2	48.6	96	97	54-139	1	20		
Methylene Chloride	ug/L	50	50.1	53.2	100	106	70-130	6	20		
o-Xylene	ug/L	50	48.0	48.8	96	98	70-130	2	20		
Styrene	ug/L	50	47.7	49.4	95	99	70-130	4	20		
Tetrachloroethene	ug/L	50	53.6	54.2	107	108	70-130	1	20		
Toluene	ug/L	50	44.4	45.9	89	92	70-130	3	20		
trans-1,2-Dichloroethene	ug/L	50	49.5	51.9	99	104	70-130	5	20		
trans-1,3-Dichloropropene	ug/L	50	40.4	40.8	81	82	70-130	1	20		
Trichloroethene	ug/L	50	44.1	43.5	88	87	70-130	1	20		
Trichlorofluoromethane	ug/L	50	53.0	55.0	106	110	50-150	4	20		
Vinyl chloride	ug/L	50	62.6	64.6	125	129	59-157	3	20		
4-Bromofluorobenzene (S)	%				96	96	59-130				
Dibromofluoromethane (S)	%				111	112	70-130				
Toluene-d8 (S)	%				95	95	70-130				

Parameter	Units	40110923002		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD RPD		Qual
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	RPD				RPD	RPD	
1,1,1-Trichloroethane	ug/L	<0.50	50	50	53.2	55.8	106	112	70-130	5	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	50.6	51.4	101	103	70-130	2	20		
1,1,2-Trichloroethane	ug/L	<0.20	50	50	41.6	42.4	83	85	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.24	50	50	57.5	59.1	115	118	70-130	3	20		
1,1-Dichloroethene	ug/L	<0.41	50	50	50.3	51.5	101	103	70-138	2	20		
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	49.9	50.1	100	100	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	40.9	41.3	82	83	50-150	1	20		
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	45.2	47.4	90	95	70-130	5	20		
1,2-Dichlorobenzene	ug/L	<0.50	50	50	49.4	50.1	99	100	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.17	50	50	59.9	63.3	120	127	70-130	6	20		
1,2-Dichloropropane	ug/L	<0.23	50	50	42.3	43.1	85	86	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

Parameter	Units	40110923002		MSD		1121475		% Rec	MSD % Rec	Limits	Max	
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec				RPD RPD	Qual
1,3-Dichlorobenzene	ug/L	<0.50	50	50	50.3	49.7	101	99	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	46.2	46.0	92	92	70-130	0	20	
Benzene	ug/L	<0.50	50	50	52.8	56.1	106	112	70-130	6	20	
Bromodichloromethane	ug/L	<0.50	50	50	43.0	43.9	86	88	70-130	2	20	
Bromoform	ug/L	<0.50	50	50	50.7	52.3	101	105	70-130	3	20	
Bromomethane	ug/L	<2.4	50	50	28.3	30.9	57	62	34-159	9	20	
Carbon tetrachloride	ug/L	<0.50	50	50	63.9	67.4	128	135	70-132	5	20 M1	
Chlorobenzene	ug/L	<0.50	50	50	48.3	50.1	97	100	70-130	4	20	
Chloroethane	ug/L	<0.37	50	50	60.0	61.4	120	123	60-143	2	20	
Chloroform	ug/L	<2.5	50	50	48.5	51.3	97	103	70-130	6	20	
Chloromethane	ug/L	<0.50	50	50	54.2	56.5	108	113	43-149	4	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	48.5	51.0	97	102	48-137	5	33	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	39.1	40.3	78	81	70-130	3	20	
Dibromochloromethane	ug/L	<0.50	50	50	48.2	49.9	96	100	70-130	3	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	46.6	49.2	93	98	10-174	5	20	
Ethylbenzene	ug/L	<0.50	50	50	44.7	46.6	89	93	70-130	4	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	47.6	49.3	95	99	70-136	3	20	
m&p-Xylene	ug/L	<1.0	100	100	93.6	96.2	94	96	70-135	3	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	46.7	50.0	93	100	54-139	7	20	
Methylene Chloride	ug/L	<0.23	50	50	50.4	54.1	101	108	70-133	7	20	
o-Xylene	ug/L	<0.50	50	50	46.3	48.7	93	97	70-130	5	20	
Styrene	ug/L	<0.50	50	50	46.2	48.4	92	97	70-130	5	20	
Tetrachloroethene	ug/L	<0.50	50	50	50.8	54.4	102	109	70-130	7	20	
Toluene	ug/L	<0.50	50	50	43.2	45.3	86	91	70-130	5	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	48.3	51.5	97	103	70-130	6	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	39.6	41.1	79	82	70-130	4	20	
Trichloroethene	ug/L	<0.33	50	50	40.7	42.8	81	86	70-130	5	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	52.0	54.6	104	109	50-150	5	20	
Vinyl chloride	ug/L	<0.18	50	50	60.5	62.7	121	125	59-158	4	20	
4-Bromofluorobenzene (S)	%						94	96	59-130			
Dibromofluoromethane (S)	%						112	114	70-130			
Toluene-d8 (S)	%						94	94	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409 UNITED DRY CLEANERS

Pace Project No.: 40110966

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

LOD - Limit of Detection.

LOQ - Limit of Quantitation.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409 UNITED DRY CLEANERS
Pace Project No.: 40110966

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40110966001	MW-1	EPA 8260	MSV/27562		
40110966002	MW-2	EPA 8260	MSV/27562		
40110966003	MW-3	EPA 8260	MSV/27562		
40110966004	MW-4	EPA 8260	MSV/27562		
40110966005	MW-5	EPA 8260	MSV/27562		
40110966006	MW-6	EPA 8260	MSV/27562		
40110966007	MW-7	EPA 8260	MSV/27562		
40110966008	MW-8	EPA 8260	MSV/27562		
40110966009	DUP #1	EPA 8260	MSV/27562		
40110966010	TRIP BLANK	EPA 8260	MSV/27562		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

(Please Print Clearly)

Company Name:	SILKWOOD LITIGATION, INC.
Branch/Location:	111 S. WASHINGTON ST., SUITE 1000 SEATTLE, WA 98101

www.pacelabs.com

卷之三

UPPER MIDWEST REGION

CHAIN OF CUSTODY

Page 1 of 33

***Presentation Codes**

Sampled By (Sign):	<i>Mead L. McCall</i>	
PO #:		Regulatory Program:
Data Package Options	MS/MS/SD	Matrix Codes
Specimen Requested		
Vials		

SAMPLE		TESTS		COLLECTION	
NAME	NUMBER	TEST	TEST	TIME	WATER SOURCE
<input type="checkbox"/> EPA Level III		<input type="checkbox"/> On your sample		A = Air	W = Water
<input type="checkbox"/> EPA Level IV		<input type="checkbox"/> NOT needed on your sample		B = Biota	DW = Drinking Water
				C = Charcoal	GW = Ground Water
				O = Oil	SW = Surface Water
				S = Soil	WW = Waste Water
				SI = Sludge	WP = Wipe

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)

Date Needed:

ail #1: Transmit Prelim Rush Results by (complete what you want)

all #2:

Telephone:

Samples on HOLD are subject to



Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Shannon Wilson

Project #

WO# : **40110966**

Courier: FedEx UPS Client Pace Other: _____
Tracking #: N/A

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used N/A

Type of Ice: Wet Blue Dry None

Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 40.1 /Corr: _____

Biological Tissue is Frozen: yes

no

Temp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments:

Person examining contents:

Date: 2/25/15Initials: LS

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.		
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.		
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.		
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.		
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.		
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date/Time:		
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.		
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.		
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.		
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.		
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.		
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12.		
-Includes date/time/ID/Analysis Matrix:	<u>W</u>			
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH +ZnAct		
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
exceptions: TOC, coliform, TOC, TOX, TOH, O&G, WIDREW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed	Lab Std #/ID of preservative	Date/ Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.		
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Pace Trip Blank Lot # (if purchased):	<u>328</u>			

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____
Comments/ Resolution: _____

Project Manager Review: _____

JJ for DM

Date:

2/25/15

May 20, 2015

Mark McColloch
SHANNON & WILSON, INC.
2110 Luann Lane
Suite 101
Madison, WI 53713

RE: Project: 42-1-37409
Pace Project No.: 40114774

Dear Mark McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on May 14, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409

Pace Project No.: 40114774

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409

Pace Project No.: 40114774

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40114774001	MW-1	Water	05/14/15 11:30	05/14/15 13:20
40114774002	MW-2	Water	05/14/15 10:35	05/14/15 13:20
40114774003	MW-3	Water	05/14/15 10:30	05/14/15 13:20
40114774004	MW-4	Water	05/14/15 10:10	05/14/15 13:20
40114774005	MW-5	Water	05/14/15 11:25	05/14/15 13:20
40114774006	MW-6	Water	05/14/15 09:25	05/14/15 13:20
40114774007	MW-7	Water	05/14/15 09:15	05/14/15 13:20
40114774008	MW-8	Water	05/14/15 08:35	05/14/15 13:20
40114774009	MW-9	Water	05/14/15 08:30	05/14/15 13:20
40114774010	DUP #1	Water	05/14/15 09:20	05/14/15 13:20
40114774011	TRIP BLANK	Water	05/14/15 00:00	05/14/15 13:20

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409
 Pace Project No.: 40114774

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40114774001	MW-1	EPA 8260	HNW	64
40114774002	MW-2	EPA 8260	HNW	64
40114774003	MW-3	EPA 8260	HNW	64
40114774004	MW-4	EPA 8260	HNW	64
40114774005	MW-5	EPA 8260	HNW	64
40114774006	MW-6	EPA 8260	HNW	64
40114774007	MW-7	EPA 8260	HNW	64
40114774008	MW-8	EPA 8260	HNW	64
40114774009	MW-9	EPA 8260	HNW	64
40114774010	DUP #1	EPA 8260	HNW	64
40114774011	TRIP BLANK	EPA 8260	HNW	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 42-1-37409

Pace Project No.: 40114774

Lab Sample ID	Client Sample ID	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
Method							
40114774001	MW-1	Tetrachloroethene	16.1	ug/L	1.0	05/15/15 20:17	
EPA 8260							
40114774002	MW-2	Tetrachloroethene	18.6	ug/L	1.0	05/15/15 20:40	
EPA 8260							
40114774003	MW-3	Tetrachloroethene	7.4	ug/L	1.0	05/15/15 21:02	
EPA 8260							
40114774005	MW-5	Tetrachloroethene	9.9	ug/L	1.0	05/15/15 21:47	
EPA 8260							
40114774006	MW-6	Tetrachloroethene	33.9	ug/L	1.0	05/15/15 22:09	
EPA 8260							
40114774007	MW-7	Tetrachloroethene	22.4	ug/L	1.0	05/15/15 22:32	
EPA 8260							
40114774008	MW-8	Tetrachloroethene	2.8	ug/L	1.0	05/15/15 22:54	
EPA 8260							
40114774010	DUP #1	Tetrachloroethene	21.4	ug/L	1.0	05/15/15 23:39	
EPA 8260							

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-1	Lab ID: 40114774001	Collected: 05/14/15 11:30	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 20:17	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 20:17	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 20:17	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 20:17	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 20:17	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 20:17	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 20:17	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 20:17	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 20:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 20:17	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 20:17	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 20:17	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 20:17	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 20:17	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 20:17	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 20:17	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 20:17	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 20:17	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 20:17	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 20:17	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 20:17	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 20:17	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 20:17	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 20:17	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 20:17	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 20:17	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	100-42-5	
Tetrachloroethene	16.1	ug/L	1.0	0.50	1		05/15/15 20:17	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-1	Lab ID: 40114774001	Collected: 05/14/15 11:30	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 20:17	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 20:17	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 20:17	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 20:17	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 20:17	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:17	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 20:17	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 20:17	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 20:17	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 20:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		05/15/15 20:17	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		05/15/15 20:17	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		05/15/15 20:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-2	Lab ID: 40114774002	Collected: 05/14/15 10:35	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 20:40	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 20:40	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 20:40	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 20:40	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 20:40	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 20:40	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 20:40	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 20:40	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 20:40	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 20:40	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 20:40	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 20:40	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 20:40	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 20:40	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 20:40	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 20:40	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 20:40	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 20:40	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 20:40	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 20:40	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 20:40	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 20:40	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 20:40	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 20:40	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 20:40	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 20:40	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	100-42-5	
Tetrachloroethene	18.6	ug/L	1.0	0.50	1		05/15/15 20:40	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-2 Lab ID: 40114774002 Collected: 05/14/15 10:35 Received: 05/14/15 13:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 20:40	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 20:40	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 20:40	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 20:40	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 20:40	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 20:40	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 20:40	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 20:40	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 20:40	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 20:40	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		05/15/15 20:40	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		05/15/15 20:40	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		05/15/15 20:40	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-3	Lab ID: 40114774003	Collected: 05/14/15 10:30	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 21:02	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 21:02	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 21:02	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 21:02	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 21:02	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 21:02	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 21:02	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 21:02	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 21:02	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 21:02	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 21:02	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 21:02	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 21:02	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 21:02	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 21:02	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 21:02	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 21:02	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 21:02	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 21:02	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 21:02	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 21:02	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 21:02	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 21:02	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 21:02	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 21:02	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 21:02	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	100-42-5	
Tetrachloroethene	7.4	ug/L	1.0	0.50	1		05/15/15 21:02	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-3	Lab ID: 40114774003	Collected: 05/14/15 10:30	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 21:02	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 21:02	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 21:02	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 21:02	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 21:02	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:02	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 21:02	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 21:02	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 21:02	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 21:02	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		05/15/15 21:02	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		05/15/15 21:02	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		05/15/15 21:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-4	Lab ID: 40114774004	Collected: 05/14/15 10:10	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 21:24	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 21:24	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 21:24	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 21:24	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 21:24	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 21:24	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 21:24	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 21:24	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 21:24	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 21:24	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 21:24	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 21:24	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 21:24	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 21:24	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 21:24	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 21:24	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 21:24	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 21:24	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 21:24	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 21:24	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 21:24	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 21:24	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 21:24	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 21:24	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 21:24	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 21:24	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-4	Lab ID: 40114774004	Collected: 05/14/15 10:10	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 21:24	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 21:24	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 21:24	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 21:24	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 21:24	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:24	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 21:24	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 21:24	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 21:24	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 21:24	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		05/15/15 21:24	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		05/15/15 21:24	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		05/15/15 21:24	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-5	Lab ID: 40114774005	Collected: 05/14/15 11:25	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 21:47	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 21:47	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 21:47	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 21:47	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 21:47	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 21:47	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 21:47	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 21:47	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 21:47	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 21:47	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 21:47	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 21:47	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 21:47	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 21:47	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 21:47	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 21:47	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 21:47	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 21:47	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 21:47	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 21:47	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 21:47	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 21:47	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 21:47	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 21:47	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 21:47	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 21:47	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	100-42-5	
Tetrachloroethene	9.9	ug/L	1.0	0.50	1		05/15/15 21:47	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-5	Lab ID: 40114774005	Collected: 05/14/15 11:25	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 21:47	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 21:47	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 21:47	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 21:47	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 21:47	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 21:47	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 21:47	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 21:47	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 21:47	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 21:47	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		05/15/15 21:47	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		05/15/15 21:47	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		05/15/15 21:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-6	Lab ID: 40114774006	Collected: 05/14/15 09:25	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 22:09	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 22:09	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 22:09	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 22:09	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 22:09	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 22:09	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 22:09	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 22:09	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 22:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 22:09	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 22:09	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 22:09	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 22:09	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 22:09	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 22:09	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 22:09	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 22:09	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 22:09	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 22:09	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 22:09	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 22:09	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 22:09	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 22:09	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 22:09	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 22:09	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 22:09	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	100-42-5	
Tetrachloroethene	33.9	ug/L	1.0	0.50	1		05/15/15 22:09	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-6	Lab ID: 40114774006	Collected: 05/14/15 09:25	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 22:09	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 22:09	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 22:09	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 22:09	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 22:09	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:09	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 22:09	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 22:09	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 22:09	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 22:09	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		05/15/15 22:09	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		05/15/15 22:09	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		05/15/15 22:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-7	Lab ID: 40114774007	Collected: 05/14/15 09:15	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 22:32	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 22:32	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 22:32	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 22:32	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 22:32	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 22:32	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 22:32	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 22:32	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 22:32	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 22:32	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 22:32	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 22:32	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 22:32	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 22:32	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 22:32	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 22:32	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 22:32	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 22:32	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 22:32	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 22:32	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 22:32	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 22:32	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 22:32	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 22:32	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 22:32	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 22:32	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	100-42-5	
Tetrachloroethene	22.4	ug/L	1.0	0.50	1		05/15/15 22:32	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-7	Lab ID: 40114774007	Collected: 05/14/15 09:15	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 22:32	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 22:32	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 22:32	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 22:32	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 22:32	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:32	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 22:32	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 22:32	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 22:32	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 22:32	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		05/15/15 22:32	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		05/15/15 22:32	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		05/15/15 22:32	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-8	Lab ID: 40114774008	Collected: 05/14/15 08:35	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 22:54	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 22:54	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 22:54	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 22:54	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 22:54	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 22:54	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 22:54	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 22:54	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 22:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 22:54	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 22:54	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 22:54	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 22:54	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 22:54	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 22:54	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 22:54	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 22:54	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 22:54	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 22:54	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 22:54	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 22:54	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 22:54	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 22:54	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 22:54	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 22:54	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 22:54	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	100-42-5	
Tetrachloroethene	2.8	ug/L	1.0	0.50	1		05/15/15 22:54	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-8 Lab ID: 40114774008 Collected: 05/14/15 08:35 Received: 05/14/15 13:20 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 22:54	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 22:54	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 22:54	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 22:54	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 22:54	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 22:54	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 22:54	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 22:54	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 22:54	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 22:54	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		05/15/15 22:54	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		05/15/15 22:54	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		05/15/15 22:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-9	Lab ID: 40114774009	Collected: 05/14/15 08:30	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 23:16	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 23:16	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 23:16	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 23:16	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 23:16	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 23:16	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 23:16	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 23:16	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 23:16	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 23:16	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 23:16	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 23:16	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 23:16	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 23:16	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 23:16	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 23:16	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 23:16	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 23:16	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 23:16	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 23:16	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 23:16	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 23:16	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 23:16	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 23:16	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 23:16	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 23:16	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: MW-9	Lab ID: 40114774009	Collected: 05/14/15 08:30	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 23:16	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 23:16	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 23:16	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 23:16	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 23:16	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:16	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 23:16	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 23:16	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 23:16	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 23:16	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		05/15/15 23:16	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		05/15/15 23:16	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		05/15/15 23:16	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: DUP #1	Lab ID: 40114774010	Collected: 05/14/15 09:20	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 23:39	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 23:39	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 23:39	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 23:39	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 23:39	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 23:39	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 23:39	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 23:39	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 23:39	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 23:39	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 23:39	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 23:39	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 23:39	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 23:39	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 23:39	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 23:39	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 23:39	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 23:39	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 23:39	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 23:39	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 23:39	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 23:39	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 23:39	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 23:39	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 23:39	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 23:39	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	100-42-5	
Tetrachloroethene	21.4	ug/L	1.0	0.50	1		05/15/15 23:39	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: DUP #1	Lab ID: 40114774010	Collected: 05/14/15 09:20	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 23:39	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 23:39	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 23:39	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 23:39	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 23:39	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 23:39	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 23:39	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 23:39	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 23:39	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 23:39	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	92	%	70-130		1		05/15/15 23:39	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		05/15/15 23:39	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		05/15/15 23:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: TRIP BLANK	Lab ID: 40114774011	Collected: 05/14/15 00:00	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		05/15/15 15:09	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		05/15/15 15:09	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		05/15/15 15:09	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		05/15/15 15:09	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		05/15/15 15:09	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		05/15/15 15:09	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		05/15/15 15:09	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 15:09	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		05/15/15 15:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		05/15/15 15:09	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		05/15/15 15:09	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		05/15/15 15:09	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		05/15/15 15:09	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		05/15/15 15:09	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		05/15/15 15:09	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		05/15/15 15:09	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		05/15/15 15:09	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		05/15/15 15:09	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		05/15/15 15:09	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		05/15/15 15:09	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		05/15/15 15:09	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		05/15/15 15:09	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		05/15/15 15:09	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		05/15/15 15:09	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		05/15/15 15:09	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		05/15/15 15:09	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409

Pace Project No.: 40114774

Sample: TRIP BLANK	Lab ID: 40114774011	Collected: 05/14/15 00:00	Received: 05/14/15 13:20	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		05/15/15 15:09	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		05/15/15 15:09	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		05/15/15 15:09	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 15:09	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		05/15/15 15:09	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		05/15/15 15:09	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		05/15/15 15:09	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		05/15/15 15:09	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		05/15/15 15:09	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		05/15/15 15:09	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		05/15/15 15:09	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		05/15/15 15:09	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		05/15/15 15:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

QC Batch:	MSV/28462	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40114774011		

METHOD BLANK: 1158496 Matrix: Water

Associated Lab Samples: 40114774011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	05/15/15 07:14	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	05/15/15 07:14	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	05/15/15 07:14	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	05/15/15 07:14	
1,1-Dichloroethane	ug/L	<0.24	1.0	05/15/15 07:14	
1,1-Dichloroethene	ug/L	<0.41	1.0	05/15/15 07:14	
1,1-Dichloropropene	ug/L	<0.44	1.0	05/15/15 07:14	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	05/15/15 07:14	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	05/15/15 07:14	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	05/15/15 07:14	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	05/15/15 07:14	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	05/15/15 07:14	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	05/15/15 07:14	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	05/15/15 07:14	
1,2-Dichloroethane	ug/L	<0.17	1.0	05/15/15 07:14	
1,2-Dichloropropane	ug/L	<0.23	1.0	05/15/15 07:14	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	05/15/15 07:14	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	05/15/15 07:14	
1,3-Dichloropropane	ug/L	<0.50	1.0	05/15/15 07:14	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	05/15/15 07:14	
2,2-Dichloropropane	ug/L	<0.48	1.0	05/15/15 07:14	
2-Chlorotoluene	ug/L	<0.50	1.0	05/15/15 07:14	
4-Chlorotoluene	ug/L	<0.21	1.0	05/15/15 07:14	
Benzene	ug/L	<0.50	1.0	05/15/15 07:14	
Bromobenzene	ug/L	<0.23	1.0	05/15/15 07:14	
Bromochloromethane	ug/L	<0.34	1.0	05/15/15 07:14	
Bromodichloromethane	ug/L	<0.50	1.0	05/15/15 07:14	
Bromoform	ug/L	<0.50	1.0	05/15/15 07:14	
Bromomethane	ug/L	<2.4	5.0	05/15/15 07:14	
Carbon tetrachloride	ug/L	<0.50	1.0	05/15/15 07:14	
Chlorobenzene	ug/L	<0.50	1.0	05/15/15 07:14	
Chloroethane	ug/L	<0.37	1.0	05/15/15 07:14	
Chloroform	ug/L	<2.5	5.0	05/15/15 07:14	
Chloromethane	ug/L	<0.50	1.0	05/15/15 07:14	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	05/15/15 07:14	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	05/15/15 07:14	
Dibromochloromethane	ug/L	<0.50	1.0	05/15/15 07:14	
Dibromomethane	ug/L	<0.43	1.0	05/15/15 07:14	
Dichlorodifluoromethane	ug/L	<0.22	1.0	05/15/15 07:14	
Diisopropyl ether	ug/L	<0.50	1.0	05/15/15 07:14	
Ethylbenzene	ug/L	<0.50	1.0	05/15/15 07:14	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

METHOD BLANK: 1158496

Matrix: Water

Associated Lab Samples: 40114774011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	05/15/15 07:14	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	05/15/15 07:14	
m&p-Xylene	ug/L	<1.0	2.0	05/15/15 07:14	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	05/15/15 07:14	
Methylene Chloride	ug/L	<0.23	1.0	05/15/15 07:14	
n-Butylbenzene	ug/L	<0.50	1.0	05/15/15 07:14	
n-Propylbenzene	ug/L	<0.50	1.0	05/15/15 07:14	
Naphthalene	ug/L	<2.5	5.0	05/15/15 07:14	
o-Xylene	ug/L	<0.50	1.0	05/15/15 07:14	
p-Isopropyltoluene	ug/L	<0.50	1.0	05/15/15 07:14	
sec-Butylbenzene	ug/L	<2.2	5.0	05/15/15 07:14	
Styrene	ug/L	<0.50	1.0	05/15/15 07:14	
tert-Butylbenzene	ug/L	<0.18	1.0	05/15/15 07:14	
Tetrachloroethene	ug/L	<0.50	1.0	05/15/15 07:14	
Toluene	ug/L	<0.50	1.0	05/15/15 07:14	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	05/15/15 07:14	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	05/15/15 07:14	
Trichloroethene	ug/L	<0.33	1.0	05/15/15 07:14	
Trichlorofluoromethane	ug/L	<0.18	1.0	05/15/15 07:14	
Vinyl chloride	ug/L	<0.18	1.0	05/15/15 07:14	
4-Bromofluorobenzene (S)	%	97	70-130	05/15/15 07:14	
Dibromofluoromethane (S)	%	100	70-130	05/15/15 07:14	
Toluene-d8 (S)	%	99	70-130	05/15/15 07:14	

LABORATORY CONTROL SAMPLE & LCSD: 1158497

1158498

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.5	55.7	111	111	70-130	0	20	
1,1,2,2-Tetrachloroethane	ug/L	50	51.8	53.7	104	107	70-130	4	20	
1,1,2-Trichloroethane	ug/L	50	54.2	55.1	108	110	70-130	2	20	
1,1-Dichloroethane	ug/L	50	54.5	54.9	109	110	70-130	1	20	
1,1-Dichloroethene	ug/L	50	54.0	53.8	108	108	70-130	0	20	
1,2,4-Trichlorobenzene	ug/L	50	49.8	52.0	100	104	70-130	4	20	
1,2-Dibromo-3-chloropropane	ug/L	50	45.9	46.7	92	93	50-150	2	20	
1,2-Dibromoethane (EDB)	ug/L	50	53.0	54.7	106	109	70-130	3	20	
1,2-Dichlorobenzene	ug/L	50	52.3	52.5	105	105	70-130	0	20	
1,2-Dichloroethane	ug/L	50	55.6	54.6	111	109	70-131	2	20	
1,2-Dichloropropane	ug/L	50	55.4	54.7	111	109	70-130	1	20	
1,3-Dichlorobenzene	ug/L	50	51.9	52.9	104	106	70-130	2	20	
1,4-Dichlorobenzene	ug/L	50	51.9	53.0	104	106	70-130	2	20	
Benzene	ug/L	50	55.8	55.5	112	111	70-130	1	20	
Bromodichloromethane	ug/L	50	53.6	54.7	107	109	70-130	2	20	
Bromoform	ug/L	50	45.7	46.5	91	93	68-130	2	20	
Bromomethane	ug/L	50	52.6	54.3	105	109	38-137	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

LABORATORY CONTROL SAMPLE & LCSD:		1158497 1158498									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
Carbon tetrachloride	ug/L	50	53.7	53.9	107	108	70-130	0	20		
Chlorobenzene	ug/L	50	53.6	53.9	107	108	70-130	0	20		
Chloroethane	ug/L	50	56.7	56.1	113	112	70-136	1	20		
Chloroform	ug/L	50	54.3	54.2	109	108	70-130	0	20		
Chloromethane	ug/L	50	71.4	69.0	143	138	48-144	3	20		
cis-1,2-Dichloroethene	ug/L	50	55.9	56.6	112	113	70-130	1	20		
cis-1,3-Dichloropropene	ug/L	50	46.5	46.6	93	93	70-130	0	20		
Dibromochloromethane	ug/L	50	49.0	50.3	98	101	70-130	3	20		
Dichlorodifluoromethane	ug/L	50	46.5	47.6	93	95	33-157	2	20		
Ethylbenzene	ug/L	50	54.5	55.3	109	111	70-132	2	20		
Isopropylbenzene (Cumene)	ug/L	50	54.5	55.4	109	111	70-130	2	20		
m&p-Xylene	ug/L	100	109	112	109	112	70-131	3	20		
Methyl-tert-butyl ether	ug/L	50	50.2	50.1	100	100	48-141	0	20		
Methylene Chloride	ug/L	50	54.3	53.6	109	107	70-130	1	20		
o-Xylene	ug/L	50	54.9	54.9	110	110	70-131	0	20		
Styrene	ug/L	50	54.3	54.9	109	110	70-130	1	20		
Tetrachloroethene	ug/L	50	46.8	48.4	94	97	70-130	3	20		
Toluene	ug/L	50	53.9	54.7	108	109	70-130	2	20		
trans-1,2-Dichloroethene	ug/L	50	55.4	55.2	111	110	70-130	0	20		
trans-1,3-Dichloropropene	ug/L	50	43.8	45.9	88	92	70-130	5	20		
Trichloroethene	ug/L	50	55.7	55.9	111	112	70-130	0	20		
Trichlorofluoromethane	ug/L	50	53.3	53.5	107	107	50-150	1	20		
Vinyl chloride	ug/L	50	59.0	59.4	118	119	65-142	1	20		
4-Bromofluorobenzene (S)	%				99	99	70-130				
Dibromofluoromethane (S)	%				105	105	70-130				
Toluene-d8 (S)	%				100	100	70-130				

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:		1158544 1158545									
Parameter	Units	40114725001		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD RPD Qual
1,1,1-Trichloroethane	ug/L	<0.50	50	50	59.4	57.0	119	114	70-130	4	20
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	54.2	52.1	108	104	70-130	4	20
1,1,2-Trichloroethane	ug/L	<0.20	50	50	56.7	54.3	113	109	70-130	4	20
1,1-Dichloroethane	ug/L	2.3	50	50	60.6	57.6	117	110	70-134	5	20
1,1-Dichloroethene	ug/L	<0.41	50	50	57.2	54.9	114	110	70-139	4	20
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	55.5	52.3	110	104	70-130	6	20
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	46.1	45.4	92	91	50-150	2	20
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	55.6	54.0	111	108	70-130	3	20
1,2-Dichlorobenzene	ug/L	<0.50	50	50	56.6	53.0	113	106	70-130	6	20
1,2-Dichloroethane	ug/L	<0.17	50	50	57.2	55.4	114	111	70-132	3	20
1,2-Dichloropropane	ug/L	<0.23	50	50	57.4	54.2	115	108	70-130	6	20
1,3-Dichlorobenzene	ug/L	<0.50	50	50	56.3	53.8	113	108	70-130	4	20
1,4-Dichlorobenzene	ug/L	<0.50	50	50	56.8	54.0	113	108	70-130	5	20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

Parameter	Units	40114725001		MS		MSD		1158545				
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		
										RPD	RPD	Qual
Benzene	ug/L	<0.50	50	50	58.0	55.5	116	111	70-130	4	20	
Bromodichloromethane	ug/L	<0.50	50	50	56.6	54.3	113	109	70-132	4	20	
Bromoform	ug/L	<0.50	50	50	47.3	46.3	95	93	68-130	2	20	
Bromomethane	ug/L	<2.4	50	50	64.0	60.9	128	122	38-141	5	20	
Carbon tetrachloride	ug/L	<0.50	50	50	57.2	55.3	114	111	70-130	3	20	
Chlorobenzene	ug/L	<0.50	50	50	56.6	53.6	113	107	70-130	5	20	
Chloroethane	ug/L	<0.37	50	50	62.7	60.1	125	120	66-152	4	20	
Chloroform	ug/L	<2.5	50	50	56.6	54.2	113	108	70-130	4	20	
Chloromethane	ug/L	<0.50	50	50	80.9	75.5	162	151	44-151	7	20	M1
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	58.6	56.6	117	113	70-130	4	20	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	51.0	48.9	102	98	70-130	4	20	
Dibromochloromethane	ug/L	<0.50	50	50	51.6	49.5	103	99	70-130	4	20	
Dichlorodifluoromethane	ug/L	0.70J	50	50	66.5	63.4	132	125	29-160	5	20	
Ethylbenzene	ug/L	<0.50	50	50	57.2	55.0	114	110	70-132	4	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	58.0	55.9	116	112	70-130	4	20	
m&p-Xylene	ug/L	<1.0	100	100	116	112	116	112	70-131	4	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	52.0	50.0	104	100	48-143	4	20	
Methylene Chloride	ug/L	<0.23	50	50	56.6	54.9	113	110	70-130	3	20	
o-Xylene	ug/L	<0.50	50	50	57.6	55.1	115	110	70-131	4	20	
Styrene	ug/L	<0.50	50	50	57.2	55.3	114	111	70-130	3	20	
Tetrachloroethene	ug/L	4.4	50	50	55.3	53.2	102	98	70-130	4	20	
Toluene	ug/L	<0.50	50	50	57.0	54.2	114	108	70-130	5	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	59.0	57.1	118	114	70-132	3	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	49.0	47.4	98	95	70-130	3	20	
Trichloroethene	ug/L	<0.33	50	50	58.5	55.8	117	112	70-130	5	20	
Trichlorofluoromethane	ug/L	0.26J	50	50	58.1	56.1	116	112	50-153	3	20	
Vinyl chloride	ug/L	<0.18	50	50	67.5	64.0	135	128	60-155	5	20	
4-Bromofluorobenzene (S)	%						97	99	70-130			
Dibromofluoromethane (S)	%						103	105	70-130			
Toluene-d8 (S)	%						99	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

QC Batch:	MSV/28465	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40114774001, 40114774002, 40114774003, 40114774004, 40114774005, 40114774006, 40114774007, 40114774008, 40114774009, 40114774010		

METHOD BLANK: 1158516	Matrix: Water
Associated Lab Samples:	40114774001, 40114774002, 40114774003, 40114774004, 40114774005, 40114774006, 40114774007, 40114774008, 40114774009, 40114774010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	05/15/15 18:03	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	05/15/15 18:03	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	05/15/15 18:03	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	05/15/15 18:03	
1,1-Dichloroethane	ug/L	<0.24	1.0	05/15/15 18:03	
1,1-Dichloroethene	ug/L	<0.41	1.0	05/15/15 18:03	
1,1-Dichloropropene	ug/L	<0.44	1.0	05/15/15 18:03	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	05/15/15 18:03	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	05/15/15 18:03	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	05/15/15 18:03	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	05/15/15 18:03	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	05/15/15 18:03	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	05/15/15 18:03	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	05/15/15 18:03	
1,2-Dichloroethane	ug/L	<0.17	1.0	05/15/15 18:03	
1,2-Dichloropropene	ug/L	<0.23	1.0	05/15/15 18:03	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	05/15/15 18:03	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	05/15/15 18:03	
1,3-Dichloropropene	ug/L	<0.50	1.0	05/15/15 18:03	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	05/15/15 18:03	
2,2-Dichloropropane	ug/L	<0.48	1.0	05/15/15 18:03	
2-Chlorotoluene	ug/L	<0.50	1.0	05/15/15 18:03	
4-Chlorotoluene	ug/L	<0.21	1.0	05/15/15 18:03	
Benzene	ug/L	<0.50	1.0	05/15/15 18:03	
Bromobenzene	ug/L	<0.23	1.0	05/15/15 18:03	
Bromochloromethane	ug/L	<0.34	1.0	05/15/15 18:03	
Bromodichloromethane	ug/L	<0.50	1.0	05/15/15 18:03	
Bromoform	ug/L	<0.50	1.0	05/15/15 18:03	
Bromomethane	ug/L	<2.4	5.0	05/15/15 18:03	
Carbon tetrachloride	ug/L	<0.50	1.0	05/15/15 18:03	
Chlorobenzene	ug/L	<0.50	1.0	05/15/15 18:03	
Chloroethane	ug/L	<0.37	1.0	05/15/15 18:03	
Chloroform	ug/L	<2.5	5.0	05/15/15 18:03	
Chloromethane	ug/L	<0.50	1.0	05/15/15 18:03	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	05/15/15 18:03	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	05/15/15 18:03	
Dibromochloromethane	ug/L	<0.50	1.0	05/15/15 18:03	
Dibromomethane	ug/L	<0.43	1.0	05/15/15 18:03	
Dichlorodifluoromethane	ug/L	<0.22	1.0	05/15/15 18:03	
Diisopropyl ether	ug/L	<0.50	1.0	05/15/15 18:03	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

METHOD BLANK: 1158516

Matrix: Water

Associated Lab Samples: 40114774001, 40114774002, 40114774003, 40114774004, 40114774005, 40114774006, 40114774007,
40114774008, 40114774009, 40114774010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	05/15/15 18:03	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	05/15/15 18:03	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	05/15/15 18:03	
m&p-Xylene	ug/L	<1.0	2.0	05/15/15 18:03	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	05/15/15 18:03	
Methylene Chloride	ug/L	<0.23	1.0	05/15/15 18:03	
n-Butylbenzene	ug/L	<0.50	1.0	05/15/15 18:03	
n-Propylbenzene	ug/L	<0.50	1.0	05/15/15 18:03	
Naphthalene	ug/L	<2.5	5.0	05/15/15 18:03	
o-Xylene	ug/L	<0.50	1.0	05/15/15 18:03	
p-Isopropyltoluene	ug/L	<0.50	1.0	05/15/15 18:03	
sec-Butylbenzene	ug/L	<2.2	5.0	05/15/15 18:03	
Styrene	ug/L	<0.50	1.0	05/15/15 18:03	
tert-Butylbenzene	ug/L	<0.18	1.0	05/15/15 18:03	
Tetrachloroethene	ug/L	<0.50	1.0	05/15/15 18:03	
Toluene	ug/L	<0.50	1.0	05/15/15 18:03	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	05/15/15 18:03	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	05/15/15 18:03	
Trichloroethene	ug/L	<0.33	1.0	05/15/15 18:03	
Trichlorofluoromethane	ug/L	<0.18	1.0	05/15/15 18:03	
Vinyl chloride	ug/L	<0.18	1.0	05/15/15 18:03	
4-Bromofluorobenzene (S)	%	93	70-130	05/15/15 18:03	
Dibromofluoromethane (S)	%	99	70-130	05/15/15 18:03	
Toluene-d8 (S)	%	97	70-130	05/15/15 18:03	

LABORATORY CONTROL SAMPLE & LCSD: 1158517

1158518

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	56.4	55.8	113	112	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	50.8	46.1	102	92	70-130	10	20	
1,1,2-Trichloroethane	ug/L	50	58.3	55.0	117	110	70-130	6	20	
1,1-Dichloroethane	ug/L	50	52.5	52.0	105	104	70-130	1	20	
1,1-Dichloroethene	ug/L	50	51.2	49.3	102	99	70-130	4	20	
1,2,4-Trichlorobenzene	ug/L	50	49.5	49.2	99	98	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	50	48.5	44.6	97	89	50-150	8	20	
1,2-Dibromoethane (EDB)	ug/L	50	56.4	53.6	113	107	70-130	5	20	
1,2-Dichlorobenzene	ug/L	50	50.4	48.7	101	97	70-130	3	20	
1,2-Dichloroethane	ug/L	50	55.4	54.2	111	108	70-131	2	20	
1,2-Dichloropropane	ug/L	50	54.6	52.2	109	104	70-130	4	20	
1,3-Dichlorobenzene	ug/L	50	49.0	46.9	98	94	70-130	4	20	
1,4-Dichlorobenzene	ug/L	50	50.5	48.5	101	97	70-130	4	20	
Benzene	ug/L	50	52.4	51.2	105	102	70-130	2	20	
Bromodichloromethane	ug/L	50	59.9	57.5	120	115	70-130	4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

LABORATORY CONTROL SAMPLE & LCSD: 1158517

1158518

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	% Rec	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Bromoform	ug/L	50	53.5	50.1	107	100	105	68-130	7	20	
Bromomethane	ug/L	50	50.0	57.7	100	115	116	38-137	14	20	
Carbon tetrachloride	ug/L	50	57.9	56.8	116	114	114	70-130	2	20	
Chlorobenzene	ug/L	50	57.3	54.7	115	109	109	70-130	5	20	
Chloroethane	ug/L	50	51.3	50.9	103	102	102	70-136	1	20	
Chloroform	ug/L	50	54.1	52.7	108	105	105	70-130	3	20	
Chloromethane	ug/L	50	52.5	52.6	105	105	105	48-144	0	20	
cis-1,2-Dichloroethene	ug/L	50	51.4	51.1	103	102	102	70-130	1	20	
cis-1,3-Dichloropropene	ug/L	50	49.1	47.5	98	95	95	70-130	3	20	
Dibromochloromethane	ug/L	50	53.4	50.8	107	102	102	70-130	5	20	
Dichlorodifluoromethane	ug/L	50	53.2	53.3	106	107	107	33-157	0	20	
Ethylbenzene	ug/L	50	59.1	56.8	118	114	114	70-132	4	20	
Isopropylbenzene (Cumene)	ug/L	50	63.0	60.3	126	121	121	70-130	4	20	
m&p-Xylene	ug/L	100	122	117	122	117	117	70-131	5	20	
Methyl-tert-butyl ether	ug/L	50	50.1	47.9	100	96	96	48-141	4	20	
Methylene Chloride	ug/L	50	50.6	50.0	101	100	100	70-130	1	20	
o-Xylene	ug/L	50	59.7	57.0	119	114	114	70-131	4	20	
Styrene	ug/L	50	56.3	53.7	113	107	107	70-130	5	20	
Tetrachloroethene	ug/L	50	57.9	56.2	116	112	112	70-130	3	20	
Toluene	ug/L	50	57.7	54.9	115	110	110	70-130	5	20	
trans-1,2-Dichloroethene	ug/L	50	53.2	51.7	106	103	103	70-130	3	20	
trans-1,3-Dichloropropene	ug/L	50	49.7	48.0	99	96	96	70-130	3	20	
Trichloroethene	ug/L	50	56.3	53.5	113	107	107	70-130	5	20	
Trichlorofluoromethane	ug/L	50	54.9	54.3	110	109	109	50-150	1	20	
Vinyl chloride	ug/L	50	56.0	55.4	112	111	111	65-142	1	20	
4-Bromofluorobenzene (S)	%				107	107	107	70-130			
Dibromofluoromethane (S)	%					96	98	98	70-130		
Toluene-d8 (S)	%					99	99	99	70-130		

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1159245

1159246

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		40114800001 Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	% Rec	MSD % Rec	% Rec				
1,1,1-Trichloroethane	ug/L	<0.50	50	50	54.9	54.5	110	109	70-130	1	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	51.1	49.4	102	99	70-130	3	20		
1,1,2-Trichloroethane	ug/L	<0.20	50	50	55.6	54.5	111	109	70-130	2	20		
1,1-Dichloroethane	ug/L	<0.24	50	50	50.5	50.6	101	101	70-134	0	20		
1,1-Dichloroethene	ug/L	<0.41	50	50	48.4	48.3	97	97	70-139	0	20		
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	57.8	57.6	116	115	70-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	50.1	48.8	100	98	50-150	3	20		
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	55.7	54.6	111	109	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.50	50	50	52.3	51.3	105	103	70-130	2	20		
1,2-Dichloroethane	ug/L	<0.17	50	50	54.9	53.5	110	107	70-132	3	20		
1,2-Dichloropropane	ug/L	<0.23	50	50	51.5	51.4	103	103	70-130	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409

Pace Project No.: 40114774

Parameter	Units	40114800001		MS		MSD		1159246				
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max		
										RPD	RPD	Qual
1,3-Dichlorobenzene	ug/L	<0.50	50	50	50.9	50.5	102	101	70-130	1	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	49.5	48.9	99	98	70-130	1	20	
Benzene	ug/L	<0.50	50	50	51.6	52.1	103	104	70-130	1	20	
Bromodichloromethane	ug/L	<0.50	50	50	56.0	54.3	112	109	70-132	3	20	
Bromoform	ug/L	<0.50	50	50	50.3	48.6	101	97	68-130	3	20	
Bromomethane	ug/L	<2.4	50	50	57.1	58.3	114	117	38-141	2	20	
Carbon tetrachloride	ug/L	<0.50	50	50	56.2	55.3	112	111	70-130	2	20	
Chlorobenzene	ug/L	<0.50	50	50	53.6	53.0	107	106	70-130	1	20	
Chloroethane	ug/L	<0.37	50	50	47.6	48.2	95	96	66-152	1	20	
Chloroform	ug/L	<2.5	50	50	53.9	53.1	108	106	70-130	1	20	
Chloromethane	ug/L	<0.50	50	50	46.0	48.0	92	96	44-151	4	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	51.1	50.9	102	102	70-130	0	20	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	49.9	49.8	100	100	70-130	0	20	
Dibromochloromethane	ug/L	<0.50	50	50	50.8	50.2	102	100	70-130	1	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	39.1	40.0	78	80	29-160	2	20	
Ethylbenzene	ug/L	2.1	50	50	58.2	57.6	112	111	70-132	1	20	
Isopropylbenzene (Cumene)	ug/L	27.3	50	50	90.6	90.2	127	126	70-130	1	20	
m&p-Xylene	ug/L	<1.0	100	100	114	113	114	112	70-131	1	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	50.2	49.5	100	99	48-143	1	20	
Methylene Chloride	ug/L	<0.23	50	50	49.3	50.3	99	101	70-130	2	20	
o-Xylene	ug/L	<0.50	50	50	56.5	56.0	113	112	70-131	1	20	
Styrene	ug/L	<0.50	50	50	51.9	51.6	104	103	70-130	1	20	
Tetrachloroethene	ug/L	<0.50	50	50	54.6	54.1	109	108	70-130	1	20	
Toluene	ug/L	<0.50	50	50	53.6	53.4	107	107	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	50.3	49.4	101	99	70-132	2	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	49.2	48.7	98	97	70-130	1	20	
Trichloroethene	ug/L	<0.33	50	50	53.1	52.8	106	106	70-130	1	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	50.8	50.3	102	101	50-153	1	20	
Vinyl chloride	ug/L	<0.18	50	50	50.1	51.4	100	103	60-155	2	20	
4-Bromofluorobenzene (S)	%						103	105	70-130			
Dibromofluoromethane (S)	%						97	96	70-130			
Toluene-d8 (S)	%						97	98	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409
Pace Project No.: 40114774

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409
 Pace Project No.: 40114774

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40114774001	MW-1	EPA 8260	MSV/28465		
40114774002	MW-2	EPA 8260	MSV/28465		
40114774003	MW-3	EPA 8260	MSV/28465		
40114774004	MW-4	EPA 8260	MSV/28465		
40114774005	MW-5	EPA 8260	MSV/28465		
40114774006	MW-6	EPA 8260	MSV/28465		
40114774007	MW-7	EPA 8260	MSV/28465		
40114774008	MW-8	EPA 8260	MSV/28465		
40114774009	MW-9	EPA 8260	MSV/28465		
40114774010	DUP #1	EPA 8260	MSV/28465		
40114774011	TRIP BLANK	EPA 8260	MSV/28462		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Pace Analytical

Client Name: Shannon + Wilson Inc

Project #:

WO# : 40114774

Courier: FedEx UPS Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used: N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begunCooler Temperature Uncorr: 20 /Corr: _____Biological Tissue is Frozen: yes noTemp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments: _____

Person examining contents:

Date: 5-14-15Initials: KCW

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH +ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO ₃ , H ₂ SO ₄ ≥2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed Lab Std #ID of preservative Date/ Time:
exceptions: VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):	<u>042015-3CCL</u>	

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution:

Client returned 3-40mls empty
KW 5-14-15

Project Manager Review: _____

JJ for DMDate: 5-14-15

September 04, 2015

Mark McColloch
SHANNON & WILSON, INC.
2110 Luann Lane
Suite 101
Madison, WI 53713

RE: Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40120422

Dear Mark McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on September 01, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334

North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40120422001	MW-1	Water	08/31/15 15:50	09/01/15 12:37
40120422002	MW-2	Water	08/31/15 14:20	09/01/15 12:37
40120422003	MW-3	Water	08/31/15 13:50	09/01/15 12:37
40120422004	MW-4	Water	08/31/15 13:40	09/01/15 12:37
40120422005	MW-5	Water	08/31/15 15:40	09/01/15 12:37
40120422006	MW-6	Water	08/31/15 12:35	09/01/15 12:37
40120422007	MW-7	Water	08/31/15 12:25	09/01/15 12:37
40120422008	MW-8	Water	08/31/15 11:45	09/01/15 12:37
40120422009	MW-9	Water	08/31/15 11:35	09/01/15 12:37
40120422010	DUP #1	Water	08/31/15 15:48	09/01/15 12:37
40120422011	TRIP BLANK	Water	08/31/15 00:00	09/01/15 12:37

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40120422001	MW-1	EPA 8260	HNW	64
40120422002	MW-2	EPA 8260	HNW	64
40120422003	MW-3	EPA 8260	HNW	64
40120422004	MW-4	EPA 8260	HNW	64
40120422005	MW-5	EPA 8260	HNW	64
40120422006	MW-6	EPA 8260	HNW	64
40120422007	MW-7	EPA 8260	HNW	64
40120422008	MW-8	EPA 8260	HNW	64
40120422009	MW-9	EPA 8260	HNW	64
40120422010	DUP #1	EPA 8260	HNW	64
40120422011	TRIP BLANK	EPA 8260	HNW	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40120422

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40120422001	MW-1					
EPA 8260	Methyl-tert-butyl ether	0.18J	ug/L	1.0	09/03/15 10:08	
EPA 8260	Tetrachloroethene	12.6	ug/L	1.0	09/03/15 10:08	
40120422002	MW-2					
EPA 8260	Tetrachloroethene	9.0	ug/L	1.0	09/03/15 10:31	
40120422003	MW-3					
EPA 8260	Tetrachloroethene	6.8	ug/L	1.0	09/03/15 10:54	
40120422005	MW-5					
EPA 8260	Tetrachloroethene	9.1	ug/L	1.0	09/03/15 11:39	
40120422006	MW-6					
EPA 8260	Tetrachloroethene	29.8	ug/L	1.0	09/03/15 12:02	
40120422007	MW-7					
EPA 8260	Tetrachloroethene	22.1	ug/L	1.0	09/03/15 12:25	
40120422008	MW-8					
EPA 8260	Tetrachloroethene	2.6	ug/L	1.0	09/03/15 12:48	
40120422010	DUP #1					
EPA 8260	Tetrachloroethene	12.9	ug/L	1.0	09/03/15 13:33	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-1	Lab ID: 40120422001	Collected: 08/31/15 15:50	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 10:08	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 10:08	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 10:08	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 10:08	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 10:08	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 10:08	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 10:08	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 10:08	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 10:08	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 10:08	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 10:08	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 10:08	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 10:08	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 10:08	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 10:08	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 10:08	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 10:08	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 10:08	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 10:08	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 10:08	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 10:08	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 10:08	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 10:08	98-82-8	
Methyl-tert-butyl ether	0.18J	ug/L	1.0	0.17	1		09/03/15 10:08	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 10:08	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 10:08	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	100-42-5	
Tetrachloroethene	12.6	ug/L	1.0	0.50	1		09/03/15 10:08	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-1	Lab ID: 40120422001	Collected: 08/31/15 15:50	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 10:08	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 10:08	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 10:08	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 10:08	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 10:08	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:08	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 10:08	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 10:08	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 10:08	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 10:08	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 10:08	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		09/03/15 10:08	1868-53-7	
Toluene-d8 (S)	103	%	70-130		1		09/03/15 10:08	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-2	Lab ID: 40120422002	Collected: 08/31/15 14:20	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 10:31	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 10:31	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 10:31	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 10:31	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 10:31	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 10:31	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 10:31	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 10:31	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 10:31	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 10:31	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 10:31	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 10:31	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 10:31	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 10:31	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 10:31	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 10:31	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 10:31	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 10:31	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 10:31	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 10:31	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 10:31	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 10:31	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 10:31	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 10:31	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 10:31	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 10:31	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	100-42-5	
Tetrachloroethene	9.0	ug/L	1.0	0.50	1		09/03/15 10:31	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-2	Lab ID: 40120422002	Collected: 08/31/15 14:20	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 10:31	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 10:31	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 10:31	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 10:31	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 10:31	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:31	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 10:31	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 10:31	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 10:31	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 10:31	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		09/03/15 10:31	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		09/03/15 10:31	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/03/15 10:31	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-3	Lab ID: 40120422003	Collected: 08/31/15 13:50	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 10:54	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 10:54	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 10:54	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 10:54	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 10:54	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 10:54	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 10:54	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 10:54	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 10:54	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 10:54	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 10:54	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 10:54	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 10:54	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 10:54	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 10:54	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 10:54	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 10:54	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 10:54	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 10:54	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 10:54	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 10:54	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 10:54	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 10:54	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 10:54	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 10:54	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 10:54	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	100-42-5	
Tetrachloroethene	6.8	ug/L	1.0	0.50	1		09/03/15 10:54	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-3	Lab ID: 40120422003	Collected: 08/31/15 13:50	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 10:54	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 10:54	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 10:54	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 10:54	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 10:54	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 10:54	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 10:54	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 10:54	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 10:54	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 10:54	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 10:54	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		09/03/15 10:54	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		09/03/15 10:54	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-4	Lab ID: 40120422004	Collected: 08/31/15 13:40	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 11:17	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 11:17	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 11:17	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 11:17	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 11:17	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 11:17	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 11:17	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 11:17	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 11:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 11:17	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 11:17	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 11:17	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 11:17	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 11:17	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 11:17	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 11:17	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 11:17	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 11:17	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 11:17	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 11:17	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 11:17	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 11:17	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 11:17	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 11:17	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 11:17	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 11:17	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-4	Lab ID: 40120422004	Collected: 08/31/15 13:40	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 11:17	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 11:17	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 11:17	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 11:17	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 11:17	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:17	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 11:17	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 11:17	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 11:17	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 11:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 11:17	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		09/03/15 11:17	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		09/03/15 11:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-5	Lab ID: 40120422005	Collected: 08/31/15 15:40	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 11:39	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 11:39	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 11:39	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 11:39	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 11:39	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 11:39	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 11:39	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 11:39	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 11:39	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 11:39	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 11:39	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 11:39	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 11:39	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 11:39	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 11:39	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 11:39	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 11:39	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 11:39	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 11:39	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 11:39	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 11:39	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 11:39	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 11:39	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 11:39	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 11:39	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 11:39	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	100-42-5	
Tetrachloroethene	9.1	ug/L	1.0	0.50	1		09/03/15 11:39	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-5	Lab ID: 40120422005	Collected: 08/31/15 15:40	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 11:39	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 11:39	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 11:39	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 11:39	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 11:39	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 11:39	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 11:39	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 11:39	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 11:39	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 11:39	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 11:39	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		09/03/15 11:39	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/03/15 11:39	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-6	Lab ID: 40120422006	Collected: 08/31/15 12:35	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 12:02	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 12:02	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 12:02	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 12:02	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 12:02	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 12:02	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 12:02	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 12:02	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 12:02	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 12:02	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 12:02	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 12:02	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 12:02	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 12:02	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 12:02	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 12:02	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 12:02	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 12:02	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 12:02	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 12:02	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 12:02	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 12:02	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 12:02	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 12:02	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 12:02	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 12:02	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	100-42-5	
Tetrachloroethene	29.8	ug/L	1.0	0.50	1		09/03/15 12:02	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-6	Lab ID: 40120422006	Collected: 08/31/15 12:35	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 12:02	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 12:02	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 12:02	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 12:02	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 12:02	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:02	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 12:02	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 12:02	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 12:02	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 12:02	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 12:02	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		09/03/15 12:02	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		09/03/15 12:02	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-7	Lab ID: 40120422007	Collected: 08/31/15 12:25	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 12:25	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 12:25	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 12:25	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 12:25	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 12:25	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 12:25	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 12:25	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 12:25	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 12:25	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 12:25	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 12:25	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 12:25	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 12:25	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 12:25	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 12:25	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 12:25	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 12:25	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 12:25	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 12:25	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 12:25	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 12:25	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 12:25	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 12:25	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 12:25	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 12:25	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 12:25	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	100-42-5	
Tetrachloroethene	22.1	ug/L	1.0	0.50	1		09/03/15 12:25	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-7	Lab ID: 40120422007	Collected: 08/31/15 12:25	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 12:25	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 12:25	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 12:25	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 12:25	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 12:25	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:25	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 12:25	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 12:25	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 12:25	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 12:25	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	102	%	70-130		1		09/03/15 12:25	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		09/03/15 12:25	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/03/15 12:25	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-8	Lab ID: 40120422008	Collected: 08/31/15 11:45	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 12:48	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 12:48	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 12:48	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 12:48	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 12:48	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 12:48	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 12:48	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 12:48	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 12:48	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 12:48	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 12:48	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 12:48	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 12:48	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 12:48	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 12:48	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 12:48	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 12:48	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 12:48	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 12:48	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 12:48	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 12:48	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 12:48	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 12:48	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 12:48	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 12:48	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 12:48	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	100-42-5	
Tetrachloroethene	2.6	ug/L	1.0	0.50	1		09/03/15 12:48	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40120422

Sample: MW-8	Lab ID: 40120422008	Collected: 08/31/15 11:45	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 12:48	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 12:48	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 12:48	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 12:48	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 12:48	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 12:48	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 12:48	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 12:48	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 12:48	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 12:48	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 12:48	460-00-4	
Dibromofluoromethane (S)	95	%	70-130		1		09/03/15 12:48	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/03/15 12:48	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-9	Lab ID: 40120422009	Collected: 08/31/15 11:35	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 13:10	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 13:10	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 13:10	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 13:10	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 13:10	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 13:10	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 13:10	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 13:10	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 13:10	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 13:10	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 13:10	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 13:10	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 13:10	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 13:10	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 13:10	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 13:10	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 13:10	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 13:10	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 13:10	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 13:10	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 13:10	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 13:10	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 13:10	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 13:10	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 13:10	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 13:10	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: MW-9	Lab ID: 40120422009	Collected: 08/31/15 11:35	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 13:10	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 13:10	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 13:10	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 13:10	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 13:10	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:10	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 13:10	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 13:10	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 13:10	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 13:10	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 13:10	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		09/03/15 13:10	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/03/15 13:10	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: DUP #1	Lab ID: 40120422010	Collected: 08/31/15 15:48	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 13:33	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 13:33	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 13:33	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 13:33	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 13:33	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 13:33	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 13:33	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 13:33	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 13:33	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 13:33	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 13:33	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 13:33	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 13:33	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 13:33	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 13:33	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 13:33	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 13:33	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 13:33	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 13:33	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 13:33	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 13:33	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 13:33	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 13:33	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 13:33	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 13:33	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 13:33	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	100-42-5	
Tetrachloroethene	12.9	ug/L	1.0	0.50	1		09/03/15 13:33	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: DUP #1	Lab ID: 40120422010	Collected: 08/31/15 15:48	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 13:33	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 13:33	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 13:33	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 13:33	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 13:33	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 13:33	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 13:33	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 13:33	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 13:33	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 13:33	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	104	%	70-130		1		09/03/15 13:33	460-00-4	
Dibromofluoromethane (S)	97	%	70-130		1		09/03/15 13:33	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/03/15 13:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: TRIP BLANK	Lab ID: 40120422011	Collected: 08/31/15 00:00	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		09/03/15 16:35	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		09/03/15 16:35	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		09/03/15 16:35	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		09/03/15 16:35	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		09/03/15 16:35	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		09/03/15 16:35	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		09/03/15 16:35	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 16:35	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		09/03/15 16:35	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		09/03/15 16:35	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		09/03/15 16:35	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		09/03/15 16:35	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		09/03/15 16:35	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		09/03/15 16:35	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		09/03/15 16:35	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		09/03/15 16:35	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		09/03/15 16:35	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		09/03/15 16:35	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		09/03/15 16:35	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		09/03/15 16:35	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		09/03/15 16:35	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		09/03/15 16:35	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		09/03/15 16:35	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		09/03/15 16:35	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		09/03/15 16:35	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		09/03/15 16:35	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Sample: TRIP BLANK	Lab ID: 40120422011	Collected: 08/31/15 00:00	Received: 09/01/15 12:37	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		09/03/15 16:35	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		09/03/15 16:35	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		09/03/15 16:35	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 16:35	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		09/03/15 16:35	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		09/03/15 16:35	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		09/03/15 16:35	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		09/03/15 16:35	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		09/03/15 16:35	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		09/03/15 16:35	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	103	%	70-130		1		09/03/15 16:35	460-00-4	
Dibromofluoromethane (S)	102	%	70-130		1		09/03/15 16:35	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		09/03/15 16:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

QC Batch: MSV/30016 Analysis Method: EPA 8260

QC Batch Method: EPA 8260 Analysis Description: 8260 MSV

Associated Lab Samples: 40120422001, 40120422002, 40120422003, 40120422004, 40120422005, 40120422006, 40120422007,
40120422008, 40120422009, 40120422010, 40120422011

METHOD BLANK: 1214861 Matrix: Water

Associated Lab Samples: 40120422001, 40120422002, 40120422003, 40120422004, 40120422005, 40120422006, 40120422007,
40120422008, 40120422009, 40120422010, 40120422011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	09/03/15 07:29	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	09/03/15 07:29	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	09/03/15 07:29	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	09/03/15 07:29	
1,1-Dichloroethane	ug/L	<0.24	1.0	09/03/15 07:29	
1,1-Dichloroethene	ug/L	<0.41	1.0	09/03/15 07:29	
1,1-Dichloropropene	ug/L	<0.44	1.0	09/03/15 07:29	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	09/03/15 07:29	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	09/03/15 07:29	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	09/03/15 07:29	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	09/03/15 07:29	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	09/03/15 07:29	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	09/03/15 07:29	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	09/03/15 07:29	
1,2-Dichloroethane	ug/L	<0.17	1.0	09/03/15 07:29	
1,2-Dichloropropane	ug/L	<0.23	1.0	09/03/15 07:29	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	09/03/15 07:29	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	09/03/15 07:29	
1,3-Dichloropropane	ug/L	<0.50	1.0	09/03/15 07:29	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	09/03/15 07:29	
2,2-Dichloropropane	ug/L	<0.48	1.0	09/03/15 07:29	
2-Chlorotoluene	ug/L	<0.50	1.0	09/03/15 07:29	
4-Chlorotoluene	ug/L	<0.21	1.0	09/03/15 07:29	
Benzene	ug/L	<0.50	1.0	09/03/15 07:29	
Bromobenzene	ug/L	<0.23	1.0	09/03/15 07:29	
Bromochloromethane	ug/L	<0.34	1.0	09/03/15 07:29	
Bromodichloromethane	ug/L	<0.50	1.0	09/03/15 07:29	
Bromoform	ug/L	<0.50	1.0	09/03/15 07:29	
Bromomethane	ug/L	<2.4	5.0	09/03/15 07:29	
Carbon tetrachloride	ug/L	<0.50	1.0	09/03/15 07:29	
Chlorobenzene	ug/L	<0.50	1.0	09/03/15 07:29	
Chloroethane	ug/L	<0.37	1.0	09/03/15 07:29	
Chloroform	ug/L	<2.5	5.0	09/03/15 07:29	
Chloromethane	ug/L	<0.50	1.0	09/03/15 07:29	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	09/03/15 07:29	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	09/03/15 07:29	
Dibromochloromethane	ug/L	<0.50	1.0	09/03/15 07:29	
Dibromomethane	ug/L	<0.43	1.0	09/03/15 07:29	
Dichlorodifluoromethane	ug/L	<0.22	1.0	09/03/15 07:29	
Diisopropyl ether	ug/L	<0.50	1.0	09/03/15 07:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

METHOD BLANK: 1214861

Matrix: Water

Associated Lab Samples: 40120422001, 40120422002, 40120422003, 40120422004, 40120422005, 40120422006, 40120422007,
40120422008, 40120422009, 40120422010, 40120422011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	09/03/15 07:29	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	09/03/15 07:29	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	09/03/15 07:29	
m&p-Xylene	ug/L	<1.0	2.0	09/03/15 07:29	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	09/03/15 07:29	
Methylene Chloride	ug/L	<0.23	1.0	09/03/15 07:29	
n-Butylbenzene	ug/L	<0.50	1.0	09/03/15 07:29	
n-Propylbenzene	ug/L	<0.50	1.0	09/03/15 07:29	
Naphthalene	ug/L	<2.5	5.0	09/03/15 07:29	
o-Xylene	ug/L	<0.50	1.0	09/03/15 07:29	
p-Isopropyltoluene	ug/L	<0.50	1.0	09/03/15 07:29	
sec-Butylbenzene	ug/L	<2.2	5.0	09/03/15 07:29	
Styrene	ug/L	<0.50	1.0	09/03/15 07:29	
tert-Butylbenzene	ug/L	<0.18	1.0	09/03/15 07:29	
Tetrachloroethene	ug/L	<0.50	1.0	09/03/15 07:29	
Toluene	ug/L	<0.50	1.0	09/03/15 07:29	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	09/03/15 07:29	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	09/03/15 07:29	
Trichloroethene	ug/L	<0.33	1.0	09/03/15 07:29	
Trichlorofluoromethane	ug/L	<0.18	1.0	09/03/15 07:29	
Vinyl chloride	ug/L	<0.18	1.0	09/03/15 07:29	
4-Bromofluorobenzene (S)	%	103	70-130	09/03/15 07:29	
Dibromofluoromethane (S)	%	101	70-130	09/03/15 07:29	
Toluene-d8 (S)	%	103	70-130	09/03/15 07:29	

LABORATORY CONTROL SAMPLE & LCSD: 1214862

1214863

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	59.6	60.6	119	121	70-130	2	20	
1,1,2,2-Tetrachloroethane	ug/L	50	56.5	55.3	113	111	70-130	2	20	
1,1,2-Trichloroethane	ug/L	50	59.7	58.9	119	118	70-130	1	20	
1,1-Dichloroethane	ug/L	50	60.3	60.4	121	121	70-130	0	20	
1,1-Dichloroethene	ug/L	50	58.2	62.7	116	125	70-130	7	20	
1,2,4-Trichlorobenzene	ug/L	50	55.4	54.7	111	109	70-130	1	20	
1,2-Dibromo-3-chloropropane	ug/L	50	50.1	49.7	100	99	50-150	1	20	
1,2-Dibromoethane (EDB)	ug/L	50	58.8	59.1	118	118	70-130	0	20	
1,2-Dichlorobenzene	ug/L	50	56.0	55.2	112	110	70-130	2	20	
1,2-Dichloroethane	ug/L	50	61.0	61.1	122	122	70-131	0	20	
1,2-Dichloropropane	ug/L	50	60.1	59.3	120	119	70-130	1	20	
1,3-Dichlorobenzene	ug/L	50	56.2	55.2	112	110	70-130	2	20	
1,4-Dichlorobenzene	ug/L	50	56.7	55.3	113	111	70-130	3	20	
Benzene	ug/L	50	59.3	59.7	119	119	70-130	1	20	
Bromodichloromethane	ug/L	50	57.9	58.2	116	116	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Parameter	Units	1214862		1214863		% Rec	Limits	RPD	Max RPD		Qualifiers
		Spike Conc.	LCS Result	LCSD Result	% Rec				RPD	RPD	
Bromoform	ug/L	50	50.5	50.8	101	102	68-130	1	20		
Bromomethane	ug/L	50	46.9	45.7	94	91	38-137	3	20		
Carbon tetrachloride	ug/L	50	50.3	52.2	101	104	70-130	4	20		
Chlorobenzene	ug/L	50	59.1	57.9	118	116	70-130	2	20		
Chloroethane	ug/L	50	53.6	52.9	107	106	70-136	1	20		
Chloroform	ug/L	50	58.6	59.1	117	118	70-130	1	20		
Chloromethane	ug/L	50	50.0	50.5	100	101	48-144	1	20		
cis-1,2-Dichloroethene	ug/L	50	62.8	60.8	126	122	70-130	3	20		
cis-1,3-Dichloropropene	ug/L	50	56.7	55.8	113	112	70-130	2	20		
Dibromochloromethane	ug/L	50	55.7	55.3	111	111	70-130	1	20		
Dichlorodifluoromethane	ug/L	50	38.8	40.1	78	80	33-157	3	20		
Ethylbenzene	ug/L	50	60.4	60.0	121	120	70-132	1	20		
Isopropylbenzene (Cumene)	ug/L	50	60.7	59.5	121	119	70-130	2	20		
m&p-Xylene	ug/L	100	119	120	119	120	70-131	1	20		
Methyl-tert-butyl ether	ug/L	50	59.3	59.8	119	120	48-141	1	20		
Methylene Chloride	ug/L	50	60.3	61.2	121	122	70-130	1	20		
o-Xylene	ug/L	50	59.4	58.8	119	118	70-131	1	20		
Styrene	ug/L	50	59.8	59.0	120	118	70-130	1	20		
Tetrachloroethene	ug/L	50	56.9	55.5	114	111	70-130	2	20		
Toluene	ug/L	50	60.2	59.2	120	118	70-130	2	20		
trans-1,2-Dichloroethene	ug/L	50	61.5	60.9	123	122	70-130	1	20		
trans-1,3-Dichloropropene	ug/L	50	55.8	54.0	112	108	70-130	3	20		
Trichloroethene	ug/L	50	60.4	59.8	121	120	70-130	1	20		
Trichlorofluoromethane	ug/L	50	56.8	52.4	114	105	50-150	8	20		
Vinyl chloride	ug/L	50	54.6	55.4	109	111	65-142	2	20		
4-Bromofluorobenzene (S)	%				103	103	70-130				
Dibromofluoromethane (S)	%				103	104	70-130				
Toluene-d8 (S)	%				101	101	70-130				

Parameter	Units	40120420010		MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD RPD Qual	
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	RPD				RPD	RPD
1,1,1-Trichloroethane	ug/L	<0.50	50	50	63.6	63.1	127	126	70-130	1	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	53.3	55.7	107	111	70-130	4	20	
1,1,2-Trichloroethane	ug/L	<0.20	50	50	56.8	58.0	114	116	70-130	2	20	
1,1-Dichloroethane	ug/L	<0.24	50	50	63.1	63.1	126	126	70-134	0	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	54.8	63.9	110	128	70-139	15	20	
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	54.5	54.5	108	108	70-130	0	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	48.7	50.4	97	101	50-150	3	20	
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	57.9	59.9	116	120	70-130	3	20	
1,2-Dichlorobenzene	ug/L	<0.50	50	50	54.5	55.6	109	111	70-130	2	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	62.3	63.4	125	127	70-132	2	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	63.0	61.0	126	122	70-130	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Parameter	Units	40120420010		MSD		1215121		% Rec	MSD % Rec	Limits	Max	
		Result	Spike Conc.	Spike Conc.	MS Result	MSD Result	MS % Rec				RPD RPD	Qual
1,3-Dichlorobenzene	ug/L	<0.50	50	50	55.2	55.4	110	111	70-130	0	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	55.4	55.6	111	111	70-130	0	20	
Benzene	ug/L	<0.50	50	50	62.5	62.9	125	126	70-130	1	20	
Bromodichloromethane	ug/L	<0.50	50	50	60.6	59.1	121	118	70-132	3	20	
Bromoform	ug/L	<0.50	50	50	49.5	51.7	99	103	68-130	4	20	
Bromomethane	ug/L	<2.4	50	50	52.1	52.0	104	104	38-141	0	20	
Carbon tetrachloride	ug/L	<0.50	50	50	54.7	54.9	109	110	70-130	0	20	
Chlorobenzene	ug/L	<0.50	50	50	58.8	58.9	118	118	70-130	0	20	
Chloroethane	ug/L	<0.37	50	50	54.9	55.4	110	111	66-152	1	20	
Chloroform	ug/L	<2.5	50	50	61.2	61.4	122	123	70-130	0	20	
Chloromethane	ug/L	<0.50	50	50	52.4	51.9	105	104	44-151	1	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	67.6	60.6	135	121	70-130	11	20 M1	
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	58.7	58.1	117	116	70-130	1	20	
Dibromochloromethane	ug/L	<0.50	50	50	54.9	56.8	110	114	70-130	3	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	39.4	38.8	79	78	29-160	2	20	
Ethylbenzene	ug/L	<0.50	50	50	60.6	60.3	121	121	70-132	0	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	61.0	60.8	122	122	70-130	0	20	
m&p-Xylene	ug/L	<1.0	100	100	121	122	121	121	70-131	0	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	60.4	60.9	121	122	48-143	1	20	
Methylene Chloride	ug/L	<0.23	50	50	55.3	63.1	111	126	70-130	13	20	
o-Xylene	ug/L	<0.50	50	50	59.5	59.0	119	118	70-131	1	20	
Styrene	ug/L	<0.50	50	50	59.4	59.9	119	120	70-130	1	20	
Tetrachloroethene	ug/L	<0.50	50	50	57.5	57.1	115	114	70-130	1	20	
Toluene	ug/L	<0.50	50	50	60.0	60.1	120	120	70-130	0	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	64.1	63.8	128	128	70-132	0	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	54.5	55.8	109	112	70-130	2	20	
Trichloroethene	ug/L	<0.33	50	50	62.5	61.0	125	122	70-130	2	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	52.9	62.5	106	125	50-153	17	20	
Vinyl chloride	ug/L	<0.18	50	50	56.9	56.8	114	114	60-155	0	20	
4-Bromofluorobenzene (S)	%							105	104	70-130		
Dibromofluoromethane (S)	%							106	107	70-130		
Toluene-d8 (S)	%							99	101	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40120422

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40120422

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40120422001	MW-1	EPA 8260	MSV/30016		
40120422002	MW-2	EPA 8260	MSV/30016		
40120422003	MW-3	EPA 8260	MSV/30016		
40120422004	MW-4	EPA 8260	MSV/30016		
40120422005	MW-5	EPA 8260	MSV/30016		
40120422006	MW-6	EPA 8260	MSV/30016		
40120422007	MW-7	EPA 8260	MSV/30016		
40120422008	MW-8	EPA 8260	MSV/30016		
40120422009	MW-9	EPA 8260	MSV/30016		
40120422010	DUP #1	EPA 8260	MSV/30016		
40120422011	TRIP BLANK	EPA 8260	MSV/30016		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: **JHUNSON & WILSON**
Branch/Location: **MADISON, WI**

Project Contact: **MACK MCGILLOCH**
Phone: **608 / 442-5223**

Project Number: **42-1-37409-061**
Project Name: **UNIPOL DRY ELEMENTS**
Project State: **WI IS CONSTRU**

Sampled By (Print): **MACK S MCGILLOCH (MSM)**
Sampled By (Sign): **Mack M. Gilloch**

PO #: **42-1-37409-061**
Program: **Regulatory**

Data Package Options
(billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample
(billable)
 NOT needed on
your sample

A = Air
B = Biota
C = Charcoal
O = Oil
S = Soil
SI = Sludge

DW = Water
DW = Drinking Water
GW = Ground Water
SW = Surface Water
WW = Waste Water
WP = Wipe

PRESERVATION
(CODE)*
H= Sodium Bisulfite Solution
I= Sodium Thiosulfate

FILTERED?
(YES/NO)
Y/N
PICK
Letter: **B**

Analyses Requested
40ML VOL VIMS

*Preservation Codes
A=None B=HCl C=H2SO4 D=HNO3 E=Di Water F=Methanol G=NHOH

CHAIN OF CUSTODY

www.paceanalytical.com

UPPER MIDWEST REGION
MN: 612-607-1700 WI: 920-469-2436

Quote #:

Mail To Company:

Mail To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone:

Profile #:

Comments:

Lab Comments
(Lab Use Only)

3-40ml vims

2 - 4ml v

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)

Date Needed:
Transmit Prelim Rush Results by (complete what you want):

Original

Special pricing and release of liability

Version 6.0 06/14/06

Relinquished By: Mack M. Gilloch Date/Time: 08/15/1237	Received By: John P. Date/Time: 08/15/1237	PACE Project No. 40120422
Relinquished By: Date/Time: 	Received By: Date/Time: 	Receipt Temp = RT °C
Relinquished By: Date/Time: 	Received By: Date/Time: 	Sample Receipt pH
Relinquished By: Date/Time: 	Received By: Date/Time: 	OK / Adjusted
Relinquished By: Date/Time: 	Received By: Date/Time: 	Cooler/Custody Seal Present / Not Present Intact / Not Intact



Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project #:

WO# : 40120422

Client Name: Shannon and WilsonCourier: FedEx UPS Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used NA Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begunCooler Temperature Uncorr: 40.1 /Corr: _____Biological Tissue is Frozen: yes noTemp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments: _____

Person examining contents:

Date: 9/1/15Initials: EM

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - VOA Samples frozen upon receipt	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5. Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: <u>W</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH +ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO ₃ , H ₂ SO ₄ ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <u>VOA, coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics,</u> OTHER: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Initial when completed _____ Lab Std #/ID of preservative _____ Date/Time: _____
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: AMH for DMDate: 9/1/15

November 10, 2015

Mark McColloch
SHANNON & WILSON, INC.
2110 Luann Lane
Suite 101
Madison, WI 53713

RE: Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

Dear Mark McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on November 05, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
Virginia VELAP ID: 460263

North Dakota Certification #: R-150
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Virginia VELAP Certification ID: 460263
Virginia VELAP ID: 460263
Wisconsin Certification #: 405132750

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40124188001	MW-1	Water	11/05/15 14:45	11/05/15 16:00
40124188002	MW-2	Water	11/05/15 14:00	11/05/15 16:00
40124188003	MW-3	Water	11/05/15 13:50	11/05/15 16:00
40124188004	MW-4	Water	11/05/15 13:15	11/05/15 16:00
40124188005	MW-5	Water	11/05/15 14:40	11/05/15 16:00
40124188006	MW-6	Water	11/05/15 12:20	11/05/15 16:00
40124188007	MW-7	Water	11/05/15 12:10	11/05/15 16:00
40124188008	MW-8	Water	11/05/15 10:50	11/05/15 16:00
40124188009	MW-9	Water	11/05/15 10:35	11/05/15 16:00
40124188010	MW-10	Water	11/05/15 11:35	11/05/15 16:00
40124188011	DUP #1	Water	11/05/15 12:15	11/05/15 16:00
40124188012	TRIP BLANK	Water	11/05/15 00:00	11/05/15 16:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40124188001	MW-1	EPA 8260	AJP	64
40124188002	MW-2	EPA 8260	AJP	64
40124188003	MW-3	EPA 8260	AJP	64
40124188004	MW-4	EPA 8260	AJP	64
40124188005	MW-5	EPA 8260	AJP	64
40124188006	MW-6	EPA 8260	AJP	64
40124188007	MW-7	EPA 8260	AJP	64
40124188008	MW-8	EPA 8260	AJP	64
40124188009	MW-9	EPA 8260	AJP	64
40124188010	MW-10	EPA 8260	AJP	64
40124188011	DUP #1	EPA 8260	AJP	64
40124188012	TRIP BLANK	EPA 8260	AJP	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40124188001	MW-1					
EPA 8260	Methyl-tert-butyl ether	0.19J	ug/L	1.0	11/07/15 14:50	
EPA 8260	Tetrachloroethene	9.1	ug/L	1.0	11/07/15 14:50	
40124188002	MW-2					
EPA 8260	Tetrachloroethene	12.6	ug/L	1.0	11/07/15 15:12	
40124188003	MW-3					
EPA 8260	Tetrachloroethene	5.7	ug/L	1.0	11/07/15 15:34	
40124188005	MW-5					
EPA 8260	Tetrachloroethene	6.8	ug/L	1.0	11/07/15 16:17	
40124188006	MW-6					
EPA 8260	Tetrachloroethene	33.6	ug/L	1.0	11/07/15 16:38	
40124188007	MW-7					
EPA 8260	Tetrachloroethene	17.4	ug/L	1.0	11/07/15 17:00	
40124188008	MW-8					
EPA 8260	Tetrachloroethene	2.2	ug/L	1.0	11/07/15 11:37	
40124188010	MW-10					
EPA 8260	1,1,1-Trichloroethane	0.83J	ug/L	1.0	11/07/15 17:43	
EPA 8260	Tetrachloroethene	2.8	ug/L	1.0	11/07/15 17:43	
40124188011	DUP #1					
EPA 8260	Tetrachloroethene	17.2	ug/L	1.0	11/07/15 18:05	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-1	Lab ID: 40124188001	Collected: 11/05/15 14:45	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 14:50	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 14:50	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 14:50	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 14:50	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 14:50	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 14:50	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 14:50	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 14:50	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 14:50	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 14:50	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 14:50	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 14:50	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 14:50	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 14:50	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 14:50	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 14:50	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 14:50	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 14:50	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 14:50	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 14:50	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 14:50	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 14:50	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 14:50	98-82-8	
Methyl-tert-butyl ether	0.19J	ug/L	1.0	0.17	1		11/07/15 14:50	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 14:50	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 14:50	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	100-42-5	
Tetrachloroethene	9.1	ug/L	1.0	0.50	1		11/07/15 14:50	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-1	Lab ID: 40124188001	Collected: 11/05/15 14:45	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 14:50	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 14:50	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 14:50	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 14:50	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 14:50	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 14:50	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 14:50	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 14:50	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 14:50	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 14:50	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/07/15 14:50	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		11/07/15 14:50	1868-53-7	
Toluene-d8 (S)	109	%	70-130		1		11/07/15 14:50	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-2	Lab ID: 40124188002	Collected: 11/05/15 14:00	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 15:12	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 15:12	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 15:12	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 15:12	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 15:12	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 15:12	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 15:12	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 15:12	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 15:12	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 15:12	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 15:12	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 15:12	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 15:12	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 15:12	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 15:12	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 15:12	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 15:12	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 15:12	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 15:12	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 15:12	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 15:12	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 15:12	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 15:12	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 15:12	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 15:12	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 15:12	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	100-42-5	
Tetrachloroethene	12.6	ug/L	1.0	0.50	1		11/07/15 15:12	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

Sample: MW-2	Lab ID: 40124188002	Collected: 11/05/15 14:00	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 15:12	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 15:12	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 15:12	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 15:12	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 15:12	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:12	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 15:12	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 15:12	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 15:12	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 15:12	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/07/15 15:12	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/07/15 15:12	1868-53-7	
Toluene-d8 (S)	107	%	70-130		1		11/07/15 15:12	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-3	Lab ID: 40124188003	Collected: 11/05/15 13:50	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 15:34	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 15:34	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 15:34	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 15:34	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 15:34	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 15:34	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 15:34	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 15:34	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 15:34	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 15:34	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 15:34	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 15:34	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 15:34	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 15:34	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 15:34	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 15:34	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 15:34	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 15:34	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 15:34	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 15:34	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 15:34	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 15:34	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 15:34	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 15:34	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 15:34	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 15:34	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	100-42-5	
Tetrachloroethene	5.7	ug/L	1.0	0.50	1		11/07/15 15:34	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-3	Lab ID: 40124188003	Collected: 11/05/15 13:50	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 15:34	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 15:34	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 15:34	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 15:34	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 15:34	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:34	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 15:34	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 15:34	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 15:34	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 15:34	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/07/15 15:34	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		11/07/15 15:34	1868-53-7	
Toluene-d8 (S)	110	%	70-130		1		11/07/15 15:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-4	Lab ID: 40124188004	Collected: 11/05/15 13:15	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 15:55	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 15:55	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 15:55	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 15:55	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 15:55	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 15:55	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 15:55	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 15:55	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 15:55	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 15:55	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 15:55	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 15:55	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 15:55	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 15:55	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 15:55	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 15:55	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 15:55	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 15:55	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 15:55	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 15:55	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 15:55	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 15:55	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 15:55	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 15:55	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 15:55	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 15:55	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

Sample: MW-4	Lab ID: 40124188004	Collected: 11/05/15 13:15	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 15:55	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 15:55	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 15:55	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 15:55	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 15:55	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 15:55	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 15:55	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 15:55	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 15:55	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 15:55	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/07/15 15:55	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/07/15 15:55	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/07/15 15:55	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-5	Lab ID: 40124188005	Collected: 11/05/15 14:40	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 16:17	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 16:17	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 16:17	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 16:17	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 16:17	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 16:17	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 16:17	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 16:17	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 16:17	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 16:17	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 16:17	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 16:17	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 16:17	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 16:17	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 16:17	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 16:17	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 16:17	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 16:17	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 16:17	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 16:17	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 16:17	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 16:17	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 16:17	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 16:17	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 16:17	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 16:17	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	100-42-5	
Tetrachloroethene	6.8	ug/L	1.0	0.50	1		11/07/15 16:17	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-5	Lab ID: 40124188005	Collected: 11/05/15 14:40	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 16:17	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 16:17	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 16:17	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 16:17	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 16:17	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:17	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 16:17	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 16:17	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 16:17	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 16:17	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/07/15 16:17	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/07/15 16:17	1868-53-7	
Toluene-d8 (S)	109	%	70-130		1		11/07/15 16:17	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-6	Lab ID: 40124188006	Collected: 11/05/15 12:20	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 16:38	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 16:38	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 16:38	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 16:38	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 16:38	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 16:38	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 16:38	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 16:38	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 16:38	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 16:38	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 16:38	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 16:38	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 16:38	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 16:38	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 16:38	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 16:38	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 16:38	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 16:38	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 16:38	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 16:38	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 16:38	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 16:38	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 16:38	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 16:38	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 16:38	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 16:38	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	100-42-5	
Tetrachloroethene	33.6	ug/L	1.0	0.50	1		11/07/15 16:38	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

Sample: MW-6	Lab ID: 40124188006	Collected: 11/05/15 12:20	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 16:38	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 16:38	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 16:38	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 16:38	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 16:38	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 16:38	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 16:38	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 16:38	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 16:38	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 16:38	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		11/07/15 16:38	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		11/07/15 16:38	1868-53-7	
Toluene-d8 (S)	106	%	70-130		1		11/07/15 16:38	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-7	Lab ID: 40124188007	Collected: 11/05/15 12:10	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 17:00	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 17:00	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 17:00	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 17:00	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 17:00	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 17:00	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 17:00	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 17:00	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 17:00	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 17:00	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 17:00	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 17:00	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 17:00	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 17:00	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 17:00	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 17:00	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 17:00	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 17:00	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 17:00	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 17:00	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 17:00	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 17:00	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 17:00	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 17:00	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 17:00	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 17:00	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	100-42-5	
Tetrachloroethene	17.4	ug/L	1.0	0.50	1		11/07/15 17:00	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-7	Lab ID: 40124188007	Collected: 11/05/15 12:10	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 17:00	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 17:00	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 17:00	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 17:00	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 17:00	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:00	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 17:00	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 17:00	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 17:00	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 17:00	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		11/07/15 17:00	460-00-4	
Dibromofluoromethane (S)	106	%	70-130		1		11/07/15 17:00	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/07/15 17:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-8	Lab ID: 40124188008	Collected: 11/05/15 10:50	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 11:37	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 11:37	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 11:37	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 11:37	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 11:37	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 11:37	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 11:37	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 11:37	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 11:37	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 11:37	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 11:37	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 11:37	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 11:37	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 11:37	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 11:37	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 11:37	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 11:37	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 11:37	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 11:37	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 11:37	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 11:37	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 11:37	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 11:37	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 11:37	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 11:37	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 11:37	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	100-42-5	
Tetrachloroethene	2.2	ug/L	1.0	0.50	1		11/07/15 11:37	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-8	Lab ID: 40124188008	Collected: 11/05/15 10:50	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 11:37	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 11:37	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 11:37	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 11:37	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 11:37	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:37	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 11:37	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 11:37	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 11:37	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 11:37	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		11/07/15 11:37	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/07/15 11:37	1868-53-7	
Toluene-d8 (S)	107	%	70-130		1		11/07/15 11:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-9	Lab ID: 40124188009	Collected: 11/05/15 10:35	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 17:21	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 17:21	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 17:21	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 17:21	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 17:21	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 17:21	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 17:21	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 17:21	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 17:21	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 17:21	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 17:21	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 17:21	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 17:21	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 17:21	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 17:21	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 17:21	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 17:21	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 17:21	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 17:21	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 17:21	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 17:21	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 17:21	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 17:21	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 17:21	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 17:21	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 17:21	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-9	Lab ID: 40124188009	Collected: 11/05/15 10:35	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 17:21	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 17:21	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 17:21	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 17:21	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 17:21	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:21	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 17:21	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 17:21	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 17:21	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 17:21	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	87	%	70-130		1		11/07/15 17:21	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/07/15 17:21	1868-53-7	
Toluene-d8 (S)	109	%	70-130		1		11/07/15 17:21	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-10	Lab ID: 40124188010	Collected: 11/05/15 11:35	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 17:43	630-20-6	
1,1,1-Trichloroethane	0.83J	ug/L	1.0	0.50	1		11/07/15 17:43	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 17:43	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 17:43	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 17:43	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 17:43	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 17:43	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 17:43	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 17:43	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 17:43	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 17:43	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 17:43	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 17:43	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 17:43	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 17:43	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 17:43	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 17:43	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 17:43	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 17:43	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 17:43	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 17:43	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 17:43	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 17:43	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 17:43	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 17:43	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 17:43	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 17:43	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	100-42-5	
Tetrachloroethene	2.8	ug/L	1.0	0.50	1		11/07/15 17:43	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: MW-10	Lab ID: 40124188010	Collected: 11/05/15 11:35	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 17:43	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 17:43	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 17:43	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 17:43	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 17:43	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 17:43	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 17:43	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 17:43	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 17:43	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 17:43	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	88	%	70-130		1		11/07/15 17:43	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		11/07/15 17:43	1868-53-7	
Toluene-d8 (S)	108	%	70-130		1		11/07/15 17:43	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: DUP #1	Lab ID: 40124188011	Collected: 11/05/15 12:15	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 18:05	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 18:05	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 18:05	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 18:05	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 18:05	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 18:05	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 18:05	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 18:05	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 18:05	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 18:05	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 18:05	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 18:05	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 18:05	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 18:05	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 18:05	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 18:05	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 18:05	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 18:05	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 18:05	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 18:05	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 18:05	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 18:05	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 18:05	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 18:05	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 18:05	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 18:05	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	100-42-5	
Tetrachloroethene	17.2	ug/L	1.0	0.50	1		11/07/15 18:05	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: DUP #1	Lab ID: 40124188011	Collected: 11/05/15 12:15	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 18:05	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 18:05	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 18:05	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 18:05	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 18:05	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 18:05	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 18:05	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 18:05	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 18:05	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 18:05	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		11/07/15 18:05	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		11/07/15 18:05	1868-53-7	
Toluene-d8 (S)	105	%	70-130		1		11/07/15 18:05	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: TRIP BLANK	Lab ID: 40124188012	Collected: 11/05/15 00:00	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		11/07/15 11:59	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		11/07/15 11:59	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		11/07/15 11:59	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		11/07/15 11:59	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		11/07/15 11:59	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		11/07/15 11:59	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		11/07/15 11:59	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 11:59	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		11/07/15 11:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		11/07/15 11:59	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		11/07/15 11:59	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		11/07/15 11:59	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		11/07/15 11:59	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		11/07/15 11:59	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		11/07/15 11:59	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		11/07/15 11:59	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		11/07/15 11:59	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		11/07/15 11:59	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		11/07/15 11:59	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		11/07/15 11:59	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		11/07/15 11:59	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		11/07/15 11:59	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		11/07/15 11:59	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		11/07/15 11:59	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		11/07/15 11:59	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		11/07/15 11:59	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Sample: TRIP BLANK	Lab ID: 40124188012	Collected: 11/05/15 00:00	Received: 11/05/15 16:00	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		11/07/15 11:59	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		11/07/15 11:59	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		11/07/15 11:59	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 11:59	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		11/07/15 11:59	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		11/07/15 11:59	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		11/07/15 11:59	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		11/07/15 11:59	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		11/07/15 11:59	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		11/07/15 11:59	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	84	%	70-130		1		11/07/15 11:59	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		11/07/15 11:59	1868-53-7	
Toluene-d8 (S)	105	%	70-130		1		11/07/15 11:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

QC Batch: MSV/31121

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 40124188001, 40124188002, 40124188003, 40124188004, 40124188005, 40124188006, 40124188007, 40124188008, 40124188009, 40124188010, 40124188011, 40124188012

METHOD BLANK: 1253391

Matrix: Water

Associated Lab Samples: 40124188001, 40124188002, 40124188003, 40124188004, 40124188005, 40124188006, 40124188007
40124188008, 40124188009, 40124188010, 40124188011, 40124188012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	11/07/15 09:25	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	11/07/15 09:25	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	11/07/15 09:25	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	11/07/15 09:25	
1,1-Dichloroethane	ug/L	<0.24	1.0	11/07/15 09:25	
1,1-Dichloroethene	ug/L	<0.41	1.0	11/07/15 09:25	
1,1-Dichloropropene	ug/L	<0.44	1.0	11/07/15 09:25	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	11/07/15 09:25	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	11/07/15 09:25	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	11/07/15 09:25	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	11/07/15 09:25	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	11/07/15 09:25	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	11/07/15 09:25	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	11/07/15 09:25	
1,2-Dichloroethane	ug/L	<0.17	1.0	11/07/15 09:25	
1,2-Dichloropropane	ug/L	<0.23	1.0	11/07/15 09:25	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	11/07/15 09:25	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	11/07/15 09:25	
1,3-Dichloropropane	ug/L	<0.50	1.0	11/07/15 09:25	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	11/07/15 09:25	
2,2-Dichloropropane	ug/L	<0.48	1.0	11/07/15 09:25	
2-Chlorotoluene	ug/L	<0.50	1.0	11/07/15 09:25	
4-Chlorotoluene	ug/L	<0.21	1.0	11/07/15 09:25	
Benzene	ug/L	<0.50	1.0	11/07/15 09:25	
Bromobenzene	ug/L	<0.23	1.0	11/07/15 09:25	
Bromochloromethane	ug/L	<0.34	1.0	11/07/15 09:25	
Bromodichloromethane	ug/L	<0.50	1.0	11/07/15 09:25	
Bromoform	ug/L	<0.50	1.0	11/07/15 09:25	
Bromomethane	ug/L	<2.4	5.0	11/07/15 09:25	
Carbon tetrachloride	ug/L	<0.50	1.0	11/07/15 09:25	
Chlorobenzene	ug/L	<0.50	1.0	11/07/15 09:25	
Chloroethane	ug/L	<0.37	1.0	11/07/15 09:25	
Chloroform	ug/L	<2.5	5.0	11/07/15 09:25	
Chloromethane	ug/L	<0.50	1.0	11/07/15 09:25	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	11/07/15 09:25	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	11/07/15 09:25	
Dibromochloromethane	ug/L	<0.50	1.0	11/07/15 09:25	
Dibromomethane	ug/L	<0.43	1.0	11/07/15 09:25	
Dichlorodifluoromethane	ug/L	<0.22	1.0	11/07/15 09:25	
Diisopropyl ether	ug/L	<0.50	1.0	11/07/15 09:25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc.

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

METHOD BLANK: 1253391

Matrix: Water

Associated Lab Samples: 40124188001, 40124188002, 40124188003, 40124188004, 40124188005, 40124188006, 40124188007,
 40124188008, 40124188009, 40124188010, 40124188011, 40124188012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	11/07/15 09:25	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	11/07/15 09:25	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	11/07/15 09:25	
m&p-Xylene	ug/L	<1.0	2.0	11/07/15 09:25	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	11/07/15 09:25	
Methylene Chloride	ug/L	<0.23	1.0	11/07/15 09:25	
n-Butylbenzene	ug/L	<0.50	1.0	11/07/15 09:25	
n-Propylbenzene	ug/L	<0.50	1.0	11/07/15 09:25	
Naphthalene	ug/L	<2.5	5.0	11/07/15 09:25	
o-Xylene	ug/L	<0.50	1.0	11/07/15 09:25	
p-Isopropyltoluene	ug/L	<0.50	1.0	11/07/15 09:25	
sec-Butylbenzene	ug/L	<2.2	5.0	11/07/15 09:25	
Styrene	ug/L	<0.50	1.0	11/07/15 09:25	
tert-Butylbenzene	ug/L	<0.18	1.0	11/07/15 09:25	
Tetrachloroethene	ug/L	<0.50	1.0	11/07/15 09:25	
Toluene	ug/L	<0.50	1.0	11/07/15 09:25	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	11/07/15 09:25	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	11/07/15 09:25	
Trichloroethene	ug/L	<0.33	1.0	11/07/15 09:25	
Trichlorofluoromethane	ug/L	<0.18	1.0	11/07/15 09:25	
Vinyl chloride	ug/L	<0.18	1.0	11/07/15 09:25	
4-Bromofluorobenzene (S)	%	85	70-130	11/07/15 09:25	
Dibromofluoromethane (S)	%	107	70-130	11/07/15 09:25	
Toluene-d8 (S)	%	105	70-130	11/07/15 09:25	

LABORATORY CONTROL SAMPLE: 1253392

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	52.8	106	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	53.1	106	70-130	
1,1,2-Trichloroethane	ug/L	50	52.4	105	70-130	
1,1-Dichloroethane	ug/L	50	51.1	102	70-130	
1,1-Dichloroethene	ug/L	50	55.0	110	70-130	
1,2,4-Trichlorobenzene	ug/L	50	46.7	93	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	47.6	95	50-150	
1,2-Dibromoethane (EDB)	ug/L	50	51.6	103	70-130	
1,2-Dichlorobenzene	ug/L	50	48.9	98	70-130	
1,2-Dichloroethane	ug/L	50	50.7	101	70-131	
1,2-Dichloropropane	ug/L	50	48.2	96	70-130	
1,3-Dichlorobenzene	ug/L	50	48.5	97	70-130	
1,4-Dichlorobenzene	ug/L	50	49.5	99	70-130	
Benzene	ug/L	50	51.7	103	70-130	
Bromodichloromethane	ug/L	50	47.4	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

LABORATORY CONTROL SAMPLE: 1253392

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	48.7	97	68-130	
Bromomethane	ug/L	50	28.7	57	38-137	
Carbon tetrachloride	ug/L	50	53.5	107	70-130	
Chlorobenzene	ug/L	50	50.5	101	70-130	
Chloroethane	ug/L	50	47.8	96	70-136	
Chloroform	ug/L	50	52.0	104	70-130	
Chloromethane	ug/L	50	45.1	90	48-144	
cis-1,2-Dichloroethene	ug/L	50	50.5	101	70-130	
cis-1,3-Dichloropropene	ug/L	50	42.9	86	70-130	
Dibromochloromethane	ug/L	50	50.5	101	70-130	
Dichlorodifluoromethane	ug/L	50	48.4	97	33-157	
Ethylbenzene	ug/L	50	53.1	106	70-132	
Isopropylbenzene (Cumene)	ug/L	50	54.5	109	70-130	
m&p-Xylene	ug/L	100	109	109	70-131	
Methyl-tert-butyl ether	ug/L	50	50.8	102	48-141	
Methylene Chloride	ug/L	50	52.0	104	70-130	
o-Xylene	ug/L	50	51.7	103	70-131	
Styrene	ug/L	50	54.8	110	70-130	
Tetrachloroethene	ug/L	50	49.4	99	70-130	
Toluene	ug/L	50	53.2	106	70-130	
trans-1,2-Dichloroethene	ug/L	50	53.1	106	70-130	
trans-1,3-Dichloropropene	ug/L	50	45.2	90	70-130	
Trichloroethene	ug/L	50	48.8	98	70-130	
Trichlorofluoromethane	ug/L	50	57.1	114	50-150	
Vinyl chloride	ug/L	50	57.0	114	65-142	
4-Bromofluorobenzene (S)	%			103	70-130	
Dibromofluoromethane (S)	%			107	70-130	
Toluene-d8 (S)	%			108	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1254349 1254350

Parameter	Units	MS		MSD		MS Result	MS % Rec	MSD Result	MSD % Rec	% Rec Limits	Max		
		40124188008 Result	Spike Conc.	Spike Conc.	MS Result						RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.50	50	50	52.8	52.8	106	106	106	70-130	0	20	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	53.1	54.0	106	106	108	70-130	2	20	
1,1,2-Trichloroethane	ug/L	<0.20	50	50	51.2	51.6	102	102	103	70-130	1	20	
1,1-Dichloroethane	ug/L	<0.24	50	50	50.3	51.1	101	101	102	70-134	2	20	
1,1-Dichloroethene	ug/L	<0.41	50	50	55.1	55.2	110	110	110	70-139	0	20	
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	46.6	45.8	93	93	92	70-130	2	20	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	47.9	48.7	96	96	97	50-150	2	20	
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	49.7	51.6	99	99	103	70-130	4	20	
1,2-Dichlorobenzene	ug/L	<0.50	50	50	48.6	48.6	97	97	97	70-130	0	20	
1,2-Dichloroethane	ug/L	<0.17	50	50	50.1	50.5	100	100	101	70-132	1	20	
1,2-Dichloropropane	ug/L	<0.23	50	50	47.5	47.9	95	95	96	70-130	1	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Parameter	Units	40124188008		MSD		1254350		% Rec	Limits	Max	
		Result	Spike Conc.	Spike Conc.	MS Result	MSD	MS % Rec			RPD	RPD
1,3-Dichlorobenzene	ug/L	<0.50	50	50	47.6	47.6	95	95	70-130	0	20
1,4-Dichlorobenzene	ug/L	<0.50	50	50	48.6	49.0	97	98	70-130	1	20
Benzene	ug/L	<0.50	50	50	51.4	51.7	103	103	70-130	1	20
Bromodichloromethane	ug/L	<0.50	50	50	46.3	46.8	93	94	70-132	1	20
Bromoform	ug/L	<0.50	50	50	46.4	48.0	93	96	68-130	3	20
Bromomethane	ug/L	<2.4	50	50	36.3	37.0	73	74	38-141	2	20
Carbon tetrachloride	ug/L	<0.50	50	50	53.5	53.9	107	108	70-130	1	20
Chlorobenzene	ug/L	<0.50	50	50	48.7	49.6	97	99	70-130	2	20
Chloroethane	ug/L	<0.37	50	50	45.8	47.3	92	95	66-152	3	20
Chloroform	ug/L	<2.5	50	50	51.5	52.1	103	104	70-130	1	20
Chloromethane	ug/L	<0.50	50	50	40.7	43.8	81	88	44-151	7	20
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	50.0	50.7	100	101	70-130	1	20
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	39.0	43.2	78	86	70-130	10	20
Dibromochloromethane	ug/L	<0.50	50	50	48.8	49.3	98	99	70-130	1	20
Dichlorodifluoromethane	ug/L	<0.22	50	50	44.6	45.7	89	91	29-160	2	20
Ethylbenzene	ug/L	<0.50	50	50	51.2	52.1	102	104	70-132	2	20
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	52.7	53.4	105	107	70-130	1	20
m&p-Xylene	ug/L	<1.0	100	100	105	106	105	106	70-131	1	20
Methyl-tert-butyl ether	ug/L	<0.17	50	50	49.6	51.0	99	102	48-143	3	20
Methylene Chloride	ug/L	<0.23	50	50	51.0	51.3	102	103	70-130	0	20
o-Xylene	ug/L	<0.50	50	50	50.1	50.4	100	101	70-131	1	20
Styrene	ug/L	<0.50	50	50	52.0	53.9	104	108	70-130	3	20
Tetrachloroethene	ug/L	2.2	50	50	51.3	50.6	98	97	70-130	1	20
Toluene	ug/L	<0.50	50	50	51.1	51.7	102	103	70-130	1	20
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	52.4	53.0	105	106	70-132	1	20
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	40.8	45.2	82	90	70-130	10	20
Trichloroethene	ug/L	<0.33	50	50	49.2	49.1	98	98	70-130	0	20
Trichlorofluoromethane	ug/L	<0.18	50	50	56.9	57.0	114	114	50-153	0	20
Vinyl chloride	ug/L	<0.18	50	50	57.1	57.4	114	115	60-155	1	20
4-Bromofluorobenzene (S)	%							100	101	70-130	
Dibromofluoromethane (S)	%							105	107	70-130	
Toluene-d8 (S)	%							102	106	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409-001 UNITED DRY CLNR
Pace Project No.: 40124188

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409-001 UNITED DRY CLNR

Pace Project No.: 40124188

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40124188001	MW-1	EPA 8260	MSV/31121		
40124188002	MW-2	EPA 8260	MSV/31121		
40124188003	MW-3	EPA 8260	MSV/31121		
40124188004	MW-4	EPA 8260	MSV/31121		
40124188005	MW-5	EPA 8260	MSV/31121		
40124188006	MW-6	EPA 8260	MSV/31121		
40124188007	MW-7	EPA 8260	MSV/31121		
40124188008	MW-8	EPA 8260	MSV/31121		
40124188009	MW-9	EPA 8260	MSV/31121		
40124188010	MW-10	EPA 8260	MSV/31121		
40124188011	DUP #1	EPA 8260	MSV/31121		
40124188012	TRIP BLANK	EPA 8260	MSV/31121		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

Company Name: SURVEYING, INC.

Branch/Location: MADISON, WI

Project Contact: MARK MCCLORY

Phone: 608/442-5223

Project Number: 42-1-37409-001

Project Name: WISCONSIN RIVER CUEQUERS

Project State: WISCONSIN

Sampled By (Print): MARK S. MCCLORY (MSM)

Sampled By (Sign): 

PO#:

Program:

Data Package Options

(billable)

 EPA Level III EPA Level IV NOT needed on your sample

MS/MSD

On your sample
(billable)

NOT needed on your sample

Matrix Codes

A = Air
B = Biota
C = Charcoal
O = Oil
S = Soil
Sl = Sludge

W = Water
DW = Drinking Water
GW = Ground Water
SW = Surface Water
WW = Waste Water
WP = Wipe

Analyses Requested

40ML VIALS



Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Shannon + Wilson

Courier: FedEx UPS Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used: no

Type of Ice: Wet Blue Dry None

Cooler Temperature: Uncorr: 1201 /Corr: _____

Biological Tissue is Frozen: yes

Temp Blank Present: yes no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments: _____

Project #: **WO# : 40124188**



40124188

February 25, 2016

Mark McColloch
SHANNON & WILSON, INC.
2110 Luann Lane
Suite 101
Madison, WI 53713

RE: Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

Dear Mark McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on February 18, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

Green Bay Certification IDs

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
Virginia VELAP ID: 460263
North Dakota Certification #: R-150

South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
US Dept of Agriculture #: S-76505
Virginia VELAP Certification ID: 460263
Virginia VELAP ID: 460263
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409-002 UNITED DRY CLNR
 Pace Project No.: 40128393

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40128393001	MW-1	Water	02/17/16 17:20	02/18/16 12:25
40128393002	MW-2	Water	02/17/16 16:15	02/18/16 12:25
40128393003	MW-3	Water	02/17/16 15:55	02/18/16 12:25
40128393004	MW-4	Water	02/17/16 15:15	02/18/16 12:25
40128393005	MW-5	Water	02/17/16 17:10	02/18/16 12:25
40128393006	MW-6	Water	02/17/16 14:50	02/18/16 12:25
40128393007	MW-7	Water	02/17/16 13:45	02/18/16 12:25
40128393008	MW-8	Water	02/17/16 12:50	02/18/16 12:25
40128393009	MW-9	Water	02/17/16 12:40	02/18/16 12:25
40128393010	MW-10	Water	02/17/16 13:20	02/18/16 12:25
40128393011	DUP #1	Water	02/17/16 17:25	02/18/16 12:25
40128393012	TRIP BLANK	Water	02/17/16 00:00	02/18/16 12:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Lab ID	Sample ID	Method	Analysts	Analytes Reported
40128393001	MW-1	EPA 8260	LAP	64
40128393002	MW-2	EPA 8260	LAP	64
40128393003	MW-3	EPA 8260	HNW	64
40128393004	MW-4	EPA 8260	HNW	64
40128393005	MW-5	EPA 8260	HNW	64
40128393006	MW-6	EPA 8260	HNW	64
40128393007	MW-7	EPA 8260	HNW	64
40128393008	MW-8	EPA 8260	HNW	64
40128393009	MW-9	EPA 8260	HNW	64
40128393010	MW-10	EPA 8260	HNW	64
40128393011	DUP #1	EPA 8260	HNW	64
40128393012	TRIP BLANK	EPA 8260	HNW	64

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SUMMARY OF DETECTION

Project: 42-1-37409-002 UNITED DRY CLNR
 Pace Project No.: 40128393

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40128393001	MW-1					
EPA 8260	Tetrachloroethene	11.1	ug/L	1.0	02/19/16 15:41	
40128393002	MW-2					
EPA 8260	Tetrachloroethene	8.1	ug/L	1.0	02/19/16 16:04	
40128393003	MW-3					
EPA 8260	Methyl-tert-butyl ether	0.23J	ug/L	1.0	02/19/16 13:59	
EPA 8260	Tetrachloroethene	5.4	ug/L	1.0	02/19/16 13:59	
40128393005	MW-5					
EPA 8260	Methyl-tert-butyl ether	0.26J	ug/L	1.0	02/19/16 14:44	
EPA 8260	Tetrachloroethene	5.6	ug/L	1.0	02/19/16 14:44	
40128393006	MW-6					
EPA 8260	Tetrachloroethene	37.2	ug/L	1.0	02/19/16 15:06	
40128393007	MW-7					
EPA 8260	Tetrachloroethene	18.0	ug/L	1.0	02/19/16 15:29	
40128393008	MW-8					
EPA 8260	Tetrachloroethene	1.9	ug/L	1.0	02/19/16 15:51	
40128393010	MW-10					
EPA 8260	Tetrachloroethene	3.5	ug/L	1.0	02/19/16 16:35	
40128393011	DUP #1					
EPA 8260	Methyl-tert-butyl ether	0.29J	ug/L	1.0	02/19/16 16:57	
EPA 8260	Tetrachloroethene	9.7	ug/L	1.0	02/19/16 16:57	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-1	Lab ID: 40128393001	Collected: 02/17/16 17:20	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:41	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 15:41	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 15:41	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 15:41	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 15:41	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 15:41	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:41	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:41	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 15:41	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 15:41	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 15:41	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 15:41	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 15:41	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 15:41	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:41	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 15:41	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 15:41	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 15:41	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 15:41	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 15:41	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 15:41	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:41	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 15:41	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 15:41	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 15:41	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 15:41	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	100-42-5	
Tetrachloroethene	11.1	ug/L	1.0	0.50	1		02/19/16 15:41	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-1	Lab ID: 40128393001	Collected: 02/17/16 17:20	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 15:41	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:41	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 15:41	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:41	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 15:41	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:41	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:41	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 15:41	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:41	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:41	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		02/19/16 15:41	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		02/19/16 15:41	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		02/19/16 15:41	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-2	Lab ID: 40128393002	Collected: 02/17/16 16:15	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:04	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 16:04	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 16:04	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 16:04	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 16:04	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 16:04	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:04	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:04	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 16:04	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 16:04	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 16:04	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 16:04	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 16:04	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 16:04	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:04	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 16:04	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 16:04	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 16:04	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 16:04	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 16:04	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 16:04	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:04	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 16:04	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 16:04	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 16:04	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 16:04	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	100-42-5	
Tetrachloroethene	8.1	ug/L	1.0	0.50	1		02/19/16 16:04	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

Sample: MW-2	Lab ID: 40128393002	Collected: 02/17/16 16:15	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 16:04	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:04	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 16:04	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:04	156-59-2	
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 16:04	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:04	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:04	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 16:04	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:04	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:04	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		02/19/16 16:04	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		02/19/16 16:04	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/19/16 16:04	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-3	Lab ID: 40128393003	Collected: 02/17/16 15:55	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 13:59	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 13:59	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 13:59	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 13:59	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 13:59	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 13:59	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 13:59	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 13:59	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 13:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 13:59	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 13:59	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 13:59	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 13:59	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 13:59	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 13:59	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 13:59	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 13:59	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 13:59	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 13:59	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 13:59	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 13:59	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 13:59	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 13:59	98-82-8	
Methyl-tert-butyl ether	0.23J	ug/L	1.0	0.17	1		02/19/16 13:59	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 13:59	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 13:59	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	100-42-5	
Tetrachloroethene	5.4	ug/L	1.0	0.50	1		02/19/16 13:59	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-3	Lab ID: 40128393003	Collected: 02/17/16 15:55	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 13:59	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 13:59	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 13:59	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 13:59	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 13:59	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 13:59	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 13:59	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 13:59	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 13:59	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 13:59	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		02/19/16 13:59	460-00-4	
Dibromofluoromethane (S)	108	%	70-130		1		02/19/16 13:59	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/19/16 13:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-4	Lab ID: 40128393004	Collected: 02/17/16 15:15	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 14:22	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 14:22	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 14:22	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 14:22	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 14:22	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 14:22	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 14:22	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 14:22	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 14:22	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 14:22	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 14:22	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 14:22	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 14:22	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 14:22	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 14:22	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 14:22	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 14:22	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 14:22	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 14:22	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 14:22	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 14:22	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 14:22	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 14:22	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 14:22	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 14:22	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 14:22	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-4	Lab ID: 40128393004	Collected: 02/17/16 15:15	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 14:22	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 14:22	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 14:22	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 14:22	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 14:22	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:22	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 14:22	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 14:22	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 14:22	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 14:22	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		02/19/16 14:22	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		02/19/16 14:22	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/19/16 14:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-5	Lab ID: 40128393005	Collected: 02/17/16 17:10	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 14:44	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 14:44	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 14:44	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 14:44	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 14:44	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 14:44	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 14:44	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 14:44	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 14:44	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 14:44	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 14:44	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 14:44	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 14:44	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 14:44	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 14:44	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 14:44	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 14:44	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 14:44	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 14:44	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 14:44	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 14:44	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 14:44	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 14:44	98-82-8	
Methyl-tert-butyl ether	0.26J	ug/L	1.0	0.17	1		02/19/16 14:44	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 14:44	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 14:44	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	100-42-5	
Tetrachloroethene	5.6	ug/L	1.0	0.50	1		02/19/16 14:44	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-5	Lab ID: 40128393005	Collected: 02/17/16 17:10	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 14:44	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 14:44	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 14:44	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 14:44	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 14:44	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 14:44	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 14:44	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 14:44	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 14:44	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 14:44	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		02/19/16 14:44	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		02/19/16 14:44	1868-53-7	
Toluene-d8 (S)	95	%	70-130		1		02/19/16 14:44	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-6	Lab ID: 40128393006	Collected: 02/17/16 14:50	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:06	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 15:06	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 15:06	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 15:06	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 15:06	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 15:06	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:06	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:06	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 15:06	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 15:06	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 15:06	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 15:06	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 15:06	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 15:06	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:06	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 15:06	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 15:06	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 15:06	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 15:06	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 15:06	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 15:06	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:06	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 15:06	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 15:06	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 15:06	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 15:06	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	100-42-5	
Tetrachloroethene	37.2	ug/L	1.0	0.50	1		02/19/16 15:06	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

Sample: MW-6	Lab ID: 40128393006	Collected: 02/17/16 14:50	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 15:06	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:06	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 15:06	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:06	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 15:06	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:06	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:06	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 15:06	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:06	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:06	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		02/19/16 15:06	460-00-4	
Dibromofluoromethane (S)	104	%	70-130		1		02/19/16 15:06	1868-53-7	
Toluene-d8 (S)	96	%	70-130		1		02/19/16 15:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-7	Lab ID: 40128393007	Collected: 02/17/16 13:45	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:29	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 15:29	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 15:29	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 15:29	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 15:29	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 15:29	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:29	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:29	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 15:29	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 15:29	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 15:29	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 15:29	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 15:29	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 15:29	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:29	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 15:29	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 15:29	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 15:29	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 15:29	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 15:29	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 15:29	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:29	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 15:29	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 15:29	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 15:29	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 15:29	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	100-42-5	
Tetrachloroethene	18.0	ug/L	1.0	0.50	1		02/19/16 15:29	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-7	Lab ID: 40128393007	Collected: 02/17/16 13:45	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 15:29	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:29	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 15:29	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:29	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 15:29	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:29	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:29	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 15:29	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:29	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:29	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		02/19/16 15:29	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		02/19/16 15:29	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		02/19/16 15:29	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-8	Lab ID: 40128393008	Collected: 02/17/16 12:50	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:51	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 15:51	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 15:51	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 15:51	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 15:51	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 15:51	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:51	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:51	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 15:51	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 15:51	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 15:51	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 15:51	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 15:51	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 15:51	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:51	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 15:51	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 15:51	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 15:51	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 15:51	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 15:51	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 15:51	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 15:51	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 15:51	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 15:51	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 15:51	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 15:51	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	100-42-5	
Tetrachloroethene	1.9	ug/L	1.0	0.50	1		02/19/16 15:51	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

Sample: MW-8	Lab ID: 40128393008	Collected: 02/17/16 12:50	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 15:51	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 15:51	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 15:51	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:51	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 15:51	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 15:51	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 15:51	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 15:51	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 15:51	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 15:51	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	90	%	70-130		1		02/19/16 15:51	460-00-4	
Dibromofluoromethane (S)	106	%	70-130		1		02/19/16 15:51	1868-53-7	
Toluene-d8 (S)	94	%	70-130		1		02/19/16 15:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-9	Lab ID: 40128393009	Collected: 02/17/16 12:40	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:13	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 16:13	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 16:13	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 16:13	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 16:13	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 16:13	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:13	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:13	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 16:13	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 16:13	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 16:13	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 16:13	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 16:13	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 16:13	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:13	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 16:13	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 16:13	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 16:13	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 16:13	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 16:13	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 16:13	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:13	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 16:13	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 16:13	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 16:13	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 16:13	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-9	Lab ID: 40128393009	Collected: 02/17/16 12:40	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 16:13	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:13	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 16:13	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:13	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 16:13	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:13	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:13	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 16:13	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:13	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:13	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		02/19/16 16:13	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		02/19/16 16:13	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		02/19/16 16:13	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: MW-10	Lab ID: 40128393010	Collected: 02/17/16 13:20	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:35	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 16:35	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 16:35	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 16:35	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 16:35	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 16:35	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:35	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:35	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 16:35	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 16:35	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 16:35	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 16:35	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 16:35	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 16:35	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:35	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 16:35	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 16:35	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 16:35	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 16:35	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 16:35	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 16:35	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:35	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 16:35	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 16:35	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 16:35	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 16:35	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	100-42-5	
Tetrachloroethene	3.5	ug/L	1.0	0.50	1		02/19/16 16:35	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

Sample: MW-10	Lab ID: 40128393010	Collected: 02/17/16 13:20	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 16:35	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:35	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 16:35	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:35	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 16:35	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:35	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:35	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 16:35	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:35	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:35	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		02/19/16 16:35	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		02/19/16 16:35	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		02/19/16 16:35	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: DUP #1	Lab ID: 40128393011	Collected: 02/17/16 17:25	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:57	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 16:57	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 16:57	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 16:57	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 16:57	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 16:57	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:57	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:57	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 16:57	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 16:57	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 16:57	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 16:57	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 16:57	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 16:57	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:57	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 16:57	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 16:57	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 16:57	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 16:57	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 16:57	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 16:57	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 16:57	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 16:57	98-82-8	
Methyl-tert-butyl ether	0.29J	ug/L	1.0	0.17	1		02/19/16 16:57	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 16:57	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 16:57	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	100-42-5	
Tetrachloroethene	9.7	ug/L	1.0	0.50	1		02/19/16 16:57	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: DUP #1	Lab ID: 40128393011	Collected: 02/17/16 17:25	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 16:57	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 16:57	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 16:57	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:57	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 16:57	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 16:57	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 16:57	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 16:57	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 16:57	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 16:57	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	89	%	70-130		1		02/19/16 16:57	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		02/19/16 16:57	1868-53-7	
Toluene-d8 (S)	93	%	70-130		1		02/19/16 16:57	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: TRIP BLANK	Lab ID: 40128393012	Collected: 02/17/16 00:00	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
1,1,1,2-Tetrachloroethane	<0.18	ug/L	1.0	0.18	1		02/19/16 17:20	630-20-6	
1,1,1-Trichloroethane	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	71-55-6	
1,1,2,2-Tetrachloroethane	<0.25	ug/L	1.0	0.25	1		02/19/16 17:20	79-34-5	
1,1,2-Trichloroethane	<0.20	ug/L	1.0	0.20	1		02/19/16 17:20	79-00-5	
1,1-Dichloroethane	<0.24	ug/L	1.0	0.24	1		02/19/16 17:20	75-34-3	
1,1-Dichloroethene	<0.41	ug/L	1.0	0.41	1		02/19/16 17:20	75-35-4	
1,1-Dichloropropene	<0.44	ug/L	1.0	0.44	1		02/19/16 17:20	563-58-6	
1,2,3-Trichlorobenzene	<2.1	ug/L	5.0	2.1	1		02/19/16 17:20	87-61-6	
1,2,3-Trichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	96-18-4	
1,2,4-Trichlorobenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 17:20	120-82-1	
1,2,4-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	95-63-6	
1,2-Dibromo-3-chloropropane	<2.2	ug/L	5.0	2.2	1		02/19/16 17:20	96-12-8	
1,2-Dibromoethane (EDB)	<0.18	ug/L	1.0	0.18	1		02/19/16 17:20	106-93-4	
1,2-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	95-50-1	
1,2-Dichloroethane	<0.17	ug/L	1.0	0.17	1		02/19/16 17:20	107-06-2	
1,2-Dichloropropane	<0.23	ug/L	1.0	0.23	1		02/19/16 17:20	78-87-5	
1,3,5-Trimethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	108-67-8	
1,3-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	541-73-1	
1,3-Dichloropropane	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	142-28-9	
1,4-Dichlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	106-46-7	
2,2-Dichloropropane	<0.48	ug/L	1.0	0.48	1		02/19/16 17:20	594-20-7	
2-Chlorotoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	95-49-8	
4-Chlorotoluene	<0.21	ug/L	1.0	0.21	1		02/19/16 17:20	106-43-4	
Benzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	71-43-2	
Bromobenzene	<0.23	ug/L	1.0	0.23	1		02/19/16 17:20	108-86-1	
Bromochloromethane	<0.34	ug/L	1.0	0.34	1		02/19/16 17:20	74-97-5	
Bromodichloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	75-27-4	
Bromoform	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	75-25-2	
Bromomethane	<2.4	ug/L	5.0	2.4	1		02/19/16 17:20	74-83-9	
Carbon tetrachloride	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	56-23-5	
Chlorobenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	108-90-7	
Chloroethane	<0.37	ug/L	1.0	0.37	1		02/19/16 17:20	75-00-3	
Chloroform	<2.5	ug/L	5.0	2.5	1		02/19/16 17:20	67-66-3	
Chloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	74-87-3	
Dibromochloromethane	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	124-48-1	
Dibromomethane	<0.43	ug/L	1.0	0.43	1		02/19/16 17:20	74-95-3	
Dichlorodifluoromethane	<0.22	ug/L	1.0	0.22	1		02/19/16 17:20	75-71-8	
Diisopropyl ether	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	108-20-3	
Ethylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	100-41-4	
Hexachloro-1,3-butadiene	<2.1	ug/L	5.0	2.1	1		02/19/16 17:20	87-68-3	
Isopropylbenzene (Cumene)	<0.14	ug/L	1.0	0.14	1		02/19/16 17:20	98-82-8	
Methyl-tert-butyl ether	<0.17	ug/L	1.0	0.17	1		02/19/16 17:20	1634-04-4	
Methylene Chloride	<0.23	ug/L	1.0	0.23	1		02/19/16 17:20	75-09-2	
Naphthalene	<2.5	ug/L	5.0	2.5	1		02/19/16 17:20	91-20-3	
Styrene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	100-42-5	
Tetrachloroethene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	127-18-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Sample: TRIP BLANK	Lab ID: 40128393012	Collected: 02/17/16 00:00	Received: 02/18/16 12:25	Matrix: Water					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV	Analytical Method: EPA 8260								
Toluene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	108-88-3	
Trichloroethene	<0.33	ug/L	1.0	0.33	1		02/19/16 17:20	79-01-6	
Trichlorofluoromethane	<0.18	ug/L	1.0	0.18	1		02/19/16 17:20	75-69-4	
Vinyl chloride	<0.18	ug/L	1.0	0.18	1		02/19/16 17:20	75-01-4	
cis-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 17:20	156-59-2	L3
cis-1,3-Dichloropropene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	10061-01-5	
m&p-Xylene	<1.0	ug/L	2.0	1.0	1		02/19/16 17:20	179601-23-1	
n-Butylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	104-51-8	
n-Propylbenzene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	103-65-1	
o-Xylene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	95-47-6	
p-Isopropyltoluene	<0.50	ug/L	1.0	0.50	1		02/19/16 17:20	99-87-6	
sec-Butylbenzene	<2.2	ug/L	5.0	2.2	1		02/19/16 17:20	135-98-8	
tert-Butylbenzene	<0.18	ug/L	1.0	0.18	1		02/19/16 17:20	98-06-6	
trans-1,2-Dichloroethene	<0.26	ug/L	1.0	0.26	1		02/19/16 17:20	156-60-5	
trans-1,3-Dichloropropene	<0.23	ug/L	1.0	0.23	1		02/19/16 17:20	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	91	%	70-130		1		02/19/16 17:20	460-00-4	
Dibromofluoromethane (S)	107	%	70-130		1		02/19/16 17:20	1868-53-7	
Toluene-d8 (S)	97	%	70-130		1		02/19/16 17:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

QC Batch:	MSV/32271	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
Associated Lab Samples:	40128393001, 40128393002		

METHOD BLANK: 1296999 Matrix: Water

Associated Lab Samples: 40128393001, 40128393002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	02/19/16 08:11	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	02/19/16 08:11	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	02/19/16 08:11	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	02/19/16 08:11	
1,1-Dichloroethane	ug/L	<0.24	1.0	02/19/16 08:11	
1,1-Dichloroethene	ug/L	<0.41	1.0	02/19/16 08:11	
1,1-Dichloropropene	ug/L	<0.44	1.0	02/19/16 08:11	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	02/19/16 08:11	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	02/19/16 08:11	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	02/19/16 08:11	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	02/19/16 08:11	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	02/19/16 08:11	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	02/19/16 08:11	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	02/19/16 08:11	
1,2-Dichloroethane	ug/L	<0.17	1.0	02/19/16 08:11	
1,2-Dichloropropane	ug/L	<0.23	1.0	02/19/16 08:11	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	02/19/16 08:11	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	02/19/16 08:11	
1,3-Dichloropropane	ug/L	<0.50	1.0	02/19/16 08:11	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	02/19/16 08:11	
2,2-Dichloropropane	ug/L	<0.48	1.0	02/19/16 08:11	
2-Chlorotoluene	ug/L	<0.50	1.0	02/19/16 08:11	
4-Chlorotoluene	ug/L	<0.21	1.0	02/19/16 08:11	
Benzene	ug/L	<0.50	1.0	02/19/16 08:11	
Bromobenzene	ug/L	<0.23	1.0	02/19/16 08:11	
Bromochloromethane	ug/L	<0.34	1.0	02/19/16 08:11	
Bromodichloromethane	ug/L	<0.50	1.0	02/19/16 08:11	
Bromoform	ug/L	<0.50	1.0	02/19/16 08:11	
Bromomethane	ug/L	<2.4	5.0	02/19/16 08:11	
Carbon tetrachloride	ug/L	<0.50	1.0	02/19/16 08:11	
Chlorobenzene	ug/L	<0.50	1.0	02/19/16 08:11	
Chloroethane	ug/L	<0.37	1.0	02/19/16 08:11	
Chloroform	ug/L	<2.5	5.0	02/19/16 08:11	
Chloromethane	ug/L	<0.50	1.0	02/19/16 08:11	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	02/19/16 08:11	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	02/19/16 08:11	
Dibromochloromethane	ug/L	<0.50	1.0	02/19/16 08:11	
Dibromomethane	ug/L	<0.43	1.0	02/19/16 08:11	
Dichlorodifluoromethane	ug/L	<0.22	1.0	02/19/16 08:11	
Diisopropyl ether	ug/L	<0.50	1.0	02/19/16 08:11	
Ethylbenzene	ug/L	<0.50	1.0	02/19/16 08:11	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

METHOD BLANK: 1296999

Matrix: Water

Associated Lab Samples: 40128393001, 40128393002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	02/19/16 08:11	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	02/19/16 08:11	
m&p-Xylene	ug/L	<1.0	2.0	02/19/16 08:11	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	02/19/16 08:11	
Methylene Chloride	ug/L	<0.23	1.0	02/19/16 08:11	
n-Butylbenzene	ug/L	<0.50	1.0	02/19/16 08:11	
n-Propylbenzene	ug/L	<0.50	1.0	02/19/16 08:11	
Naphthalene	ug/L	<2.5	5.0	02/19/16 08:11	
o-Xylene	ug/L	<0.50	1.0	02/19/16 08:11	
p-Isopropyltoluene	ug/L	<0.50	1.0	02/19/16 08:11	
sec-Butylbenzene	ug/L	<2.2	5.0	02/19/16 08:11	
Styrene	ug/L	<0.50	1.0	02/19/16 08:11	
tert-Butylbenzene	ug/L	<0.18	1.0	02/19/16 08:11	
Tetrachloroethene	ug/L	<0.50	1.0	02/19/16 08:11	
Toluene	ug/L	<0.50	1.0	02/19/16 08:11	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	02/19/16 08:11	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	02/19/16 08:11	
Trichloroethene	ug/L	<0.33	1.0	02/19/16 08:11	
Trichlorofluoromethane	ug/L	<0.18	1.0	02/19/16 08:11	
Vinyl chloride	ug/L	<0.18	1.0	02/19/16 08:11	
4-Bromofluorobenzene (S)	%	90	70-130	02/19/16 08:11	
Dibromofluoromethane (S)	%	100	70-130	02/19/16 08:11	
Toluene-d8 (S)	%	98	70-130	02/19/16 08:11	

LABORATORY CONTROL SAMPLE: 1297000

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.4	103	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	42.1	84	70-130	
1,1,2-Trichloroethane	ug/L	50	47.2	94	70-130	
1,1-Dichloroethane	ug/L	50	47.9	96	70-130	
1,1-Dichloroethene	ug/L	50	44.9	90	70-130	
1,2,4-Trichlorobenzene	ug/L	50	43.7	87	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	40.8	82	50-150	
1,2-Dibromoethane (EDB)	ug/L	50	46.6	93	70-130	
1,2-Dichlorobenzene	ug/L	50	49.6	99	70-130	
1,2-Dichloroethane	ug/L	50	52.1	104	70-131	
1,2-Dichloropropane	ug/L	50	49.6	99	70-130	
1,3-Dichlorobenzene	ug/L	50	48.1	96	70-130	
1,4-Dichlorobenzene	ug/L	50	49.4	99	70-130	
Benzene	ug/L	50	42.1	84	70-130	
Bromodichloromethane	ug/L	50	52.4	105	70-130	
Bromoform	ug/L	50	49.9	100	68-130	
Bromomethane	ug/L	50	38.6	77	38-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

LABORATORY CONTROL SAMPLE: 1297000

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon tetrachloride	ug/L	50	53.3	107	70-130	
Chlorobenzene	ug/L	50	50.2	100	70-130	
Chloroethane	ug/L	50	36.7	73	70-136	
Chloroform	ug/L	50	49.4	99	70-130	
Chloromethane	ug/L	50	44.9	90	48-144	
cis-1,2-Dichloroethene	ug/L	50	41.0	82	70-130	
cis-1,3-Dichloropropene	ug/L	50	46.2	92	70-130	
Dibromochloromethane	ug/L	50	49.9	100	70-130	
Dichlorodifluoromethane	ug/L	50	32.5	65	33-157	
Ethylbenzene	ug/L	50	47.8	96	70-132	
Isopropylbenzene (Cumene)	ug/L	50	52.1	104	70-130	
m&p-Xylene	ug/L	100	93.9	94	70-131	
Methyl-tert-butyl ether	ug/L	50	39.7	79	48-141	
Methylene Chloride	ug/L	50	43.1	86	70-130	
o-Xylene	ug/L	50	44.1	88	70-131	
Styrene	ug/L	50	46.7	93	70-130	
Tetrachloroethene	ug/L	50	54.7	109	70-130	
Toluene	ug/L	50	48.0	96	70-130	
trans-1,2-Dichloroethene	ug/L	50	44.7	89	70-130	
trans-1,3-Dichloropropene	ug/L	50	47.9	96	70-130	
Trichloroethene	ug/L	50	51.0	102	70-130	
Trichlorofluoromethane	ug/L	50	50.7	101	50-150	
Vinyl chloride	ug/L	50	40.1	80	65-142	
4-Bromofluorobenzene (S)	%			95	70-130	
Dibromofluoromethane (S)	%			97	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1297036 1297037

Parameter	Units	MS		MSD		MS		MSD		% Rec Limits	RPD	RPD	Max Qual
		40128390001	Spike Result	Spike Conc.	Conc.	MS Result	MSD Result	% Rec	% Rec				
1,1,1-Trichloroethane	ug/L	<0.50	50	50	50.4	52.5	101	105	70-130	4	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	46.0	40.6	92	81	70-130	12	20		
1,1,2-Trichloroethane	ug/L	<0.20	50	50	49.3	45.3	99	91	70-130	8	20		
1,1-Dichloroethane	ug/L	<0.24	50	50	46.8	47.7	94	95	70-134	2	20		
1,1-Dichloroethene	ug/L	<0.41	50	50	44.1	44.7	88	89	70-139	1	20		
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	43.0	44.2	86	88	70-130	3	20		
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	42.5	38.8	85	78	50-150	9	20		
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	45.9	45.0	92	90	70-130	2	20		
1,2-Dichlorobenzene	ug/L	<0.50	50	50	49.2	49.4	98	99	70-130	0	20		
1,2-Dichloroethane	ug/L	<0.17	50	50	53.4	54.0	107	108	70-132	1	20		
1,2-Dichloropropene	ug/L	<0.23	50	50	49.4	49.0	99	98	70-130	1	20		
1,3-Dichlorobenzene	ug/L	<0.50	50	50	48.7	48.9	97	98	70-130	0	20		
1,4-Dichlorobenzene	ug/L	<0.50	50	50	50.3	49.2	101	98	70-130	2	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Parameter	Units	40128390001		MS		MSD		1297037			
		Result	Spike Conc.	Spike Conc.	MS Result	MSD	% Rec	MSD % Rec	% Rec Limits	Max RPD	Max RPD
Benzene	ug/L	<0.50	50	50	42.3	42.9	85	86	70-130	1	20
Bromodichloromethane	ug/L	<0.50	50	50	52.7	51.0	105	102	70-132	3	20
Bromoform	ug/L	<0.50	50	50	50.1	46.6	100	93	68-130	7	20
Bromomethane	ug/L	<2.4	50	50	42.0	46.0	84	92	38-141	9	20
Carbon tetrachloride	ug/L	<0.50	50	50	54.4	55.2	109	110	70-130	2	20
Chlorobenzene	ug/L	<0.50	50	50	50.7	50.3	101	101	70-130	1	20
Chloroethane	ug/L	<0.37	50	50	37.6	42.0	75	84	66-152	11	20
Chloroform	ug/L	<2.5	50	50	50.1	51.2	100	102	70-130	2	20
Chloromethane	ug/L	<0.50	50	50	44.8	45.1	90	90	44-151	1	20
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	42.8	44.4	86	89	70-130	4	20
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	47.6	44.8	95	90	70-130	6	20
Dibromochloromethane	ug/L	<0.50	50	50	49.5	47.7	99	95	70-130	4	20
Dichlorodifluoromethane	ug/L	<0.22	50	50	35.2	32.6	70	65	29-160	8	20
Ethylbenzene	ug/L	<0.50	50	50	48.1	46.9	96	94	70-132	3	20
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	53.2	51.4	106	103	70-130	4	20
m&p-Xylene	ug/L	<1.0	100	100	94.1	90.2	94	90	70-131	4	20
Methyl-tert-butyl ether	ug/L	<0.17	50	50	41.2	38.5	82	77	48-143	7	20
Methylene Chloride	ug/L	<0.23	50	50	43.7	43.8	87	88	70-130	0	20
o-Xylene	ug/L	<0.50	50	50	44.4	43.5	89	87	70-131	2	20
Styrene	ug/L	<0.50	50	50	41.8	37.3	84	75	70-130	11	20
Tetrachloroethene	ug/L	0.83J	50	50	55.4	55.2	109	109	70-130	1	20
Toluene	ug/L	<0.50	50	50	46.6	47.3	93	95	70-130	1	20
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	45.1	44.9	90	90	70-132	0	20
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	48.1	44.6	96	89	70-130	7	20
Trichloroethene	ug/L	<0.33	50	50	51.4	51.1	103	102	70-130	1	20
Trichlorofluoromethane	ug/L	<0.18	50	50	51.2	51.1	102	102	50-153	0	20
Vinyl chloride	ug/L	<0.18	50	50	41.1	40.5	82	81	60-155	1	20
4-Bromofluorobenzene (S)	%						99	95	70-130		
Dibromofluoromethane (S)	%						99	100	70-130		
Toluene-d8 (S)	%						98	100	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

QC Batch: MSV/32272

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Associated Lab Samples: 40128393003, 40128393004, 40128393005, 40128393006, 40128393007, 40128393008, 40128393009,
40128393010, 40128393011, 40128393012

METHOD BLANK: 1297001

Matrix: Water

Associated Lab Samples: 40128393003, 40128393004, 40128393005, 40128393006, 40128393007, 40128393008, 40128393009,
40128393010, 40128393011, 40128393012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.18	1.0	02/19/16 09:08	
1,1,1-Trichloroethane	ug/L	<0.50	1.0	02/19/16 09:08	
1,1,2,2-Tetrachloroethane	ug/L	<0.25	1.0	02/19/16 09:08	
1,1,2-Trichloroethane	ug/L	<0.20	1.0	02/19/16 09:08	
1,1-Dichloroethane	ug/L	<0.24	1.0	02/19/16 09:08	
1,1-Dichloroethene	ug/L	<0.41	1.0	02/19/16 09:08	
1,1-Dichloropropene	ug/L	<0.44	1.0	02/19/16 09:08	
1,2,3-Trichlorobenzene	ug/L	<2.1	5.0	02/19/16 09:08	
1,2,3-Trichloropropane	ug/L	<0.50	1.0	02/19/16 09:08	
1,2,4-Trichlorobenzene	ug/L	<2.2	5.0	02/19/16 09:08	
1,2,4-Trimethylbenzene	ug/L	<0.50	1.0	02/19/16 09:08	
1,2-Dibromo-3-chloropropane	ug/L	<2.2	5.0	02/19/16 09:08	
1,2-Dibromoethane (EDB)	ug/L	<0.18	1.0	02/19/16 09:08	
1,2-Dichlorobenzene	ug/L	<0.50	1.0	02/19/16 09:08	
1,2-Dichloroethane	ug/L	<0.17	1.0	02/19/16 09:08	
1,2-Dichloropropane	ug/L	<0.23	1.0	02/19/16 09:08	
1,3,5-Trimethylbenzene	ug/L	<0.50	1.0	02/19/16 09:08	
1,3-Dichlorobenzene	ug/L	<0.50	1.0	02/19/16 09:08	
1,3-Dichloropropane	ug/L	<0.50	1.0	02/19/16 09:08	
1,4-Dichlorobenzene	ug/L	<0.50	1.0	02/19/16 09:08	
2,2-Dichloropropane	ug/L	<0.48	1.0	02/19/16 09:08	
2-Chlorotoluene	ug/L	<0.50	1.0	02/19/16 09:08	
4-Chlorotoluene	ug/L	<0.21	1.0	02/19/16 09:08	
Benzene	ug/L	<0.50	1.0	02/19/16 09:08	
Bromobenzene	ug/L	<0.23	1.0	02/19/16 09:08	
Bromochloromethane	ug/L	<0.34	1.0	02/19/16 09:08	
Bromodichloromethane	ug/L	<0.50	1.0	02/19/16 09:08	
Bromoform	ug/L	<0.50	1.0	02/19/16 09:08	
Bromomethane	ug/L	<2.4	5.0	02/19/16 09:08	
Carbon tetrachloride	ug/L	<0.50	1.0	02/19/16 09:08	
Chlorobenzene	ug/L	<0.50	1.0	02/19/16 09:08	
Chloroethane	ug/L	<0.37	1.0	02/19/16 09:08	
Chloroform	ug/L	<2.5	5.0	02/19/16 09:08	
Chloromethane	ug/L	<0.50	1.0	02/19/16 09:08	
cis-1,2-Dichloroethene	ug/L	<0.26	1.0	02/19/16 09:08	
cis-1,3-Dichloropropene	ug/L	<0.50	1.0	02/19/16 09:08	
Dibromochloromethane	ug/L	<0.50	1.0	02/19/16 09:08	
Dibromomethane	ug/L	<0.43	1.0	02/19/16 09:08	
Dichlorodifluoromethane	ug/L	<0.22	1.0	02/19/16 09:08	
Diisopropyl ether	ug/L	<0.50	1.0	02/19/16 09:08	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

METHOD BLANK: 1297001

Matrix: Water

Associated Lab Samples: 40128393003, 40128393004, 40128393005, 40128393006, 40128393007, 40128393008, 40128393009,
40128393010, 40128393011, 40128393012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.50	1.0	02/19/16 09:08	
Hexachloro-1,3-butadiene	ug/L	<2.1	5.0	02/19/16 09:08	
Isopropylbenzene (Cumene)	ug/L	<0.14	1.0	02/19/16 09:08	
m&p-Xylene	ug/L	<1.0	2.0	02/19/16 09:08	
Methyl-tert-butyl ether	ug/L	<0.17	1.0	02/19/16 09:08	
Methylene Chloride	ug/L	<0.23	1.0	02/19/16 09:08	
n-Butylbenzene	ug/L	<0.50	1.0	02/19/16 09:08	
n-Propylbenzene	ug/L	<0.50	1.0	02/19/16 09:08	
Naphthalene	ug/L	<2.5	5.0	02/19/16 09:08	
o-Xylene	ug/L	<0.50	1.0	02/19/16 09:08	
p-Isopropyltoluene	ug/L	<0.50	1.0	02/19/16 09:08	
sec-Butylbenzene	ug/L	<2.2	5.0	02/19/16 09:08	
Styrene	ug/L	<0.50	1.0	02/19/16 09:08	
tert-Butylbenzene	ug/L	<0.18	1.0	02/19/16 09:08	
Tetrachloroethene	ug/L	<0.50	1.0	02/19/16 09:08	
Toluene	ug/L	<0.50	1.0	02/19/16 09:08	
trans-1,2-Dichloroethene	ug/L	<0.26	1.0	02/19/16 09:08	
trans-1,3-Dichloropropene	ug/L	<0.23	1.0	02/19/16 09:08	
Trichloroethene	ug/L	<0.33	1.0	02/19/16 09:08	
Trichlorofluoromethane	ug/L	<0.18	1.0	02/19/16 09:08	
Vinyl chloride	ug/L	<0.18	1.0	02/19/16 09:08	
4-Bromofluorobenzene (S)	%	91	70-130	02/19/16 09:08	
Dibromofluoromethane (S)	%	104	70-130	02/19/16 09:08	
Toluene-d8 (S)	%	95	70-130	02/19/16 09:08	

LABORATORY CONTROL SAMPLE: 1297002

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	51.9	104	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	53.0	106	70-130	
1,1,2-Trichloroethane	ug/L	50	49.9	100	70-130	
1,1-Dichloroethane	ug/L	50	51.9	104	70-130	
1,1-Dichloroethene	ug/L	50	47.3	95	70-130	
1,2,4-Trichlorobenzene	ug/L	50	53.6	107	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	48.9	98	50-150	
1,2-Dibromoethane (EDB)	ug/L	50	50.7	101	70-130	
1,2-Dichlorobenzene	ug/L	50	51.6	103	70-130	
1,2-Dichloroethane	ug/L	50	50.3	101	70-131	
1,2-Dichloropropane	ug/L	50	48.5	97	70-130	
1,3-Dichlorobenzene	ug/L	50	51.1	102	70-130	
1,4-Dichlorobenzene	ug/L	50	48.7	97	70-130	
Benzene	ug/L	50	52.2	104	70-130	
Bromodichloromethane	ug/L	50	50.3	101	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

LABORATORY CONTROL SAMPLE: 1297002

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	48.4	97	68-130	
Bromomethane	ug/L	50	29.0	58	38-137	
Carbon tetrachloride	ug/L	50	49.2	98	70-130	
Chlorobenzene	ug/L	50	50.3	101	70-130	
Chloroethane	ug/L	50	40.8	82	70-136	
Chloroform	ug/L	50	50.8	102	70-130	
Chloromethane	ug/L	50	44.1	88	48-144	
cis-1,2-Dichloroethene	ug/L	50	90.6	181	70-130 LO	
cis-1,3-Dichloropropene	ug/L	50	47.3	95	70-130	
Dibromochloromethane	ug/L	50	48.3	97	70-130	
Dichlorodifluoromethane	ug/L	50	33.1	66	33-157	
Ethylbenzene	ug/L	50	53.0	106	70-132	
Isopropylbenzene (Cumene)	ug/L	50	54.7	109	70-130	
m&p-Xylene	ug/L	100	102	102	70-131	
Methyl-tert-butyl ether	ug/L	50	52.5	105	48-141	
Methylene Chloride	ug/L	50	49.9	100	70-130	
o-Xylene	ug/L	50	47.6	95	70-131	
Styrene	ug/L	50	50.4	101	70-130	
Tetrachloroethene	ug/L	50	49.9	100	70-130	
Toluene	ug/L	50	48.3	97	70-130	
trans-1,2-Dichloroethene	ug/L	50	51.7	103	70-130	
trans-1,3-Dichloropropene	ug/L	50	42.9	86	70-130	
Trichloroethene	ug/L	50	48.5	97	70-130	
Trichlorofluoromethane	ug/L	50	53.1	106	50-150	
Vinyl chloride	ug/L	50	42.0	84	65-142	
4-Bromofluorobenzene (S)	%			98	70-130	
Dibromofluoromethane (S)	%			105	70-130	
Toluene-d8 (S)	%			96	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1297003 1297004

Parameter	Units	MS		MSD		MS Result	MSD Result	% Rec % Rec	Max	
		40128394001 Result	Spike Conc.	Spike Conc.	MS Result				RPD RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.50	50	50	52.5	51.6	105	103	70-130	2 20
1,1,2,2-Tetrachloroethane	ug/L	<0.25	50	50	57.1	53.6	114	107	70-130	6 20
1,1,2-Trichloroethane	ug/L	<0.20	50	50	47.9	48.9	96	98	70-130	2 20
1,1-Dichloroethane	ug/L	<0.24	50	50	51.8	50.7	104	101	70-134	2 20
1,1-Dichloroethene	ug/L	<0.41	50	50	49.3	46.6	99	93	70-139	6 20
1,2,4-Trichlorobenzene	ug/L	<2.2	50	50	55.0	52.5	110	105	70-130	5 20
1,2-Dibromo-3-chloropropane	ug/L	<2.2	50	50	53.5	51.0	107	102	50-150	5 20
1,2-Dibromoethane (EDB)	ug/L	<0.18	50	50	51.9	50.2	104	100	70-130	3 20
1,2-Dichlorobenzene	ug/L	<0.50	50	50	55.3	49.7	111	99	70-130	11 20
1,2-Dichloroethane	ug/L	<0.17	50	50	51.1	50.9	102	102	70-132	1 20
1,2-Dichloropropane	ug/L	<0.23	50	50	50.9	46.8	102	94	70-130	8 20

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-002 UNITED DRY CLNR

Pace Project No.: 40128393

Parameter	Units	40128394001		MSD		1297003		1297004		Max		
		Result	Spike Conc.	Spike Conc.	MS Result	MSD	% Rec	MSD % Rec	% Rec Limits	RPD RPD	Qual	
1,3-Dichlorobenzene	ug/L	<0.50	50	50	53.6	49.2	107	98	70-130	9	20	
1,4-Dichlorobenzene	ug/L	<0.50	50	50	50.7	47.6	101	95	70-130	6	20	
Benzene	ug/L	<0.50	50	50	53.7	49.7	107	99	70-130	8	20	
Bromodichloromethane	ug/L	<0.50	50	50	52.6	48.8	105	98	70-132	7	20	
Bromoform	ug/L	<0.50	50	50	49.0	44.7	98	89	68-130	9	20	
Bromomethane	ug/L	<2.4	50	50	29.8	30.9	60	62	38-141	4	20	
Carbon tetrachloride	ug/L	<0.50	50	50	50.5	49.3	101	99	70-130	2	20	
Chlorobenzene	ug/L	<0.50	50	50	49.4	46.3	99	93	70-130	7	20	
Chloroethane	ug/L	<0.37	50	50	42.0	40.9	84	82	66-152	3	20	
Chloroform	ug/L	<2.5	50	50	50.3	50.4	101	101	70-130	0	20	
Chloromethane	ug/L	<0.50	50	50	44.9	43.4	90	87	44-151	3	20	
cis-1,2-Dichloroethene	ug/L	<0.26	50	50	141	98.1	282	196	70-130	36	20	M0,R1
cis-1,3-Dichloropropene	ug/L	<0.50	50	50	49.3	45.0	99	90	70-130	9	20	
Dibromochloromethane	ug/L	<0.50	50	50	48.4	46.7	97	93	70-130	3	20	
Dichlorodifluoromethane	ug/L	<0.22	50	50	33.7	30.9	67	62	29-160	9	20	
Ethylbenzene	ug/L	<0.50	50	50	52.5	49.4	105	99	70-132	6	20	
Isopropylbenzene (Cumene)	ug/L	<0.14	50	50	53.6	50.7	107	101	70-130	6	20	
m&p-Xylene	ug/L	<1.0	100	100	101	94.6	101	95	70-131	7	20	
Methyl-tert-butyl ether	ug/L	<0.17	50	50	52.9	52.0	106	104	48-143	2	20	
Methylene Chloride	ug/L	<0.23	50	50	51.1	50.0	102	100	70-130	2	20	
o-Xylene	ug/L	<0.50	50	50	47.5	45.2	95	90	70-131	5	20	
Styrene	ug/L	<0.50	50	50	49.7	46.9	99	94	70-130	6	20	
Tetrachloroethene	ug/L	<0.50	50	50	48.3	46.3	97	93	70-130	4	20	
Toluene	ug/L	<0.50	50	50	47.0	45.0	94	90	70-130	4	20	
trans-1,2-Dichloroethene	ug/L	<0.26	50	50	54.5	52.9	109	106	70-132	3	20	
trans-1,3-Dichloropropene	ug/L	<0.23	50	50	44.8	42.6	90	85	70-130	5	20	
Trichloroethene	ug/L	<0.33	50	50	51.8	46.5	104	93	70-130	11	20	
Trichlorofluoromethane	ug/L	<0.18	50	50	54.3	52.3	109	105	50-153	4	20	
Vinyl chloride	ug/L	<0.18	50	50	44.8	41.6	90	83	60-155	8	20	
4-Bromofluorobenzene (S)	%							95	99	70-130		
Dibromofluoromethane (S)	%							103	103	70-130		
Toluene-d8 (S)	%							93	94	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409-002 UNITED DRY CLNR
Pace Project No.: 40128393

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

M0 Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409-002 UNITED DRY CLNR
 Pace Project No.: 40128393

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40128393001	MW-1	EPA 8260	MSV/32271		
40128393002	MW-2	EPA 8260	MSV/32271		
40128393003	MW-3	EPA 8260	MSV/32272		
40128393004	MW-4	EPA 8260	MSV/32272		
40128393005	MW-5	EPA 8260	MSV/32272		
40128393006	MW-6	EPA 8260	MSV/32272		
40128393007	MW-7	EPA 8260	MSV/32272		
40128393008	MW-8	EPA 8260	MSV/32272		
40128393009	MW-9	EPA 8260	MSV/32272		
40128393010	MW-10	EPA 8260	MSV/32272		
40128393011	DUP #1	EPA 8260	MSV/32272		
40128393012	TRIP BLANK	EPA 8260	MSV/32272		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

(Please Print Clearly)

Company Name: *Schumann & Wilson, Inc.*
Branch/Location: *MADISON, WI*

Project Contact: *MARK S. McGILLOCH*
Phone: *608/442-5223 x. 8157*

Project Number: *421-37409-002*
Project State: *WISCONSIN*

Project Name: *UW RD DRY CLEANERS*
Sampled By (Print): *MARK S. McGILLOCH (MSM)*

Sampled By (Sign): *Mark S. McGiloch*
PO#:

Data Package Options		MS/MSD (billable)	Matrix Codes
<input type="checkbox"/>	EPA Level III	<input type="checkbox"/>	On your sample
<input type="checkbox"/>	EPA Level IV	<input type="checkbox"/>	NOT needed on your sample

FILTERED?
(YES/NO)

Pick
Letter

N

B

PRESERVATION
(CODE)*

H=Sodium Bisulfate Solution

I=Sodium Thiosulfate

J=Other



Sample Condition Upon Receipt

Pace Analytical Services, Inc.
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Project #:

WO# : 40128393

Client Name: Shannon + WilsonCourier: FedEx UPS Client Pace Other: _____

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes noCustody Seal on Samples Present: yes no Seals intact: yes noPacking Material: Bubble Wrap Bubble Bags None OtherThermometer Used: DaType of Ice: Wet Blue Dry NoneCooler Temperature: Uncorr: 201 /Corr: _____Biological Tissue is Frozen: yesTemp Blank Present: yes no Samples on ice, cooling process has begun no

Temp should be above freezing to 6°C for all sample except Biota.

Frozen Biota Samples should be received ≤ 0°C.

Comments:

Person examining contents:

Date: 2-18-16Initials: MM

Chain of Custody Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time: - VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	5. Date/Time: _____
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used: -Pace Containers Used: -Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC: -Includes date/time/ID/Analysis Matrix: <u>W</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. <u>001-3 vials time 17:25 mm 2/18/16</u> <u>011-3 vials time 17:20 mm 2/18/16</u>
All containers needing preservation have been checked. (Non-Compliance noted in 13.)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NaOH <input type="checkbox"/> NaOH +ZnAct
All containers needing preservation are found to be in compliance with EPA recommendation. (HNO3, H2SO4 ≤2; NaOH+ZnAct ≥9, NaOH ≥12)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <u>VOA</u> coliform, TOC, TOX, TOH, O&G, WIDROW, Phenolics, OTHER: <input type="checkbox"/> Yes <input type="checkbox"/> No		Initial when completed Lab Std #/ID of preservative Date/ Time:
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>354</u> mm 2-18-16		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____

Date/Time: _____

Comments/ Resolution: 3 vials returns mm 2-18-16trip blank added per lab. mm 2-18-16Project Manager Review: JJ for DMDate: 2-18-16

Appendix C

Laboratory Reports Effluent Air, Vapor Probe, and Soil Gas Probe Samples

December 18, 2014

Mr. Mark McColloch
Shannon & Wilson, Inc.
2110 Luann Lane
Suite 101
Madison, WI 53713


RE: Project: 42-1-37405-001 United Dry Clea
Pace Project No.: 10291036

Dear Mr. McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on December 09, 2014. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37405-001 United Dry Clea
 Pace Project No.: 10291036

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
 A2LA Certification #: 2926.01
 Alaska Certification #: UST-078
 Alaska Certification #MN00064
 Alabama Certification #40770
 Arizona Certification #: AZ-0014
 Arkansas Certification #: 88-0680
 California Certification #: 01155CA
 Colorado Certification #Pace
 Connecticut Certification #: PH-0256
 EPA Region 8 Certification #: 8TMS-L
 Florida/NELAP Certification #: E87605
 Guam Certification #:14-008r
 Georgia Certification #: 959
 Georgia EPD #: Pace
 Idaho Certification #: MN00064
 Hawaii Certification #MN00064
 Illinois Certification #: 200011
 Indiana Certification#C-MN-01
 Iowa Certification #: 368
 Kansas Certification #: E-10167
 Kentucky Dept of Envi. Protection - DW #90062
 Kentucky Dept of Envi. Protection - WW #:90062
 Louisiana DEQ Certification #: 3086
 Louisiana DHH #: LA140001
 Maine Certification #: 2013011
 Maryland Certification #: 322
 Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137
 Mississippi Certification #: Pace
 Montana Certification #: MT0092
 Nevada Certification #: MN_00064
 Nebraska Certification #: Pace
 New Jersey Certification #: MN-002
 New York Certification #: 11647
 North Carolina Certification #: 530
 North Carolina State Public Health #: 27700
 North Dakota Certification #: R-036
 Ohio EPA #: 4150
 Ohio VAP Certification #: CL101
 Oklahoma Certification #: 9507
 Oregon Certification #: MN200001
 Oregon Certification #: MN300001
 Pennsylvania Certification #: 68-00563
 Puerto Rico Certification
 Saipan (CNMI) #:MP0003
 South Carolina #:74003001
 Texas Certification #: T104704192
 Tennessee Certification #: 02818
 Utah Certification #: MN000642013-4
 Virginia DGS Certification #: 251
 Virginia/VELAP Certification #: Pace
 Washington Certification #: C486
 West Virginia Certification #: 382
 West Virginia DHHR #:9952C
 Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37405-001 United Dry Clea
Pace Project No.: 10291036

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10291036001	Effluent-Dec 14	Air	12/07/14 13:00	12/09/14 10:38

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 3 of 10

SAMPLE ANALYTE COUNT

Project: 42-1-37405-001 United Dry Clea
Pace Project No.: 10291036

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10291036001	Effluent-Dec 14	TO-15	DR1	5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 4 of 10

ANALYTICAL RESULTS

Project: 42-1-37405-001 United Dry Clea

Pace Project No.: 10291036

Sample: Effluent-Dec 14 Lab ID: 10291036001 Collected: 12/07/14 13:00 Received: 12/09/14 10:38 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	1.5 ug/m3		1.1	0.26	1.34		12/15/14 19:45	156-59-2	
trans-1,2-Dichloroethene	<0.22 ug/m3		1.1	0.22	1.34		12/15/14 19:45	156-60-5	
Tetrachloroethene	263 ug/m3		0.92	0.25	1.34		12/15/14 19:45	127-18-4	
Trichloroethene	1.9 ug/m3		0.74	0.24	1.34		12/15/14 19:45	79-01-6	
Vinyl chloride	<0.12 ug/m3		0.35	0.12	1.34		12/15/14 19:45	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37405-001 United Dry Clea
Pace Project No.: 10291036

QC Batch:	AIR/22056	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR - AMBIENT
Associated Lab Samples:	10291036001		

METHOD BLANK: 1865310 Matrix: Air

Associated Lab Samples: 10291036001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	12/15/14 16:50	
Tetrachloroethene	ug/m3	<0.19	0.69	12/15/14 16:50	
trans-1,2-Dichloroethene	ug/m3	<0.16	0.81	12/15/14 16:50	
Trichloroethene	ug/m3	<0.18	0.55	12/15/14 16:50	
Vinyl chloride	ug/m3	<0.093	0.26	12/15/14 16:50	

LABORATORY CONTROL SAMPLE: 1865311

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	40.3	34.3	85	71-135	
Tetrachloroethene	ug/m3	69	56.5	82	69-136	
trans-1,2-Dichloroethene	ug/m3	40.3	32.4	80	70-131	
Trichloroethene	ug/m3	54.6	44.9	82	70-135	
Vinyl chloride	ug/m3	26	20.2	78	69-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37405-001 United Dry Clea
Pace Project No.: 10291036

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

LOD - Limit of Detection.

LOQ - Limit of Quantitation.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37405-001 United Dry Clea
Pace Project No.: 10291036

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10291036001	Effluent-Dec 14	TO-15	AIR/22056		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



Document Name:
Air Sample Condition Upon Receipt

Document No.:
F-MIN-A-106-rev.09

Document Revised: 26Dec2013
Page 1 of 1
Issuing Authority:
Pace Minnesota Quality Office

Air Sample Condition
Upon Receipt

Client Name:

Project #:

WO# : 10291036

10291036

Courier: Fed Ex UPS USPS Client
 Commercial Pace Other: _____

Tracking Number: 7721 2863 2072

Custody Seal on Cooler/Box Present? Yes No **Seals Intact?** Yes No **Optional:** Proj. Due Date: Proj. Name:

Packing Material: Bubble Wrap Bubble Bags Foam None Other: _____

Temp. (TO17 and TO13 samples only) (°C): _____ Corrected Temp (°C): _____ Thermom. Used: _____

Temp should be above freezing to 6°C Correction Factor: _____ Date & Initials of Person Examining Contents: 2/29/14 BIG RAY

Type of ice Received Blue Wet None

Comments:

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	8.
Correct Containers Used?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Media: <u>AIC CM7</u>				11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	12.

Comments:

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution:

Project Manager Review: John **Date:** 10/9/04
Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10291036
Project Name: 42-1-37405-001 United Dry Clea

Lab Sample No:	10291036001	ProjSampleNum:	10291036001	Date Collected:	12/07/14 13:00
Client Sample ID:	Effluent-Dec 14	Matrix:	Air	Date Received:	12/09/14 10:38

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	0.37	ppbv	0.27	1.34	12/15/14 19:45	DR1	156-59-2
Tetrachloroethene	38.1	ppbv	0.13	1.34	12/15/14 19:45	DR1	127-18-4
trans-1,2-Dichloroethene	<0.055	ppbv	0.27	1.34	12/15/14 19:45	DR1	156-60-5
Trichloroethene	0.35	ppbv	0.14	1.34	12/15/14 19:45	DR1	79-01-6
Vinyl chloride	<0.046	ppbv	0.13	1.34	12/15/14 19:45	DR1	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

Date: 12/18/2014

Page 1



Pace Analytical Services, Inc.
1700 Elm Street – Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10291036
Project Name: 42-1-37405-001 United Dry Clea

PARAMETER FOOTNOTES

SUPPLEMENTAL REPORT

Units Conversion Request

Date: 12/18/2014

Page 2

March 10, 2015

Mr. Mark McColloch
Shannon & Wilson, Inc.
2110 Luann Lane
Suite 101
Madison, WI 53713


RE: Project: 421-37409 United Dry Cleaners
Pace Project No.: 10297897

Dear Mr. McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on February 26, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 421-37409 United Dry Cleaners
 Pace Project No.: 10297897

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
 A2LA Certification #: 2926.01
 Alaska Certification #: UST-078
 Alaska Certification #MN00064
 Alabama Certification #40770
 Arizona Certification #: AZ-0014
 Arkansas Certification #: 88-0680
 California Certification #: 01155CA
 Colorado Certification #Pace
 Connecticut Certification #: PH-0256
 EPA Region 8 Certification #: 8TMS-L
 Florida/NELAP Certification #: E87605
 Guam Certification #:14-008r
 Georgia Certification #: 959
 Georgia EPD #: Pace
 Idaho Certification #: MN00064
 Hawaii Certification #MN00064
 Illinois Certification #: 200011
 Indiana Certification#C-MN-01
 Iowa Certification #: 368
 Kansas Certification #: E-10167
 Kentucky Dept of Envi. Protection - DW #90062
 Kentucky Dept of Envi. Protection - WW #:90062
 Louisiana DEQ Certification #: 3086
 Louisiana DHH #: LA140001
 Maine Certification #: 2013011
 Maryland Certification #: 322
 Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137
 Mississippi Certification #: Pace
 Montana Certification #: MT0092
 Nevada Certification #: MN_00064
 Nebraska Certification #: Pace
 New Jersey Certification #: MN-002
 New York Certification #: 11647
 North Carolina Certification #: 530
 North Carolina State Public Health #: 27700
 North Dakota Certification #: R-036
 Ohio EPA #: 4150
 Ohio VAP Certification #: CL101
 Oklahoma Certification #: 9507
 Oregon Certification #: MN200001
 Oregon Certification #: MN300001
 Pennsylvania Certification #: 68-00563
 Puerto Rico Certification
 Saipan (CNMI) #:MP0003
 South Carolina #:74003001
 Texas Certification #: T104704192
 Tennessee Certification #: 02818
 Utah Certification #: MN000642013-4
 Virginia DGS Certification #: 251
 Virginia/VELAP Certification #: Pace
 Washington Certification #: C486
 West Virginia Certification #: 382
 West Virginia DHHR #:9952C
 Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 421-37409 United Dry Cleaners
 Pace Project No.: 10297897

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10297897001	VP-5	Air	02/24/15 12:15	02/26/15 10:25
10297897002	VP-6	Air	02/24/15 12:23	02/26/15 10:25
10297897003	VP-7	Air	02/24/15 12:27	02/26/15 10:25
10297897004	SGP-1	Air	02/24/15 15:23	02/26/15 10:25
10297897005	SGP-2	Air	02/24/15 14:55	02/26/15 10:25
10297897006	SGP-3	Air	02/24/15 15:20	02/26/15 10:25
10297897007	PH Basement (Indoor Air)	Air	02/24/15 23:35	02/26/15 10:25
10297897008	Dup #1	Air	02/24/15 00:00	02/26/15 10:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

Page 3 of 13

3 of 22

SAMPLE ANALYTE COUNT

Project: 421-37409 United Dry Cleaners
Pace Project No.: 10297897

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10297897001	VP-5	TO-15	MJL	5
10297897002	VP-6	TO-15	MJL	5
10297897003	VP-7	TO-15	AH2	5
10297897004	SGP-1	TO-15	AH2	5
10297897005	SGP-2	TO-15	MJL	5
10297897006	SGP-3	TO-15	AH2	5
10297897007	PH Basement (Indoor Air)	TO-15	AH2	5
10297897008	Dup #1	TO-15	MJL	5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Page 4 of 13

ANALYTICAL RESULTS

Project: 421-37409 United Dry Cleaners

Pace Project No.: 10297897

Sample: VP-5	Lab ID: 10297897001	Collected: 02/24/15 12:15	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.38	ug/m3	1.6	0.38	1.93		03/09/15 00:11	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.6	0.31	1.93		03/09/15 00:11	156-60-5	
Tetrachloroethene	35.8	ug/m3	1.3	0.36	1.93		03/09/15 00:11	127-18-4	
Trichloroethene	<0.34	ug/m3	1.1	0.34	1.93		03/09/15 00:11	79-01-6	
Vinyl chloride	<0.18	ug/m3	0.50	0.18	1.93		03/09/15 00:11	75-01-4	
Sample: VP-6	Lab ID: 10297897002	Collected: 02/24/15 12:23	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.27	ug/m3	1.1	0.27	1.39		03/08/15 01:36	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.1	0.23	1.39		03/08/15 01:36	156-60-5	
Tetrachloroethene	1.0	ug/m3	0.96	0.26	1.39		03/08/15 01:36	127-18-4	
Trichloroethene	<0.25	ug/m3	0.76	0.25	1.39		03/08/15 01:36	79-01-6	
Vinyl chloride	<0.13	ug/m3	0.36	0.13	1.39		03/08/15 01:36	75-01-4	
Sample: VP-7	Lab ID: 10297897003	Collected: 02/24/15 12:27	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.44		03/06/15 03:21	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.44		03/06/15 03:21	156-60-5	
Tetrachloroethene	115	ug/m3	2.0	0.27	1.44		03/06/15 03:21	127-18-4	
Trichloroethene	<0.26	ug/m3	1.6	0.26	1.44		03/06/15 03:21	79-01-6	
Vinyl chloride	<0.13	ug/m3	0.75	0.13	1.44		03/06/15 03:21	75-01-4	
Sample: SGP-1	Lab ID: 10297897004	Collected: 02/24/15 15:23	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.26	ug/m3	1.1	0.26	1.34		03/06/15 02:45	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.1	0.22	1.34		03/06/15 02:45	156-60-5	
Tetrachloroethene	5.9	ug/m3	1.8	0.25	1.34		03/06/15 02:45	127-18-4	
Trichloroethene	<0.24	ug/m3	1.5	0.24	1.34		03/06/15 02:45	79-01-6	
Vinyl chloride	<0.12	ug/m3	0.70	0.12	1.34		03/06/15 02:45	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 421-37409 United Dry Cleaners

Pace Project No.: 10297897

Sample: SGP-2	Lab ID: 10297897005	Collected: 02/24/15 14:55	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.26	ug/m3	1.1	0.26	1.34		03/08/15 08:56	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.1	0.22	1.34		03/08/15 08:56	156-60-5	
Tetrachloroethene	10	ug/m3	0.92	0.25	1.34		03/08/15 08:56	127-18-4	
Trichloroethene	<0.24	ug/m3	0.74	0.24	1.34		03/08/15 08:56	79-01-6	
Vinyl chloride	<0.12	ug/m3	0.35	0.12	1.34		03/08/15 08:56	75-01-4	
Sample: SGP-3	Lab ID: 10297897006	Collected: 02/24/15 15:20	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.44		03/06/15 01:33	156-59-2	
trans-1,2-Dichloroethene	<0.23	ug/m3	1.2	0.23	1.44		03/06/15 01:33	156-60-5	
Tetrachloroethene	1.4J	ug/m3	2.0	0.27	1.44		03/06/15 01:33	127-18-4	
Trichloroethene	<0.26	ug/m3	1.6	0.26	1.44		03/06/15 01:33	79-01-6	
Vinyl chloride	<0.13	ug/m3	0.75	0.13	1.44		03/06/15 01:33	75-01-4	
Sample: PH Basement (Indoor Air)	Lab ID: 10297897007	Collected: 02/24/15 23:35	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.26	ug/m3	1.1	0.26	1.34		03/06/15 00:57	156-59-2	
trans-1,2-Dichloroethene	<0.22	ug/m3	1.1	0.22	1.34		03/06/15 00:57	156-60-5	
Tetrachloroethene	2.9	ug/m3	1.8	0.25	1.34		03/06/15 00:57	127-18-4	
Trichloroethene	1.7	ug/m3	1.5	0.24	1.34		03/06/15 00:57	79-01-6	
Vinyl chloride	<0.12	ug/m3	0.70	0.12	1.34		03/06/15 00:57	75-01-4	
Sample: Dup #1	Lab ID: 10297897008	Collected: 02/24/15 00:00	Received: 02/26/15 10:25	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.32	ug/m3	1.3	0.32	1.61		03/08/15 09:27	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.3	0.26	1.61		03/08/15 09:27	156-60-5	
Tetrachloroethene	<0.30	ug/m3	1.1	0.30	1.61		03/08/15 09:27	127-18-4	
Trichloroethene	<0.29	ug/m3	0.89	0.29	1.61		03/08/15 09:27	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.42	0.15	1.61		03/08/15 09:27	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 421-37409 United Dry Cleaners
Pace Project No.: 10297897

QC Batch:	AIR/22663	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR - AMBIENT
Associated Lab Samples:	10297897003, 10297897004, 10297897006, 10297897007		

METHOD BLANK: 1911939 Matrix: Air

Associated Lab Samples: 10297897003, 10297897004, 10297897006, 10297897007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	03/05/15 10:34	
Tetrachloroethene	ug/m3	<0.19	1.4	03/05/15 10:34	
trans-1,2-Dichloroethene	ug/m3	<0.16	0.81	03/05/15 10:34	
Trichloroethene	ug/m3	<0.18	1.1	03/05/15 10:34	
Vinyl chloride	ug/m3	<0.093	0.52	03/05/15 10:34	

LABORATORY CONTROL SAMPLE: 1911940

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	40.3	37.2	92	64-137	
Tetrachloroethene	ug/m3	69	52.4	76	66-137	
trans-1,2-Dichloroethene	ug/m3	40.3	36.1	90	61-140	
Trichloroethene	ug/m3	54.6	56.7	104	70-134	
Vinyl chloride	ug/m3	26	23.6	91	72-129	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 421-37409 United Dry Cleaners

Pace Project No.: 10297897

QC Batch:	AIR/22681	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR - AMBIENT
Associated Lab Samples:	10297897002, 10297897005, 10297897008		

METHOD BLANK: 1913097 Matrix: Air

Associated Lab Samples: 10297897002, 10297897005, 10297897008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	03/07/15 11:34	
Tetrachloroethene	ug/m3	<0.19	0.69	03/07/15 11:34	
trans-1,2-Dichloroethene	ug/m3	<0.16	0.81	03/07/15 11:34	
Trichloroethene	ug/m3	<0.18	0.55	03/07/15 11:34	
Vinyl chloride	ug/m3	<0.093	0.26	03/07/15 11:34	

LABORATORY CONTROL SAMPLE: 1913098

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	40.3	40.3	100	64-137	
Tetrachloroethene	ug/m3	69	73.0	106	66-137	
trans-1,2-Dichloroethene	ug/m3	40.3	40.3	100	61-140	
Trichloroethene	ug/m3	54.6	55.3	101	70-134	
Vinyl chloride	ug/m3	26	22.1	85	72-129	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 421-37409 United Dry Cleaners
Pace Project No.: 10297897

QC Batch:	AIR/22696	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR - AMBIENT
Associated Lab Samples: 10297897001			

METHOD BLANK: 1913917 Matrix: Air

Associated Lab Samples: 10297897001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	03/08/15 12:09	
Tetrachloroethene	ug/m3	<0.19	0.69	03/08/15 12:09	
trans-1,2-Dichloroethene	ug/m3	<0.16	0.81	03/08/15 12:09	
Trichloroethene	ug/m3	<0.18	0.55	03/08/15 12:09	
Vinyl chloride	ug/m3	<0.093	0.26	03/08/15 12:09	

LABORATORY CONTROL SAMPLE: 1913918

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	40.3	45.8	114	64-137	
Tetrachloroethene	ug/m3	69	71.0	103	66-137	
trans-1,2-Dichloroethene	ug/m3	40.3	44.0	109	61-140	
Trichloroethene	ug/m3	54.6	59.7	109	70-134	
Vinyl chloride	ug/m3	26	25.9	99	72-129	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 421-37409 United Dry Cleaners
Pace Project No.: 10297897

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

SAMPLE QUALIFIERS

Sample: 10297897003

[1] The internal standard recoveries associated with this sample exceed the lower control limit. The reported results should be considered estimated values.

Sample: 10297897004

[1] The internal standard recoveries associated with this sample exceed the lower control limit. The reported results should be considered estimated values.

Sample: 10297897005

[1] The internal standard recoveries associated with this sample exceed the lower control limit. The reported results should be considered estimated values.

Sample: 10297897007

[1] The internal standard recoveries associated with this sample exceed the lower control limit. The reported results should be considered estimated values.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 421-37409 United Dry Cleaners
 Pace Project No.: 10297897

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10297897001	VP-5	TO-15	AIR/22696		
10297897002	VP-6	TO-15	AIR/22681		
10297897003	VP-7	TO-15	AIR/22663		
10297897004	SGP-1	TO-15	AIR/22663		
10297897005	SGP-2	TO-15	AIR/22681		
10297897006	SGP-3	TO-15	AIR/22663		
10297897007	PH Basement (Indoor Air)	TO-15	AIR/22663		
10297897008	Dup #1	TO-15	AIR/22681		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



 Analytical
www.pagealts.com

www.mageia.org

23

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

	Document Name: Air Sample Condition Upon Receipt	Document Revised: 26Dec2013 Page 1 of 1
	Document No.: F-MN-A-106-rev.09	Issuing Authority: Pace Minnesota Quality Office

Air Sample Condition Upon Receipt	Client Name:	Project #:
	<i>Shannon + wilson</i>	WON: 10297897
Courier:	<input type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> USPS <input type="checkbox"/> Client <input type="checkbox"/> Commercial <input type="checkbox"/> Pace <input checked="" type="checkbox"/> Other: <i>white</i>	
Tracking Number:		

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: Proj. Name:

Packing Material: Bubble Wrap Bubble Bags Foam None Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C): Thermom. Used: 888A912167504
 888A9132521491 72337080
 80512447

Temp should be above freezing to 6°C Correction Factor: Date & Initials of Person Examining Contents: *E Z 26/15*

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Media: <i>GIC CWN</i>				11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	12.

Samples Received:

Canisters		Flow Controllers		Stand Alone G	
Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID
VP-5	0634		0638		
VP-6	0200		0731		
VP-7	0327		0952		
SGP-1	0310		0504		
SGP-2	2814		0633		
SGP-3	0704		0545		
basement	0342		0119		
DG-1	0963		0633		

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Date/Time: _____

Comments/Resolution: _____

Project Manager Review:

Cmo

Date:

2/27/15

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Sample No: 10297897001
 Client Sample ID: VP-5

ProjSampleNum: 10297897001
 Matrix: Air

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 12:15
 Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.094	ppbv	0.4	1.93	03/09/15 0:11 MJL	156-59-2	
Tetrachloroethene	5.2	ppbv	0.19	1.93	03/09/15 0:11 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.077	ppbv	0.4	1.93	03/09/15 0:11 MJL	156-60-5	
Trichloroethene	<0.062	ppbv	0.2	1.93	03/09/15 0:11 MJL	79-01-6	
Vinyl chloride	<0.069	ppbv	0.19	1.93	03/09/15 0:11 MJL	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Sample No: 10297897002
 Client Sample ID: VP-6

ProjSampleNum: 10297897002
 Matrix: Air

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 12:23
 Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.067	ppbv	0.27	1.39	03/08/15 1:36 MJL	156-59-2	
Tetrachloroethene	0.15	ppbv	0.14	1.39	03/08/15 1:36 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.057	ppbv	0.27	1.39	03/08/15 1:36 MJL	156-60-5	
Trichloroethene	<0.046	ppbv	0.14	1.39	03/08/15 1:36 MJL	79-01-6	
Vinyl chloride	<0.05	ppbv	0.14	1.39	03/08/15 1:36 MJL	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Sample No: 10297897003
 Client Sample ID: VP-7

ProjSampleNum: 10297897003
 Matrix: Air

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 12:27
 Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.069	ppbv	0.3	1.44	03/06/15 3:21 AH2	156-59-2	
Tetrachloroethene	16.7	ppbv	0.29	1.44	03/06/15 3:21 AH2	127-18-4	
trans-1,2-Dichloroethene	<0.057	ppbv	0.3	1.44	03/06/15 3:21 AH2	156-60-5	
Trichloroethene	<0.048	ppbv	0.29	1.44	03/06/15 3:21 AH2	79-01-6	
Vinyl chloride	<0.05	ppbv	0.29	1.44	03/06/15 3:21 AH2	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Sample No: 10297897004
 Client Sample ID: SGP-1

ProjSampleNum: 10297897004
 Matrix: Air

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 15:23
 Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.065	ppbv	0.27	1.34	03/06/15 2:45 AH2	156-59-2	
Tetrachloroethene	0.86	ppbv	0.26	1.34	03/06/15 2:45 AH2	127-18-4	
trans-1,2-Dichloroethene	<0.055	ppbv	0.27	1.34	03/06/15 2:45 AH2	156-60-5	
Trichloroethene	<0.044	ppbv	0.27	1.34	03/06/15 2:45 AH2	79-01-6	
Vinyl chloride	<0.046	ppbv	0.27	1.34	03/06/15 2:45 AH2	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Sample No: 10297897005
Client Sample ID: SGP-2

ProjSampleNum: 10297897005
Matrix: Air

Lab Project Number: 10297897
Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 14:55
Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.065	ppbv	0.27	1.34	03/08/15 8:56 MJL	156-59-2	
Tetrachloroethene	1.5	ppbv	0.13	1.34	03/08/15 8:56 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.055	ppbv	0.27	1.34	03/08/15 8:56 MJL	156-60-5	
Trichloroethene	<0.044	ppbv	0.14	1.34	03/08/15 8:56 MJL	79-01-6	
Vinyl chloride	<0.046	ppbv	0.13	1.34	03/08/15 8:56 MJL	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Sample No: 10297897006
 Client Sample ID: SGP-3

ProjSampleNum: 10297897006
 Matrix: Air

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 15:20
 Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.069	ppbv	0.3	1.44	03/06/15 1:33 AH2	156-59-2	
Tetrachloroethene	0.2J	ppbv	0.29	1.44	03/06/15 1:33 AH2	127-18-4	
trans-1,2-Dichloroethene	<0.057	ppbv	0.3	1.44	03/06/15 1:33 AH2	156-60-5	
Trichloroethene	<0.048	ppbv	0.29	1.44	03/06/15 1:33 AH2	79-01-6	
Vinyl chloride	<0.05	ppbv	0.29	1.44	03/06/15 1:33 AH2	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Lab Sample No: 10297897007

ProjSampleNum: 10297897007

Date Collected: 02/24/15 23:35

Client Sample ID: PH Basement (Indoor Air)

Matrix: Air

Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.065	ppbv	0.27	1.34	03/06/15 0:57 AH2	156-59-2	
Tetrachloroethene	0.42	ppbv	0.26	1.34	03/06/15 0:57 AH2	127-18-4	
trans-1,2-Dichloroethene	<0.055	ppbv	0.27	1.34	03/06/15 0:57 AH2	156-60-5	
Trichloroethene	0.31	ppbv	0.27	1.34	03/06/15 0:57 AH2	79-01-6	
Vinyl chloride	<0.046	ppbv	0.27	1.34	03/06/15 0:57 AH2	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
 Phone: (920)374-2034

Lab Sample No: 10297897008
 Client Sample ID: Dup #1

ProjSampleNum: 10297897008
 Matrix: Air

Lab Project Number: 10297897
 Project Name: 421-37409 United Dry Cleaners

Date Collected: 02/24/15 0:00
 Date Received: 02/26/15 10:25

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
Air							
TO-15							
cis-1,2-Dichloroethene	<0.079	ppbv	0.32	1.61	03/08/15 9:27 MJL	156-59-2	
Tetrachloroethene	<0.044	ppbv	0.16	1.61	03/08/15 9:27 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.065	ppbv	0.32	1.61	03/08/15 9:27 MJL	156-60-5	
Trichloroethene	<0.053	ppbv	0.16	1.61	03/08/15 9:27 MJL	79-01-6	
Vinyl chloride	<0.058	ppbv	0.16	1.61	03/08/15 9:27 MJL	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Units Conversion Request



Pace Analytical Services, Inc.
1700 Elm Street – Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10297897
Project Name: 421-37409 United Dry Cleaners

PARAMETER FOOTNOTES

SUPPLEMENTAL REPORT

Units Conversion Request

Date: 3/10/2015

Page 9

September 17, 2015

Mr. Mark McColloch
Shannon & Wilson, Inc.
2110 Luann Lane
Suite 101
Madison, WI 53713


RE: Project: 42-1-37409 United Dry Cleaners
Pace Project No.: 10320614

Dear Mr. McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on September 02, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409 United Dry Cleaners
 Pace Project No.: 10320614

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414	Minnesota Certification #: 027-053-137
A2LA Certification #: 2926.01	Mississippi Certification #: Pace
Alaska Certification #: UST-078	Montana Certification #: MT0092
Alaska Certification #MN00064	Nevada Certification #: MN_00064
Alabama Certification #40770	Nebraska Certification #: Pace
Arizona Certification #: AZ-0014	New Jersey Certification #: MN-002
Arkansas Certification #: 88-0680	New York Certification #: 11647
California Certification #: 01155CA	North Carolina Certification #: 530
Colorado Certification #Pace	North Carolina State Public Health #: 27700
Connecticut Certification #: PH-0256	North Dakota Certification #: R-036
EPA Region 8 Certification #: 8TMS-L	Ohio EPA #: 4150
Florida/NELAP Certification #: E87605	Ohio VAP Certification #: CL101
Guam Certification #:14-008r	Oklahoma Certification #: 9507
Georgia Certification #: 959	Oregon Certification #: MN200001
Georgia EPD #: Pace	Oregon Certification #: MN300001
Idaho Certification #: MN00064	Pennsylvania Certification #: 68-00563
Hawaii Certification #MN00064	Puerto Rico Certification
Illinois Certification #: 200011	Saipan (CNMI) #:MP0003
Indiana Certification#C-MN-01	South Carolina #:74003001
Iowa Certification #: 368	Texas Certification #: T104704192
Kansas Certification #: E-10167	Tennessee Certification #: 02818
Kentucky Dept of Envi. Protection - DW #90062	Utah Certification #: MN000642013-4
Kentucky Dept of Envi. Protection - WW #:90062	Virginia DGS Certification #: 251
Louisiana DEQ Certification #: 3086	Washington Certification #: C486
Louisiana DHH #: LA140001	West Virginia Certification #: 382
Maine Certification #: 2013011	West Virginia DHHR #:9952C
Maryland Certification #: 322	Wisconsin Certification #: 999407970
Michigan DEPH Certification #: 9909	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409 United Dry Cleaners
 Pace Project No.: 10320614

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10320614001	Background	Air	08/31/15 18:00	09/02/15 10:05
10320614002	Indoor Air	Air	08/31/15 22:40	09/02/15 10:05
10320614003	SGP-1	Air	08/31/15 17:10	09/02/15 10:05
10320614004	SGP-2	Air	08/31/15 17:25	09/02/15 10:05
10320614005	SGP-3	Air	08/31/15 17:25	09/02/15 10:05
10320614006	VP-5	Air	09/01/15 10:45	09/02/15 10:05
10320614007	VP-6	Air	09/01/15 11:25	09/02/15 10:05
10320614008	VP-7	Air	09/01/15 11:25	09/02/15 10:05
10320614009	Dup #1	Air	09/01/15 10:45	09/02/15 10:05

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409 United Dry Cleaners
Pace Project No.: 10320614

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10320614001	Background	TO-15	DR1	5	PASI-M
10320614002	Indoor Air	TO-15	DR1	5	PASI-M
10320614003	SGP-1	TO-15	DR1	5	PASI-M
10320614004	SGP-2	TO-15	DR1	5	PASI-M
10320614005	SGP-3	TO-15	DR1	5	PASI-M
10320614006	VP-5	TO-15	DR1	5	PASI-M
10320614007	VP-6	TO-15	DR1	5	PASI-M
10320614008	VP-7	TO-15	DR1	5	PASI-M
10320614009	Dup #1	TO-15	DR1	5	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 United Dry Cleaners

Pace Project No.: 10320614

Sample: Background		Lab ID: 10320614001		Collected: 08/31/15 18:00		Received: 09/02/15 10:05		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
cis-1,2-Dichloroethene	<0.085	ppbv	0.28	0.085	1.39		09/14/15 16:03	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.28	0.13	1.39		09/14/15 16:03	156-60-5	
Tetrachloroethene	<0.056	ppbv	0.14	0.056	1.39		09/14/15 16:03	127-18-4	
Trichloroethene	<0.070	ppbv	0.14	0.070	1.39		09/14/15 16:03	79-01-6	
Vinyl chloride	<0.10	ppbv	0.14	0.10	1.39		09/14/15 16:03	75-01-4	
Sample: Indoor Air		Lab ID: 10320614002		Collected: 08/31/15 22:40		Received: 09/02/15 10:05		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
cis-1,2-Dichloroethene	<0.082	ppbv	0.27	0.082	1.34		09/14/15 16:32	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	0.13	1.34		09/14/15 16:32	156-60-5	
Tetrachloroethene	3.8	ppbv	0.13	0.054	1.34		09/14/15 16:32	127-18-4	IS
Trichloroethene	0.69	ppbv	0.13	0.068	1.34		09/14/15 16:32	79-01-6	IS
Vinyl chloride	<0.10	ppbv	0.13	0.10	1.34		09/14/15 16:32	75-01-4	
Sample: SGP-1		Lab ID: 10320614003		Collected: 08/31/15 17:10		Received: 09/02/15 10:05		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
cis-1,2-Dichloroethene	<0.082	ppbv	0.27	0.082	1.34		09/14/15 17:00	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	0.13	1.34		09/14/15 17:00	156-60-5	
Tetrachloroethene	19.9	ppbv	0.13	0.054	1.34		09/14/15 17:00	127-18-4	
Trichloroethene	0.13J	ppbv	0.13	0.068	1.34		09/14/15 17:00	79-01-6	
Vinyl chloride	<0.10	ppbv	0.13	0.10	1.34		09/14/15 17:00	75-01-4	
Sample: SGP-2		Lab ID: 10320614004		Collected: 08/31/15 17:25		Received: 09/02/15 10:05		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15							
cis-1,2-Dichloroethene	<0.085	ppbv	0.28	0.085	1.39		09/14/15 17:29	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.28	0.13	1.39		09/14/15 17:29	156-60-5	
Tetrachloroethene	45.1	ppbv	0.14	0.056	1.39		09/14/15 17:29	127-18-4	
Trichloroethene	<0.070	ppbv	0.14	0.070	1.39		09/14/15 17:29	79-01-6	
Vinyl chloride	<0.10	ppbv	0.14	0.10	1.39		09/14/15 17:29	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 United Dry Cleaners

Pace Project No.: 10320614

Sample: SGP-3	Lab ID: 10320614005	Collected: 08/31/15 17:25	Received: 09/02/15 10:05	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.085	ppbv	0.28	0.085	1.39		09/14/15 17:58	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.28	0.13	1.39		09/14/15 17:58	156-60-5	
Tetrachloroethene	49.9	ppbv	0.70	0.28	6.95		09/15/15 18:20	127-18-4	C0,IS
Trichloroethene	0.081J	ppbv	0.14	0.070	1.39		09/14/15 17:58	79-01-6	
Vinyl chloride	<0.10	ppbv	0.14	0.10	1.39		09/14/15 17:58	75-01-4	
Sample: VP-5	Lab ID: 10320614006	Collected: 09/01/15 10:45	Received: 09/02/15 10:05	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.085	ppbv	0.28	0.085	1.39		09/14/15 18:56	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.28	0.13	1.39		09/14/15 18:56	156-60-5	
Tetrachloroethene	22.1	ppbv	0.14	0.056	1.39		09/14/15 18:56	127-18-4	
Trichloroethene	<0.070	ppbv	0.14	0.070	1.39		09/14/15 18:56	79-01-6	
Vinyl chloride	<0.10	ppbv	0.14	0.10	1.39		09/14/15 18:56	75-01-4	
Sample: VP-6	Lab ID: 10320614007	Collected: 09/01/15 11:25	Received: 09/02/15 10:05	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.082	ppbv	0.27	0.082	1.34		09/14/15 19:24	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	0.13	1.34		09/14/15 19:24	156-60-5	
Tetrachloroethene	5.7	ppbv	0.13	0.054	1.34		09/14/15 19:24	127-18-4	
Trichloroethene	<0.068	ppbv	0.13	0.068	1.34		09/14/15 19:24	79-01-6	
Vinyl chloride	<0.10	ppbv	0.13	0.10	1.34		09/14/15 19:24	75-01-4	
Sample: VP-7	Lab ID: 10320614008	Collected: 09/01/15 11:25	Received: 09/02/15 10:05	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.41	ppbv	1.3	0.41	6.7		09/15/15 17:56	156-59-2	
trans-1,2-Dichloroethene	<0.64	ppbv	1.3	0.64	6.7		09/15/15 17:56	156-60-5	
Tetrachloroethene	48.9	ppbv	0.67	0.27	6.7		09/15/15 17:56	127-18-4	IS
Trichloroethene	<0.34	ppbv	0.67	0.34	6.7		09/15/15 17:56	79-01-6	
Vinyl chloride	<0.50	ppbv	0.67	0.50	6.7		09/15/15 17:56	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409 United Dry Cleaners
Pace Project No.: 10320614

Sample: Dup #1	Lab ID: 10320614009	Collected: 09/01/15 10:45	Received: 09/02/15 10:05	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.085	ppbv	0.28	0.085	1.39		09/14/15 20:50	156-59-2	
trans-1,2-Dichloroethene	<0.13	ppbv	0.28	0.13	1.39		09/14/15 20:50	156-60-5	
Tetrachloroethene	22.9	ppbv	0.14	0.056	1.39		09/14/15 20:50	127-18-4	
Trichloroethene	<0.070	ppbv	0.14	0.070	1.39		09/14/15 20:50	79-01-6	
Vinyl chloride	<0.10	ppbv	0.14	0.10	1.39		09/14/15 20:50	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 United Dry Cleaners

Pace Project No.: 10320614

QC Batch:	AIR/24127	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR
Associated Lab Samples:	10320614001, 10320614002, 10320614003, 10320614004, 10320614005, 10320614006, 10320614007, 10320614009		

METHOD BLANK: 2076900 Matrix: Air

Associated Lab Samples: 10320614001, 10320614002, 10320614003, 10320614004, 10320614005, 10320614006, 10320614007, 10320614009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ppbv	<0.061	0.20	09/14/15 12:33	
Tetrachloroethene	ppbv	<0.040	0.10	09/14/15 12:33	
trans-1,2-Dichloroethene	ppbv	<0.095	0.20	09/14/15 12:33	
Trichloroethene	ppbv	<0.050	0.10	09/14/15 12:33	
Vinyl chloride	ppbv	<0.075	0.10	09/14/15 12:33	

LABORATORY CONTROL SAMPLE: 2076901

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ppbv	10	11.8	118	64-137	
Tetrachloroethene	ppbv	10	11.9	119	66-137	
trans-1,2-Dichloroethene	ppbv	10	12.0	120	61-140	
Trichloroethene	ppbv	10	11.7	117	70-134	
Vinyl chloride	ppbv	10	10.7	107	72-129	

SAMPLE DUPLICATE: 2077638

Parameter	Units	10320614005 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ppbv	<0.085	<0.085		25	
Tetrachloroethene	ppbv	49.9	50.0	0	25	E,IS
trans-1,2-Dichloroethene	ppbv	<0.13	<0.13		25	
Trichloroethene	ppbv	0.081J	0.072J		25	
Vinyl chloride	ppbv	<0.10	<0.10		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409 United Dry Cleaners

Pace Project No.: 10320614

QC Batch:	AIR/24137	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR
Associated Lab Samples:	10320614008		

METHOD BLANK: 2077639 Matrix: Air

Associated Lab Samples: 10320614008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ppbv	<0.061	0.20	09/15/15 11:23	
Tetrachloroethene	ppbv	<0.040	0.10	09/15/15 11:23	
trans-1,2-Dichloroethene	ppbv	<0.095	0.20	09/15/15 11:23	
Trichloroethene	ppbv	<0.050	0.10	09/15/15 11:23	
Vinyl chloride	ppbv	<0.075	0.10	09/15/15 11:23	

LABORATORY CONTROL SAMPLE: 2077640

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ppbv	10	12.2	122	64-137	
Tetrachloroethene	ppbv	10	12.4	124	66-137	
trans-1,2-Dichloroethene	ppbv	10	12.6	126	61-140	
Trichloroethene	ppbv	10	12.3	123	70-134	
Vinyl chloride	ppbv	10	11.0	110	72-129	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409 United Dry Cleaners
Pace Project No.: 10320614

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

ANALYTE QUALIFIERS

C0 Result confirmed by second analysis.

E Analyte concentration exceeded the calibration range. The reported result is estimated.

IS The internal standard recovery associated with this result exceeds the lower control limit. The reported result should be considered an estimated value.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409 United Dry Cleaners
Pace Project No.: 10320614

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10320614001	Background	TO-15	AIR/24127		
10320614002	Indoor Air	TO-15	AIR/24127		
10320614003	SGP-1	TO-15	AIR/24127		
10320614004	SGP-2	TO-15	AIR/24127		
10320614005	SGP-3	TO-15	AIR/24127		
10320614006	VP-5	TO-15	AIR/24127		
10320614007	VP-6	TO-15	AIR/24127		
10320614008	VP-7	TO-15	AIR/24137		
10320614009	Dup #1	TO-15	AIR/24127		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

10320614

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



1700 Elm Street SE, Suite 200, Minneapolis, MN 55414 Air Technical Phone: 612.607.6386



Document Name:
Air Sample Condition Upon Receipt
Document No.:
F-MN-A-106-rev.10

Document Revised: 29June2015
Page 1 of 1
Issuing Authority:
Pace Minnesota Quality Office

Air Sample Condition
Upon Receipt

Client Name:

Shannon + Wilson

Project #:

WO# : 10320614



10320614

Courier: Fed Ex UPS Speedee Client
 Commercial Pace Other: _____

Tracking Number: 774417029465, 774417029466, 774417137221

Custody Seal on Cooler/Box Present? Yes No

Seals Intact? Yes No

Optional: Proj. Due Date: Proj. Name:

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: _____ Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C): Thermom. Used: B88A912167504
 B88A9132521491

Temp should be above freezing to 6°C Correction Factor: Date & Initials of Person Examining Contents: *✓ 9215*

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Containers Intact?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Media: <i>Air Can</i> Airbag Filter TDT Passive				11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	12. <i>LOC says VP-6 tag says SG-P-6</i>

Samples Received:

Canisters			Canisters		
Sample Number	Can ID	Flow Controller ID	Sample Number	Can ID	Flow Controller ID
Background	1651	0334			
indoor air	0372	0322			
SGP - 1	0628	0733			
SGP - 2	0022	0690			
SGP - 3	0189	0681			
VP - 5	0817	0913			
VP - 6	0620	0992			
VP - 7	1588	0580			
Dup#1	0327	0913			

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Manager Review: *JWB*

Date: *9/3/15*

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

February 26, 2016

Mr. Mark McColloch
Shannon & Wilson, Inc.
2110 Luann Lane
Suite 101
Madison, WI 53713


RE: Project: 42-1-37409-001 UNITED DRY CLEA
Pace Project No.: 10339172

Dear Mr. McColloch:

Enclosed are the analytical results for sample(s) received by the laboratory on February 19, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carolynne Trout
carolynne.trout@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

CERTIFICATIONS

Project: 42-1-37409-001 UNITED DRY CLEA
 Pace Project No.: 10339172

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414
 525 N 8th Street, Salina, KS 67401
 A2LA Certification #: 2926.01
 Alaska Certification #: UST-078
 Alaska Certification #MN00064
 Alabama Certification #40770
 Arizona Certification #: AZ-0014
 Arkansas Certification #: 88-0680
 California Certification #: 01155CA
 Colorado Certification #Pace
 Connecticut Certification #: PH-0256
 EPA Region 8 Certification #: 8TMS-L
 Florida/NELAP Certification #: E87605
 Guam Certification #:14-008r
 Georgia Certification #: 959
 Georgia EPD #: Pace
 Idaho Certification #: MN00064
 Hawaii Certification #MN00064
 Illinois Certification #: 200011
 Indiana Certification#C-MN-01
 Iowa Certification #: 368
 Kansas Certification #: E-10167
 Kentucky Dept of Envi. Protection - DW #90062
 Kentucky Dept of Envi. Protection - WW #:90062
 Louisiana DEQ Certification #: 3086
 Louisiana DHH #: LA140001
 Maine Certification #: 2013011
 Maryland Certification #: 322
 Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137
 Mississippi Certification #: Pace
 Montana Certification #: MT0092
 Nevada Certification #: MN_00064
 Nebraska Certification #: Pace
 New Jersey Certification #: MN-002
 New York Certification #: 11647
 North Carolina Certification #: 530
 North Carolina State Public Health #: 27700
 North Dakota Certification #: R-036
 Ohio EPA #: 4150
 Ohio VAP Certification #: CL101
 Oklahoma Certification #: 9507
 Oregon Certification #: MN200001
 Oregon Certification #: MN300001
 Pennsylvania Certification #: 68-00563
 Puerto Rico Certification
 Saipan (CNMI) #:MP0003
 South Carolina #:74003001
 Texas Certification #: T104704192
 Tennessee Certification #: 02818
 Utah Certification #: MN000642013-4
 Virginia DGS Certification #: 251
 Virginia/VELAP Certification #: Pace
 Washington Certification #: C486
 West Virginia Certification #: 382
 West Virginia DHHR #:9952C
 Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 42-1-37409-001 UNITED DRY CLEA

Pace Project No.: 10339172

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10339172001	INDOOR AIR	Air	02/17/16 22:15	02/19/16 11:00
10339172002	VP-5	Air	02/18/16 00:00	02/19/16 11:00
10339172003	VP-6	Air	02/17/16 10:30	02/19/16 11:00
10339172004	VP-7	Air	02/17/16 10:38	02/19/16 11:00
10339172005	DUP# 1	Air	02/18/16 10:18	02/19/16 11:00
10339172006	BACK GROUND	Air	02/17/16 22:30	02/19/16 11:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 42-1-37409-001 UNITED DRY CLEA
Pace Project No.: 10339172

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10339172001	INDOOR AIR	TO-15	NCK	5
10339172002	VP-5	TO-15	NCK	5
10339172003	VP-6	TO-15	NCK	5
10339172004	VP-7	TO-15	NCK	5
10339172005	DUP# 1	TO-15	NCK	5
10339172006	BACK GROUND	TO-15	NCK	5

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLEA

Pace Project No.: 10339172

Sample: INDOOR AIR		Lab ID: 10339172001		Collected: 02/17/16 22:15		Received: 02/19/16 11:00		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.33	ug/m3	1.1	0.33	1.34		02/22/16 23:12	156-59-2	
trans-1,2-Dichloroethene	<0.51	ug/m3	1.1	0.51	1.34		02/22/16 23:12	156-60-5	
Tetrachloroethene	3.5	ug/m3	0.92	0.37	1.34		02/22/16 23:12	127-18-4	
Trichloroethene	<0.37	ug/m3	0.74	0.37	1.34		02/22/16 23:12	79-01-6	
Vinyl chloride	<0.26	ug/m3	0.35	0.26	1.34		02/22/16 23:12	75-01-4	
Sample: VP-5		Lab ID: 10339172002		Collected: 02/18/16 00:00		Received: 02/19/16 11:00		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.33	ug/m3	1.1	0.33	1.34		02/22/16 23:43	156-59-2	
trans-1,2-Dichloroethene	<0.51	ug/m3	1.1	0.51	1.34		02/22/16 23:43	156-60-5	
Tetrachloroethene	3.6	ug/m3	0.92	0.37	1.34		02/23/16 15:43	127-18-4	
Trichloroethene	<0.37	ug/m3	0.74	0.37	1.34		02/22/16 23:43	79-01-6	
Vinyl chloride	<0.26	ug/m3	0.35	0.26	1.34		02/22/16 23:43	75-01-4	
Sample: VP-6		Lab ID: 10339172003		Collected: 02/17/16 10:30		Received: 02/19/16 11:00		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.33	ug/m3	1.1	0.33	1.34		02/23/16 00:11	156-59-2	
trans-1,2-Dichloroethene	<0.51	ug/m3	1.1	0.51	1.34		02/23/16 00:11	156-60-5	
Tetrachloroethene	1.8	ug/m3	0.92	0.37	1.34		02/23/16 00:11	127-18-4	
Trichloroethene	<0.37	ug/m3	0.74	0.37	1.34		02/23/16 00:11	79-01-6	
Vinyl chloride	<0.26	ug/m3	0.35	0.26	1.34		02/23/16 00:11	75-01-4	
Sample: VP-7		Lab ID: 10339172004		Collected: 02/17/16 10:38		Received: 02/19/16 11:00		Matrix: Air	
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.33	ug/m3	1.1	0.33	1.34		02/23/16 00:41	156-59-2	
trans-1,2-Dichloroethene	<0.51	ug/m3	1.1	0.51	1.34		02/23/16 00:41	156-60-5	
Tetrachloroethene	216	ug/m3	27.5	11.1	39.93		02/24/16 13:10	127-18-4	
Trichloroethene	<0.37	ug/m3	0.74	0.37	1.34		02/23/16 00:41	79-01-6	
Vinyl chloride	<0.26	ug/m3	0.35	0.26	1.34		02/23/16 00:41	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 42-1-37409-001 UNITED DRY CLEA
Pace Project No.: 10339172

Sample: DUP# 1	Lab ID: 10339172005	Collected: 02/18/16 10:18	Received: 02/19/16 11:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.33	ug/m3	1.1	0.33	1.34		02/23/16 01:08	156-59-2	
trans-1,2-Dichloroethene	<0.51	ug/m3	1.1	0.51	1.34		02/23/16 01:08	156-60-5	
Tetrachloroethene	4.0	ug/m3	0.92	0.37	1.34		02/23/16 01:08	127-18-4	
Trichloroethene	<0.37	ug/m3	0.74	0.37	1.34		02/23/16 01:08	79-01-6	
Vinyl chloride	<0.26	ug/m3	0.35	0.26	1.34		02/23/16 01:08	75-01-4	

Sample: BACK GROUND	Lab ID: 10339172006	Collected: 02/17/16 22:30	Received: 02/19/16 11:00	Matrix: Air					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR - Ambient	Analytical Method: TO-15								
cis-1,2-Dichloroethene	<0.33	ug/m3	1.1	0.33	1.34		02/23/16 01:36	156-59-2	
trans-1,2-Dichloroethene	<0.51	ug/m3	1.1	0.51	1.34		02/23/16 01:36	156-60-5	
Tetrachloroethene	2.2	ug/m3	0.92	0.37	1.34		02/23/16 01:36	127-18-4	
Trichloroethene	1.8	ug/m3	0.74	0.37	1.34		02/23/16 01:36	79-01-6	
Vinyl chloride	<0.26	ug/m3	0.35	0.26	1.34		02/23/16 01:36	75-01-4	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 42-1-37409-001 UNITED DRY CLEA

Pace Project No.: 10339172

QC Batch: AIR/25283

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR - AMBIENT

Associated Lab Samples: 10339172001, 10339172002, 10339172003, 10339172004, 10339172005, 10339172006

METHOD BLANK: 2196572

Matrix: Air

Associated Lab Samples: 10339172001, 10339172002, 10339172003, 10339172004, 10339172005, 10339172006

Parameter	Units	Blank	Reporting	Analyzed	Qualifiers
		Result	Limit		
cis-1,2-Dichloroethene	ug/m3	<0.25	0.81	02/22/16 12:34	
Tetrachloroethene	ug/m3	<0.28	0.69	02/22/16 12:34	
trans-1,2-Dichloroethene	ug/m3	<0.38	0.81	02/22/16 12:34	
Trichloroethene	ug/m3	<0.28	0.55	02/22/16 12:34	
Vinyl chloride	ug/m3	<0.20	0.26	02/22/16 12:34	

LABORATORY CONTROL SAMPLE: 2196573

Parameter	Units	Spike	LCS	LCS	% Rec	Qualifiers
		Conc.	Result	% Rec	Limits	
cis-1,2-Dichloroethene	ug/m3	43.5	48.2	111	65-139	
Tetrachloroethene	ug/m3	72.4	85.8	119	60-142	
trans-1,2-Dichloroethene	ug/m3	41.1	47.8	116	67-137	
Trichloroethene	ug/m3	57.4	67.4	118	60-144	
Vinyl chloride	ug/m3	26.5	33.7	127	63-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,

without the written consent of Pace Analytical Services, Inc..

QUALIFIERS

Project: 42-1-37409-001 UNITED DRY CLEA
Pace Project No.: 10339172

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor and percent moisture.

LOQ - Limit of Quantitation adjusted for dilution factor and percent moisture.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 42-1-37409-001 UNITED DRY CLEA
 Pace Project No.: 10339172

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10339172001	INDOOR AIR	TO-15	AIR/25283		
10339172002	VP-5	TO-15	AIR/25283		
10339172003	VP-6	TO-15	AIR/25283		
10339172004	VP-7	TO-15	AIR/25283		
10339172005	DUP# 1	TO-15	AIR/25283		
10339172006	BACK GROUND	TO-15	AIR/25283		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, Inc..



AIR

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10339172

AIR: CHAIN-OF-CUSTODY / Analytical Request Document

Section A

Required Client Information:

Section B
Required Project Information:

Section C

22089

Page: 1 of 1



Document Name:
Air Sample Condition Upon Receipt
Document No.:
F-MN-A-106-rev.10

Document Revised: 29June2015
Page 1 of 1
Issuing Authority:
Pace Minnesota Quality Office

**Air Sample Condition
Upon Receipt**

Client Name:

Shannon + wilson

Project #:

WO# : 10339172



10339172

Courier: Fed Ex UPS Speedee Client
 Commercial Pace Other:

Tracking Number: 7756 S806 5476, 7756 S891 0185

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: Proj. Name:

Packing Material: Bubble Wrap Bubble Bags Foam None Tin Can Other: Temp Blank rec: Yes No

Temp. (TO17 and TO13 samples only) (°C): 10 Corrected Temp (°C): 10 Thermom. Used: B88A912167504 72337080
 B88A9132521491 80512447

Temp should be above freezing to 6°C Correction Factor: 0 Date & Initials of Person Examining Contents: DCL1916

Type of ice Received Blue Wet None

Comments:

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	9.
-Pace Containers Used?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	
Containers Intact?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	10.
Media: <input checked="" type="checkbox"/> Air Can <input type="checkbox"/> Airbag <input type="checkbox"/> Filter TDT Passive				11.
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A	12.

Samples Received:

Canisters			Canisters		
Sample Number	Can ID	Flow Controller ID	Sample Number	Can ID	Flow Controller ID
indoor	0971	0002			
VPS	2297	0811			
VP-6	2678	0679			
VP-7	2749	0984			
Duft 1	2722	0811			
background	2089	0029			

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____

Project Manager Review: *Amo*

Date: *2/22/16*

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

Lab Sample No: 10339172001 ProjSampleNum: 10339172001 Date Collected: 02/17/16 22:15
Client Sample ID: INDOOR AIR Matrix: Air Date Received: 02/19/16 11:00

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	<0.082	ppbv	0.27	1.34	02/22/16 23:12	NCK	156-59-2
Tetrachloroethene	0.51	ppbv	0.13	1.34	02/22/16 23:12	NCK	127-18-4
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	1.34	02/22/16 23:12	NCK	156-60-5
Trichloroethene	<0.068	ppbv	0.14	1.34	02/22/16 23:12	NCK	79-01-6
Vinyl chloride	<0.1	ppbv	0.13	1.34	02/22/16 23:12	NCK	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

Lab Sample No: 10339172002 ProjSampleNum: 10339172002 Date Collected: 02/18/16 0:00
Client Sample ID: VP-5 Matrix: Air Date Received: 02/19/16 11:00

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	<0.082	ppbv	0.27	1.34	02/22/16 23:43	NCK	156-59-2
Tetrachloroethene	0.52	ppbv	0.13	1.34	02/23/16 15:43	NCK	127-18-4
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	1.34	02/22/16 23:43	NCK	156-60-5
Trichloroethene	<0.068	ppbv	0.14	1.34	02/22/16 23:43	NCK	79-01-6
Vinyl chloride	<0.1	ppbv	0.13	1.34	02/22/16 23:43	NCK	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Date: 2/26/2016

Units Conversion Request

Page 2



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

Lab Sample No:	10339172003	ProjSampleNum:	10339172003	Date Collected:	02/17/16 10:30
Client Sample ID:	VP-6	Matrix:	Air	Date Received:	02/19/16 11:00

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	<0.082	ppbv	0.27	1.34	02/23/16 0:11	NCK	156-59-2
Tetrachloroethene	0.26	ppbv	0.13	1.34	02/23/16 0:11	NCK	127-18-4
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	1.34	02/23/16 0:11	NCK	156-60-5
Trichloroethene	<0.068	ppbv	0.14	1.34	02/23/16 0:11	NCK	79-01-6
Vinyl chloride	<0.1	ppbv	0.13	1.34	02/23/16 0:11	NCK	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Date: 2/26/2016

Units Conversion Request

Page 3



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

Lab Sample No: 10339172004 ProjSampleNum: 10339172004 Date Collected: 02/17/16 10:38
Client Sample ID: VP-7 Matrix: Air Date Received: 02/19/16 11:00

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	<0.082	ppbv	0.27	1.34	02/23/16 0:41	NCK	156-59-2
Tetrachloroethene	31.3	ppbv	4	39.93	02/24/16 13:10	NCK	127-18-4
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	1.34	02/23/16 0:41	NCK	156-60-5
Trichloroethene	<0.068	ppbv	0.14	1.34	02/23/16 0:41	NCK	79-01-6
Vinyl chloride	<0.1	ppbv	0.13	1.34	02/23/16 0:41	NCK	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Date: 2/26/2016

Units Conversion Request

Page 4



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

Lab Sample No:	10339172005	ProjSampleNum:	10339172005	Date Collected:	02/18/16 10:18
Client Sample ID:	DUP# 1	Matrix:	Air	Date Received:	02/19/16 11:00

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	<0.082	ppbv	0.27	1.34	02/23/16 1:08	NCK	156-59-2
Tetrachloroethene	0.58	ppbv	0.13	1.34	02/23/16 1:08	NCK	127-18-4
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	1.34	02/23/16 1:08	NCK	156-60-5
Trichloroethene	<0.068	ppbv	0.14	1.34	02/23/16 1:08	NCK	79-01-6
Vinyl chloride	<0.1	ppbv	0.13	1.34	02/23/16 1:08	NCK	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Date: 2/26/2016

Units Conversion Request

Page 5



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

Lab Sample No: 10339172006 ProjSampleNum: 10339172006 Date Collected: 02/17/16 22:30
Client Sample ID: BACK GROUND Matrix: Air Date Received: 02/19/16 11:00

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

Air

TO-15

cis-1,2-Dichloroethene	<0.082	ppbv	0.27	1.34	02/23/16 1:36	NCK	156-59-2
Tetrachloroethene	0.32	ppbv	0.13	1.34	02/23/16 1:36	NCK	127-18-4
trans-1,2-Dichloroethene	<0.13	ppbv	0.27	1.34	02/23/16 1:36	NCK	156-60-5
Trichloroethene	0.33	ppbv	0.14	1.34	02/23/16 1:36	NCK	79-01-6
Vinyl chloride	<0.1	ppbv	0.13	1.34	02/23/16 1:36	NCK	75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT

Date: 2/26/2016

Units Conversion Request

Page 6



Pace Analytical Services, Inc.
1700 Elm Street - Suite 200
Minneapolis, MN 55414
Phone: 612.607.1700
Fax: 612.607.6444

ANALYTICAL RESULTS

Client: Shannon & Wilson, Inc.
Phone: (920)374-2034

Lab Project Number: 10339172
Project Name: 42-1-37409-001 UNITED DRY C

PARAMETER FOOTNOTES

SUPPLEMENTAL REPORT

Units Conversion Request

Date: 2/26/2016

Page 7