

August 28, 2017

Remediation and Redevelopment Program  
Wisconsin Department of Natural Resources  
2984 Shawano Avenue  
P.O. Box 10448  
Green Bay, Wisconsin 54307-0448

Attn: Tauren R. Beggs

**RE: WDNR BRRTS No. 02-36-544383**  
**Well Abandonment Documentation**  
**United Laundries and Dry Cleaners, Inc. 623 Reed Avenue, Manitowoc, Wisconsin**

Dear Mr. Beggs:

Please find enclosed well abandonment forms for monitoring wells MW-1 through MW-10 and soil vapor extraction wells VE-1, VE-2, SVE-1, and SVE-2. All wells were abandoned on August 24<sup>th</sup> and 25<sup>th</sup>, 2017 in accordance with Wisconsin Administrative Code NR 141 requirements. All flush mount wells casings were removed and the pavement at SVE-1, SVE-2, MW-1, MW-2, MW-3, MW-4, and MW-5 was patched with cement. Topsoil and native soil were placed at the remaining wells.

All vapor probes were also abandoned. Sub-floor probes VP-1 through VP-7 were removed and the concrete floor was patched with cement caulk. Exterior probes SGP-1, SGP-2, and SGP-3 along with their flush mount well casings were also removed.

Please contact me at (608) 442-5223 if you have any questions.

Sincerely,

**SHANNON & WILSON, INC.**



Mark S. McColloch, P.G.  
Senior Associate

cc: Steve Hamann, Zenith Properties LLC

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_


<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
MW-1							Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location				Present Well Owner			
Feet		Feet		<input type="checkbox"/> Local Grid Origin		Original Well Owner	
<input type="checkbox"/> N		<input type="checkbox"/> E		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		United Dry Cleaners	
<input type="checkbox"/> S		<input type="checkbox"/> W					
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
				623 Reed Avenue			
Reason For Abandonment				WI Unique Well No of Replacement Well			
Case Closure				NA			

<b>3. Well / Drillhole / Borehole Information</b>			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date	
<input type="checkbox"/> Water Well		January 25, 2006	
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.	
Construction Type:			
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)	
<input type="checkbox"/> Other (specify):		Geoprobe direct push	
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)	
57.0		2.0	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)	
2.0		57 (well screen 47 to 57 ft.)	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet)	
41		50	

<b>5. Material Used To Fill Well / Drillhole</b>				
	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Cement patch	0	0.5	0.5 bag	
Bentonite slurry	0.5	57	15 gallons	5 lbs. / gallon

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received	Noted By
Dustin Harvey/On-site Environmental Services		August 24, 2017			
Street or Route		Telephone Number		Comments	
PO Box 280		608-837-8992			
City	State	Zip Code	Signature of Person Doing Work		Date Signed
Sun Prairie	WI	53590	 for D. Harvey		8/27/2017

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**

Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
MW-2							Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location				Present Well Owner			
Feet		Feet		<input type="checkbox"/> Local Grid Origin		Original Well Owner	
<input type="checkbox"/> N		<input type="checkbox"/> E		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		United Dry Cleaners	
<input type="checkbox"/> S		<input type="checkbox"/> W		Street Address or Route of Owner			
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
				623 Reed Avenue			
Reason For Abandonment				WI Unique Well No of Replacement Well			
Case Closure				NA			

<b>3. Well / Drillhole / Borehole Information</b>			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date	
<input type="checkbox"/> Water Well		March 13, 2007	
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.	
Construction Type:			
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)	<input type="checkbox"/> Dug
<input type="checkbox"/> Other (specify): Geoprobe direct push			
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock	
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)	
55.0		2.0	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)	
2.0		55 (well screen 45 to 55 ft.)	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet)	
41		50	

<b>5. Material Used To Fill Well / Drillhole</b>			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
0	0.5	0.5 bag	
Cement patch			
0.5	55	14 gallons	5 lbs. / gallon
Bentonite slurry			

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received	Noted By
Dustin Harvey/On-site Environmental Services		August 24, 2017			
Street or Route		Telephone Number		Comments	
PO Box 280		608-837-8992			
City	State	Zip Code	Signature of Person Doing Work		Date Signed
Sun Prairie	WI	53590	for D. Harvey		8/27/2017

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

**1. General Information**      **2. Facility Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County <b>Manitowoc</b>		Facility Name <b>United Cleaners &amp; Laundries</b>					
Common Well Name <b>MW-3</b>				Govt Lot # (if applicable)		Facility ID		License/Permit/Monitoring No.		City, Village or Town <b>Manitowoc, WI</b>	
1/4 / 1/4 <b>NW</b>	1/4 <b>SW</b>	Section <b>17</b>	Township <b>19 N</b>	Range <b>24</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well <b>United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI</b>					
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S			<input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location			Present Well Owner <b>United Dry Cleaners</b>			Original Well Owner <b>United Dry Cleaners</b>		
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC			Street Address or Route of Owner <b>623 Reed Avenue</b>					
Reason For Abandonment <b>Case Closure</b>			WI Unique Well No of Replacement Well <b>NA</b>			City <b>Manitowoc</b>		State <b>WI</b>		Zip Code <b>54220</b>	

<b>3. Well / Drillhole / Borehole Information</b>			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date <b>March 12, 2007</b>	
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): <b>Geoprobe direct push</b>			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Were bentonite chips hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A

Total Well Depth From Ground Surface (ft.) <b>55.0</b>	Casing Diameter (in.) <b>2.0</b>	Required Method of Placing Sealing Material	
Lower Drillhole Diameter (in.) <b>2.0</b>	Casing Depth (ft.) <b>55 (well screen 45 to 55 ft.)</b>	<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe Pumped
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Screened and Poured (Bent. Chips)	<input type="checkbox"/> Other (Explain):

If yes, to what depth (feet)? <b>41</b>	Depth to Water (feet) <b>50</b>	Sealing Materials	
		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)
		<input type="checkbox"/> Sand - Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite - Slurry
		<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:	
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout
<input type="checkbox"/> Granular Bentonite	<input checked="" type="checkbox"/> Bentonite - Slurry

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Cement patch	0	0.5	0.5 bag	
Bentonite slurry	0.5	55	14 gallons	5 lbs. / gallon

**6. Comments**  
 Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>		<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work <b>Dustin Harvey/On-site Environmental Services</b>		Date Received	Noted By
Date of Abandonment <b>August 24, 2017</b>			
Street or Route <b>PO Box 280</b>		Telephone Number <b>608-837-8992</b>	
City <b>Sun Prairie</b>		State <b>WI</b>	
Zip Code <b>53590</b>		Signature of Person Doing Work <i>Dustin Harvey</i> for D. Harvey	
		Date Signed <b>8/27/2017</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**

- Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
MW-4							Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location				<input type="checkbox"/> Local Grid Origin		Present Well Owner	
Feet		Feet		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		Original Well Owner	
<input type="checkbox"/> N		<input type="checkbox"/> E				United Dry Cleaners	
<input type="checkbox"/> S		<input type="checkbox"/> W				United Dry Cleaners	
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
				623 Reed Avenue			
Reason For Abandonment				WI Unique Well No of Replacement Well			
Case Closure				NA			
<b>3. Well / Drillhole / Borehole Information</b>				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		September 22, 2010		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):		Geoprobe direct push		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Required Method of Placing Sealing Material			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe Pumped	
53.0		2.0		<input checked="" type="checkbox"/> Screened and Poured (Bent. Chips)		<input type="checkbox"/> Other (Explain):	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		Sealing Materials			
2.0		53 (well screen 43 to 53 ft.)		<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Sand - Cement (Concrete) Grout		<input checked="" type="checkbox"/> Bentonite - Slurry	
				<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips	
If yes, to what depth (feet)?		Depth to Water (feet)		For Monitoring Wells and Monitoring Well Boreholes Only:			
40		50		<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input checked="" type="checkbox"/> Bentonite - Slurry	
<b>5. Material Used To Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Cement patch				0	0.5	0.5 bag	
Bentonite slurry				0.5	53	11 gallons	5 lbs. / gallon

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received	Noted By
Dustin Harvey/On-site Environmental Services		August 24, 2017			
Street or Route		Telephone Number		Comments	
PO Box 280		608-837-8992			
City	State	Zip Code	Signature of Person Doing Work		Date Signed
Sun Prairie	WI	53590	for D. Harvey		8/27/2017

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>					<b>2. Facility Owner Information</b>							
WI Unique Well No.		DNR Well ID No.		County <b>Manitowoc</b>			Facility Name <b>United Cleaners &amp; Laundries</b>					
Common Well Name <b>MW-5</b>					Govt Lot # (if applicable)			Facility ID		License/Permit/Monitoring No.		City, Village or Town <b>Manitowoc, WI</b>
1/4 / 1/4 <b>NW</b>	1/4 <b>SW</b>	Section <b>17</b>		Township <b>19 N</b>	Range <b>24</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Street Address of Well <b>United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI</b>				
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W					<input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location			Present Well Owner <b>United Dry Cleaners</b>		Original Well Owner <b>United Dry Cleaners</b>		
Latitude: DEG MIN SEC <b>N</b>					Longitude: DEG MIN SEC <b>W</b>			Street Address or Route of Owner <b>623 Reed Avenue</b>				
Reason For Abandonment <b>Case Closure</b>					WI Unique Well No of Replacement Well <b>NA</b>			City <b>Manitowoc</b>		State <b>WI</b>	Zip Code <b>54220</b>	

<b>3. Well / Drillhole / Borehole Information</b>					Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date <b>September 20, 2010</b>			Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe Pumped <input type="checkbox"/> Screened and Poured (Bent. Chips) <input type="checkbox"/> Other (Explain):				
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): <b>Geoprobe direct push</b>					Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt) <input type="checkbox"/> Sand - Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite - Slurry <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock					For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input checked="" type="checkbox"/> Bentonite - Slurry				

Total Well Depth From Ground Surface (ft.) <b>55.0</b>		Casing Diameter (in.) <b>2.0</b>			Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt) <input type="checkbox"/> Sand - Cement (Concrete) Grout <input checked="" type="checkbox"/> Bentonite - Slurry <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Chips				
Lower Drillhole Diameter (in.) <b>2.0</b>		Casing Depth (ft.) <b>55 (well screen 45 to 55 ft.)</b>			For Monitoring Wells and Monitoring Well Boreholes Only: <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input checked="" type="checkbox"/> Bentonite - Slurry				
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown									
If yes, to what depth (feet)? <b>42.5</b>		Depth to Water (feet) <b>50</b>							

<b>5. Material Used To Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Cement patch				0	0.5	0.5 bag	
Bentonite slurry				0.5	55	14 gallons	5 lbs. / gallon

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person of Firm Doing Sealing Work <b>Dustin Harvey/On-site Environmental Services</b>			Date of Abandonment <b>August 24, 2017</b>	Date Received		Noted By	
Street or Route <b>PO Box 280</b>			Telephone Number <b>608-837-8992</b>	Comments			
City <b>Sun Prairie</b>		State <b>WI</b>	Zip Code <b>53590</b>	Signature of Person Doing Work <i>Dustin Harvey</i> for D. Harvey		Date Signed <b>8/27/2017</b>	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**

- Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
MW-6							Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location				Present Well Owner			
Feet		Feet		<input type="checkbox"/> Local Grid Origin		Original Well Owner	
<input type="checkbox"/> N		<input type="checkbox"/> E		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		United Dry Cleaners	
<input type="checkbox"/> S		<input type="checkbox"/> W					
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
				623 Reed Avenue			
Reason For Abandonment				WI Unique Well No of Replacement Well			
Case Closure				NA			

<b>3. Well / Drillhole / Borehole Information</b>				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		December 19, 2011		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):		Geoprobe direct push		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:				If yes, was hole retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.)				Required Method of Placing Sealing Material			
50.0		Casing Diameter (in.)		<input checked="" type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe Pumped	
2.0		2.0		<input type="checkbox"/> Screened and Poured (Bent. Chips)		<input type="checkbox"/> Other (Explain):	
Lower Drillhole Diameter (in.)				Sealing Materials			
2.0		Casing Depth (ft.)		<input type="checkbox"/> Neat Cement Grout			
50 (well screen 40 to 50 ft.)		Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Sand - Cement (Concrete) Grout			
				<input type="checkbox"/> Concrete			
				<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)			
				<input checked="" type="checkbox"/> Bentonite - Slurry			
				<input type="checkbox"/> Bentonite Chips			
				<input type="checkbox"/> Bentonite - Cement Grout			
				<input type="checkbox"/> Granular Bentonite			
				<input checked="" type="checkbox"/> Bentonite - Slurry			
If yes, to what depth (feet)?				Depth to Water (feet)			
33		45					

<b>5. Material Used To Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Topsoil / Native soil				0	0.5	75 lbs.	
Bentonite slurry				0.5	50	10 gallons	5 lbs. / gallon

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Topsoil at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received		Noted By	
Dustin Harvey/On-site Environmental Services		August 24, 2017					
Street or Route		Telephone Number		Comments			
PO Box 280		608-837-8992					
City		State	Zip Code	Signature of Person Doing Work		Date Signed	
Sun Prairie		WI	53590	<i>Dustin Harvey</i> for D. Harvey		8/27/2017	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
MW-7							Manitowoc, WI
1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well		
NW	SW	17	19	N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI
Grid Location				Present Well Owner			
Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W <input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location				Original Well Owner United Dry Cleaners			
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
N				W			
Reason For Abandonment			WI Unique Well No of Replacement Well				
Case Closure			NA				

<b>3. Well / Drillhole / Borehole Information</b>			
<input checked="" type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Borehole / Drillhole		Original Construction Date	
		December 19, 2011	
If a Well Construction Report is available, please attach.			
Construction Type:			
<input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): Geoprobe direct push			
Formation Type:			
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)	
41.5		2.0	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)	
2.0		41.5 (well screen 31.5 to 41.5 ft.)	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)?		Depth to Water (feet)	
25.5		35	

<b>5. Material Used To Fill Well / Drillhole</b>			
From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
0	0.5	75 lbs.	
0.5	41.5	1.5 bags (75 lbs)	

**6. Comments**  
 Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Topsoil at surface.

<b>7. Supervision of Work</b>		<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work		Date Received	
Dustin Harvey/On-site Environmental Services		August 25, 2017	
Date of Abandonment		Noted By	
Street or Route		Comments	
PO Box 280			
Telephone Number			
608-837-8992			
City		State	
Sun Prairie		WI	
Zip Code		Signature of Person Doing Work	
53590		for D. Harvey	
		Date Signed	
		8/27/2017	



**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.


**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
MW-8							Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location				Present Well Owner			
Feet		Feet		<input type="checkbox"/> Local Grid Origin		Original Well Owner	
<input type="checkbox"/> N		<input type="checkbox"/> E		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		United Dry Cleaners	
<input type="checkbox"/> S		<input type="checkbox"/> W		Street Address or Route of Owner			
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		623 Reed Avenue			
N		W		City	State	Zip Code	
Reason For Abandonment		WI Unique Well No of Replacement Well		Manitowoc	WI	54220	
Case Closure		NA					

<b>3. Well / Drillhole / Borehole Information</b>				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		November 12, 2012		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):		Geoprobe direct push				Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Formation Type:				If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock				Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		Required Method of Placing Sealing Material			
53.5		2.0		<input checked="" type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe Pumped	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		<input type="checkbox"/> Screened and Poured (Bent. Chips)		<input type="checkbox"/> Other (Explain):	
2.0		53.5 (well screen 43.5 to 53.5 ft.)		Sealing Materials			
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)	
				<input type="checkbox"/> Sand - Cement (Concrete) Grout		<input checked="" type="checkbox"/> Bentonite - Slurry	
				<input type="checkbox"/> Concrete		<input type="checkbox"/> Bentonite Chips	
If yes, to what depth (feet)?				For Monitoring Wells and Monitoring Well Boreholes Only:			
34.1		45		<input type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input checked="" type="checkbox"/> Bentonite - Slurry	

<b>5. Material Used To Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Topsoil / Native soil				0	0.5	75 lbs.	
Bentonite slurry				0.5	53.5	14 gallons	5 lbs. / gallon

**6. Comments**  
 Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Topsoil at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received		Noted By	
Dustin Harvey/On-site Environmental Services		August 25, 2017					
Street or Route		Telephone Number		Comments			
PO Box 280		608-837-8992					
City		State	Zip Code	Signature of Person Doing Work		Date Signed	
Sun Prairie		WI	53590	 for D. Harvey		8/27/2017	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

**1. General Information**      **2. Facility Owner Information**

WI Unique Well No.		DNR Well ID No.	County <b>Manitowoc</b>		Facility Name <b>United Cleaners &amp; Laundries</b>		
Common Well Name <b>MW-9</b>			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town <b>Manitowoc, WI</b>
1/4 / 1/4 <b>NW</b>	1/4 <b>SW</b>	Section <b>17</b>	Township <b>19 N</b>	Range <b>24</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		
Grid Location			<input type="checkbox"/> Local Grid Origin		Street Address of Well <b>United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI</b>		
Feet <input type="checkbox"/> N <input type="checkbox"/> S		Feet <input type="checkbox"/> E <input type="checkbox"/> W		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		Present Well Owner <b>United Dry Cleaners</b>	
Latitude: DEG MIN SEC		Longitude: DEG MIN SEC		Street Address or Route of Owner <b>623 Reed Avenue</b>			
Reason For Abandonment <b>Case Closure</b>		WI Unique Well No of Replacement Well <b>NA</b>		City <b>Manitowoc</b>	State <b>WI</b>	Zip Code <b>54220</b>	

**3. Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date <b>November 13, 2012</b>		Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.		Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
<input type="checkbox"/> Borehole / Drillhole				Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Other (specify): <b>Geoprobe direct push</b>		Total Well Depth From Ground Surface (ft.) <b>50.0</b>		Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Formation Type:		Casing Diameter (in.) <b>2.0</b>		Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Lower Drillhole Diameter (in.) <b>2.0</b>		Casing Depth (ft.) <b>50 (well screen 40 to 50 ft.)</b>		Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Depth to Water (feet) <b>40</b>		If yes, was hole retopped?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, to what depth (feet)? <b>34.1</b>		Required Method of Placing Sealing Material		Were bentonite chips hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
5. Material Used To Fill Well / Drillhole		From (ft.)		To (ft.)		No. Yards, Sacks Sealant or Volume (circle one)	
Topsoil / Native soil		0		0.5		75 lbs.	
Bentonite slurry		0.5		50		12 gallons	
						5 lbs. / gallon	

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Topsoil at surface.

**7. Supervision of Work**

Name of Person of Firm Doing Sealing Work <b>Dustin Harvey/On-site Environmental Services</b>		Date of Abandonment <b>August 25, 2017</b>		<b>DNR Use Only</b>	
Street or Route <b>PO Box 280</b>		Telephone Number <b>608-837-8992</b>		Date Received	Noted By
City <b>Sun Prairie</b>		State <b>WI</b>		Signature of Person Doing Work <i>Dustin Harvey</i> for D. Harvey	
Zip Code <b>53590</b>		Date Signed <b>8/27/2017</b>		Comments	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

**1. General Information**      **2. Facility Owner Information**

WI Unique Well No.		DNR Well ID No.		County <b>Manitowoc</b>		Facility Name <b>United Cleaners &amp; Laundries</b>		
Common Well Name <b>MW-10</b>			Govt Lot # (if applicable)			Facility ID	License/Permit/Monitoring No.	City, Village or Town <b>Manitowoc, WI</b>
1/4 / 1/4 <b>NW</b>	1/4 <b>SW</b>	Section <b>17</b>	Township <b>19 N</b>	Range <b>24</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well <b>United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI</b>		
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S			<input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location			Present Well Owner <b>United Dry Cleaners</b>		Original Well Owner <b>United Dry Cleaners</b>
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC			Street Address or Route of Owner <b>623 Reed Avenue</b>		
Reason For Abandonment <b>Case Closure</b>			WI Unique Well No of Replacement Well <b>NA</b>			City <b>Manitowoc</b>	State <b>WI</b>	Zip Code <b>54220</b>

**3. Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Monitoring Well		Original Construction Date <b>October 13, 2015</b>	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.	
<input type="checkbox"/> Borehole / Drillhole			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): <b>Geoprobe direct push</b>			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft.) <b>42.5</b>		Casing Diameter (in.) <b>2.0</b>	
Lower Drillhole Diameter (in.) <b>2.0</b>		Casing Depth (ft.) <b>42.5 (well screen 32.5 to 42.5 ft.)</b>	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)? <b>28</b>		Depth to Water (feet) <b>30</b>	

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Were bentonite chips hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input checked="" type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe Pumped		
<input type="checkbox"/> Screened and Poured (Bent. Chips)	<input type="checkbox"/> Other (Explain):		
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)		
<input type="checkbox"/> Sand - Cement (Concrete) Grout	<input checked="" type="checkbox"/> Bentonite - Slurry		
<input type="checkbox"/> Concrete	<input type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
<input type="checkbox"/> Granular Bentonite	<input checked="" type="checkbox"/> Bentonite - Slurry		


**5. Material Used To Fill Well / Drillhole**

	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Topsoil / Native soil	0	0.5	75 lbs.	
Bentonite slurry	0.5	42.5	11 gallons	5 lbs. / gallon

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Topsoil at surface.

**7. Supervision of Work**

			DNR Use Only	
Name of Person of Firm Doing Sealing Work <b>Dustin Harvey/On-site Environmental Services</b>		Date of Abandonment <b>August 25, 2017</b>	Date Received	Noted By
Street or Route <b>PO Box 280</b>		Telephone Number <b>608-837-8992</b>	Comments	
City <b>Sun Prairie</b>	State <b>WI</b>	Zip Code <b>53590</b>	Signature of Person Doing Work 	Date Signed <b>8/27/2017</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>					<b>2. Facility Owner Information</b>									
WI Unique Well No.		DNR Well ID No.		County <b>Manitowoc</b>			Facility Name <b>United Cleaners &amp; Laundries</b>							
Common Well Name <b>VE-1</b>					Gov't Lot # (if applicable)			Facility ID		License/Permit/Monitoring No.		City, Village or Town <b>Manitowoc, WI</b>		
1/4 / 1/4 <b>NW</b>	1/4 <b>SW</b>	Section <b>17</b>		Township <b>19 N</b>	Range <b>24</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W		Street Address of Well <b>United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI</b>						
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W					<input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location					Present Well Owner <b>United Dry Cleaners</b>		Original Well Owner <b>United Dry Cleaners</b>		
Latitude: DEG MIN SEC <b>N</b>					Longitude: DEG MIN SEC <b>W</b>					Street Address or Route of Owner <b>623 Reed Avenue</b>				
Reason For Abandonment <b>Case Closure</b>					WI Unique Well No of Replacement Well <b>NA</b>					City <b>Manitowoc</b>		State <b>WI</b>		Zip Code <b>54220</b>

<b>3. Well / Drillhole / Borehole Information</b>					Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input checked="" type="checkbox"/> Vapor Extraction Well		Original Construction Date <b>November 19, 2013</b>			Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.			Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A				
<input type="checkbox"/> Borehole / Drillhole					Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug					Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
<input type="checkbox"/> Other (specify):					Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock					Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A				
Total Well Depth From Ground Surface (ft.) <b>50.5</b>					Casing Diameter (in.) <b>4.0</b>				
Lower Drillhole Diameter (in.) <b>4.0</b>					Casing Depth (ft.) <b>50.5 (screen 20 to 50 ft.)</b>				
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown					If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A				
If yes, to what depth (feet)? <b>16</b>					Depth to Water (feet) <b>50</b>				
					Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A				

<b>5. Material Used To Fill Well / Drillhole</b>				Required Method of Placing Sealing Material
		<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe Pumped	
		<input checked="" type="checkbox"/> Screened and Poured (Bent. Chips)	<input type="checkbox"/> Other (Explain):	
		Sealing Materials		
		<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)	
		<input type="checkbox"/> Sand - Cement (Concrete) Grout	<input type="checkbox"/> Bentonite - Sand Slurry	
		<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips	
For Monitoring Wells and Monitoring Well Boreholes Only:				
		<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry	
	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Cement patch	0	0.5	0.5 bag	
3/8" Bentonite chips	0.5	50.5	6.5 bags (325 lbs)	

**6. Comments**  
 Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work <b>Dustin Harvey/On-site Environmental Services</b>		Date of Abandonment <b>August 24, 2017</b>		Date Received	Noted By
Street or Route <b>PO Box 280</b>		Telephone Number <b>608-837-8992</b>		Comments	
City <b>Sun Prairie</b>	State <b>WI</b>	Zip Code <b>53590</b>	Signature of Person Doing Work <i>Dustin Harvey</i> for D. Harvey		Date Signed <b>8/27/2017</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.


**Route to:**  
 Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
				Manitowoc		United Cleaners & Laundries	
Common Well Name			Govt Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
VE-2							Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location				Present Well Owner			
Feet		Feet		<input type="checkbox"/> Local Grid Origin		Original Well Owner	
<input type="checkbox"/> N		<input type="checkbox"/> E		<input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location		United Dry Cleaners	
<input type="checkbox"/> S		<input type="checkbox"/> W					
Latitude: DEG MIN SEC				Longitude: DEG MIN SEC			
				623 Reed Avenue			
Reason For Abandonment				WI Unique Well No of Replacement Well			
Case Closure				NA			

<b>3. Well / Drillhole / Borehole Information</b>				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A					
<input checked="" type="checkbox"/> Vapor Extraction Well		Original Construction Date							
<input type="checkbox"/> Water Well		November 18, 2013							
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.							
Construction Type:				Required Method of Placing Sealing Material					
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe Pumped			
<input type="checkbox"/> Dug		<input type="checkbox"/> Other (specify): Geoprobe direct push		<input checked="" type="checkbox"/> Screened and Poured (Bent. Chips)		<input type="checkbox"/> Other (Explain):			
Formation Type:				Sealing Materials					
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		<input type="checkbox"/> Sand - Cement (Concrete) Grout		<input type="checkbox"/> Bentonite - Sand Slurry			
50.5		4.0		<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips			
Lower Drillhole Diameter (in.)				For Monitoring Wells and Monitoring Well Boreholes Only:					
4.0		50.5 (screen 20 to 50 ft.)		<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout			
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				<input type="checkbox"/> Granular Bentonite				<input type="checkbox"/> Bentonite - Sand Slurry	
If yes, to what depth (feet)?				Depth to Water (feet)					
16		50							

<b>5. Material Used To Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Cement patch				0	0.5	0.5 bag	
3/8" Bentonite chips				0.5	50.5	6.5 bags (325 lbs)	

**6. Comments**  
 Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Concrete patch at surface.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>			
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received		Noted By	
Dustin Harvey/On-site Environmental Services		August 24, 2017					
Street or Route		Telephone Number		Comments			
PO Box 280		608-837-8992					
City		State	Zip Code	Signature of Person Doing Work		Date Signed	
Sun Prairie		WI	53590	 for D. Harvey		8/27/2017	

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

**Route to:**

- Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

**1. General Information**      **2. Facility Owner Information**

WI Unique Well No. _____		DNR Well ID No. _____		County <b>Manitowoc</b>		Facility Name <b>United Cleaners &amp; Laundries</b>		
Common Well Name <b>SVE-1</b>			Govt Lot # (if applicable)			Facility ID	License/Permit/Monitoring No.	City, Village or Town <b>Manitowoc, WI</b>
1/4 / 1/4 <b>NW</b>	1/4 <b>SW</b>	Section <b>17</b>	Township <b>19 N</b>	Range <b>24</b>	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	Street Address of Well <b>United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI</b>		
Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W			<input type="checkbox"/> Local Grid Origin <input type="checkbox"/> (estimated) OR <input type="checkbox"/> Well Location			Present Well Owner <b>United Dry Cleaners</b>		Original Well Owner <b>United Dry Cleaners</b>
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC			Street Address or Route of Owner <b>623 Reed Avenue</b>		
Reason For Abandonment <b>Case Closure</b>			WI Unique Well No of Replacement Well <b>NA</b>			City <b>Manitowoc</b>	State <b>WI</b>	Zip Code <b>54220</b>

**3. Well / Drillhole / Borehole Information**

<input checked="" type="checkbox"/> Vapor Extraction Well		Original Construction Date <b>November 11, 2012</b>	
<input type="checkbox"/> Water Well		If a Well Construction Report is available, please attach.	
<input type="checkbox"/> Borehole / Drillhole			
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): <b>Geoprobe direct push</b>			
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			
Total Well Depth From Ground Surface (ft.) <b>12.0</b>		Casing Diameter (in.) <b>2.0</b>	
Lower Drillhole Diameter (in.) <b>2.0</b>		Casing Depth (ft.) <b>12 (screen 7 to 12 ft.)</b>	
Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			
If yes, to what depth (feet)? <b>6</b>		Depth to Water (feet) <b>40</b>	

Pump and piping removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Liner(s) removed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Screen removed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
Casing left in place?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Was casing cut off below surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did sealing material rise to surface?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Did material settle after 24 hours?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> N/A
If yes, was hole retopped?	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> N/A
Were bentonite chips hydrated with water from a known safe source?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> N/A
Required Method of Placing Sealing Material			
<input type="checkbox"/> Conductor Pipe-Gravity	<input type="checkbox"/> Conductor Pipe Pumped		
<input checked="" type="checkbox"/> Screened and Poured (Bent. Chips)	<input type="checkbox"/> Other (Explain):		
Sealing Materials			
<input type="checkbox"/> Neat Cement Grout	<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)		
<input type="checkbox"/> Sand - Cement (Concrete) Grout	<input type="checkbox"/> Bentonite - Sand Slurry		
<input type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Bentonite Chips		
For Monitoring Wells and Monitoring Well Boreholes Only:			
<input checked="" type="checkbox"/> Bentonite Chips	<input type="checkbox"/> Bentonite - Cement Grout		
<input type="checkbox"/> Granular Bentonite	<input type="checkbox"/> Bentonite - Sand Slurry		

5. Material Used To Fill Well / Drillhole	From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Gravel (landscaping) / Native soil	0	0.5		
3/8" Bentonite chips	0.5	12	0.5 bags (25 lbs)	

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.

Gravel landscaping

7. Supervision of Work			DNR Use Only	
Name of Person of Firm Doing Sealing Work <b>Dustin Harvey/On-site Environmental Services</b>		Date of Abandonment <b>August 24, 2017</b>	Date Received	Noted By
Street or Route <b>PO Box 280</b>		Telephone Number <b>608-837-8992</b>	Comments	
City <b>Sun Prairie</b>	State <b>WI</b>	Zip Code <b>53590</b>	Signature of Person Doing Work <i>Dustin Harvey</i> for D. Harvey	Date Signed <b>8/27/2017</b>

**Notice:** Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.


**Route to:**

- Drinking Water     Watershed/Wastewater     Waste Management     Remediation/Redevelopment     Other: \_\_\_\_\_

<b>1. General Information</b>				<b>2. Facility Owner Information</b>			
WI Unique Well No.		DNR Well ID No.		County		Facility Name	
_____		_____		Manitowoc		United Cleaners & Laundries	
Common Well Name			Gov't Lot # (if applicable)		Facility ID	License/Permit/Monitoring No.	City, Village or Town
SVE-2			_____		_____	_____	Manitowoc, WI
1/4 / 1/4	1/4	Section	Township	Range	<input checked="" type="checkbox"/> E	Street Address of Well	
NW	SW	17	19 N	24	<input type="checkbox"/> W	United Dry Cleaners, 623 Reed Avenue, Manitowoc, WI	
Grid Location			<input type="checkbox"/> Local Grid Origin			Present Well Owner	
Feet	<input type="checkbox"/> N	<input type="checkbox"/> S	<input type="checkbox"/> E	<input type="checkbox"/> W	(estimated) OR <input type="checkbox"/> Well Location	Original Well Owner	
<input type="checkbox"/> N	<input type="checkbox"/> S	<input type="checkbox"/> E	<input type="checkbox"/> W	<input type="checkbox"/> W	_____	United Dry Cleaners	
Latitude: DEG MIN SEC			Longitude: DEG MIN SEC			Street Address or Route of Owner	
_____ N _____			_____ W _____			623 Reed Avenue	
Reason For Abandonment			WI Unique Well No of Replacement Well			City	State
Case Closure			NA			Manitowoc	WI
						Zip Code	54220
<b>3. Well / Drillhole / Borehole Information</b>				Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Vapor Extraction Well		Original Construction Date		Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input type="checkbox"/> Water Well		November 12, 2012		Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
<input type="checkbox"/> Borehole / Drillhole		If a Well Construction Report is available, please attach.		Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Construction Type:				Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Drilled		<input type="checkbox"/> Driven (Sandpoint)		<input type="checkbox"/> Dug		Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
<input type="checkbox"/> Other (specify):		Geoprobe direct push		Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Formation Type:				If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A			
<input checked="" type="checkbox"/> Unconsolidated Formation		<input type="checkbox"/> Bedrock		Were bentonite chips hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A			
Total Well Depth From Ground Surface (ft.)		Casing Diameter (in.)		Required Method of Placing Sealing Material			
12.0		2.0		<input type="checkbox"/> Conductor Pipe-Gravity		<input type="checkbox"/> Conductor Pipe Pumped	
Lower Drillhole Diameter (in.)		Casing Depth (ft.)		<input checked="" type="checkbox"/> Screened and Poured (Bent. Chips)			
2.0		12 (screen 7 to 12 ft.)		<input type="checkbox"/> Other (Explain):			
Was well annular space grouted?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Sealing Materials			
				<input type="checkbox"/> Neat Cement Grout		<input type="checkbox"/> Clay-Sand Slurry (11lb./gal. wt)	
				<input type="checkbox"/> Sand - Cement (Concrete) Grout		<input type="checkbox"/> Bentonite - Sand Slurry	
				<input type="checkbox"/> Concrete		<input checked="" type="checkbox"/> Bentonite Chips	
If yes, to what depth (feet)?				For Monitoring Wells and Monitoring Well Boreholes Only:			
6		40		<input checked="" type="checkbox"/> Bentonite Chips		<input type="checkbox"/> Bentonite - Cement Grout	
				<input type="checkbox"/> Granular Bentonite		<input type="checkbox"/> Bentonite - Sand Slurry	
<b>5. Material Used To Fill Well / Drillhole</b>				From (ft.)	To (ft.)	No. Yards, Sacks Sealant or Volume (circle one)	Mix Ratio or Mud Weight
Gravel (landscaping) / Native soil				0	0.5		
3/8" Bentonite chips				0.5	12	0.5 bags (25 lbs)	

**6. Comments**

Removed flush mount well casing and PVC casing to 30-inches below grade.  
 Gravel landscaping.

<b>7. Supervision of Work</b>				<b>DNR Use Only</b>	
Name of Person of Firm Doing Sealing Work		Date of Abandonment		Date Received	Noted By
Dustin Harvey/On-site Environmental Services		August 24, 2017			
Street or Route		Telephone Number		Comments	
PO Box 280		608-837-8992			
City	State	Zip Code	Signature of Person Doing Work		Date Signed
Sun Prairie	WI	53590	 for D. Harvey		8/27/2017