



INTERIM REMEDIAL ACTION COMPLETION REPORT

**WAGNER PROPERTY
401 NORTH WISCONSIN STREET
ELKHORN, WISCONSIN
BRRTS# 02-65-544400**

October 31, 2022

Prepared For:

PJW Properties LLC
c/o Mrs. Jane Wagner
576 Briody Street
Burlington, Wisconsin 53105

Prepared By:

EnviroForensics LLC
N16 W23390 Stone Ridge Drive, Suite G
Waukesha, WI 53188
Phone: (262) 290-4001
www.enviroforensics.com

Handwritten signature of Brian Kappen in blue ink.

Brian Kappen, PG
Senior Geologist

Handwritten signature of R. Scott Powell in blue ink.

R. Scott Powell, PE, LPG
Senior Engineer

TABLE OF CONTENTS

1.0	INTRODUCTION	1
1.1	Site History and Description of Impacts	1
1.2	Remedial Objectives	2
2.0	REMEDIAL ACTIVITIES	3
2.1	Waste Characterization	3
2.2	Soil Excavation	4
2.3	Post-Excavation Soil Sampling	4
3.0	CONCLUSIONS	6

TABLES

1	Summary of Waste Characterization Soil Sample Analytical Results
2	Summary of Excavation Floor and Sidewall Sample Analytical Results

FIGURES

1	Site Map
2	Waste Characterization Soil Sample Locations
3	Excavation Limits with Floor and Sidewall Soil Sample Results

APPENDICES

A	Waste Manifests and Weight Tickets
B	Photographs
C	Soil Laboratory Analytical Reports

CERTIFICATIONS

I, R. Scott Powell, hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



R. Scott Powell, Senior Engineer, E-49589-6

Signature, title and P.E. number



P.E. stamp

I, Brian Kappen, hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03 (1), Wis. Adm. Code, am registered in accordance with the requirements of ch. GHSS 2, Wis. Adm. Code, or licensed in accordance with the requirements of ch. GHSS 3, Wis. Adm. Code, and that, to the best of my knowledge, all of the information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.



Senior Geologist

Signature and title

10/31/2022

Date

1.0 INTRODUCTION

EnviroForensics, LLC (EnviroForensics) has prepared this *Interim Remedial Action Completion Report* (Report) to document remedial activities performed at the Wagner Property located at 401 N. Wisconsin Street in Elkhorn, Wisconsin (Site). This Report has been prepared in accordance with the requirements of Wisconsin Administrative Code Chapter NR 724.15.

1.1 Site History and Description of Impacts

A commercial dry cleaning facility operated at the Site for an unknown number of years. The facility historically used tetrachloroethene (PCE) and possibly naphthalene and Stoddard solvent as dry cleaning solvents. Dry cleaning equipment was historically located in the northeastern part of the site building. The site was also previously used as a gasoline service station prior to the dry cleaning operation. The current layout of the Site, including Site features and the surrounding area, is depicted on **Figure 1**. The former building was razed in 2011, leaving the foundation and concrete floor slab in place to act as a cap over contaminated soil.

The primary contaminants of concern at the Site are naphthalene and chlorinated volatile organic compounds (CVOCs) including PCE and intermediate products of natural degradation [trichloroethene (TCE); dichloroethene (DCE); and vinyl chloride]. Residual concentrations of petroleum volatile organic compounds associated with a leaking underground storage tank (LUST) are also present. The LUST case was closed by the Wisconsin Department of Natural Resources (WDNR) in 2009.

The primary source area for PCE appears to be beneath and immediately north of the former dry cleaning machine location. A secondary source area, indicated by analytical results of samples collected from borings GP-1 and MW-1, is located south of the former building. Naphthalene contamination is more widespread beneath the eastern half of the former building, suggesting possible surface discharge or release from leaky sewer lateral(s). With the exception of the primary source area on the north side of the Site, the vertical extent of soil impacts do not appear to extend significantly into the silty clay material that begins at a depth of approximately 12 to 13 feet below ground surface (bgs). Saturated soil impacts in the primary source area extend as deep as 20 feet bgs.

Concentrations of PCE in groundwater are highest in groundwater samples collected from the primary source area well and piezometers, and in general decrease in monitoring wells interpreted to be at side-gradient, up-gradient and down-gradient locations. Concentrations of breakdown products cis-1,2-DCE and vinyl chloride are more widespread in shallow groundwater beneath the Site, and the distribution of impacts supports the conclusion that groundwater flow direction is variable.

1.2 Remedial Objectives

The interim remedial action plan consisted of excavation and off-site disposal of contaminated soil. The objectives of the interim action were to:

- Reduce the in-place volume of highly contaminated unsaturated soil; and
- Reduce further contaminant contribution to the dissolved-phase groundwater plume.

2.0 REMEDIAL ACTIVITIES

The interim remedial action consisted of waste characterization, contaminated soil excavation and off-site disposal, and backfilling with a compactable material. The remedial activities were conducted as described in the *Remedial Action Options Evaluation and Interim Action Design Report* dated August 12, 2021, approved by a October 25, 2021 letter from the Wisconsin Department of Natural Resources, with the exception of hazardous waste management and disposal as described in the following section.

2.1 Waste Characterization

EnviroForensics retained a drilling subcontractor to facilitate soil sample collection for purposes of waste characterization in advance of excavation activities. The objective of the sampling event was to confirm that soil within the proposed excavation zones could be characterized as non-hazardous for waste profiling and disposal purposes. The sampling was completed on November 15, 2021. EnviroForensics personnel observed all field activities and containerized all samples for analysis.

Nine (9) direct-push soil borings were advanced at the locations shown on **Figure 2** to a depth of 5 feet bgs. The boring locations were evenly distributed across the proposed excavation areas. Field screening of soil for organic vapors was performed using a photo-ionization detector (PID) at 2.5-foot depth intervals. One (1) composite sample of soil beneath the remaining concrete slab was collected from 1-5 feet bgs each boring, including soil from the interval that exhibited the highest PID reading. The nine (9) soil samples, designated WS-1 through WS-9, were submitted to a laboratory for analysis of volatile organic compounds (VOCs) according to United States Environmental Protection Agency (U.S. EPA) Test Method 8260 and Toxicity Characteristic Leaching Procedure (TCLP) Test Method 1311.

The results of the analyses, summarized in **Table 1**, were compared to toxicity thresholds to delineate zones of hazardous waste. Only the TCLP threshold for PCE [0.7 micrograms per Liter ($\mu\text{g/L}$)] was exceeded in only one (1) sample, WS-9 at 12.7 $\mu\text{g/L}$. Based on this result, planning was initiated for management of soil excavated from the northeast corner of the proposed excavation area as hazardous waste.

2.2 Soil Excavation

The excavation tasks were completed by Covanta Environmental Solutions during May 18-20, 2022, under the direction of EnviroForensics. The portion of the former building floor slab within the excavation areas was broken up and transported off-site for recycling. With the concrete removed, contaminated soil was removed using an excavator and loaded directly into dump trucks. The target excavation depth across the entire area was 5 feet bgs; however, additional soil was removed beneath the north foundation wall based on extremely high PID readings. In this area, the excavation depth reached a maximum of 9 feet bgs.

A total of 422.4 tons of contaminated soil were excavated, loaded, and transported off-site for disposal. This consisted of:

- 365.2 tons designated non-hazardous waste, transferred to either Pheasant Run landfill in Bristol, Wisconsin or Metro landfill in Franklin, Wisconsin; and
- 57.2 tons of hazardous waste transported to the US Ecology facility in Wayne, Michigan for treatment and disposal.

Copies of the waste manifests and weight tickets are provided in **Appendix A**. The excavation was backfilled with compacted screenings. Photographs of the excavation are presented in **Appendix B**.

EnviroForensics staff made the following notable observation during the excavation:

- The joint between the floor slab and foundation wall in the vicinity of the former dry cleaning machine location appeared to be a source of release for PCE. Soil was visibly impacted around and immediately beneath the footing, which only extended approximately two feet below grade. The highest PID readings and sample results were in the excavation sidewalls in this area.

2.3 Post-Excavation Soil Sampling

Soil samples were collected from the floor and sidewalls of the excavation area to document residual VOC concentrations. Eight (8) floor samples were collected from depths ranging from 5 to 9 feet bgs, and ten (10) sidewall samples were collected from approximately 4 feet bgs using

new, disposable core sampling devices. Soil cores were transferred into vials containing methanol per U.S. EPA Method 5035, and the samples were immediately placed in a cooler on ice under chain of custody control and submitted to Synergy Environmental Lab for analysis of VOCs by U.S. EPA Method 8260.

The soil sample analytical results are summarized and compared to Residual Contaminant Levels on **Table 2**. The soil sample locations and contaminant concentrations exceeding direct-contact RCLs are depicted on **Figure 3**. Laboratory analytical reports are provided in **Appendix C**. Naphthalene was detected in all of the floor samples and six (6) of the ten (10) sidewall samples at concentrations above the non-industrial RCL; however, the residual soil impact within excavation limits defined by the floor samples is at a depth greater than 4 feet bgs with clean fill above, and therefore not considered to present a direct-contact risk. Ethylbenzene was detected in one (1) sample (EX-F-2) at a concentration above its non-industrial RCL, and both PCE and TCE were detected in the sidewall sample collected from the northwest part of the excavation (sample EX-W-1) at concentrations above industrial RCLs. The concentrations of all other detected compounds were less than the applicable non-industrial RCLs.

3.0 CONCLUSIONS

Excavation activities resulted in the removal of 422.4 tons of contaminated soil. The mass of PCE and naphthalene removed was estimated by assigning concentrations (using the investigation, source area characterization, and post-excavation sampling data) at 22 individual “volumes” that added up to the total tons of soil excavated. According to this estimation, approximately 50 pounds of PCE and 13 pounds of naphthalene were removed.

Contaminant mass resides along the excavation boundaries, especially in the northwest part of the excavation defined by sidewall sample EX-W-1. However, based on Site observations the high concentrations are likely limited to within a couple feet of the former building foundation. Significant contaminant mass also resides in groundwater, and in saturated soil (deeper than 5 feet bgs) below the former dry cleaning machine location. *In-situ* treatment options for this contaminant mass will be evaluated. Additional groundwater monitoring points have been installed within the excavation footprint to provide more comprehensive concentration data for designing a potential remedial action.

TABLES

TABLE 1
SUMMARY OF WASTE CHARACTERIZATION SOIL SAMPLE ANALYTICAL RESULTS
Wagner Property
Elkhorn, Wisconsin

Sample Identification	Sample Interval (feet)	Sample Date	n-Butylbenzene	sec-Butylbenzene	Chlorobenzene	1,2-Dichlorobenzene	1,4-Dichlorobenzene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Tetrachloroethene	Toluene	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes (total)
Industrial RCL (µg/kg)			108,000	145,000	761,000	376,000	16,400	2,340,000	1,850,000	35,400	268,000	162,000	24,100	264,000	145,000	818,000	8,410	219,000	182,000	260,000
Non-Industrial RCL (ug/kg)			108,000	145,000	370,000	376,000	3,740	156,000	1,560,000	8,020	268,000	162,000	5,520	264,000	33,000	818,000	1,300	219,000	182,000	260,000
TCLP Threshold (ug/L)			NE	NE	100	NE	7.5	NE	NE	NE	NE	NE	NE	NE	0.7	NE	0.5	NE	NE	NE
WS-1	1-5	11/15/2021	2,170	202	76.9 J	55.1 J	45.4 J	<26.5	<26.8	<29.5	<33.5	391	<38.7	81.2 J	64.9 J	<31.2	<46.4	158	<39.9	<89.5
WS-2	1-5	11/15/2021	<33.8	<18.0	<8.8	<22.9	<20.2	<15.8	<15.9	<17.6	<19.9	<22.4	<23.0	<17.7	174	<18.6	<27.6	<22.0	<23.8	<53.2
WS-3	1-5	11/15/2021	1,790	161	38.2 J	58	76.2 J	<32.6	<32.9	<36.2	<41.1	242	2,550	180	570	<38.3	<56.9	1,640	535	120.8 J
WS-4	1-5	11/15/2021	5,210	1,190	<103	2,480	<236	628 J	<186	<205	327 J	1,700	7,100	1,420	<335	242 J	<322	12,400	5,680	1,178 J
WS-5	1-5	11/15/2021	6,970	940	<38.0	1,890	176 J	7,460	151 J	144 J	247 J	1,300	11,700	1,140	<123	248 J	<119	8,740	2,700	898 J
WS-6	1-5	11/15/2021	7,160	1,350	<46.2	1,310	183 J	5,910	126 J	107 J	232 J	1,860	8,360	994	<150	140 J	<144	10,400	4,520	599
WS-7	1-5	11/15/2021	14,500	1,290	<89.3	5,330	820	31,500	583 J	386 J	409 J	1,680	52,300	2,120	<289	543 J	<279	16,200	5,150	1,774 J
WS-8	1-5	11/15/2021	5,210	402	<19.9	1,180	115 J	128 J	<35.8	49.6 J	66.4 J	561	7,760	402	82.1 J	84.0 J	110 J	3,700	1,090	286 J
WS-9	1-5	11/15/2021	4,360	<804	<395	<1,020	<903	4,500	<712	<784	<890	<1,000	19,400	<791	448,000 (12.7)	<830	17,800 (0.24)	3,090 J	<1,060	<2,378

Notes:

- J = Estimated concentration between the Method Detection Limit and the Reporting Limit
- Value in parentheses is (TCLP result in µg/L), if detected
- NE = Not Established
- RCL = Residual Contaminant Level
- Bolded** values are above laboratory detection limits
- Bolded and Orange Shaded** value indicates an exceedance of the Industrial Residual Contaminant Level
- Bolded and Green Shaded** value indicates an exceedance of the Non-Industrial Residual Contaminant Level
- Bolded and Blue Shaded** value indicates an exceedance of the toxicity characteristic threshold

TABLE 2
SUMMARY OF EXCAVATION FLOOR AND SIDEWALL SAMPLE ANALYTICAL RESULTS
Wagner Property
Elkhorn, Wisconsin

Sample Identification	Sample Depth (feet)	Sample Date	n-Butylbenzene	sec-Butylbenzene	cis-1,2-Dichloroethene	Ethylbenzene	p-Isopropyltoluene	Naphthalene	n-Propylbenzene	Tetrachloroethene	Trichloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene
Industrial RCL ¹			108,000	145,000	2,340,000	35,400	162,000	24,100	264,000	145,000	8,410	219,000	182,000
Non-Industrial RCL ¹			108,000	145,000	156,000	8,020	162,000	5,520	264,000	33,000	1,300	219,000	182,000
Soil to Goundwater RCL ¹			N.E.	N.E.	41.2	1,570	N.E.	658.2	N.E.	4.5	3.6	1,378	1,378
EX-F-1	5	5/18/2022	<2920	<1560	8,390	<1520	<1940	12,800 J	<1530	<2470	<238	4,260 J	<2050
EX-F-2	9	5/18/2022	<28600	<15200	46,000 J	18,100 J	<19000	61,800 J	<15000	<24200	<23300	59,200 J	<20100
EX-F-3	7	5/18/2022	<6420	7,760 J	28,800	<3340	8,970 J	46,300 J	6,960 J	<5440	<5250	49,900	17,500
EX-F-4	5	5/19/2022	<22900	<12200	46,600 J	<11900	<15200	39,000 J	<12000	<19400	<18700	29,800 J	<16100
EX-F-5	5	5/19/2022	<5770	<3070	5,790 J	<3000	<3830	11,700 J	<3020	<4890	<4710	8,110 J	<4050
EX-F-6	5	5/19/2022	<5790	<3090	3,880 J	<3010	<3840	15,500 J	<3030	<4910	<4730	12,800	4,070 J
EX-F-7	5	5/19/2022	8,450	<593	<520	<578	1,220 J	3,750 J	<583	<943	<909	3,720	<783
EX-F-8	6	5/20/2022	<5930	<3160	21,400	<3080	<3930	24,200 J	<3110	19,400	<4840	9,310 J	<4170
EX-W-1	4	5/18/2022	<18000	<9600	<8420	<9370	<12000	<12300	<9450	7,740,000	18,400 J	<11700	<12700
EX-W-2	4	5/19/2022	<3280	<1750	3,430 J	<1710	2,700 J	12,900 J	1,890 J	<2780	<2680	18,100	7,120 J
EX-W-3	4	5/19/2022	<3580	<1910	<1670	<1860	3,630 J	17,900 J	<1880	<3040	<2930	13,600	5,890 J
EX-W-4	4	5/19/2022	<3070	2,860 J	<1430	<1590	3,400 J	19,100 J	1,960 J	<2600	<2510	15,300	5,030 J
EX-W-5	4	5/19/2022	<5980	<3180	<2790	<3110	<3970	12,500 J	<3130	<5060	<4880	7,920 J	<4200
EX-W-6	4	5/19/2022	<3210	<1710	<1500	<1670	3,260 J	21,100 J	1,990 J	<2720	<2620	13,700	4,870 J
EX-W-7	4	5/19/2022	<145	104 J	<67.7	148 J	<96.2	879 J	248 J	330	<118	206 J	303 J
EX-W-8	4	5/20/2022	<34.9	<18.6	25.7 J	<18.1	<23.2	<23.8	<18.3	4,070	66.2 J	<22.7	<24.5
EX-W-9	4	5/20/2022	<35.8	<19.1	<16.7	<18.6	<23.8	<24.4	<18.8	231	<29.2	<23.3	<25.2
EX-W-10	4	5/20/2022	<7190	<3830	32,700	<3730	<4770	41,100 J	<3770	<6090	<5870	8,970 J	<5050

Notes:

¹ Residual Contaminant Levels calculated according to the procedures described in WDNR Publication RR-890

All concentrations reported in units of micrograms per kilogram (µg/kg)

Samples analyzed using EPA SW-846 Method 8260

J = Estimated concentration between the Method Detection Limit and the Reporting Limit

N.E. = Not Established

RCL = Residual Contaminant Level

Bolded values are above laboratory detection limits

Bolded and Orange Shaded value indicates an exceedance of the Industrial Residual Contaminant Level

Bolded and Green Shaded value indicates an exceedance of the Non-Industrial Residual Contaminant Level

Bolded and Blue Shaded value indicates an exceedance of the Soil to Groundwater Residual Contaminant Level

FIGURES



- ### Legend
- Property boundary
 - GAS - Underground gas utility line
 - WTR - Underground water utility line
 - SAN - Underground sanitary utility line
 - STM - Underground storm utility line
 - OVHD - Over head electrical utility line
 - Utility Pole
 - Manhole
 - FDCM - Former dry cleaning machine location
 - GP-1 - Soil boring (By Others)
 - HA-1 - Hand Auger (By Others)
 - MW-1 - Monitoring Well

SITE MAP




Wagner Property
401 North Wisconsin Street
Elkhorn, Wisconsin

	Figure
	1
	Project
	6526

Date:	11/18/19
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6526-0053

825 North Capital Avenue • Indianapolis, IN 46204
EnviroForensics.com

Legend

-  Property boundary
-  FDCM
-  WS-1 • Waste characterization soil sample

Note: See table 1 for sample analytical results



WASTE CHARACTERIZATION SOIL SAMPLE LOCATIONS

Wagner Property
401 North Wisconsin Street
Elkhorn, Wisconsin

Date:	10/10/22
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6526-0200




825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure

2

Project

6526




Legend

- Property boundary
- FDCM
- EX-W-1 • Excavation sidewall sample
- EX-F-1 • Excavation floor sample
- Excavation boundary

Analyte	Soil to Groundwater Residual Contaminant Level	Non-Industrial Residual Contaminant Level	Industrial Residual Contaminant Level
cis-1,2-DCE	41.2	156,000	2,340,000
Ethylbenzene	1,570	8,020	35,400
Naphthalene	658.2	5,520	24,100
PCE	4.5	33,000	145,000
TCE	3.6	1,300	8,410
1,2,4-TMB	1,378	219,000	219,000
1,3,5-TMB	1,378	182,000	182,000

Note:

- Bolded and blue shaded values exceed the Soil to Groundwater Residual Contaminant Level
- Bolded and green shaded values exceed the Non-Industrial Residual Contaminant Level
- Bolded and orange shaded values exceed the Industrial Residual Contaminant Level
- Bolded values are above detection limits
- Samples analyzed using EPA SW-846 Method 8260
- J = Estimated concentration between the Method Detection Limit and the Reporting Limit
- All results reported in units of micrograms per kilogram (µg/kg)
- cis-1,2-DCE = cis-1,2-Dichloroethene
- PCE = Tetrachloroethene
- TCE = Trichloroethene
- 1,2,4-TMB = 1,2,4- Trimethylbenzene
- 1,3,5-TMB = 1,3,5- Trimethylbenzene



EXCAVATION LIMITS WITH FLOOR AND SIDEWALL SOIL SAMPLE RESULTS

Wagner Property
401 North Wisconsin Street
Elkhorn, Wisconsin

Date:	10/10/22
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6526-0201



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure
3
Project
6526



APPENDIX A

Waste Manifests and Weight Tickets

TRUCK-106

75040

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number WID 988 593 257	2. Page 1 of 1	3. Emergency Response Phone (262) 745-5054	4. Manifest Tracking Number 017026728 FLE					
5. Generator's Name and Mailing Address PJW PROPERTIES LLC 576 BRIDY STREET BURLINGTON, WI 53105			Generator's Site Address (if different than mailing address) 401 N. WISCONSIN STREET ELKHORN, WI 53121							
Generator's Phone: (262) 290-4001										
6. Transporter 1 Company Name U.S. Bulk Trans Port, Inc.				U.S. EPA ID Number PAD 98734755						
7. Transporter 2 Company Name				U.S. EPA ID Number						
8. Designated Facility Name and Site Address MICHIGAN DISPOSAL WASTE TREATMEN 49350 N I-94 SERVICE DRIVE BELLEVILLE, MI 48111				U.S. EPA ID Number MID 000 724 831						
Facility's Phone: (800) 592-5489										
GENERATOR	9a. HM	9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	X	1. NA3077, Hazardous waste, solid, n.o.s., (tetrachloroethene), 9, PGIII, ERG #171		1	DT	18	T	D039	F002	
		2.								
		3.								
		4.								
14. Special Handling Instructions and Additional Information 1: C220115MD1 / Tetrachloroethane Contaminated Soil										
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.										
Generator's/Offlor's Printed/Typed Name Rebecca Brown as agent for generator				Signature <i>[Signature]</i>		Month Day Year 5 10 20				
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____										
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials									
	Transporter 1 Printed/Typed Name Clinton D. DAVIS				Signature <i>[Signature]</i>		Month Day Year 05 20 22			
Transporter 2 Printed/Typed Name				Signature		Month Day Year				
DESIGNATED FACILITY	18. Discrepancy									
	18a. Discrepancy Indication Space <input checked="" type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection									
	Actual at 22.517 kg per Box Kopper 5/14 20 Manifest Reference Number: _____									
18b. Alternate Facility (or Generator)						U.S. EPA ID Number				
Facility's Phone:										
18c. Signature of Alternate Facility (or Generator)						Month Day Year				
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)										
1. H070		2.		3.		4.				
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 18a										
Printed/Typed Name Adrian D				Signature <i>[Signature]</i>		Month Day Year 5 23 22				

TK 142

67050

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number WID 988 593 257	2. Page 1 of 1	3. Emergency Response Phone (262) 745-5054	4. Manifest Tracking Number 017026727 FLE				
5. Generator's Name and Mailing Address PJW PROPERTIES LLC 576 BRIDY STREET BURLINGTON, WI 53105			Generator's Site Address (if different than mailing address) 401 N. WISCONSIN STREET ELKHORN, WI 53121						
Generator's Phone: (262) 290-4001									
6. Transporter 1 Company Name US BULL TRANSPORTATION INC				U.S. EPA ID Number DA187347515					
7. Transporter 2 Company Name				U.S. EPA ID Number					
8. Designated Facility Name and Site Address MICHIGAN DISPOSAL WASTE TREATMEN 49350 N I-94 SERVICE DRIVE BELLEVILLE, MI 48111				U.S. EPA ID Number MID 000 724 831					
Facility's Phone: (800) 592-5489									
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
	X	1. NA3077, Hazardous waste, solid, n.o.s., (tetrachloroethene), 9, PGIII, ERG #171		1 DT		LEST 18	T	D039 F002	
		2.							
		3.							
		4.							
14. Special Handling Instructions and Additional Information 1. C220115MDI / Tetrachloroethene Contaminated Soil									
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.									
Generator's/Offeror's Printed/Typed Name Rebecca Brown				Signature <i>[Signature]</i>		Month Day Year 5 20 22			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____									
17. Transporter Acknowledgment of Receipt of Materials									
Transporter 1 Printed/Typed Name Lynell Trowen				Signature <i>[Signature]</i>		Month Day Year 5 20 22			
Transporter 2 Printed/Typed Name				Signature		Month Day Year			
18. Discrepancy									
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection									
Manifest Reference Number: _____									
18b. Alternate Facility (or Generator)						U.S. EPA ID Number			
Facility's Phone: _____									
18c. Signature of Alternate Facility (or Generator)								Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)									
1. H070		2.		3.		4.			
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a									
Printed/Typed Name Alvin				Signature <i>[Signature]</i>		Month Day Year 5 23 22			

truck # 136

65 460

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number WID 988 593 257	2. Page 1 of 1	3. Emergency Response Phone (262) 745-5054	4. Manifest Tracking Number 017026724 FLE		
5. Generator's Name and Mailing Address RJW PROPERTIES LLC 576 BRIDY STREET BURLINGTON, WI 53105			Generator's Site Address (if different than mailing address) 401 N. WISCONSIN STREET ELKHORN, WI 53121				
Generator's Phone: (262) 290-4001							
6. Transporter 1 Company Name US Bulk Transport TMC				U.S. EPA ID Number PAD 907 347 515			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address MICHIGAN DISPOSAL WASTE TREATMEN 49350 N I-94 SERVICE DRIVE BELLEVILLE, MI 48111			U.S. EPA ID Number MID 000 724 831				
Facility's Phone: (800) 592-5489							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
		No.	Type				
X	1. NA3077, Hazardous waste, solid, n.o.s., (tetrachloroethene), 9, PGIII, ERG #171	01	DT	18	T	D039	F002
	2.						
	3.						
	4.						
14. Special Handling Instructions and Additional Information 1. C220115MD / Tetrachloroethene Contaminated Soil							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offeror's Printed/Typed Name Rebecca Brown as agent of generator				Signature <i>[Signature]</i>		Month Day Year 5 10 92	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____							
17. Transporter Acknowledgment of Receipt of Materials							
Transporter 1 Printed/Typed Name Jesse [Signature]				Signature <i>[Signature]</i>		Month Day Year 5 20 92	
Transporter 2 Printed/Typed Name Rebecca Brown				Signature <i>[Signature]</i>		Month Day Year 5 20 92	
18. Discrepancy							
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
Manifest Reference Number: _____							
18b. Alternate Facility (or Generator)						U.S. EPA ID Number	
Facility's Phone: _____							
18c. Signature of Alternate Facility (or Generator)						Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							
1. H070		2.		3.		4.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a							
Printed/Typed Name [Signature]				Signature <i>[Signature]</i>		Month Day Year 5 23 92	



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686233

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS TRUCKIN
 Ticket Date 05/18/2022 Vehicle# 007 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 1056
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	68540 lb
In	05/18/2022 10:56:14	In bound	cyndi		Tare	26500 lb
Out	05/18/2022 10:56:14		cyndi		Net	42040 lb
					Tons	21.02

Comments max

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	21.02	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	21.02	Tons				WALWWI
3 WWMT-WASTE WATER M	100	21.02	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

Bristol



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686237

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PRICE
 Ticket Date 05/18/2022 Vehicle# 35 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 1119
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	64480 lb
In	05/18/2022 11:19:06	In bound	cyndi		Tare	29100 lb
Out	05/18/2022 11:46:03	In bound	aburgess		Net	35380 lb
					Tons	17.69

Comments SCOTT

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	17.69	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	17.69	Tons				WALWWI
3 WWMT-WASTE WATER M	100	17.69	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686247

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PRICE
 Ticket Date 05/18/2022 Vehicle# 13 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest *
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	68380 lb
In	05/18/2022 11:55:01	In bound	aburgess		Tare	28780 lb
Out	05/18/2022 12:23:57	In bound	cyndi		Net	39600 lb
					Tons	19.80

Comments ryan

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	19.80	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	19.80	Tons				WALWWI
3 WWMT-WASTE WATER M	100	19.80	Tons				WALWWI

Total Tax
 Total Ticket

Driver`s Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686250

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS TRUCKIN
 Ticket Date 05/18/2022 Vehicle# 797 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest *
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	64180 lb
In	05/18/2022 12:04:17	In bound	aburgess		Tare	28620 lb
Out	05/18/2022 12:25:24	In bound	cyndi		Net	35560 lb
					Tons	17.78

Comments Rodolfo

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	17.78	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	17.78	Tons				WALWWI
3 WWMT-WASTE WATER M	100	17.78	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686265

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS TRUCKIN
 Ticket Date 05/18/2022 Vehicle# 007 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0106
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	71960 lb
In	05/18/2022 13:06:52	In bound	cyndi		Tare	26500 lb
Out	05/18/2022 13:06:52		cyndi		Net	45460 lb
					Tons	22.73

Comments MAX

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	22.73	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	22.73	Tons				WALWWI
3 WWMT-WASTE WATER M	100	22.73	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

Bristol



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686268

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PRICE
 Ticket Date 05/18/2022 Vehicle# 35 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0122
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	74800 lb
In	05/18/2022 13:22:40	In bound	cyndi		Tare	29100 lb
Out	05/18/2022 13:22:40		cyndi		Net	45700 lb
					Tons	22.85

Comments SCOTT

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	22.85	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	22.85	Tons				WALWWI
3 WWMW-WASTE WATER M	100	22.85	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686278

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PRICE
 Ticket Date 05/18/2022 Vehicle# 13 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0201
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	77520 lb
In	05/18/2022 14:01:07	In bound	cyndi		Tare	28780 lb
Out	05/18/2022 14:01:07		cyndi		Net	48740 lb
					Tons	24.37

Comments RYAN

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	24.37	Tons				KENOWI
2 ENVT-ENVIRONMENTAL	100	24.37	Tons				KENOWI
3 WWMT-WASTE WATER M	100	24.37	Tons				KENOWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686283

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS TRUCKIN
 Ticket Date 05/18/2022 Vehicle# 797 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0217
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	73880 lb
In	05/18/2022 14:17:22	In bound	cyndi		Tare	28620 lb
Out	05/18/2022 14:17:22		cyndi		Net	45260 lb
					Tons	22.63

Comments RODOLFO

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	22.63	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	22.63	Tons				WALWWI
3 WWMT-WASTE WATER M	100	22.63	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686294

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS TRUCKIN
 Ticket Date 05/18/2022 Vehicle# 007 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest *
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	75700 lb
In	05/18/2022 15:08:09	In bound	aburgess		Tare	26500 lb
Out	05/18/2022 15:08:09		aburgess		Net	49200 lb
					Tons	24.60

Comments Max

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	24.60	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	24.60	Tons				WALWWI
3 WWMT-WASTE WATER M	100	24.60	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Metro RDF
 10712 South 124th Street
 Franklin, WI, 53132
 Ph: (414) 529-6180

Reprint
 Ticket# 1208218

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PRICE
 Ticket Date 05/18/2022 Vehicle# 13 Volume 15.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0004251
 State Waste Code A-24-06 Gen EPA ID
 Manifest 51822412 Grid
 Destination NEW1
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	78280 lb
In	05/18/2022 16:12:57	Inbound	Gina		Tare	28640 lb
Out	05/18/2022 16:28:34	Outbound	Gina		Net	49640 lb
					Tons	24.82

Comments

Product	LD%	Qty	UOM	Rate	Fee	Amount	Origin
1 Spwaste VOC-Tons-S	100	24.82	Tons				MILWW
2 ENVT-ENVIRONMENTAL	100	24.82	Tons				MILWW
3 WWMT-WASTE WATER M	100	24.82	Tons				MILWW

Total Fees
 Total Ticket

Driver`s Signature

METRO



Metro RDF
 10712 South 124th Street
 Franklin, WI, 53132
 Ph: (414) 529-6180

Reprint
 Ticket# 1208221

Customer Name	COVANTAENVIRO COVANTA FOX VAL	Carrier	PRICE	
Ticket Date	05/18/2022	Vehicle#	35	Volume
Payment Type	Credit Account	Container		
Manual Ticket#		Driver		
Hauling Ticket#		Check#		
Route		Billing #	0004251	
State Waste Code	A-24-06	Gen EPA ID		
Manifest	51822419	Grid		
Destination	NEW1			
PO				
Profile	V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)			
Generator	136-WAGNERPROPERTY WAGNER PROPERTY			

	Time	Scale	Operator	Inbound	Gross	48280 lb
In	05/18/2022 16:19:23	Inbound	Gina		Tare	29020 lb
Out	05/18/2022 16:29:32	Outbound	Gina		Net	19260 lb
					Tons	9.63

Comments

Product	LD%	Qty	UOM	Rate	Fee	Amount	Origin
1 Spwaste VOC-Tons-S	100	9.63	Tons				MILWW
2 ENVT-ENVIRONMENTAL	100	9.63	Tons				MILWW
3 WWMT-WASTE WATER M	100	9.63	Tons				MILWW

Total Fees
 Total Ticket

Driver's Signature

Metro



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686358

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier DAVID SM
 Ticket Date 05/19/2022 Vehicle# 101 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0951
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	72640 lb
In	05/19/2022 09:52:02	In bound	cyndi		Tare	27940 lb
Out	05/19/2022 09:52:02		cyndi		Net	44700 lb
					Tons	22.35

Comments JOSE

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	22.35	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	22.35	Tons				WALWWI
3 WWMT-WASTE WATER M	100	22.35	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

Bristol



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686346

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS TRUCKIN
 Ticket Date 05/19/2022 Vehicle# 707 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0920
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	71800 lb
In	05/19/2022 09:20:42	In bound	cyndi		Tare	30100 lb
Out	05/19/2022 10:01:39	In bound	cyndi		Net	41700 lb
					Tons	20.85

Comments IVAN

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	20.85	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	20.85	Tons				WALWWI
3 WWMT-WASTE WATER M	100	20.85	Tons				WALWWI

Total Tax
 Total Ticket

Driver`s Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686357

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PEPES TRUCKING LLC
 Ticket Date 05/19/2022 Vehicle# 56 Volume 10.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0947
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	79900 lb
In	05/19/2022 09:47:40	In bound	cyndi		Tare	32420 lb
Out	05/19/2022 10:26:03	In bound	cyndi		Net	47480 lb
Comments	JOSE				Tons	23.74

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	23.74	Tons				WALWWI
2 ENVT-ENVIRONMENTAL	100	23.74	Tons				WALWWI
3 WWMT-WASTE WATER M	100	23.74	Tons				WALWWI

Total Tax
 Total Ticket

Driver`s Signature

BRISTOL



Pheasant Run RDF
 19414 60th Street
 Bristol, WI, 53104
 Ph: (262) 857-7956

Reprint
 Ticket# 686342

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier RUSSS MULCH
 Ticket Date 05/19/2022 Vehicle# 2
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0001400
 State Waste Code A-24-06 Gen EPA ID
 Manifest 0911
 Destination NORTHEAST Grid
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

Volume 10.0

	Time	Scale	Operator	Inbound	Gross	73540 lb
In	05/19/2022 09:11:27	In bound	cyndi		Tare	30680 lb
Out	05/19/2022 10:47:08	In bound	cyndi		Net	42860 lb
					Tons	21.43

Comments KEVIN

Product	LD%	Qty	UOM	Rate	Tax	Amount	Origin
1 Spwaste VOC-Tons-S	100	21.43	Tons				WALWWI
2 ENVY-ENVIRONMENTAL	100	21.43	Tons				WALWWI
3 WWMT-WASTE WATER M	100	21.43	Tons				WALWWI

Total Tax
 Total Ticket

Driver's Signature

BRISTOL



Metro RDF
 10712 South 124th Street
 Franklin, WI, 53132
 Ph: (414) 529-6180

Reprint
 Ticket# 1208400

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier GUINS DUMP
 Ticket Date 05/19/2022 Vehicle# 707 Volume 20.0
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0004251
 State Waste Code A-24-06 Gen EPA ID
 Manifest 519221233 Grid
 Destination NEW1
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

In	Time	Scale	Operator	Inbound	Gross	74580 lb
	05/19/2022 12:33:49	Inbound	rduran3		Tare	28900 lb
Out	05/19/2022 12:33:49		rduran3		Net	45680 lb
					Tons	22.84

Comments

Product	LD%	Qty	UOM	Rate	Fee	Amount	Origin
1 Spwaste VOC-Tons-S	100	22.84	Tons				MILWW
2 ENVT-ENVIRONMENTAL	100	22.84	Tons				MILWW
3 WWMT-WASTE WATER M	100	22.84	Tons				MILWW

Total Fees
 Total Ticket

Driver's Signature

METRO



Metro RDF
 10712 South 124th Street
 Franklin, WI, 53132
 Ph: (414) 529-6180

Reprint
 Ticket# 1208398

Customer Name COVANTAENVIRO COVANTA FOX VAL Carrier PEPE TRUCKING
 Ticket Date 05/19/2022 Vehicle# 56 Volume
 Payment Type Credit Account Container
 Manual Ticket# Driver
 Hauling Ticket# Check#
 Route Billing # 0004251
 State Waste Code A-24-06 Gen EPA ID
 Manifest 519221232 Grid
 Destination NEW1
 PO
 Profile V136481WI (NON HAZARDOUS CONTAMINATED SOIL WM012A)
 Generator 136-WAGNERPROPERTY WAGNER PROPERTY

	Time	Scale	Operator	Inbound	Gross	81240 lb
In	05/19/2022 12:32:32	Inbound	rduran3		Tare	29080 lb
Out	05/19/2022 12:59:24	Outbound	rduran3		Net	52160 lb
					Tons	26.08

Comments

Product	LD%	Qty	UOM	Rate	Fee	Amount	Origin
1 Spwaste VOC-Tons-S	100	26.08	Tons				MILWW
2 ENVT-ENVIRONMENTAL	100	26.08	Tons				MILWW
3 WWMT-WASTE WATER M	100	26.08	Tons				MILWW

Total Fees
 Total Ticket

Driver's Signature

METRO

APPENDIX B

Photographs



Overview of planned excavation area, facing north. Concrete features are the foundation walls and slab of the former building.



North end of the excavation, facing west. Sections of the footing in this area were removed to allow excavation of highly contaminated soil beneath.



East side of the excavation, facing south.



Completed southeast corner of excavation, facing southeast.



Overview of the separate excavation area between the former building and 1st Street right-of-way, facing west.



Northeast corner of the excavation expanded beyond the foundation to remove highly contaminated soil, facing northwest.



Overview of area showing complete backfill with screening material, facing southwest.



APPENDIX C

Soil Laboratory Analytical Reports

November 29, 2021

Brian Kappen
Enviroforensics
N16 W23390 Stone Ridge Drive
Suite G
Waukesha, WI 53188

RE: Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Dear Brian Kappen:

Enclosed are the analytical results for sample(s) received by the laboratory on November 16, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40237039001	6526-WS-1 (1-5')	Solid	11/15/21 09:45	11/16/21 11:50
40237039002	6526-WS-2 (1-5')	Solid	11/15/21 10:00	11/16/21 11:50
40237039003	6526-WS-3 (1-5')	Solid	11/15/21 10:15	11/16/21 11:50
40237039004	6526-WS-4 (1-5')	Solid	11/15/21 10:35	11/16/21 11:50
40237039005	6526-WS-5 (1-5')	Solid	11/15/21 10:45	11/16/21 11:50
40237039006	6526-WS-6 (1-5')	Solid	11/15/21 11:00	11/16/21 11:50
40237039007	6526-WS-7 (1-5')	Solid	11/15/21 11:10	11/16/21 11:50
40237039008	6526-WS-8 (1-5')	Solid	11/15/21 11:25	11/16/21 11:50
40237039009	6526-WS-9 (1-5')	Solid	11/15/21 11:45	11/16/21 11:50

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40237039001	6526-WS-1 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	LAP	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039002	6526-WS-2 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	LAP	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039003	6526-WS-3 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	LAP	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039004	6526-WS-4 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	JAV	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039005	6526-WS-5 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	JAV	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039006	6526-WS-6 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	JAV	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039007	6526-WS-7 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	JAV	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039008	6526-WS-8 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	JAV	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G
40237039009	6526-WS-9 (1-5')	EPA 8260	ALD	65	PASI-G
		EPA 8260	JAV, LAP	13	PASI-G
		ASTM D2974-87	HXB	1	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40237039001	6526-WS-1 (1-5')					
EPA 8260	n-Butylbenzene	2170	ug/kg	124	11/18/21 02:18	
EPA 8260	sec-Butylbenzene	202	ug/kg	124	11/18/21 02:18	
EPA 8260	Chlorobenzene	76.9J	ug/kg	124	11/18/21 02:18	
EPA 8260	1,2-Dichlorobenzene	55.1J	ug/kg	124	11/18/21 02:18	
EPA 8260	1,4-Dichlorobenzene	45.4J	ug/kg	124	11/18/21 02:18	
EPA 8260	p-Isopropyltoluene	391	ug/kg	124	11/18/21 02:18	
EPA 8260	n-Propylbenzene	81.2J	ug/kg	124	11/18/21 02:18	
EPA 8260	Tetrachloroethene	64.9J	ug/kg	124	11/18/21 12:30	
EPA 8260	1,2,4-Trimethylbenzene	158	ug/kg	124	11/18/21 02:18	
ASTM D2974-87	Percent Moisture	10.7	%	0.10	11/18/21 10:37	
40237039002	6526-WS-2 (1-5')					
EPA 8260	Tetrachloroethene	174	ug/kg	73.8	11/17/21 23:36	
ASTM D2974-87	Percent Moisture	19.2	%	0.10	11/18/21 10:37	
40237039003	6526-WS-3 (1-5')					
EPA 8260	n-Butylbenzene	1790	ug/kg	152	11/18/21 01:58	
EPA 8260	sec-Butylbenzene	161	ug/kg	152	11/18/21 01:58	
EPA 8260	Chlorobenzene	38.2J	ug/kg	152	11/18/21 01:58	
EPA 8260	1,2-Dichlorobenzene	558	ug/kg	152	11/18/21 01:58	
EPA 8260	1,4-Dichlorobenzene	76.2J	ug/kg	152	11/18/21 01:58	
EPA 8260	p-Isopropyltoluene	242	ug/kg	152	11/18/21 01:58	
EPA 8260	Naphthalene	2550	ug/kg	761	11/18/21 01:58	
EPA 8260	n-Propylbenzene	180	ug/kg	152	11/18/21 01:58	
EPA 8260	Tetrachloroethene	570	ug/kg	152	11/18/21 12:51	
EPA 8260	1,2,4-Trimethylbenzene	1640	ug/kg	152	11/18/21 01:58	
EPA 8260	1,3,5-Trimethylbenzene	535	ug/kg	152	11/18/21 01:58	
EPA 8260	m&p-Xylene	64.3J	ug/kg	304	11/18/21 01:58	
EPA 8260	o-Xylene	56.5J	ug/kg	152	11/18/21 01:58	
ASTM D2974-87	Percent Moisture	20.7	%	0.10	11/18/21 10:37	
40237039004	6526-WS-4 (1-5')					
EPA 8260	n-Butylbenzene	5210	ug/kg	862	11/17/21 23:56	
EPA 8260	sec-Butylbenzene	1190	ug/kg	862	11/17/21 23:56	
EPA 8260	1,2-Dichlorobenzene	2480	ug/kg	862	11/17/21 23:56	
EPA 8260	cis-1,2-Dichloroethene	628J	ug/kg	862	11/17/21 23:56	
EPA 8260	Isopropylbenzene (Cumene)	327J	ug/kg	862	11/17/21 23:56	
EPA 8260	p-Isopropyltoluene	1700	ug/kg	862	11/17/21 23:56	
EPA 8260	Naphthalene	7100	ug/kg	4310	11/17/21 23:56	
EPA 8260	n-Propylbenzene	1420	ug/kg	862	11/17/21 23:56	
EPA 8260	Toluene	242J	ug/kg	862	11/17/21 23:56	
EPA 8260	1,2,4-Trimethylbenzene	12400	ug/kg	862	11/17/21 23:56	
EPA 8260	1,3,5-Trimethylbenzene	5680	ug/kg	862	11/17/21 23:56	
EPA 8260	m&p-Xylene	561J	ug/kg	1720	11/17/21 23:56	
EPA 8260	o-Xylene	617J	ug/kg	862	11/17/21 23:56	
ASTM D2974-87	Percent Moisture	15.9	%	0.10	11/18/21 10:37	
40237039005	6526-WS-5 (1-5')					
EPA 8260	n-Butylbenzene	6970	ug/kg	317	11/18/21 00:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
40237039005	6526-WS-5 (1-5')					
EPA 8260	sec-Butylbenzene	940	ug/kg	317	11/18/21 00:37	
EPA 8260	1,2-Dichlorobenzene	1890	ug/kg	317	11/18/21 00:37	
EPA 8260	1,4-Dichlorobenzene	176J	ug/kg	317	11/18/21 00:37	
EPA 8260	cis-1,2-Dichloroethene	7460	ug/kg	317	11/18/21 00:37	
EPA 8260	trans-1,2-Dichloroethene	151J	ug/kg	317	11/18/21 00:37	
EPA 8260	Ethylbenzene	144J	ug/kg	317	11/18/21 00:37	
EPA 8260	Isopropylbenzene (Cumene)	247J	ug/kg	317	11/18/21 00:37	
EPA 8260	p-Isopropyltoluene	1300	ug/kg	317	11/18/21 00:37	
EPA 8260	Naphthalene	11700	ug/kg	1590	11/18/21 00:37	
EPA 8260	n-Propylbenzene	1140	ug/kg	317	11/18/21 00:37	
EPA 8260	Toluene	248J	ug/kg	317	11/18/21 00:37	
EPA 8260	1,2,4-Trimethylbenzene	8740	ug/kg	317	11/18/21 00:37	
EPA 8260	1,3,5-Trimethylbenzene	2700	ug/kg	317	11/18/21 00:37	
EPA 8260	m&p-Xylene	497J	ug/kg	634	11/18/21 00:37	
EPA 8260	o-Xylene	401	ug/kg	317	11/18/21 00:37	
ASTM D2974-87	Percent Moisture	11.8	%	0.10	11/18/21 10:37	
40237039006	6526-WS-6 (1-5')					
EPA 8260	n-Butylbenzene	7160	ug/kg	386	11/18/21 00:57	
EPA 8260	sec-Butylbenzene	1350	ug/kg	386	11/18/21 00:57	
EPA 8260	1,2-Dichlorobenzene	1310	ug/kg	386	11/18/21 00:57	
EPA 8260	1,4-Dichlorobenzene	183J	ug/kg	386	11/18/21 00:57	
EPA 8260	cis-1,2-Dichloroethene	5910	ug/kg	386	11/18/21 00:57	
EPA 8260	trans-1,2-Dichloroethene	126J	ug/kg	386	11/18/21 00:57	
EPA 8260	Ethylbenzene	107J	ug/kg	386	11/18/21 00:57	
EPA 8260	Isopropylbenzene (Cumene)	232J	ug/kg	386	11/18/21 00:57	
EPA 8260	p-Isopropyltoluene	1860	ug/kg	386	11/18/21 00:57	
EPA 8260	Naphthalene	8360	ug/kg	1930	11/18/21 00:57	
EPA 8260	n-Propylbenzene	994	ug/kg	386	11/18/21 00:57	
EPA 8260	Toluene	140J	ug/kg	386	11/18/21 00:57	
EPA 8260	1,2,4-Trimethylbenzene	10400	ug/kg	386	11/18/21 00:57	
EPA 8260	1,3,5-Trimethylbenzene	4520	ug/kg	386	11/18/21 00:57	
EPA 8260	m&p-Xylene	315J	ug/kg	772	11/18/21 00:57	
EPA 8260	o-Xylene	284J	ug/kg	386	11/18/21 00:57	
ASTM D2974-87	Percent Moisture	21.4	%	0.10	11/18/21 10:37	
40237039007	6526-WS-7 (1-5')					
EPA 8260	n-Butylbenzene	14500	ug/kg	746	11/18/21 00:16	
EPA 8260	sec-Butylbenzene	1290	ug/kg	746	11/18/21 00:16	
EPA 8260	1,2-Dichlorobenzene	5330	ug/kg	746	11/18/21 00:16	
EPA 8260	1,4-Dichlorobenzene	820	ug/kg	746	11/18/21 00:16	
EPA 8260	cis-1,2-Dichloroethene	31500	ug/kg	746	11/18/21 00:16	
EPA 8260	trans-1,2-Dichloroethene	583J	ug/kg	746	11/18/21 00:16	
EPA 8260	Ethylbenzene	386J	ug/kg	746	11/18/21 00:16	
EPA 8260	Isopropylbenzene (Cumene)	409J	ug/kg	746	11/18/21 00:16	
EPA 8260	p-Isopropyltoluene	1680	ug/kg	746	11/18/21 00:16	
EPA 8260	Naphthalene	52300	ug/kg	3730	11/18/21 00:16	
EPA 8260	n-Propylbenzene	2120	ug/kg	746	11/18/21 00:16	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40237039007	6526-WS-7 (1-5')					
EPA 8260	Toluene	543J	ug/kg	746	11/18/21 00:16	
EPA 8260	1,2,4-Trimethylbenzene	16200	ug/kg	746	11/18/21 00:16	
EPA 8260	1,3,5-Trimethylbenzene	5150	ug/kg	746	11/18/21 00:16	
EPA 8260	m&p-Xylene	975J	ug/kg	1490	11/18/21 00:16	
EPA 8260	o-Xylene	799	ug/kg	746	11/18/21 00:16	
ASTM D2974-87	Percent Moisture	19.7	%	0.10	11/18/21 10:37	
40237039008	6526-WS-8 (1-5')					
EPA 8260	n-Butylbenzene	5210	ug/kg	166	11/18/21 01:37	
EPA 8260	sec-Butylbenzene	402	ug/kg	166	11/18/21 01:37	
EPA 8260	1,2-Dichlorobenzene	1180	ug/kg	166	11/18/21 01:37	
EPA 8260	1,4-Dichlorobenzene	115J	ug/kg	166	11/18/21 01:37	
EPA 8260	cis-1,2-Dichloroethene	128J	ug/kg	166	11/18/21 01:37	
EPA 8260	Ethylbenzene	49.6J	ug/kg	166	11/18/21 01:37	
EPA 8260	Isopropylbenzene (Cumene)	66.4J	ug/kg	166	11/18/21 01:37	
EPA 8260	p-Isopropyltoluene	561	ug/kg	166	11/18/21 01:37	
EPA 8260	Naphthalene	7760	ug/kg	829	11/18/21 01:37	
EPA 8260	n-Propylbenzene	402	ug/kg	166	11/18/21 01:37	
EPA 8260	Tetrachloroethene	82.1J	ug/kg	166	11/18/21 13:11	
EPA 8260	Toluene	84.0J	ug/kg	166	11/18/21 01:37	
EPA 8260	Trichloroethene	110J	ug/kg	166	11/18/21 01:37	
EPA 8260	1,2,4-Trimethylbenzene	3700	ug/kg	166	11/18/21 01:37	
EPA 8260	1,3,5-Trimethylbenzene	1090	ug/kg	166	11/18/21 01:37	
EPA 8260	m&p-Xylene	144J	ug/kg	331	11/18/21 01:37	
EPA 8260	o-Xylene	142J	ug/kg	166	11/18/21 01:37	
ASTM D2974-87	Percent Moisture	14.0	%	0.10	11/18/21 10:37	
40237039009	6526-WS-9 (1-5')					
EPA 8260	n-Butylbenzene	4360	ug/kg	3290	11/18/21 13:51	
EPA 8260	cis-1,2-Dichloroethene	4500	ug/kg	3290	11/18/21 13:51	
EPA 8260	Naphthalene	19400	ug/kg	16500	11/18/21 13:51	
EPA 8260	Tetrachloroethene	448000	ug/kg	3290	11/18/21 13:51	
EPA 8260	Trichloroethene	17800	ug/kg	3290	11/18/21 13:51	
EPA 8260	1,2,4-Trimethylbenzene	3090J	ug/kg	3290	11/18/21 13:51	
EPA 8260	Tetrachloroethene	12.7	mg/L	0.12	11/28/21 12:27	
EPA 8260	Trichloroethene	0.24	mg/L	0.020	11/24/21 19:29	
ASTM D2974-87	Percent Moisture	13.7	%	0.10	11/18/21 10:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-1 (1-5') **Lab ID: 40237039001** Collected: 11/15/21 09:45 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<29.5	ug/kg	49.6	29.5	2	11/17/21 09:30	11/18/21 02:18	71-43-2	
Bromobenzene	<48.3	ug/kg	124	48.3	2	11/17/21 09:30	11/18/21 02:18	108-86-1	
Bromochloromethane	<34.0	ug/kg	124	34.0	2	11/17/21 09:30	11/18/21 02:18	74-97-5	
Bromodichloromethane	<29.5	ug/kg	124	29.5	2	11/17/21 09:30	11/18/21 02:18	75-27-4	
Bromoform	<545	ug/kg	620	545	2	11/17/21 09:30	11/18/21 02:18	75-25-2	
Bromomethane	<174	ug/kg	620	174	2	11/17/21 09:30	11/18/21 02:18	74-83-9	
2-Butanone (MEK)	<392	ug/kg	3100	392	2	11/17/21 09:30	11/18/21 02:18	78-93-3	
n-Butylbenzene	2170	ug/kg	124	56.8	2	11/17/21 09:30	11/18/21 02:18	104-51-8	
sec-Butylbenzene	202	ug/kg	124	30.2	2	11/17/21 09:30	11/18/21 02:18	135-98-8	
tert-Butylbenzene	<38.9	ug/kg	124	38.9	2	11/17/21 09:30	11/18/21 02:18	98-06-6	
Carbon tetrachloride	<27.3	ug/kg	124	27.3	2	11/17/21 09:30	11/18/21 02:18	56-23-5	
Chlorobenzene	76.9J	ug/kg	124	14.9	2	11/17/21 09:30	11/18/21 02:18	108-90-7	
Chloroethane	<52.3	ug/kg	620	52.3	2	11/17/21 09:30	11/18/21 02:18	75-00-3	
Chloroform	<88.8	ug/kg	620	88.8	2	11/17/21 09:30	11/18/21 02:18	67-66-3	
Chloromethane	<47.1	ug/kg	124	47.1	2	11/17/21 09:30	11/18/21 02:18	74-87-3	
2-Chlorotoluene	<40.2	ug/kg	124	40.2	2	11/17/21 09:30	11/18/21 02:18	95-49-8	
4-Chlorotoluene	<47.1	ug/kg	124	47.1	2	11/17/21 09:30	11/18/21 02:18	106-43-4	
1,2-Dibromo-3-chloropropane	<96.2	ug/kg	620	96.2	2	11/17/21 09:30	11/18/21 02:18	96-12-8	
Dibromochloromethane	<424	ug/kg	620	424	2	11/17/21 09:30	11/18/21 02:18	124-48-1	
1,2-Dibromoethane (EDB)	<34.0	ug/kg	124	34.0	2	11/17/21 09:30	11/18/21 02:18	106-93-4	
Dibromomethane	<36.7	ug/kg	124	36.7	2	11/17/21 09:30	11/18/21 02:18	74-95-3	
1,2-Dichlorobenzene	55.1J	ug/kg	124	38.4	2	11/17/21 09:30	11/18/21 02:18	95-50-1	
1,3-Dichlorobenzene	<34.0	ug/kg	124	34.0	2	11/17/21 09:30	11/18/21 02:18	541-73-1	
1,4-Dichlorobenzene	45.4J	ug/kg	124	34.0	2	11/17/21 09:30	11/18/21 02:18	106-46-7	
Dichlorodifluoromethane	<53.3	ug/kg	124	53.3	2	11/17/21 09:30	11/18/21 02:18	75-71-8	
1,1-Dichloroethane	<31.7	ug/kg	124	31.7	2	11/17/21 09:30	11/18/21 02:18	75-34-3	
1,2-Dichloroethane	<28.5	ug/kg	124	28.5	2	11/17/21 09:30	11/18/21 02:18	107-06-2	
1,1-Dichloroethene	<41.2	ug/kg	124	41.2	2	11/17/21 09:30	11/18/21 02:18	75-35-4	
cis-1,2-Dichloroethene	<26.5	ug/kg	124	26.5	2	11/17/21 09:30	11/18/21 02:18	156-59-2	
trans-1,2-Dichloroethene	<26.8	ug/kg	124	26.8	2	11/17/21 09:30	11/18/21 02:18	156-60-5	
1,2-Dichloropropane	<29.5	ug/kg	124	29.5	2	11/17/21 09:30	11/18/21 02:18	78-87-5	
1,3-Dichloropropane	<27.0	ug/kg	124	27.0	2	11/17/21 09:30	11/18/21 02:18	142-28-9	
2,2-Dichloropropane	<33.5	ug/kg	124	33.5	2	11/17/21 09:30	11/18/21 02:18	594-20-7	
1,1-Dichloropropene	<40.2	ug/kg	124	40.2	2	11/17/21 09:30	11/18/21 02:18	563-58-6	
cis-1,3-Dichloropropene	<81.8	ug/kg	620	81.8	2	11/17/21 09:30	11/18/21 02:18	10061-01-5	
trans-1,3-Dichloropropene	<355	ug/kg	620	355	2	11/17/21 09:30	11/18/21 02:18	10061-02-6	
Diisopropyl ether	<30.7	ug/kg	124	30.7	2	11/17/21 09:30	11/18/21 02:18	108-20-3	
Ethylbenzene	<29.5	ug/kg	124	29.5	2	11/17/21 09:30	11/18/21 02:18	100-41-4	
Hexachloro-1,3-butadiene	<246	ug/kg	620	246	2	11/17/21 09:30	11/18/21 02:18	87-68-3	
Isopropylbenzene (Cumene)	<33.5	ug/kg	124	33.5	2	11/17/21 09:30	11/18/21 02:18	98-82-8	
p-Isopropyltoluene	391	ug/kg	124	37.7	2	11/17/21 09:30	11/18/21 02:18	99-87-6	
Methylene Chloride	<34.5	ug/kg	124	34.5	2	11/17/21 09:30	11/18/21 02:18	75-09-2	
Methyl-tert-butyl ether	<36.4	ug/kg	124	36.4	2	11/17/21 09:30	11/18/21 02:18	1634-04-4	
Naphthalene	<38.7	ug/kg	620	38.7	2	11/17/21 09:30	11/18/21 02:18	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-1 (1-5') **Lab ID: 40237039001** Collected: 11/15/21 09:45 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	81.2J	ug/kg	124	29.8	2	11/17/21 09:30	11/18/21 02:18	103-65-1	
Styrene	<31.7	ug/kg	124	31.7	2	11/17/21 09:30	11/18/21 02:18	100-42-5	
1,1,1,2-Tetrachloroethane	<29.8	ug/kg	124	29.8	2	11/17/21 09:30	11/18/21 02:18	630-20-6	
1,1,2,2-Tetrachloroethane	<44.9	ug/kg	124	44.9	2	11/17/21 09:30	11/18/21 02:18	79-34-5	
Tetrachloroethene	64.9J	ug/kg	124	48.1	2	11/17/21 09:30	11/18/21 12:30	127-18-4	
Toluene	<31.2	ug/kg	124	31.2	2	11/17/21 09:30	11/18/21 02:18	108-88-3	
1,2,3-Trichlorobenzene	<138	ug/kg	620	138	2	11/17/21 09:30	11/18/21 02:18	87-61-6	
1,2,4-Trichlorobenzene	<102	ug/kg	620	102	2	11/17/21 09:30	11/18/21 02:18	120-82-1	
1,1,1-Trichloroethane	<31.7	ug/kg	124	31.7	2	11/17/21 09:30	11/18/21 02:18	71-55-6	
1,1,2-Trichloroethane	<45.1	ug/kg	124	45.1	2	11/17/21 09:30	11/18/21 02:18	79-00-5	
Trichloroethene	<46.4	ug/kg	124	46.4	2	11/17/21 09:30	11/18/21 02:18	79-01-6	
Trichlorofluoromethane	<36.0	ug/kg	124	36.0	2	11/17/21 09:30	11/18/21 02:18	75-69-4	
1,2,3-Trichloropropane	<60.2	ug/kg	124	60.2	2	11/17/21 09:30	11/18/21 02:18	96-18-4	
1,2,4-Trimethylbenzene	158	ug/kg	124	36.9	2	11/17/21 09:30	11/18/21 02:18	95-63-6	
1,3,5-Trimethylbenzene	<39.9	ug/kg	124	39.9	2	11/17/21 09:30	11/18/21 02:18	108-67-8	
Vinyl chloride	<25.0	ug/kg	124	25.0	2	11/17/21 09:30	11/18/21 02:18	75-01-4	
m&p-Xylene	<52.3	ug/kg	248	52.3	2	11/17/21 09:30	11/18/21 02:18	179601-23-1	
o-Xylene	<37.2	ug/kg	124	37.2	2	11/17/21 09:30	11/18/21 02:18	95-47-6	
Surrogates									
Toluene-d8 (S)	129	%	67-159		2	11/17/21 09:30	11/18/21 02:18	2037-26-5	D3
4-Bromofluorobenzene (S)	118	%	66-153		2	11/17/21 09:30	11/18/21 02:18	460-00-4	
1,2-Dichlorobenzene-d4 (S)	145	%	82-158		2	11/17/21 09:30	11/18/21 02:18	2199-69-1	

8260 MSV TCLP

Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/17/21 11:05

Pace Analytical Services - Green Bay

Benzene	<0.0030	mg/L	0.010	0.0030	10		11/18/21 20:52	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/18/21 20:52	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/18/21 20:52	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/18/21 20:52	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/18/21 20:52	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/18/21 20:52	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/18/21 20:52	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/18/21 20:52	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/18/21 20:52	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/18/21 20:52	75-01-4	
Surrogates									
Toluene-d8 (S)	104	%	70-130		10		11/18/21 20:52	2037-26-5	
4-Bromofluorobenzene (S)	102	%	70-130		10		11/18/21 20:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		11/18/21 20:52	2199-69-1	

Percent Moisture

Analytical Method: ASTM D2974-87

Pace Analytical Services - Green Bay

Percent Moisture	10.7	%	0.10	0.10	1		11/18/21 10:37		
------------------	-------------	---	------	------	---	--	----------------	--	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-2 (1-5') Lab ID: 40237039002 Collected: 11/15/21 10:00 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<17.7	ug/kg	73.8	17.7	1	11/17/21 09:30	11/17/21 23:36	630-20-6	
1,1,1-Trichloroethane	<18.9	ug/kg	73.8	18.9	1	11/17/21 09:30	11/17/21 23:36	71-55-6	
1,1,2,2-Tetrachloroethane	<26.7	ug/kg	73.8	26.7	1	11/17/21 09:30	11/17/21 23:36	79-34-5	
1,1,2-Trichloroethane	<26.9	ug/kg	73.8	26.9	1	11/17/21 09:30	11/17/21 23:36	79-00-5	
1,1-Dichloroethane	<18.9	ug/kg	73.8	18.9	1	11/17/21 09:30	11/17/21 23:36	75-34-3	
1,1-Dichloroethene	<24.5	ug/kg	73.8	24.5	1	11/17/21 09:30	11/17/21 23:36	75-35-4	
1,1-Dichloropropene	<23.9	ug/kg	73.8	23.9	1	11/17/21 09:30	11/17/21 23:36	563-58-6	
1,2,3-Trichlorobenzene	<82.2	ug/kg	369	82.2	1	11/17/21 09:30	11/17/21 23:36	87-61-6	
1,2,3-Trichloropropane	<35.9	ug/kg	73.8	35.9	1	11/17/21 09:30	11/17/21 23:36	96-18-4	
1,2,4-Trichlorobenzene	<60.8	ug/kg	369	60.8	1	11/17/21 09:30	11/17/21 23:36	120-82-1	
1,2,4-Trimethylbenzene	<22.0	ug/kg	73.8	22.0	1	11/17/21 09:30	11/17/21 23:36	95-63-6	
1,2-Dibromo-3-chloropropane	<57.3	ug/kg	369	57.3	1	11/17/21 09:30	11/17/21 23:36	96-12-8	
1,2-Dibromoethane (EDB)	<20.2	ug/kg	73.8	20.2	1	11/17/21 09:30	11/17/21 23:36	106-93-4	
1,2-Dichlorobenzene	<22.9	ug/kg	73.8	22.9	1	11/17/21 09:30	11/17/21 23:36	95-50-1	
1,2-Dichloroethane	<17.0	ug/kg	73.8	17.0	1	11/17/21 09:30	11/17/21 23:36	107-06-2	
1,2-Dichloropropane	<17.6	ug/kg	73.8	17.6	1	11/17/21 09:30	11/17/21 23:36	78-87-5	
1,3,5-Trimethylbenzene	<23.8	ug/kg	73.8	23.8	1	11/17/21 09:30	11/17/21 23:36	108-67-8	
1,3-Dichlorobenzene	<20.2	ug/kg	73.8	20.2	1	11/17/21 09:30	11/17/21 23:36	541-73-1	
1,3-Dichloropropane	<16.1	ug/kg	73.8	16.1	1	11/17/21 09:30	11/17/21 23:36	142-28-9	
1,4-Dichlorobenzene	<20.2	ug/kg	73.8	20.2	1	11/17/21 09:30	11/17/21 23:36	106-46-7	
2,2-Dichloropropane	<19.9	ug/kg	73.8	19.9	1	11/17/21 09:30	11/17/21 23:36	594-20-7	
2-Butanone (MEK)	<233	ug/kg	1840	233	1	11/17/21 09:30	11/17/21 23:36	78-93-3	
2-Chlorotoluene	<23.9	ug/kg	73.8	23.9	1	11/17/21 09:30	11/17/21 23:36	95-49-8	
4-Chlorotoluene	<28.0	ug/kg	73.8	28.0	1	11/17/21 09:30	11/17/21 23:36	106-43-4	
Benzene	<17.6	ug/kg	29.5	17.6	1	11/17/21 09:30	11/17/21 23:36	71-43-2	
Bromobenzene	<28.8	ug/kg	73.8	28.8	1	11/17/21 09:30	11/17/21 23:36	108-86-1	
Bromochloromethane	<20.2	ug/kg	73.8	20.2	1	11/17/21 09:30	11/17/21 23:36	74-97-5	
Bromodichloromethane	<17.6	ug/kg	73.8	17.6	1	11/17/21 09:30	11/17/21 23:36	75-27-4	
Bromoform	<325	ug/kg	369	325	1	11/17/21 09:30	11/17/21 23:36	75-25-2	
Bromomethane	<103	ug/kg	369	103	1	11/17/21 09:30	11/17/21 23:36	74-83-9	
Carbon tetrachloride	<16.2	ug/kg	73.8	16.2	1	11/17/21 09:30	11/17/21 23:36	56-23-5	
Chlorobenzene	<8.8	ug/kg	73.8	8.8	1	11/17/21 09:30	11/17/21 23:36	108-90-7	
Chloroethane	<31.1	ug/kg	369	31.1	1	11/17/21 09:30	11/17/21 23:36	75-00-3	
Chloroform	<52.8	ug/kg	369	52.8	1	11/17/21 09:30	11/17/21 23:36	67-66-3	
Chloromethane	<28.0	ug/kg	73.8	28.0	1	11/17/21 09:30	11/17/21 23:36	74-87-3	
Dibromochloromethane	<252	ug/kg	369	252	1	11/17/21 09:30	11/17/21 23:36	124-48-1	
Dibromomethane	<21.8	ug/kg	73.8	21.8	1	11/17/21 09:30	11/17/21 23:36	74-95-3	
Dichlorodifluoromethane	<31.7	ug/kg	73.8	31.7	1	11/17/21 09:30	11/17/21 23:36	75-71-8	
Diisopropyl ether	<18.3	ug/kg	73.8	18.3	1	11/17/21 09:30	11/17/21 23:36	108-20-3	
Ethylbenzene	<17.6	ug/kg	73.8	17.6	1	11/17/21 09:30	11/17/21 23:36	100-41-4	
Hexachloro-1,3-butadiene	<147	ug/kg	369	147	1	11/17/21 09:30	11/17/21 23:36	87-68-3	
Isopropylbenzene (Cumene)	<19.9	ug/kg	73.8	19.9	1	11/17/21 09:30	11/17/21 23:36	98-82-8	
Methyl-tert-butyl ether	<21.7	ug/kg	73.8	21.7	1	11/17/21 09:30	11/17/21 23:36	1634-04-4	
Methylene Chloride	<20.5	ug/kg	73.8	20.5	1	11/17/21 09:30	11/17/21 23:36	75-09-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

Sample: 6526-WS-2 (1-5') **Lab ID:** 40237039002 **Collected:** 11/15/21 10:00 **Received:** 11/16/21 11:50 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Naphthalene	<23.0	ug/kg	369	23.0	1	11/17/21 09:30	11/17/21 23:36	91-20-3	
Styrene	<18.9	ug/kg	73.8	18.9	1	11/17/21 09:30	11/17/21 23:36	100-42-5	
Tetrachloroethene	174	ug/kg	73.8	28.6	1	11/17/21 09:30	11/17/21 23:36	127-18-4	
Toluene	<18.6	ug/kg	73.8	18.6	1	11/17/21 09:30	11/17/21 23:36	108-88-3	
Trichloroethene	<27.6	ug/kg	73.8	27.6	1	11/17/21 09:30	11/17/21 23:36	79-01-6	
Trichlorofluoromethane	<21.4	ug/kg	73.8	21.4	1	11/17/21 09:30	11/17/21 23:36	75-69-4	
Vinyl chloride	<14.9	ug/kg	73.8	14.9	1	11/17/21 09:30	11/17/21 23:36	75-01-4	
cis-1,2-Dichloroethene	<15.8	ug/kg	73.8	15.8	1	11/17/21 09:30	11/17/21 23:36	156-59-2	
cis-1,3-Dichloropropene	<48.7	ug/kg	369	48.7	1	11/17/21 09:30	11/17/21 23:36	10061-01-5	
m&p-Xylene	<31.1	ug/kg	148	31.1	1	11/17/21 09:30	11/17/21 23:36	179601-23-1	
n-Butylbenzene	<33.8	ug/kg	73.8	33.8	1	11/17/21 09:30	11/17/21 23:36	104-51-8	
n-Propylbenzene	<17.7	ug/kg	73.8	17.7	1	11/17/21 09:30	11/17/21 23:36	103-65-1	
o-Xylene	<22.1	ug/kg	73.8	22.1	1	11/17/21 09:30	11/17/21 23:36	95-47-6	
p-Isopropyltoluene	<22.4	ug/kg	73.8	22.4	1	11/17/21 09:30	11/17/21 23:36	99-87-6	
sec-Butylbenzene	<18.0	ug/kg	73.8	18.0	1	11/17/21 09:30	11/17/21 23:36	135-98-8	
tert-Butylbenzene	<23.2	ug/kg	73.8	23.2	1	11/17/21 09:30	11/17/21 23:36	98-06-6	
trans-1,2-Dichloroethene	<15.9	ug/kg	73.8	15.9	1	11/17/21 09:30	11/17/21 23:36	156-60-5	
trans-1,3-Dichloropropene	<211	ug/kg	369	211	1	11/17/21 09:30	11/17/21 23:36	10061-02-6	
Surrogates									
Toluene-d8 (S)	135	%	67-159		1	11/17/21 09:30	11/17/21 23:36	2037-26-5	
4-Bromofluorobenzene (S)	125	%	66-153		1	11/17/21 09:30	11/17/21 23:36	460-00-4	
1,2-Dichlorobenzene-d4 (S)	132	%	82-158		1	11/17/21 09:30	11/17/21 23:36	2199-69-1	
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/17/21 11:05									
Pace Analytical Services - Green Bay									
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/18/21 21:11	75-35-4	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/18/21 21:11	107-06-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/18/21 21:11	78-93-3	
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/18/21 21:11	71-43-2	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/18/21 21:11	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/18/21 21:11	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/18/21 21:11	67-66-3	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/18/21 21:11	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/18/21 21:11	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/18/21 21:11	75-01-4	
Surrogates									
Toluene-d8 (S)	105	%	70-130		10		11/18/21 21:11	2037-26-5	
4-Bromofluorobenzene (S)	106	%	70-130		10		11/18/21 21:11	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		10		11/18/21 21:11	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.2	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-3 (1-5') Lab ID: 40237039003 Collected: 11/15/21 10:15 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<36.2	ug/kg	60.9	36.2	2	11/17/21 09:30	11/18/21 01:58	71-43-2	
Bromobenzene	<59.3	ug/kg	152	59.3	2	11/17/21 09:30	11/18/21 01:58	108-86-1	
Bromochloromethane	<41.7	ug/kg	152	41.7	2	11/17/21 09:30	11/18/21 01:58	74-97-5	
Bromodichloromethane	<36.2	ug/kg	152	36.2	2	11/17/21 09:30	11/18/21 01:58	75-27-4	
Bromoform	<669	ug/kg	761	669	2	11/17/21 09:30	11/18/21 01:58	75-25-2	
Bromomethane	<213	ug/kg	761	213	2	11/17/21 09:30	11/18/21 01:58	74-83-9	
2-Butanone (MEK)	<481	ug/kg	3800	481	2	11/17/21 09:30	11/18/21 01:58	78-93-3	
n-Butylbenzene	1790	ug/kg	152	69.7	2	11/17/21 09:30	11/18/21 01:58	104-51-8	
sec-Butylbenzene	161	ug/kg	152	37.1	2	11/17/21 09:30	11/18/21 01:58	135-98-8	
tert-Butylbenzene	<47.8	ug/kg	152	47.8	2	11/17/21 09:30	11/18/21 01:58	98-06-6	
Carbon tetrachloride	<33.5	ug/kg	152	33.5	2	11/17/21 09:30	11/18/21 01:58	56-23-5	
Chlorobenzene	38.2J	ug/kg	152	18.2	2	11/17/21 09:30	11/18/21 01:58	108-90-7	
Chloroethane	<64.2	ug/kg	761	64.2	2	11/17/21 09:30	11/18/21 01:58	75-00-3	
Chloroform	<109	ug/kg	761	109	2	11/17/21 09:30	11/18/21 01:58	67-66-3	
Chloromethane	<57.8	ug/kg	152	57.8	2	11/17/21 09:30	11/18/21 01:58	74-87-3	
2-Chlorotoluene	<49.3	ug/kg	152	49.3	2	11/17/21 09:30	11/18/21 01:58	95-49-8	
4-Chlorotoluene	<57.8	ug/kg	152	57.8	2	11/17/21 09:30	11/18/21 01:58	106-43-4	
1,2-Dibromo-3-chloropropane	<118	ug/kg	761	118	2	11/17/21 09:30	11/18/21 01:58	96-12-8	
Dibromochloromethane	<520	ug/kg	761	520	2	11/17/21 09:30	11/18/21 01:58	124-48-1	
1,2-Dibromoethane (EDB)	<41.7	ug/kg	152	41.7	2	11/17/21 09:30	11/18/21 01:58	106-93-4	
Dibromomethane	<45.0	ug/kg	152	45.0	2	11/17/21 09:30	11/18/21 01:58	74-95-3	
1,2-Dichlorobenzene	558	ug/kg	152	47.2	2	11/17/21 09:30	11/18/21 01:58	95-50-1	
1,3-Dichlorobenzene	<41.7	ug/kg	152	41.7	2	11/17/21 09:30	11/18/21 01:58	541-73-1	
1,4-Dichlorobenzene	76.2J	ug/kg	152	41.7	2	11/17/21 09:30	11/18/21 01:58	106-46-7	
Dichlorodifluoromethane	<65.4	ug/kg	152	65.4	2	11/17/21 09:30	11/18/21 01:58	75-71-8	
1,1-Dichloroethane	<38.9	ug/kg	152	38.9	2	11/17/21 09:30	11/18/21 01:58	75-34-3	
1,2-Dichloroethane	<35.0	ug/kg	152	35.0	2	11/17/21 09:30	11/18/21 01:58	107-06-2	
1,1-Dichloroethene	<50.5	ug/kg	152	50.5	2	11/17/21 09:30	11/18/21 01:58	75-35-4	
cis-1,2-Dichloroethene	<32.6	ug/kg	152	32.6	2	11/17/21 09:30	11/18/21 01:58	156-59-2	
trans-1,2-Dichloroethene	<32.9	ug/kg	152	32.9	2	11/17/21 09:30	11/18/21 01:58	156-60-5	
1,2-Dichloropropane	<36.2	ug/kg	152	36.2	2	11/17/21 09:30	11/18/21 01:58	78-87-5	
1,3-Dichloropropane	<33.2	ug/kg	152	33.2	2	11/17/21 09:30	11/18/21 01:58	142-28-9	
2,2-Dichloropropane	<41.1	ug/kg	152	41.1	2	11/17/21 09:30	11/18/21 01:58	594-20-7	
1,1-Dichloropropene	<49.3	ug/kg	152	49.3	2	11/17/21 09:30	11/18/21 01:58	563-58-6	
cis-1,3-Dichloropropene	<100	ug/kg	761	100	2	11/17/21 09:30	11/18/21 01:58	10061-01-5	
trans-1,3-Dichloropropene	<435	ug/kg	761	435	2	11/17/21 09:30	11/18/21 01:58	10061-02-6	
Diisopropyl ether	<37.7	ug/kg	152	37.7	2	11/17/21 09:30	11/18/21 01:58	108-20-3	
Ethylbenzene	<36.2	ug/kg	152	36.2	2	11/17/21 09:30	11/18/21 01:58	100-41-4	
Hexachloro-1,3-butadiene	<302	ug/kg	761	302	2	11/17/21 09:30	11/18/21 01:58	87-68-3	
Isopropylbenzene (Cumene)	<41.1	ug/kg	152	41.1	2	11/17/21 09:30	11/18/21 01:58	98-82-8	
p-Isopropyltoluene	242	ug/kg	152	46.3	2	11/17/21 09:30	11/18/21 01:58	99-87-6	
Methylene Chloride	<42.3	ug/kg	152	42.3	2	11/17/21 09:30	11/18/21 01:58	75-09-2	
Methyl-tert-butyl ether	<44.7	ug/kg	152	44.7	2	11/17/21 09:30	11/18/21 01:58	1634-04-4	
Naphthalene	2550	ug/kg	761	47.5	2	11/17/21 09:30	11/18/21 01:58	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-3 (1-5') **Lab ID: 40237039003** Collected: 11/15/21 10:15 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	180	ug/kg	152	36.5	2	11/17/21 09:30	11/18/21 01:58	103-65-1	
Styrene	<38.9	ug/kg	152	38.9	2	11/17/21 09:30	11/18/21 01:58	100-42-5	
1,1,1,2-Tetrachloroethane	<36.5	ug/kg	152	36.5	2	11/17/21 09:30	11/18/21 01:58	630-20-6	
1,1,2,2-Tetrachloroethane	<55.1	ug/kg	152	55.1	2	11/17/21 09:30	11/18/21 01:58	79-34-5	
Tetrachloroethene	570	ug/kg	152	59.0	2	11/17/21 09:30	11/18/21 12:51	127-18-4	
Toluene	<38.3	ug/kg	152	38.3	2	11/17/21 09:30	11/18/21 01:58	108-88-3	
1,2,3-Trichlorobenzene	<169	ug/kg	761	169	2	11/17/21 09:30	11/18/21 01:58	87-61-6	
1,2,4-Trichlorobenzene	<125	ug/kg	761	125	2	11/17/21 09:30	11/18/21 01:58	120-82-1	
1,1,1-Trichloroethane	<38.9	ug/kg	152	38.9	2	11/17/21 09:30	11/18/21 01:58	71-55-6	
1,1,2-Trichloroethane	<55.4	ug/kg	152	55.4	2	11/17/21 09:30	11/18/21 01:58	79-00-5	
Trichloroethene	<56.9	ug/kg	152	56.9	2	11/17/21 09:30	11/18/21 01:58	79-01-6	
Trichlorofluoromethane	<44.1	ug/kg	152	44.1	2	11/17/21 09:30	11/18/21 01:58	75-69-4	
1,2,3-Trichloropropane	<73.9	ug/kg	152	73.9	2	11/17/21 09:30	11/18/21 01:58	96-18-4	
1,2,4-Trimethylbenzene	1640	ug/kg	152	45.3	2	11/17/21 09:30	11/18/21 01:58	95-63-6	
1,3,5-Trimethylbenzene	535	ug/kg	152	49.0	2	11/17/21 09:30	11/18/21 01:58	108-67-8	
Vinyl chloride	<30.7	ug/kg	152	30.7	2	11/17/21 09:30	11/18/21 01:58	75-01-4	
m&p-Xylene	64.3J	ug/kg	304	64.2	2	11/17/21 09:30	11/18/21 01:58	179601-23-1	
o-Xylene	56.5J	ug/kg	152	45.6	2	11/17/21 09:30	11/18/21 01:58	95-47-6	
Surrogates									
Toluene-d8 (S)	136	%	67-159		2	11/17/21 09:30	11/18/21 01:58	2037-26-5	D3
4-Bromofluorobenzene (S)	125	%	66-153		2	11/17/21 09:30	11/18/21 01:58	460-00-4	
1,2-Dichlorobenzene-d4 (S)	160	%	82-158		2	11/17/21 09:30	11/18/21 01:58	2199-69-1	S1
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/17/21 11:05									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/18/21 21:31	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/18/21 21:31	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/18/21 21:31	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/18/21 21:31	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/18/21 21:31	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/18/21 21:31	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/18/21 21:31	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/18/21 21:31	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/18/21 21:31	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/18/21 21:31	75-01-4	
Surrogates									
Toluene-d8 (S)	104	%	70-130		10		11/18/21 21:31	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		10		11/18/21 21:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	102	%	70-130		10		11/18/21 21:31	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.7	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

Sample: 6526-WS-4 (1-5') Lab ID: 40237039004 Collected: 11/15/21 10:35 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<205	ug/kg	345	205	12.5	11/17/21 09:30	11/17/21 23:56	71-43-2	
Bromobenzene	<336	ug/kg	862	336	12.5	11/17/21 09:30	11/17/21 23:56	108-86-1	
Bromochloromethane	<236	ug/kg	862	236	12.5	11/17/21 09:30	11/17/21 23:56	74-97-5	
Bromodichloromethane	<205	ug/kg	862	205	12.5	11/17/21 09:30	11/17/21 23:56	75-27-4	
Bromoform	<3790	ug/kg	4310	3790	12.5	11/17/21 09:30	11/17/21 23:56	75-25-2	
Bromomethane	<1210	ug/kg	4310	1210	12.5	11/17/21 09:30	11/17/21 23:56	74-83-9	
2-Butanone (MEK)	<2720	ug/kg	21600	2720	12.5	11/17/21 09:30	11/17/21 23:56	78-93-3	
n-Butylbenzene	5210	ug/kg	862	395	12.5	11/17/21 09:30	11/17/21 23:56	104-51-8	
sec-Butylbenzene	1190	ug/kg	862	210	12.5	11/17/21 09:30	11/17/21 23:56	135-98-8	
tert-Butylbenzene	<271	ug/kg	862	271	12.5	11/17/21 09:30	11/17/21 23:56	98-06-6	
Carbon tetrachloride	<190	ug/kg	862	190	12.5	11/17/21 09:30	11/17/21 23:56	56-23-5	
Chlorobenzene	<103	ug/kg	862	103	12.5	11/17/21 09:30	11/17/21 23:56	108-90-7	
Chloroethane	<364	ug/kg	4310	364	12.5	11/17/21 09:30	11/17/21 23:56	75-00-3	
Chloroform	<617	ug/kg	4310	617	12.5	11/17/21 09:30	11/17/21 23:56	67-66-3	
Chloromethane	<328	ug/kg	862	328	12.5	11/17/21 09:30	11/17/21 23:56	74-87-3	
2-Chlorotoluene	<279	ug/kg	862	279	12.5	11/17/21 09:30	11/17/21 23:56	95-49-8	
4-Chlorotoluene	<328	ug/kg	862	328	12.5	11/17/21 09:30	11/17/21 23:56	106-43-4	
1,2-Dibromo-3-chloropropane	<669	ug/kg	4310	669	12.5	11/17/21 09:30	11/17/21 23:56	96-12-8	
Dibromochloromethane	<2950	ug/kg	4310	2950	12.5	11/17/21 09:30	11/17/21 23:56	124-48-1	
1,2-Dibromoethane (EDB)	<236	ug/kg	862	236	12.5	11/17/21 09:30	11/17/21 23:56	106-93-4	
Dibromomethane	<255	ug/kg	862	255	12.5	11/17/21 09:30	11/17/21 23:56	74-95-3	
1,2-Dichlorobenzene	2480	ug/kg	862	267	12.5	11/17/21 09:30	11/17/21 23:56	95-50-1	
1,3-Dichlorobenzene	<236	ug/kg	862	236	12.5	11/17/21 09:30	11/17/21 23:56	541-73-1	
1,4-Dichlorobenzene	<236	ug/kg	862	236	12.5	11/17/21 09:30	11/17/21 23:56	106-46-7	
Dichlorodifluoromethane	<371	ug/kg	862	371	12.5	11/17/21 09:30	11/17/21 23:56	75-71-8	
1,1-Dichloroethane	<221	ug/kg	862	221	12.5	11/17/21 09:30	11/17/21 23:56	75-34-3	
1,2-Dichloroethane	<198	ug/kg	862	198	12.5	11/17/21 09:30	11/17/21 23:56	107-06-2	
1,1-Dichloroethene	<286	ug/kg	862	286	12.5	11/17/21 09:30	11/17/21 23:56	75-35-4	
cis-1,2-Dichloroethene	628J	ug/kg	862	185	12.5	11/17/21 09:30	11/17/21 23:56	156-59-2	
trans-1,2-Dichloroethene	<186	ug/kg	862	186	12.5	11/17/21 09:30	11/17/21 23:56	156-60-5	
1,2-Dichloropropane	<205	ug/kg	862	205	12.5	11/17/21 09:30	11/17/21 23:56	78-87-5	
1,3-Dichloropropane	<188	ug/kg	862	188	12.5	11/17/21 09:30	11/17/21 23:56	142-28-9	
2,2-Dichloropropane	<233	ug/kg	862	233	12.5	11/17/21 09:30	11/17/21 23:56	594-20-7	
1,1-Dichloropropene	<279	ug/kg	862	279	12.5	11/17/21 09:30	11/17/21 23:56	563-58-6	
cis-1,3-Dichloropropene	<569	ug/kg	4310	569	12.5	11/17/21 09:30	11/17/21 23:56	10061-01-5	
trans-1,3-Dichloropropene	<2470	ug/kg	4310	2470	12.5	11/17/21 09:30	11/17/21 23:56	10061-02-6	
Diisopropyl ether	<214	ug/kg	862	214	12.5	11/17/21 09:30	11/17/21 23:56	108-20-3	
Ethylbenzene	<205	ug/kg	862	205	12.5	11/17/21 09:30	11/17/21 23:56	100-41-4	
Hexachloro-1,3-butadiene	<1710	ug/kg	4310	1710	12.5	11/17/21 09:30	11/17/21 23:56	87-68-3	
Isopropylbenzene (Cumene)	327J	ug/kg	862	233	12.5	11/17/21 09:30	11/17/21 23:56	98-82-8	
p-Isopropyltoluene	1700	ug/kg	862	262	12.5	11/17/21 09:30	11/17/21 23:56	99-87-6	
Methylene Chloride	<240	ug/kg	862	240	12.5	11/17/21 09:30	11/17/21 23:56	75-09-2	
Methyl-tert-butyl ether	<253	ug/kg	862	253	12.5	11/17/21 09:30	11/17/21 23:56	1634-04-4	
Naphthalene	7100	ug/kg	4310	269	12.5	11/17/21 09:30	11/17/21 23:56	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-4 (1-5') **Lab ID: 40237039004** Collected: 11/15/21 10:35 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	1420	ug/kg	862	207	12.5	11/17/21 09:30	11/17/21 23:56	103-65-1	
Styrene	<221	ug/kg	862	221	12.5	11/17/21 09:30	11/17/21 23:56	100-42-5	
1,1,1,2-Tetrachloroethane	<207	ug/kg	862	207	12.5	11/17/21 09:30	11/17/21 23:56	630-20-6	
1,1,2,2-Tetrachloroethane	<312	ug/kg	862	312	12.5	11/17/21 09:30	11/17/21 23:56	79-34-5	
Tetrachloroethene	<335	ug/kg	862	335	12.5	11/17/21 09:30	11/17/21 23:56	127-18-4	
Toluene	242J	ug/kg	862	217	12.5	11/17/21 09:30	11/17/21 23:56	108-88-3	
1,2,3-Trichlorobenzene	<960	ug/kg	4310	960	12.5	11/17/21 09:30	11/17/21 23:56	87-61-6	
1,2,4-Trichlorobenzene	<710	ug/kg	4310	710	12.5	11/17/21 09:30	11/17/21 23:56	120-82-1	
1,1,1-Trichloroethane	<221	ug/kg	862	221	12.5	11/17/21 09:30	11/17/21 23:56	71-55-6	
1,1,2-Trichloroethane	<314	ug/kg	862	314	12.5	11/17/21 09:30	11/17/21 23:56	79-00-5	
Trichloroethene	<322	ug/kg	862	322	12.5	11/17/21 09:30	11/17/21 23:56	79-01-6	
Trichlorofluoromethane	<250	ug/kg	862	250	12.5	11/17/21 09:30	11/17/21 23:56	75-69-4	
1,2,3-Trichloropropane	<419	ug/kg	862	419	12.5	11/17/21 09:30	11/17/21 23:56	96-18-4	
1,2,4-Trimethylbenzene	12400	ug/kg	862	257	12.5	11/17/21 09:30	11/17/21 23:56	95-63-6	
1,3,5-Trimethylbenzene	5680	ug/kg	862	278	12.5	11/17/21 09:30	11/17/21 23:56	108-67-8	
Vinyl chloride	<174	ug/kg	862	174	12.5	11/17/21 09:30	11/17/21 23:56	75-01-4	
m&p-Xylene	561J	ug/kg	1720	364	12.5	11/17/21 09:30	11/17/21 23:56	179601-23-1	
o-Xylene	617J	ug/kg	862	259	12.5	11/17/21 09:30	11/17/21 23:56	95-47-6	
Surrogates									
Toluene-d8 (S)	168	%	67-159		12.5	11/17/21 09:30	11/17/21 23:56	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	214	%	66-153		12.5	11/17/21 09:30	11/17/21 23:56	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	286	%	82-158		12.5	11/17/21 09:30	11/17/21 23:56	2199-69-1	S4
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/22/21 13:40									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/24/21 19:10	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/24/21 19:10	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/24/21 19:10	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/24/21 19:10	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/24/21 19:10	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/24/21 19:10	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/24/21 19:10	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/24/21 19:10	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/24/21 19:10	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/24/21 19:10	75-01-4	
Surrogates									
Toluene-d8 (S)	101	%	70-130		10		11/24/21 19:10	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		10		11/24/21 19:10	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		10		11/24/21 19:10	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	15.9	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

Sample: 6526-WS-5 (1-5') Lab ID: 40237039005 Collected: 11/15/21 10:45 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<75.5	ug/kg	127	75.5	5	11/17/21 09:30	11/18/21 00:37	71-43-2	
Bromobenzene	<124	ug/kg	317	124	5	11/17/21 09:30	11/18/21 00:37	108-86-1	
Bromochloromethane	<86.9	ug/kg	317	86.9	5	11/17/21 09:30	11/18/21 00:37	74-97-5	
Bromodichloromethane	<75.5	ug/kg	317	75.5	5	11/17/21 09:30	11/18/21 00:37	75-27-4	
Bromoform	<1390	ug/kg	1590	1390	5	11/17/21 09:30	11/18/21 00:37	75-25-2	
Bromomethane	<444	ug/kg	1590	444	5	11/17/21 09:30	11/18/21 00:37	74-83-9	
2-Butanone (MEK)	<1000	ug/kg	7930	1000	5	11/17/21 09:30	11/18/21 00:37	78-93-3	
n-Butylbenzene	6970	ug/kg	317	145	5	11/17/21 09:30	11/18/21 00:37	104-51-8	
sec-Butylbenzene	940	ug/kg	317	77.4	5	11/17/21 09:30	11/18/21 00:37	135-98-8	
tert-Butylbenzene	<99.5	ug/kg	317	99.5	5	11/17/21 09:30	11/18/21 00:37	98-06-6	
Carbon tetrachloride	<69.7	ug/kg	317	69.7	5	11/17/21 09:30	11/18/21 00:37	56-23-5	
Chlorobenzene	<38.0	ug/kg	317	38.0	5	11/17/21 09:30	11/18/21 00:37	108-90-7	
Chloroethane	<134	ug/kg	1590	134	5	11/17/21 09:30	11/18/21 00:37	75-00-3	
Chloroform	<227	ug/kg	1590	227	5	11/17/21 09:30	11/18/21 00:37	67-66-3	
Chloromethane	<120	ug/kg	317	120	5	11/17/21 09:30	11/18/21 00:37	74-87-3	
2-Chlorotoluene	<103	ug/kg	317	103	5	11/17/21 09:30	11/18/21 00:37	95-49-8	
4-Chlorotoluene	<120	ug/kg	317	120	5	11/17/21 09:30	11/18/21 00:37	106-43-4	
1,2-Dibromo-3-chloropropane	<246	ug/kg	1590	246	5	11/17/21 09:30	11/18/21 00:37	96-12-8	
Dibromochloromethane	<1080	ug/kg	1590	1080	5	11/17/21 09:30	11/18/21 00:37	124-48-1	
1,2-Dibromoethane (EDB)	<86.9	ug/kg	317	86.9	5	11/17/21 09:30	11/18/21 00:37	106-93-4	
Dibromomethane	<93.8	ug/kg	317	93.8	5	11/17/21 09:30	11/18/21 00:37	74-95-3	
1,2-Dichlorobenzene	1890	ug/kg	317	98.3	5	11/17/21 09:30	11/18/21 00:37	95-50-1	
1,3-Dichlorobenzene	<86.9	ug/kg	317	86.9	5	11/17/21 09:30	11/18/21 00:37	541-73-1	
1,4-Dichlorobenzene	176J	ug/kg	317	86.9	5	11/17/21 09:30	11/18/21 00:37	106-46-7	
Dichlorodifluoromethane	<136	ug/kg	317	136	5	11/17/21 09:30	11/18/21 00:37	75-71-8	
1,1-Dichloroethane	<81.2	ug/kg	317	81.2	5	11/17/21 09:30	11/18/21 00:37	75-34-3	
1,2-Dichloroethane	<72.9	ug/kg	317	72.9	5	11/17/21 09:30	11/18/21 00:37	107-06-2	
1,1-Dichloroethene	<105	ug/kg	317	105	5	11/17/21 09:30	11/18/21 00:37	75-35-4	
cis-1,2-Dichloroethene	7460	ug/kg	317	67.8	5	11/17/21 09:30	11/18/21 00:37	156-59-2	
trans-1,2-Dichloroethene	151J	ug/kg	317	68.5	5	11/17/21 09:30	11/18/21 00:37	156-60-5	
1,2-Dichloropropane	<75.5	ug/kg	317	75.5	5	11/17/21 09:30	11/18/21 00:37	78-87-5	
1,3-Dichloropropane	<69.1	ug/kg	317	69.1	5	11/17/21 09:30	11/18/21 00:37	142-28-9	
2,2-Dichloropropane	<85.6	ug/kg	317	85.6	5	11/17/21 09:30	11/18/21 00:37	594-20-7	
1,1-Dichloropropene	<103	ug/kg	317	103	5	11/17/21 09:30	11/18/21 00:37	563-58-6	
cis-1,3-Dichloropropene	<209	ug/kg	1590	209	5	11/17/21 09:30	11/18/21 00:37	10061-01-5	
trans-1,3-Dichloropropene	<907	ug/kg	1590	907	5	11/17/21 09:30	11/18/21 00:37	10061-02-6	
Diisopropyl ether	<78.6	ug/kg	317	78.6	5	11/17/21 09:30	11/18/21 00:37	108-20-3	
Ethylbenzene	144J	ug/kg	317	75.5	5	11/17/21 09:30	11/18/21 00:37	100-41-4	
Hexachloro-1,3-butadiene	<630	ug/kg	1590	630	5	11/17/21 09:30	11/18/21 00:37	87-68-3	
Isopropylbenzene (Cumene)	247J	ug/kg	317	85.6	5	11/17/21 09:30	11/18/21 00:37	98-82-8	
p-Isopropyltoluene	1300	ug/kg	317	96.4	5	11/17/21 09:30	11/18/21 00:37	99-87-6	
Methylene Chloride	<88.1	ug/kg	317	88.1	5	11/17/21 09:30	11/18/21 00:37	75-09-2	
Methyl-tert-butyl ether	<93.2	ug/kg	317	93.2	5	11/17/21 09:30	11/18/21 00:37	1634-04-4	
Naphthalene	11700	ug/kg	1590	98.9	5	11/17/21 09:30	11/18/21 00:37	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-5 (1-5') **Lab ID:** 40237039005 **Collected:** 11/15/21 10:45 **Received:** 11/16/21 11:50 **Matrix:** Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	1140	ug/kg	317	76.1	5	11/17/21 09:30	11/18/21 00:37	103-65-1	
Styrene	<81.2	ug/kg	317	81.2	5	11/17/21 09:30	11/18/21 00:37	100-42-5	
1,1,1,2-Tetrachloroethane	<76.1	ug/kg	317	76.1	5	11/17/21 09:30	11/18/21 00:37	630-20-6	
1,1,2,2-Tetrachloroethane	<115	ug/kg	317	115	5	11/17/21 09:30	11/18/21 00:37	79-34-5	
Tetrachloroethene	<123	ug/kg	317	123	5	11/17/21 09:30	11/18/21 00:37	127-18-4	
Toluene	248J	ug/kg	317	79.9	5	11/17/21 09:30	11/18/21 00:37	108-88-3	
1,2,3-Trichlorobenzene	<353	ug/kg	1590	353	5	11/17/21 09:30	11/18/21 00:37	87-61-6	
1,2,4-Trichlorobenzene	<261	ug/kg	1590	261	5	11/17/21 09:30	11/18/21 00:37	120-82-1	
1,1,1-Trichloroethane	<81.2	ug/kg	317	81.2	5	11/17/21 09:30	11/18/21 00:37	71-55-6	
1,1,2-Trichloroethane	<115	ug/kg	317	115	5	11/17/21 09:30	11/18/21 00:37	79-00-5	
Trichloroethene	<119	ug/kg	317	119	5	11/17/21 09:30	11/18/21 00:37	79-01-6	
Trichlorofluoromethane	<91.9	ug/kg	317	91.9	5	11/17/21 09:30	11/18/21 00:37	75-69-4	
1,2,3-Trichloropropane	<154	ug/kg	317	154	5	11/17/21 09:30	11/18/21 00:37	96-18-4	
1,2,4-Trimethylbenzene	8740	ug/kg	317	94.5	5	11/17/21 09:30	11/18/21 00:37	95-63-6	
1,3,5-Trimethylbenzene	2700	ug/kg	317	102	5	11/17/21 09:30	11/18/21 00:37	108-67-8	
Vinyl chloride	<64.0	ug/kg	317	64.0	5	11/17/21 09:30	11/18/21 00:37	75-01-4	
m&p-Xylene	497J	ug/kg	634	134	5	11/17/21 09:30	11/18/21 00:37	179601-23-1	
o-Xylene	401	ug/kg	317	95.1	5	11/17/21 09:30	11/18/21 00:37	95-47-6	
Surrogates									
Toluene-d8 (S)	110	%	67-159		5	11/17/21 09:30	11/18/21 00:37	2037-26-5	
4-Bromofluorobenzene (S)	129	%	66-153		5	11/17/21 09:30	11/18/21 00:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	164	%	82-158		5	11/17/21 09:30	11/18/21 00:37	2199-69-1	S1
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/22/21 13:40									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/24/21 18:50	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/24/21 18:50	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/24/21 18:50	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/24/21 18:50	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/24/21 18:50	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/24/21 18:50	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/24/21 18:50	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/24/21 18:50	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/24/21 18:50	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/24/21 18:50	75-01-4	
Surrogates									
Toluene-d8 (S)	101	%	70-130		10		11/24/21 18:50	2037-26-5	
4-Bromofluorobenzene (S)	99	%	70-130		10		11/24/21 18:50	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		10		11/24/21 18:50	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.8	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-6 (1-5') **Lab ID: 40237039006** Collected: 11/15/21 11:00 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<91.8	ug/kg	154	91.8	5	11/17/21 09:30	11/18/21 00:57	71-43-2	
Bromobenzene	<150	ug/kg	386	150	5	11/17/21 09:30	11/18/21 00:57	108-86-1	
Bromochloromethane	<106	ug/kg	386	106	5	11/17/21 09:30	11/18/21 00:57	74-97-5	
Bromodichloromethane	<91.8	ug/kg	386	91.8	5	11/17/21 09:30	11/18/21 00:57	75-27-4	
Bromoform	<1700	ug/kg	1930	1700	5	11/17/21 09:30	11/18/21 00:57	75-25-2	
Bromomethane	<541	ug/kg	1930	541	5	11/17/21 09:30	11/18/21 00:57	74-83-9	
2-Butanone (MEK)	<1220	ug/kg	9650	1220	5	11/17/21 09:30	11/18/21 00:57	78-93-3	
n-Butylbenzene	7160	ug/kg	386	177	5	11/17/21 09:30	11/18/21 00:57	104-51-8	
sec-Butylbenzene	1350	ug/kg	386	94.2	5	11/17/21 09:30	11/18/21 00:57	135-98-8	
tert-Butylbenzene	<121	ug/kg	386	121	5	11/17/21 09:30	11/18/21 00:57	98-06-6	
Carbon tetrachloride	<84.9	ug/kg	386	84.9	5	11/17/21 09:30	11/18/21 00:57	56-23-5	
Chlorobenzene	<46.2	ug/kg	386	46.2	5	11/17/21 09:30	11/18/21 00:57	108-90-7	
Chloroethane	<163	ug/kg	1930	163	5	11/17/21 09:30	11/18/21 00:57	75-00-3	
Chloroform	<276	ug/kg	1930	276	5	11/17/21 09:30	11/18/21 00:57	67-66-3	
Chloromethane	<147	ug/kg	386	147	5	11/17/21 09:30	11/18/21 00:57	74-87-3	
2-Chlorotoluene	<125	ug/kg	386	125	5	11/17/21 09:30	11/18/21 00:57	95-49-8	
4-Chlorotoluene	<147	ug/kg	386	147	5	11/17/21 09:30	11/18/21 00:57	106-43-4	
1,2-Dibromo-3-chloropropane	<299	ug/kg	1930	299	5	11/17/21 09:30	11/18/21 00:57	96-12-8	
Dibromochloromethane	<1320	ug/kg	1930	1320	5	11/17/21 09:30	11/18/21 00:57	124-48-1	
1,2-Dibromoethane (EDB)	<106	ug/kg	386	106	5	11/17/21 09:30	11/18/21 00:57	106-93-4	
Dibromomethane	<114	ug/kg	386	114	5	11/17/21 09:30	11/18/21 00:57	74-95-3	
1,2-Dichlorobenzene	1310	ug/kg	386	120	5	11/17/21 09:30	11/18/21 00:57	95-50-1	
1,3-Dichlorobenzene	<106	ug/kg	386	106	5	11/17/21 09:30	11/18/21 00:57	541-73-1	
1,4-Dichlorobenzene	183J	ug/kg	386	106	5	11/17/21 09:30	11/18/21 00:57	106-46-7	
Dichlorodifluoromethane	<166	ug/kg	386	166	5	11/17/21 09:30	11/18/21 00:57	75-71-8	
1,1-Dichloroethane	<98.8	ug/kg	386	98.8	5	11/17/21 09:30	11/18/21 00:57	75-34-3	
1,2-Dichloroethane	<88.8	ug/kg	386	88.8	5	11/17/21 09:30	11/18/21 00:57	107-06-2	
1,1-Dichloroethene	<128	ug/kg	386	128	5	11/17/21 09:30	11/18/21 00:57	75-35-4	
cis-1,2-Dichloroethene	5910	ug/kg	386	82.6	5	11/17/21 09:30	11/18/21 00:57	156-59-2	
trans-1,2-Dichloroethene	126J	ug/kg	386	83.4	5	11/17/21 09:30	11/18/21 00:57	156-60-5	
1,2-Dichloropropane	<91.8	ug/kg	386	91.8	5	11/17/21 09:30	11/18/21 00:57	78-87-5	
1,3-Dichloropropane	<84.1	ug/kg	386	84.1	5	11/17/21 09:30	11/18/21 00:57	142-28-9	
2,2-Dichloropropane	<104	ug/kg	386	104	5	11/17/21 09:30	11/18/21 00:57	594-20-7	
1,1-Dichloropropene	<125	ug/kg	386	125	5	11/17/21 09:30	11/18/21 00:57	563-58-6	
cis-1,3-Dichloropropene	<255	ug/kg	1930	255	5	11/17/21 09:30	11/18/21 00:57	10061-01-5	
trans-1,3-Dichloropropene	<1100	ug/kg	1930	1100	5	11/17/21 09:30	11/18/21 00:57	10061-02-6	
Diisopropyl ether	<95.7	ug/kg	386	95.7	5	11/17/21 09:30	11/18/21 00:57	108-20-3	
Ethylbenzene	107J	ug/kg	386	91.8	5	11/17/21 09:30	11/18/21 00:57	100-41-4	
Hexachloro-1,3-butadiene	<767	ug/kg	1930	767	5	11/17/21 09:30	11/18/21 00:57	87-68-3	
Isopropylbenzene (Cumene)	232J	ug/kg	386	104	5	11/17/21 09:30	11/18/21 00:57	98-82-8	
p-Isopropyltoluene	1860	ug/kg	386	117	5	11/17/21 09:30	11/18/21 00:57	99-87-6	
Methylene Chloride	<107	ug/kg	386	107	5	11/17/21 09:30	11/18/21 00:57	75-09-2	
Methyl-tert-butyl ether	<113	ug/kg	386	113	5	11/17/21 09:30	11/18/21 00:57	1634-04-4	
Naphthalene	8360	ug/kg	1930	120	5	11/17/21 09:30	11/18/21 00:57	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

Sample: 6526-WS-6 (1-5') Lab ID: 40237039006 Collected: 11/15/21 11:00 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	994	ug/kg	386	92.6	5	11/17/21 09:30	11/18/21 00:57	103-65-1	
Styrene	<98.8	ug/kg	386	98.8	5	11/17/21 09:30	11/18/21 00:57	100-42-5	
1,1,1,2-Tetrachloroethane	<92.6	ug/kg	386	92.6	5	11/17/21 09:30	11/18/21 00:57	630-20-6	
1,1,2,2-Tetrachloroethane	<140	ug/kg	386	140	5	11/17/21 09:30	11/18/21 00:57	79-34-5	
Tetrachloroethene	<150	ug/kg	386	150	5	11/17/21 09:30	11/18/21 00:57	127-18-4	
Toluene	140J	ug/kg	386	97.2	5	11/17/21 09:30	11/18/21 00:57	108-88-3	
1,2,3-Trichlorobenzene	<430	ug/kg	1930	430	5	11/17/21 09:30	11/18/21 00:57	87-61-6	
1,2,4-Trichlorobenzene	<318	ug/kg	1930	318	5	11/17/21 09:30	11/18/21 00:57	120-82-1	
1,1,1-Trichloroethane	<98.8	ug/kg	386	98.8	5	11/17/21 09:30	11/18/21 00:57	71-55-6	
1,1,2-Trichloroethane	<140	ug/kg	386	140	5	11/17/21 09:30	11/18/21 00:57	79-00-5	
Trichloroethene	<144	ug/kg	386	144	5	11/17/21 09:30	11/18/21 00:57	79-01-6	
Trichlorofluoromethane	<112	ug/kg	386	112	5	11/17/21 09:30	11/18/21 00:57	75-69-4	
1,2,3-Trichloropropane	<188	ug/kg	386	188	5	11/17/21 09:30	11/18/21 00:57	96-18-4	
1,2,4-Trimethylbenzene	10400	ug/kg	386	115	5	11/17/21 09:30	11/18/21 00:57	95-63-6	
1,3,5-Trimethylbenzene	4520	ug/kg	386	124	5	11/17/21 09:30	11/18/21 00:57	108-67-8	
Vinyl chloride	<78.0	ug/kg	386	78.0	5	11/17/21 09:30	11/18/21 00:57	75-01-4	
m&p-Xylene	315J	ug/kg	772	163	5	11/17/21 09:30	11/18/21 00:57	179601-23-1	
o-Xylene	284J	ug/kg	386	116	5	11/17/21 09:30	11/18/21 00:57	95-47-6	
Surrogates									
Toluene-d8 (S)	125	%	67-159		5	11/17/21 09:30	11/18/21 00:57	2037-26-5	
4-Bromofluorobenzene (S)	161	%	66-153		5	11/17/21 09:30	11/18/21 00:57	460-00-4	S1
1,2-Dichlorobenzene-d4 (S)	165	%	82-158		5	11/17/21 09:30	11/18/21 00:57	2199-69-1	S1
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/22/21 13:40									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/24/21 18:31	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/24/21 18:31	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/24/21 18:31	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/24/21 18:31	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/24/21 18:31	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/24/21 18:31	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/24/21 18:31	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/24/21 18:31	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/24/21 18:31	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/24/21 18:31	75-01-4	
Surrogates									
Toluene-d8 (S)	101	%	70-130		10		11/24/21 18:31	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		10		11/24/21 18:31	460-00-4	
1,2-Dichlorobenzene-d4 (S)	100	%	70-130		10		11/24/21 18:31	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	21.4	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-7 (1-5') Lab ID: 40237039007 Collected: 11/15/21 11:10 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<177	ug/kg	298	177	10	11/17/21 09:30	11/18/21 00:16	71-43-2	
Bromobenzene	<291	ug/kg	746	291	10	11/17/21 09:30	11/18/21 00:16	108-86-1	
Bromochloromethane	<204	ug/kg	746	204	10	11/17/21 09:30	11/18/21 00:16	74-97-5	
Bromodichloromethane	<177	ug/kg	746	177	10	11/17/21 09:30	11/18/21 00:16	75-27-4	
Bromoform	<3280	ug/kg	3730	3280	10	11/17/21 09:30	11/18/21 00:16	75-25-2	
Bromomethane	<1050	ug/kg	3730	1050	10	11/17/21 09:30	11/18/21 00:16	74-83-9	
2-Butanone (MEK)	<2360	ug/kg	18600	2360	10	11/17/21 09:30	11/18/21 00:16	78-93-3	
n-Butylbenzene	14500	ug/kg	746	342	10	11/17/21 09:30	11/18/21 00:16	104-51-8	
sec-Butylbenzene	1290	ug/kg	746	182	10	11/17/21 09:30	11/18/21 00:16	135-98-8	
tert-Butylbenzene	<234	ug/kg	746	234	10	11/17/21 09:30	11/18/21 00:16	98-06-6	
Carbon tetrachloride	<164	ug/kg	746	164	10	11/17/21 09:30	11/18/21 00:16	56-23-5	
Chlorobenzene	<89.3	ug/kg	746	89.3	10	11/17/21 09:30	11/18/21 00:16	108-90-7	
Chloroethane	<315	ug/kg	3730	315	10	11/17/21 09:30	11/18/21 00:16	75-00-3	
Chloroform	<534	ug/kg	3730	534	10	11/17/21 09:30	11/18/21 00:16	67-66-3	
Chloromethane	<283	ug/kg	746	283	10	11/17/21 09:30	11/18/21 00:16	74-87-3	
2-Chlorotoluene	<242	ug/kg	746	242	10	11/17/21 09:30	11/18/21 00:16	95-49-8	
4-Chlorotoluene	<283	ug/kg	746	283	10	11/17/21 09:30	11/18/21 00:16	106-43-4	
1,2-Dibromo-3-chloropropane	<579	ug/kg	3730	579	10	11/17/21 09:30	11/18/21 00:16	96-12-8	
Dibromochloromethane	<2550	ug/kg	3730	2550	10	11/17/21 09:30	11/18/21 00:16	124-48-1	
1,2-Dibromoethane (EDB)	<204	ug/kg	746	204	10	11/17/21 09:30	11/18/21 00:16	106-93-4	
Dibromomethane	<221	ug/kg	746	221	10	11/17/21 09:30	11/18/21 00:16	74-95-3	
1,2-Dichlorobenzene	5330	ug/kg	746	231	10	11/17/21 09:30	11/18/21 00:16	95-50-1	
1,3-Dichlorobenzene	<204	ug/kg	746	204	10	11/17/21 09:30	11/18/21 00:16	541-73-1	
1,4-Dichlorobenzene	820	ug/kg	746	204	10	11/17/21 09:30	11/18/21 00:16	106-46-7	
Dichlorodifluoromethane	<321	ug/kg	746	321	10	11/17/21 09:30	11/18/21 00:16	75-71-8	
1,1-Dichloroethane	<191	ug/kg	746	191	10	11/17/21 09:30	11/18/21 00:16	75-34-3	
1,2-Dichloroethane	<172	ug/kg	746	172	10	11/17/21 09:30	11/18/21 00:16	107-06-2	
1,1-Dichloroethene	<248	ug/kg	746	248	10	11/17/21 09:30	11/18/21 00:16	75-35-4	
cis-1,2-Dichloroethene	31500	ug/kg	746	160	10	11/17/21 09:30	11/18/21 00:16	156-59-2	
trans-1,2-Dichloroethene	583J	ug/kg	746	161	10	11/17/21 09:30	11/18/21 00:16	156-60-5	
1,2-Dichloropropane	<177	ug/kg	746	177	10	11/17/21 09:30	11/18/21 00:16	78-87-5	
1,3-Dichloropropane	<163	ug/kg	746	163	10	11/17/21 09:30	11/18/21 00:16	142-28-9	
2,2-Dichloropropane	<201	ug/kg	746	201	10	11/17/21 09:30	11/18/21 00:16	594-20-7	
1,1-Dichloropropene	<242	ug/kg	746	242	10	11/17/21 09:30	11/18/21 00:16	563-58-6	
cis-1,3-Dichloropropene	<492	ug/kg	3730	492	10	11/17/21 09:30	11/18/21 00:16	10061-01-5	
trans-1,3-Dichloropropene	<2130	ug/kg	3730	2130	10	11/17/21 09:30	11/18/21 00:16	10061-02-6	
Diisopropyl ether	<185	ug/kg	746	185	10	11/17/21 09:30	11/18/21 00:16	108-20-3	
Ethylbenzene	386J	ug/kg	746	177	10	11/17/21 09:30	11/18/21 00:16	100-41-4	
Hexachloro-1,3-butadiene	<1480	ug/kg	3730	1480	10	11/17/21 09:30	11/18/21 00:16	87-68-3	
Isopropylbenzene (Cumene)	409J	ug/kg	746	201	10	11/17/21 09:30	11/18/21 00:16	98-82-8	
p-Isopropyltoluene	1680	ug/kg	746	227	10	11/17/21 09:30	11/18/21 00:16	99-87-6	
Methylene Chloride	<207	ug/kg	746	207	10	11/17/21 09:30	11/18/21 00:16	75-09-2	
Methyl-tert-butyl ether	<219	ug/kg	746	219	10	11/17/21 09:30	11/18/21 00:16	1634-04-4	
Naphthalene	52300	ug/kg	3730	233	10	11/17/21 09:30	11/18/21 00:16	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-7 (1-5') **Lab ID: 40237039007** Collected: 11/15/21 11:10 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	2120	ug/kg	746	179	10	11/17/21 09:30	11/18/21 00:16	103-65-1	
Styrene	<191	ug/kg	746	191	10	11/17/21 09:30	11/18/21 00:16	100-42-5	
1,1,1,2-Tetrachloroethane	<179	ug/kg	746	179	10	11/17/21 09:30	11/18/21 00:16	630-20-6	
1,1,2,2-Tetrachloroethane	<270	ug/kg	746	270	10	11/17/21 09:30	11/18/21 00:16	79-34-5	
Tetrachloroethene	<289	ug/kg	746	289	10	11/17/21 09:30	11/18/21 00:16	127-18-4	
Toluene	543J	ug/kg	746	188	10	11/17/21 09:30	11/18/21 00:16	108-88-3	
1,2,3-Trichlorobenzene	<831	ug/kg	3730	831	10	11/17/21 09:30	11/18/21 00:16	87-61-6	
1,2,4-Trichlorobenzene	<614	ug/kg	3730	614	10	11/17/21 09:30	11/18/21 00:16	120-82-1	
1,1,1-Trichloroethane	<191	ug/kg	746	191	10	11/17/21 09:30	11/18/21 00:16	71-55-6	
1,1,2-Trichloroethane	<271	ug/kg	746	271	10	11/17/21 09:30	11/18/21 00:16	79-00-5	
Trichloroethene	<279	ug/kg	746	279	10	11/17/21 09:30	11/18/21 00:16	79-01-6	
Trichlorofluoromethane	<216	ug/kg	746	216	10	11/17/21 09:30	11/18/21 00:16	75-69-4	
1,2,3-Trichloropropane	<362	ug/kg	746	362	10	11/17/21 09:30	11/18/21 00:16	96-18-4	
1,2,4-Trimethylbenzene	16200	ug/kg	746	222	10	11/17/21 09:30	11/18/21 00:16	95-63-6	
1,3,5-Trimethylbenzene	5150	ug/kg	746	240	10	11/17/21 09:30	11/18/21 00:16	108-67-8	
Vinyl chloride	<151	ug/kg	746	151	10	11/17/21 09:30	11/18/21 00:16	75-01-4	
m&p-Xylene	975J	ug/kg	1490	315	10	11/17/21 09:30	11/18/21 00:16	179601-23-1	
o-Xylene	799	ug/kg	746	224	10	11/17/21 09:30	11/18/21 00:16	95-47-6	
Surrogates									
Toluene-d8 (S)	129	%	67-159		10	11/17/21 09:30	11/18/21 00:16	2037-26-5	
4-Bromofluorobenzene (S)	131	%	66-153		10	11/17/21 09:30	11/18/21 00:16	460-00-4	
1,2-Dichlorobenzene-d4 (S)	257	%	82-158		10	11/17/21 09:30	11/18/21 00:16	2199-69-1	S1
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/22/21 13:40									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/24/21 18:12	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/24/21 18:12	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/24/21 18:12	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/24/21 18:12	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/24/21 18:12	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/24/21 18:12	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/24/21 18:12	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/24/21 18:12	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/24/21 18:12	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/24/21 18:12	75-01-4	
Surrogates									
Toluene-d8 (S)	100	%	70-130		10		11/24/21 18:12	2037-26-5	
4-Bromofluorobenzene (S)	102	%	70-130		10		11/24/21 18:12	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		11/24/21 18:12	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	19.7	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-8 (1-5') Lab ID: 40237039008 Collected: 11/15/21 11:25 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<39.4	ug/kg	66.3	39.4	2.5	11/17/21 09:30	11/18/21 01:37	71-43-2	
Bromobenzene	<64.6	ug/kg	166	64.6	2.5	11/17/21 09:30	11/18/21 01:37	108-86-1	
Bromochloromethane	<45.4	ug/kg	166	45.4	2.5	11/17/21 09:30	11/18/21 01:37	74-97-5	
Bromodichloromethane	<39.4	ug/kg	166	39.4	2.5	11/17/21 09:30	11/18/21 01:37	75-27-4	
Bromoform	<729	ug/kg	829	729	2.5	11/17/21 09:30	11/18/21 01:37	75-25-2	
Bromomethane	<232	ug/kg	829	232	2.5	11/17/21 09:30	11/18/21 01:37	74-83-9	
2-Butanone (MEK)	<524	ug/kg	4140	524	2.5	11/17/21 09:30	11/18/21 01:37	78-93-3	
n-Butylbenzene	5210	ug/kg	166	75.9	2.5	11/17/21 09:30	11/18/21 01:37	104-51-8	
sec-Butylbenzene	402	ug/kg	166	40.4	2.5	11/17/21 09:30	11/18/21 01:37	135-98-8	
tert-Butylbenzene	<52.0	ug/kg	166	52.0	2.5	11/17/21 09:30	11/18/21 01:37	98-06-6	
Carbon tetrachloride	<36.5	ug/kg	166	36.5	2.5	11/17/21 09:30	11/18/21 01:37	56-23-5	
Chlorobenzene	<19.9	ug/kg	166	19.9	2.5	11/17/21 09:30	11/18/21 01:37	108-90-7	
Chloroethane	<69.9	ug/kg	829	69.9	2.5	11/17/21 09:30	11/18/21 01:37	75-00-3	
Chloroform	<119	ug/kg	829	119	2.5	11/17/21 09:30	11/18/21 01:37	67-66-3	
Chloromethane	<63.0	ug/kg	166	63.0	2.5	11/17/21 09:30	11/18/21 01:37	74-87-3	
2-Chlorotoluene	<53.7	ug/kg	166	53.7	2.5	11/17/21 09:30	11/18/21 01:37	95-49-8	
4-Chlorotoluene	<63.0	ug/kg	166	63.0	2.5	11/17/21 09:30	11/18/21 01:37	106-43-4	
1,2-Dibromo-3-chloropropane	<129	ug/kg	829	129	2.5	11/17/21 09:30	11/18/21 01:37	96-12-8	
Dibromochloromethane	<567	ug/kg	829	567	2.5	11/17/21 09:30	11/18/21 01:37	124-48-1	
1,2-Dibromoethane (EDB)	<45.4	ug/kg	166	45.4	2.5	11/17/21 09:30	11/18/21 01:37	106-93-4	
Dibromomethane	<49.1	ug/kg	166	49.1	2.5	11/17/21 09:30	11/18/21 01:37	74-95-3	
1,2-Dichlorobenzene	1180	ug/kg	166	51.4	2.5	11/17/21 09:30	11/18/21 01:37	95-50-1	
1,3-Dichlorobenzene	<45.4	ug/kg	166	45.4	2.5	11/17/21 09:30	11/18/21 01:37	541-73-1	
1,4-Dichlorobenzene	115J	ug/kg	166	45.4	2.5	11/17/21 09:30	11/18/21 01:37	106-46-7	
Dichlorodifluoromethane	<71.3	ug/kg	166	71.3	2.5	11/17/21 09:30	11/18/21 01:37	75-71-8	
1,1-Dichloroethane	<42.4	ug/kg	166	42.4	2.5	11/17/21 09:30	11/18/21 01:37	75-34-3	
1,2-Dichloroethane	<38.1	ug/kg	166	38.1	2.5	11/17/21 09:30	11/18/21 01:37	107-06-2	
1,1-Dichloroethene	<55.0	ug/kg	166	55.0	2.5	11/17/21 09:30	11/18/21 01:37	75-35-4	
cis-1,2-Dichloroethene	128J	ug/kg	166	35.5	2.5	11/17/21 09:30	11/18/21 01:37	156-59-2	
trans-1,2-Dichloroethene	<35.8	ug/kg	166	35.8	2.5	11/17/21 09:30	11/18/21 01:37	156-60-5	
1,2-Dichloropropane	<39.4	ug/kg	166	39.4	2.5	11/17/21 09:30	11/18/21 01:37	78-87-5	
1,3-Dichloropropane	<36.1	ug/kg	166	36.1	2.5	11/17/21 09:30	11/18/21 01:37	142-28-9	
2,2-Dichloropropane	<44.8	ug/kg	166	44.8	2.5	11/17/21 09:30	11/18/21 01:37	594-20-7	
1,1-Dichloropropene	<53.7	ug/kg	166	53.7	2.5	11/17/21 09:30	11/18/21 01:37	563-58-6	
cis-1,3-Dichloropropene	<109	ug/kg	829	109	2.5	11/17/21 09:30	11/18/21 01:37	10061-01-5	
trans-1,3-Dichloropropene	<474	ug/kg	829	474	2.5	11/17/21 09:30	11/18/21 01:37	10061-02-6	
Diisopropyl ether	<41.1	ug/kg	166	41.1	2.5	11/17/21 09:30	11/18/21 01:37	108-20-3	
Ethylbenzene	49.6J	ug/kg	166	39.4	2.5	11/17/21 09:30	11/18/21 01:37	100-41-4	
Hexachloro-1,3-butadiene	<330	ug/kg	829	330	2.5	11/17/21 09:30	11/18/21 01:37	87-68-3	
Isopropylbenzene (Cumene)	66.4J	ug/kg	166	44.8	2.5	11/17/21 09:30	11/18/21 01:37	98-82-8	
p-Isopropyltoluene	561	ug/kg	166	50.4	2.5	11/17/21 09:30	11/18/21 01:37	99-87-6	
Methylene Chloride	<46.1	ug/kg	166	46.1	2.5	11/17/21 09:30	11/18/21 01:37	75-09-2	
Methyl-tert-butyl ether	<48.7	ug/kg	166	48.7	2.5	11/17/21 09:30	11/18/21 01:37	1634-04-4	
Naphthalene	7760	ug/kg	829	51.7	2.5	11/17/21 09:30	11/18/21 01:37	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-8 (1-5') Lab ID: 40237039008 Collected: 11/15/21 11:25 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	402	ug/kg	166	39.8	2.5	11/17/21 09:30	11/18/21 01:37	103-65-1	
Styrene	<42.4	ug/kg	166	42.4	2.5	11/17/21 09:30	11/18/21 01:37	100-42-5	
1,1,1,2-Tetrachloroethane	<39.8	ug/kg	166	39.8	2.5	11/17/21 09:30	11/18/21 01:37	630-20-6	
1,1,2,2-Tetrachloroethane	<60.0	ug/kg	166	60.0	2.5	11/17/21 09:30	11/18/21 01:37	79-34-5	
Tetrachloroethene	82.1J	ug/kg	166	64.3	2.5	11/17/21 09:30	11/18/21 13:11	127-18-4	
Toluene	84.0J	ug/kg	166	41.8	2.5	11/17/21 09:30	11/18/21 01:37	108-88-3	
1,2,3-Trichlorobenzene	<185	ug/kg	829	185	2.5	11/17/21 09:30	11/18/21 01:37	87-61-6	
1,2,4-Trichlorobenzene	<137	ug/kg	829	137	2.5	11/17/21 09:30	11/18/21 01:37	120-82-1	
1,1,1-Trichloroethane	<42.4	ug/kg	166	42.4	2.5	11/17/21 09:30	11/18/21 01:37	71-55-6	
1,1,2-Trichloroethane	<60.3	ug/kg	166	60.3	2.5	11/17/21 09:30	11/18/21 01:37	79-00-5	
Trichloroethene	110J	ug/kg	166	62.0	2.5	11/17/21 09:30	11/18/21 01:37	79-01-6	
Trichlorofluoromethane	<48.1	ug/kg	166	48.1	2.5	11/17/21 09:30	11/18/21 01:37	75-69-4	
1,2,3-Trichloropropane	<80.6	ug/kg	166	80.6	2.5	11/17/21 09:30	11/18/21 01:37	96-18-4	
1,2,4-Trimethylbenzene	3700	ug/kg	166	49.4	2.5	11/17/21 09:30	11/18/21 01:37	95-63-6	
1,3,5-Trimethylbenzene	1090	ug/kg	166	53.4	2.5	11/17/21 09:30	11/18/21 01:37	108-67-8	
Vinyl chloride	<33.5	ug/kg	166	33.5	2.5	11/17/21 09:30	11/18/21 01:37	75-01-4	
m&p-Xylene	144J	ug/kg	331	69.9	2.5	11/17/21 09:30	11/18/21 01:37	179601-23-1	
o-Xylene	142J	ug/kg	166	49.7	2.5	11/17/21 09:30	11/18/21 01:37	95-47-6	
Surrogates									
Toluene-d8 (S)	117	%	67-159		2.5	11/17/21 09:30	11/18/21 01:37	2037-26-5	D3
4-Bromofluorobenzene (S)	112	%	66-153		2.5	11/17/21 09:30	11/18/21 01:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	139	%	82-158		2.5	11/17/21 09:30	11/18/21 01:37	2199-69-1	
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/22/21 13:40									
Pace Analytical Services - Green Bay									
Benzene	<0.0030	mg/L	0.010	0.0030	10		11/24/21 17:52	71-43-2	
2-Butanone (MEK)	<0.065	mg/L	0.25	0.065	10		11/24/21 17:52	78-93-3	
Carbon tetrachloride	<0.0037	mg/L	0.010	0.0037	10		11/24/21 17:52	56-23-5	
Chlorobenzene	<0.0086	mg/L	0.010	0.0086	10		11/24/21 17:52	108-90-7	
Chloroform	<0.012	mg/L	0.050	0.012	10		11/24/21 17:52	67-66-3	
1,2-Dichloroethane	<0.0029	mg/L	0.010	0.0029	10		11/24/21 17:52	107-06-2	
1,1-Dichloroethene	<0.0058	mg/L	0.010	0.0058	10		11/24/21 17:52	75-35-4	
Tetrachloroethene	<0.0041	mg/L	0.010	0.0041	10		11/24/21 17:52	127-18-4	
Trichloroethene	<0.0032	mg/L	0.010	0.0032	10		11/24/21 17:52	79-01-6	
Vinyl chloride	<0.0017	mg/L	0.010	0.0017	10		11/24/21 17:52	75-01-4	
Surrogates									
Toluene-d8 (S)	99	%	70-130		10		11/24/21 17:52	2037-26-5	
4-Bromofluorobenzene (S)	100	%	70-130		10		11/24/21 17:52	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		10		11/24/21 17:52	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.0	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

Sample: 6526-WS-9 (1-5') Lab ID: 40237039009 Collected: 11/15/21 11:45 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<784	ug/kg	1320	784	50	11/17/21 09:30	11/18/21 13:51	71-43-2	
Bromobenzene	<1290	ug/kg	3290	1290	50	11/17/21 09:30	11/18/21 13:51	108-86-1	
Bromochloromethane	<903	ug/kg	3290	903	50	11/17/21 09:30	11/18/21 13:51	74-97-5	
Bromodichloromethane	<784	ug/kg	3290	784	50	11/17/21 09:30	11/18/21 13:51	75-27-4	
Bromoform	<14500	ug/kg	16500	14500	50	11/17/21 09:30	11/18/21 13:51	75-25-2	
Bromomethane	<4620	ug/kg	16500	4620	50	11/17/21 09:30	11/18/21 13:51	74-83-9	
2-Butanone (MEK)	<10400	ug/kg	82400	10400	50	11/17/21 09:30	11/18/21 13:51	78-93-3	
n-Butylbenzene	4360	ug/kg	3290	1510	50	11/17/21 09:30	11/18/21 13:51	104-51-8	
sec-Butylbenzene	<804	ug/kg	3290	804	50	11/17/21 09:30	11/18/21 13:51	135-98-8	
tert-Butylbenzene	<1030	ug/kg	3290	1030	50	11/17/21 09:30	11/18/21 13:51	98-06-6	
Carbon tetrachloride	<725	ug/kg	3290	725	50	11/17/21 09:30	11/18/21 13:51	56-23-5	
Chlorobenzene	<395	ug/kg	3290	395	50	11/17/21 09:30	11/18/21 13:51	108-90-7	
Chloroethane	<1390	ug/kg	16500	1390	50	11/17/21 09:30	11/18/21 13:51	75-00-3	
Chloroform	<2360	ug/kg	16500	2360	50	11/17/21 09:30	11/18/21 13:51	67-66-3	
Chloromethane	<1250	ug/kg	3290	1250	50	11/17/21 09:30	11/18/21 13:51	74-87-3	
2-Chlorotoluene	<1070	ug/kg	3290	1070	50	11/17/21 09:30	11/18/21 13:51	95-49-8	
4-Chlorotoluene	<1250	ug/kg	3290	1250	50	11/17/21 09:30	11/18/21 13:51	106-43-4	
1,2-Dibromo-3-chloropropane	<2560	ug/kg	16500	2560	50	11/17/21 09:30	11/18/21 13:51	96-12-8	
Dibromochloromethane	<11300	ug/kg	16500	11300	50	11/17/21 09:30	11/18/21 13:51	124-48-1	
1,2-Dibromoethane (EDB)	<903	ug/kg	3290	903	50	11/17/21 09:30	11/18/21 13:51	106-93-4	
Dibromomethane	<975	ug/kg	3290	975	50	11/17/21 09:30	11/18/21 13:51	74-95-3	
1,2-Dichlorobenzene	<1020	ug/kg	3290	1020	50	11/17/21 09:30	11/18/21 13:51	95-50-1	
1,3-Dichlorobenzene	<903	ug/kg	3290	903	50	11/17/21 09:30	11/18/21 13:51	541-73-1	
1,4-Dichlorobenzene	<903	ug/kg	3290	903	50	11/17/21 09:30	11/18/21 13:51	106-46-7	
Dichlorodifluoromethane	<1420	ug/kg	3290	1420	50	11/17/21 09:30	11/18/21 13:51	75-71-8	
1,1-Dichloroethane	<844	ug/kg	3290	844	50	11/17/21 09:30	11/18/21 13:51	75-34-3	
1,2-Dichloroethane	<758	ug/kg	3290	758	50	11/17/21 09:30	11/18/21 13:51	107-06-2	
1,1-Dichloroethene	<1090	ug/kg	3290	1090	50	11/17/21 09:30	11/18/21 13:51	75-35-4	
cis-1,2-Dichloroethene	4500	ug/kg	3290	705	50	11/17/21 09:30	11/18/21 13:51	156-59-2	
trans-1,2-Dichloroethene	<712	ug/kg	3290	712	50	11/17/21 09:30	11/18/21 13:51	156-60-5	
1,2-Dichloropropane	<784	ug/kg	3290	784	50	11/17/21 09:30	11/18/21 13:51	78-87-5	
1,3-Dichloropropane	<718	ug/kg	3290	718	50	11/17/21 09:30	11/18/21 13:51	142-28-9	
2,2-Dichloropropane	<890	ug/kg	3290	890	50	11/17/21 09:30	11/18/21 13:51	594-20-7	
1,1-Dichloropropene	<1070	ug/kg	3290	1070	50	11/17/21 09:30	11/18/21 13:51	563-58-6	
cis-1,3-Dichloropropene	<2170	ug/kg	16500	2170	50	11/17/21 09:30	11/18/21 13:51	10061-01-5	
trans-1,3-Dichloropropene	<9420	ug/kg	16500	9420	50	11/17/21 09:30	11/18/21 13:51	10061-02-6	
Diisopropyl ether	<817	ug/kg	3290	817	50	11/17/21 09:30	11/18/21 13:51	108-20-3	
Ethylbenzene	<784	ug/kg	3290	784	50	11/17/21 09:30	11/18/21 13:51	100-41-4	
Hexachloro-1,3-butadiene	<6550	ug/kg	16500	6550	50	11/17/21 09:30	11/18/21 13:51	87-68-3	
Isopropylbenzene (Cumene)	<890	ug/kg	3290	890	50	11/17/21 09:30	11/18/21 13:51	98-82-8	
p-Isopropyltoluene	<1000	ug/kg	3290	1000	50	11/17/21 09:30	11/18/21 13:51	99-87-6	
Methylene Chloride	<916	ug/kg	3290	916	50	11/17/21 09:30	11/18/21 13:51	75-09-2	
Methyl-tert-butyl ether	<969	ug/kg	3290	969	50	11/17/21 09:30	11/18/21 13:51	1634-04-4	
Naphthalene	19400	ug/kg	16500	1030	50	11/17/21 09:30	11/18/21 13:51	91-20-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Sample: 6526-WS-9 (1-5') **Lab ID: 40237039009** Collected: 11/15/21 11:45 Received: 11/16/21 11:50 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
n-Propylbenzene	<791	ug/kg	3290	791	50	11/17/21 09:30	11/18/21 13:51	103-65-1	
Styrene	<844	ug/kg	3290	844	50	11/17/21 09:30	11/18/21 13:51	100-42-5	
1,1,1,2-Tetrachloroethane	<791	ug/kg	3290	791	50	11/17/21 09:30	11/18/21 13:51	630-20-6	
1,1,2,2-Tetrachloroethane	<1190	ug/kg	3290	1190	50	11/17/21 09:30	11/18/21 13:51	79-34-5	
Tetrachloroethene	448000	ug/kg	3290	1280	50	11/17/21 09:30	11/18/21 13:51	127-18-4	
Toluene	<830	ug/kg	3290	830	50	11/17/21 09:30	11/18/21 13:51	108-88-3	
1,2,3-Trichlorobenzene	<3670	ug/kg	16500	3670	50	11/17/21 09:30	11/18/21 13:51	87-61-6	
1,2,4-Trichlorobenzene	<2720	ug/kg	16500	2720	50	11/17/21 09:30	11/18/21 13:51	120-82-1	
1,1,1-Trichloroethane	<844	ug/kg	3290	844	50	11/17/21 09:30	11/18/21 13:51	71-55-6	
1,1,2-Trichloroethane	<1200	ug/kg	3290	1200	50	11/17/21 09:30	11/18/21 13:51	79-00-5	
Trichloroethene	17800	ug/kg	3290	1230	50	11/17/21 09:30	11/18/21 13:51	79-01-6	
Trichlorofluoromethane	<956	ug/kg	3290	956	50	11/17/21 09:30	11/18/21 13:51	75-69-4	
1,2,3-Trichloropropane	<1600	ug/kg	3290	1600	50	11/17/21 09:30	11/18/21 13:51	96-18-4	
1,2,4-Trimethylbenzene	3090J	ug/kg	3290	982	50	11/17/21 09:30	11/18/21 13:51	95-63-6	
1,3,5-Trimethylbenzene	<1060	ug/kg	3290	1060	50	11/17/21 09:30	11/18/21 13:51	108-67-8	
Vinyl chloride	<666	ug/kg	3290	666	50	11/17/21 09:30	11/18/21 13:51	75-01-4	
m&p-Xylene	<1390	ug/kg	6590	1390	50	11/17/21 09:30	11/18/21 13:51	179601-23-1	
o-Xylene	<988	ug/kg	3290	988	50	11/17/21 09:30	11/18/21 13:51	95-47-6	
Surrogates									
Toluene-d8 (S)	129	%	67-159		50	11/17/21 09:30	11/18/21 13:51	2037-26-5	S4
4-Bromofluorobenzene (S)	148	%	66-153		50	11/17/21 09:30	11/18/21 13:51	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	311	%	82-158		50	11/17/21 09:30	11/18/21 13:51	2199-69-1	S4
8260 MSV TCLP									
Analytical Method: EPA 8260 Leachate Method/Date: EPA 1311; 11/22/21 13:40									
Pace Analytical Services - Green Bay									
Benzene	<0.0059	mg/L	0.020	0.0059	20		11/24/21 19:29	71-43-2	
2-Butanone (MEK)	<0.13	mg/L	0.50	0.13	20		11/24/21 19:29	78-93-3	
Carbon tetrachloride	<0.0074	mg/L	0.020	0.0074	20		11/24/21 19:29	56-23-5	
Chlorobenzene	<0.017	mg/L	0.020	0.017	20		11/24/21 19:29	108-90-7	
Chloroform	<0.024	mg/L	0.10	0.024	20		11/24/21 19:29	67-66-3	
1,2-Dichloroethane	<0.0058	mg/L	0.020	0.0058	20		11/24/21 19:29	107-06-2	
1,1-Dichloroethene	<0.012	mg/L	0.020	0.012	20		11/24/21 19:29	75-35-4	
Tetrachloroethene	12.7	mg/L	0.12	0.051	125		11/28/21 12:27	127-18-4	
Trichloroethene	0.24	mg/L	0.020	0.0064	20		11/24/21 19:29	79-01-6	
Vinyl chloride	<0.0035	mg/L	0.020	0.0035	20		11/24/21 19:29	75-01-4	
Surrogates									
Toluene-d8 (S)	101	%	70-130		20		11/24/21 19:29	2037-26-5	
4-Bromofluorobenzene (S)	101	%	70-130		20		11/24/21 19:29	460-00-4	
1,2-Dichlorobenzene-d4 (S)	101	%	70-130		20		11/24/21 19:29	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.7	%	0.10	0.10	1		11/18/21 10:37		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

QC Batch:	402040	Analysis Method:	EPA 8260
QC Batch Method:	EPA 5035/5030B	Analysis Description:	8260 MSV Med Level Normal List
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237039001, 40237039002, 40237039003, 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

METHOD BLANK: 2321679 Matrix: Solid
Associated Lab Samples: 40237039001, 40237039002, 40237039003, 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	11/17/21 17:53	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	11/17/21 17:53	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	11/17/21 17:53	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	11/17/21 17:53	
1,1-Dichloroethane	ug/kg	<12.8	50.0	11/17/21 17:53	
1,1-Dichloroethene	ug/kg	<16.6	50.0	11/17/21 17:53	
1,1-Dichloropropene	ug/kg	<16.2	50.0	11/17/21 17:53	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	11/17/21 17:53	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	11/17/21 17:53	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	11/17/21 17:53	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	11/17/21 17:53	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	11/17/21 17:53	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	11/17/21 17:53	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	11/17/21 17:53	
1,2-Dichloroethane	ug/kg	<11.5	50.0	11/17/21 17:53	
1,2-Dichloropropane	ug/kg	<11.9	50.0	11/17/21 17:53	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	11/17/21 17:53	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	11/17/21 17:53	
1,3-Dichloropropane	ug/kg	<10.9	50.0	11/17/21 17:53	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	11/17/21 17:53	
2,2-Dichloropropane	ug/kg	<13.5	50.0	11/17/21 17:53	
2-Butanone (MEK)	ug/kg	<158	1250	11/17/21 17:53	
2-Chlorotoluene	ug/kg	<16.2	50.0	11/17/21 17:53	
4-Chlorotoluene	ug/kg	<19.0	50.0	11/17/21 17:53	
Benzene	ug/kg	<11.9	20.0	11/17/21 17:53	
Bromobenzene	ug/kg	<19.5	50.0	11/17/21 17:53	
Bromochloromethane	ug/kg	<13.7	50.0	11/17/21 17:53	
Bromodichloromethane	ug/kg	<11.9	50.0	11/17/21 17:53	
Bromoform	ug/kg	<220	250	11/17/21 17:53	
Bromomethane	ug/kg	<70.1	250	11/17/21 17:53	
Carbon tetrachloride	ug/kg	<11.0	50.0	11/17/21 17:53	
Chlorobenzene	ug/kg	<6.0	50.0	11/17/21 17:53	
Chloroethane	ug/kg	<21.1	250	11/17/21 17:53	
Chloroform	ug/kg	<35.8	250	11/17/21 17:53	
Chloromethane	ug/kg	<19.0	50.0	11/17/21 17:53	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	11/17/21 17:53	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	11/17/21 17:53	
Dibromochloromethane	ug/kg	<171	250	11/17/21 17:53	
Dibromomethane	ug/kg	<14.8	50.0	11/17/21 17:53	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

METHOD BLANK: 2321679 Matrix: Solid
Associated Lab Samples: 40237039001, 40237039002, 40237039003, 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dichlorodifluoromethane	ug/kg	<21.5	50.0	11/17/21 17:53	
Diisopropyl ether	ug/kg	<12.4	50.0	11/17/21 17:53	
Ethylbenzene	ug/kg	<11.9	50.0	11/17/21 17:53	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	11/17/21 17:53	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	11/17/21 17:53	
m&p-Xylene	ug/kg	<21.1	100	11/17/21 17:53	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	11/17/21 17:53	
Methylene Chloride	ug/kg	<13.9	50.0	11/17/21 17:53	
n-Butylbenzene	ug/kg	<22.9	50.0	11/17/21 17:53	
n-Propylbenzene	ug/kg	<12.0	50.0	11/17/21 17:53	
Naphthalene	ug/kg	<15.6	250	11/17/21 17:53	
o-Xylene	ug/kg	<15.0	50.0	11/17/21 17:53	
p-Isopropyltoluene	ug/kg	<15.2	50.0	11/17/21 17:53	
sec-Butylbenzene	ug/kg	<12.2	50.0	11/17/21 17:53	
Styrene	ug/kg	<12.8	50.0	11/17/21 17:53	
tert-Butylbenzene	ug/kg	<15.7	50.0	11/17/21 17:53	
Tetrachloroethene	ug/kg	<19.4	50.0	11/17/21 17:53	
Toluene	ug/kg	<12.6	50.0	11/17/21 17:53	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	11/17/21 17:53	
trans-1,3-Dichloropropene	ug/kg	<143	250	11/17/21 17:53	
Trichloroethene	ug/kg	<18.7	50.0	11/17/21 17:53	
Trichlorofluoromethane	ug/kg	<14.5	50.0	11/17/21 17:53	
Vinyl chloride	ug/kg	<10.1	50.0	11/17/21 17:53	
1,2-Dichlorobenzene-d4 (S)	%	103	82-158	11/17/21 17:53	
4-Bromofluorobenzene (S)	%	106	66-153	11/17/21 17:53	
Toluene-d8 (S)	%	109	67-159	11/17/21 17:53	

LABORATORY CONTROL SAMPLE: 2321680

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2410	96	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2720	109	65-129	
1,1,2-Trichloroethane	ug/kg	2500	2560	102	70-130	
1,1-Dichloroethane	ug/kg	2500	2660	107	70-130	
1,1-Dichloroethene	ug/kg	2500	2130	85	67-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2450	98	64-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2580	103	57-119	
1,2-Dibromoethane (EDB)	ug/kg	2500	2420	97	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2470	99	70-130	
1,2-Dichloroethane	ug/kg	2500	2780	111	70-130	
1,2-Dichloropropane	ug/kg	2500	2570	103	72-118	
1,3-Dichlorobenzene	ug/kg	2500	2500	100	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2470	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

LABORATORY CONTROL SAMPLE: 2321680

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/kg	2500	2470	99	70-130	
Bromodichloromethane	ug/kg	2500	2400	96	70-130	
Bromoform	ug/kg	2500	2190	88	66-130	
Bromomethane	ug/kg	2500	2880	115	13-153	
Carbon tetrachloride	ug/kg	2500	2430	97	73-134	
Chlorobenzene	ug/kg	2500	2520	101	70-130	
Chloroethane	ug/kg	2500	3160	127	19-170	
Chloroform	ug/kg	2500	2660	106	79-120	
Chloromethane	ug/kg	2500	1670	67	45-117	
cis-1,2-Dichloroethene	ug/kg	2500	2370	95	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2370	95	68-130	
Dibromochloromethane	ug/kg	2500	2340	93	70-130	
Dichlorodifluoromethane	ug/kg	2500	1030	41	15-135	
Ethylbenzene	ug/kg	2500	2510	100	78-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2450	98	70-130	
m&p-Xylene	ug/kg	5000	4750	95	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2310	92	65-130	
Methylene Chloride	ug/kg	2500	2440	98	70-130	
o-Xylene	ug/kg	2500	2440	98	70-130	
Styrene	ug/kg	2500	2500	100	70-130	
Tetrachloroethene	ug/kg	2500	2500	100	70-130	
Toluene	ug/kg	2500	2680	107	76-120	
trans-1,2-Dichloroethene	ug/kg	2500	2420	97	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2380	95	70-130	
Trichloroethene	ug/kg	2500	2520	101	70-130	
Trichlorofluoromethane	ug/kg	2500	2350	94	49-153	
Vinyl chloride	ug/kg	2500	2050	82	58-121	
1,2-Dichlorobenzene-d4 (S)	%			104	82-158	
4-Bromofluorobenzene (S)	%			102	66-153	
Toluene-d8 (S)	%			103	67-159	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2321681 2321682

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40237020004	Result	Spike Conc.	Spike Conc.								
1,1,1-Trichloroethane	ug/kg	<12.8	1000	1000	954	908	95	91	70-130	5	20		
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	1000	1000	1190	1070	119	107	65-129	11	20		
1,1,2-Trichloroethane	ug/kg	<18.2	1000	1000	1050	1060	105	106	70-130	0	20		
1,1-Dichloroethane	ug/kg	<12.8	1000	1000	1080	1040	108	104	70-130	4	20		
1,1-Dichloroethene	ug/kg	<16.6	1000	1000	939	759	94	76	64-120	21	20	R1	
1,2,4-Trichlorobenzene	ug/kg	<41.2	1000	1000	1200	1080	120	108	64-130	11	20		
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	1000	1000	1020	955	102	96	57-130	7	21		
1,2-Dibromoethane (EDB)	ug/kg	<13.7	1000	1000	1030	982	103	98	70-130	5	20		
1,2-Dichlorobenzene	ug/kg	<15.5	1000	1000	1170	1060	117	106	70-130	10	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Parameter	Units	2321681		2321682		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		40237020004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichloroethane	ug/kg	<11.5	1000	1000	1140	1130	114	113	70-130	1	20		
1,2-Dichloropropane	ug/kg	<11.9	1000	1000	1030	1020	103	102	72-122	2	20		
1,3-Dichlorobenzene	ug/kg	<13.7	1000	1000	1150	1040	115	104	70-130	11	20		
1,4-Dichlorobenzene	ug/kg	<13.7	1000	1000	1120	1050	112	105	70-130	7	20		
Benzene	ug/kg	<11.9	1000	1000	1020	988	102	99	70-130	3	20		
Bromodichloromethane	ug/kg	<11.9	1000	1000	989	938	99	94	70-130	5	20		
Bromoform	ug/kg	<220	1000	1000	916	816	92	82	66-130	12	20		
Bromomethane	ug/kg	<70.1	1000	1000	1250	1170	125	117	13-153	7	20		
Carbon tetrachloride	ug/kg	<11.0	1000	1000	933	920	93	92	67-134	1	20		
Chlorobenzene	ug/kg	<6.0	1000	1000	1110	1050	111	105	70-130	6	20		
Chloroethane	ug/kg	<21.1	1000	1000	1230	1190	123	119	11-195	3	20		
Chloroform	ug/kg	<35.8	1000	1000	1090	1080	109	108	79-120	1	20		
Chloromethane	ug/kg	<19.0	1000	1000	800	800	80	80	30-136	0	20		
cis-1,2-Dichloroethene	ug/kg	<10.7	1000	1000	942	983	94	98	70-130	4	20		
cis-1,3-Dichloropropene	ug/kg	<33.0	1000	1000	919	891	92	89	68-130	3	20		
Dibromochloromethane	ug/kg	<171	1000	1000	947	920	95	92	70-130	3	20		
Dichlorodifluoromethane	ug/kg	<21.5	1000	1000	531	541	53	54	10-158	2	25		
Ethylbenzene	ug/kg	<11.9	1000	1000	1060	993	106	99	78-120	6	20		
Isopropylbenzene (Cumene)	ug/kg	<13.5	1000	1000	1030	974	103	97	70-130	6	20		
m&p-Xylene	ug/kg	<21.1	2000	2000	2070	1960	104	98	70-130	6	20		
Methyl-tert-butyl ether	ug/kg	<14.7	1000	1000	880	853	88	85	65-130	3	20		
Methylene Chloride	ug/kg	<13.9	1000	1000	1010	970	101	97	70-130	4	20		
o-Xylene	ug/kg	<15.0	1000	1000	1050	1020	105	102	70-130	3	20		
Styrene	ug/kg	<12.8	1000	1000	1060	1000	106	100	70-130	6	20		
Tetrachloroethene	ug/kg	<19.4	1000	1000	1050	993	105	99	70-130	6	20		
Toluene	ug/kg	<12.6	1000	1000	1130	1060	113	106	76-120	6	20		
trans-1,2-Dichloroethene	ug/kg	<10.8	1000	1000	957	948	96	95	70-130	1	20		
trans-1,3-Dichloropropene	ug/kg	<143	1000	1000	933	853	93	85	70-130	9	20		
Trichloroethene	ug/kg	<18.7	1000	1000	998	998	100	100	70-130	0	20		
Trichlorofluoromethane	ug/kg	<14.5	1000	1000	881	917	88	92	42-159	4	21		
Vinyl chloride	ug/kg	<10.1	1000	1000	866	829	87	83	43-137	4	20		
1,2-Dichlorobenzene-d4 (S)	%						105	106	82-158				
4-Bromofluorobenzene (S)	%						106	106	66-153				
Toluene-d8 (S)	%						109	110	67-159				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

QC Batch: 401942 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV TCLP
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40237039001, 40237039002, 40237039003

METHOD BLANK: 2321271 Matrix: Water
Associated Lab Samples: 40237039001, 40237039002, 40237039003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.00058	0.0010	11/18/21 15:58	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	11/18/21 15:58	
2-Butanone (MEK)	mg/L	<0.0065	0.025	11/18/21 15:58	
Benzene	mg/L	<0.00030	0.0010	11/18/21 15:58	
Carbon tetrachloride	mg/L	<0.00037	0.0010	11/18/21 15:58	
Chlorobenzene	mg/L	<0.00086	0.0010	11/18/21 15:58	
Chloroform	mg/L	<0.0012	0.0050	11/18/21 15:58	
Tetrachloroethene	mg/L	<0.00041	0.0010	11/18/21 15:58	
Trichloroethene	mg/L	<0.00032	0.0010	11/18/21 15:58	
Vinyl chloride	mg/L	<0.00017	0.0010	11/18/21 15:58	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	11/18/21 15:58	
4-Bromofluorobenzene (S)	%	106	70-130	11/18/21 15:58	
Toluene-d8 (S)	%	105	70-130	11/18/21 15:58	

METHOD BLANK: 2320731 Matrix: Solid
Associated Lab Samples: 40237039001, 40237039002, 40237039003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.0058	0.010	11/18/21 18:34	
1,2-Dichloroethane	mg/L	<0.0029	0.010	11/18/21 18:34	
2-Butanone (MEK)	mg/L	<0.065	0.25	11/18/21 18:34	
Benzene	mg/L	<0.0030	0.010	11/18/21 18:34	
Carbon tetrachloride	mg/L	<0.0037	0.010	11/18/21 18:34	
Chlorobenzene	mg/L	<0.0086	0.010	11/18/21 18:34	
Chloroform	mg/L	<0.012	0.050	11/18/21 18:34	
Tetrachloroethene	mg/L	<0.0041	0.010	11/18/21 18:34	
Trichloroethene	mg/L	<0.0032	0.010	11/18/21 18:34	
Vinyl chloride	mg/L	<0.0017	0.010	11/18/21 18:34	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	11/18/21 18:34	
4-Bromofluorobenzene (S)	%	105	70-130	11/18/21 18:34	
Toluene-d8 (S)	%	105	70-130	11/18/21 18:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

METHOD BLANK: 2321486 Matrix: Solid
Associated Lab Samples: 40237039001, 40237039002, 40237039003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.0058	0.010	11/18/21 18:54	
1,2-Dichloroethane	mg/L	<0.0029	0.010	11/18/21 18:54	
2-Butanone (MEK)	mg/L	<0.065	0.25	11/18/21 18:54	
Benzene	mg/L	<0.0030	0.010	11/18/21 18:54	
Carbon tetrachloride	mg/L	<0.0037	0.010	11/18/21 18:54	
Chlorobenzene	mg/L	<0.0086	0.010	11/18/21 18:54	
Chloroform	mg/L	<0.012	0.050	11/18/21 18:54	
Tetrachloroethene	mg/L	<0.0041	0.010	11/18/21 18:54	
Trichloroethene	mg/L	<0.0032	0.010	11/18/21 18:54	
Vinyl chloride	mg/L	<0.0017	0.010	11/18/21 18:54	
1,2-Dichlorobenzene-d4 (S)	%	101	70-130	11/18/21 18:54	
4-Bromofluorobenzene (S)	%	105	70-130	11/18/21 18:54	
Toluene-d8 (S)	%	106	70-130	11/18/21 18:54	

LABORATORY CONTROL SAMPLE: 2321272

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	0.05	0.046	92	85-126	
1,2-Dichloroethane	mg/L	0.05	0.051	103	70-130	
Benzene	mg/L	0.05	0.050	101	70-132	
Carbon tetrachloride	mg/L	0.05	0.046	92	70-130	
Chlorobenzene	mg/L	0.05	0.053	106	70-130	
Chloroform	mg/L	0.05	0.052	103	80-122	
Tetrachloroethene	mg/L	0.05	0.047	94	70-130	
Trichloroethene	mg/L	0.05	0.049	98	70-130	
Vinyl chloride	mg/L	0.05	0.039	78	63-142	
1,2-Dichlorobenzene-d4 (S)	%			100	70-130	
4-Bromofluorobenzene (S)	%			107	70-130	
Toluene-d8 (S)	%			103	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2322328 2322329

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40236792001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1-Dichloroethene	mg/L	<0.0058	0.5	0.5	0.43	0.47	87	95	76-132	9	20		
1,2-Dichloroethane	mg/L	<0.0029	0.5	0.5	0.51	0.54	102	107	70-130	5	20		
Benzene	mg/L	<0.0030	0.5	0.5	0.49	0.52	99	104	70-132	5	20		
Carbon tetrachloride	mg/L	<0.0037	0.5	0.5	0.45	0.47	90	94	70-132	4	20		
Chlorobenzene	mg/L	<0.0086	0.5	0.5	0.53	0.55	107	109	70-130	2	20		
Chloroform	mg/L	<0.012	0.5	0.5	0.51	0.54	102	109	80-122	6	20		
Tetrachloroethene	mg/L	<0.0041	0.5	0.5	0.46	0.48	93	95	70-130	3	20		
Trichloroethene	mg/L	<0.0032	0.5	0.5	0.48	0.52	96	103	70-130	8	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2322328												2322329	
Parameter	Units	40236792001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Limits	Max RPD	Qual	
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec					
Vinyl chloride	mg/L	<0.0017	0.5	0.5	0.39	0.41	78	82	61-143	5	20		
1,2-Dichlorobenzene-d4 (S)	%						101	101	70-130				
4-Bromofluorobenzene (S)	%						105	106	70-130				
Toluene-d8 (S)	%						103	103	70-130				

MATRIX SPIKE SAMPLE: 2322330											
Parameter	Units	40236991001		Spike Conc.	MS	MS	% Rec	Limits	Qualifiers		
		Result	Result		Result	% Rec					
1,1-Dichloroethene	mg/L	<5.8 ug/L		0.5	0.47		93	76-132			
1,2-Dichloroethane	mg/L	<2.9 ug/L		0.5	0.53		107	70-130			
Benzene	mg/L	<3.0 ug/L		0.5	0.52		103	70-132			
Carbon tetrachloride	mg/L	<3.7 ug/L		0.5	0.48		96	70-132			
Chlorobenzene	mg/L	<8.6 ug/L		0.5	0.55		109	70-130			
Chloroform	mg/L	<11.8 ug/L		0.5	0.53		106	80-122			
Tetrachloroethene	mg/L	<4.1 ug/L		0.5	0.48		96	70-130			
Trichloroethene	mg/L	<3.2 ug/L		0.5	0.51		102	70-130			
Vinyl chloride	mg/L	<1.7 ug/L		0.5	0.41		82	61-143			
1,2-Dichlorobenzene-d4 (S)	%						99	70-130			
4-Bromofluorobenzene (S)	%						108	70-130			
Toluene-d8 (S)	%						104	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

QC Batch: 402546 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV TCLP
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

METHOD BLANK: 2324845 Matrix: Water
Associated Lab Samples: 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.00058	0.0010	11/24/21 08:01	
1,2-Dichloroethane	mg/L	<0.00029	0.0010	11/24/21 08:01	
2-Butanone (MEK)	mg/L	<0.0065	0.025	11/24/21 08:01	
Benzene	mg/L	<0.00030	0.0010	11/24/21 08:01	
Carbon tetrachloride	mg/L	<0.00037	0.0010	11/24/21 08:01	
Chlorobenzene	mg/L	<0.00086	0.0010	11/24/21 08:01	
Chloroform	mg/L	<0.0012	0.0050	11/24/21 08:01	
Tetrachloroethene	mg/L	<0.00041	0.0010	11/24/21 08:01	
Trichloroethene	mg/L	<0.00032	0.0010	11/24/21 08:01	
Vinyl chloride	mg/L	<0.00017	0.0010	11/24/21 08:01	
1,2-Dichlorobenzene-d4 (S)	%	102	70-130	11/24/21 08:01	
4-Bromofluorobenzene (S)	%	99	70-130	11/24/21 08:01	
Toluene-d8 (S)	%	102	70-130	11/24/21 08:01	

METHOD BLANK: 2324580 Matrix: Solid
Associated Lab Samples: 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	mg/L	<0.0058	0.010	11/24/21 12:15	
1,2-Dichloroethane	mg/L	<0.0029	0.010	11/24/21 12:15	
2-Butanone (MEK)	mg/L	<0.065	0.25	11/24/21 12:15	
Benzene	mg/L	<0.0030	0.010	11/24/21 12:15	
Carbon tetrachloride	mg/L	<0.0037	0.010	11/24/21 12:15	
Chlorobenzene	mg/L	<0.0086	0.010	11/24/21 12:15	
Chloroform	mg/L	<0.012	0.050	11/24/21 12:15	
Tetrachloroethene	mg/L	<0.0041	0.010	11/24/21 12:15	
Trichloroethene	mg/L	<0.0032	0.010	11/24/21 12:15	
Vinyl chloride	mg/L	<0.0017	0.010	11/24/21 12:15	
1,2-Dichlorobenzene-d4 (S)	%	103	70-130	11/24/21 12:15	
4-Bromofluorobenzene (S)	%	98	70-130	11/24/21 12:15	
Toluene-d8 (S)	%	100	70-130	11/24/21 12:15	

LABORATORY CONTROL SAMPLE: 2324846

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	0.05	0.049	99	85-126	
1,2-Dichloroethane	mg/L	0.05	0.050	99	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

LABORATORY CONTROL SAMPLE: 2324846

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	mg/L	0.05	0.052	105	70-132	
Carbon tetrachloride	mg/L	0.05	0.056	111	70-130	
Chlorobenzene	mg/L	0.05	0.050	101	70-130	
Chloroform	mg/L	0.05	0.052	104	80-122	
Tetrachloroethene	mg/L	0.05	0.051	102	70-130	
Trichloroethene	mg/L	0.05	0.051	102	70-130	
Vinyl chloride	mg/L	0.05	0.049	98	63-142	
1,2-Dichlorobenzene-d4 (S)	%			96	70-130	
4-Bromofluorobenzene (S)	%			105	70-130	
Toluene-d8 (S)	%			104	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2325633 2325634

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40237039004 Result	Spike Conc.	Spike Conc.	Result							
1,1-Dichloroethene	mg/L	<0.0058	0.5	0.5	0.48	0.48	97	97	76-132	0	20	
1,2-Dichloroethane	mg/L	<0.0029	0.5	0.5	0.49	0.54	99	109	70-130	10	20	
Benzene	mg/L	<0.0030	0.5	0.5	0.52	0.52	104	105	70-132	1	20	
Carbon tetrachloride	mg/L	<0.0037	0.5	0.5	0.55	0.57	110	113	70-132	3	20	
Chlorobenzene	mg/L	<0.0086	0.5	0.5	0.49	0.50	99	100	70-130	1	20	
Chloroform	mg/L	<0.012	0.5	0.5	0.51	0.52	101	103	80-122	2	20	
Tetrachloroethene	mg/L	<0.0041	0.5	0.5	0.50	0.49	99	99	70-130	1	20	
Trichloroethene	mg/L	<0.0032	0.5	0.5	0.51	0.50	101	100	70-130	1	20	
Vinyl chloride	mg/L	<0.0017	0.5	0.5	0.49	0.49	98	98	61-143	1	20	
1,2-Dichlorobenzene-d4 (S)	%						100	99	70-130			
4-Bromofluorobenzene (S)	%						106	105	70-130			
Toluene-d8 (S)	%						103	101	70-130			

MATRIX SPIKE SAMPLE: 2325635

Parameter	Units	40237213001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethene	mg/L	<5.8 ug/L	0.5	0.48	96	76-132	
1,2-Dichloroethane	mg/L	<2.9 ug/L	0.5	0.51	101	70-130	
Benzene	mg/L	1170 ug/L	0.5	1.7	113	70-132	
Carbon tetrachloride	mg/L	<3.7 ug/L	0.5	0.54	109	70-132	
Chlorobenzene	mg/L	<8.6 ug/L	0.5	0.51	102	70-130	
Chloroform	mg/L	<11.8 ug/L	0.5	0.51	102	80-122	
Tetrachloroethene	mg/L	<4.1 ug/L	0.5	0.50	100	70-130	
Trichloroethene	mg/L	<3.2 ug/L	0.5	0.50	100	70-130	
Vinyl chloride	mg/L	<1.7 ug/L	0.5	0.48	97	61-143	
1,2-Dichlorobenzene-d4 (S)	%				98	70-130	
4-Bromofluorobenzene (S)	%				103	70-130	
Toluene-d8 (S)	%				103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40237039

QC Batch:	402166	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40237039001, 40237039002, 40237039003, 40237039004, 40237039005, 40237039006, 40237039007, 40237039008, 40237039009

SAMPLE DUPLICATE: 2322513

Parameter	Units	40237154022 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	14.0	14.6	4	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- | | |
|----|--|
| D3 | Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference. |
| R1 | RPD value was outside control limits. |
| S1 | Surrogate recovery outside laboratory control limits (confirmed by re-analysis). |
| S4 | Surrogate recovery not evaluated against control limits due to sample dilution. |

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40237039

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40237039001	6526-WS-1 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039002	6526-WS-2 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039003	6526-WS-3 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039004	6526-WS-4 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039005	6526-WS-5 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039006	6526-WS-6 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039007	6526-WS-7 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039008	6526-WS-8 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039009	6526-WS-9 (1-5')	EPA 5035/5030B	402040	EPA 8260	402041
40237039001	6526-WS-1 (1-5')	EPA 8260	401942		
40237039002	6526-WS-2 (1-5')	EPA 8260	401942		
40237039003	6526-WS-3 (1-5')	EPA 8260	401942		
40237039004	6526-WS-4 (1-5')	EPA 8260	402546		
40237039005	6526-WS-5 (1-5')	EPA 8260	402546		
40237039006	6526-WS-6 (1-5')	EPA 8260	402546		
40237039007	6526-WS-7 (1-5')	EPA 8260	402546		
40237039008	6526-WS-8 (1-5')	EPA 8260	402546		
40237039009	6526-WS-9 (1-5')	EPA 8260	402546		
40237039001	6526-WS-1 (1-5')	ASTM D2974-87	402166		
40237039002	6526-WS-2 (1-5')	ASTM D2974-87	402166		
40237039003	6526-WS-3 (1-5')	ASTM D2974-87	402166		
40237039004	6526-WS-4 (1-5')	ASTM D2974-87	402166		
40237039005	6526-WS-5 (1-5')	ASTM D2974-87	402166		
40237039006	6526-WS-6 (1-5')	ASTM D2974-87	402166		
40237039007	6526-WS-7 (1-5')	ASTM D2974-87	402166		
40237039008	6526-WS-8 (1-5')	ASTM D2974-87	402166		
40237039009	6526-WS-9 (1-5')	ASTM D2974-87	402166		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
F	A	VOC 9260
A	A	Dry Weight
A	A	TCLP VOC 1311

(Please Print Clearly)

Company Name: Enviro Forensics
 Branch/Location: Waukesha, WI
 Project Contact: Brian Kappen
 Phone: 262-745-5054
 Project Number: 6526
 Project Name: Wagner Property
 Project State: WI
 Sampled By (Print): Brian Kappen
 Sampled By (Sign): [Signature]
 PO #: 2021-0706 Regulatory Program: WI

Data Package Options
(billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

Quote #: 00097952
 Mail To Contact: Brian Kappen
 Mail To Company: Enviro Forensics, LLC
 Mail To Address: bkappen@enviroforensics.com
 Invoice To Contact: Accounts Payable
 Invoice To Company: Enviroforensics LLC
 Invoice To Address: accountspayable@enviroforensics.com
 Invoice To Phone: 317-972-7870

CLIENT COMMENTS
 Hold TCLP pending 9260 results

LAB COMMENTS (Lab Use Only)
 Profile #

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	6526-WS-1 (1-5')	11/15/21	945	S
002	6526-WS-2 (1-5')		1000	
003	6526-WS-3 (1-5')		1015	
004	6526-WS-4 (1-5')		1035	
005	6526-WS-5 (1-5')		1045	
006	6526-WS-6 (1-5')		1100	
007	6526-WS-7 (1-5')		1110	
008	6526-WS-8 (1-5')		1125	
009	6526-WS-9 (1-5')		1145	
010	Trip Blank			

UC 11/15/21
 40237039 4023039

11/16/21
 025

Rush Turnaround Time Requested - Prelims
(Rush TAT subject to approval/surcharge)
 Date Needed:

Transmit Prelim Rush Results by (complete what you want):

Email #1:
 Email #2:
 Telephone:
 Fax:

Samples on HOLD are subject to special pricing and release of liability

Relinquished By: [Signature] Date/Time: 11/15/21 1730
 Relinquished By: FedEx Date/Time: 11/16/21 1150

Received By: FedEx Date/Time: 11/15/21 1730
 Received By: [Signature] Date/Time: 11/16/21 1150

PACE Project No. 40237039
 Receipt Temp = 3.5 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present
 Present Not Present
 Intact Not Intact

Pace Container Order #873717 40237039

Addresses		Ship To :	Return To:
Order By :		Company <u>Enviroforensics</u>	Company <u>Pace Analytical Green Bay</u>
Company <u>Enviroforensics</u>	Contact <u>Kappen, Brian</u>	Contact <u>Kappen, Brian</u>	Contact <u>Milewsky, Dan</u>
Email <u>bkappen@enviroforensics.com</u>	Email <u>bkappen@enviroforensics.com</u>	Email <u>dan.milewsky@pacelabs.com</u>	
Address <u>N16 W23390 Stone Ridge Drive</u>	Address <u>N16 W23390 Stone Ridge Drive</u>	Address <u>1241 Bellevue Street</u>	
Address 2 <u>Suite G</u>	Address 2 <u>Suite G</u>	Address 2 <u>Suite 9</u>	
City <u>Waukesha</u>	City <u>Waukesha</u>	City <u>Green Bay</u>	
State <u>WI</u> Zip <u>53188</u>	State <u>WI</u> Zip <u>53188</u>	State <u>WI</u> Zip <u>54302</u>	
Phone <u>262-745-5054</u>	Phone <u>262-745-5054</u>	Phone <u>(920)469-2436</u>	

Project Name <u>Elk Horn soils</u>	Due Date <u>11/09/2021</u>	Profile <u>x</u>	Quote _____
Project Manager <u>Milewsky, Dan</u>	Return Date _____	Carrier <u>Most Economical</u>	Location _____

Trip Blanks <input type="checkbox"/> Include Trip Blanks	Bottle Labels <input checked="" type="checkbox"/> Blank <input type="checkbox"/> Pre-Printed No Sample IDs <input type="checkbox"/> Pre-Printed With Sample IDs	Bottles <input type="checkbox"/> Boxed Cases <input type="checkbox"/> Individually Wrapped <input type="checkbox"/> Grouped By Sample ID/Matrix
Return Shipping Labels <input type="checkbox"/> No Shipper <input type="checkbox"/> With Shipper	Misc <input type="checkbox"/> Sampling Instructions <input type="checkbox"/> Custody Seal <input checked="" type="checkbox"/> Temp. Blanks <input checked="" type="checkbox"/> Coolers _____ <input checked="" type="checkbox"/> Syringes _____	
COC Options <input checked="" type="checkbox"/> Number of Blanks <u>1</u> <input type="checkbox"/> Pre-Printed _____	<input type="checkbox"/> Extra Bubble Wrap <input type="checkbox"/> Short Hold/Rush Stickers <input type="checkbox"/> DI Water <u>Liter(s)</u> <input type="checkbox"/> USDA Regulated Soils	

# of Samples	Matrix	Test	Container	Total	# of	Lot #	Notes
10	SL	10g Sampling Tool	Plastic 10 gram cut off syringe	10	0	NA	
10	SL	VOC 8260 Med Level Methanol	40mL vial, 10mL MeOH Tared Wt	10	0	B-1-205-01VB	
10	SL	Moisture/ Dry weight	4 oz plastic cup	10	0	201222	
10	SL	TCLP VOC	4oz. Amber Wide Mouth Jar unpres	10	0	G-1-257-06DB	

Hazard Shipping Placard In Place : NA

*Sample receiving hours are typically 8am-5pm, but may differ by location. Please check with your Pace Project Manager.

*Pace Analytical reserves the right to return hazardous, toxic, or radioactive samples to you.

*Pace Analytical reserves the right to charge for unused bottles, as well as cost associated with sample storage/disposal.

*Payment term are net 30 days.

*Please include the proposal number on the chain of custody to insure proper billing.

LAB USE:

Ship Date : 11/05/2021

Prepared By: Mai Yer Her

Verified By: _____

Sample

CLIENT USE (Optional):

Date Rec'd: _____

Received By: _____

Verified By: _____

Sample Preservation Receipt Form

Client Name: Enviro Forensics

Project # 40237039

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)						
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T								ZPLC	GN				
001																																					2.5 / 5 / 10
002																																					2.5 / 5 / 10
003																																					2.5 / 5 / 10
004																																					2.5 / 5 / 10
005																																					2.5 / 5 / 10
006																																					2.5 / 5 / 10
007																																					2.5 / 5 / 10
008																																					2.5 / 5 / 10
009																																					2.5 / 5 / 10
010																																					2.5 / 5 / 10
011																																					2.5 / 5 / 10
012																																					2.5 / 5 / 10
013																																					2.5 / 5 / 10
014																																					2.5 / 5 / 10
015																																					2.5 / 5 / 10
016																																					2.5 / 5 / 10
017																																					2.5 / 5 / 10
018																																					2.5 / 5 / 10
019																																					2.5 / 5 / 10
020																																					2.5 / 5 / 10

11/16/21
 [Signature]

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U	1 liter amber glass	BP1U	1 liter plastic unpres	VG9A	40 mL clear ascorbic	JGFU	4 oz amber jar unpres
BG1U	1 liter clear glass	BP3U	250 mL plastic unpres	DG9T	40 mL amber Na Thio	JG9U	9 oz amber jar unpres
AG1H	1 liter amber glass HCL	BP3B	250 mL plastic NaOH	VG9U	40 mL clear vial unpres	WGFU	4 oz clear jar unpres
AG4S	125 mL amber glass H2SO4	BP3N	250 mL plastic HNO3	VG9H	40 mL clear vial HCL	WPFU	4 oz plastic jar unpres
AG4U	120 mL amber glass unpres	BP3S	250 mL plastic H2SO4	VG9M	40 mL clear vial MeOH	SP5T	120 mL plastic Na Thiosulfate
AG5U	100 mL amber glass unpres			VG9D	40 mL clear vial DI	ZPLC	ziploc bag
AG2S	500 mL amber glass H2SO4					GN	
BG3U	250 mL clear glass unpres						

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: Enviroforensics

WO# : 40237039



Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 7752 1590 2183

Custody Seal on Cooler/Box Present: yes no **Seals intact:** yes no

Custody Seal on Samples Present: yes no **Seals intact:** yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR-107 **Type of Ice:** Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 3.5 /Corr: 3.5

Temp Blank Present: yes no **Biological Tissue is Frozen:** yes no

Person examining contents:
Date: 11/6/21 /Initials: ARJ
Labeled By Initials: SRK

Temp should be above freezing to 6°C.
Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>no page 11/16/21 ARJ</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>5</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample log

May 31, 2022

Brian Kappen
Enviroforensics
N16 W23390 Stone Ridge Drive
Suite G
Waukesha, WI 53188

RE: Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Dear Brian Kappen:

Enclosed are the analytical results for sample(s) received by the laboratory on May 24, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Dan Milewsky
dan.milewsky@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40245361001	6526-EX-F-1	Solid	05/18/22 11:33	05/24/22 09:45
40245361002	6526-EX-F-2	Solid	05/18/22 13:10	05/24/22 09:45
40245361003	6526-EX-F-3	Solid	05/19/22 08:05	05/24/22 09:45
40245361004	6526-EX-F-4	Solid	05/19/22 08:50	05/24/22 09:45
40245361005	6526-EX-F-5	Solid	05/19/22 11:00	05/24/22 09:45
40245361006	6526-EX-F-6	Solid	05/19/22 11:10	05/24/22 09:45
40245361007	6526-EX-F-7	Solid	05/19/22 11:35	05/24/22 09:45
40245361008	6526-EX-F-8	Solid	05/20/22 08:00	05/24/22 09:45
40245361009	6526-EX-W-1	Solid	05/18/22 13:15	05/24/22 09:45
40245361010	6526-EX-W-2	Solid	05/19/22 08:10	05/24/22 09:45
40245361011	6526-EX-W-3	Solid	05/19/22 09:00	05/24/22 09:45
40245361012	6526-EX-W-4	Solid	05/19/22 11:05	05/24/22 09:45
40245361013	6526-EX-W-5	Solid	05/19/22 11:15	05/24/22 09:45
40245361014	6526-EX-W-6	Solid	05/19/22 11:20	05/24/22 09:45
40245361015	6526-EX-W-7	Solid	05/19/22 11:40	05/24/22 09:45
40245361016	6526-EX-W-8	Solid	05/20/22 07:45	05/24/22 09:45
40245361017	6526-EX-W-9	Solid	05/20/22 07:50	05/24/22 09:45
40245361018	6526-EX-W-10	Solid	05/20/22 07:55	05/24/22 09:45
40245361019	MEOH BLANK	Solid	05/20/22 00:00	05/24/22 09:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
40245361001	6526-EX-F-1	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361002	6526-EX-F-2	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361003	6526-EX-F-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361004	6526-EX-F-4	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361005	6526-EX-F-5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361006	6526-EX-F-6	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361007	6526-EX-F-7	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361008	6526-EX-F-8	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361009	6526-EX-W-1	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361010	6526-EX-W-2	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361011	6526-EX-W-3	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361012	6526-EX-W-4	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361013	6526-EX-W-5	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361014	6526-EX-W-6	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361015	6526-EX-W-7	EPA 8260	ALD	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361016	6526-EX-W-8	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361017	6526-EX-W-9	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361018	6526-EX-W-10	EPA 8260	SMT	64	PASI-G
		ASTM D2974-87	MYH	1	PASI-G
40245361019	MEOH BLANK	EPA 8260	SMT	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
--------	-----------	--------	----------	-------------------	------------

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40245361001	6526-EX-F-1					
EPA 8260	cis-1,2-Dichloroethene	8390	ug/kg	6370	05/27/22 09:47	
EPA 8260	Naphthalene	12800J	ug/kg	31900	05/27/22 09:47	
EPA 8260	1,2,4-Trimethylbenzene	4260J	ug/kg	6370	05/27/22 09:47	
ASTM D2974-87	Percent Moisture	12.1	%	0.10	05/25/22 14:08	
40245361002	6526-EX-F-2					
EPA 8260	cis-1,2-Dichloroethene	46000J	ug/kg	62400	05/27/22 10:07	
EPA 8260	Ethylbenzene	18100J	ug/kg	62400	05/27/22 10:07	
EPA 8260	Naphthalene	61800J	ug/kg	312000	05/27/22 10:07	
EPA 8260	1,2,4-Trimethylbenzene	59200J	ug/kg	62400	05/27/22 10:07	
ASTM D2974-87	Percent Moisture	11.0	%	0.10	05/25/22 14:08	
40245361003	6526-EX-F-3					
EPA 8260	sec-Butylbenzene	7760J	ug/kg	14000	05/27/22 18:40	
EPA 8260	cis-1,2-Dichloroethene	28800	ug/kg	14000	05/27/22 18:40	
EPA 8260	p-Isopropyltoluene	8970J	ug/kg	14000	05/27/22 18:40	
EPA 8260	Naphthalene	46300J	ug/kg	70100	05/27/22 18:40	
EPA 8260	n-Propylbenzene	6960J	ug/kg	14000	05/27/22 18:40	
EPA 8260	1,2,4-Trimethylbenzene	49900	ug/kg	14000	05/27/22 18:40	
EPA 8260	1,3,5-Trimethylbenzene	17500	ug/kg	14000	05/27/22 18:40	
ASTM D2974-87	Percent Moisture	16.8	%	0.10	05/25/22 14:08	
40245361004	6526-EX-F-4					
EPA 8260	cis-1,2-Dichloroethene	46600J	ug/kg	50000	05/27/22 14:09	
EPA 8260	Naphthalene	39000J	ug/kg	250000	05/27/22 14:09	
EPA 8260	1,2,4-Trimethylbenzene	29800J	ug/kg	50000	05/27/22 14:09	
ASTM D2974-87	Percent Moisture	11.1	%	0.10	05/25/22 14:08	
40245361005	6526-EX-F-5					
EPA 8260	cis-1,2-Dichloroethene	5790J	ug/kg	12600	05/27/22 11:07	
EPA 8260	Naphthalene	11700J	ug/kg	63000	05/27/22 11:07	
EPA 8260	1,2,4-Trimethylbenzene	8110J	ug/kg	12600	05/27/22 11:07	
ASTM D2974-87	Percent Moisture	11.5	%	0.10	05/25/22 14:08	
40245361006	6526-EX-F-6					
EPA 8260	cis-1,2-Dichloroethene	3880J	ug/kg	12600	05/27/22 11:27	
EPA 8260	Naphthalene	15500J	ug/kg	63200	05/27/22 11:27	
EPA 8260	1,2,4-Trimethylbenzene	12800	ug/kg	12600	05/27/22 11:27	
EPA 8260	1,3,5-Trimethylbenzene	4070J	ug/kg	12600	05/27/22 11:27	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	05/25/22 14:08	
40245361007	6526-EX-F-7					
EPA 8260	n-Butylbenzene	8450	ug/kg	2430	05/27/22 18:00	
EPA 8260	p-Isopropyltoluene	1220J	ug/kg	2430	05/27/22 18:00	
EPA 8260	Naphthalene	3570J	ug/kg	12200	05/27/22 18:00	
EPA 8260	1,2,4-Trimethylbenzene	3720	ug/kg	2430	05/27/22 18:00	
ASTM D2974-87	Percent Moisture	9.7	%	0.10	05/25/22 14:08	
40245361008	6526-EX-F-8					
EPA 8260	cis-1,2-Dichloroethene	21400	ug/kg	12900	05/27/22 18:20	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40245361008	6526-EX-F-8					
EPA 8260	Naphthalene	24200J	ug/kg	64700	05/27/22 18:20	
EPA 8260	Tetrachloroethene	19400	ug/kg	12900	05/27/22 18:20	
EPA 8260	1,2,4-Trimethylbenzene	9310J	ug/kg	12900	05/27/22 18:20	
ASTM D2974-87	Percent Moisture	12.8	%	0.10	05/25/22 14:08	
40245361009	6526-EX-W-1					
EPA 8260	Tetrachloroethene	7740000	ug/kg	39400	05/27/22 11:48	
EPA 8260	Trichloroethene	18400J	ug/kg	39400	05/27/22 11:48	
ASTM D2974-87	Percent Moisture	22.3	%	0.10	05/25/22 14:08	
40245361010	6526-EX-W-2					
EPA 8260	cis-1,2-Dichloroethene	3430J	ug/kg	7170	05/27/22 10:27	
EPA 8260	p-Isopropyltoluene	2700J	ug/kg	7170	05/27/22 10:27	
EPA 8260	Naphthalene	12900J	ug/kg	35900	05/27/22 10:27	
EPA 8260	n-Propylbenzene	1890J	ug/kg	7170	05/27/22 10:27	
EPA 8260	1,2,4-Trimethylbenzene	18100	ug/kg	7170	05/27/22 10:27	
EPA 8260	1,3,5-Trimethylbenzene	7120J	ug/kg	7170	05/27/22 10:27	
ASTM D2974-87	Percent Moisture	17.8	%	0.10	05/25/22 14:09	
40245361011	6526-EX-W-3					
EPA 8260	p-Isopropyltoluene	3630J	ug/kg	7830	05/27/22 19:00	
EPA 8260	Naphthalene	17900J	ug/kg	39100	05/27/22 19:00	
EPA 8260	1,2,4-Trimethylbenzene	13600	ug/kg	7830	05/27/22 19:00	
EPA 8260	1,3,5-Trimethylbenzene	5890J	ug/kg	7830	05/27/22 19:00	
ASTM D2974-87	Percent Moisture	22.0	%	0.10	05/25/22 14:09	
40245361012	6526-EX-W-4					
EPA 8260	sec-Butylbenzene	2860J	ug/kg	6700	05/27/22 19:20	
EPA 8260	p-Isopropyltoluene	3400J	ug/kg	6700	05/27/22 19:20	
EPA 8260	Naphthalene	19100J	ug/kg	33500	05/27/22 19:20	
EPA 8260	n-Propylbenzene	1960J	ug/kg	6700	05/27/22 19:20	
EPA 8260	1,2,4-Trimethylbenzene	15300	ug/kg	6700	05/27/22 19:20	
EPA 8260	1,3,5-Trimethylbenzene	5030J	ug/kg	6700	05/27/22 19:20	
ASTM D2974-87	Percent Moisture	14.5	%	0.10	05/25/22 14:09	
40245361013	6526-EX-W-5					
EPA 8260	Naphthalene	12500J	ug/kg	65300	05/27/22 12:48	
EPA 8260	1,2,4-Trimethylbenzene	7920J	ug/kg	13100	05/27/22 12:48	
ASTM D2974-87	Percent Moisture	13.2	%	0.10	05/25/22 14:09	
40245361014	6526-EX-W-6					
EPA 8260	p-Isopropyltoluene	3260J	ug/kg	7000	05/27/22 19:41	
EPA 8260	Naphthalene	21100J	ug/kg	35000	05/27/22 19:41	
EPA 8260	n-Propylbenzene	1990J	ug/kg	7000	05/27/22 19:41	
EPA 8260	1,2,4-Trimethylbenzene	13700	ug/kg	7000	05/27/22 19:41	
EPA 8260	1,3,5-Trimethylbenzene	4870J	ug/kg	7000	05/27/22 19:41	
ASTM D2974-87	Percent Moisture	16.7	%	0.10	05/25/22 14:09	
40245361015	6526-EX-W-7					
EPA 8260	sec-Butylbenzene	104J	ug/kg	316	05/31/22 11:37	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40245361015	6526-EX-W-7					
EPA 8260	Ethylbenzene	148J	ug/kg	316	05/31/22 11:37	
EPA 8260	Naphthalene	879J	ug/kg	1580	05/31/22 11:37	
EPA 8260	n-Propylbenzene	248J	ug/kg	316	05/31/22 11:37	
EPA 8260	Tetrachloroethene	330	ug/kg	316	05/31/22 11:37	
EPA 8260	1,2,4-Trimethylbenzene	206J	ug/kg	316	05/31/22 11:37	
EPA 8260	1,3,5-Trimethylbenzene	303J	ug/kg	316	05/31/22 11:37	
ASTM D2974-87	Percent Moisture	11.7	%	0.10	05/25/22 14:09	
40245361016	6526-EX-W-8					
EPA 8260	cis-1,2-Dichloroethene	25.7J	ug/kg	76.2	05/27/22 09:26	
EPA 8260	Tetrachloroethene	4070	ug/kg	76.2	05/27/22 09:26	
EPA 8260	Trichloroethene	66.2J	ug/kg	76.2	05/27/22 09:26	
ASTM D2974-87	Percent Moisture	20.7	%	0.10	05/25/22 14:09	
40245361017	6526-EX-W-9					
EPA 8260	Tetrachloroethene	231	ug/kg	78.2	05/27/22 09:06	
ASTM D2974-87	Percent Moisture	22.0	%	0.10	05/25/22 14:09	
40245361018	6526-EX-W-10					
EPA 8260	cis-1,2-Dichloroethene	32700	ug/kg	15700	05/27/22 17:19	
EPA 8260	Naphthalene	41100J	ug/kg	78500	05/27/22 17:19	
EPA 8260	1,2,4-Trimethylbenzene	8970J	ug/kg	15700	05/27/22 17:19	
ASTM D2974-87	Percent Moisture	11.3	%	0.10	05/25/22 14:09	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-1 **Lab ID: 40245361001** Collected: 05/18/22 11:33 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<1520	ug/kg	2550	1520	100	05/26/22 07:45	05/27/22 09:47	71-43-2	
Bromobenzene	<2490	ug/kg	6370	2490	100	05/26/22 07:45	05/27/22 09:47	108-86-1	
Bromochloromethane	<1750	ug/kg	6370	1750	100	05/26/22 07:45	05/27/22 09:47	74-97-5	
Bromodichloromethane	<1520	ug/kg	6370	1520	100	05/26/22 07:45	05/27/22 09:47	75-27-4	
Bromoform	<28000	ug/kg	31900	28000	100	05/26/22 07:45	05/27/22 09:47	75-25-2	
Bromomethane	<8940	ug/kg	31900	8940	100	05/26/22 07:45	05/27/22 09:47	74-83-9	
n-Butylbenzene	<2920	ug/kg	6370	2920	100	05/26/22 07:45	05/27/22 09:47	104-51-8	
sec-Butylbenzene	<1560	ug/kg	6370	1560	100	05/26/22 07:45	05/27/22 09:47	135-98-8	
tert-Butylbenzene	<2000	ug/kg	6370	2000	100	05/26/22 07:45	05/27/22 09:47	98-06-6	
Carbon tetrachloride	<1400	ug/kg	6370	1400	100	05/26/22 07:45	05/27/22 09:47	56-23-5	
Chlorobenzene	<764	ug/kg	6370	764	100	05/26/22 07:45	05/27/22 09:47	108-90-7	
Chloroethane	<2690	ug/kg	31900	2690	100	05/26/22 07:45	05/27/22 09:47	75-00-3	
Chloroform	<4560	ug/kg	31900	4560	100	05/26/22 07:45	05/27/22 09:47	67-66-3	
Chloromethane	<2420	ug/kg	6370	2420	100	05/26/22 07:45	05/27/22 09:47	74-87-3	
2-Chlorotoluene	<2070	ug/kg	6370	2070	100	05/26/22 07:45	05/27/22 09:47	95-49-8	
4-Chlorotoluene	<2420	ug/kg	6370	2420	100	05/26/22 07:45	05/27/22 09:47	106-43-4	
1,2-Dibromo-3-chloropropane	<4950	ug/kg	31900	4950	100	05/26/22 07:45	05/27/22 09:47	96-12-8	
Dibromochloromethane	<21800	ug/kg	31900	21800	100	05/26/22 07:45	05/27/22 09:47	124-48-1	
1,2-Dibromoethane (EDB)	<1750	ug/kg	6370	1750	100	05/26/22 07:45	05/27/22 09:47	106-93-4	
Dibromomethane	<1890	ug/kg	6370	1890	100	05/26/22 07:45	05/27/22 09:47	74-95-3	
1,2-Dichlorobenzene	<1980	ug/kg	6370	1980	100	05/26/22 07:45	05/27/22 09:47	95-50-1	
1,3-Dichlorobenzene	<1750	ug/kg	6370	1750	100	05/26/22 07:45	05/27/22 09:47	541-73-1	
1,4-Dichlorobenzene	<1750	ug/kg	6370	1750	100	05/26/22 07:45	05/27/22 09:47	106-46-7	
Dichlorodifluoromethane	<2740	ug/kg	6370	2740	100	05/26/22 07:45	05/27/22 09:47	75-71-8	
1,1-Dichloroethane	<1630	ug/kg	6370	1630	100	05/26/22 07:45	05/27/22 09:47	75-34-3	
1,2-Dichloroethane	<1470	ug/kg	6370	1470	100	05/26/22 07:45	05/27/22 09:47	107-06-2	
1,1-Dichloroethene	<2120	ug/kg	6370	2120	100	05/26/22 07:45	05/27/22 09:47	75-35-4	
cis-1,2-Dichloroethene	8390	ug/kg	6370	1360	100	05/26/22 07:45	05/27/22 09:47	156-59-2	
trans-1,2-Dichloroethene	<1380	ug/kg	6370	1380	100	05/26/22 07:45	05/27/22 09:47	156-60-5	
1,2-Dichloropropane	<1520	ug/kg	6370	1520	100	05/26/22 07:45	05/27/22 09:47	78-87-5	
1,3-Dichloropropane	<1390	ug/kg	6370	1390	100	05/26/22 07:45	05/27/22 09:47	142-28-9	
2,2-Dichloropropane	<1720	ug/kg	6370	1720	100	05/26/22 07:45	05/27/22 09:47	594-20-7	
1,1-Dichloropropene	<2070	ug/kg	6370	2070	100	05/26/22 07:45	05/27/22 09:47	563-58-6	
cis-1,3-Dichloropropene	<4210	ug/kg	31900	4210	100	05/26/22 07:45	05/27/22 09:47	10061-01-5	
trans-1,3-Dichloropropene	<18200	ug/kg	31900	18200	100	05/26/22 07:45	05/27/22 09:47	10061-02-6	
Diisopropyl ether	<1580	ug/kg	6370	1580	100	05/26/22 07:45	05/27/22 09:47	108-20-3	
Ethylbenzene	<1520	ug/kg	6370	1520	100	05/26/22 07:45	05/27/22 09:47	100-41-4	
Hexachloro-1,3-butadiene	<12700	ug/kg	31900	12700	100	05/26/22 07:45	05/27/22 09:47	87-68-3	
Isopropylbenzene (Cumene)	<1720	ug/kg	6370	1720	100	05/26/22 07:45	05/27/22 09:47	98-82-8	
p-Isopropyltoluene	<1940	ug/kg	6370	1940	100	05/26/22 07:45	05/27/22 09:47	99-87-6	
Methylene Chloride	<1770	ug/kg	6370	1770	100	05/26/22 07:45	05/27/22 09:47	75-09-2	
Methyl-tert-butyl ether	<1870	ug/kg	6370	1870	100	05/26/22 07:45	05/27/22 09:47	1634-04-4	
Naphthalene	12800J	ug/kg	31900	1990	100	05/26/22 07:45	05/27/22 09:47	91-20-3	
n-Propylbenzene	<1530	ug/kg	6370	1530	100	05/26/22 07:45	05/27/22 09:47	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-1 **Lab ID: 40245361001** Collected: 05/18/22 11:33 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<1630	ug/kg	6370	1630	100	05/26/22 07:45	05/27/22 09:47	100-42-5	
1,1,1,2-Tetrachloroethane	<1530	ug/kg	6370	1530	100	05/26/22 07:45	05/27/22 09:47	630-20-6	
1,1,2,2-Tetrachloroethane	<2310	ug/kg	6370	2310	100	05/26/22 07:45	05/27/22 09:47	79-34-5	
Tetrachloroethene	<2470	ug/kg	6370	2470	100	05/26/22 07:45	05/27/22 09:47	127-18-4	
Toluene	<1610	ug/kg	6370	1610	100	05/26/22 07:45	05/27/22 09:47	108-88-3	
1,2,3-Trichlorobenzene	<7100	ug/kg	31900	7100	100	05/26/22 07:45	05/27/22 09:47	87-61-6	
1,2,4-Trichlorobenzene	<5250	ug/kg	31900	5250	100	05/26/22 07:45	05/27/22 09:47	120-82-1	
1,1,1-Trichloroethane	<1630	ug/kg	6370	1630	100	05/26/22 07:45	05/27/22 09:47	71-55-6	
1,1,2-Trichloroethane	<2320	ug/kg	6370	2320	100	05/26/22 07:45	05/27/22 09:47	79-00-5	
Trichloroethene	<2380	ug/kg	6370	2380	100	05/26/22 07:45	05/27/22 09:47	79-01-6	
Trichlorofluoromethane	<1850	ug/kg	6370	1850	100	05/26/22 07:45	05/27/22 09:47	75-69-4	
1,2,3-Trichloropropane	<3100	ug/kg	6370	3100	100	05/26/22 07:45	05/27/22 09:47	96-18-4	
1,2,4-Trimethylbenzene	4260J	ug/kg	6370	1900	100	05/26/22 07:45	05/27/22 09:47	95-63-6	
1,3,5-Trimethylbenzene	<2050	ug/kg	6370	2050	100	05/26/22 07:45	05/27/22 09:47	108-67-8	
Vinyl chloride	<1290	ug/kg	6370	1290	100	05/26/22 07:45	05/27/22 09:47	75-01-4	
m&p-Xylene	<2690	ug/kg	12700	2690	100	05/26/22 07:45	05/27/22 09:47	179601-23-1	
o-Xylene	<1910	ug/kg	6370	1910	100	05/26/22 07:45	05/27/22 09:47	95-47-6	
Surrogates									
Toluene-d8 (S)	163	%	69-153		100	05/26/22 07:45	05/27/22 09:47	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	221	%	68-156		100	05/26/22 07:45	05/27/22 09:47	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	528	%	71-161		100	05/26/22 07:45	05/27/22 09:47	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.1	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-F-2 Lab ID: 40245361002 Collected: 05/18/22 13:10 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<14800	ug/kg	25000	14800	1000	05/26/22 07:45	05/27/22 10:07	71-43-2	
Bromobenzene	<24300	ug/kg	62400	24300	1000	05/26/22 07:45	05/27/22 10:07	108-86-1	
Bromochloromethane	<17100	ug/kg	62400	17100	1000	05/26/22 07:45	05/27/22 10:07	74-97-5	
Bromodichloromethane	<14800	ug/kg	62400	14800	1000	05/26/22 07:45	05/27/22 10:07	75-27-4	
Bromoform	<275000	ug/kg	312000	275000	1000	05/26/22 07:45	05/27/22 10:07	75-25-2	
Bromomethane	<87500	ug/kg	312000	87500	1000	05/26/22 07:45	05/27/22 10:07	74-83-9	
n-Butylbenzene	<28600	ug/kg	62400	28600	1000	05/26/22 07:45	05/27/22 10:07	104-51-8	
sec-Butylbenzene	<15200	ug/kg	62400	15200	1000	05/26/22 07:45	05/27/22 10:07	135-98-8	
tert-Butylbenzene	<19600	ug/kg	62400	19600	1000	05/26/22 07:45	05/27/22 10:07	98-06-6	
Carbon tetrachloride	<13700	ug/kg	62400	13700	1000	05/26/22 07:45	05/27/22 10:07	56-23-5	
Chlorobenzene	<7470	ug/kg	62400	7470	1000	05/26/22 07:45	05/27/22 10:07	108-90-7	
Chloroethane	<26300	ug/kg	312000	26300	1000	05/26/22 07:45	05/27/22 10:07	75-00-3	
Chloroform	<44700	ug/kg	312000	44700	1000	05/26/22 07:45	05/27/22 10:07	67-66-3	
Chloromethane	<23700	ug/kg	62400	23700	1000	05/26/22 07:45	05/27/22 10:07	74-87-3	
2-Chlorotoluene	<20200	ug/kg	62400	20200	1000	05/26/22 07:45	05/27/22 10:07	95-49-8	
4-Chlorotoluene	<23700	ug/kg	62400	23700	1000	05/26/22 07:45	05/27/22 10:07	106-43-4	
1,2-Dibromo-3-chloropropane	<48400	ug/kg	312000	48400	1000	05/26/22 07:45	05/27/22 10:07	96-12-8	
Dibromochloromethane	<213000	ug/kg	312000	213000	1000	05/26/22 07:45	05/27/22 10:07	124-48-1	
1,2-Dibromoethane (EDB)	<17100	ug/kg	62400	17100	1000	05/26/22 07:45	05/27/22 10:07	106-93-4	
Dibromomethane	<18500	ug/kg	62400	18500	1000	05/26/22 07:45	05/27/22 10:07	74-95-3	
1,2-Dichlorobenzene	<19300	ug/kg	62400	19300	1000	05/26/22 07:45	05/27/22 10:07	95-50-1	
1,3-Dichlorobenzene	<17100	ug/kg	62400	17100	1000	05/26/22 07:45	05/27/22 10:07	541-73-1	
1,4-Dichlorobenzene	<17100	ug/kg	62400	17100	1000	05/26/22 07:45	05/27/22 10:07	106-46-7	
Dichlorodifluoromethane	<26800	ug/kg	62400	26800	1000	05/26/22 07:45	05/27/22 10:07	75-71-8	
1,1-Dichloroethane	<16000	ug/kg	62400	16000	1000	05/26/22 07:45	05/27/22 10:07	75-34-3	
1,2-Dichloroethane	<14300	ug/kg	62400	14300	1000	05/26/22 07:45	05/27/22 10:07	107-06-2	
1,1-Dichloroethene	<20700	ug/kg	62400	20700	1000	05/26/22 07:45	05/27/22 10:07	75-35-4	
cis-1,2-Dichloroethene	46000J	ug/kg	62400	13400	1000	05/26/22 07:45	05/27/22 10:07	156-59-2	
trans-1,2-Dichloroethene	<13500	ug/kg	62400	13500	1000	05/26/22 07:45	05/27/22 10:07	156-60-5	
1,2-Dichloropropane	<14800	ug/kg	62400	14800	1000	05/26/22 07:45	05/27/22 10:07	78-87-5	
1,3-Dichloropropane	<13600	ug/kg	62400	13600	1000	05/26/22 07:45	05/27/22 10:07	142-28-9	
2,2-Dichloropropane	<16800	ug/kg	62400	16800	1000	05/26/22 07:45	05/27/22 10:07	594-20-7	
1,1-Dichloropropene	<20200	ug/kg	62400	20200	1000	05/26/22 07:45	05/27/22 10:07	563-58-6	
cis-1,3-Dichloropropene	<41200	ug/kg	312000	41200	1000	05/26/22 07:45	05/27/22 10:07	10061-01-5	
trans-1,3-Dichloropropene	<178000	ug/kg	312000	178000	1000	05/26/22 07:45	05/27/22 10:07	10061-02-6	
Diisopropyl ether	<15500	ug/kg	62400	15500	1000	05/26/22 07:45	05/27/22 10:07	108-20-3	
Ethylbenzene	18100J	ug/kg	62400	14800	1000	05/26/22 07:45	05/27/22 10:07	100-41-4	
Hexachloro-1,3-butadiene	<124000	ug/kg	312000	124000	1000	05/26/22 07:45	05/27/22 10:07	87-68-3	
Isopropylbenzene (Cumene)	<16800	ug/kg	62400	16800	1000	05/26/22 07:45	05/27/22 10:07	98-82-8	
p-Isopropyltoluene	<19000	ug/kg	62400	19000	1000	05/26/22 07:45	05/27/22 10:07	99-87-6	
Methylene Chloride	<17300	ug/kg	62400	17300	1000	05/26/22 07:45	05/27/22 10:07	75-09-2	
Methyl-tert-butyl ether	<18300	ug/kg	62400	18300	1000	05/26/22 07:45	05/27/22 10:07	1634-04-4	
Naphthalene	61800J	ug/kg	312000	19500	1000	05/26/22 07:45	05/27/22 10:07	91-20-3	
n-Propylbenzene	<15000	ug/kg	62400	15000	1000	05/26/22 07:45	05/27/22 10:07	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-2 **Lab ID: 40245361002** Collected: 05/18/22 13:10 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<16000	ug/kg	62400	16000	1000	05/26/22 07:45	05/27/22 10:07	100-42-5	
1,1,1,2-Tetrachloroethane	<15000	ug/kg	62400	15000	1000	05/26/22 07:45	05/27/22 10:07	630-20-6	
1,1,2,2-Tetrachloroethane	<22600	ug/kg	62400	22600	1000	05/26/22 07:45	05/27/22 10:07	79-34-5	
Tetrachloroethene	<24200	ug/kg	62400	24200	1000	05/26/22 07:45	05/27/22 10:07	127-18-4	
Toluene	<15700	ug/kg	62400	15700	1000	05/26/22 07:45	05/27/22 10:07	108-88-3	
1,2,3-Trichlorobenzene	<69500	ug/kg	312000	69500	1000	05/26/22 07:45	05/27/22 10:07	87-61-6	
1,2,4-Trichlorobenzene	<51400	ug/kg	312000	51400	1000	05/26/22 07:45	05/27/22 10:07	120-82-1	
1,1,1-Trichloroethane	<16000	ug/kg	62400	16000	1000	05/26/22 07:45	05/27/22 10:07	71-55-6	
1,1,2-Trichloroethane	<22700	ug/kg	62400	22700	1000	05/26/22 07:45	05/27/22 10:07	79-00-5	
Trichloroethene	<23300	ug/kg	62400	23300	1000	05/26/22 07:45	05/27/22 10:07	79-01-6	
Trichlorofluoromethane	<18100	ug/kg	62400	18100	1000	05/26/22 07:45	05/27/22 10:07	75-69-4	
1,2,3-Trichloropropane	<30300	ug/kg	62400	30300	1000	05/26/22 07:45	05/27/22 10:07	96-18-4	
1,2,4-Trimethylbenzene	59200J	ug/kg	62400	18600	1000	05/26/22 07:45	05/27/22 10:07	95-63-6	
1,3,5-Trimethylbenzene	<20100	ug/kg	62400	20100	1000	05/26/22 07:45	05/27/22 10:07	108-67-8	
Vinyl chloride	<12600	ug/kg	62400	12600	1000	05/26/22 07:45	05/27/22 10:07	75-01-4	
m&p-Xylene	<26300	ug/kg	125000	26300	1000	05/26/22 07:45	05/27/22 10:07	179601-23-1	
o-Xylene	<18700	ug/kg	62400	18700	1000	05/26/22 07:45	05/27/22 10:07	95-47-6	
Surrogates									
Toluene-d8 (S)	0	%	69-153		1000	05/26/22 07:45	05/27/22 10:07	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	499	%	68-156		1000	05/26/22 07:45	05/27/22 10:07	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	2150	%	71-161		1000	05/26/22 07:45	05/27/22 10:07	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.0	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-3 **Lab ID:** 40245361003 Collected: 05/19/22 08:05 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<3340	ug/kg	5610	3340	200	05/26/22 07:45	05/27/22 18:40	71-43-2	
Bromobenzene	<5470	ug/kg	14000	5470	200	05/26/22 07:45	05/27/22 18:40	108-86-1	
Bromochloromethane	<3840	ug/kg	14000	3840	200	05/26/22 07:45	05/27/22 18:40	74-97-5	
Bromodichloromethane	<3340	ug/kg	14000	3340	200	05/26/22 07:45	05/27/22 18:40	75-27-4	
Bromoform	<61700	ug/kg	70100	61700	200	05/26/22 07:45	05/27/22 18:40	75-25-2	
Bromomethane	<19700	ug/kg	70100	19700	200	05/26/22 07:45	05/27/22 18:40	74-83-9	
n-Butylbenzene	<6420	ug/kg	14000	6420	200	05/26/22 07:45	05/27/22 18:40	104-51-8	
sec-Butylbenzene	7760J	ug/kg	14000	3420	200	05/26/22 07:45	05/27/22 18:40	135-98-8	
tert-Butylbenzene	<4400	ug/kg	14000	4400	200	05/26/22 07:45	05/27/22 18:40	98-06-6	
Carbon tetrachloride	<3090	ug/kg	14000	3090	200	05/26/22 07:45	05/27/22 18:40	56-23-5	
Chlorobenzene	<1680	ug/kg	14000	1680	200	05/26/22 07:45	05/27/22 18:40	108-90-7	
Chloroethane	<5920	ug/kg	70100	5920	200	05/26/22 07:45	05/27/22 18:40	75-00-3	
Chloroform	<10000	ug/kg	70100	10000	200	05/26/22 07:45	05/27/22 18:40	67-66-3	
Chloromethane	<5330	ug/kg	14000	5330	200	05/26/22 07:45	05/27/22 18:40	74-87-3	
2-Chlorotoluene	<4540	ug/kg	14000	4540	200	05/26/22 07:45	05/27/22 18:40	95-49-8	
4-Chlorotoluene	<5330	ug/kg	14000	5330	200	05/26/22 07:45	05/27/22 18:40	106-43-4	
1,2-Dibromo-3-chloropropane	<10900	ug/kg	70100	10900	200	05/26/22 07:45	05/27/22 18:40	96-12-8	
Dibromochloromethane	<47900	ug/kg	70100	47900	200	05/26/22 07:45	05/27/22 18:40	124-48-1	
1,2-Dibromoethane (EDB)	<3840	ug/kg	14000	3840	200	05/26/22 07:45	05/27/22 18:40	106-93-4	
Dibromomethane	<4150	ug/kg	14000	4150	200	05/26/22 07:45	05/27/22 18:40	74-95-3	
1,2-Dichlorobenzene	<4350	ug/kg	14000	4350	200	05/26/22 07:45	05/27/22 18:40	95-50-1	
1,3-Dichlorobenzene	<3840	ug/kg	14000	3840	200	05/26/22 07:45	05/27/22 18:40	541-73-1	
1,4-Dichlorobenzene	<3840	ug/kg	14000	3840	200	05/26/22 07:45	05/27/22 18:40	106-46-7	
Dichlorodifluoromethane	<6030	ug/kg	14000	6030	200	05/26/22 07:45	05/27/22 18:40	75-71-8	
1,1-Dichloroethane	<3590	ug/kg	14000	3590	200	05/26/22 07:45	05/27/22 18:40	75-34-3	
1,2-Dichloroethane	<3230	ug/kg	14000	3230	200	05/26/22 07:45	05/27/22 18:40	107-06-2	
1,1-Dichloroethene	<4660	ug/kg	14000	4660	200	05/26/22 07:45	05/27/22 18:40	75-35-4	
cis-1,2-Dichloroethene	28800	ug/kg	14000	3000	200	05/26/22 07:45	05/27/22 18:40	156-59-2	
trans-1,2-Dichloroethene	<3030	ug/kg	14000	3030	200	05/26/22 07:45	05/27/22 18:40	156-60-5	
1,2-Dichloropropane	<3340	ug/kg	14000	3340	200	05/26/22 07:45	05/27/22 18:40	78-87-5	
1,3-Dichloropropane	<3060	ug/kg	14000	3060	200	05/26/22 07:45	05/27/22 18:40	142-28-9	
2,2-Dichloropropane	<3790	ug/kg	14000	3790	200	05/26/22 07:45	05/27/22 18:40	594-20-7	
1,1-Dichloropropene	<4540	ug/kg	14000	4540	200	05/26/22 07:45	05/27/22 18:40	563-58-6	
cis-1,3-Dichloropropene	<9260	ug/kg	70100	9260	200	05/26/22 07:45	05/27/22 18:40	10061-01-5	
trans-1,3-Dichloropropene	<40100	ug/kg	70100	40100	200	05/26/22 07:45	05/27/22 18:40	10061-02-6	
Diisopropyl ether	<3480	ug/kg	14000	3480	200	05/26/22 07:45	05/27/22 18:40	108-20-3	
Ethylbenzene	<3340	ug/kg	14000	3340	200	05/26/22 07:45	05/27/22 18:40	100-41-4	
Hexachloro-1,3-butadiene	<27900	ug/kg	70100	27900	200	05/26/22 07:45	05/27/22 18:40	87-68-3	
Isopropylbenzene (Cumene)	<3790	ug/kg	14000	3790	200	05/26/22 07:45	05/27/22 18:40	98-82-8	
p-Isopropyltoluene	8970J	ug/kg	14000	4260	200	05/26/22 07:45	05/27/22 18:40	99-87-6	
Methylene Chloride	<3900	ug/kg	14000	3900	200	05/26/22 07:45	05/27/22 18:40	75-09-2	
Methyl-tert-butyl ether	<4120	ug/kg	14000	4120	200	05/26/22 07:45	05/27/22 18:40	1634-04-4	
Naphthalene	46300J	ug/kg	70100	4380	200	05/26/22 07:45	05/27/22 18:40	91-20-3	
n-Propylbenzene	6960J	ug/kg	14000	3370	200	05/26/22 07:45	05/27/22 18:40	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-3 **Lab ID: 40245361003** Collected: 05/19/22 08:05 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<3590	ug/kg	14000	3590	200	05/26/22 07:45	05/27/22 18:40	100-42-5	
1,1,1,2-Tetrachloroethane	<3370	ug/kg	14000	3370	200	05/26/22 07:45	05/27/22 18:40	630-20-6	
1,1,2,2-Tetrachloroethane	<5080	ug/kg	14000	5080	200	05/26/22 07:45	05/27/22 18:40	79-34-5	
Tetrachloroethene	<5440	ug/kg	14000	5440	200	05/26/22 07:45	05/27/22 18:40	127-18-4	
Toluene	<3530	ug/kg	14000	3530	200	05/26/22 07:45	05/27/22 18:40	108-88-3	
1,2,3-Trichlorobenzene	<15600	ug/kg	70100	15600	200	05/26/22 07:45	05/27/22 18:40	87-61-6	
1,2,4-Trichlorobenzene	<11600	ug/kg	70100	11600	200	05/26/22 07:45	05/27/22 18:40	120-82-1	
1,1,1-Trichloroethane	<3590	ug/kg	14000	3590	200	05/26/22 07:45	05/27/22 18:40	71-55-6	
1,1,2-Trichloroethane	<5110	ug/kg	14000	5110	200	05/26/22 07:45	05/27/22 18:40	79-00-5	
Trichloroethene	<5250	ug/kg	14000	5250	200	05/26/22 07:45	05/27/22 18:40	79-01-6	
Trichlorofluoromethane	<4070	ug/kg	14000	4070	200	05/26/22 07:45	05/27/22 18:40	75-69-4	
1,2,3-Trichloropropane	<6820	ug/kg	14000	6820	200	05/26/22 07:45	05/27/22 18:40	96-18-4	
1,2,4-Trimethylbenzene	49900	ug/kg	14000	4180	200	05/26/22 07:45	05/27/22 18:40	95-63-6	
1,3,5-Trimethylbenzene	17500	ug/kg	14000	4520	200	05/26/22 07:45	05/27/22 18:40	108-67-8	
Vinyl chloride	<2830	ug/kg	14000	2830	200	05/26/22 07:45	05/27/22 18:40	75-01-4	
m&p-Xylene	<5920	ug/kg	28100	5920	200	05/26/22 07:45	05/27/22 18:40	179601-23-1	
o-Xylene	<4210	ug/kg	14000	4210	200	05/26/22 07:45	05/27/22 18:40	95-47-6	
Surrogates									
Toluene-d8 (S)	116	%	69-153		200	05/26/22 07:45	05/27/22 18:40	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	272	%	68-156		200	05/26/22 07:45	05/27/22 18:40	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	619	%	71-161		200	05/26/22 07:45	05/27/22 18:40	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.8	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-4 **Lab ID: 40245361004** Collected: 05/19/22 08:50 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<11900	ug/kg	20000	11900	800	05/26/22 07:45	05/27/22 14:09	71-43-2	
Bromobenzene	<19500	ug/kg	50000	19500	800	05/26/22 07:45	05/27/22 14:09	108-86-1	
Bromochloromethane	<13700	ug/kg	50000	13700	800	05/26/22 07:45	05/27/22 14:09	74-97-5	
Bromodichloromethane	<11900	ug/kg	50000	11900	800	05/26/22 07:45	05/27/22 14:09	75-27-4	
Bromoform	<220000	ug/kg	250000	220000	800	05/26/22 07:45	05/27/22 14:09	75-25-2	
Bromomethane	<70100	ug/kg	250000	70100	800	05/26/22 07:45	05/27/22 14:09	74-83-9	
n-Butylbenzene	<22900	ug/kg	50000	22900	800	05/26/22 07:45	05/27/22 14:09	104-51-8	
sec-Butylbenzene	<12200	ug/kg	50000	12200	800	05/26/22 07:45	05/27/22 14:09	135-98-8	
tert-Butylbenzene	<15700	ug/kg	50000	15700	800	05/26/22 07:45	05/27/22 14:09	98-06-6	
Carbon tetrachloride	<11000	ug/kg	50000	11000	800	05/26/22 07:45	05/27/22 14:09	56-23-5	
Chlorobenzene	<5990	ug/kg	50000	5990	800	05/26/22 07:45	05/27/22 14:09	108-90-7	
Chloroethane	<21100	ug/kg	250000	21100	800	05/26/22 07:45	05/27/22 14:09	75-00-3	
Chloroform	<35800	ug/kg	250000	35800	800	05/26/22 07:45	05/27/22 14:09	67-66-3	
Chloromethane	<19000	ug/kg	50000	19000	800	05/26/22 07:45	05/27/22 14:09	74-87-3	
2-Chlorotoluene	<16200	ug/kg	50000	16200	800	05/26/22 07:45	05/27/22 14:09	95-49-8	
4-Chlorotoluene	<19000	ug/kg	50000	19000	800	05/26/22 07:45	05/27/22 14:09	106-43-4	
1,2-Dibromo-3-chloropropane	<38800	ug/kg	250000	38800	800	05/26/22 07:45	05/27/22 14:09	96-12-8	
Dibromochloromethane	<171000	ug/kg	250000	171000	800	05/26/22 07:45	05/27/22 14:09	124-48-1	
1,2-Dibromoethane (EDB)	<13700	ug/kg	50000	13700	800	05/26/22 07:45	05/27/22 14:09	106-93-4	
Dibromomethane	<14800	ug/kg	50000	14800	800	05/26/22 07:45	05/27/22 14:09	74-95-3	
1,2-Dichlorobenzene	<15500	ug/kg	50000	15500	800	05/26/22 07:45	05/27/22 14:09	95-50-1	
1,3-Dichlorobenzene	<13700	ug/kg	50000	13700	800	05/26/22 07:45	05/27/22 14:09	541-73-1	
1,4-Dichlorobenzene	<13700	ug/kg	50000	13700	800	05/26/22 07:45	05/27/22 14:09	106-46-7	
Dichlorodifluoromethane	<21500	ug/kg	50000	21500	800	05/26/22 07:45	05/27/22 14:09	75-71-8	
1,1-Dichloroethane	<12800	ug/kg	50000	12800	800	05/26/22 07:45	05/27/22 14:09	75-34-3	
1,2-Dichloroethane	<11500	ug/kg	50000	11500	800	05/26/22 07:45	05/27/22 14:09	107-06-2	
1,1-Dichloroethene	<16600	ug/kg	50000	16600	800	05/26/22 07:45	05/27/22 14:09	75-35-4	
cis-1,2-Dichloroethene	46600J	ug/kg	50000	10700	800	05/26/22 07:45	05/27/22 14:09	156-59-2	
trans-1,2-Dichloroethene	<10800	ug/kg	50000	10800	800	05/26/22 07:45	05/27/22 14:09	156-60-5	
1,2-Dichloropropane	<11900	ug/kg	50000	11900	800	05/26/22 07:45	05/27/22 14:09	78-87-5	
1,3-Dichloropropane	<10900	ug/kg	50000	10900	800	05/26/22 07:45	05/27/22 14:09	142-28-9	
2,2-Dichloropropane	<13500	ug/kg	50000	13500	800	05/26/22 07:45	05/27/22 14:09	594-20-7	
1,1-Dichloropropene	<16200	ug/kg	50000	16200	800	05/26/22 07:45	05/27/22 14:09	563-58-6	
cis-1,3-Dichloropropene	<33000	ug/kg	250000	33000	800	05/26/22 07:45	05/27/22 14:09	10061-01-5	
trans-1,3-Dichloropropene	<143000	ug/kg	250000	143000	800	05/26/22 07:45	05/27/22 14:09	10061-02-6	
Diisopropyl ether	<12400	ug/kg	50000	12400	800	05/26/22 07:45	05/27/22 14:09	108-20-3	
Ethylbenzene	<11900	ug/kg	50000	11900	800	05/26/22 07:45	05/27/22 14:09	100-41-4	
Hexachloro-1,3-butadiene	<99400	ug/kg	250000	99400	800	05/26/22 07:45	05/27/22 14:09	87-68-3	
Isopropylbenzene (Cumene)	<13500	ug/kg	50000	13500	800	05/26/22 07:45	05/27/22 14:09	98-82-8	
p-Isopropyltoluene	<15200	ug/kg	50000	15200	800	05/26/22 07:45	05/27/22 14:09	99-87-6	
Methylene Chloride	<13900	ug/kg	50000	13900	800	05/26/22 07:45	05/27/22 14:09	75-09-2	
Methyl-tert-butyl ether	<14700	ug/kg	50000	14700	800	05/26/22 07:45	05/27/22 14:09	1634-04-4	
Naphthalene	39000J	ug/kg	250000	15600	800	05/26/22 07:45	05/27/22 14:09	91-20-3	
n-Propylbenzene	<12000	ug/kg	50000	12000	800	05/26/22 07:45	05/27/22 14:09	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-4 **Lab ID: 40245361004** Collected: 05/19/22 08:50 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<12800	ug/kg	50000	12800	800	05/26/22 07:45	05/27/22 14:09	100-42-5	
1,1,1,2-Tetrachloroethane	<12000	ug/kg	50000	12000	800	05/26/22 07:45	05/27/22 14:09	630-20-6	
1,1,2,2-Tetrachloroethane	<18100	ug/kg	50000	18100	800	05/26/22 07:45	05/27/22 14:09	79-34-5	
Tetrachloroethene	<19400	ug/kg	50000	19400	800	05/26/22 07:45	05/27/22 14:09	127-18-4	
Toluene	<12600	ug/kg	50000	12600	800	05/26/22 07:45	05/27/22 14:09	108-88-3	
1,2,3-Trichlorobenzene	<55700	ug/kg	250000	55700	800	05/26/22 07:45	05/27/22 14:09	87-61-6	
1,2,4-Trichlorobenzene	<41200	ug/kg	250000	41200	800	05/26/22 07:45	05/27/22 14:09	120-82-1	
1,1,1-Trichloroethane	<12800	ug/kg	50000	12800	800	05/26/22 07:45	05/27/22 14:09	71-55-6	
1,1,2-Trichloroethane	<18200	ug/kg	50000	18200	800	05/26/22 07:45	05/27/22 14:09	79-00-5	
Trichloroethene	<18700	ug/kg	50000	18700	800	05/26/22 07:45	05/27/22 14:09	79-01-6	
Trichlorofluoromethane	<14500	ug/kg	50000	14500	800	05/26/22 07:45	05/27/22 14:09	75-69-4	
1,2,3-Trichloropropane	<24300	ug/kg	50000	24300	800	05/26/22 07:45	05/27/22 14:09	96-18-4	
1,2,4-Trimethylbenzene	29800J	ug/kg	50000	14900	800	05/26/22 07:45	05/27/22 14:09	95-63-6	
1,3,5-Trimethylbenzene	<16100	ug/kg	50000	16100	800	05/26/22 07:45	05/27/22 14:09	108-67-8	
Vinyl chloride	<10100	ug/kg	50000	10100	800	05/26/22 07:45	05/27/22 14:09	75-01-4	
m&p-Xylene	<21100	ug/kg	100000	21100	800	05/26/22 07:45	05/27/22 14:09	179601-23-1	
o-Xylene	<15000	ug/kg	50000	15000	800	05/26/22 07:45	05/27/22 14:09	95-47-6	
Surrogates									
Toluene-d8 (S)	0	%	69-153		800	05/26/22 07:45	05/27/22 14:09	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	0	%	68-156		800	05/26/22 07:45	05/27/22 14:09	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	1460	%	71-161		800	05/26/22 07:45	05/27/22 14:09	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.1	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-F-5 Lab ID: 40245361005 Collected: 05/19/22 11:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<3000	ug/kg	5040	3000	200	05/26/22 07:45	05/27/22 11:07	71-43-2	
Bromobenzene	<4910	ug/kg	12600	4910	200	05/26/22 07:45	05/27/22 11:07	108-86-1	
Bromochloromethane	<3450	ug/kg	12600	3450	200	05/26/22 07:45	05/27/22 11:07	74-97-5	
Bromodichloromethane	<3000	ug/kg	12600	3000	200	05/26/22 07:45	05/27/22 11:07	75-27-4	
Bromoform	<55400	ug/kg	63000	55400	200	05/26/22 07:45	05/27/22 11:07	75-25-2	
Bromomethane	<17700	ug/kg	63000	17700	200	05/26/22 07:45	05/27/22 11:07	74-83-9	
n-Butylbenzene	<5770	ug/kg	12600	5770	200	05/26/22 07:45	05/27/22 11:07	104-51-8	
sec-Butylbenzene	<3070	ug/kg	12600	3070	200	05/26/22 07:45	05/27/22 11:07	135-98-8	
tert-Butylbenzene	<3950	ug/kg	12600	3950	200	05/26/22 07:45	05/27/22 11:07	98-06-6	
Carbon tetrachloride	<2770	ug/kg	12600	2770	200	05/26/22 07:45	05/27/22 11:07	56-23-5	
Chlorobenzene	<1510	ug/kg	12600	1510	200	05/26/22 07:45	05/27/22 11:07	108-90-7	
Chloroethane	<5310	ug/kg	63000	5310	200	05/26/22 07:45	05/27/22 11:07	75-00-3	
Chloroform	<9020	ug/kg	63000	9020	200	05/26/22 07:45	05/27/22 11:07	67-66-3	
Chloromethane	<4780	ug/kg	12600	4780	200	05/26/22 07:45	05/27/22 11:07	74-87-3	
2-Chlorotoluene	<4080	ug/kg	12600	4080	200	05/26/22 07:45	05/27/22 11:07	95-49-8	
4-Chlorotoluene	<4780	ug/kg	12600	4780	200	05/26/22 07:45	05/27/22 11:07	106-43-4	
1,2-Dibromo-3-chloropropane	<9770	ug/kg	63000	9770	200	05/26/22 07:45	05/27/22 11:07	96-12-8	
Dibromochloromethane	<43000	ug/kg	63000	43000	200	05/26/22 07:45	05/27/22 11:07	124-48-1	
1,2-Dibromoethane (EDB)	<3450	ug/kg	12600	3450	200	05/26/22 07:45	05/27/22 11:07	106-93-4	
Dibromomethane	<3730	ug/kg	12600	3730	200	05/26/22 07:45	05/27/22 11:07	74-95-3	
1,2-Dichlorobenzene	<3900	ug/kg	12600	3900	200	05/26/22 07:45	05/27/22 11:07	95-50-1	
1,3-Dichlorobenzene	<3450	ug/kg	12600	3450	200	05/26/22 07:45	05/27/22 11:07	541-73-1	
1,4-Dichlorobenzene	<3450	ug/kg	12600	3450	200	05/26/22 07:45	05/27/22 11:07	106-46-7	
Dichlorodifluoromethane	<5410	ug/kg	12600	5410	200	05/26/22 07:45	05/27/22 11:07	75-71-8	
1,1-Dichloroethane	<3220	ug/kg	12600	3220	200	05/26/22 07:45	05/27/22 11:07	75-34-3	
1,2-Dichloroethane	<2900	ug/kg	12600	2900	200	05/26/22 07:45	05/27/22 11:07	107-06-2	
1,1-Dichloroethene	<4180	ug/kg	12600	4180	200	05/26/22 07:45	05/27/22 11:07	75-35-4	
cis-1,2-Dichloroethene	5790J	ug/kg	12600	2690	200	05/26/22 07:45	05/27/22 11:07	156-59-2	
trans-1,2-Dichloroethene	<2720	ug/kg	12600	2720	200	05/26/22 07:45	05/27/22 11:07	156-60-5	
1,2-Dichloropropane	<3000	ug/kg	12600	3000	200	05/26/22 07:45	05/27/22 11:07	78-87-5	
1,3-Dichloropropane	<2740	ug/kg	12600	2740	200	05/26/22 07:45	05/27/22 11:07	142-28-9	
2,2-Dichloropropane	<3400	ug/kg	12600	3400	200	05/26/22 07:45	05/27/22 11:07	594-20-7	
1,1-Dichloropropene	<4080	ug/kg	12600	4080	200	05/26/22 07:45	05/27/22 11:07	563-58-6	
cis-1,3-Dichloropropene	<8310	ug/kg	63000	8310	200	05/26/22 07:45	05/27/22 11:07	10061-01-5	
trans-1,3-Dichloropropene	<36000	ug/kg	63000	36000	200	05/26/22 07:45	05/27/22 11:07	10061-02-6	
Diisopropyl ether	<3120	ug/kg	12600	3120	200	05/26/22 07:45	05/27/22 11:07	108-20-3	
Ethylbenzene	<3000	ug/kg	12600	3000	200	05/26/22 07:45	05/27/22 11:07	100-41-4	
Hexachloro-1,3-butadiene	<25000	ug/kg	63000	25000	200	05/26/22 07:45	05/27/22 11:07	87-68-3	
Isopropylbenzene (Cumene)	<3400	ug/kg	12600	3400	200	05/26/22 07:45	05/27/22 11:07	98-82-8	
p-Isopropyltoluene	<3830	ug/kg	12600	3830	200	05/26/22 07:45	05/27/22 11:07	99-87-6	
Methylene Chloride	<3500	ug/kg	12600	3500	200	05/26/22 07:45	05/27/22 11:07	75-09-2	
Methyl-tert-butyl ether	<3700	ug/kg	12600	3700	200	05/26/22 07:45	05/27/22 11:07	1634-04-4	
Naphthalene	11700J	ug/kg	63000	3930	200	05/26/22 07:45	05/27/22 11:07	91-20-3	
n-Propylbenzene	<3020	ug/kg	12600	3020	200	05/26/22 07:45	05/27/22 11:07	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-5 **Lab ID: 40245361005** Collected: 05/19/22 11:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<3220	ug/kg	12600	3220	200	05/26/22 07:45	05/27/22 11:07	100-42-5	
1,1,1,2-Tetrachloroethane	<3020	ug/kg	12600	3020	200	05/26/22 07:45	05/27/22 11:07	630-20-6	
1,1,2,2-Tetrachloroethane	<4560	ug/kg	12600	4560	200	05/26/22 07:45	05/27/22 11:07	79-34-5	
Tetrachloroethene	<4890	ug/kg	12600	4890	200	05/26/22 07:45	05/27/22 11:07	127-18-4	
Toluene	<3170	ug/kg	12600	3170	200	05/26/22 07:45	05/27/22 11:07	108-88-3	
1,2,3-Trichlorobenzene	<14000	ug/kg	63000	14000	200	05/26/22 07:45	05/27/22 11:07	87-61-6	
1,2,4-Trichlorobenzene	<10400	ug/kg	63000	10400	200	05/26/22 07:45	05/27/22 11:07	120-82-1	
1,1,1-Trichloroethane	<3220	ug/kg	12600	3220	200	05/26/22 07:45	05/27/22 11:07	71-55-6	
1,1,2-Trichloroethane	<4580	ug/kg	12600	4580	200	05/26/22 07:45	05/27/22 11:07	79-00-5	
Trichloroethene	<4710	ug/kg	12600	4710	200	05/26/22 07:45	05/27/22 11:07	79-01-6	
Trichlorofluoromethane	<3650	ug/kg	12600	3650	200	05/26/22 07:45	05/27/22 11:07	75-69-4	
1,2,3-Trichloropropane	<6120	ug/kg	12600	6120	200	05/26/22 07:45	05/27/22 11:07	96-18-4	
1,2,4-Trimethylbenzene	8110J	ug/kg	12600	3750	200	05/26/22 07:45	05/27/22 11:07	95-63-6	
1,3,5-Trimethylbenzene	<4050	ug/kg	12600	4050	200	05/26/22 07:45	05/27/22 11:07	108-67-8	
Vinyl chloride	<2540	ug/kg	12600	2540	200	05/26/22 07:45	05/27/22 11:07	75-01-4	
m&p-Xylene	<5310	ug/kg	25200	5310	200	05/26/22 07:45	05/27/22 11:07	179601-23-1	
o-Xylene	<3780	ug/kg	12600	3780	200	05/26/22 07:45	05/27/22 11:07	95-47-6	
Surrogates									
Toluene-d8 (S)	122	%	69-153		200	05/26/22 07:45	05/27/22 11:07	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	211	%	68-156		200	05/26/22 07:45	05/27/22 11:07	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	606	%	71-161		200	05/26/22 07:45	05/27/22 11:07	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.5	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-F-6 Lab ID: 40245361006 Collected: 05/19/22 11:10 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<3010	ug/kg	5060	3010	200	05/26/22 07:45	05/27/22 11:27	71-43-2	
Bromobenzene	<4930	ug/kg	12600	4930	200	05/26/22 07:45	05/27/22 11:27	108-86-1	
Bromochloromethane	<3460	ug/kg	12600	3460	200	05/26/22 07:45	05/27/22 11:27	74-97-5	
Bromodichloromethane	<3010	ug/kg	12600	3010	200	05/26/22 07:45	05/27/22 11:27	75-27-4	
Bromoform	<55600	ug/kg	63200	55600	200	05/26/22 07:45	05/27/22 11:27	75-25-2	
Bromomethane	<17700	ug/kg	63200	17700	200	05/26/22 07:45	05/27/22 11:27	74-83-9	
n-Butylbenzene	<5790	ug/kg	12600	5790	200	05/26/22 07:45	05/27/22 11:27	104-51-8	
sec-Butylbenzene	<3090	ug/kg	12600	3090	200	05/26/22 07:45	05/27/22 11:27	135-98-8	
tert-Butylbenzene	<3970	ug/kg	12600	3970	200	05/26/22 07:45	05/27/22 11:27	98-06-6	
Carbon tetrachloride	<2780	ug/kg	12600	2780	200	05/26/22 07:45	05/27/22 11:27	56-23-5	
Chlorobenzene	<1510	ug/kg	12600	1510	200	05/26/22 07:45	05/27/22 11:27	108-90-7	
Chloroethane	<5340	ug/kg	63200	5340	200	05/26/22 07:45	05/27/22 11:27	75-00-3	
Chloroform	<9050	ug/kg	63200	9050	200	05/26/22 07:45	05/27/22 11:27	67-66-3	
Chloromethane	<4810	ug/kg	12600	4810	200	05/26/22 07:45	05/27/22 11:27	74-87-3	
2-Chlorotoluene	<4100	ug/kg	12600	4100	200	05/26/22 07:45	05/27/22 11:27	95-49-8	
4-Chlorotoluene	<4810	ug/kg	12600	4810	200	05/26/22 07:45	05/27/22 11:27	106-43-4	
1,2-Dibromo-3-chloropropane	<9810	ug/kg	63200	9810	200	05/26/22 07:45	05/27/22 11:27	96-12-8	
Dibromochloromethane	<43200	ug/kg	63200	43200	200	05/26/22 07:45	05/27/22 11:27	124-48-1	
1,2-Dibromoethane (EDB)	<3460	ug/kg	12600	3460	200	05/26/22 07:45	05/27/22 11:27	106-93-4	
Dibromomethane	<3740	ug/kg	12600	3740	200	05/26/22 07:45	05/27/22 11:27	74-95-3	
1,2-Dichlorobenzene	<3920	ug/kg	12600	3920	200	05/26/22 07:45	05/27/22 11:27	95-50-1	
1,3-Dichlorobenzene	<3460	ug/kg	12600	3460	200	05/26/22 07:45	05/27/22 11:27	541-73-1	
1,4-Dichlorobenzene	<3460	ug/kg	12600	3460	200	05/26/22 07:45	05/27/22 11:27	106-46-7	
Dichlorodifluoromethane	<5440	ug/kg	12600	5440	200	05/26/22 07:45	05/27/22 11:27	75-71-8	
1,1-Dichloroethane	<3240	ug/kg	12600	3240	200	05/26/22 07:45	05/27/22 11:27	75-34-3	
1,2-Dichloroethane	<2910	ug/kg	12600	2910	200	05/26/22 07:45	05/27/22 11:27	107-06-2	
1,1-Dichloroethene	<4200	ug/kg	12600	4200	200	05/26/22 07:45	05/27/22 11:27	75-35-4	
cis-1,2-Dichloroethene	3880J	ug/kg	12600	2710	200	05/26/22 07:45	05/27/22 11:27	156-59-2	
trans-1,2-Dichloroethene	<2730	ug/kg	12600	2730	200	05/26/22 07:45	05/27/22 11:27	156-60-5	
1,2-Dichloropropane	<3010	ug/kg	12600	3010	200	05/26/22 07:45	05/27/22 11:27	78-87-5	
1,3-Dichloropropane	<2760	ug/kg	12600	2760	200	05/26/22 07:45	05/27/22 11:27	142-28-9	
2,2-Dichloropropane	<3410	ug/kg	12600	3410	200	05/26/22 07:45	05/27/22 11:27	594-20-7	
1,1-Dichloropropene	<4100	ug/kg	12600	4100	200	05/26/22 07:45	05/27/22 11:27	563-58-6	
cis-1,3-Dichloropropene	<8350	ug/kg	63200	8350	200	05/26/22 07:45	05/27/22 11:27	10061-01-5	
trans-1,3-Dichloropropene	<36200	ug/kg	63200	36200	200	05/26/22 07:45	05/27/22 11:27	10061-02-6	
Diisopropyl ether	<3140	ug/kg	12600	3140	200	05/26/22 07:45	05/27/22 11:27	108-20-3	
Ethylbenzene	<3010	ug/kg	12600	3010	200	05/26/22 07:45	05/27/22 11:27	100-41-4	
Hexachloro-1,3-butadiene	<25100	ug/kg	63200	25100	200	05/26/22 07:45	05/27/22 11:27	87-68-3	
Isopropylbenzene (Cumene)	<3410	ug/kg	12600	3410	200	05/26/22 07:45	05/27/22 11:27	98-82-8	
p-Isopropyltoluene	<3840	ug/kg	12600	3840	200	05/26/22 07:45	05/27/22 11:27	99-87-6	
Methylene Chloride	<3520	ug/kg	12600	3520	200	05/26/22 07:45	05/27/22 11:27	75-09-2	
Methyl-tert-butyl ether	<3720	ug/kg	12600	3720	200	05/26/22 07:45	05/27/22 11:27	1634-04-4	
Naphthalene	15500J	ug/kg	63200	3950	200	05/26/22 07:45	05/27/22 11:27	91-20-3	
n-Propylbenzene	<3030	ug/kg	12600	3030	200	05/26/22 07:45	05/27/22 11:27	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-6 **Lab ID: 40245361006** Collected: 05/19/22 11:10 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<3240	ug/kg	12600	3240	200	05/26/22 07:45	05/27/22 11:27	100-42-5	
1,1,1,2-Tetrachloroethane	<3030	ug/kg	12600	3030	200	05/26/22 07:45	05/27/22 11:27	630-20-6	
1,1,2,2-Tetrachloroethane	<4580	ug/kg	12600	4580	200	05/26/22 07:45	05/27/22 11:27	79-34-5	
Tetrachloroethene	<4910	ug/kg	12600	4910	200	05/26/22 07:45	05/27/22 11:27	127-18-4	
Toluene	<3190	ug/kg	12600	3190	200	05/26/22 07:45	05/27/22 11:27	108-88-3	
1,2,3-Trichlorobenzene	<14100	ug/kg	63200	14100	200	05/26/22 07:45	05/27/22 11:27	87-61-6	
1,2,4-Trichlorobenzene	<10400	ug/kg	63200	10400	200	05/26/22 07:45	05/27/22 11:27	120-82-1	
1,1,1-Trichloroethane	<3240	ug/kg	12600	3240	200	05/26/22 07:45	05/27/22 11:27	71-55-6	
1,1,2-Trichloroethane	<4600	ug/kg	12600	4600	200	05/26/22 07:45	05/27/22 11:27	79-00-5	
Trichloroethene	<4730	ug/kg	12600	4730	200	05/26/22 07:45	05/27/22 11:27	79-01-6	
Trichlorofluoromethane	<3670	ug/kg	12600	3670	200	05/26/22 07:45	05/27/22 11:27	75-69-4	
1,2,3-Trichloropropane	<6150	ug/kg	12600	6150	200	05/26/22 07:45	05/27/22 11:27	96-18-4	
1,2,4-Trimethylbenzene	12800	ug/kg	12600	3770	200	05/26/22 07:45	05/27/22 11:27	95-63-6	
1,3,5-Trimethylbenzene	4070J	ug/kg	12600	4070	200	05/26/22 07:45	05/27/22 11:27	108-67-8	
Vinyl chloride	<2550	ug/kg	12600	2550	200	05/26/22 07:45	05/27/22 11:27	75-01-4	
m&p-Xylene	<5340	ug/kg	25300	5340	200	05/26/22 07:45	05/27/22 11:27	179601-23-1	
o-Xylene	<3790	ug/kg	12600	3790	200	05/26/22 07:45	05/27/22 11:27	95-47-6	
Surrogates									
Toluene-d8 (S)	113	%	69-153		200	05/26/22 07:45	05/27/22 11:27	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	248	%	68-156		200	05/26/22 07:45	05/27/22 11:27	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	279	%	71-161		200	05/26/22 07:45	05/27/22 11:27	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.7	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-F-7 **Lab ID: 40245361007** Collected: 05/19/22 11:35 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<578	ug/kg	972	578	40	05/26/22 07:45	05/27/22 18:00	71-43-2	
Bromobenzene	<948	ug/kg	2430	948	40	05/26/22 07:45	05/27/22 18:00	108-86-1	
Bromochloromethane	<666	ug/kg	2430	666	40	05/26/22 07:45	05/27/22 18:00	74-97-5	
Bromodichloromethane	<578	ug/kg	2430	578	40	05/26/22 07:45	05/27/22 18:00	75-27-4	
Bromoform	<10700	ug/kg	12200	10700	40	05/26/22 07:45	05/27/22 18:00	75-25-2	
Bromomethane	<3410	ug/kg	12200	3410	40	05/26/22 07:45	05/27/22 18:00	74-83-9	
n-Butylbenzene	8450	ug/kg	2430	1110	40	05/26/22 07:45	05/27/22 18:00	104-51-8	
sec-Butylbenzene	<593	ug/kg	2430	593	40	05/26/22 07:45	05/27/22 18:00	135-98-8	
tert-Butylbenzene	<763	ug/kg	2430	763	40	05/26/22 07:45	05/27/22 18:00	98-06-6	
Carbon tetrachloride	<535	ug/kg	2430	535	40	05/26/22 07:45	05/27/22 18:00	56-23-5	
Chlorobenzene	<291	ug/kg	2430	291	40	05/26/22 07:45	05/27/22 18:00	108-90-7	
Chloroethane	<1030	ug/kg	12200	1030	40	05/26/22 07:45	05/27/22 18:00	75-00-3	
Chloroform	<1740	ug/kg	12200	1740	40	05/26/22 07:45	05/27/22 18:00	67-66-3	
Chloromethane	<924	ug/kg	2430	924	40	05/26/22 07:45	05/27/22 18:00	74-87-3	
2-Chlorotoluene	<787	ug/kg	2430	787	40	05/26/22 07:45	05/27/22 18:00	95-49-8	
4-Chlorotoluene	<924	ug/kg	2430	924	40	05/26/22 07:45	05/27/22 18:00	106-43-4	
1,2-Dibromo-3-chloropropane	<1890	ug/kg	12200	1890	40	05/26/22 07:45	05/27/22 18:00	96-12-8	
Dibromochloromethane	<8310	ug/kg	12200	8310	40	05/26/22 07:45	05/27/22 18:00	124-48-1	
1,2-Dibromoethane (EDB)	<666	ug/kg	2430	666	40	05/26/22 07:45	05/27/22 18:00	106-93-4	
Dibromomethane	<719	ug/kg	2430	719	40	05/26/22 07:45	05/27/22 18:00	74-95-3	
1,2-Dichlorobenzene	<753	ug/kg	2430	753	40	05/26/22 07:45	05/27/22 18:00	95-50-1	
1,3-Dichlorobenzene	<666	ug/kg	2430	666	40	05/26/22 07:45	05/27/22 18:00	541-73-1	
1,4-Dichlorobenzene	<666	ug/kg	2430	666	40	05/26/22 07:45	05/27/22 18:00	106-46-7	
Dichlorodifluoromethane	<1050	ug/kg	2430	1050	40	05/26/22 07:45	05/27/22 18:00	75-71-8	
1,1-Dichloroethane	<622	ug/kg	2430	622	40	05/26/22 07:45	05/27/22 18:00	75-34-3	
1,2-Dichloroethane	<559	ug/kg	2430	559	40	05/26/22 07:45	05/27/22 18:00	107-06-2	
1,1-Dichloroethene	<807	ug/kg	2430	807	40	05/26/22 07:45	05/27/22 18:00	75-35-4	
cis-1,2-Dichloroethene	<520	ug/kg	2430	520	40	05/26/22 07:45	05/27/22 18:00	156-59-2	
trans-1,2-Dichloroethene	<525	ug/kg	2430	525	40	05/26/22 07:45	05/27/22 18:00	156-60-5	
1,2-Dichloropropane	<578	ug/kg	2430	578	40	05/26/22 07:45	05/27/22 18:00	78-87-5	
1,3-Dichloropropane	<530	ug/kg	2430	530	40	05/26/22 07:45	05/27/22 18:00	142-28-9	
2,2-Dichloropropane	<656	ug/kg	2430	656	40	05/26/22 07:45	05/27/22 18:00	594-20-7	
1,1-Dichloropropene	<787	ug/kg	2430	787	40	05/26/22 07:45	05/27/22 18:00	563-58-6	
cis-1,3-Dichloropropene	<1600	ug/kg	12200	1600	40	05/26/22 07:45	05/27/22 18:00	10061-01-5	
trans-1,3-Dichloropropene	<6950	ug/kg	12200	6950	40	05/26/22 07:45	05/27/22 18:00	10061-02-6	
Diisopropyl ether	<603	ug/kg	2430	603	40	05/26/22 07:45	05/27/22 18:00	108-20-3	
Ethylbenzene	<578	ug/kg	2430	578	40	05/26/22 07:45	05/27/22 18:00	100-41-4	
Hexachloro-1,3-butadiene	<4830	ug/kg	12200	4830	40	05/26/22 07:45	05/27/22 18:00	87-68-3	
Isopropylbenzene (Cumene)	<656	ug/kg	2430	656	40	05/26/22 07:45	05/27/22 18:00	98-82-8	
p-Isopropyltoluene	1220J	ug/kg	2430	739	40	05/26/22 07:45	05/27/22 18:00	99-87-6	
Methylene Chloride	<676	ug/kg	2430	676	40	05/26/22 07:45	05/27/22 18:00	75-09-2	
Methyl-tert-butyl ether	<715	ug/kg	2430	715	40	05/26/22 07:45	05/27/22 18:00	1634-04-4	
Naphthalene	3570J	ug/kg	12200	758	40	05/26/22 07:45	05/27/22 18:00	91-20-3	
n-Propylbenzene	<583	ug/kg	2430	583	40	05/26/22 07:45	05/27/22 18:00	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-7 **Lab ID: 40245361007** Collected: 05/19/22 11:35 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<622	ug/kg	2430	622	40	05/26/22 07:45	05/27/22 18:00	100-42-5	
1,1,1,2-Tetrachloroethane	<583	ug/kg	2430	583	40	05/26/22 07:45	05/27/22 18:00	630-20-6	
1,1,2,2-Tetrachloroethane	<880	ug/kg	2430	880	40	05/26/22 07:45	05/27/22 18:00	79-34-5	
Tetrachloroethene	<943	ug/kg	2430	943	40	05/26/22 07:45	05/27/22 18:00	127-18-4	
Toluene	<612	ug/kg	2430	612	40	05/26/22 07:45	05/27/22 18:00	108-88-3	
1,2,3-Trichlorobenzene	<2710	ug/kg	12200	2710	40	05/26/22 07:45	05/27/22 18:00	87-61-6	
1,2,4-Trichlorobenzene	<2000	ug/kg	12200	2000	40	05/26/22 07:45	05/27/22 18:00	120-82-1	
1,1,1-Trichloroethane	<622	ug/kg	2430	622	40	05/26/22 07:45	05/27/22 18:00	71-55-6	
1,1,2-Trichloroethane	<885	ug/kg	2430	885	40	05/26/22 07:45	05/27/22 18:00	79-00-5	
Trichloroethene	<909	ug/kg	2430	909	40	05/26/22 07:45	05/27/22 18:00	79-01-6	
Trichlorofluoromethane	<705	ug/kg	2430	705	40	05/26/22 07:45	05/27/22 18:00	75-69-4	
1,2,3-Trichloropropane	<1180	ug/kg	2430	1180	40	05/26/22 07:45	05/27/22 18:00	96-18-4	
1,2,4-Trimethylbenzene	3720	ug/kg	2430	724	40	05/26/22 07:45	05/27/22 18:00	95-63-6	
1,3,5-Trimethylbenzene	<783	ug/kg	2430	783	40	05/26/22 07:45	05/27/22 18:00	108-67-8	
Vinyl chloride	<491	ug/kg	2430	491	40	05/26/22 07:45	05/27/22 18:00	75-01-4	
m&p-Xylene	<1030	ug/kg	4860	1030	40	05/26/22 07:45	05/27/22 18:00	179601-23-1	
o-Xylene	<729	ug/kg	2430	729	40	05/26/22 07:45	05/27/22 18:00	95-47-6	
Surrogates									
Toluene-d8 (S)	101	%	69-153		40	05/26/22 07:45	05/27/22 18:00	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	115	%	68-156		40	05/26/22 07:45	05/27/22 18:00	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	324	%	71-161		40	05/26/22 07:45	05/27/22 18:00	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	9.7	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-8 Lab ID: 40245361008 Collected: 05/20/22 08:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<3080	ug/kg	5180	3080	200	05/26/22 07:45	05/27/22 18:20	71-43-2	
Bromobenzene	<5050	ug/kg	12900	5050	200	05/26/22 07:45	05/27/22 18:20	108-86-1	
Bromochloromethane	<3550	ug/kg	12900	3550	200	05/26/22 07:45	05/27/22 18:20	74-97-5	
Bromodichloromethane	<3080	ug/kg	12900	3080	200	05/26/22 07:45	05/27/22 18:20	75-27-4	
Bromoform	<56900	ug/kg	64700	56900	200	05/26/22 07:45	05/27/22 18:20	75-25-2	
Bromomethane	<18100	ug/kg	64700	18100	200	05/26/22 07:45	05/27/22 18:20	74-83-9	
n-Butylbenzene	<5930	ug/kg	12900	5930	200	05/26/22 07:45	05/27/22 18:20	104-51-8	
sec-Butylbenzene	<3160	ug/kg	12900	3160	200	05/26/22 07:45	05/27/22 18:20	135-98-8	
tert-Butylbenzene	<4060	ug/kg	12900	4060	200	05/26/22 07:45	05/27/22 18:20	98-06-6	
Carbon tetrachloride	<2850	ug/kg	12900	2850	200	05/26/22 07:45	05/27/22 18:20	56-23-5	
Chlorobenzene	<1550	ug/kg	12900	1550	200	05/26/22 07:45	05/27/22 18:20	108-90-7	
Chloroethane	<5460	ug/kg	64700	5460	200	05/26/22 07:45	05/27/22 18:20	75-00-3	
Chloroform	<9260	ug/kg	64700	9260	200	05/26/22 07:45	05/27/22 18:20	67-66-3	
Chloromethane	<4920	ug/kg	12900	4920	200	05/26/22 07:45	05/27/22 18:20	74-87-3	
2-Chlorotoluene	<4190	ug/kg	12900	4190	200	05/26/22 07:45	05/27/22 18:20	95-49-8	
4-Chlorotoluene	<4920	ug/kg	12900	4920	200	05/26/22 07:45	05/27/22 18:20	106-43-4	
1,2-Dibromo-3-chloropropane	<10000	ug/kg	64700	10000	200	05/26/22 07:45	05/27/22 18:20	96-12-8	
Dibromochloromethane	<44200	ug/kg	64700	44200	200	05/26/22 07:45	05/27/22 18:20	124-48-1	
1,2-Dibromoethane (EDB)	<3550	ug/kg	12900	3550	200	05/26/22 07:45	05/27/22 18:20	106-93-4	
Dibromomethane	<3830	ug/kg	12900	3830	200	05/26/22 07:45	05/27/22 18:20	74-95-3	
1,2-Dichlorobenzene	<4010	ug/kg	12900	4010	200	05/26/22 07:45	05/27/22 18:20	95-50-1	
1,3-Dichlorobenzene	<3550	ug/kg	12900	3550	200	05/26/22 07:45	05/27/22 18:20	541-73-1	
1,4-Dichlorobenzene	<3550	ug/kg	12900	3550	200	05/26/22 07:45	05/27/22 18:20	106-46-7	
Dichlorodifluoromethane	<5560	ug/kg	12900	5560	200	05/26/22 07:45	05/27/22 18:20	75-71-8	
1,1-Dichloroethane	<3310	ug/kg	12900	3310	200	05/26/22 07:45	05/27/22 18:20	75-34-3	
1,2-Dichloroethane	<2980	ug/kg	12900	2980	200	05/26/22 07:45	05/27/22 18:20	107-06-2	
1,1-Dichloroethene	<4300	ug/kg	12900	4300	200	05/26/22 07:45	05/27/22 18:20	75-35-4	
cis-1,2-Dichloroethene	21400	ug/kg	12900	2770	200	05/26/22 07:45	05/27/22 18:20	156-59-2	
trans-1,2-Dichloroethene	<2790	ug/kg	12900	2790	200	05/26/22 07:45	05/27/22 18:20	156-60-5	
1,2-Dichloropropane	<3080	ug/kg	12900	3080	200	05/26/22 07:45	05/27/22 18:20	78-87-5	
1,3-Dichloropropane	<2820	ug/kg	12900	2820	200	05/26/22 07:45	05/27/22 18:20	142-28-9	
2,2-Dichloropropane	<3490	ug/kg	12900	3490	200	05/26/22 07:45	05/27/22 18:20	594-20-7	
1,1-Dichloropropene	<4190	ug/kg	12900	4190	200	05/26/22 07:45	05/27/22 18:20	563-58-6	
cis-1,3-Dichloropropene	<8540	ug/kg	64700	8540	200	05/26/22 07:45	05/27/22 18:20	10061-01-5	
trans-1,3-Dichloropropene	<37000	ug/kg	64700	37000	200	05/26/22 07:45	05/27/22 18:20	10061-02-6	
Diisopropyl ether	<3210	ug/kg	12900	3210	200	05/26/22 07:45	05/27/22 18:20	108-20-3	
Ethylbenzene	<3080	ug/kg	12900	3080	200	05/26/22 07:45	05/27/22 18:20	100-41-4	
Hexachloro-1,3-butadiene	<25700	ug/kg	64700	25700	200	05/26/22 07:45	05/27/22 18:20	87-68-3	
Isopropylbenzene (Cumene)	<3490	ug/kg	12900	3490	200	05/26/22 07:45	05/27/22 18:20	98-82-8	
p-Isopropyltoluene	<3930	ug/kg	12900	3930	200	05/26/22 07:45	05/27/22 18:20	99-87-6	
Methylene Chloride	<3600	ug/kg	12900	3600	200	05/26/22 07:45	05/27/22 18:20	75-09-2	
Methyl-tert-butyl ether	<3800	ug/kg	12900	3800	200	05/26/22 07:45	05/27/22 18:20	1634-04-4	
Naphthalene	24200J	ug/kg	64700	4040	200	05/26/22 07:45	05/27/22 18:20	91-20-3	
n-Propylbenzene	<3110	ug/kg	12900	3110	200	05/26/22 07:45	05/27/22 18:20	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-F-8 **Lab ID: 40245361008** Collected: 05/20/22 08:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<3310	ug/kg	12900	3310	200	05/26/22 07:45	05/27/22 18:20	100-42-5	
1,1,1,2-Tetrachloroethane	<3110	ug/kg	12900	3110	200	05/26/22 07:45	05/27/22 18:20	630-20-6	
1,1,2,2-Tetrachloroethane	<4680	ug/kg	12900	4680	200	05/26/22 07:45	05/27/22 18:20	79-34-5	
Tetrachloroethene	19400	ug/kg	12900	5020	200	05/26/22 07:45	05/27/22 18:20	127-18-4	
Toluene	<3260	ug/kg	12900	3260	200	05/26/22 07:45	05/27/22 18:20	108-88-3	
1,2,3-Trichlorobenzene	<14400	ug/kg	64700	14400	200	05/26/22 07:45	05/27/22 18:20	87-61-6	
1,2,4-Trichlorobenzene	<10700	ug/kg	64700	10700	200	05/26/22 07:45	05/27/22 18:20	120-82-1	
1,1,1-Trichloroethane	<3310	ug/kg	12900	3310	200	05/26/22 07:45	05/27/22 18:20	71-55-6	
1,1,2-Trichloroethane	<4710	ug/kg	12900	4710	200	05/26/22 07:45	05/27/22 18:20	79-00-5	
Trichloroethene	<4840	ug/kg	12900	4840	200	05/26/22 07:45	05/27/22 18:20	79-01-6	
Trichlorofluoromethane	<3750	ug/kg	12900	3750	200	05/26/22 07:45	05/27/22 18:20	75-69-4	
1,2,3-Trichloropropane	<6290	ug/kg	12900	6290	200	05/26/22 07:45	05/27/22 18:20	96-18-4	
1,2,4-Trimethylbenzene	9310J	ug/kg	12900	3860	200	05/26/22 07:45	05/27/22 18:20	95-63-6	
1,3,5-Trimethylbenzene	<4170	ug/kg	12900	4170	200	05/26/22 07:45	05/27/22 18:20	108-67-8	
Vinyl chloride	<2610	ug/kg	12900	2610	200	05/26/22 07:45	05/27/22 18:20	75-01-4	
m&p-Xylene	<5460	ug/kg	25900	5460	200	05/26/22 07:45	05/27/22 18:20	179601-23-1	
o-Xylene	<3880	ug/kg	12900	3880	200	05/26/22 07:45	05/27/22 18:20	95-47-6	
Surrogates									
Toluene-d8 (S)	107	%	69-153		200	05/26/22 07:45	05/27/22 18:20	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	130	%	68-156		200	05/26/22 07:45	05/27/22 18:20	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	769	%	71-161		200	05/26/22 07:45	05/27/22 18:20	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	12.8	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-1 Lab ID: 40245361009 Collected: 05/18/22 13:15 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<9370	ug/kg	15700	9370	500	05/26/22 07:45	05/27/22 11:48	71-43-2	
Bromobenzene	<15300	ug/kg	39400	15300	500	05/26/22 07:45	05/27/22 11:48	108-86-1	
Bromochloromethane	<10800	ug/kg	39400	10800	500	05/26/22 07:45	05/27/22 11:48	74-97-5	
Bromodichloromethane	<9370	ug/kg	39400	9370	500	05/26/22 07:45	05/27/22 11:48	75-27-4	
Bromoform	<173000	ug/kg	197000	173000	500	05/26/22 07:45	05/27/22 11:48	75-25-2	
Bromomethane	<55200	ug/kg	197000	55200	500	05/26/22 07:45	05/27/22 11:48	74-83-9	
n-Butylbenzene	<18000	ug/kg	39400	18000	500	05/26/22 07:45	05/27/22 11:48	104-51-8	
sec-Butylbenzene	<9600	ug/kg	39400	9600	500	05/26/22 07:45	05/27/22 11:48	135-98-8	
tert-Butylbenzene	<12400	ug/kg	39400	12400	500	05/26/22 07:45	05/27/22 11:48	98-06-6	
Carbon tetrachloride	<8660	ug/kg	39400	8660	500	05/26/22 07:45	05/27/22 11:48	56-23-5	
Chlorobenzene	<4720	ug/kg	39400	4720	500	05/26/22 07:45	05/27/22 11:48	108-90-7	
Chloroethane	<16600	ug/kg	197000	16600	500	05/26/22 07:45	05/27/22 11:48	75-00-3	
Chloroform	<28200	ug/kg	197000	28200	500	05/26/22 07:45	05/27/22 11:48	67-66-3	
Chloromethane	<15000	ug/kg	39400	15000	500	05/26/22 07:45	05/27/22 11:48	74-87-3	
2-Chlorotoluene	<12800	ug/kg	39400	12800	500	05/26/22 07:45	05/27/22 11:48	95-49-8	
4-Chlorotoluene	<15000	ug/kg	39400	15000	500	05/26/22 07:45	05/27/22 11:48	106-43-4	
1,2-Dibromo-3-chloropropane	<30500	ug/kg	197000	30500	500	05/26/22 07:45	05/27/22 11:48	96-12-8	
Dibromochloromethane	<135000	ug/kg	197000	135000	500	05/26/22 07:45	05/27/22 11:48	124-48-1	
1,2-Dibromoethane (EDB)	<10800	ug/kg	39400	10800	500	05/26/22 07:45	05/27/22 11:48	106-93-4	
Dibromomethane	<11700	ug/kg	39400	11700	500	05/26/22 07:45	05/27/22 11:48	74-95-3	
1,2-Dichlorobenzene	<12200	ug/kg	39400	12200	500	05/26/22 07:45	05/27/22 11:48	95-50-1	
1,3-Dichlorobenzene	<10800	ug/kg	39400	10800	500	05/26/22 07:45	05/27/22 11:48	541-73-1	
1,4-Dichlorobenzene	<10800	ug/kg	39400	10800	500	05/26/22 07:45	05/27/22 11:48	106-46-7	
Dichlorodifluoromethane	<16900	ug/kg	39400	16900	500	05/26/22 07:45	05/27/22 11:48	75-71-8	
1,1-Dichloroethane	<10100	ug/kg	39400	10100	500	05/26/22 07:45	05/27/22 11:48	75-34-3	
1,2-Dichloroethane	<9050	ug/kg	39400	9050	500	05/26/22 07:45	05/27/22 11:48	107-06-2	
1,1-Dichloroethene	<13100	ug/kg	39400	13100	500	05/26/22 07:45	05/27/22 11:48	75-35-4	
cis-1,2-Dichloroethene	<8420	ug/kg	39400	8420	500	05/26/22 07:45	05/27/22 11:48	156-59-2	
trans-1,2-Dichloroethene	<8500	ug/kg	39400	8500	500	05/26/22 07:45	05/27/22 11:48	156-60-5	
1,2-Dichloropropane	<9370	ug/kg	39400	9370	500	05/26/22 07:45	05/27/22 11:48	78-87-5	
1,3-Dichloropropane	<8580	ug/kg	39400	8580	500	05/26/22 07:45	05/27/22 11:48	142-28-9	
2,2-Dichloropropane	<10600	ug/kg	39400	10600	500	05/26/22 07:45	05/27/22 11:48	594-20-7	
1,1-Dichloropropene	<12800	ug/kg	39400	12800	500	05/26/22 07:45	05/27/22 11:48	563-58-6	
cis-1,3-Dichloropropene	<26000	ug/kg	197000	26000	500	05/26/22 07:45	05/27/22 11:48	10061-01-5	
trans-1,3-Dichloropropene	<113000	ug/kg	197000	113000	500	05/26/22 07:45	05/27/22 11:48	10061-02-6	
Diisopropyl ether	<9760	ug/kg	39400	9760	500	05/26/22 07:45	05/27/22 11:48	108-20-3	
Ethylbenzene	<9370	ug/kg	39400	9370	500	05/26/22 07:45	05/27/22 11:48	100-41-4	
Hexachloro-1,3-butadiene	<78200	ug/kg	197000	78200	500	05/26/22 07:45	05/27/22 11:48	87-68-3	
Isopropylbenzene (Cumene)	<10600	ug/kg	39400	10600	500	05/26/22 07:45	05/27/22 11:48	98-82-8	
p-Isopropyltoluene	<12000	ug/kg	39400	12000	500	05/26/22 07:45	05/27/22 11:48	99-87-6	
Methylene Chloride	<10900	ug/kg	39400	10900	500	05/26/22 07:45	05/27/22 11:48	75-09-2	
Methyl-tert-butyl ether	<11600	ug/kg	39400	11600	500	05/26/22 07:45	05/27/22 11:48	1634-04-4	
Naphthalene	<12300	ug/kg	197000	12300	500	05/26/22 07:45	05/27/22 11:48	91-20-3	
n-Propylbenzene	<9450	ug/kg	39400	9450	500	05/26/22 07:45	05/27/22 11:48	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-1 **Lab ID: 40245361009** Collected: 05/18/22 13:15 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<10100	ug/kg	39400	10100	500	05/26/22 07:45	05/27/22 11:48	100-42-5	
1,1,1,2-Tetrachloroethane	<9450	ug/kg	39400	9450	500	05/26/22 07:45	05/27/22 11:48	630-20-6	
1,1,2,2-Tetrachloroethane	<14200	ug/kg	39400	14200	500	05/26/22 07:45	05/27/22 11:48	79-34-5	
Tetrachloroethene	7740000	ug/kg	39400	15300	500	05/26/22 07:45	05/27/22 11:48	127-18-4	
Toluene	<9920	ug/kg	39400	9920	500	05/26/22 07:45	05/27/22 11:48	108-88-3	
1,2,3-Trichlorobenzene	<43800	ug/kg	197000	43800	500	05/26/22 07:45	05/27/22 11:48	87-61-6	
1,2,4-Trichlorobenzene	<32400	ug/kg	197000	32400	500	05/26/22 07:45	05/27/22 11:48	120-82-1	
1,1,1-Trichloroethane	<10100	ug/kg	39400	10100	500	05/26/22 07:45	05/27/22 11:48	71-55-6	
1,1,2-Trichloroethane	<14300	ug/kg	39400	14300	500	05/26/22 07:45	05/27/22 11:48	79-00-5	
Trichloroethene	18400J	ug/kg	39400	14700	500	05/26/22 07:45	05/27/22 11:48	79-01-6	
Trichlorofluoromethane	<11400	ug/kg	39400	11400	500	05/26/22 07:45	05/27/22 11:48	75-69-4	
1,2,3-Trichloropropane	<19100	ug/kg	39400	19100	500	05/26/22 07:45	05/27/22 11:48	96-18-4	
1,2,4-Trimethylbenzene	<11700	ug/kg	39400	11700	500	05/26/22 07:45	05/27/22 11:48	95-63-6	
1,3,5-Trimethylbenzene	<12700	ug/kg	39400	12700	500	05/26/22 07:45	05/27/22 11:48	108-67-8	
Vinyl chloride	<7950	ug/kg	39400	7950	500	05/26/22 07:45	05/27/22 11:48	75-01-4	
m&p-Xylene	<16600	ug/kg	78700	16600	500	05/26/22 07:45	05/27/22 11:48	179601-23-1	
o-Xylene	<11800	ug/kg	39400	11800	500	05/26/22 07:45	05/27/22 11:48	95-47-6	
Surrogates									
Toluene-d8 (S)	231	%	69-153		500	05/26/22 07:45	05/27/22 11:48	2037-26-5	S4
4-Bromofluorobenzene (S)	247	%	68-156		500	05/26/22 07:45	05/27/22 11:48	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	495	%	71-161		500	05/26/22 07:45	05/27/22 11:48	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.3	%	0.10	0.10	1		05/25/22 14:08		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: **6526-EX-W-2** Lab ID: **40245361010** Collected: 05/19/22 08:10 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<1710	ug/kg	2870	1710	100	05/26/22 07:45	05/27/22 10:27	71-43-2	
Bromobenzene	<2800	ug/kg	7170	2800	100	05/26/22 07:45	05/27/22 10:27	108-86-1	
Bromochloromethane	<1960	ug/kg	7170	1960	100	05/26/22 07:45	05/27/22 10:27	74-97-5	
Bromodichloromethane	<1710	ug/kg	7170	1710	100	05/26/22 07:45	05/27/22 10:27	75-27-4	
Bromoform	<31500	ug/kg	35900	31500	100	05/26/22 07:45	05/27/22 10:27	75-25-2	
Bromomethane	<10100	ug/kg	35900	10100	100	05/26/22 07:45	05/27/22 10:27	74-83-9	
n-Butylbenzene	<3280	ug/kg	7170	3280	100	05/26/22 07:45	05/27/22 10:27	104-51-8	
sec-Butylbenzene	<1750	ug/kg	7170	1750	100	05/26/22 07:45	05/27/22 10:27	135-98-8	
tert-Butylbenzene	<2250	ug/kg	7170	2250	100	05/26/22 07:45	05/27/22 10:27	98-06-6	
Carbon tetrachloride	<1580	ug/kg	7170	1580	100	05/26/22 07:45	05/27/22 10:27	56-23-5	
Chlorobenzene	<859	ug/kg	7170	859	100	05/26/22 07:45	05/27/22 10:27	108-90-7	
Chloroethane	<3030	ug/kg	35900	3030	100	05/26/22 07:45	05/27/22 10:27	75-00-3	
Chloroform	<5130	ug/kg	35900	5130	100	05/26/22 07:45	05/27/22 10:27	67-66-3	
Chloromethane	<2720	ug/kg	7170	2720	100	05/26/22 07:45	05/27/22 10:27	74-87-3	
2-Chlorotoluene	<2320	ug/kg	7170	2320	100	05/26/22 07:45	05/27/22 10:27	95-49-8	
4-Chlorotoluene	<2720	ug/kg	7170	2720	100	05/26/22 07:45	05/27/22 10:27	106-43-4	
1,2-Dibromo-3-chloropropane	<5560	ug/kg	35900	5560	100	05/26/22 07:45	05/27/22 10:27	96-12-8	
Dibromochloromethane	<24500	ug/kg	35900	24500	100	05/26/22 07:45	05/27/22 10:27	124-48-1	
1,2-Dibromoethane (EDB)	<1960	ug/kg	7170	1960	100	05/26/22 07:45	05/27/22 10:27	106-93-4	
Dibromomethane	<2120	ug/kg	7170	2120	100	05/26/22 07:45	05/27/22 10:27	74-95-3	
1,2-Dichlorobenzene	<2220	ug/kg	7170	2220	100	05/26/22 07:45	05/27/22 10:27	95-50-1	
1,3-Dichlorobenzene	<1960	ug/kg	7170	1960	100	05/26/22 07:45	05/27/22 10:27	541-73-1	
1,4-Dichlorobenzene	<1960	ug/kg	7170	1960	100	05/26/22 07:45	05/27/22 10:27	106-46-7	
Dichlorodifluoromethane	<3080	ug/kg	7170	3080	100	05/26/22 07:45	05/27/22 10:27	75-71-8	
1,1-Dichloroethane	<1840	ug/kg	7170	1840	100	05/26/22 07:45	05/27/22 10:27	75-34-3	
1,2-Dichloroethane	<1650	ug/kg	7170	1650	100	05/26/22 07:45	05/27/22 10:27	107-06-2	
1,1-Dichloroethene	<2380	ug/kg	7170	2380	100	05/26/22 07:45	05/27/22 10:27	75-35-4	
cis-1,2-Dichloroethene	3430J	ug/kg	7170	1530	100	05/26/22 07:45	05/27/22 10:27	156-59-2	
trans-1,2-Dichloroethene	<1550	ug/kg	7170	1550	100	05/26/22 07:45	05/27/22 10:27	156-60-5	
1,2-Dichloropropane	<1710	ug/kg	7170	1710	100	05/26/22 07:45	05/27/22 10:27	78-87-5	
1,3-Dichloropropane	<1560	ug/kg	7170	1560	100	05/26/22 07:45	05/27/22 10:27	142-28-9	
2,2-Dichloropropane	<1940	ug/kg	7170	1940	100	05/26/22 07:45	05/27/22 10:27	594-20-7	
1,1-Dichloropropene	<2320	ug/kg	7170	2320	100	05/26/22 07:45	05/27/22 10:27	563-58-6	
cis-1,3-Dichloropropene	<4730	ug/kg	35900	4730	100	05/26/22 07:45	05/27/22 10:27	10061-01-5	
trans-1,3-Dichloropropene	<20500	ug/kg	35900	20500	100	05/26/22 07:45	05/27/22 10:27	10061-02-6	
Diisopropyl ether	<1780	ug/kg	7170	1780	100	05/26/22 07:45	05/27/22 10:27	108-20-3	
Ethylbenzene	<1710	ug/kg	7170	1710	100	05/26/22 07:45	05/27/22 10:27	100-41-4	
Hexachloro-1,3-butadiene	<14300	ug/kg	35900	14300	100	05/26/22 07:45	05/27/22 10:27	87-68-3	
Isopropylbenzene (Cumene)	<1940	ug/kg	7170	1940	100	05/26/22 07:45	05/27/22 10:27	98-82-8	
p-Isopropyltoluene	2700J	ug/kg	7170	2180	100	05/26/22 07:45	05/27/22 10:27	99-87-6	
Methylene Chloride	<1990	ug/kg	7170	1990	100	05/26/22 07:45	05/27/22 10:27	75-09-2	
Methyl-tert-butyl ether	<2110	ug/kg	7170	2110	100	05/26/22 07:45	05/27/22 10:27	1634-04-4	
Naphthalene	12900J	ug/kg	35900	2240	100	05/26/22 07:45	05/27/22 10:27	91-20-3	
n-Propylbenzene	1890J	ug/kg	7170	1720	100	05/26/22 07:45	05/27/22 10:27	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-2 **Lab ID: 40245361010** Collected: 05/19/22 08:10 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<1840	ug/kg	7170	1840	100	05/26/22 07:45	05/27/22 10:27	100-42-5	
1,1,1,2-Tetrachloroethane	<1720	ug/kg	7170	1720	100	05/26/22 07:45	05/27/22 10:27	630-20-6	
1,1,2,2-Tetrachloroethane	<2600	ug/kg	7170	2600	100	05/26/22 07:45	05/27/22 10:27	79-34-5	
Tetrachloroethene	<2780	ug/kg	7170	2780	100	05/26/22 07:45	05/27/22 10:27	127-18-4	
Toluene	<1810	ug/kg	7170	1810	100	05/26/22 07:45	05/27/22 10:27	108-88-3	
1,2,3-Trichlorobenzene	<7990	ug/kg	35900	7990	100	05/26/22 07:45	05/27/22 10:27	87-61-6	
1,2,4-Trichlorobenzene	<5910	ug/kg	35900	5910	100	05/26/22 07:45	05/27/22 10:27	120-82-1	
1,1,1-Trichloroethane	<1840	ug/kg	7170	1840	100	05/26/22 07:45	05/27/22 10:27	71-55-6	
1,1,2-Trichloroethane	<2610	ug/kg	7170	2610	100	05/26/22 07:45	05/27/22 10:27	79-00-5	
Trichloroethene	<2680	ug/kg	7170	2680	100	05/26/22 07:45	05/27/22 10:27	79-01-6	
Trichlorofluoromethane	<2080	ug/kg	7170	2080	100	05/26/22 07:45	05/27/22 10:27	75-69-4	
1,2,3-Trichloropropane	<3480	ug/kg	7170	3480	100	05/26/22 07:45	05/27/22 10:27	96-18-4	
1,2,4-Trimethylbenzene	18100	ug/kg	7170	2140	100	05/26/22 07:45	05/27/22 10:27	95-63-6	
1,3,5-Trimethylbenzene	7120J	ug/kg	7170	2310	100	05/26/22 07:45	05/27/22 10:27	108-67-8	
Vinyl chloride	<1450	ug/kg	7170	1450	100	05/26/22 07:45	05/27/22 10:27	75-01-4	
m&p-Xylene	<3030	ug/kg	14300	3030	100	05/26/22 07:45	05/27/22 10:27	179601-23-1	
o-Xylene	<2150	ug/kg	7170	2150	100	05/26/22 07:45	05/27/22 10:27	95-47-6	
Surrogates									
Toluene-d8 (S)	135	%	69-153		100	05/26/22 07:45	05/27/22 10:27	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	236	%	68-156		100	05/26/22 07:45	05/27/22 10:27	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	358	%	71-161		100	05/26/22 07:45	05/27/22 10:27	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	17.8	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-3 **Lab ID: 40245361011** Collected: 05/19/22 09:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<1860	ug/kg	3130	1860	100	05/26/22 07:45	05/27/22 19:00	71-43-2	
Bromobenzene	<3050	ug/kg	7830	3050	100	05/26/22 07:45	05/27/22 19:00	108-86-1	
Bromochloromethane	<2140	ug/kg	7830	2140	100	05/26/22 07:45	05/27/22 19:00	74-97-5	
Bromodichloromethane	<1860	ug/kg	7830	1860	100	05/26/22 07:45	05/27/22 19:00	75-27-4	
Bromoform	<34400	ug/kg	39100	34400	100	05/26/22 07:45	05/27/22 19:00	75-25-2	
Bromomethane	<11000	ug/kg	39100	11000	100	05/26/22 07:45	05/27/22 19:00	74-83-9	
n-Butylbenzene	<3580	ug/kg	7830	3580	100	05/26/22 07:45	05/27/22 19:00	104-51-8	
sec-Butylbenzene	<1910	ug/kg	7830	1910	100	05/26/22 07:45	05/27/22 19:00	135-98-8	
tert-Butylbenzene	<2460	ug/kg	7830	2460	100	05/26/22 07:45	05/27/22 19:00	98-06-6	
Carbon tetrachloride	<1720	ug/kg	7830	1720	100	05/26/22 07:45	05/27/22 19:00	56-23-5	
Chlorobenzene	<938	ug/kg	7830	938	100	05/26/22 07:45	05/27/22 19:00	108-90-7	
Chloroethane	<3300	ug/kg	39100	3300	100	05/26/22 07:45	05/27/22 19:00	75-00-3	
Chloroform	<5600	ug/kg	39100	5600	100	05/26/22 07:45	05/27/22 19:00	67-66-3	
Chloromethane	<2970	ug/kg	7830	2970	100	05/26/22 07:45	05/27/22 19:00	74-87-3	
2-Chlorotoluene	<2540	ug/kg	7830	2540	100	05/26/22 07:45	05/27/22 19:00	95-49-8	
4-Chlorotoluene	<2970	ug/kg	7830	2970	100	05/26/22 07:45	05/27/22 19:00	106-43-4	
1,2-Dibromo-3-chloropropane	<6070	ug/kg	39100	6070	100	05/26/22 07:45	05/27/22 19:00	96-12-8	
Dibromochloromethane	<26700	ug/kg	39100	26700	100	05/26/22 07:45	05/27/22 19:00	124-48-1	
1,2-Dibromoethane (EDB)	<2140	ug/kg	7830	2140	100	05/26/22 07:45	05/27/22 19:00	106-93-4	
Dibromomethane	<2320	ug/kg	7830	2320	100	05/26/22 07:45	05/27/22 19:00	74-95-3	
1,2-Dichlorobenzene	<2430	ug/kg	7830	2430	100	05/26/22 07:45	05/27/22 19:00	95-50-1	
1,3-Dichlorobenzene	<2140	ug/kg	7830	2140	100	05/26/22 07:45	05/27/22 19:00	541-73-1	
1,4-Dichlorobenzene	<2140	ug/kg	7830	2140	100	05/26/22 07:45	05/27/22 19:00	106-46-7	
Dichlorodifluoromethane	<3370	ug/kg	7830	3370	100	05/26/22 07:45	05/27/22 19:00	75-71-8	
1,1-Dichloroethane	<2000	ug/kg	7830	2000	100	05/26/22 07:45	05/27/22 19:00	75-34-3	
1,2-Dichloroethane	<1800	ug/kg	7830	1800	100	05/26/22 07:45	05/27/22 19:00	107-06-2	
1,1-Dichloroethene	<2600	ug/kg	7830	2600	100	05/26/22 07:45	05/27/22 19:00	75-35-4	
cis-1,2-Dichloroethene	<1670	ug/kg	7830	1670	100	05/26/22 07:45	05/27/22 19:00	156-59-2	
trans-1,2-Dichloroethene	<1690	ug/kg	7830	1690	100	05/26/22 07:45	05/27/22 19:00	156-60-5	
1,2-Dichloropropane	<1860	ug/kg	7830	1860	100	05/26/22 07:45	05/27/22 19:00	78-87-5	
1,3-Dichloropropane	<1710	ug/kg	7830	1710	100	05/26/22 07:45	05/27/22 19:00	142-28-9	
2,2-Dichloropropane	<2110	ug/kg	7830	2110	100	05/26/22 07:45	05/27/22 19:00	594-20-7	
1,1-Dichloropropene	<2540	ug/kg	7830	2540	100	05/26/22 07:45	05/27/22 19:00	563-58-6	
cis-1,3-Dichloropropene	<5170	ug/kg	39100	5170	100	05/26/22 07:45	05/27/22 19:00	10061-01-5	
trans-1,3-Dichloropropene	<22400	ug/kg	39100	22400	100	05/26/22 07:45	05/27/22 19:00	10061-02-6	
Diisopropyl ether	<1940	ug/kg	7830	1940	100	05/26/22 07:45	05/27/22 19:00	108-20-3	
Ethylbenzene	<1860	ug/kg	7830	1860	100	05/26/22 07:45	05/27/22 19:00	100-41-4	
Hexachloro-1,3-butadiene	<15600	ug/kg	39100	15600	100	05/26/22 07:45	05/27/22 19:00	87-68-3	
Isopropylbenzene (Cumene)	<2110	ug/kg	7830	2110	100	05/26/22 07:45	05/27/22 19:00	98-82-8	
p-Isopropyltoluene	3630J	ug/kg	7830	2380	100	05/26/22 07:45	05/27/22 19:00	99-87-6	
Methylene Chloride	<2180	ug/kg	7830	2180	100	05/26/22 07:45	05/27/22 19:00	75-09-2	
Methyl-tert-butyl ether	<2300	ug/kg	7830	2300	100	05/26/22 07:45	05/27/22 19:00	1634-04-4	
Naphthalene	17900J	ug/kg	39100	2440	100	05/26/22 07:45	05/27/22 19:00	91-20-3	
n-Propylbenzene	<1880	ug/kg	7830	1880	100	05/26/22 07:45	05/27/22 19:00	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-3 **Lab ID: 40245361011** Collected: 05/19/22 09:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<2000	ug/kg	7830	2000	100	05/26/22 07:45	05/27/22 19:00	100-42-5	
1,1,1,2-Tetrachloroethane	<1880	ug/kg	7830	1880	100	05/26/22 07:45	05/27/22 19:00	630-20-6	
1,1,2,2-Tetrachloroethane	<2830	ug/kg	7830	2830	100	05/26/22 07:45	05/27/22 19:00	79-34-5	
Tetrachloroethene	<3040	ug/kg	7830	3040	100	05/26/22 07:45	05/27/22 19:00	127-18-4	
Toluene	<1970	ug/kg	7830	1970	100	05/26/22 07:45	05/27/22 19:00	108-88-3	
1,2,3-Trichlorobenzene	<8720	ug/kg	39100	8720	100	05/26/22 07:45	05/27/22 19:00	87-61-6	
1,2,4-Trichlorobenzene	<6450	ug/kg	39100	6450	100	05/26/22 07:45	05/27/22 19:00	120-82-1	
1,1,1-Trichloroethane	<2000	ug/kg	7830	2000	100	05/26/22 07:45	05/27/22 19:00	71-55-6	
1,1,2-Trichloroethane	<2850	ug/kg	7830	2850	100	05/26/22 07:45	05/27/22 19:00	79-00-5	
Trichloroethene	<2930	ug/kg	7830	2930	100	05/26/22 07:45	05/27/22 19:00	79-01-6	
Trichlorofluoromethane	<2270	ug/kg	7830	2270	100	05/26/22 07:45	05/27/22 19:00	75-69-4	
1,2,3-Trichloropropane	<3800	ug/kg	7830	3800	100	05/26/22 07:45	05/27/22 19:00	96-18-4	
1,2,4-Trimethylbenzene	13600	ug/kg	7830	2330	100	05/26/22 07:45	05/27/22 19:00	95-63-6	
1,3,5-Trimethylbenzene	5890J	ug/kg	7830	2520	100	05/26/22 07:45	05/27/22 19:00	108-67-8	
Vinyl chloride	<1580	ug/kg	7830	1580	100	05/26/22 07:45	05/27/22 19:00	75-01-4	
m&p-Xylene	<3300	ug/kg	15700	3300	100	05/26/22 07:45	05/27/22 19:00	179601-23-1	
o-Xylene	<2350	ug/kg	7830	2350	100	05/26/22 07:45	05/27/22 19:00	95-47-6	
Surrogates									
Toluene-d8 (S)	119	%	69-153		100	05/26/22 07:45	05/27/22 19:00	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	187	%	68-156		100	05/26/22 07:45	05/27/22 19:00	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	438	%	71-161		100	05/26/22 07:45	05/27/22 19:00	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.0	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-W-4 **Lab ID: 40245361012** Collected: 05/19/22 11:05 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<1590	ug/kg	2680	1590	100	05/26/22 07:45	05/27/22 19:20	71-43-2	
Bromobenzene	<2610	ug/kg	6700	2610	100	05/26/22 07:45	05/27/22 19:20	108-86-1	
Bromochloromethane	<1840	ug/kg	6700	1840	100	05/26/22 07:45	05/27/22 19:20	74-97-5	
Bromodichloromethane	<1590	ug/kg	6700	1590	100	05/26/22 07:45	05/27/22 19:20	75-27-4	
Bromoform	<29500	ug/kg	33500	29500	100	05/26/22 07:45	05/27/22 19:20	75-25-2	
Bromomethane	<9390	ug/kg	33500	9390	100	05/26/22 07:45	05/27/22 19:20	74-83-9	
n-Butylbenzene	<3070	ug/kg	6700	3070	100	05/26/22 07:45	05/27/22 19:20	104-51-8	
sec-Butylbenzene	2860J	ug/kg	6700	1630	100	05/26/22 07:45	05/27/22 19:20	135-98-8	
tert-Butylbenzene	<2100	ug/kg	6700	2100	100	05/26/22 07:45	05/27/22 19:20	98-06-6	
Carbon tetrachloride	<1470	ug/kg	6700	1470	100	05/26/22 07:45	05/27/22 19:20	56-23-5	
Chlorobenzene	<803	ug/kg	6700	803	100	05/26/22 07:45	05/27/22 19:20	108-90-7	
Chloroethane	<2830	ug/kg	33500	2830	100	05/26/22 07:45	05/27/22 19:20	75-00-3	
Chloroform	<4800	ug/kg	33500	4800	100	05/26/22 07:45	05/27/22 19:20	67-66-3	
Chloromethane	<2550	ug/kg	6700	2550	100	05/26/22 07:45	05/27/22 19:20	74-87-3	
2-Chlorotoluene	<2170	ug/kg	6700	2170	100	05/26/22 07:45	05/27/22 19:20	95-49-8	
4-Chlorotoluene	<2550	ug/kg	6700	2550	100	05/26/22 07:45	05/27/22 19:20	106-43-4	
1,2-Dibromo-3-chloropropane	<5200	ug/kg	33500	5200	100	05/26/22 07:45	05/27/22 19:20	96-12-8	
Dibromochloromethane	<22900	ug/kg	33500	22900	100	05/26/22 07:45	05/27/22 19:20	124-48-1	
1,2-Dibromoethane (EDB)	<1840	ug/kg	6700	1840	100	05/26/22 07:45	05/27/22 19:20	106-93-4	
Dibromomethane	<1980	ug/kg	6700	1980	100	05/26/22 07:45	05/27/22 19:20	74-95-3	
1,2-Dichlorobenzene	<2080	ug/kg	6700	2080	100	05/26/22 07:45	05/27/22 19:20	95-50-1	
1,3-Dichlorobenzene	<1840	ug/kg	6700	1840	100	05/26/22 07:45	05/27/22 19:20	541-73-1	
1,4-Dichlorobenzene	<1840	ug/kg	6700	1840	100	05/26/22 07:45	05/27/22 19:20	106-46-7	
Dichlorodifluoromethane	<2880	ug/kg	6700	2880	100	05/26/22 07:45	05/27/22 19:20	75-71-8	
1,1-Dichloroethane	<1710	ug/kg	6700	1710	100	05/26/22 07:45	05/27/22 19:20	75-34-3	
1,2-Dichloroethane	<1540	ug/kg	6700	1540	100	05/26/22 07:45	05/27/22 19:20	107-06-2	
1,1-Dichloroethene	<2220	ug/kg	6700	2220	100	05/26/22 07:45	05/27/22 19:20	75-35-4	
cis-1,2-Dichloroethene	<1430	ug/kg	6700	1430	100	05/26/22 07:45	05/27/22 19:20	156-59-2	
trans-1,2-Dichloroethene	<1450	ug/kg	6700	1450	100	05/26/22 07:45	05/27/22 19:20	156-60-5	
1,2-Dichloropropane	<1590	ug/kg	6700	1590	100	05/26/22 07:45	05/27/22 19:20	78-87-5	
1,3-Dichloropropane	<1460	ug/kg	6700	1460	100	05/26/22 07:45	05/27/22 19:20	142-28-9	
2,2-Dichloropropane	<1810	ug/kg	6700	1810	100	05/26/22 07:45	05/27/22 19:20	594-20-7	
1,1-Dichloropropene	<2170	ug/kg	6700	2170	100	05/26/22 07:45	05/27/22 19:20	563-58-6	
cis-1,3-Dichloropropene	<4420	ug/kg	33500	4420	100	05/26/22 07:45	05/27/22 19:20	10061-01-5	
trans-1,3-Dichloropropene	<19200	ug/kg	33500	19200	100	05/26/22 07:45	05/27/22 19:20	10061-02-6	
Diisopropyl ether	<1660	ug/kg	6700	1660	100	05/26/22 07:45	05/27/22 19:20	108-20-3	
Ethylbenzene	<1590	ug/kg	6700	1590	100	05/26/22 07:45	05/27/22 19:20	100-41-4	
Hexachloro-1,3-butadiene	<13300	ug/kg	33500	13300	100	05/26/22 07:45	05/27/22 19:20	87-68-3	
Isopropylbenzene (Cumene)	<1810	ug/kg	6700	1810	100	05/26/22 07:45	05/27/22 19:20	98-82-8	
p-Isopropyltoluene	3400J	ug/kg	6700	2040	100	05/26/22 07:45	05/27/22 19:20	99-87-6	
Methylene Chloride	<1860	ug/kg	6700	1860	100	05/26/22 07:45	05/27/22 19:20	75-09-2	
Methyl-tert-butyl ether	<1970	ug/kg	6700	1970	100	05/26/22 07:45	05/27/22 19:20	1634-04-4	
Naphthalene	19100J	ug/kg	33500	2090	100	05/26/22 07:45	05/27/22 19:20	91-20-3	
n-Propylbenzene	1960J	ug/kg	6700	1610	100	05/26/22 07:45	05/27/22 19:20	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-4 **Lab ID: 40245361012** Collected: 05/19/22 11:05 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<1710	ug/kg	6700	1710	100	05/26/22 07:45	05/27/22 19:20	100-42-5	
1,1,1,2-Tetrachloroethane	<1610	ug/kg	6700	1610	100	05/26/22 07:45	05/27/22 19:20	630-20-6	
1,1,2,2-Tetrachloroethane	<2430	ug/kg	6700	2430	100	05/26/22 07:45	05/27/22 19:20	79-34-5	
Tetrachloroethene	<2600	ug/kg	6700	2600	100	05/26/22 07:45	05/27/22 19:20	127-18-4	
Toluene	<1690	ug/kg	6700	1690	100	05/26/22 07:45	05/27/22 19:20	108-88-3	
1,2,3-Trichlorobenzene	<7460	ug/kg	33500	7460	100	05/26/22 07:45	05/27/22 19:20	87-61-6	
1,2,4-Trichlorobenzene	<5520	ug/kg	33500	5520	100	05/26/22 07:45	05/27/22 19:20	120-82-1	
1,1,1-Trichloroethane	<1710	ug/kg	6700	1710	100	05/26/22 07:45	05/27/22 19:20	71-55-6	
1,1,2-Trichloroethane	<2440	ug/kg	6700	2440	100	05/26/22 07:45	05/27/22 19:20	79-00-5	
Trichloroethene	<2510	ug/kg	6700	2510	100	05/26/22 07:45	05/27/22 19:20	79-01-6	
Trichlorofluoromethane	<1940	ug/kg	6700	1940	100	05/26/22 07:45	05/27/22 19:20	75-69-4	
1,2,3-Trichloropropane	<3260	ug/kg	6700	3260	100	05/26/22 07:45	05/27/22 19:20	96-18-4	
1,2,4-Trimethylbenzene	15300	ug/kg	6700	2000	100	05/26/22 07:45	05/27/22 19:20	95-63-6	
1,3,5-Trimethylbenzene	5030J	ug/kg	6700	2160	100	05/26/22 07:45	05/27/22 19:20	108-67-8	
Vinyl chloride	<1350	ug/kg	6700	1350	100	05/26/22 07:45	05/27/22 19:20	75-01-4	
m&p-Xylene	<2830	ug/kg	13400	2830	100	05/26/22 07:45	05/27/22 19:20	179601-23-1	
o-Xylene	<2010	ug/kg	6700	2010	100	05/26/22 07:45	05/27/22 19:20	95-47-6	
Surrogates									
Toluene-d8 (S)	116	%	69-153		100	05/26/22 07:45	05/27/22 19:20	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	179	%	68-156		100	05/26/22 07:45	05/27/22 19:20	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	285	%	71-161		100	05/26/22 07:45	05/27/22 19:20	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	14.5	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-W-5 **Lab ID: 40245361013** Collected: 05/19/22 11:15 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<3110	ug/kg	5220	3110	200	05/26/22 07:45	05/27/22 12:48	71-43-2	
Bromobenzene	<5090	ug/kg	13100	5090	200	05/26/22 07:45	05/27/22 12:48	108-86-1	
Bromochloromethane	<3580	ug/kg	13100	3580	200	05/26/22 07:45	05/27/22 12:48	74-97-5	
Bromodichloromethane	<3110	ug/kg	13100	3110	200	05/26/22 07:45	05/27/22 12:48	75-27-4	
Bromoform	<57400	ug/kg	65300	57400	200	05/26/22 07:45	05/27/22 12:48	75-25-2	
Bromomethane	<18300	ug/kg	65300	18300	200	05/26/22 07:45	05/27/22 12:48	74-83-9	
n-Butylbenzene	<5980	ug/kg	13100	5980	200	05/26/22 07:45	05/27/22 12:48	104-51-8	
sec-Butylbenzene	<3180	ug/kg	13100	3180	200	05/26/22 07:45	05/27/22 12:48	135-98-8	
tert-Butylbenzene	<4100	ug/kg	13100	4100	200	05/26/22 07:45	05/27/22 12:48	98-06-6	
Carbon tetrachloride	<2870	ug/kg	13100	2870	200	05/26/22 07:45	05/27/22 12:48	56-23-5	
Chlorobenzene	<1560	ug/kg	13100	1560	200	05/26/22 07:45	05/27/22 12:48	108-90-7	
Chloroethane	<5510	ug/kg	65300	5510	200	05/26/22 07:45	05/27/22 12:48	75-00-3	
Chloroform	<9350	ug/kg	65300	9350	200	05/26/22 07:45	05/27/22 12:48	67-66-3	
Chloromethane	<4960	ug/kg	13100	4960	200	05/26/22 07:45	05/27/22 12:48	74-87-3	
2-Chlorotoluene	<4230	ug/kg	13100	4230	200	05/26/22 07:45	05/27/22 12:48	95-49-8	
4-Chlorotoluene	<4960	ug/kg	13100	4960	200	05/26/22 07:45	05/27/22 12:48	106-43-4	
1,2-Dibromo-3-chloropropane	<10100	ug/kg	65300	10100	200	05/26/22 07:45	05/27/22 12:48	96-12-8	
Dibromochloromethane	<44600	ug/kg	65300	44600	200	05/26/22 07:45	05/27/22 12:48	124-48-1	
1,2-Dibromoethane (EDB)	<3580	ug/kg	13100	3580	200	05/26/22 07:45	05/27/22 12:48	106-93-4	
Dibromomethane	<3860	ug/kg	13100	3860	200	05/26/22 07:45	05/27/22 12:48	74-95-3	
1,2-Dichlorobenzene	<4050	ug/kg	13100	4050	200	05/26/22 07:45	05/27/22 12:48	95-50-1	
1,3-Dichlorobenzene	<3580	ug/kg	13100	3580	200	05/26/22 07:45	05/27/22 12:48	541-73-1	
1,4-Dichlorobenzene	<3580	ug/kg	13100	3580	200	05/26/22 07:45	05/27/22 12:48	106-46-7	
Dichlorodifluoromethane	<5610	ug/kg	13100	5610	200	05/26/22 07:45	05/27/22 12:48	75-71-8	
1,1-Dichloroethane	<3340	ug/kg	13100	3340	200	05/26/22 07:45	05/27/22 12:48	75-34-3	
1,2-Dichloroethane	<3000	ug/kg	13100	3000	200	05/26/22 07:45	05/27/22 12:48	107-06-2	
1,1-Dichloroethene	<4330	ug/kg	13100	4330	200	05/26/22 07:45	05/27/22 12:48	75-35-4	
cis-1,2-Dichloroethene	<2790	ug/kg	13100	2790	200	05/26/22 07:45	05/27/22 12:48	156-59-2	
trans-1,2-Dichloroethene	<2820	ug/kg	13100	2820	200	05/26/22 07:45	05/27/22 12:48	156-60-5	
1,2-Dichloropropane	<3110	ug/kg	13100	3110	200	05/26/22 07:45	05/27/22 12:48	78-87-5	
1,3-Dichloropropane	<2850	ug/kg	13100	2850	200	05/26/22 07:45	05/27/22 12:48	142-28-9	
2,2-Dichloropropane	<3520	ug/kg	13100	3520	200	05/26/22 07:45	05/27/22 12:48	594-20-7	
1,1-Dichloropropene	<4230	ug/kg	13100	4230	200	05/26/22 07:45	05/27/22 12:48	563-58-6	
cis-1,3-Dichloropropene	<8620	ug/kg	65300	8620	200	05/26/22 07:45	05/27/22 12:48	10061-01-5	
trans-1,3-Dichloropropene	<37300	ug/kg	65300	37300	200	05/26/22 07:45	05/27/22 12:48	10061-02-6	
Diisopropyl ether	<3240	ug/kg	13100	3240	200	05/26/22 07:45	05/27/22 12:48	108-20-3	
Ethylbenzene	<3110	ug/kg	13100	3110	200	05/26/22 07:45	05/27/22 12:48	100-41-4	
Hexachloro-1,3-butadiene	<25900	ug/kg	65300	25900	200	05/26/22 07:45	05/27/22 12:48	87-68-3	
Isopropylbenzene (Cumene)	<3520	ug/kg	13100	3520	200	05/26/22 07:45	05/27/22 12:48	98-82-8	
p-Isopropyltoluene	<3970	ug/kg	13100	3970	200	05/26/22 07:45	05/27/22 12:48	99-87-6	
Methylene Chloride	<3630	ug/kg	13100	3630	200	05/26/22 07:45	05/27/22 12:48	75-09-2	
Methyl-tert-butyl ether	<3840	ug/kg	13100	3840	200	05/26/22 07:45	05/27/22 12:48	1634-04-4	
Naphthalene	12500J	ug/kg	65300	4070	200	05/26/22 07:45	05/27/22 12:48	91-20-3	
n-Propylbenzene	<3130	ug/kg	13100	3130	200	05/26/22 07:45	05/27/22 12:48	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-5 **Lab ID: 40245361013** Collected: 05/19/22 11:15 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<3340	ug/kg	13100	3340	200	05/26/22 07:45	05/27/22 12:48	100-42-5	
1,1,1,2-Tetrachloroethane	<3130	ug/kg	13100	3130	200	05/26/22 07:45	05/27/22 12:48	630-20-6	
1,1,2,2-Tetrachloroethane	<4730	ug/kg	13100	4730	200	05/26/22 07:45	05/27/22 12:48	79-34-5	
Tetrachloroethene	<5060	ug/kg	13100	5060	200	05/26/22 07:45	05/27/22 12:48	127-18-4	
Toluene	<3290	ug/kg	13100	3290	200	05/26/22 07:45	05/27/22 12:48	108-88-3	
1,2,3-Trichlorobenzene	<14500	ug/kg	65300	14500	200	05/26/22 07:45	05/27/22 12:48	87-61-6	
1,2,4-Trichlorobenzene	<10800	ug/kg	65300	10800	200	05/26/22 07:45	05/27/22 12:48	120-82-1	
1,1,1-Trichloroethane	<3340	ug/kg	13100	3340	200	05/26/22 07:45	05/27/22 12:48	71-55-6	
1,1,2-Trichloroethane	<4750	ug/kg	13100	4750	200	05/26/22 07:45	05/27/22 12:48	79-00-5	
Trichloroethene	<4880	ug/kg	13100	4880	200	05/26/22 07:45	05/27/22 12:48	79-01-6	
Trichlorofluoromethane	<3790	ug/kg	13100	3790	200	05/26/22 07:45	05/27/22 12:48	75-69-4	
1,2,3-Trichloropropane	<6340	ug/kg	13100	6340	200	05/26/22 07:45	05/27/22 12:48	96-18-4	
1,2,4-Trimethylbenzene	7920J	ug/kg	13100	3890	200	05/26/22 07:45	05/27/22 12:48	95-63-6	
1,3,5-Trimethylbenzene	<4200	ug/kg	13100	4200	200	05/26/22 07:45	05/27/22 12:48	108-67-8	
Vinyl chloride	<2640	ug/kg	13100	2640	200	05/26/22 07:45	05/27/22 12:48	75-01-4	
m&p-Xylene	<5510	ug/kg	26100	5510	200	05/26/22 07:45	05/27/22 12:48	179601-23-1	
o-Xylene	<3920	ug/kg	13100	3920	200	05/26/22 07:45	05/27/22 12:48	95-47-6	
Surrogates									
Toluene-d8 (S)	117	%	69-153		200	05/26/22 07:45	05/27/22 12:48	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	177	%	68-156		200	05/26/22 07:45	05/27/22 12:48	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	295	%	71-161		200	05/26/22 07:45	05/27/22 12:48	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	13.2	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-6 **Lab ID: 40245361014** Collected: 05/19/22 11:20 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<1670	ug/kg	2800	1670	100	05/26/22 07:45	05/27/22 19:41	71-43-2	
Bromobenzene	<2730	ug/kg	7000	2730	100	05/26/22 07:45	05/27/22 19:41	108-86-1	
Bromochloromethane	<1920	ug/kg	7000	1920	100	05/26/22 07:45	05/27/22 19:41	74-97-5	
Bromodichloromethane	<1670	ug/kg	7000	1670	100	05/26/22 07:45	05/27/22 19:41	75-27-4	
Bromoform	<30800	ug/kg	35000	30800	100	05/26/22 07:45	05/27/22 19:41	75-25-2	
Bromomethane	<9810	ug/kg	35000	9810	100	05/26/22 07:45	05/27/22 19:41	74-83-9	
n-Butylbenzene	<3210	ug/kg	7000	3210	100	05/26/22 07:45	05/27/22 19:41	104-51-8	
sec-Butylbenzene	<1710	ug/kg	7000	1710	100	05/26/22 07:45	05/27/22 19:41	135-98-8	
tert-Butylbenzene	<2200	ug/kg	7000	2200	100	05/26/22 07:45	05/27/22 19:41	98-06-6	
Carbon tetrachloride	<1540	ug/kg	7000	1540	100	05/26/22 07:45	05/27/22 19:41	56-23-5	
Chlorobenzene	<838	ug/kg	7000	838	100	05/26/22 07:45	05/27/22 19:41	108-90-7	
Chloroethane	<2950	ug/kg	35000	2950	100	05/26/22 07:45	05/27/22 19:41	75-00-3	
Chloroform	<5010	ug/kg	35000	5010	100	05/26/22 07:45	05/27/22 19:41	67-66-3	
Chloromethane	<2660	ug/kg	7000	2660	100	05/26/22 07:45	05/27/22 19:41	74-87-3	
2-Chlorotoluene	<2270	ug/kg	7000	2270	100	05/26/22 07:45	05/27/22 19:41	95-49-8	
4-Chlorotoluene	<2660	ug/kg	7000	2660	100	05/26/22 07:45	05/27/22 19:41	106-43-4	
1,2-Dibromo-3-chloropropane	<5430	ug/kg	35000	5430	100	05/26/22 07:45	05/27/22 19:41	96-12-8	
Dibromochloromethane	<23900	ug/kg	35000	23900	100	05/26/22 07:45	05/27/22 19:41	124-48-1	
1,2-Dibromoethane (EDB)	<1920	ug/kg	7000	1920	100	05/26/22 07:45	05/27/22 19:41	106-93-4	
Dibromomethane	<2070	ug/kg	7000	2070	100	05/26/22 07:45	05/27/22 19:41	74-95-3	
1,2-Dichlorobenzene	<2170	ug/kg	7000	2170	100	05/26/22 07:45	05/27/22 19:41	95-50-1	
1,3-Dichlorobenzene	<1920	ug/kg	7000	1920	100	05/26/22 07:45	05/27/22 19:41	541-73-1	
1,4-Dichlorobenzene	<1920	ug/kg	7000	1920	100	05/26/22 07:45	05/27/22 19:41	106-46-7	
Dichlorodifluoromethane	<3010	ug/kg	7000	3010	100	05/26/22 07:45	05/27/22 19:41	75-71-8	
1,1-Dichloroethane	<1790	ug/kg	7000	1790	100	05/26/22 07:45	05/27/22 19:41	75-34-3	
1,2-Dichloroethane	<1610	ug/kg	7000	1610	100	05/26/22 07:45	05/27/22 19:41	107-06-2	
1,1-Dichloroethene	<2320	ug/kg	7000	2320	100	05/26/22 07:45	05/27/22 19:41	75-35-4	
cis-1,2-Dichloroethene	<1500	ug/kg	7000	1500	100	05/26/22 07:45	05/27/22 19:41	156-59-2	
trans-1,2-Dichloroethene	<1510	ug/kg	7000	1510	100	05/26/22 07:45	05/27/22 19:41	156-60-5	
1,2-Dichloropropane	<1670	ug/kg	7000	1670	100	05/26/22 07:45	05/27/22 19:41	78-87-5	
1,3-Dichloropropane	<1530	ug/kg	7000	1530	100	05/26/22 07:45	05/27/22 19:41	142-28-9	
2,2-Dichloropropane	<1890	ug/kg	7000	1890	100	05/26/22 07:45	05/27/22 19:41	594-20-7	
1,1-Dichloropropene	<2270	ug/kg	7000	2270	100	05/26/22 07:45	05/27/22 19:41	563-58-6	
cis-1,3-Dichloropropene	<4620	ug/kg	35000	4620	100	05/26/22 07:45	05/27/22 19:41	10061-01-5	
trans-1,3-Dichloropropene	<20000	ug/kg	35000	20000	100	05/26/22 07:45	05/27/22 19:41	10061-02-6	
Diisopropyl ether	<1740	ug/kg	7000	1740	100	05/26/22 07:45	05/27/22 19:41	108-20-3	
Ethylbenzene	<1670	ug/kg	7000	1670	100	05/26/22 07:45	05/27/22 19:41	100-41-4	
Hexachloro-1,3-butadiene	<13900	ug/kg	35000	13900	100	05/26/22 07:45	05/27/22 19:41	87-68-3	
Isopropylbenzene (Cumene)	<1890	ug/kg	7000	1890	100	05/26/22 07:45	05/27/22 19:41	98-82-8	
p-Isopropyltoluene	3260J	ug/kg	7000	2130	100	05/26/22 07:45	05/27/22 19:41	99-87-6	
Methylene Chloride	<1950	ug/kg	7000	1950	100	05/26/22 07:45	05/27/22 19:41	75-09-2	
Methyl-tert-butyl ether	<2060	ug/kg	7000	2060	100	05/26/22 07:45	05/27/22 19:41	1634-04-4	
Naphthalene	21100J	ug/kg	35000	2180	100	05/26/22 07:45	05/27/22 19:41	91-20-3	
n-Propylbenzene	1990J	ug/kg	7000	1680	100	05/26/22 07:45	05/27/22 19:41	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-6 **Lab ID: 40245361014** Collected: 05/19/22 11:20 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<1790	ug/kg	7000	1790	100	05/26/22 07:45	05/27/22 19:41	100-42-5	
1,1,1,2-Tetrachloroethane	<1680	ug/kg	7000	1680	100	05/26/22 07:45	05/27/22 19:41	630-20-6	
1,1,2,2-Tetrachloroethane	<2530	ug/kg	7000	2530	100	05/26/22 07:45	05/27/22 19:41	79-34-5	
Tetrachloroethene	<2720	ug/kg	7000	2720	100	05/26/22 07:45	05/27/22 19:41	127-18-4	
Toluene	<1760	ug/kg	7000	1760	100	05/26/22 07:45	05/27/22 19:41	108-88-3	
1,2,3-Trichlorobenzene	<7800	ug/kg	35000	7800	100	05/26/22 07:45	05/27/22 19:41	87-61-6	
1,2,4-Trichlorobenzene	<5770	ug/kg	35000	5770	100	05/26/22 07:45	05/27/22 19:41	120-82-1	
1,1,1-Trichloroethane	<1790	ug/kg	7000	1790	100	05/26/22 07:45	05/27/22 19:41	71-55-6	
1,1,2-Trichloroethane	<2550	ug/kg	7000	2550	100	05/26/22 07:45	05/27/22 19:41	79-00-5	
Trichloroethene	<2620	ug/kg	7000	2620	100	05/26/22 07:45	05/27/22 19:41	79-01-6	
Trichlorofluoromethane	<2030	ug/kg	7000	2030	100	05/26/22 07:45	05/27/22 19:41	75-69-4	
1,2,3-Trichloropropane	<3400	ug/kg	7000	3400	100	05/26/22 07:45	05/27/22 19:41	96-18-4	
1,2,4-Trimethylbenzene	13700	ug/kg	7000	2090	100	05/26/22 07:45	05/27/22 19:41	95-63-6	
1,3,5-Trimethylbenzene	4870J	ug/kg	7000	2250	100	05/26/22 07:45	05/27/22 19:41	108-67-8	
Vinyl chloride	<1410	ug/kg	7000	1410	100	05/26/22 07:45	05/27/22 19:41	75-01-4	
m&p-Xylene	<2950	ug/kg	14000	2950	100	05/26/22 07:45	05/27/22 19:41	179601-23-1	
o-Xylene	<2100	ug/kg	7000	2100	100	05/26/22 07:45	05/27/22 19:41	95-47-6	
Surrogates									
Toluene-d8 (S)	114	%	69-153		100	05/26/22 07:45	05/27/22 19:41	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	172	%	68-156		100	05/26/22 07:45	05/27/22 19:41	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	488	%	71-161		100	05/26/22 07:45	05/27/22 19:41	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	16.7	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-7 Lab ID: 40245361015 Collected: 05/19/22 11:40 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<75.3	ug/kg	127	75.3	5	05/26/22 07:45	05/31/22 11:37	71-43-2	
Bromobenzene	<123	ug/kg	316	123	5	05/26/22 07:45	05/31/22 11:37	108-86-1	
Bromochloromethane	<86.7	ug/kg	316	86.7	5	05/26/22 07:45	05/31/22 11:37	74-97-5	
Bromodichloromethane	<75.3	ug/kg	316	75.3	5	05/26/22 07:45	05/31/22 11:37	75-27-4	
Bromoform	<1390	ug/kg	1580	1390	5	05/26/22 07:45	05/31/22 11:37	75-25-2	
Bromomethane	<443	ug/kg	1580	443	5	05/26/22 07:45	05/31/22 11:37	74-83-9	
n-Butylbenzene	<145	ug/kg	316	145	5	05/26/22 07:45	05/31/22 11:37	104-51-8	
sec-Butylbenzene	104J	ug/kg	316	77.2	5	05/26/22 07:45	05/31/22 11:37	135-98-8	
tert-Butylbenzene	<99.3	ug/kg	316	99.3	5	05/26/22 07:45	05/31/22 11:37	98-06-6	
Carbon tetrachloride	<69.6	ug/kg	316	69.6	5	05/26/22 07:45	05/31/22 11:37	56-23-5	
Chlorobenzene	<37.9	ug/kg	316	37.9	5	05/26/22 07:45	05/31/22 11:37	108-90-7	
Chloroethane	<133	ug/kg	1580	133	5	05/26/22 07:45	05/31/22 11:37	75-00-3	
Chloroform	<226	ug/kg	1580	226	5	05/26/22 07:45	05/31/22 11:37	67-66-3	
Chloromethane	<120	ug/kg	316	120	5	05/26/22 07:45	05/31/22 11:37	74-87-3	
2-Chlorotoluene	<102	ug/kg	316	102	5	05/26/22 07:45	05/31/22 11:37	95-49-8	
4-Chlorotoluene	<120	ug/kg	316	120	5	05/26/22 07:45	05/31/22 11:37	106-43-4	
1,2-Dibromo-3-chloropropane	<245	ug/kg	1580	245	5	05/26/22 07:45	05/31/22 11:37	96-12-8	
Dibromochloromethane	<1080	ug/kg	1580	1080	5	05/26/22 07:45	05/31/22 11:37	124-48-1	
1,2-Dibromoethane (EDB)	<86.7	ug/kg	316	86.7	5	05/26/22 07:45	05/31/22 11:37	106-93-4	
Dibromomethane	<93.6	ug/kg	316	93.6	5	05/26/22 07:45	05/31/22 11:37	74-95-3	
1,2-Dichlorobenzene	<98.1	ug/kg	316	98.1	5	05/26/22 07:45	05/31/22 11:37	95-50-1	
1,3-Dichlorobenzene	<86.7	ug/kg	316	86.7	5	05/26/22 07:45	05/31/22 11:37	541-73-1	
1,4-Dichlorobenzene	<86.7	ug/kg	316	86.7	5	05/26/22 07:45	05/31/22 11:37	106-46-7	
Dichlorodifluoromethane	<136	ug/kg	316	136	5	05/26/22 07:45	05/31/22 11:37	75-71-8	
1,1-Dichloroethane	<81.0	ug/kg	316	81.0	5	05/26/22 07:45	05/31/22 11:37	75-34-3	
1,2-Dichloroethane	<72.7	ug/kg	316	72.7	5	05/26/22 07:45	05/31/22 11:37	107-06-2	
1,1-Dichloroethene	<105	ug/kg	316	105	5	05/26/22 07:45	05/31/22 11:37	75-35-4	
cis-1,2-Dichloroethene	<67.7	ug/kg	316	67.7	5	05/26/22 07:45	05/31/22 11:37	156-59-2	
trans-1,2-Dichloroethene	<68.3	ug/kg	316	68.3	5	05/26/22 07:45	05/31/22 11:37	156-60-5	
1,2-Dichloropropane	<75.3	ug/kg	316	75.3	5	05/26/22 07:45	05/31/22 11:37	78-87-5	
1,3-Dichloropropane	<69.0	ug/kg	316	69.0	5	05/26/22 07:45	05/31/22 11:37	142-28-9	
2,2-Dichloropropane	<85.4	ug/kg	316	85.4	5	05/26/22 07:45	05/31/22 11:37	594-20-7	
1,1-Dichloropropene	<102	ug/kg	316	102	5	05/26/22 07:45	05/31/22 11:37	563-58-6	
cis-1,3-Dichloropropene	<209	ug/kg	1580	209	5	05/26/22 07:45	05/31/22 11:37	10061-01-5	
trans-1,3-Dichloropropene	<905	ug/kg	1580	905	5	05/26/22 07:45	05/31/22 11:37	10061-02-6	
Diisopropyl ether	<78.4	ug/kg	316	78.4	5	05/26/22 07:45	05/31/22 11:37	108-20-3	
Ethylbenzene	148J	ug/kg	316	75.3	5	05/26/22 07:45	05/31/22 11:37	100-41-4	
Hexachloro-1,3-butadiene	<629	ug/kg	1580	629	5	05/26/22 07:45	05/31/22 11:37	87-68-3	
Isopropylbenzene (Cumene)	<85.4	ug/kg	316	85.4	5	05/26/22 07:45	05/31/22 11:37	98-82-8	
p-Isopropyltoluene	<96.2	ug/kg	316	96.2	5	05/26/22 07:45	05/31/22 11:37	99-87-6	
Methylene Chloride	<87.9	ug/kg	316	87.9	5	05/26/22 07:45	05/31/22 11:37	75-09-2	
Methyl-tert-butyl ether	<93.0	ug/kg	316	93.0	5	05/26/22 07:45	05/31/22 11:37	1634-04-4	
Naphthalene	879J	ug/kg	1580	98.7	5	05/26/22 07:45	05/31/22 11:37	91-20-3	
n-Propylbenzene	248J	ug/kg	316	75.9	5	05/26/22 07:45	05/31/22 11:37	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-7 **Lab ID: 40245361015** Collected: 05/19/22 11:40 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<81.0	ug/kg	316	81.0	5	05/26/22 07:45	05/31/22 11:37	100-42-5	
1,1,1,2-Tetrachloroethane	<75.9	ug/kg	316	75.9	5	05/26/22 07:45	05/31/22 11:37	630-20-6	
1,1,2,2-Tetrachloroethane	<115	ug/kg	316	115	5	05/26/22 07:45	05/31/22 11:37	79-34-5	
Tetrachloroethene	330	ug/kg	316	123	5	05/26/22 07:45	05/31/22 11:37	127-18-4	
Toluene	<79.7	ug/kg	316	79.7	5	05/26/22 07:45	05/31/22 11:37	108-88-3	
1,2,3-Trichlorobenzene	<352	ug/kg	1580	352	5	05/26/22 07:45	05/31/22 11:37	87-61-6	
1,2,4-Trichlorobenzene	<261	ug/kg	1580	261	5	05/26/22 07:45	05/31/22 11:37	120-82-1	
1,1,1-Trichloroethane	<81.0	ug/kg	316	81.0	5	05/26/22 07:45	05/31/22 11:37	71-55-6	
1,1,2-Trichloroethane	<115	ug/kg	316	115	5	05/26/22 07:45	05/31/22 11:37	79-00-5	
Trichloroethene	<118	ug/kg	316	118	5	05/26/22 07:45	05/31/22 11:37	79-01-6	
Trichlorofluoromethane	<91.7	ug/kg	316	91.7	5	05/26/22 07:45	05/31/22 11:37	75-69-4	
1,2,3-Trichloropropane	<154	ug/kg	316	154	5	05/26/22 07:45	05/31/22 11:37	96-18-4	
1,2,4-Trimethylbenzene	206J	ug/kg	316	94.3	5	05/26/22 07:45	05/31/22 11:37	95-63-6	
1,3,5-Trimethylbenzene	303J	ug/kg	316	102	5	05/26/22 07:45	05/31/22 11:37	108-67-8	
Vinyl chloride	<63.9	ug/kg	316	63.9	5	05/26/22 07:45	05/31/22 11:37	75-01-4	
m&p-Xylene	<133	ug/kg	633	133	5	05/26/22 07:45	05/31/22 11:37	179601-23-1	
o-Xylene	<94.9	ug/kg	316	94.9	5	05/26/22 07:45	05/31/22 11:37	95-47-6	
Surrogates									
Toluene-d8 (S)	110	%	69-153		5	05/26/22 07:45	05/31/22 11:37	2037-26-5	D3
4-Bromofluorobenzene (S)	115	%	68-156		5	05/26/22 07:45	05/31/22 11:37	460-00-4	
1,2-Dichlorobenzene-d4 (S)	158	%	71-161		5	05/26/22 07:45	05/31/22 11:37	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.7	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-8 **Lab ID: 40245361016** Collected: 05/20/22 07:45 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.1	ug/kg	30.5	18.1	1	05/26/22 07:45	05/27/22 09:26	71-43-2	
Bromobenzene	<29.7	ug/kg	76.2	29.7	1	05/26/22 07:45	05/27/22 09:26	108-86-1	
Bromochloromethane	<20.9	ug/kg	76.2	20.9	1	05/26/22 07:45	05/27/22 09:26	74-97-5	
Bromodichloromethane	<18.1	ug/kg	76.2	18.1	1	05/26/22 07:45	05/27/22 09:26	75-27-4	
Bromoform	<335	ug/kg	381	335	1	05/26/22 07:45	05/27/22 09:26	75-25-2	
Bromomethane	<107	ug/kg	381	107	1	05/26/22 07:45	05/27/22 09:26	74-83-9	
n-Butylbenzene	<34.9	ug/kg	76.2	34.9	1	05/26/22 07:45	05/27/22 09:26	104-51-8	
sec-Butylbenzene	<18.6	ug/kg	76.2	18.6	1	05/26/22 07:45	05/27/22 09:26	135-98-8	
tert-Butylbenzene	<23.9	ug/kg	76.2	23.9	1	05/26/22 07:45	05/27/22 09:26	98-06-6	
Carbon tetrachloride	<16.8	ug/kg	76.2	16.8	1	05/26/22 07:45	05/27/22 09:26	56-23-5	
Chlorobenzene	<9.1	ug/kg	76.2	9.1	1	05/26/22 07:45	05/27/22 09:26	108-90-7	
Chloroethane	<32.1	ug/kg	381	32.1	1	05/26/22 07:45	05/27/22 09:26	75-00-3	
Chloroform	<54.5	ug/kg	381	54.5	1	05/26/22 07:45	05/27/22 09:26	67-66-3	
Chloromethane	<28.9	ug/kg	76.2	28.9	1	05/26/22 07:45	05/27/22 09:26	74-87-3	
2-Chlorotoluene	<24.7	ug/kg	76.2	24.7	1	05/26/22 07:45	05/27/22 09:26	95-49-8	
4-Chlorotoluene	<28.9	ug/kg	76.2	28.9	1	05/26/22 07:45	05/27/22 09:26	106-43-4	
1,2-Dibromo-3-chloropropane	<59.1	ug/kg	381	59.1	1	05/26/22 07:45	05/27/22 09:26	96-12-8	
Dibromochloromethane	<260	ug/kg	381	260	1	05/26/22 07:45	05/27/22 09:26	124-48-1	
1,2-Dibromoethane (EDB)	<20.9	ug/kg	76.2	20.9	1	05/26/22 07:45	05/27/22 09:26	106-93-4	
Dibromomethane	<22.5	ug/kg	76.2	22.5	1	05/26/22 07:45	05/27/22 09:26	74-95-3	
1,2-Dichlorobenzene	<23.6	ug/kg	76.2	23.6	1	05/26/22 07:45	05/27/22 09:26	95-50-1	
1,3-Dichlorobenzene	<20.9	ug/kg	76.2	20.9	1	05/26/22 07:45	05/27/22 09:26	541-73-1	
1,4-Dichlorobenzene	<20.9	ug/kg	76.2	20.9	1	05/26/22 07:45	05/27/22 09:26	106-46-7	
Dichlorodifluoromethane	<32.7	ug/kg	76.2	32.7	1	05/26/22 07:45	05/27/22 09:26	75-71-8	
1,1-Dichloroethane	<19.5	ug/kg	76.2	19.5	1	05/26/22 07:45	05/27/22 09:26	75-34-3	
1,2-Dichloroethane	<17.5	ug/kg	76.2	17.5	1	05/26/22 07:45	05/27/22 09:26	107-06-2	
1,1-Dichloroethene	<25.3	ug/kg	76.2	25.3	1	05/26/22 07:45	05/27/22 09:26	75-35-4	
cis-1,2-Dichloroethene	25.7J	ug/kg	76.2	16.3	1	05/26/22 07:45	05/27/22 09:26	156-59-2	
trans-1,2-Dichloroethene	<16.5	ug/kg	76.2	16.5	1	05/26/22 07:45	05/27/22 09:26	156-60-5	
1,2-Dichloropropane	<18.1	ug/kg	76.2	18.1	1	05/26/22 07:45	05/27/22 09:26	78-87-5	
1,3-Dichloropropane	<16.6	ug/kg	76.2	16.6	1	05/26/22 07:45	05/27/22 09:26	142-28-9	
2,2-Dichloropropane	<20.6	ug/kg	76.2	20.6	1	05/26/22 07:45	05/27/22 09:26	594-20-7	
1,1-Dichloropropene	<24.7	ug/kg	76.2	24.7	1	05/26/22 07:45	05/27/22 09:26	563-58-6	
cis-1,3-Dichloropropene	<50.3	ug/kg	381	50.3	1	05/26/22 07:45	05/27/22 09:26	10061-01-5	
trans-1,3-Dichloropropene	<218	ug/kg	381	218	1	05/26/22 07:45	05/27/22 09:26	10061-02-6	
Diisopropyl ether	<18.9	ug/kg	76.2	18.9	1	05/26/22 07:45	05/27/22 09:26	108-20-3	
Ethylbenzene	<18.1	ug/kg	76.2	18.1	1	05/26/22 07:45	05/27/22 09:26	100-41-4	
Hexachloro-1,3-butadiene	<151	ug/kg	381	151	1	05/26/22 07:45	05/27/22 09:26	87-68-3	
Isopropylbenzene (Cumene)	<20.6	ug/kg	76.2	20.6	1	05/26/22 07:45	05/27/22 09:26	98-82-8	
p-Isopropyltoluene	<23.2	ug/kg	76.2	23.2	1	05/26/22 07:45	05/27/22 09:26	99-87-6	
Methylene Chloride	<21.2	ug/kg	76.2	21.2	1	05/26/22 07:45	05/27/22 09:26	75-09-2	
Methyl-tert-butyl ether	<22.4	ug/kg	76.2	22.4	1	05/26/22 07:45	05/27/22 09:26	1634-04-4	
Naphthalene	<23.8	ug/kg	381	23.8	1	05/26/22 07:45	05/27/22 09:26	91-20-3	
n-Propylbenzene	<18.3	ug/kg	76.2	18.3	1	05/26/22 07:45	05/27/22 09:26	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-8 **Lab ID: 40245361016** Collected: 05/20/22 07:45 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<19.5	ug/kg	76.2	19.5	1	05/26/22 07:45	05/27/22 09:26	100-42-5	
1,1,1,2-Tetrachloroethane	<18.3	ug/kg	76.2	18.3	1	05/26/22 07:45	05/27/22 09:26	630-20-6	
1,1,2,2-Tetrachloroethane	<27.6	ug/kg	76.2	27.6	1	05/26/22 07:45	05/27/22 09:26	79-34-5	
Tetrachloroethene	4070	ug/kg	76.2	29.5	1	05/26/22 07:45	05/27/22 09:26	127-18-4	
Toluene	<19.2	ug/kg	76.2	19.2	1	05/26/22 07:45	05/27/22 09:26	108-88-3	
1,2,3-Trichlorobenzene	<84.8	ug/kg	381	84.8	1	05/26/22 07:45	05/27/22 09:26	87-61-6	
1,2,4-Trichlorobenzene	<62.8	ug/kg	381	62.8	1	05/26/22 07:45	05/27/22 09:26	120-82-1	
1,1,1-Trichloroethane	<19.5	ug/kg	76.2	19.5	1	05/26/22 07:45	05/27/22 09:26	71-55-6	
1,1,2-Trichloroethane	<27.7	ug/kg	76.2	27.7	1	05/26/22 07:45	05/27/22 09:26	79-00-5	
Trichloroethene	66.2J	ug/kg	76.2	28.5	1	05/26/22 07:45	05/27/22 09:26	79-01-6	
Trichlorofluoromethane	<22.1	ug/kg	76.2	22.1	1	05/26/22 07:45	05/27/22 09:26	75-69-4	
1,2,3-Trichloropropane	<37.0	ug/kg	76.2	37.0	1	05/26/22 07:45	05/27/22 09:26	96-18-4	
1,2,4-Trimethylbenzene	<22.7	ug/kg	76.2	22.7	1	05/26/22 07:45	05/27/22 09:26	95-63-6	
1,3,5-Trimethylbenzene	<24.5	ug/kg	76.2	24.5	1	05/26/22 07:45	05/27/22 09:26	108-67-8	
Vinyl chloride	<15.4	ug/kg	76.2	15.4	1	05/26/22 07:45	05/27/22 09:26	75-01-4	
m&p-Xylene	<32.1	ug/kg	152	32.1	1	05/26/22 07:45	05/27/22 09:26	179601-23-1	
o-Xylene	<22.8	ug/kg	76.2	22.8	1	05/26/22 07:45	05/27/22 09:26	95-47-6	
Surrogates									
Toluene-d8 (S)	141	%	69-153		1	05/26/22 07:45	05/27/22 09:26	2037-26-5	
4-Bromofluorobenzene (S)	140	%	68-156		1	05/26/22 07:45	05/27/22 09:26	460-00-4	
1,2-Dichlorobenzene-d4 (S)	148	%	71-161		1	05/26/22 07:45	05/27/22 09:26	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	20.7	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: 6526-EX-W-9 Lab ID: 40245361017 Collected: 05/20/22 07:50 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<18.6	ug/kg	31.3	18.6	1	05/26/22 07:45	05/27/22 09:06	71-43-2	
Bromobenzene	<30.5	ug/kg	78.2	30.5	1	05/26/22 07:45	05/27/22 09:06	108-86-1	
Bromochloromethane	<21.4	ug/kg	78.2	21.4	1	05/26/22 07:45	05/27/22 09:06	74-97-5	
Bromodichloromethane	<18.6	ug/kg	78.2	18.6	1	05/26/22 07:45	05/27/22 09:06	75-27-4	
Bromoform	<344	ug/kg	391	344	1	05/26/22 07:45	05/27/22 09:06	75-25-2	
Bromomethane	<110	ug/kg	391	110	1	05/26/22 07:45	05/27/22 09:06	74-83-9	
n-Butylbenzene	<35.8	ug/kg	78.2	35.8	1	05/26/22 07:45	05/27/22 09:06	104-51-8	
sec-Butylbenzene	<19.1	ug/kg	78.2	19.1	1	05/26/22 07:45	05/27/22 09:06	135-98-8	
tert-Butylbenzene	<24.5	ug/kg	78.2	24.5	1	05/26/22 07:45	05/27/22 09:06	98-06-6	
Carbon tetrachloride	<17.2	ug/kg	78.2	17.2	1	05/26/22 07:45	05/27/22 09:06	56-23-5	
Chlorobenzene	<9.4	ug/kg	78.2	9.4	1	05/26/22 07:45	05/27/22 09:06	108-90-7	
Chloroethane	<33.0	ug/kg	391	33.0	1	05/26/22 07:45	05/27/22 09:06	75-00-3	
Chloroform	<56.0	ug/kg	391	56.0	1	05/26/22 07:45	05/27/22 09:06	67-66-3	
Chloromethane	<29.7	ug/kg	78.2	29.7	1	05/26/22 07:45	05/27/22 09:06	74-87-3	
2-Chlorotoluene	<25.3	ug/kg	78.2	25.3	1	05/26/22 07:45	05/27/22 09:06	95-49-8	
4-Chlorotoluene	<29.7	ug/kg	78.2	29.7	1	05/26/22 07:45	05/27/22 09:06	106-43-4	
1,2-Dibromo-3-chloropropane	<60.6	ug/kg	391	60.6	1	05/26/22 07:45	05/27/22 09:06	96-12-8	
Dibromochloromethane	<267	ug/kg	391	267	1	05/26/22 07:45	05/27/22 09:06	124-48-1	
1,2-Dibromoethane (EDB)	<21.4	ug/kg	78.2	21.4	1	05/26/22 07:45	05/27/22 09:06	106-93-4	
Dibromomethane	<23.1	ug/kg	78.2	23.1	1	05/26/22 07:45	05/27/22 09:06	74-95-3	
1,2-Dichlorobenzene	<24.2	ug/kg	78.2	24.2	1	05/26/22 07:45	05/27/22 09:06	95-50-1	
1,3-Dichlorobenzene	<21.4	ug/kg	78.2	21.4	1	05/26/22 07:45	05/27/22 09:06	541-73-1	
1,4-Dichlorobenzene	<21.4	ug/kg	78.2	21.4	1	05/26/22 07:45	05/27/22 09:06	106-46-7	
Dichlorodifluoromethane	<33.6	ug/kg	78.2	33.6	1	05/26/22 07:45	05/27/22 09:06	75-71-8	
1,1-Dichloroethane	<20.0	ug/kg	78.2	20.0	1	05/26/22 07:45	05/27/22 09:06	75-34-3	
1,2-Dichloroethane	<18.0	ug/kg	78.2	18.0	1	05/26/22 07:45	05/27/22 09:06	107-06-2	
1,1-Dichloroethene	<25.9	ug/kg	78.2	25.9	1	05/26/22 07:45	05/27/22 09:06	75-35-4	
cis-1,2-Dichloroethene	<16.7	ug/kg	78.2	16.7	1	05/26/22 07:45	05/27/22 09:06	156-59-2	
trans-1,2-Dichloroethene	<16.9	ug/kg	78.2	16.9	1	05/26/22 07:45	05/27/22 09:06	156-60-5	
1,2-Dichloropropane	<18.6	ug/kg	78.2	18.6	1	05/26/22 07:45	05/27/22 09:06	78-87-5	
1,3-Dichloropropane	<17.0	ug/kg	78.2	17.0	1	05/26/22 07:45	05/27/22 09:06	142-28-9	
2,2-Dichloropropane	<21.1	ug/kg	78.2	21.1	1	05/26/22 07:45	05/27/22 09:06	594-20-7	
1,1-Dichloropropene	<25.3	ug/kg	78.2	25.3	1	05/26/22 07:45	05/27/22 09:06	563-58-6	
cis-1,3-Dichloropropene	<51.6	ug/kg	391	51.6	1	05/26/22 07:45	05/27/22 09:06	10061-01-5	
trans-1,3-Dichloropropene	<224	ug/kg	391	224	1	05/26/22 07:45	05/27/22 09:06	10061-02-6	
Diisopropyl ether	<19.4	ug/kg	78.2	19.4	1	05/26/22 07:45	05/27/22 09:06	108-20-3	
Ethylbenzene	<18.6	ug/kg	78.2	18.6	1	05/26/22 07:45	05/27/22 09:06	100-41-4	
Hexachloro-1,3-butadiene	<155	ug/kg	391	155	1	05/26/22 07:45	05/27/22 09:06	87-68-3	
Isopropylbenzene (Cumene)	<21.1	ug/kg	78.2	21.1	1	05/26/22 07:45	05/27/22 09:06	98-82-8	
p-Isopropyltoluene	<23.8	ug/kg	78.2	23.8	1	05/26/22 07:45	05/27/22 09:06	99-87-6	
Methylene Chloride	<21.7	ug/kg	78.2	21.7	1	05/26/22 07:45	05/27/22 09:06	75-09-2	
Methyl-tert-butyl ether	<23.0	ug/kg	78.2	23.0	1	05/26/22 07:45	05/27/22 09:06	1634-04-4	
Naphthalene	<24.4	ug/kg	391	24.4	1	05/26/22 07:45	05/27/22 09:06	91-20-3	
n-Propylbenzene	<18.8	ug/kg	78.2	18.8	1	05/26/22 07:45	05/27/22 09:06	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-9 **Lab ID: 40245361017** Collected: 05/20/22 07:50 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<20.0	ug/kg	78.2	20.0	1	05/26/22 07:45	05/27/22 09:06	100-42-5	
1,1,1,2-Tetrachloroethane	<18.8	ug/kg	78.2	18.8	1	05/26/22 07:45	05/27/22 09:06	630-20-6	
1,1,2,2-Tetrachloroethane	<28.3	ug/kg	78.2	28.3	1	05/26/22 07:45	05/27/22 09:06	79-34-5	
Tetrachloroethene	231	ug/kg	78.2	30.3	1	05/26/22 07:45	05/27/22 09:06	127-18-4	
Toluene	<19.7	ug/kg	78.2	19.7	1	05/26/22 07:45	05/27/22 09:06	108-88-3	
1,2,3-Trichlorobenzene	<87.1	ug/kg	391	87.1	1	05/26/22 07:45	05/27/22 09:06	87-61-6	
1,2,4-Trichlorobenzene	<64.4	ug/kg	391	64.4	1	05/26/22 07:45	05/27/22 09:06	120-82-1	
1,1,1-Trichloroethane	<20.0	ug/kg	78.2	20.0	1	05/26/22 07:45	05/27/22 09:06	71-55-6	
1,1,2-Trichloroethane	<28.4	ug/kg	78.2	28.4	1	05/26/22 07:45	05/27/22 09:06	79-00-5	
Trichloroethene	<29.2	ug/kg	78.2	29.2	1	05/26/22 07:45	05/27/22 09:06	79-01-6	
Trichlorofluoromethane	<22.7	ug/kg	78.2	22.7	1	05/26/22 07:45	05/27/22 09:06	75-69-4	
1,2,3-Trichloropropane	<38.0	ug/kg	78.2	38.0	1	05/26/22 07:45	05/27/22 09:06	96-18-4	
1,2,4-Trimethylbenzene	<23.3	ug/kg	78.2	23.3	1	05/26/22 07:45	05/27/22 09:06	95-63-6	
1,3,5-Trimethylbenzene	<25.2	ug/kg	78.2	25.2	1	05/26/22 07:45	05/27/22 09:06	108-67-8	
Vinyl chloride	<15.8	ug/kg	78.2	15.8	1	05/26/22 07:45	05/27/22 09:06	75-01-4	
m&p-Xylene	<33.0	ug/kg	156	33.0	1	05/26/22 07:45	05/27/22 09:06	179601-23-1	
o-Xylene	<23.4	ug/kg	78.2	23.4	1	05/26/22 07:45	05/27/22 09:06	95-47-6	
Surrogates									
Toluene-d8 (S)	138	%	69-153		1	05/26/22 07:45	05/27/22 09:06	2037-26-5	
4-Bromofluorobenzene (S)	138	%	68-156		1	05/26/22 07:45	05/27/22 09:06	460-00-4	
1,2-Dichlorobenzene-d4 (S)	144	%	71-161		1	05/26/22 07:45	05/27/22 09:06	2199-69-1	
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	22.0	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

Sample: **6526-EX-W-10** Lab ID: **40245361018** Collected: 05/20/22 07:55 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<3730	ug/kg	6280	3730	250	05/26/22 07:45	05/27/22 17:19	71-43-2	
Bromobenzene	<6120	ug/kg	15700	6120	250	05/26/22 07:45	05/27/22 17:19	108-86-1	
Bromochloromethane	<4300	ug/kg	15700	4300	250	05/26/22 07:45	05/27/22 17:19	74-97-5	
Bromodichloromethane	<3730	ug/kg	15700	3730	250	05/26/22 07:45	05/27/22 17:19	75-27-4	
Bromoform	<69000	ug/kg	78500	69000	250	05/26/22 07:45	05/27/22 17:19	75-25-2	
Bromomethane	<22000	ug/kg	78500	22000	250	05/26/22 07:45	05/27/22 17:19	74-83-9	
n-Butylbenzene	<7190	ug/kg	15700	7190	250	05/26/22 07:45	05/27/22 17:19	104-51-8	
sec-Butylbenzene	<3830	ug/kg	15700	3830	250	05/26/22 07:45	05/27/22 17:19	135-98-8	
tert-Butylbenzene	<4930	ug/kg	15700	4930	250	05/26/22 07:45	05/27/22 17:19	98-06-6	
Carbon tetrachloride	<3450	ug/kg	15700	3450	250	05/26/22 07:45	05/27/22 17:19	56-23-5	
Chlorobenzene	<1880	ug/kg	15700	1880	250	05/26/22 07:45	05/27/22 17:19	108-90-7	
Chloroethane	<6620	ug/kg	78500	6620	250	05/26/22 07:45	05/27/22 17:19	75-00-3	
Chloroform	<11200	ug/kg	78500	11200	250	05/26/22 07:45	05/27/22 17:19	67-66-3	
Chloromethane	<5960	ug/kg	15700	5960	250	05/26/22 07:45	05/27/22 17:19	74-87-3	
2-Chlorotoluene	<5080	ug/kg	15700	5080	250	05/26/22 07:45	05/27/22 17:19	95-49-8	
4-Chlorotoluene	<5960	ug/kg	15700	5960	250	05/26/22 07:45	05/27/22 17:19	106-43-4	
1,2-Dibromo-3-chloropropane	<12200	ug/kg	78500	12200	250	05/26/22 07:45	05/27/22 17:19	96-12-8	
Dibromochloromethane	<53600	ug/kg	78500	53600	250	05/26/22 07:45	05/27/22 17:19	124-48-1	
1,2-Dibromoethane (EDB)	<4300	ug/kg	15700	4300	250	05/26/22 07:45	05/27/22 17:19	106-93-4	
Dibromomethane	<4640	ug/kg	15700	4640	250	05/26/22 07:45	05/27/22 17:19	74-95-3	
1,2-Dichlorobenzene	<4860	ug/kg	15700	4860	250	05/26/22 07:45	05/27/22 17:19	95-50-1	
1,3-Dichlorobenzene	<4300	ug/kg	15700	4300	250	05/26/22 07:45	05/27/22 17:19	541-73-1	
1,4-Dichlorobenzene	<4300	ug/kg	15700	4300	250	05/26/22 07:45	05/27/22 17:19	106-46-7	
Dichlorodifluoromethane	<6750	ug/kg	15700	6750	250	05/26/22 07:45	05/27/22 17:19	75-71-8	
1,1-Dichloroethane	<4020	ug/kg	15700	4020	250	05/26/22 07:45	05/27/22 17:19	75-34-3	
1,2-Dichloroethane	<3610	ug/kg	15700	3610	250	05/26/22 07:45	05/27/22 17:19	107-06-2	
1,1-Dichloroethene	<5210	ug/kg	15700	5210	250	05/26/22 07:45	05/27/22 17:19	75-35-4	
cis-1,2-Dichloroethene	32700	ug/kg	15700	3360	250	05/26/22 07:45	05/27/22 17:19	156-59-2	
trans-1,2-Dichloroethene	<3390	ug/kg	15700	3390	250	05/26/22 07:45	05/27/22 17:19	156-60-5	
1,2-Dichloropropane	<3730	ug/kg	15700	3730	250	05/26/22 07:45	05/27/22 17:19	78-87-5	
1,3-Dichloropropane	<3420	ug/kg	15700	3420	250	05/26/22 07:45	05/27/22 17:19	142-28-9	
2,2-Dichloropropane	<4240	ug/kg	15700	4240	250	05/26/22 07:45	05/27/22 17:19	594-20-7	
1,1-Dichloropropene	<5080	ug/kg	15700	5080	250	05/26/22 07:45	05/27/22 17:19	563-58-6	
cis-1,3-Dichloropropene	<10400	ug/kg	78500	10400	250	05/26/22 07:45	05/27/22 17:19	10061-01-5	
trans-1,3-Dichloropropene	<44900	ug/kg	78500	44900	250	05/26/22 07:45	05/27/22 17:19	10061-02-6	
Diisopropyl ether	<3890	ug/kg	15700	3890	250	05/26/22 07:45	05/27/22 17:19	108-20-3	
Ethylbenzene	<3730	ug/kg	15700	3730	250	05/26/22 07:45	05/27/22 17:19	100-41-4	
Hexachloro-1,3-butadiene	<31200	ug/kg	78500	31200	250	05/26/22 07:45	05/27/22 17:19	87-68-3	
Isopropylbenzene (Cumene)	<4240	ug/kg	15700	4240	250	05/26/22 07:45	05/27/22 17:19	98-82-8	
p-Isopropyltoluene	<4770	ug/kg	15700	4770	250	05/26/22 07:45	05/27/22 17:19	99-87-6	
Methylene Chloride	<4360	ug/kg	15700	4360	250	05/26/22 07:45	05/27/22 17:19	75-09-2	
Methyl-tert-butyl ether	<4610	ug/kg	15700	4610	250	05/26/22 07:45	05/27/22 17:19	1634-04-4	
Naphthalene	41100J	ug/kg	78500	4900	250	05/26/22 07:45	05/27/22 17:19	91-20-3	
n-Propylbenzene	<3770	ug/kg	15700	3770	250	05/26/22 07:45	05/27/22 17:19	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: 6526-EX-W-10 **Lab ID: 40245361018** Collected: 05/20/22 07:55 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<4020	ug/kg	15700	4020	250	05/26/22 07:45	05/27/22 17:19	100-42-5	
1,1,1,2-Tetrachloroethane	<3770	ug/kg	15700	3770	250	05/26/22 07:45	05/27/22 17:19	630-20-6	
1,1,2,2-Tetrachloroethane	<5680	ug/kg	15700	5680	250	05/26/22 07:45	05/27/22 17:19	79-34-5	
Tetrachloroethene	<6090	ug/kg	15700	6090	250	05/26/22 07:45	05/27/22 17:19	127-18-4	
Toluene	<3950	ug/kg	15700	3950	250	05/26/22 07:45	05/27/22 17:19	108-88-3	
1,2,3-Trichlorobenzene	<17500	ug/kg	78500	17500	250	05/26/22 07:45	05/27/22 17:19	87-61-6	
1,2,4-Trichlorobenzene	<12900	ug/kg	78500	12900	250	05/26/22 07:45	05/27/22 17:19	120-82-1	
1,1,1-Trichloroethane	<4020	ug/kg	15700	4020	250	05/26/22 07:45	05/27/22 17:19	71-55-6	
1,1,2-Trichloroethane	<5710	ug/kg	15700	5710	250	05/26/22 07:45	05/27/22 17:19	79-00-5	
Trichloroethene	<5870	ug/kg	15700	5870	250	05/26/22 07:45	05/27/22 17:19	79-01-6	
Trichlorofluoromethane	<4550	ug/kg	15700	4550	250	05/26/22 07:45	05/27/22 17:19	75-69-4	
1,2,3-Trichloropropane	<7630	ug/kg	15700	7630	250	05/26/22 07:45	05/27/22 17:19	96-18-4	
1,2,4-Trimethylbenzene	8970J	ug/kg	15700	4680	250	05/26/22 07:45	05/27/22 17:19	95-63-6	
1,3,5-Trimethylbenzene	<5050	ug/kg	15700	5050	250	05/26/22 07:45	05/27/22 17:19	108-67-8	
Vinyl chloride	<3170	ug/kg	15700	3170	250	05/26/22 07:45	05/27/22 17:19	75-01-4	
m&p-Xylene	<6620	ug/kg	31400	6620	250	05/26/22 07:45	05/27/22 17:19	179601-23-1	
o-Xylene	<4710	ug/kg	15700	4710	250	05/26/22 07:45	05/27/22 17:19	95-47-6	
Surrogates									
Toluene-d8 (S)	168	%	69-153		250	05/26/22 07:45	05/27/22 17:19	2037-26-5	D3,S4
4-Bromofluorobenzene (S)	273	%	68-156		250	05/26/22 07:45	05/27/22 17:19	460-00-4	S4
1,2-Dichlorobenzene-d4 (S)	1240	%	71-161		250	05/26/22 07:45	05/27/22 17:19	2199-69-1	S4
Percent Moisture									
Analytical Method: ASTM D2974-87									
Pace Analytical Services - Green Bay									
Percent Moisture	11.3	%	0.10	0.10	1		05/25/22 14:09		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: MEOH BLANK **Lab ID: 40245361019** Collected: 05/20/22 00:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Benzene	<11.9	ug/kg	20.0	11.9	1	05/26/22 07:45	05/27/22 08:46	71-43-2	
Bromobenzene	<19.5	ug/kg	50.0	19.5	1	05/26/22 07:45	05/27/22 08:46	108-86-1	
Bromochloromethane	<13.7	ug/kg	50.0	13.7	1	05/26/22 07:45	05/27/22 08:46	74-97-5	
Bromodichloromethane	<11.9	ug/kg	50.0	11.9	1	05/26/22 07:45	05/27/22 08:46	75-27-4	
Bromoform	<220	ug/kg	250	220	1	05/26/22 07:45	05/27/22 08:46	75-25-2	
Bromomethane	<70.1	ug/kg	250	70.1	1	05/26/22 07:45	05/27/22 08:46	74-83-9	
n-Butylbenzene	<22.9	ug/kg	50.0	22.9	1	05/26/22 07:45	05/27/22 08:46	104-51-8	
sec-Butylbenzene	<12.2	ug/kg	50.0	12.2	1	05/26/22 07:45	05/27/22 08:46	135-98-8	
tert-Butylbenzene	<15.7	ug/kg	50.0	15.7	1	05/26/22 07:45	05/27/22 08:46	98-06-6	
Carbon tetrachloride	<11.0	ug/kg	50.0	11.0	1	05/26/22 07:45	05/27/22 08:46	56-23-5	
Chlorobenzene	<6.0	ug/kg	50.0	6.0	1	05/26/22 07:45	05/27/22 08:46	108-90-7	
Chloroethane	<21.1	ug/kg	250	21.1	1	05/26/22 07:45	05/27/22 08:46	75-00-3	
Chloroform	<35.8	ug/kg	250	35.8	1	05/26/22 07:45	05/27/22 08:46	67-66-3	
Chloromethane	<19.0	ug/kg	50.0	19.0	1	05/26/22 07:45	05/27/22 08:46	74-87-3	
2-Chlorotoluene	<16.2	ug/kg	50.0	16.2	1	05/26/22 07:45	05/27/22 08:46	95-49-8	
4-Chlorotoluene	<19.0	ug/kg	50.0	19.0	1	05/26/22 07:45	05/27/22 08:46	106-43-4	
1,2-Dibromo-3-chloropropane	<38.8	ug/kg	250	38.8	1	05/26/22 07:45	05/27/22 08:46	96-12-8	
Dibromochloromethane	<171	ug/kg	250	171	1	05/26/22 07:45	05/27/22 08:46	124-48-1	
1,2-Dibromoethane (EDB)	<13.7	ug/kg	50.0	13.7	1	05/26/22 07:45	05/27/22 08:46	106-93-4	
Dibromomethane	<14.8	ug/kg	50.0	14.8	1	05/26/22 07:45	05/27/22 08:46	74-95-3	
1,2-Dichlorobenzene	<15.5	ug/kg	50.0	15.5	1	05/26/22 07:45	05/27/22 08:46	95-50-1	
1,3-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	05/26/22 07:45	05/27/22 08:46	541-73-1	
1,4-Dichlorobenzene	<13.7	ug/kg	50.0	13.7	1	05/26/22 07:45	05/27/22 08:46	106-46-7	
Dichlorodifluoromethane	<21.5	ug/kg	50.0	21.5	1	05/26/22 07:45	05/27/22 08:46	75-71-8	
1,1-Dichloroethane	<12.8	ug/kg	50.0	12.8	1	05/26/22 07:45	05/27/22 08:46	75-34-3	
1,2-Dichloroethane	<11.5	ug/kg	50.0	11.5	1	05/26/22 07:45	05/27/22 08:46	107-06-2	
1,1-Dichloroethene	<16.6	ug/kg	50.0	16.6	1	05/26/22 07:45	05/27/22 08:46	75-35-4	
cis-1,2-Dichloroethene	<10.7	ug/kg	50.0	10.7	1	05/26/22 07:45	05/27/22 08:46	156-59-2	
trans-1,2-Dichloroethene	<10.8	ug/kg	50.0	10.8	1	05/26/22 07:45	05/27/22 08:46	156-60-5	
1,2-Dichloropropane	<11.9	ug/kg	50.0	11.9	1	05/26/22 07:45	05/27/22 08:46	78-87-5	
1,3-Dichloropropane	<10.9	ug/kg	50.0	10.9	1	05/26/22 07:45	05/27/22 08:46	142-28-9	
2,2-Dichloropropane	<13.5	ug/kg	50.0	13.5	1	05/26/22 07:45	05/27/22 08:46	594-20-7	
1,1-Dichloropropene	<16.2	ug/kg	50.0	16.2	1	05/26/22 07:45	05/27/22 08:46	563-58-6	
cis-1,3-Dichloropropene	<33.0	ug/kg	250	33.0	1	05/26/22 07:45	05/27/22 08:46	10061-01-5	
trans-1,3-Dichloropropene	<143	ug/kg	250	143	1	05/26/22 07:45	05/27/22 08:46	10061-02-6	
Diisopropyl ether	<12.4	ug/kg	50.0	12.4	1	05/26/22 07:45	05/27/22 08:46	108-20-3	
Ethylbenzene	<11.9	ug/kg	50.0	11.9	1	05/26/22 07:45	05/27/22 08:46	100-41-4	
Hexachloro-1,3-butadiene	<99.4	ug/kg	250	99.4	1	05/26/22 07:45	05/27/22 08:46	87-68-3	
Isopropylbenzene (Cumene)	<13.5	ug/kg	50.0	13.5	1	05/26/22 07:45	05/27/22 08:46	98-82-8	
p-Isopropyltoluene	<15.2	ug/kg	50.0	15.2	1	05/26/22 07:45	05/27/22 08:46	99-87-6	
Methylene Chloride	<13.9	ug/kg	50.0	13.9	1	05/26/22 07:45	05/27/22 08:46	75-09-2	
Methyl-tert-butyl ether	<14.7	ug/kg	50.0	14.7	1	05/26/22 07:45	05/27/22 08:46	1634-04-4	
Naphthalene	<15.6	ug/kg	250	15.6	1	05/26/22 07:45	05/27/22 08:46	91-20-3	
n-Propylbenzene	<12.0	ug/kg	50.0	12.0	1	05/26/22 07:45	05/27/22 08:46	103-65-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Sample: MEOH BLANK **Lab ID: 40245361019** Collected: 05/20/22 00:00 Received: 05/24/22 09:45 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Pace Analytical Services - Green Bay									
Styrene	<12.8	ug/kg	50.0	12.8	1	05/26/22 07:45	05/27/22 08:46	100-42-5	
1,1,1,2-Tetrachloroethane	<12.0	ug/kg	50.0	12.0	1	05/26/22 07:45	05/27/22 08:46	630-20-6	
1,1,2,2-Tetrachloroethane	<18.1	ug/kg	50.0	18.1	1	05/26/22 07:45	05/27/22 08:46	79-34-5	
Tetrachloroethene	<19.4	ug/kg	50.0	19.4	1	05/26/22 07:45	05/27/22 08:46	127-18-4	
Toluene	<12.6	ug/kg	50.0	12.6	1	05/26/22 07:45	05/27/22 08:46	108-88-3	
1,2,3-Trichlorobenzene	<55.7	ug/kg	250	55.7	1	05/26/22 07:45	05/27/22 08:46	87-61-6	
1,2,4-Trichlorobenzene	<41.2	ug/kg	250	41.2	1	05/26/22 07:45	05/27/22 08:46	120-82-1	
1,1,1-Trichloroethane	<12.8	ug/kg	50.0	12.8	1	05/26/22 07:45	05/27/22 08:46	71-55-6	
1,1,2-Trichloroethane	<18.2	ug/kg	50.0	18.2	1	05/26/22 07:45	05/27/22 08:46	79-00-5	
Trichloroethene	<18.7	ug/kg	50.0	18.7	1	05/26/22 07:45	05/27/22 08:46	79-01-6	
Trichlorofluoromethane	<14.5	ug/kg	50.0	14.5	1	05/26/22 07:45	05/27/22 08:46	75-69-4	
1,2,3-Trichloropropane	<24.3	ug/kg	50.0	24.3	1	05/26/22 07:45	05/27/22 08:46	96-18-4	
1,2,4-Trimethylbenzene	<14.9	ug/kg	50.0	14.9	1	05/26/22 07:45	05/27/22 08:46	95-63-6	
1,3,5-Trimethylbenzene	<16.1	ug/kg	50.0	16.1	1	05/26/22 07:45	05/27/22 08:46	108-67-8	
Vinyl chloride	<10.1	ug/kg	50.0	10.1	1	05/26/22 07:45	05/27/22 08:46	75-01-4	
m&p-Xylene	<21.1	ug/kg	100	21.1	1	05/26/22 07:45	05/27/22 08:46	179601-23-1	
o-Xylene	<15.0	ug/kg	50.0	15.0	1	05/26/22 07:45	05/27/22 08:46	95-47-6	
Surrogates									
Toluene-d8 (S)	94	%	69-153		1	05/26/22 07:45	05/27/22 08:46	2037-26-5	
4-Bromofluorobenzene (S)	103	%	68-156		1	05/26/22 07:45	05/27/22 08:46	460-00-4	
1,2-Dichlorobenzene-d4 (S)	112	%	71-161		1	05/26/22 07:45	05/27/22 08:46	2199-69-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

QC Batch: 416805 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40245361001, 40245361002, 40245361003, 40245361004, 40245361005, 40245361006, 40245361007, 40245361008, 40245361009, 40245361010, 40245361011, 40245361012, 40245361013, 40245361014, 40245361015, 40245361016, 40245361017, 40245361018, 40245361019

METHOD BLANK: 2399960 Matrix: Solid
Associated Lab Samples: 40245361001, 40245361002, 40245361003, 40245361004, 40245361005, 40245361006, 40245361007, 40245361008, 40245361009, 40245361010, 40245361011, 40245361012, 40245361013, 40245361014, 40245361015, 40245361016, 40245361017, 40245361018, 40245361019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<12.0	50.0	05/27/22 07:05	
1,1,1-Trichloroethane	ug/kg	<12.8	50.0	05/27/22 07:05	
1,1,2,2-Tetrachloroethane	ug/kg	<18.1	50.0	05/27/22 07:05	
1,1,2-Trichloroethane	ug/kg	<18.2	50.0	05/27/22 07:05	
1,1-Dichloroethane	ug/kg	<12.8	50.0	05/27/22 07:05	
1,1-Dichloroethene	ug/kg	<16.6	50.0	05/27/22 07:05	
1,1-Dichloropropene	ug/kg	<16.2	50.0	05/27/22 07:05	
1,2,3-Trichlorobenzene	ug/kg	<55.7	250	05/27/22 07:05	
1,2,3-Trichloropropane	ug/kg	<24.3	50.0	05/27/22 07:05	
1,2,4-Trichlorobenzene	ug/kg	<41.2	250	05/27/22 07:05	
1,2,4-Trimethylbenzene	ug/kg	<14.9	50.0	05/27/22 07:05	
1,2-Dibromo-3-chloropropane	ug/kg	<38.8	250	05/27/22 07:05	
1,2-Dibromoethane (EDB)	ug/kg	<13.7	50.0	05/27/22 07:05	
1,2-Dichlorobenzene	ug/kg	<15.5	50.0	05/27/22 07:05	
1,2-Dichloroethane	ug/kg	<11.5	50.0	05/27/22 07:05	
1,2-Dichloropropane	ug/kg	<11.9	50.0	05/27/22 07:05	
1,3,5-Trimethylbenzene	ug/kg	<16.1	50.0	05/27/22 07:05	
1,3-Dichlorobenzene	ug/kg	<13.7	50.0	05/27/22 07:05	
1,3-Dichloropropane	ug/kg	<10.9	50.0	05/27/22 07:05	
1,4-Dichlorobenzene	ug/kg	<13.7	50.0	05/27/22 07:05	
2,2-Dichloropropane	ug/kg	<13.5	50.0	05/27/22 07:05	
2-Chlorotoluene	ug/kg	<16.2	50.0	05/27/22 07:05	
4-Chlorotoluene	ug/kg	<19.0	50.0	05/27/22 07:05	
Benzene	ug/kg	<11.9	20.0	05/27/22 07:05	
Bromobenzene	ug/kg	<19.5	50.0	05/27/22 07:05	
Bromochloromethane	ug/kg	<13.7	50.0	05/27/22 07:05	
Bromodichloromethane	ug/kg	<11.9	50.0	05/27/22 07:05	
Bromoform	ug/kg	<220	250	05/27/22 07:05	
Bromomethane	ug/kg	<70.1	250	05/27/22 07:05	
Carbon tetrachloride	ug/kg	<11.0	50.0	05/27/22 07:05	
Chlorobenzene	ug/kg	<6.0	50.0	05/27/22 07:05	
Chloroethane	ug/kg	<21.1	250	05/27/22 07:05	
Chloroform	ug/kg	<35.8	250	05/27/22 07:05	
Chloromethane	ug/kg	<19.0	50.0	05/27/22 07:05	
cis-1,2-Dichloroethene	ug/kg	<10.7	50.0	05/27/22 07:05	
cis-1,3-Dichloropropene	ug/kg	<33.0	250	05/27/22 07:05	
Dibromochloromethane	ug/kg	<171	250	05/27/22 07:05	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

METHOD BLANK: 2399960

Matrix: Solid

Associated Lab Samples: 40245361001, 40245361002, 40245361003, 40245361004, 40245361005, 40245361006, 40245361007, 40245361008, 40245361009, 40245361010, 40245361011, 40245361012, 40245361013, 40245361014, 40245361015, 40245361016, 40245361017, 40245361018, 40245361019

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Dibromomethane	ug/kg	<14.8	50.0	05/27/22 07:05	
Dichlorodifluoromethane	ug/kg	<21.5	50.0	05/27/22 07:05	
Diisopropyl ether	ug/kg	<12.4	50.0	05/27/22 07:05	
Ethylbenzene	ug/kg	<11.9	50.0	05/27/22 07:05	
Hexachloro-1,3-butadiene	ug/kg	<99.4	250	05/27/22 07:05	
Isopropylbenzene (Cumene)	ug/kg	<13.5	50.0	05/27/22 07:05	
m&p-Xylene	ug/kg	<21.1	100	05/27/22 07:05	
Methyl-tert-butyl ether	ug/kg	<14.7	50.0	05/27/22 07:05	
Methylene Chloride	ug/kg	<13.9	50.0	05/27/22 07:05	
n-Butylbenzene	ug/kg	<22.9	50.0	05/27/22 07:05	
n-Propylbenzene	ug/kg	<12.0	50.0	05/27/22 07:05	
Naphthalene	ug/kg	<15.6	250	05/27/22 07:05	
o-Xylene	ug/kg	<15.0	50.0	05/27/22 07:05	
p-Isopropyltoluene	ug/kg	<15.2	50.0	05/27/22 07:05	
sec-Butylbenzene	ug/kg	<12.2	50.0	05/27/22 07:05	
Styrene	ug/kg	<12.8	50.0	05/27/22 07:05	
tert-Butylbenzene	ug/kg	<15.7	50.0	05/27/22 07:05	
Tetrachloroethene	ug/kg	<19.4	50.0	05/27/22 07:05	
Toluene	ug/kg	<12.6	50.0	05/27/22 07:05	
trans-1,2-Dichloroethene	ug/kg	<10.8	50.0	05/27/22 07:05	
trans-1,3-Dichloropropene	ug/kg	<143	250	05/27/22 07:05	
Trichloroethene	ug/kg	<18.7	50.0	05/27/22 07:05	
Trichlorofluoromethane	ug/kg	<14.5	50.0	05/27/22 07:05	
Vinyl chloride	ug/kg	<10.1	50.0	05/27/22 07:05	
1,2-Dichlorobenzene-d4 (S)	%	102	71-161	05/27/22 07:05	
4-Bromofluorobenzene (S)	%	99	68-156	05/27/22 07:05	
Toluene-d8 (S)	%	96	69-153	05/27/22 07:05	

LABORATORY CONTROL SAMPLE: 2399961

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2700	108	70-130	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2670	107	70-130	
1,1,2-Trichloroethane	ug/kg	2500	2590	104	70-130	
1,1-Dichloroethane	ug/kg	2500	2470	99	70-130	
1,1-Dichloroethene	ug/kg	2500	2620	105	77-120	
1,2,4-Trichlorobenzene	ug/kg	2500	2600	104	67-130	
1,2-Dibromo-3-chloropropane	ug/kg	2500	2690	108	70-130	
1,2-Dibromoethane (EDB)	ug/kg	2500	2600	104	70-130	
1,2-Dichlorobenzene	ug/kg	2500	2660	107	70-130	
1,2-Dichloroethane	ug/kg	2500	2620	105	70-130	
1,2-Dichloropropane	ug/kg	2500	2420	97	80-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

LABORATORY CONTROL SAMPLE: 2399961

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,3-Dichlorobenzene	ug/kg	2500	2590	104	70-130	
1,4-Dichlorobenzene	ug/kg	2500	2630	105	70-130	
Benzene	ug/kg	2500	2520	101	70-130	
Bromodichloromethane	ug/kg	2500	2610	104	70-130	
Bromoform	ug/kg	2500	2450	98	60-130	
Bromomethane	ug/kg	2500	2550	102	45-153	
Carbon tetrachloride	ug/kg	2500	2830	113	70-130	
Chlorobenzene	ug/kg	2500	2590	104	70-130	
Chloroethane	ug/kg	2500	2050	82	55-160	
Chloroform	ug/kg	2500	2600	104	80-120	
Chloromethane	ug/kg	2500	2380	95	47-130	
cis-1,2-Dichloroethene	ug/kg	2500	2570	103	70-130	
cis-1,3-Dichloropropene	ug/kg	2500	2560	102	70-130	
Dibromochloromethane	ug/kg	2500	2830	113	70-130	
Dichlorodifluoromethane	ug/kg	2500	1960	78	16-83	
Ethylbenzene	ug/kg	2500	2510	100	80-120	
Isopropylbenzene (Cumene)	ug/kg	2500	2590	104	70-130	
m&p-Xylene	ug/kg	5000	5170	103	70-130	
Methyl-tert-butyl ether	ug/kg	2500	2710	109	65-130	
Methylene Chloride	ug/kg	2500	2680	107	70-130	
o-Xylene	ug/kg	2500	2590	104	70-130	
Styrene	ug/kg	2500	2700	108	70-130	
Tetrachloroethene	ug/kg	2500	2670	107	70-130	
Toluene	ug/kg	2500	2580	103	80-120	
trans-1,2-Dichloroethene	ug/kg	2500	2700	108	70-130	
trans-1,3-Dichloropropene	ug/kg	2500	2600	104	70-130	
Trichloroethene	ug/kg	2500	2590	104	70-130	
Trichlorofluoromethane	ug/kg	2500	2450	98	70-130	
Vinyl chloride	ug/kg	2500	2290	91	59-114	
1,2-Dichlorobenzene-d4 (S)	%			109	71-161	
4-Bromofluorobenzene (S)	%			108	68-156	
Toluene-d8 (S)	%			107	69-153	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2399962 2399963

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40245361017 Result	Spike Conc.	Spike Conc.	MS Result								
1,1,1-Trichloroethane	ug/kg	<20.0	1560	1560	1450	1460	93	93	69-130	1	20		
1,1,2,2-Tetrachloroethane	ug/kg	<28.3	1560	1560	1670	1670	107	107	70-130	0	20		
1,1,2-Trichloroethane	ug/kg	<28.4	1560	1560	1550	1570	99	101	70-130	2	20		
1,1-Dichloroethane	ug/kg	<20.0	1560	1560	1410	1440	90	92	70-130	2	20		
1,1-Dichloroethene	ug/kg	<25.9	1560	1560	1330	1280	85	82	55-120	4	22		
1,2,4-Trichlorobenzene	ug/kg	<64.4	1560	1560	1770	1740	112	110	67-130	2	20		
1,2-Dibromo-3-chloropropane	ug/kg	<60.6	1560	1560	1660	1710	106	109	70-130	3	22		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Parameter	Units	2399962		2399963		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40245361017 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
1,2-Dibromoethane (EDB)	ug/kg	<21.4	1560	1560	1540	1600	98	102	70-130	4	20	
1,2-Dichlorobenzene	ug/kg	<24.2	1560	1560	1640	1660	105	106	70-130	1	20	
1,2-Dichloroethane	ug/kg	<18.0	1560	1560	1570	1680	100	108	70-130	7	20	
1,2-Dichloropropane	ug/kg	<18.6	1560	1560	1400	1470	89	94	80-123	5	20	
1,3-Dichlorobenzene	ug/kg	<21.4	1560	1560	1600	1610	102	103	70-130	1	20	
1,4-Dichlorobenzene	ug/kg	<21.4	1560	1560	1620	1600	104	103	70-130	1	20	
Benzene	ug/kg	<18.6	1560	1560	1470	1510	94	96	70-130	3	20	
Bromodichloromethane	ug/kg	<18.6	1560	1560	1530	1580	98	101	70-130	3	20	
Bromoform	ug/kg	<344	1560	1560	1580	1670	101	107	60-130	5	20	
Bromomethane	ug/kg	<110	1560	1560	1290	1250	82	80	38-153	3	20	
Carbon tetrachloride	ug/kg	<17.2	1560	1560	1490	1440	95	92	62-130	3	20	
Chlorobenzene	ug/kg	<9.4	1560	1560	1590	1580	102	101	70-130	1	20	
Chloroethane	ug/kg	<33.0	1560	1560	1110	1100	71	70	53-160	1	24	
Chloroform	ug/kg	<56.0	1560	1560	1510	1590	96	102	80-120	6	20	
Chloromethane	ug/kg	<29.7	1560	1560	932	945	60	60	10-130	1	20	
cis-1,2-Dichloroethene	ug/kg	<16.7	1560	1560	1450	1570	92	100	70-130	8	20	
cis-1,3-Dichloropropene	ug/kg	<51.6	1560	1560	1470	1530	94	98	70-130	4	20	
Dibromochloromethane	ug/kg	<267	1560	1560	1610	1630	103	104	70-130	1	20	
Dichlorodifluoromethane	ug/kg	<33.6	1560	1560	469	435	30	28	10-83	8	31	
Ethylbenzene	ug/kg	<18.6	1560	1560	1440	1400	92	89	80-120	3	20	
Isopropylbenzene (Cumene)	ug/kg	<21.1	1560	1560	1450	1400	93	90	70-130	3	20	
m&p-Xylene	ug/kg	<33.0	3130	3130	2990	2850	96	91	70-130	5	20	
Methyl-tert-butyl ether	ug/kg	<23.0	1560	1560	1640	1690	105	108	66-130	3	20	
Methylene Chloride	ug/kg	<21.7	1560	1560	1580	1600	101	103	70-130	1	20	
o-Xylene	ug/kg	<23.4	1560	1560	1540	1480	98	95	70-130	4	20	
Styrene	ug/kg	<20.0	1560	1560	1520	1490	97	95	70-130	2	20	
Tetrachloroethene	ug/kg	231	1560	1560	1730	1640	96	90	69-130	5	20	
Toluene	ug/kg	<19.7	1560	1560	1500	1490	96	95	79-120	1	20	
trans-1,2-Dichloroethene	ug/kg	<16.9	1560	1560	1550	1500	99	96	70-130	3	20	
trans-1,3-Dichloropropene	ug/kg	<224	1560	1560	1480	1470	94	94	69-130	1	20	
Trichloroethene	ug/kg	<29.2	1560	1560	1490	1500	95	96	70-130	1	20	
Trichlorofluoromethane	ug/kg	<22.7	1560	1560	1160	1050	74	67	50-130	10	22	
Vinyl chloride	ug/kg	<15.8	1560	1560	961	890	61	57	26-114	8	20	
1,2-Dichlorobenzene-d4 (S)	%						135	143	71-161			
4-Bromofluorobenzene (S)	%						137	139	68-156			
Toluene-d8 (S)	%						136	135	69-153			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

QC Batch:	416714	Analysis Method:	ASTM D2974-87
QC Batch Method:	ASTM D2974-87	Analysis Description:	Dry Weight/Percent Moisture
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40245361001, 40245361002, 40245361003, 40245361004, 40245361005, 40245361006, 40245361007, 40245361008, 40245361009, 40245361010, 40245361011, 40245361012, 40245361013, 40245361014, 40245361015, 40245361016, 40245361017, 40245361018

SAMPLE DUPLICATE: 2399678

Parameter	Units	40245326001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	5.2	5.2	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 6526 WAGNER PROPERTY

Pace Project No.: 40245361

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.

S4 Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 6526 WAGNER PROPERTY
Pace Project No.: 40245361

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40245361001	6526-EX-F-1	EPA 5035/5030B	416805	EPA 8260	416809
40245361002	6526-EX-F-2	EPA 5035/5030B	416805	EPA 8260	416809
40245361003	6526-EX-F-3	EPA 5035/5030B	416805	EPA 8260	416809
40245361004	6526-EX-F-4	EPA 5035/5030B	416805	EPA 8260	416809
40245361005	6526-EX-F-5	EPA 5035/5030B	416805	EPA 8260	416809
40245361006	6526-EX-F-6	EPA 5035/5030B	416805	EPA 8260	416809
40245361007	6526-EX-F-7	EPA 5035/5030B	416805	EPA 8260	416809
40245361008	6526-EX-F-8	EPA 5035/5030B	416805	EPA 8260	416809
40245361009	6526-EX-W-1	EPA 5035/5030B	416805	EPA 8260	416809
40245361010	6526-EX-W-2	EPA 5035/5030B	416805	EPA 8260	416809
40245361011	6526-EX-W-3	EPA 5035/5030B	416805	EPA 8260	416809
40245361012	6526-EX-W-4	EPA 5035/5030B	416805	EPA 8260	416809
40245361013	6526-EX-W-5	EPA 5035/5030B	416805	EPA 8260	416809
40245361014	6526-EX-W-6	EPA 5035/5030B	416805	EPA 8260	416809
40245361015	6526-EX-W-7	EPA 5035/5030B	416805	EPA 8260	416809
40245361016	6526-EX-W-8	EPA 5035/5030B	416805	EPA 8260	416809
40245361017	6526-EX-W-9	EPA 5035/5030B	416805	EPA 8260	416809
40245361018	6526-EX-W-10	EPA 5035/5030B	416805	EPA 8260	416809
40245361019	MEOH BLANK	EPA 5035/5030B	416805	EPA 8260	416809
40245361001	6526-EX-F-1	ASTM D2974-87	416714		
40245361002	6526-EX-F-2	ASTM D2974-87	416714		
40245361003	6526-EX-F-3	ASTM D2974-87	416714		
40245361004	6526-EX-F-4	ASTM D2974-87	416714		
40245361005	6526-EX-F-5	ASTM D2974-87	416714		
40245361006	6526-EX-F-6	ASTM D2974-87	416714		
40245361007	6526-EX-F-7	ASTM D2974-87	416714		
40245361008	6526-EX-F-8	ASTM D2974-87	416714		
40245361009	6526-EX-W-1	ASTM D2974-87	416714		
40245361010	6526-EX-W-2	ASTM D2974-87	416714		
40245361011	6526-EX-W-3	ASTM D2974-87	416714		
40245361012	6526-EX-W-4	ASTM D2974-87	416714		
40245361013	6526-EX-W-5	ASTM D2974-87	416714		
40245361014	6526-EX-W-6	ASTM D2974-87	416714		
40245361015	6526-EX-W-7	ASTM D2974-87	416714		
40245361016	6526-EX-W-8	ASTM D2974-87	416714		
40245361017	6526-EX-W-9	ASTM D2974-87	416714		
40245361018	6526-EX-W-10	ASTM D2974-87	416714		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or MTJL Log-in Number Here

Wags 361

ALL SHADED AREAS are for LAB USE ONLY

Company: **EnviroForensics**

Billing Information: **Accounts Payable**

Address: **11622390 Stone Ridge Dr Suite G, Waukesha, WI**

Site Collection Info/Address: **411 N Wisconsin St, Elkhorn**

Report To: **Brian Kappen**

Email To: **accounts.payable@enviroforensics.com**

Copy To:

State: **WI** County/City: **Elkhorn** Time Zone Collected: **[] PT [] MT [] CT [] ET**

Customer Project Name/Number: **6526 Wagner Property**

State: **WI** County/City: **Elkhorn** Time Zone Collected: **[] PT [] MT [] CT [] ET**

Phone: **bkappenc**
Email: **enviroforensics.com**

Site/Facility ID #: **6526**

Compliance Monitoring? Yes No

Collected By (print): **R. Brown**

Purchase Order #: **2022-0282**
Quote #: **00097952**

DW PWS ID #:
DW Location Code:

Collected By (signature): **RL**

Turnaround Date Required:

Immediately Packed on Ice: Yes No

Sample Disposal: Dispose as appropriate Return Archive: Hold:

Rush: Same Day Next Day 2 Day 3 Day 4 Day 5 Day (Expedite Charges Apply)

Field Filtered (if applicable): Yes No
Analysis:

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns	VOC	Dry Weight
			Date	Time	Date	Time				
6526-EX-F-1	Soil	Grab	5-18-22	1133				2	X	X
6526-EX-F-2			5-18-22	1130						
6526-EX-F-3			5-19-22	805						
6526-EX-F-4				850						
6526-EX-F-5				1100						
6526-EX-F-6				1110						
6526-EX-F-7				1135						
6526-EX-F-8			5-20-22	800						
6526-EX-W-1			5-18-22	1315						
6526-EX-W-2			5-19-22	810						

Container Preservative Type **

Lab Project Manager:

** Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y N NA

Custody Signatures Present Y N NA

Collector Signature Present Y N NA

Bottles Intact Y N NA

Correct Bottles Y N NA

Sufficient Volume Y N NA

Samples Received on Ice Y N NA

VOA - Headspace Acceptable Y N NA

USDA Regulated Soils Y N NA

Samples in Holding Time Y N NA

Residual Chlorine Present Y N NA

Cl Strips: Y N NA

Sample pH Acceptable Y N NA

pH Strips: Y N NA

Sulfide Present Y N NA

Lead Acetate Strips: Y N NA

LAB USE ONLY: Lab Sample # / Comments:

Customer Remarks / Special Conditions / Possible Hazards: **Potential high PCE concentrations in: EX-F-1, EX-F-3, EX-W-1.**

Type of Ice Used: Wet Blue Dry None

SHORT HOLDS PRESENT (<72 hours): Y N N/A

Lab Sample Temperature Info:

Relinquished by/Company: (Signature) **RL**
EnviroForensics

Date/Time: **5-23-22 1630**

Received by/Company: (Signature) **FedEx**

Date/Time: **5-23-22 1630**

MTJL LAB USE ONLY

Relinquished by/Company: (Signature) **FedEx**

Date/Time: **5/24/22 0945**

Received by/Company: (Signature) **[Signature] pace**

Date/Time: **5/24/22 0945**

Table #:
Acctnum:
Template:
Prelogin:

Temp Blank Received: Y N NA
Therm ID#:
Cooler 1 Temp Upon Receipt: oC
Cooler 1 Therm Corr. Factor: oC
Cooler 1 Corrected Temp: oC
Comments:

Trip Blank Received: Y N NA
HCL MeOH TSP Other

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Date/Time:

PM:
PB:

Non Conformance(s): YES / NO
Page: **1** Page 54 of 57
of: **2**



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY- Affix Workorder/Login Label Here or List Pace Workorder Number or
MTJL Log-in Number Here

UW 5/24/22

ALL SHADED AREAS are for LAB USE ONLY

Company: **EnviroForensics**

Billing Information: **Accounts Payable**

Address: **11652 3390 Stone Ridge Dr Suite G, Waukegan, WI**

Report To: **Brian Kappen**

Copy To:

Email To: **accounts.payable@enviroforensics.com**

Customer Project Name/Number: **6526 Wagner Property**

Site Collection Info/Address: **401 N Wisconsin St, Elkhorn WI**

Phone: **8kappenc**

State: **WI** County/City: **Elkhorn** Time Zone Collected: **[] PT [] MT [] CT [] ET**

Email: **enviroforensics.com**

Compliance Monitoring? **[] Yes [] No**

Collected By (print): **R Brown**

DW PWS ID #: **2022-022**

Collected By (signature): *[Signature]*

Immediately Packed on Ice: **[X] Yes [] No**

Sample Disposal: **[X] Dispose as appropriate [] Return [] Archive: [] Hold:**

Field Filtered (if applicable): **[] Yes [] No**

* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start)		Composite End		Res Cl	# of Ctns
			Date	Time	Date	Time		
6526-EX-W-3	Soil	Grab	5-19-22	900				2
6526-EX-W-4	↓	↓		105				↓
6526-EX-W-5	↓	↓		115				↓
6526-EX-W-6	↓	↓		120				↓
6526-EX-W-7	↓	↓		140				↓
6526-EX-W-8	↓	↓	5-20-22	745				↓
6526-EX-W-9	↓	↓		750				↓
6526-EX-W-10	↓	↓		755				↓
MeOH Blank 0								1

Analyses									
VOC	87600								
Dry weight									

Lab Profile/Line:

Lab Sample Receipt Checklist:

Custody Seals Present/Intact	Y	N	NA
Custody Signatures Present	Y	N	NA
Collector Signature Present	Y	N	NA
Bottles Intact	Y	N	NA
Correct Bottles	Y	N	NA
Sufficient Volume	Y	N	NA
Samples Received on Ice	Y	N	NA
VOA - Headspace Acceptable	Y	N	NA
USDA Regulated Soils	Y	N	NA
Samples in Holding Time	Y	N	NA
Residual Chlorine Present	Y	N	NA
Cl Strips:			
Sample pH Acceptable	Y	N	NA
pH Strips:			
Sulfide Present	Y	N	NA
Lead Acetate Strips:			

LAB USE ONLY:
Lab Sample # / Comments:

Customer Remarks / Special Conditions / Possible Hazards: **Potential high PCE concentrations in: EX-W-8, -9, -10 methanol blank received, lab added 5/24/22 NK**

Type of Ice Used: **Wet Blue Dry None**

SHORT HOLDS PRESENT (<72 hours): **Y N N/A**

Lab Sample Temperature Info:
Temp Blank Received: **Y N NA**
Therm ID#: _____
Cooler 1 Temp Upon Receipt: _____ °C
Cooler 1 Therm Corr. Factor: _____ °C
Cooler 1 Corrected Temp: _____ °C
Comments: *1*

Relinquished by/Company: (Signature) *[Signature]*
EnviroForensics

Date/Time: **5-23-22 1630**

Received by/Company: (Signature) *[Signature]*
FedEx

Date/Time: **5-23-22 1630**

MTJL LAB USE ONLY
Table #:
Acctnum:
Template:
Prelogin:
PM:
PB:

Relinquished by/Company: (Signature) **FedEx**

Date/Time: **5/24/22 0945**

Received by/Company: (Signature) *[Signature]*
Pace

Date/Time: **5/24/22 0945**

Trip Blank Received: **Y N NA**
HCL MeOH TSP Other
Non Conformance(s): **YES / NO**

Page: **2** of 55

Sample Preservation Receipt Form

Client Name: Enviroforensics

Project # W0245361

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:

Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass									Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC	GN							
001																																2.5 / 5 / 10	
002																																2.5 / 5 / 10	
003																																2.5 / 5 / 10	
004																																2.5 / 5 / 10	
005																																2.5 / 5 / 10	
006																																2.5 / 5 / 10	
007																																2.5 / 5 / 10	
008																																2.5 / 5 / 10	
009																																2.5 / 5 / 10	
010																																2.5 / 5 / 10	
011																																2.5 / 5 / 10	
012																																2.5 / 5 / 10	
013																																2.5 / 5 / 10	
014																																2.5 / 5 / 10	
015																																2.5 / 5 / 10	
016																																2.5 / 5 / 10	
017																																2.5 / 5 / 10	
018																																2.5 / 5 / 10	
019																																2.5 / 5 / 10	
020																																2.5 / 5 / 10	

5/24/22 N/A

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

Sample Condition Upon Receipt Form (SCUR)

Project #: _____

Client Name: EnviroForensics

WO#: **40245361**

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 776936693676

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 98 Type of Ice: (Wet) Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2 /Corr: 2

Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Person examining contents:
 Date: 5/24/22 /Initials: NK
 Labeled By Initials: VP

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1. + CC	5/24/22 NK
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. present?	5/24/22 NK
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.	
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.	
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.	
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:	
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.	
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.	
Sufficient Volume:		8.	
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A			
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.	
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A		
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.	
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.	
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.	
-Includes date/time/ID/Analysis Matrix: <u>S</u>			
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.	
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Pace Trip Blank Lot # (if purchased): <u>1230</u>			

Client Notification/ Resolution: _____ If checked, see attached form for additional comments
 Person Contacted: _____ Date/Time: _____
 Comments/ Resolution: methanol blank received, lab added 5/24/22 NK