

April 07, 2021

Mark Davidson
MSA Professional Services
332 W. Superior St. #600
Duluth, MN 55802

RE: Project: Laundry Basket
Pace Project No.: 10553163

Dear Mark Davidson:


Enclosed are the analytical results for sample(s) received by the laboratory on March 31, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Shawn Davis
shawn.davis@pacelabs.com
612-607-6378
Project Manager

Enclosures

cc: Paul Butler, MSA Professional Services
Erica Klingfus, MSA Professional Services



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Laundry Basket

Pace Project No.: 10553163

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302

Florida/NELAP Certification #: E87948

Illinois Certification #: 200050

Kentucky UST Certification #: 82

Louisiana Certification #: 04168

Minnesota Certification #: 055-999-334

New York Certification #: 12064

North Dakota Certification #: R-150

Virginia VELAP ID: 460263

South Carolina Certification #: 83006001

Texas Certification #: T104704529-14-1

Wisconsin Certification #: 405132750

Wisconsin DATCP Certification #: 105-444

USDA Soil Permit #: P330-16-00157

Federal Fish & Wildlife Permit #: LE51774A-0

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Laundry Basket

Pace Project No.: 10553163

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10553163001	MW-17	Water	03/30/21 09:15	03/31/21 14:58
10553163002	MW-17 (40)	Water	03/30/21 09:45	03/31/21 14:58
10553163003	MW-17 (70)	Water	03/30/21 10:20	03/31/21 14:58
10553163004	MW-10-30LT	Water	03/30/21 10:55	03/31/21 14:58
10553163005	MW-10-50LT	Water	03/30/21 11:20	03/31/21 14:58
10553163006	MW-6-30LT	Water	03/30/21 11:50	03/31/21 14:58
10553163007	MW-6-50LT	Water	03/30/21 12:25	03/31/21 14:58
10553163008	MW-13D	Water	03/30/21 12:55	03/31/21 14:58
10553163009	MW-15D	Water	03/30/21 13:25	03/31/21 14:58
10553163010	Municipal Well #2	Water	03/30/21 10:30	03/31/21 14:58
10553163011	Dup -1	Water	03/30/21 00:00	03/31/21 14:58
10553163012	Trip Blank	Water	03/30/21 00:00	03/31/21 14:58

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Laundry Basket

Pace Project No.: 10553163

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10553163001	MW-17	EPA 8260	HNW	64	PASI-G
10553163002	MW-17 (40)	EPA 8260	HNW	64	PASI-G
10553163003	MW-17 (70)	EPA 8260	LAP	64	PASI-G
10553163004	MW-10-30LT	EPA 8260	LAP	64	PASI-G
10553163005	MW-10-50LT	EPA 8260	LAP	64	PASI-G
10553163006	MW-6-30LT	EPA 8260	LAP	64	PASI-G
10553163007	MW-6-50LT	EPA 8260	LAP	64	PASI-G
10553163008	MW-13D	EPA 8260	LAP	64	PASI-G
10553163009	MW-15D	EPA 8260	LAP	64	PASI-G
10553163010	Municipal Well #2	EPA 8260	LAP	64	PASI-G
10553163011	Dup -1	EPA 8260	LAP	64	PASI-G
10553163012	Trip Blank	EPA 8260	LAP	64	PASI-G

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: Laundry Basket

Pace Project No.: 10553163

Method: EPA 8260

Description: 8260 MSV

Client: MSA MN/WI

Date: April 07, 2021

General Information:

12 samples were analyzed for EPA 8260 by Pace Analytical Services Green Bay. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-17 **Lab ID: 10553163001** Collected: 03/30/21 09:15 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/06/21 12:59	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/06/21 12:59	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/06/21 12:59	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/06/21 12:59	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/06/21 12:59	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/06/21 12:59	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/06/21 12:59	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/06/21 12:59	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/06/21 12:59	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/06/21 12:59	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/06/21 12:59	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/06/21 12:59	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/06/21 12:59	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/06/21 12:59	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/06/21 12:59	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/06/21 12:59	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/06/21 12:59	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/06/21 12:59	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/06/21 12:59	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/06/21 12:59	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/06/21 12:59	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/06/21 12:59	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/06/21 12:59	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/06/21 12:59	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/06/21 12:59	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/06/21 12:59	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/06/21 12:59	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/06/21 12:59	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/06/21 12:59	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/06/21 12:59	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/06/21 12:59	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/06/21 12:59	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/06/21 12:59	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/06/21 12:59	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/06/21 12:59	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/06/21 12:59	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/06/21 12:59	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/06/21 12:59	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/06/21 12:59	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/06/21 12:59	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/06/21 12:59	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/06/21 12:59	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/06/21 12:59	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/06/21 12:59	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/06/21 12:59	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-17 **Lab ID: 10553163001** Collected: 03/30/21 09:15 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	0.63J	ug/L	1.1	0.33	1		04/06/21 12:59	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/06/21 12:59	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/06/21 12:59	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/06/21 12:59	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/06/21 12:59	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/06/21 12:59	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/06/21 12:59	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/06/21 12:59	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/06/21 12:59	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/06/21 12:59	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/06/21 12:59	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/06/21 12:59	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/06/21 12:59	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/06/21 12:59	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/06/21 12:59	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/06/21 12:59	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/06/21 12:59	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		04/06/21 12:59	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		04/06/21 12:59	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-17 (40) **Lab ID: 10553163002** Collected: 03/30/21 09:45 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/06/21 13:20	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/06/21 13:20	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/06/21 13:20	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/06/21 13:20	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/06/21 13:20	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/06/21 13:20	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/06/21 13:20	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/06/21 13:20	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/06/21 13:20	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/06/21 13:20	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/06/21 13:20	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/06/21 13:20	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/06/21 13:20	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/06/21 13:20	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/06/21 13:20	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/06/21 13:20	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/06/21 13:20	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/06/21 13:20	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/06/21 13:20	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/06/21 13:20	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/06/21 13:20	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/06/21 13:20	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/06/21 13:20	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/06/21 13:20	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/06/21 13:20	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/06/21 13:20	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/06/21 13:20	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/06/21 13:20	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/06/21 13:20	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/06/21 13:20	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/06/21 13:20	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/06/21 13:20	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/06/21 13:20	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/06/21 13:20	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/06/21 13:20	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/06/21 13:20	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/06/21 13:20	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/06/21 13:20	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/06/21 13:20	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/06/21 13:20	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/06/21 13:20	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/06/21 13:20	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/06/21 13:20	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/06/21 13:20	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/06/21 13:20	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-17 (40) **Lab ID: 10553163002** Collected: 03/30/21 09:45 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		04/06/21 13:20	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/06/21 13:20	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/06/21 13:20	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/06/21 13:20	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/06/21 13:20	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/06/21 13:20	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/06/21 13:20	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/06/21 13:20	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/06/21 13:20	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/06/21 13:20	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/06/21 13:20	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/06/21 13:20	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/06/21 13:20	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/06/21 13:20	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/06/21 13:20	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/06/21 13:20	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	101	%	70-130		1		04/06/21 13:20	460-00-4	
Dibromofluoromethane (S)	103	%	70-130		1		04/06/21 13:20	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		04/06/21 13:20	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-17 (70) **Lab ID: 10553163003** Collected: 03/30/21 10:20 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 14:47	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 14:47	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:47	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 14:47	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 14:47	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 14:47	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 14:47	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 14:47	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 14:47	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 14:47	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 14:47	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 14:47	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 14:47	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:47	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:47	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:47	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 14:47	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 14:47	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 14:47	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 14:47	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 14:47	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 14:47	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 14:47	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 14:47	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 14:47	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 14:47	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 14:47	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 14:47	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 14:47	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 14:47	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:47	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 14:47	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 14:47	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 14:47	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 14:47	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 14:47	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 14:47	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 14:47	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 14:47	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 14:47	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 14:47	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 14:47	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 14:47	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 14:47	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 14:47	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-17 (70) **Lab ID: 10553163003** Collected: 03/30/21 10:20 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		04/05/21 14:47	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 14:47	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/05/21 14:47	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 14:47	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 14:47	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/05/21 14:47	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 14:47	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 14:47	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:47	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 14:47	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 14:47	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 14:47	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 14:47	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 14:47	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 14:47	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 14:47	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 14:47	460-00-4	
Dibromofluoromethane (S)	110	%	70-130		1		04/05/21 14:47	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		04/05/21 14:47	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-10-30LT **Lab ID: 10553163004** Collected: 03/30/21 10:55 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 15:11	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 15:11	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:11	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 15:11	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 15:11	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 15:11	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 15:11	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 15:11	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 15:11	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 15:11	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 15:11	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 15:11	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 15:11	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:11	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:11	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:11	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 15:11	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 15:11	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 15:11	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 15:11	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 15:11	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 15:11	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 15:11	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 15:11	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 15:11	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 15:11	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 15:11	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 15:11	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 15:11	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 15:11	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:11	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 15:11	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 15:11	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 15:11	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 15:11	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 15:11	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 15:11	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 15:11	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 15:11	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 15:11	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 15:11	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 15:11	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 15:11	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 15:11	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 15:11	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-10-30LT **Lab ID: 10553163004** Collected: 03/30/21 10:55 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	2.2	ug/L	1.1	0.33	1		04/05/21 15:11	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 15:11	108-88-3	
Trichloroethene	0.40J	ug/L	1.0	0.26	1		04/05/21 15:11	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 15:11	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 15:11	75-01-4	
cis-1,2-Dichloroethene	0.33J	ug/L	1.0	0.27	1		04/05/21 15:11	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 15:11	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 15:11	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:11	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 15:11	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 15:11	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 15:11	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 15:11	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 15:11	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 15:11	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 15:11	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		04/05/21 15:11	460-00-4	
Dibromofluoromethane (S)	109	%	70-130		1		04/05/21 15:11	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		04/05/21 15:11	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-10-50LT **Lab ID: 10553163005** Collected: 03/30/21 11:20 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 15:34	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 15:34	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:34	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 15:34	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 15:34	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 15:34	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 15:34	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 15:34	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 15:34	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 15:34	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 15:34	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 15:34	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 15:34	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:34	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:34	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:34	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 15:34	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 15:34	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 15:34	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 15:34	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 15:34	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 15:34	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 15:34	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 15:34	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 15:34	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 15:34	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 15:34	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 15:34	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 15:34	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 15:34	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:34	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 15:34	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 15:34	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 15:34	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 15:34	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 15:34	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 15:34	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 15:34	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 15:34	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 15:34	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 15:34	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 15:34	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 15:34	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 15:34	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 15:34	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-10-50LT **Lab ID: 10553163005** Collected: 03/30/21 11:20 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	3.4	ug/L	1.1	0.33	1		04/05/21 15:34	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 15:34	108-88-3	
Trichloroethene	0.37J	ug/L	1.0	0.26	1		04/05/21 15:34	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 15:34	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 15:34	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/05/21 15:34	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 15:34	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 15:34	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:34	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 15:34	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 15:34	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 15:34	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 15:34	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 15:34	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 15:34	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 15:34	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 15:34	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		04/05/21 15:34	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		04/05/21 15:34	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-6-30LT **Lab ID: 10553163006** Collected: 03/30/21 11:50 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 15:58	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 15:58	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:58	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 15:58	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 15:58	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 15:58	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 15:58	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 15:58	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 15:58	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 15:58	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 15:58	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 15:58	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 15:58	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:58	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:58	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 15:58	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 15:58	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 15:58	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 15:58	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 15:58	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 15:58	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 15:58	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 15:58	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 15:58	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 15:58	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 15:58	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 15:58	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 15:58	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 15:58	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 15:58	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:58	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 15:58	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 15:58	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 15:58	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 15:58	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 15:58	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 15:58	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 15:58	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 15:58	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 15:58	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 15:58	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 15:58	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 15:58	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 15:58	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 15:58	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-6-30LT **Lab ID: 10553163006** Collected: 03/30/21 11:50 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		04/05/21 15:58	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 15:58	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/05/21 15:58	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 15:58	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 15:58	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/05/21 15:58	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 15:58	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 15:58	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 15:58	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 15:58	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 15:58	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 15:58	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 15:58	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 15:58	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 15:58	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 15:58	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 15:58	460-00-4	
Dibromofluoromethane (S)	113	%	70-130		1		04/05/21 15:58	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		04/05/21 15:58	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-6-50LT Lab ID: 10553163007 Collected: 03/30/21 12:25 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 16:22	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 16:22	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 16:22	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 16:22	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 16:22	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 16:22	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 16:22	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 16:22	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 16:22	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 16:22	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 16:22	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 16:22	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 16:22	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 16:22	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 16:22	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 16:22	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 16:22	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 16:22	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 16:22	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 16:22	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 16:22	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 16:22	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 16:22	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 16:22	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 16:22	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 16:22	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 16:22	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 16:22	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 16:22	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 16:22	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 16:22	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 16:22	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 16:22	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 16:22	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 16:22	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 16:22	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 16:22	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 16:22	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 16:22	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 16:22	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 16:22	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 16:22	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 16:22	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 16:22	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 16:22	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-6-50LT **Lab ID: 10553163007** Collected: 03/30/21 12:25 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	0.49J	ug/L	1.1	0.33	1		04/05/21 16:22	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 16:22	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/05/21 16:22	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 16:22	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 16:22	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/05/21 16:22	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 16:22	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 16:22	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 16:22	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 16:22	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 16:22	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 16:22	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 16:22	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 16:22	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 16:22	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 16:22	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	94	%	70-130		1		04/05/21 16:22	460-00-4	
Dibromofluoromethane (S)	114	%	70-130		1		04/05/21 16:22	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		04/05/21 16:22	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-13D **Lab ID: 10553163008** Collected: 03/30/21 12:55 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 16:45	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 16:45	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 16:45	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 16:45	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 16:45	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 16:45	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 16:45	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 16:45	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 16:45	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 16:45	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 16:45	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 16:45	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 16:45	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 16:45	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 16:45	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 16:45	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 16:45	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 16:45	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 16:45	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 16:45	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 16:45	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 16:45	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 16:45	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 16:45	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 16:45	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 16:45	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 16:45	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 16:45	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 16:45	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 16:45	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 16:45	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 16:45	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 16:45	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 16:45	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 16:45	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 16:45	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 16:45	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 16:45	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 16:45	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 16:45	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 16:45	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 16:45	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 16:45	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 16:45	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 16:45	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-13D **Lab ID: 10553163008** Collected: 03/30/21 12:55 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	69.6	ug/L	1.1	0.33	1		04/05/21 16:45	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 16:45	108-88-3	
Trichloroethene	15.2	ug/L	1.0	0.26	1		04/05/21 16:45	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 16:45	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 16:45	75-01-4	
cis-1,2-Dichloroethene	15.4	ug/L	1.0	0.27	1		04/05/21 16:45	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 16:45	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 16:45	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 16:45	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 16:45	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 16:45	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 16:45	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 16:45	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 16:45	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 16:45	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 16:45	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 16:45	460-00-4	
Dibromofluoromethane (S)	114	%	70-130		1		04/05/21 16:45	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		04/05/21 16:45	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-15D **Lab ID: 10553163009** Collected: 03/30/21 13:25 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 17:09	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 17:09	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 17:09	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 17:09	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 17:09	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 17:09	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 17:09	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 17:09	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 17:09	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 17:09	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 17:09	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 17:09	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 17:09	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 17:09	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 17:09	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 17:09	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 17:09	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 17:09	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 17:09	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 17:09	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 17:09	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 17:09	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 17:09	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 17:09	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 17:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 17:09	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 17:09	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 17:09	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 17:09	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 17:09	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 17:09	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 17:09	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 17:09	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 17:09	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 17:09	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 17:09	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 17:09	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 17:09	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 17:09	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 17:09	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 17:09	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 17:09	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 17:09	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 17:09	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 17:09	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: MW-15D **Lab ID: 10553163009** Collected: 03/30/21 13:25 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	85.3	ug/L	1.1	0.33	1		04/05/21 17:09	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 17:09	108-88-3	
Trichloroethene	20.0	ug/L	1.0	0.26	1		04/05/21 17:09	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 17:09	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 17:09	75-01-4	
cis-1,2-Dichloroethene	27.2	ug/L	1.0	0.27	1		04/05/21 17:09	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 17:09	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 17:09	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 17:09	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 17:09	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 17:09	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 17:09	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 17:09	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 17:09	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 17:09	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 17:09	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	93	%	70-130		1		04/05/21 17:09	460-00-4	
Dibromofluoromethane (S)	113	%	70-130		1		04/05/21 17:09	1868-53-7	
Toluene-d8 (S)	98	%	70-130		1		04/05/21 17:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: Municipal Well #2 **Lab ID: 10553163010** Collected: 03/30/21 10:30 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 14:23	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 14:23	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:23	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 14:23	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 14:23	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 14:23	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 14:23	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 14:23	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 14:23	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 14:23	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 14:23	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 14:23	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 14:23	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:23	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:23	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:23	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 14:23	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 14:23	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 14:23	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 14:23	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 14:23	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 14:23	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 14:23	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 14:23	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 14:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 14:23	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 14:23	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 14:23	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 14:23	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 14:23	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:23	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 14:23	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 14:23	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 14:23	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 14:23	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 14:23	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 14:23	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 14:23	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 14:23	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 14:23	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 14:23	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 14:23	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 14:23	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 14:23	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 14:23	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: Municipal Well #2 **Lab ID: 10553163010** Collected: 03/30/21 10:30 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		04/05/21 14:23	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 14:23	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/05/21 14:23	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 14:23	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 14:23	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/05/21 14:23	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 14:23	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 14:23	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:23	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 14:23	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 14:23	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 14:23	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 14:23	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 14:23	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 14:23	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 14:23	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 14:23	460-00-4	
Dibromofluoromethane (S)	115	%	70-130		1		04/05/21 14:23	1868-53-7	
Toluene-d8 (S)	101	%	70-130		1		04/05/21 14:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: Dup -1 **Lab ID: 10553163011** Collected: 03/30/21 00:00 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 17:33	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 17:33	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 17:33	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 17:33	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 17:33	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 17:33	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 17:33	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 17:33	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 17:33	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 17:33	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 17:33	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 17:33	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 17:33	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 17:33	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 17:33	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 17:33	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 17:33	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 17:33	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 17:33	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 17:33	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 17:33	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 17:33	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 17:33	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 17:33	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 17:33	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 17:33	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 17:33	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 17:33	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 17:33	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 17:33	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 17:33	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 17:33	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 17:33	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 17:33	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 17:33	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 17:33	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 17:33	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 17:33	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 17:33	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 17:33	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 17:33	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 17:33	1634-04-4	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		04/05/21 17:33	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 17:33	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 17:33	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: Dup -1 **Lab ID: 10553163011** Collected: 03/30/21 00:00 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Tetrachloroethene	92.5	ug/L	1.1	0.33	1		04/05/21 17:33	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 17:33	108-88-3	
Trichloroethene	21.0	ug/L	1.0	0.26	1		04/05/21 17:33	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 17:33	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 17:33	75-01-4	
cis-1,2-Dichloroethene	28.5	ug/L	1.0	0.27	1		04/05/21 17:33	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 17:33	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 17:33	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 17:33	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 17:33	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 17:33	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 17:33	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 17:33	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 17:33	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 17:33	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 17:33	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 17:33	460-00-4	
Dibromofluoromethane (S)	111	%	70-130		1		04/05/21 17:33	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		04/05/21 17:33	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: Trip Blank **Lab ID: 10553163012** Collected: 03/30/21 00:00 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 14:00	630-20-6	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		04/05/21 14:00	71-55-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:00	79-34-5	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		04/05/21 14:00	79-00-5	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		04/05/21 14:00	75-34-3	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		04/05/21 14:00	75-35-4	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		04/05/21 14:00	563-58-6	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		04/05/21 14:00	87-61-6	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		04/05/21 14:00	96-18-4	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		04/05/21 14:00	120-82-1	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		04/05/21 14:00	95-63-6	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		04/05/21 14:00	96-12-8	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		04/05/21 14:00	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:00	95-50-1	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:00	107-06-2	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		04/05/21 14:00	78-87-5	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		04/05/21 14:00	108-67-8	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		04/05/21 14:00	541-73-1	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		04/05/21 14:00	142-28-9	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		04/05/21 14:00	106-46-7	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		04/05/21 14:00	594-20-7	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		04/05/21 14:00	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		04/05/21 14:00	106-43-4	
Benzene	<0.25	ug/L	1.0	0.25	1		04/05/21 14:00	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		04/05/21 14:00	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		04/05/21 14:00	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		04/05/21 14:00	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		04/05/21 14:00	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		04/05/21 14:00	74-83-9	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		04/05/21 14:00	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:00	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		04/05/21 14:00	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		04/05/21 14:00	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		04/05/21 14:00	74-87-3	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		04/05/21 14:00	124-48-1	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		04/05/21 14:00	74-95-3	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		04/05/21 14:00	75-71-8	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		04/05/21 14:00	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		04/05/21 14:00	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		04/05/21 14:00	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		04/05/21 14:00	98-82-8	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		04/05/21 14:00	1634-04-4	
Methylene Chloride	0.82J	ug/L	5.0	0.58	1		04/05/21 14:00	75-09-2	
Naphthalene	<1.2	ug/L	5.0	1.2	1		04/05/21 14:00	91-20-3	
Styrene	<3.0	ug/L	10.0	3.0	1		04/05/21 14:00	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Laundry Basket

Pace Project No.: 10553163

Sample: Trip Blank **Lab ID: 10553163012** Collected: 03/30/21 00:00 Received: 03/31/21 14:58 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260 Pace Analytical Services - Green Bay							
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		04/05/21 14:00	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		04/05/21 14:00	108-88-3	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		04/05/21 14:00	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		04/05/21 14:00	75-69-4	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		04/05/21 14:00	75-01-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		04/05/21 14:00	156-59-2	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		04/05/21 14:00	10061-01-5	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		04/05/21 14:00	179601-23-1	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		04/05/21 14:00	104-51-8	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		04/05/21 14:00	103-65-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		04/05/21 14:00	95-47-6	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		04/05/21 14:00	99-87-6	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		04/05/21 14:00	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		04/05/21 14:00	98-06-6	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		04/05/21 14:00	156-60-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		04/05/21 14:00	10061-02-6	
Surrogates									
4-Bromofluorobenzene (S)	95	%	70-130		1		04/05/21 14:00	460-00-4	
Dibromofluoromethane (S)	112	%	70-130		1		04/05/21 14:00	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		04/05/21 14:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Laundry Basket

Pace Project No.: 10553163

QC Batch: 381440

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 10553163003, 10553163004, 10553163005, 10553163006, 10553163007, 10553163008, 10553163009, 10553163010, 10553163011, 10553163012

METHOD BLANK: 2200303

Matrix: Water

Associated Lab Samples: 10553163003, 10553163004, 10553163005, 10553163006, 10553163007, 10553163008, 10553163009, 10553163010, 10553163011, 10553163012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	04/05/21 08:51	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	04/05/21 08:51	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	04/05/21 08:51	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	04/05/21 08:51	
1,1-Dichloroethane	ug/L	<0.27	1.0	04/05/21 08:51	
1,1-Dichloroethene	ug/L	<0.24	1.0	04/05/21 08:51	
1,1-Dichloropropene	ug/L	<0.54	1.8	04/05/21 08:51	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	04/05/21 08:51	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	04/05/21 08:51	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/05/21 08:51	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	04/05/21 08:51	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	04/05/21 08:51	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	04/05/21 08:51	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	04/05/21 08:51	
1,2-Dichloroethane	ug/L	<0.28	1.0	04/05/21 08:51	
1,2-Dichloropropane	ug/L	<0.28	1.0	04/05/21 08:51	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	04/05/21 08:51	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	04/05/21 08:51	
1,3-Dichloropropane	ug/L	<0.83	2.8	04/05/21 08:51	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	04/05/21 08:51	
2,2-Dichloropropane	ug/L	<2.3	7.6	04/05/21 08:51	
2-Chlorotoluene	ug/L	<0.93	5.0	04/05/21 08:51	
4-Chlorotoluene	ug/L	<0.76	2.5	04/05/21 08:51	
Benzene	ug/L	<0.25	1.0	04/05/21 08:51	
Bromobenzene	ug/L	<0.24	1.0	04/05/21 08:51	
Bromochloromethane	ug/L	<0.36	5.0	04/05/21 08:51	
Bromodichloromethane	ug/L	<0.36	1.2	04/05/21 08:51	
Bromoform	ug/L	<4.0	13.2	04/05/21 08:51	
Bromomethane	ug/L	<0.97	5.0	04/05/21 08:51	
Carbon tetrachloride	ug/L	<1.1	3.6	04/05/21 08:51	
Chlorobenzene	ug/L	<0.71	2.4	04/05/21 08:51	
Chloroethane	ug/L	<1.3	5.0	04/05/21 08:51	
Chloroform	ug/L	<1.3	5.0	04/05/21 08:51	
Chloromethane	ug/L	<2.2	7.3	04/05/21 08:51	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	04/05/21 08:51	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	04/05/21 08:51	
Dibromochloromethane	ug/L	<2.6	8.7	04/05/21 08:51	
Dibromomethane	ug/L	<0.94	3.1	04/05/21 08:51	
Dichlorodifluoromethane	ug/L	<0.50	5.0	04/05/21 08:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Laundry Basket

Pace Project No.: 10553163

METHOD BLANK: 2200303

Matrix: Water

Associated Lab Samples: 10553163003, 10553163004, 10553163005, 10553163006, 10553163007, 10553163008, 10553163009, 10553163010, 10553163011, 10553163012

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.9	6.3	04/05/21 08:51	
Ethylbenzene	ug/L	<0.32	1.1	04/05/21 08:51	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	04/05/21 08:51	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	04/05/21 08:51	
m&p-Xylene	ug/L	<0.47	2.0	04/05/21 08:51	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	04/05/21 08:51	
Methylene Chloride	ug/L	<0.58	5.0	04/05/21 08:51	
n-Butylbenzene	ug/L	<0.71	2.4	04/05/21 08:51	
n-Propylbenzene	ug/L	<0.81	5.0	04/05/21 08:51	
Naphthalene	ug/L	<1.2	5.0	04/05/21 08:51	
o-Xylene	ug/L	<0.26	1.0	04/05/21 08:51	
p-Isopropyltoluene	ug/L	<0.80	2.7	04/05/21 08:51	
sec-Butylbenzene	ug/L	<0.85	5.0	04/05/21 08:51	
Styrene	ug/L	<3.0	10.0	04/05/21 08:51	
tert-Butylbenzene	ug/L	<0.30	1.0	04/05/21 08:51	
Tetrachloroethene	ug/L	<0.33	1.1	04/05/21 08:51	
Toluene	ug/L	<0.27	1.0	04/05/21 08:51	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	04/05/21 08:51	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	04/05/21 08:51	
Trichloroethene	ug/L	<0.26	1.0	04/05/21 08:51	
Trichlorofluoromethane	ug/L	<0.21	1.0	04/05/21 08:51	
Vinyl chloride	ug/L	<0.17	1.0	04/05/21 08:51	
4-Bromofluorobenzene (S)	%	97	70-130	04/05/21 08:51	
Dibromofluoromethane (S)	%	95	70-130	04/05/21 08:51	
Toluene-d8 (S)	%	100	70-130	04/05/21 08:51	

LABORATORY CONTROL SAMPLE: 2200304

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.9	110	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	53.1	106	66-130	
1,1,2-Trichloroethane	ug/L	50	52.0	104	70-130	
1,1-Dichloroethane	ug/L	50	48.0	96	68-132	
1,1-Dichloroethene	ug/L	50	47.3	95	85-126	
1,2,4-Trichlorobenzene	ug/L	50	52.6	105	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	50.9	102	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	54.2	108	70-130	
1,2-Dichlorobenzene	ug/L	50	56.7	113	70-130	
1,2-Dichloroethane	ug/L	50	43.1	86	70-130	
1,2-Dichloropropane	ug/L	50	58.5	117	78-125	
1,3-Dichlorobenzene	ug/L	50	59.8	120	70-130	
1,4-Dichlorobenzene	ug/L	50	56.8	114	70-130	
Benzene	ug/L	50	49.3	99	70-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Laundry Basket

Pace Project No.: 10553163

LABORATORY CONTROL SAMPLE: 2200304

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromodichloromethane	ug/L	50	59.1	118	70-130	
Bromoform	ug/L	50	61.4	123	65-130	
Bromomethane	ug/L	50	40.6	81	44-128	
Carbon tetrachloride	ug/L	50	52.3	105	70-130	
Chlorobenzene	ug/L	50	59.2	118	70-130	
Chloroethane	ug/L	50	48.2	96	73-137	
Chloroform	ug/L	50	49.6	99	80-122	
Chloromethane	ug/L	50	37.2	74	27-148	
cis-1,2-Dichloroethene	ug/L	50	49.6	99	70-130	
cis-1,3-Dichloropropene	ug/L	50	56.6	113	70-130	
Dibromochloromethane	ug/L	50	57.0	114	70-130	
Dichlorodifluoromethane	ug/L	50	22.7	45	22-151	
Ethylbenzene	ug/L	50	61.1	122	80-123	
Isopropylbenzene (Cumene)	ug/L	50	61.3	123	70-130	
m&p-Xylene	ug/L	100	122	122	70-130	
Methyl-tert-butyl ether	ug/L	50	40.5	81	66-130	
Methylene Chloride	ug/L	50	48.7	97	70-130	
o-Xylene	ug/L	50	60.1	120	70-130	
Styrene	ug/L	50	61.3	123	70-130	
Tetrachloroethene	ug/L	50	60.4	121	70-130	
Toluene	ug/L	50	59.2	118	80-121	
trans-1,2-Dichloroethene	ug/L	50	47.4	95	70-130	
trans-1,3-Dichloropropene	ug/L	50	52.5	105	58-125	
Trichloroethene	ug/L	50	61.8	124	70-130	
Trichlorofluoromethane	ug/L	50	50.5	101	84-148	
Vinyl chloride	ug/L	50	42.4	85	63-142	
4-Bromofluorobenzene (S)	%			106	70-130	
Dibromofluoromethane (S)	%			96	70-130	
Toluene-d8 (S)	%			105	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Laundry Basket

Pace Project No.: 10553163

QC Batch: 381498

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV

Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 10553163001, 10553163002

METHOD BLANK: 2200438

Matrix: Water

Associated Lab Samples: 10553163001, 10553163002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	04/06/21 08:18	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	04/06/21 08:18	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	04/06/21 08:18	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	04/06/21 08:18	
1,1-Dichloroethane	ug/L	<0.27	1.0	04/06/21 08:18	
1,1-Dichloroethene	ug/L	<0.24	1.0	04/06/21 08:18	
1,1-Dichloropropene	ug/L	<0.54	1.8	04/06/21 08:18	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	04/06/21 08:18	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	04/06/21 08:18	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	04/06/21 08:18	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	04/06/21 08:18	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	04/06/21 08:18	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	04/06/21 08:18	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	04/06/21 08:18	
1,2-Dichloroethane	ug/L	<0.28	1.0	04/06/21 08:18	
1,2-Dichloropropane	ug/L	<0.28	1.0	04/06/21 08:18	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	04/06/21 08:18	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	04/06/21 08:18	
1,3-Dichloropropane	ug/L	<0.83	2.8	04/06/21 08:18	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	04/06/21 08:18	
2,2-Dichloropropane	ug/L	<2.3	7.6	04/06/21 08:18	
2-Chlorotoluene	ug/L	<0.93	5.0	04/06/21 08:18	
4-Chlorotoluene	ug/L	<0.76	2.5	04/06/21 08:18	
Benzene	ug/L	<0.25	1.0	04/06/21 08:18	
Bromobenzene	ug/L	<0.24	1.0	04/06/21 08:18	
Bromochloromethane	ug/L	<0.36	5.0	04/06/21 08:18	
Bromodichloromethane	ug/L	<0.36	1.2	04/06/21 08:18	
Bromoform	ug/L	<4.0	13.2	04/06/21 08:18	
Bromomethane	ug/L	<0.97	5.0	04/06/21 08:18	
Carbon tetrachloride	ug/L	<1.1	3.6	04/06/21 08:18	
Chlorobenzene	ug/L	<0.71	2.4	04/06/21 08:18	
Chloroethane	ug/L	<1.3	5.0	04/06/21 08:18	
Chloroform	ug/L	<1.3	5.0	04/06/21 08:18	
Chloromethane	ug/L	<2.2	7.3	04/06/21 08:18	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	04/06/21 08:18	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	04/06/21 08:18	
Dibromochloromethane	ug/L	<2.6	8.7	04/06/21 08:18	
Dibromomethane	ug/L	<0.94	3.1	04/06/21 08:18	
Dichlorodifluoromethane	ug/L	<0.50	5.0	04/06/21 08:18	
Diisopropyl ether	ug/L	<1.9	6.3	04/06/21 08:18	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Laundry Basket
Pace Project No.: 10553163

METHOD BLANK: 2200438 Matrix: Water
Associated Lab Samples: 10553163001, 10553163002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.32	1.1	04/06/21 08:18	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	04/06/21 08:18	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	04/06/21 08:18	
m&p-Xylene	ug/L	<0.47	2.0	04/06/21 08:18	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	04/06/21 08:18	
Methylene Chloride	ug/L	<0.58	5.0	04/06/21 08:18	
n-Butylbenzene	ug/L	<0.71	2.4	04/06/21 08:18	
n-Propylbenzene	ug/L	<0.81	5.0	04/06/21 08:18	
Naphthalene	ug/L	<1.2	5.0	04/06/21 08:18	
o-Xylene	ug/L	<0.26	1.0	04/06/21 08:18	
p-Isopropyltoluene	ug/L	<0.80	2.7	04/06/21 08:18	
sec-Butylbenzene	ug/L	<0.85	5.0	04/06/21 08:18	
Styrene	ug/L	<3.0	10.0	04/06/21 08:18	
tert-Butylbenzene	ug/L	<0.30	1.0	04/06/21 08:18	
Tetrachloroethene	ug/L	<0.33	1.1	04/06/21 08:18	
Toluene	ug/L	<0.27	1.0	04/06/21 08:18	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	04/06/21 08:18	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	04/06/21 08:18	
Trichloroethene	ug/L	<0.26	1.0	04/06/21 08:18	
Trichlorofluoromethane	ug/L	<0.21	1.0	04/06/21 08:18	
Vinyl chloride	ug/L	<0.17	1.0	04/06/21 08:18	
4-Bromofluorobenzene (S)	%	104	70-130	04/06/21 08:18	
Dibromofluoromethane (S)	%	102	70-130	04/06/21 08:18	
Toluene-d8 (S)	%	101	70-130	04/06/21 08:18	

LABORATORY CONTROL SAMPLE: 2200439

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	54.0	108	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	48.9	98	66-130	
1,1,2-Trichloroethane	ug/L	50	55.8	112	70-130	
1,1-Dichloroethane	ug/L	50	52.3	105	68-132	
1,1-Dichloroethene	ug/L	50	49.5	99	85-126	
1,2,4-Trichlorobenzene	ug/L	50	52.7	105	70-130	
1,2-Dibromo-3-chloropropane	ug/L	50	46.1	92	51-126	
1,2-Dibromoethane (EDB)	ug/L	50	51.9	104	70-130	
1,2-Dichlorobenzene	ug/L	50	52.5	105	70-130	
1,2-Dichloroethane	ug/L	50	52.7	105	70-130	
1,2-Dichloropropane	ug/L	50	56.9	114	78-125	
1,3-Dichlorobenzene	ug/L	50	53.5	107	70-130	
1,4-Dichlorobenzene	ug/L	50	53.6	107	70-130	
Benzene	ug/L	50	51.5	103	70-132	
Bromodichloromethane	ug/L	50	56.1	112	70-130	
Bromoform	ug/L	50	54.2	108	65-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Laundry Basket

Pace Project No.: 10553163

LABORATORY CONTROL SAMPLE: 2200439

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromomethane	ug/L	50	42.2	84	44-128	
Carbon tetrachloride	ug/L	50	56.9	114	70-130	
Chlorobenzene	ug/L	50	56.3	113	70-130	
Chloroethane	ug/L	50	48.8	98	73-137	
Chloroform	ug/L	50	54.5	109	80-122	
Chloromethane	ug/L	50	43.1	86	27-148	
cis-1,2-Dichloroethene	ug/L	50	52.3	105	70-130	
cis-1,3-Dichloropropene	ug/L	50	57.0	114	70-130	
Dibromochloromethane	ug/L	50	50.1	100	70-130	
Dichlorodifluoromethane	ug/L	50	38.4	77	22-151	
Ethylbenzene	ug/L	50	57.4	115	80-123	
Isopropylbenzene (Cumene)	ug/L	50	56.2	112	70-130	
m&p-Xylene	ug/L	100	112	112	70-130	
Methyl-tert-butyl ether	ug/L	50	48.4	97	66-130	
Methylene Chloride	ug/L	50	49.1	98	70-130	
o-Xylene	ug/L	50	54.4	109	70-130	
Styrene	ug/L	50	56.6	113	70-130	
Tetrachloroethene	ug/L	50	58.1	116	70-130	
Toluene	ug/L	50	55.1	110	80-121	
trans-1,2-Dichloroethene	ug/L	50	49.1	98	70-130	
trans-1,3-Dichloropropene	ug/L	50	55.2	110	58-125	
Trichloroethene	ug/L	50	59.8	120	70-130	
Trichlorofluoromethane	ug/L	50	55.8	112	84-148	
Vinyl chloride	ug/L	50	45.9	92	63-142	
4-Bromofluorobenzene (S)	%			107	70-130	
Dibromofluoromethane (S)	%			101	70-130	
Toluene-d8 (S)	%			103	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Laundry Basket

Pace Project No.: 10553163

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Laundry Basket

Pace Project No.: 10553163

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10553163001	MW-17	EPA 8260	381498		
10553163002	MW-17 (40)	EPA 8260	381498		
10553163003	MW-17 (70)	EPA 8260	381440		
10553163004	MW-10-30LT	EPA 8260	381440		
10553163005	MW-10-50LT	EPA 8260	381440		
10553163006	MW-6-30LT	EPA 8260	381440		
10553163007	MW-6-50LT	EPA 8260	381440		
10553163008	MW-13D	EPA 8260	381440		
10553163009	MW-15D	EPA 8260	381440		
10553163010	Municipal Well #2	EPA 8260	381440		
10553163011	Dup -1	EPA 8260	381440		
10553163012	Trip Blank	EPA 8260	381440		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.




Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company: <i>MSA Professional Services</i>	Report To: <i>MARK DAVIDSON</i>	Attention:	Company Name:	Address:	REGULATORY AGENCY
Address: <i>60 Platte Blvd #140</i>	Copy To:	Purchase Order No.:	Address:	Address:	<input type="checkbox"/> NPDES <input checked="" type="checkbox"/> GROUND WATER <input type="checkbox"/> DRINKING WATER
Email To: <i>St. Paul, MN 55107</i>			Project Name: <i>LAUNDRY BISECT</i>	Reference:	<input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER
Phone: <i>612-499-3184</i>			Project Number:	Pace Project Manager: <i>Saman Davis</i>	Site Location
Fax:				Pace Profile #:	STATE: <i>WI</i>
Requested Due Date/TAT:					

2157822

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives											Unpreserved	Analysis Test ↑	Y/N	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
				DATE	TIME			DATE	TIME	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ O ₃	Methanol	Other								
1	MW-17	DW	WT	3/30	8915		3	X												001				
2	MW-17(40)	WT			0945															002				
3	MW-17(70)	WT			1026															003				
4	MW-16-30 LT	WT			1055															004				
5	MW-16-50 LT	WT			1126															005				
6	MW-6-30 LT	WT			1156															006				
7	MW-6-50 LT	WT			1225															007				
8	MW-13D	WT			1255															008				
9	MW-15D	WT			1325															009				
10	Man. capel well #2	WT			1030		2													010				
11	DUP-1	WT																		011				

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS	Temp in °C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
	<i>Mark David / MSA</i>	<i>3/31/21</i>	<i>1450</i>	<i>MARK DAVIDSON</i>	<i>3/31/21</i>	<i>1458</i>	<i>Y N</i>				

ORIGINAL



Document Name:
Sample Condition Upon Receipt (SCUR) - MN

Document No.:
ENV-FRM-MIN4-0150 Rev.01

Document Revised: 12Aug2020
Page 1 of 1

Pace Analytical Services -
Minneapolis

Sample Condition Upon Receipt

Client Name: MSP professional services

Project #:

WO# : 10553163

Courier: Fed Ex UPS USPS Client
 Pace SpeedDee Commercial

PM: SRD Due Date: 04/07/21
CLIENT: MSA PROF

Tracking Number: 9550 9942 1429 See Exceptions
ENV-FRM-MIN4-0142

Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Biological Tissue Frozen? Yes No N/A

Packing Material: Bubble Wrap Bubble Bags None Other: Temp Blank? Yes No

Thermometer: T1(0461) T2(1336) T3(0459) T4(0254) T5(0489) Type of Ice: Wet Blue None Dry Melted

Did Samples Originate in West Virginia? Yes No Were All Container Temps Taken? Yes No N/A

Temp should be above freezing to 6°C Cooler Temp Read w/temp blank: 2.2 °C Average Corrected Temp (no temp blank only): °C See Exceptions ENV-FRM-MIN4-0142 1 Container

Correction Factor: -0.1 Cooler Temp Corrected w/temp blank: 2.1 °C

USDA Regulated Soil: (N/A, water sample/Other:) Date/initials of Person Examining Contents: 3/31/21 JSR

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present and Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	4.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. <input type="checkbox"/> Fecal Coliform <input type="checkbox"/> HPC <input type="checkbox"/> Total Coliform/E coli <input type="checkbox"/> BOD/cBOD <input type="checkbox"/> Hex Chrome <input type="checkbox"/> Turbidity <input type="checkbox"/> Nitrate <input type="checkbox"/> Nitrite <input type="checkbox"/> Orthophos <input type="checkbox"/> Other
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	7.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Field Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	10. Is sediment visible in the dissolved container? <input type="checkbox"/> Yes <input type="checkbox"/> No
Is sufficient information available to reconcile the samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. If no, write ID/ Date/Time on Container Below: See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Matrix: <input checked="" type="checkbox"/> Water <input type="checkbox"/> Soil <input type="checkbox"/> Oil <input type="checkbox"/> Other		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12. Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , <2pH, NaOH >9 Sulfide, NaOH >10 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	<input type="checkbox"/> NaOH <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> Zinc Acetate
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin/PFAS	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Positive for Res. <input type="checkbox"/> Yes <input type="checkbox"/> No Chlorine? <input type="checkbox"/> Yes <input type="checkbox"/> No pH Paper Lot# See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Extra labels present on soil VOA or WIDRO containers?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Res. Chlorine 0-6 Roll 0-6 Strip 0-14 Strip
Headspace in VOA Vials (greater than 6mm)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	13. See Exception <input type="checkbox"/> ENV-FRM-MIN4-0142
Trip Blank Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	14. Pace Trip Blank Lot # (if purchased): <u>295879</u>
Trip Blank Custody Seals Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	

CLIENT NOTIFICATION/RESOLUTION

Person Contacted: _____ Date/Time: _____
Comments/Resolution: _____

Field Data Required? Yes No

Project Manager Review: Shaun Davis

Date: 4/1/21

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).

Labeled by: RS RL Page 39 of 42

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 9
Green Bay, WI 54302

Client Name: Pace MN

Project # 40224398

All containers needing preservation have been checked and noted below: Yes No N/A

Initial when completed:

Date/Time:


Lab Lot# of pH paper:

Lab Std #ID of preservation (if pH adjusted):

Pace Lab #	Glass							Plastic					Vials				Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)			
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BG3U	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU								SP5T	ZPLC	GN
001																3																	2.5 / 5 / 10
002																3																	2.5 / 5 / 10
003																3																	2.5 / 5 / 10
004																3																	2.5 / 5 / 10
005																3																	2.5 / 5 / 10
006																3																	2.5 / 5 / 10
007																3																	2.5 / 5 / 10
008																3																	2.5 / 5 / 10
009																3																	2.5 / 5 / 10
010																3																	2.5 / 5 / 10
011																3																	2.5 / 5 / 10
012																2																	2.5 / 5 / 10
013																																	2.5 / 5 / 10
014																																	2.5 / 5 / 10
015																																	2.5 / 5 / 10
016																																	2.5 / 5 / 10
017																																	2.5 / 5 / 10
018																																	2.5 / 5 / 10
019																																	2.5 / 5 / 10
020																																	2.5 / 5 / 10

Exceptions to preservation check: VOA, Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

WO# : 40224398

Client Name: Pace MN

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____



Tracking #: 2799877-1

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Custody Seal on Samples Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - 98 Type of Ice: Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: 2.0 / Corr: 2.0

Temp Blank Present: Yes No

Biological Tissue is Frozen: Yes No

Person examining contents: Date: <u>4/2/21</u> / Initials: <u>SRK</u> Labeled By Initials: <u>[Signature]</u>

Temp should be above freezing to 6°C.
 Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	4. <u>IRWO</u> 4/2/21 SRK
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): <u>121420-3CYR</u>		

Client Notification/ Resolution: _____ If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir