

BRETS: 02-30-545024

PEP Environmental Services, LLC



Phase II Environmental Site Investigation Report



Twin Lakes Laundry

111 South Lake Avenue
Village of Twin Lakes, Wisconsin
Kenosha County
PEP Project No. 25022.01

Prepared for
Mr. Tom Enloe
Community Bank - Delavan

December 2005

PEP Environmental Services, LLC
7147 Cedar Sauk Road, Saukville, WI 53080-2452
Phone: 414-801-1730 Fax: 262-675-2062

PEP Environmental Services, LLC

December 11, 2005

Mr. Tom Enloe
Community Bank – Delavan
P.O. Box 648
Delavan, WI 53115

Re: Phase II Environmental Site Investigation for the Twin Lakes Laundry site, 111 South Lake Avenue, Village of Twin Lakes, Kenosha County, Wisconsin (Figure 1).
PEP Project No. 25022.01

Dear Tom:

We identified significant concentrations of tetrachloroethene (PERC), a common dry cleaning solvent, and its associated breakdown products, in soil and shallow groundwater at the site. The PERC concentrations in groundwater are well above the Wisconsin Department of Natural Resources (WDNR) NR 140 enforcement standard (ES) for groundwater quality. It appears the groundwater contaminant plume is generally moving to the east.

It appears likely that the groundwater contaminant plume is moving off-site to the east. However, we did not collect any off-site groundwater samples. Residents in the Village of Twin Lakes obtain their water from private potable wells. We collected a water sample from the Twin Lakes Laundry potable well, which is located on the western portion of the property. The potable well is located in what we believe is an upgradient location compared to where the former dry cleaning equipment was located. The water sample from the potable well did not contain any volatile organic compounds (VOCs) above the laboratory detection levels.

Groundwater is present at about 10 feet below ground surface (bgs) beneath the site. It appears that the combination of sandy soil and shallow groundwater has resulted in contamination of the shallow aquifer. The full horizontal and vertical extent of the groundwater contamination needs to be defined by the installation of additional monitoring wells and piezometers. In addition, the presence of downgradient potable wells is a significant concern and they should be sampled as soon as possible to determine if any potable water supplies have been impacted.

The owner of the property is required to notify the WDNR of the presence of hazardous substances in soil and groundwater. At the owner's request, PEP Environmental Services, LLC, will assist with this task.

Site History and Purpose of the Site Investigation

PEP completed a Transaction Screen Environmental Assessment of the Twin Lakes Laundry site in November 2005. The results of that assessment identified the site as a former dry cleaning facility. Based on those findings, PEP recommended the completion of a Phase II Site Investigation to determine if the operations associated with the former dry cleaner had adversely impacted the soil or groundwater at the site.

PEP Environmental Services, LLC

7147 Cedar Sauk Road, Saukville, WI 53080-2452

Phone: 414-801-1730 Fax: 262-675-2062 Email: pepenviro@core.com

Methods

On November 29, 2005, we completed five (5) Geoprobe™ soil borings on the site. We completed the borings around the perimeter of the building. We believe, based on topography, that the groundwater beneath the site is moving to the east-southeast. We completed all five borings to depths of 12 to 16 feet bgs. The approximate boring locations are shown on Figure 2 in Appendix A.

We field screened each sample we collected with a photoionization detector (PID) for the presence of VOCs using the headspace method. The PID reading for each sample is recorded on the soil boring logs.

The following is a summary of the borings we completed, including their total depth, depth interval of elevated PID readings, and depth interval of the sample submitted for laboratory analysis:

<u>Boring ID</u>	<u>Total Boring Depth</u>	<u>Depth of Elevated PID Readings</u>	<u>Lab Sample</u>	<u>Water Sample</u>
B-1	16 feet	None	8-10 feet	Yes
B-2	12 feet	None	4-6 feet	Yes
B-3	12 feet	None	8-10 feet	No
B-4	12 feet	None	10-12 feet	No
B-5	12 feet	None	6-8 feet	Yes

We encountered substantial amounts of groundwater in all five borings. We installed a steel temporary well screen in borings B-1, B-2, and B-5. After purging about 1-2 gallons of water from each boring with a peristaltic pump, the water became relatively clear, and we collected a water sample from each of those three borings; we identified the water samples as W-1, W-2, and W-5, respectively.

After we completed sampling, each borehole was backfilled with bentonite and patched. Copies of the soil boring logs (WDNR Form 4400-122) and abandonment forms (WDNR Form 3300-5B) are provided in Appendix B. Photographs of the boring locations and site are provided in Appendix C.

We also collected a water sample from the private potable well that provides water to the Twin Lakes Laundry building. We collected the sample from a spigot off of the pressure tank before any softening treatment.

The five soil samples and four groundwater samples we collected for laboratory analysis were analyzed for VOCs (Method EPA 8260B) at Test America, in Watertown, Wisconsin.

The area surrounding the building to the north, east, and south, is covered with asphalt. The area west of the building is covered with grass. We did not complete any borings south of the building because we were informed by the property owner to the south that the asphalt driveway area south of the Twin Lakes Laundry building is not owned by the Twin Lakes Laundry. Generally, we encountered silty clay and silty sand from just below the asphalt to about 4-6 feet bgs. Below 6 feet, we generally encountered silty sand and sand and fine gravel. In all of the borings we encountered groundwater at about 10 feet bgs. The site is higher on the west end of the property and slopes to the east. The difference in elevation from the west to the east ends of the property is about 5 feet.

Within the top 2 feet of the surface, we encountered some sand and gravel that may have been imported to the site at the time the property was first developed. Below two feet, we did not encounter any materials that were indicative of fill material or other non-native soil. We did not encounter any debris or buried objects that would indicate unauthorized dumping, landfilling, or filling with potentially hazardous materials.

Results

Field screening soil samples with the PID failed to produce any indications of VOCs in the soil samples we collected. None of the soil samples we collected produced a PID response above 1 instrument unit or had a petroleum or solvent odor.

No VOCs were detected above the laboratory detection limits in the soil samples submitted to the laboratory from borings B-1, B-2, B-4, or B-5. PERC was present in the soil sample we collected from 8-10 feet bgs from boring B-3 at a concentration of 5,700 parts per billion (ppb). Because we did not plan to collect a groundwater sample from B-3, we collected the soil sample from the soil-groundwater interface. The PERC level we detect in the sample from B-3 is probably more representative of the concentrations in groundwater. The WDNR has not established cleanup values in soil for PERC. Based on this concentration at the soil-groundwater interface, it appears reasonable to assume that the shallow groundwater is contaminated above the NR 140 ES at the location of boring B-3.

PERC and its associated breakdown products were found at very high levels in the water sample we collected from boring B-2. The water sample from B-2 contained PERC (26,000 ppb), cis-1,2-Dichloroethene (650 ppb), and trichloroethene (TCE) (2,000 ppb) above their respective NR 140 ES. The water sample from boring B-5 contained much lower concentrations of contaminants; it contained PERC at 16 ppb and TCE at 0.50 ppb. No significant levels of VOCs were detected in the water sample from boring B-1. No VOCs were detected above the laboratory detection limits in the water sample collected from the potable well.

The laboratory results are summarized and tabulated in Appendix D. A copy of the complete laboratory report is also included in Attachment D.

Conclusions and Recommendations

Our results indicate that there was a release of PERC sometime in the past on this property, probably while it was an operating dry cleaner. We identified significant concentrations of PERC, a common dry cleaning solvent, and its associated breakdown products, in soil and shallow groundwater at the site. The PERC concentrations in groundwater are well above the WDNR NR 140 ES for groundwater quality.

It appears likely that the groundwater contaminant plume is moving off-site to the east. Residents of the Village of Twin Lakes obtain their water from private potable wells. Private potable wells downgradient of the Twin Lakes Laundry are potentially at risk by this release. PERC is heavier than water and will migrate vertically (downward) in the water column, as well as move horizontally. The full horizontal and vertical extent of the groundwater contamination needs to be defined by the installation of additional monitoring wells and piezometers. In addition, the presence of downgradient potable wells is a significant concern and should be sampled as soon as possible to determine if any potable water supplies have been impacted.


The owner of the property is required to notify the WDNR of the presence of hazardous substances in soil and groundwater. At the owner's request, PEP Environmental Services, LLC, will assist with this task.

It is important to note that our investigation covered only five discrete boring locations. We placed four of our five borings downgradient of locations that we believed would most likely be contaminated by the former on-site dry cleaning operations. We believe the locations we chose would have the potential to be contaminated if there had been a significant release of PERC on the site. These results do not guarantee that soil is not contaminated on portions of the property not tested. Soil contamination may be present below the building where we could not complete a boring. However, we believe these results are representative of site conditions and fairly represent the condition of the soil and groundwater at the site, given the limitation of time and budget. We did not test soil below the on-site structure or any building materials. This report was prepared for the sole use of Community Bank and Ms. JoAnn Winnegar. Reliance on these results by any other party is done so at their own risk.

If you need any additional information or have any questions about these results, please contact me at 414-801-1730.

Sincerely,


Pete Pavalko, CHMM, REM
Environmental Scientist



Appendix A

Figure 1 – Site Location

Figure 2 - Site Features and Soil Boring Locations

Figure 1 - Site Location - Twin Lakes Laundry






Figure 2 - Site Features & Soil Boring Locations



B-1 - Boring Location and ID

All Dimensions are approximate. This is not a legal survey.

PEP Environmental Services, LLC	
Twin Lakes Laundry Twin Lakes, WI	25022.02

Appendix B

Soil Boring Logs

Facility/Project Name Twin Lakes Laundry - 25022.02		License/Permit/Monitoring Number	Boring Number B-1
Boring Drilled By (Firm name and name of crew chief) PEP		Date Drilling Started 11 29 05 MM/ DD/ YY	Date Drilling Completed 11 29 05 MM/ DD/ YY
DNR Facility Well No. WI Unique Well No.		Common Well Name	Drilling Method Geoprobe
Boring Location State Plane 0 1/4 of 0 1/4 of Section 0 T, 0 R, 0		Final Static Water Level Feet MSL	Surface Elevation Feet MSL
County Kenosha		DNR County Code 0	Borehole Diameter 2 inches
		Civil Town/City/or Village Village of Twin Lakes	Local Grid Location (if applicable) Feet <input type="checkbox"/> N <input type="checkbox"/> S

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet	Soil / Rock Description and Geological Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
SB-1A	40	36	30	2	ASphalt			0	D	D					LAB
				4	SILTY SAND, Some FINE Gravel possible fill			0	D	D					
				6	SILTY SAND			0	D	D					
				8	" " CHANGING TO SILTY, STICKY clay			0	M	M					
				10	" " " SB-1A 8-10"			0	M	M			soil VOCS		
				12	CHANGING TO SILTY SAND + sm. Gravel			0	M	M					
				14	TAN SILTY SAND			0	W	W			water VOCS		
				16	--- Wet Gray SAND + v. Fine gravel			0	W	W					
				18	Purged ~ 2g + collected Water Sample W-1; will Analyze For VOCS										
				20											
22															
24															

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>Peter E. Pavalko</i>	Firm PEP Environmental Services, LLC 7147 Cedar Sauk Road, Saukville, WI 53080 414-801-1730
-----------------------------------	---

This form is authorized by Chapters 144, 147, and 162, Wis. Stat. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 ans 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112 or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County Kenosha	Original Well Owner (If Known)	
<u>0</u> 1/4 of <u>##</u> 1/4 of Sec. <u>0</u> : T. <u>0</u> ; R. <u>0</u> <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner Twin Lakes Laundry - 25022.02	
(If applicable) Gov't Lot	Grid Number	Street or Route 111 South Lake Avenue	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S.		City, State, Zip Code Village of Twin Lakes, WI	
Civil Town Name		Facility Well No. and/or Name (If Applicable) B-1	WI Unique Well No.
Street Address of Well 111 South Lake Avenue		Reason For Abandonment Sampling Completed	
City, Village Village of Twin Lakes, WI		Date of Abandonment 11-29-05	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
<p>(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>11-29-05</u></p> <p> <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole </p> <p>Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <small>WDNR 4400-122</small> </p> <p>Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>GEOPROBE</u> </p> <p>Formation Type: <input type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock </p> <p>Total Well Depth (ft.) <u>16</u> Casing Diameter (ins.) <u>2</u> <small>(From ground surface)</small> </p> <p>Casing Depth (ft.) <u>N/A</u></p> <p>Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown <small>If Yes, To What Depth? _____ Feet</small> </p>	<p>(4) Depth to Water (Feet) <u>~10</u></p> <p> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ </p> <p> Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No </p> <p>(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity </p> <p>(6) Sealing Materials For monitoring wells and monitoring well boreholes only</p> <p> <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite </p> <p style="text-align: right;"> <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout </p>

(7) Sealing Material Used	From (Ft.)	To (Ft.)	No. Yards, Sacks, Sealant or Volume	Mix Ratio or Mud Weight
Bentonite	Surface	16		

(8) Comments: PEP Project # 25022.02

(9) Name of Person or Firm Doing Sealing Work
PEP Environmental Services, Inc.

Signature of Person Doing Work <i>Peter E. Pawliko</i>	Date Signed 11-29-05
Street or Route 7147 Cedar Sauk Road	Telephone Number (414) 801-1730
City, State, Zip Code Saukville, WI 53080-2452	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	District/County
Reviewer/Inspector	
Follow-up Necessary	

Route to:
 Solid Waste
 Emergency Response
 Wastewater
 Superfund
 HazWaste
 Underground Tanks
 Water Resources
 Other

Facility/Project Name: **Twin Lakes Laundry - 25022.02**
 License/Permit/Monitoring Number: **B-2**
 Boring Drilled By (Firm name and name of crew chief): **PEP**
 Date Drilling Started: **11 29 05** (MM/DD/YY)
 Date Drilling Completed: **11 29 05** (MM/DD/YY)
 Drilling Method: **Geoprobe**
 DNR Facility Well No. / WI Unique Well No. / Common Well Name: **[REDACTED]**
 Final Static Water Level (Feet MSL):
 Surface Elevation (Feet MSL):
 Borehole Diameter: **2** inches
 State Plane: **0** 1/4 of **0** 1/4 of Section **0** T, **0** R, **0** E
 Local Grid Location (if applicable): N S
 County: **Kenosha** DNR County Code: **0** Civil Town/City/or Village: **Village of Twin Lakes**

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet	Soil / Rock Description and Geological Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					P 200	ROD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index			
SB-2A	48		2	Asphalt				0		D					
			4	SILT, SAND, + Gravel Mix in layers, possible non-NATIVE fill				0		D					
			6	STICKY SILTY CLAY SB-2A					0		M				VOC soil
			8	SILTY SAND + SM. GRAVEL					0		M				
			10	SILTY SAND + GRAVEL WET					0		VM				
			12	WET					0		Wet				
			14	pumped 1-2g + collected Water sample W-2 for VOC analysis										Water VOCs	

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature: **Peter E. Pavalko** Firm: **PEP Environmental Services, LLC**
 7147 Cedar Sauk Road, Saukville, WI 53080 414-801-1730

This form is authorized by Chapters 144, 147, and 162, Wis. Stat. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112 or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County Kenosha	Original Well Owner (If Known)	
<u>0</u> 1/4 of <u>##</u> 1/4 of Sec. <u>0</u> : T. <u>0</u> ; R. <u>0</u> <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner Twin Lakes Laundry - 25022.02	
(If applicable) Gov't Lot	Grid Number	Street or Route 111 South Lake Avenue	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S.		City, State, Zip Code Village of Twin Lakes, WI	
Civil Town Name		Facility Well No. and/or Name (If Applicable) B-2	WI Unique Well No.
Street Address of Well 111 South Lake Avenue		Reason For Abandonment Sampling Completed	
City, Village Village of Twin Lakes, WI		Date of Abandonment 11-29-05	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
<p>(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>11-29-05</u></p> <p><input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole</p> <p>Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No WDNR 4400-122</p> <p>Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>GEOPROBE</u></p> <p>Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock</p> <p>Total Well Depth (ft.) <u>12</u> Casing Diameter (ins.) <u>2</u></p> <p>(From ground surface)</p> <p>Casing Depth (ft.) <u>N/A</u></p> <p>Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet</p>	<p>(4) Depth to Water (Feet) <u>~10</u></p> <p>Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____</p> <p>Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity</p> <p>(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite-Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite</p>

(7) Sealing Material Used	From (Ft.)	To (Ft.)	No.Yards, Sacks, Sealant or Volume	Mix Ratio or Mud Weight
Bentonite	Surface	<u>12</u>		

(8) Comments: PEP Project # 25022.02

(9) Name of Person or Firm Doing Sealing Work
PEP Environmental Services, Inc.

Signature of Person Doing Work <i>Peter E. Pavullo</i>	Date Signed <u>11-29-05</u>
Street or Route 7147 Cedar Sauk Road	Telephone Number (414) 801-1730
City, State, Zip Code Saukville, WI 53080-2452	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	District/County
Reviewer/Inspector	
Follow-up Necessary	

Facility/Project Name Twin Lakes Laundry - 25022.02			License/Permit/Monitoring Number			Boring Number B-3					
Boring Drilled By (Firm name and name of crew chief) PEP			Date Drilling Started 11 29 05 MM/ DD/ YY		Date Drilling Completed 11 29 05 MM/ DD/ YY		Drilling Method Geoprobe				
DNR Facility Well No.		WI Unique Well No.		Common Well Name		Final Static Water Level Feet MSL		Surface Elevation Feet MSL		Borehole Diameter 2 inches	
Boring Location State Plane 0 1/4 of 0 1/4 of Section 0 T, 0 R, 0			N, E		Lat		Local Grid Location (if applicable) Feet <input type="checkbox"/> N <input type="checkbox"/> S		Feet <input type="checkbox"/> N <input type="checkbox"/> S		
County Kenosha			DNR County Code 0		Civil Town/City/or Village Village of Twin Lakes						

Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet	Soil / Rock Description and Geological Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				2	Asphalt SILT, SAND, Gravel (f:11?)				0		D				
	48			4	SILTY SAND				0		D				
	40			6	SILTY SAND, SM. TO MED. Gravel				0		0				
				8					0		0				
SB-3A	36			10	SILTY SAND + SMALL Gravel WET				0		M				VOL Soil
				12					0		W				
				14	NO WATER SAMPLE										
				16											
				18											
				20											
				22											
				24											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Peter E. Pavalko Firm **PEP Environmental Services, LLC**
 7147 Cedar Sauk Road, Saukville, WI 53080 414-801-1730

This form is authorized by Chapters 144, 147, and 162, Wis. Stat. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 ans 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112 or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County Kenosha	Original Well Owner (If Known)	
<u>0</u> 1/4 of <u>##</u> 1/4 of Sec. <u>0</u> : T. <u>0</u> ; R. <u>0</u> <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner Twin Lakes Laundry - 25022.02	
(If applicable) Gov't Lot	Grid Number	Street or Route 111 South Lake Avenue	
Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S.		City, State, Zip Code Village of Twin Lakes, WI	
Civil Town Name		Facility Well No. and/or Name (If Applicable) B-3	WI Unique Well No.
Street Address of Well 111 South Lake Avenue		Reason For Abandonment Sampling Completed	
City, Village Village of Twin Lakes, WI		Date of Abandonment 11-29-05	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
<p>(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>11-29-05</u></p> <p><input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole</p> <p>Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No WDNR 4400-122</p> <p>Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>GEOPROBE</u></p> <p>Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock</p> <p>Total Well Depth (ft.) <u>12</u> Casing Diameter (ins.) <u>2</u> (From ground surface)</p> <p>Casing Depth (ft.) <u>N/A</u></p> <p>Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet</p>	<p>(4) Depth to Water (Feet) <u>~10</u></p> <p>Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____</p> <p>Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>(5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity</p> <p>(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite-Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite</p>

(7) Sealing Material Used	From (Ft.)	To (Ft.)	No.Yards, Sacks, Sealant or Volume	Mix Ratio or Mud Weight
Bentonite	Surface	<u>12</u>		

(8) Comments: PEP Project # 25022.02

(9) Name of Person or Firm Doing Sealing Work
PEP Environmental Services, Inc.

Signature of Person Doing Work <i>Peter E. Pavales</i>	Date Signed 11-29-05
Street or Route 7147 Cedar Sauk Road	Telephone Number (414) 801-1730
City, State, Zip Code Saukville, WI 53080-2452	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	District/County
Reviewer/Inspector	
Follow-up Necessary	

Route to:
 Solid Waste
 Emergency Response
 Wastewater
 Superfund
 HazWaste
 Underground Tanks
 Water Resources
 Other

Facility/Project Name: **Twin Lakes Laundry - 25022.02**
 License/Permit/Monitoring Number: **B-4**
 Boring Drilled By (Firm name and name of crew chief): **PEP**
 Date Drilling Started: **11 29 05** (MM/DD/YY)
 Date Drilling Completed: **11 29 05** (MM/DD/YY)
 Drilling Method: **Geoprobe**
 DNR Facility Well No. **WI Unique Well No.** **Common Well Name**
 Final Static Water Level (Feet MSL):
 Surface Elevation (Feet MSL):
 Borehole Diameter: **2** inches
 Boring Location: State Plane **0** 1/4 of **0** 1/4 of Section **0** T, **0** R, **0**
 Lat: Long:
 Local Grid Location (if applicable): Feet N S Feet N S
 County: **Kenosha** DNR County Code: **0** Civil Town/City/or Village: **Village of Twin Lakes**

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet	Soil / Rock Description and Geological Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
				W-SW 1/4-W. of Bldg. in Grass											
				Grass											
				Rock											
	48		2	Reddish silt w/ some clay				0			0				
			4					0			0				
	44		6	SAND, SILTY SAND				0			0				
			8	SAND + MED. GRAVEL				0			0				
			10	SILTY SAND				0			M				
SB-4A	40		12	" " Getting very moist-wet				0			VM				SOIL VOC
			14	NO water sample - will sample on-site potable well											
			16												
			18												
			20												
			22												
			24												

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature: **Peter E. Pavalko** Firm: **PEP Environmental Services, LLC**
 7147 Cedar Sauk Road, Saukville, WI 53080 414-801-1730

This form is authorized by Chapters 144, 147, and 162, Wis. Stat. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 ans 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112 or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County Kenosha	Original Well Owner (If Known)	
0 1/4 of ## 1/4 of Sec. 0 : T. 0 ; R. 0 <input type="checkbox"/> E <input type="checkbox"/> W (If applicable)		Present Well Owner Twin Lakes Laundry - 25022.02	
Gov't Lot		Street or Route 111 South Lake Avenue	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S.		City, State, Zip Code Village of Twin Lakes, WI	
Civil Town Name		Facility Well No. and/or Name (If Applicable) B-4	WI Unique Well No.
Street Address of Well 111 South Lake Avenue		Reason For Abandonment Sampling Completed	
City, Village Village of Twin Lakes, WI		Date of Abandonment 11-29-05	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) 11-29-05 <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No WDNR 4400-122 Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) GEOPROBE Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) 12 Casing Diameter (ins.) 2 (From ground surface) Casing Depth (ft.) N/A Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet	(4) Depth to Water (Feet) ~10 Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No (5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity (6) Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout

(7) Sealing Material Used	From (Ft.)	To (Ft.)	No. Yards, Sacks, Sealant or Volume	Mix Ratio or Mud Weight
Bentonite	Surface	12		

(8) Comments: **PEP Project # 25022.02**

(9) Name of Person or Firm Doing Sealing Work
PEP Environmental Services, Inc.

Signature of Person Doing Work <i>Peter E. Pavulko</i>	Date Signed 11-29-05
Street or Route 7147 Cedar Sauk Road	Telephone Number (414) 801-1730
City, State, Zip Code Saukville, WI 53080-2452	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	District/County
Reviewer/Inspector	
Follow-up Necessary	

Facility/Project Name Twin Lakes Laundry - 25022.02		License/Permit/Monitoring Number	Boring Number B-5
Boring Drilled By (Firm name and name of crew chief) PEP		Date Drilling Started 11 29 05 MM/ DD/ YY	Date Drilling Completed 11 29 05 MM/ DD/ YY
DNR Facility Well No.	WI Unique Well No.	Common Well Name	Drilling Method Geoprobe
Boring Location State Plane 0 1/4 of 0 1/4 of Section N, 0 T, 0 R, 0 E		Final Static Water Level Feet MSL	Surface Elevation Feet MSL
County Kenosha		DNR County Code 0	Borehole Diameter 2 inches
Local Grid Location (if applicable) Feet <input type="checkbox"/> N <input type="checkbox"/> S		Civil Town/City/or Village Village of Twin Lakes	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in feet	Soil / Rock Description and Geological Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties				P 200	RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index		
SB-5A	40		2	Asphalt SILTY SAND				0		D				
			4	SILTY clay				0		M				
			6	SILTY SAND, Some VERY FINE GRAVEL				0		D/M				
			8	(SB-5A)				0		M			SOIL VOC	
			10	SILTY SAND + sm. to med GRAVEL WITH SAND				0		M				
			12					0		W				
			14	Pumped 1-2g water + Collected W-5								VOC water		

I hereby certify that the information on this form is true and correct to the best of my knowledge.
 Signature Peter E. Pavalko Firm **PEP Environmental Services, LLC**
 7147 Cedar Sauk Road, Saukville, WI 53080 414-801-1730
 This form is authorized by Chapters 144, 147, and 162, Wis. Stat. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 ans 162.06, Wis. Stats.

All abandonment work shall be performed in accordance with the provisions of Chapters NR 111, NR 112 or NR 141, Wis. Admin. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County Kenosha	Original Well Owner (If Known)	
0 1/4 of ## 1/4 of Sec. 0 : T. 0 ; R. 0 <input type="checkbox"/> E <input type="checkbox"/> W (If applicable)		Present Well Owner Twin Lakes Laundry - 25022.02	
Gov't Lot		Street or Route 111 South Lake Avenue	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S.		City, State, Zip Code Village of Twin Lakes, WI	
Civil Town Name		Facility Well No. and/or Name (If Applicable) B-5	WI Unique Well No.
Street Address of Well 111 South Lake Avenue		Reason For Abandonment Sampling Completed	
City, Village Village of Twin Lakes, WI		Date of Abandonment 11-29-05	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>11-29-05</u> <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole Construction Report Available? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No WDNR 4400-122 Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>GEOPROBE</u> Formation Type: Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) <u>12</u> Casing Diameter (ins.) <u>2</u> (From ground surface) Casing Depth (ft.) <u>N/A</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet	(4) Depth to Water (Feet) <u>~10</u> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No (5) Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input checked="" type="checkbox"/> Other (Explain) Gravity (6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite-Cement Grout <input checked="" type="checkbox"/> Chipped Bentonite

(7) Sealing Material Used	From (Ft.)	To (Ft.)	No.Yards, Sacks, Sealant or Volume	Mix Ratio or Mud Weight
Bentonite	Surface	<u>12</u>		

(8) Comments: PEP Project # 25022.02

(9) Name of Person or Firm Doing Sealing Work
PEP Environmental Services, Inc.

Signature of Person Doing Work <i>Peter E. Pawalko</i>	Date Signed <u>11-29-05</u>
Street or Route 7147 Cedar Sauk Road	Telephone Number (414) 801-1730
City, State, Zip Code Saukville, WI 53080-2452	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	District/County
Reviewer/Inspector	
Follow-up Necessary	

Appendix C

Site Photographs

Site: Twin Lakes Laundry, 111 South Lake Avenue,
Village of Twin Lakes, Kenosha County, Wisconsin
PEP Project Number: 25022.01



Photo Description: Pictured is the location of boring B-1 on the north side of the lot.
Photo Direction: West



Photo Description: Pictured are the locations of borings B-2 and B-3 on the southeast corner of the lot. Photo Direction: West

Site: Twin Lakes Laundry, 111 South Lake Avenue,
Village of Twin Lakes, Kenosha County, Wisconsin
PEP Project Number: 25022.01



Photo Description: Pictured is the location of boring B-4 on the southwest corner of the lot. Photo Direction: East



Photo Description: Pictured is the location of boring B-5 on the northwest corner of the lot. Photo Direction: Southeast

Appendix D

Table 1 – Tabulated Soil Results and
Laboratory Report

**TABLE 1
ANALYTICAL RESULTS-SOIL
TWIN LAKES LAUNDRY SITE
111 SOUTH LAKE AVENUE, TWIN LAKES, KENOSHA COUNTY, WISCONSIN**

Sample Name	NR 720 GENERIC RCLs	COMM 46 Table 1 Values (Groundwater Protection)	COMM 46 Table 2 Values (Direct Contact - Top 4 Feet)	Samples					
				SB-1A	SB-2A	SB-3A	SB-4A	SB-5A	TRIP BLANK
Boring				B-1	B-2	B-3	B-4	B-5	
Depth (feet)				8-10	4-6	8-10	10-12	6-8	
Date				11/29/2005	11/29/2005	11/29/2005	11/29/2005	11/29/2005	11/29/2005
PID Reading				0	0	0	0	0	NA
VOCS (ppb)									
Benzene	5.5	8,500	1,100	< 31	< 30	< 28	< 29	< 28	< 25
Chlorobenzene	NS	NS	NS	< 31	< 30	< 28	< 29	< 28	< 25
1,1-Dichloroethene	NS	NS	NS	< 31	< 30	< 28	< 29	< 28	< 25
cis-1,2-Dichloroethene	NS	NS	NS	< 31	< 30	< 28	< 29	< 28	< 25
trans-1,2-Dichloroethene	NS	NS	NS	< 31	< 30	< 28	< 29	< 28	< 25
Ethylbenzene	2,900	4,600	NS	< 31	< 30	< 28	< 29	< 28	< 25
MTBE	NS	NS	NS	< 31	< 30	< 28	< 29	< 28	< 25
Naphthalene	400	2,700	NS	< 63	< 60	< 56	< 57	< 56	< 50
Tetrachloroethene	NS	NS	NS	< 31	< 30	5,700	< 29	< 28	< 25
Toluene	1,500	38,000	NS	< 31	< 30	< 28	< 29	< 28	< 25
1,1,2-Trichloroethane	NS	NS	NS	< 44	< 42	< 39	< 40	< 39	< 35
Trichloroethene	NS	NS	NS	< 31	< 30	< 28	< 29	< 28	< 25
1,2,4-TMB	NS	83,000	NS	< 31	< 30	< 28	< 29	< 28	< 25
1,3,5-TMB	NS	11,000	NS	< 31	< 30	< 28	< 29	< 28	< 25
Total Xylenes	4,100	42,000	NS	< 110	< 100	< 95	< 98	< 95	< 85

NS = no standard has been established for this compound

RCLs = residual contaminant levels

Underlined values exceed the Generic RCL.

Bolding indicates concentrations above the Table 1 and/or Table 2 (direct contact, top 4 feet) values.

NA = Not analyzed

TMB = trimethylbenzene

MTBE = methyl-tert-butyl-ether

For a complete list of VOCs analyzed, see the laboratory report.

**TABLE 2
ANALYTICAL RESULTS - GROUNDWATER
TWIN LAKES LAUNDRY SITE
111 SOUTH LAVE AVENUE, TWIN LAKES, KENOSHA COUNTY, WISCONSIN**

Sample Name	W-1	W-2	W-5	Potable Well Sample	Water Trip Blank	NR 140 Remedial Action Limits	
Location	Temp. Well in B-1	Temp. Well in B-2	Temp. Well in B-5	Twin Lakes Laundry Potable Well	QA/QC		
Date	11/29/2005	11/29/2005	11/29/2005	11/29/2005	11/29/2005		
						ES	PAL
VOCs (ppb)							
Benzene	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20	5	0.5
Chlorobenzene	< 0.20	0.98	< 0.20	< 0.20	< 0.20	NS	NS
1,1-Dichloroethene	< 0.50	<u>4.7</u>	< 0.50	< 0.50	< 0.50	7	0.7
cis-1,2-Dichloroethene	< 0.50	650	< 0.50	< 0.50	< 0.50	70	7
trans-1,2-Dichloroethene	< 0.50	<u>28</u>	< 0.50	< 0.50	< 0.50	100	20
Ethylbenzene	< 0.50	< 0.50	< 0.50	< 0.50	< 0.50	700	140
MTBE	< 0.50	4.5	< 0.50	< 0.50	< 0.50	60	12
Naphthalene	< 0.25	0.36	< 0.25	< 0.25	< 0.25	40	8
Tetrachloroethene (PERC)	< 0.50	26,000	16	< 0.50	< 0.50	5	0.5
Toluene	0.23	2.4	0.46	< 0.20	< 0.20	1,000	200
1,1,2-Trichloroethane	< 0.25	<u>0.75</u>	< 0.25	< 0.25	< 0.25	5	0.5
Trichloroethene (TCE)	< 0.20	2,000	<u>0.50</u>	< 0.20	< 0.20	5	0.5
1,2,4-Trimethylbenzene	< 0.20	0.47	< 0.20	< 0.20	< 0.20	480	96
1,3,5-Trimethylbenzene	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20		
Xylene (total)	< 0.50	0.84	< 0.50	< 0.50	< 0.50	10,000	1,000

ND = not detected

NS = no standards

MTBE = methyl-tert-butyl-ether

Bolded values indicate concentrations above ES.

Underlined values indicate concentrations above PAL.

For a complete list of VOCs and detection limits, see Appendix C.

NA = Not Analyzed

December 09, 2005

Client: PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080

Work Order: WOL0069
Project Name: Twin Lakes Laundry
Project Number: 25022.02

Attn: Mr. Pete Pavalko

Date Received: 12/02/05

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036


SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
SB-1A 8-10'	WOL0069-01	11/29/05 14:00
SB-2A 4-6'	WOL0069-02	11/29/05 14:00
SB-3A 8-10'	WOL0069-03	11/29/05 14:00
SB-4A 10-12'	WOL0069-04	11/29/05 14:00
SB-5A 6-8'	WOL0069-05	11/29/05 14:00
W-1	WOL0069-06	11/29/05 14:00
W-2	WOL0069-07	11/29/05 14:00
W-5	WOL0069-08	11/29/05 14:00
Trip Blank	WOL0069-09	11/29/05 14:00
MeOH Blank	WOL0069-10	11/29/05 14:00
Potable Well Sample	WOL0069-11	11/29/05 14:00

Samples were received into laboratory at a temperature of 2 °C.

Wisconsin Certification Number: 128053530, DATCP #266

Unless subcontracted, volatiles analyses (including VOC, PVOC, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica Analytical - Watertown
Brian DeJong For Michael Laupan
Project Manager

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-01 (SB-1A 8-10' - Soil)						Sampled: 11/29/05 14:00		
General Chemistry Parameters								
% Solids	80		%	NA	1	12/05/05 23:59	amf 5120110	SW 5035
VOCs by SW8260B								
Benzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Bromobenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Bromochloromethane	<44		ug/kg dry	35	1	12/05/05 20:35	ABA 5120096	SW 8260B
Bromodichloromethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Bromoform	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
Bromomethane	<130		ug/kg dry	100	1	12/05/05 20:35	ABA 5120096	SW 8260B
n-Butylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
sec-Butylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
tert-Butylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Carbon Tetrachloride	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Chlorobenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Chlorodibromomethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Chloroethane	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
Chloroform	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Chloromethane	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
2-Chlorotoluene	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
4-Chlorotoluene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2-Dibromo-3-chloropropane	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2-Dibromoethane (EDB)	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Dibromomethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2-Dichlorobenzene	<38		ug/kg dry	30	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,3-Dichlorobenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,4-Dichlorobenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Dichlorodifluoromethane	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,1-Dichloroethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2-Dichloroethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,1-Dichloroethene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
cis-1,2-Dichloroethene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
trans-1,2-Dichloroethene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2-Dichloropropane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,3-Dichloropropane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
2,2-Dichloropropane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,1-Dichloropropene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
cis-1,3-Dichloropropene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
trans-1,3-Dichloropropene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
2,3-Dichloropropene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Isopropyl Ether	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Ethylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Hexachlorobutadiene	<44		ug/kg dry	35	1	12/05/05 20:35	ABA 5120096	SW 8260B
Isopropylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
p-Isopropyltoluene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Methylene Chloride	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
Methyl tert-Butyl Ether	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Naphthalene	<63		ug/kg dry	50	1	12/05/05 20:35	ABA 5120096	SW 8260B
n-Propylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Styrene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,1,1,2-Tetrachloroethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-01 (SB-1A 8-10' - Soil) - cont.								
Sampled: 11/29/05 14:00								
VOCs by SW8260B - cont.								
1,1,2,2-Tetrachloroethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Tetrachloroethene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Toluene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2,3-Trichlorobenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2,4-Trichlorobenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,1,1-Trichloroethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,1,2-Trichloroethane	<44		ug/kg dry	35	1	12/05/05 20:35	ABA 5120096	SW 8260B
Trichloroethene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Trichlorofluoromethane	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2,3-Trichloropropane	<94		ug/kg dry	75	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,2,4-Trimethylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
1,3,5-Trimethylbenzene	<31		ug/kg dry	25	1	12/05/05 20:35	ABA 5120096	SW 8260B
Vinyl chloride	<44		ug/kg dry	35	1	12/05/05 20:35	ABA 5120096	SW 8260B
Xylenes, total	<110		ug/kg dry	85	1	12/05/05 20:35	ABA 5120096	SW 8260B
<i>Surr: Dibromofluoromethane (86-113%)</i>	89 %							
<i>Surr: Toluene-d8 (90-110%)</i>	98 %							
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	96 %							

Sample ID: WOL0069-02 (SB-2A 4-6' - Soil)

Sampled: 11/29/05 14:00

General Chemistry Parameters

% Solids	84		%	NA	1	12/05/05 23:59	amf 5120110	SW 5035
VOCs by SW8260B								
Benzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Bromobenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Bromochloromethane	<42		ug/kg dry	35	1	12/05/05 21:05	ABA 5120096	SW 8260B
Bromodichloromethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Bromoform	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
Bromomethane	<120		ug/kg dry	100	1	12/05/05 21:05	ABA 5120096	SW 8260B
n-Butylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
sec-Butylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
tert-Butylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Carbon Tetrachloride	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Chlorobenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Chlorodibromomethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Chloroethane	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
Chloroform	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Chloromethane	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
2-Chlorotoluene	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
4-Chlorotoluene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2-Dibromo-3-chloropropane	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2-Dibromoethane (EDB)	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Dibromomethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2-Dichlorobenzene	<36		ug/kg dry	30	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,3-Dichlorobenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,4-Dichlorobenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Dichlorodifluoromethane	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1-Dichloroethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2-Dichloroethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1-Dichloroethene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
cis-1,2-Dichloroethene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
trans-1,2-Dichloroethene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-02 (SB-2A 4-6' - Soil) - cont.						Sampled: 11/29/05 14:00		
VOCs by SW8260B - cont.								
1,2-Dichloropropane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,3-Dichloropropane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
2,2-Dichloropropane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1-Dichloropropene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
cis-1,3-Dichloropropene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
trans-1,3-Dichloropropene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
2,3-Dichloropropene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Isopropyl Ether	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Ethylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Hexachlorobutadiene	<42		ug/kg dry	35	1	12/05/05 21:05	ABA 5120096	SW 8260B
Isopropylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
p-Isopropyltoluene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Methylene Chloride	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
Methyl tert-Butyl Ether	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Naphthalene	<60		ug/kg dry	50	1	12/05/05 21:05	ABA 5120096	SW 8260B
n-Propylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Styrene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1,1,2-Tetrachloroethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1,2,2-Tetrachloroethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Tetrachloroethene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Toluene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2,3-Trichlorobenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2,4-Trichlorobenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1,1-Trichloroethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,1,2-Trichloroethane	<42		ug/kg dry	35	1	12/05/05 21:05	ABA 5120096	SW 8260B
Trichloroethene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Trichlorofluoromethane	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2,3-Trichloropropane	<90		ug/kg dry	75	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,2,4-Trimethylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
1,3,5-Trimethylbenzene	<30		ug/kg dry	25	1	12/05/05 21:05	ABA 5120096	SW 8260B
Vinyl chloride	<42		ug/kg dry	35	1	12/05/05 21:05	ABA 5120096	SW 8260B
Xylenes, total	<100		ug/kg dry	85	1	12/05/05 21:05	ABA 5120096	SW 8260B
Surr: Dibromofluoromethane (86-113%)	94 %							
Surr: Toluene-d8 (90-110%)	99 %							
Surr: 4-Bromofluorobenzene (89-110%)	98 %							

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-03 (SB-3A 8-10' - Soil)						Sampled: 11/29/05 14:00		
General Chemistry Parameters								
% Solids	90		%	NA	1	12/05/05 23:59	amf 5120110	SW 5035
VOCs by SW8260B								
Benzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Bromobenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Bromochloromethane	<39		ug/kg dry	35	1	12/06/05 15:16	ABA 5120132	SW 8260B
Bromodichloromethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Bromoform	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
Bromomethane	<110		ug/kg dry	100	1	12/06/05 15:16	ABA 5120132	SW 8260B
n-Butylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
sec-Butylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
tert-Butylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Carbon Tetrachloride	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Chlorobenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Chlorodibromomethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Chloroethane	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
Chloroform	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Chloromethane	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
2-Chlorotoluene	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
4-Chlorotoluene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2-Dibromo-3-chloropropane	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2-Dibromoethane (EDB)	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Dibromomethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2-Dichlorobenzene	<33		ug/kg dry	30	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,3-Dichlorobenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,4-Dichlorobenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Dichlorodifluoromethane	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1-Dichloroethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2-Dichloroethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1-Dichloroethene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
cis-1,2-Dichloroethene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
trans-1,2-Dichloroethene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2-Dichloropropane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,3-Dichloropropane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
2,2-Dichloropropane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
cis-1,3-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
trans-1,3-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
2,3-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Isopropyl Ether	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Ethylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Hexachlorobutadiene	<39		ug/kg dry	35	1	12/06/05 15:16	ABA 5120132	SW 8260B
Isopropylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
p-Isopropyltoluene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Methylene Chloride	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
Methyl tert-Butyl Ether	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Naphthalene	<56		ug/kg dry	50	1	12/06/05 15:16	ABA 5120132	SW 8260B
n-Propylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Styrene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1,1,2-Tetrachloroethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1,2,2-Tetrachloroethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Tetrachloroethene	5700		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-03 (SB-3A 8-10' - Soil) - cont.						Sampled: 11/29/05 14:00		
VOCs by SW8260B - cont.								
Toluene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2,3-Trichlorobenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2,4-Trichlorobenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1,1-Trichloroethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,1,2-Trichloroethane	<39		ug/kg dry	35	1	12/06/05 15:16	ABA 5120132	SW 8260B
Trichloroethene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Trichlorofluoromethane	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2,3-Trichloropropane	<83		ug/kg dry	75	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,2,4-Trimethylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
1,3,5-Trimethylbenzene	<28		ug/kg dry	25	1	12/06/05 15:16	ABA 5120132	SW 8260B
Vinyl chloride	<39		ug/kg dry	35	1	12/06/05 15:16	ABA 5120132	SW 8260B
Xylenes, total	<95		ug/kg dry	85	1	12/06/05 15:16	ABA 5120132	SW 8260B
Surr: Dibromofluoromethane (86-113%)	92 %							
Surr: Toluene-d8 (90-110%)	99 %							
Surr: 4-Bromofluorobenzene (89-110%)	97 %							

Sample ID: WOL0069-04 (SB-4A 10-12' - Soil)						Sampled: 11/29/05 14:00		
General Chemistry Parameters								
% Solids	96		%	NA	1	12/05/05 23:59	amf 5120110	SW 5035
VOCs by SW8260B								
Benzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Bromobenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Bromochloromethane	<40		ug/kg dry	35	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Bromodichloromethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Bromoform	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Bromomethane	<110		ug/kg dry	100	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
n-Butylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
sec-Butylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
tert-Butylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Carbon Tetrachloride	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Chlorobenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Chlorodibromomethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Chloroethane	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Chloroform	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Chloromethane	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
2-Chlorotoluene	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
4-Chlorotoluene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2-Dibromo-3-chloropropane	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2-Dibromoethane (EDB)	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Dibromomethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2-Dichlorobenzene	<34		ug/kg dry	30	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,3-Dichlorobenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,4-Dichlorobenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Dichlorodifluoromethane	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1-Dichloroethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2-Dichloroethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1-Dichloroethene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
cis-1,2-Dichloroethene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
trans-1,2-Dichloroethene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2-Dichloropropane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,3-Dichloropropane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-04 (SB-4A 10-12' - Soil) - cont.						Sampled: 11/29/05 14:00		
VOCs by SW8260B - cont.								
2,2-Dichloropropane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1-Dichloropropene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
cis-1,3-Dichloropropene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
trans-1,3-Dichloropropene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
2,3-Dichloropropane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Isopropyl Ether	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Ethylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Hexachlorobutadiene	<40		ug/kg dry	35	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Isopropylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
p-Isopropyltoluene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Methylene Chloride	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Methyl tert-Butyl Ether	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Naphthalene	<57		ug/kg dry	50	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
n-Propylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Styrene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1,1,2-Tetrachloroethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1,2,2-Tetrachloroethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Tetrachloroethene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Toluene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2,3-Trichlorobenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2,4-Trichlorobenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1,1-Trichloroethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,1,2-Trichloroethane	<40		ug/kg dry	35	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Trichloroethene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Trichlorofluoromethane	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2,3-Trichloropropane	<86		ug/kg dry	75	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,2,4-Trimethylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
1,3,5-Trimethylbenzene	<29		ug/kg dry	25	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Vinyl chloride	<40		ug/kg dry	35	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Xylenes, total	<98		ug/kg dry	85	1.1	12/06/05 15:46	ABA 5120132	SW 8260B
Surr: Dibromofluoromethane (86-113%)	92 %							
Surr: Toluene-d8 (90-110%)	101 %							
Surr: 4-Bromofluorobenzene (89-110%)	96 %							

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-05 (SB-5A 6-8' - Soil)						Sampled: 11/29/05 14:00		
General Chemistry Parameters								
% Solids	89		%	NA	1	12/05/05 23:59	amf 5120110	SW 5035
VOCs by SW8260B								
Benzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Bromobenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Bromochloromethane	<39		ug/kg dry	35	1	12/06/05 16:15	ABA 5120132	SW 8260B
Bromodichloromethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Bromoform	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
Bromomethane	<110		ug/kg dry	100	1	12/06/05 16:15	ABA 5120132	SW 8260B
n-Butylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
sec-Butylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
tert-Butylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Carbon Tetrachloride	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Chlorobenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Chlorodibromomethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Chloroethane	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
Chloroform	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Chloromethane	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
2-Chlorotoluene	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
4-Chlorotoluene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,2-Dibromo-3-chloropropane	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,2-Dibromoethane (EDB)	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Dibromomethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,2-Dichlorobenzene	<34		ug/kg dry	30	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,3-Dichlorobenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,4-Dichlorobenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Dichlorodifluoromethane	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,1-Dichloroethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,2-Dichloroethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,1-Dichloroethene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
cis-1,2-Dichloroethene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
trans-1,2-Dichloroethene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,2-Dichloropropane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,3-Dichloropropane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
2,2-Dichloropropane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,1-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
cis-1,3-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
trans-1,3-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
2,3-Dichloropropene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Isopropyl Ether	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Ethylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Hexachlorobutadiene	<39		ug/kg dry	35	1	12/06/05 16:15	ABA 5120132	SW 8260B
Isopropylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
p-Isopropyltoluene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Methylene Chloride	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
Methyl tert-Butyl Ether	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Naphthalene	<56		ug/kg dry	50	1	12/06/05 16:15	ABA 5120132	SW 8260B
n-Propylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Styrene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,1,1,2-Tetrachloroethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
1,1,1,2,2-Tetrachloroethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B
Tetrachloroethene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA 5120132	SW 8260B

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst	Batch	Method
Sample ID: WOL0069-05 (SB-5A 6-8' - Soil) - cont.						Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.									
Toluene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,2,3-Trichlorobenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,2,4-Trichlorobenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,1,1-Trichloroethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,1,2-Trichloroethane	<39		ug/kg dry	35	1	12/06/05 16:15	ABA	5120132	SW 8260B
Trichloroethene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
Trichlorofluoromethane	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,2,3-Trichloropropane	<84		ug/kg dry	75	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,2,4-Trimethylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
1,3,5-Trimethylbenzene	<28		ug/kg dry	25	1	12/06/05 16:15	ABA	5120132	SW 8260B
Vinyl chloride	<39		ug/kg dry	35	1	12/06/05 16:15	ABA	5120132	SW 8260B
Xylenes, total	<95		ug/kg dry	85	1	12/06/05 16:15	ABA	5120132	SW 8260B
<i>Surr: Dibromofluoromethane (86-113%)</i>	88 %								
<i>Surr: Toluene-d8 (90-110%)</i>	102 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	98 %								

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-06 (W-1 - Ground Water)							Sampled: 11/29/05 14:00			
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	12/06/05 05:45	MAE	5120085	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Methylene Chloride	3.5	S2	ug/L	1.0	3.3	1	12/06/05 05:45	MAE	5120085	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Toluene	0.23	J	ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Seq/ Analyst	Batch	Method
Sample ID: WOL0069-06 (W-1 - Ground Water) - cont.							Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	12/06/05 05:45	MAE	5120085	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	12/06/05 05:45	MAE	5120085	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	12/06/05 05:45	MAE	5120085	SW 8260B
Surr: Dibromofluoromethane (89-119%)	108 %									
Surr: Toluene-d8 (91-109%)	95 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

Sample ID: WOL0069-07 (W-2 - Ground Water)
VOCs by SW8260B

Sampled: 11/29/05 14:00

Benzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Chlorobenzene	0.98		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	12/06/05 06:18	MAE	5120085	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1-Dichloroethene	4.7		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
cis-1,2-Dichloroethene	650		ug/L	0.50	1.7	160	12/06/05 19:41	MAE	5120116	SW 8260B
trans-1,2-Dichloroethene	28		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-07 (W-2 - Ground Water) - cont.							Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.										
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Methylene Chloride	1.9	S2, J	ug/L	1.0	3.3	1	12/06/05 06:18	MAE	5120085	SW 8260B
Methyl tert-Butyl Ether	4.5		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Naphthalene	0.36	J	ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Tetrachloroethene	26000		ug/L	0.50	1.7	500	12/07/05 17:25	MAE	5120158	SW 8260B
Toluene	2.4		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,1,2-Trichloroethane	0.75	J	ug/L	0.25	0.83	1	12/06/05 06:18	MAE	5120085	SW 8260B
Trichloroethene	2000		ug/L	0.20	0.67	160	12/06/05 19:41	MAE	5120116	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,2,4-Trimethylbenzene	0.47	J	ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	12/06/05 06:18	MAE	5120085	SW 8260B
Xylenes, Total	0.84	J	ug/L	0.50	1.7	1	12/06/05 06:18	MAE	5120085	SW 8260B
Surr: Dibromofluoromethane (89-119%)	112 %									
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Dibromofluoromethane (89-119%)	101 %									
Surr: Toluene-d8 (91-109%)	101 %									
Surr: Toluene-d8 (91-109%)	99 %									
Surr: Toluene-d8 (91-109%)	100 %									
Surr: 4-Bromofluorobenzene (89-114%)	107 %									
Surr: 4-Bromofluorobenzene (89-114%)	98 %									
Surr: 4-Bromofluorobenzene (89-114%)	97 %									

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-08 (W-5 - Ground Water)							Sampled: 11/29/05 14:00			
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	12/06/05 06:52	MAE	5120085	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 19:12	MAE	5120116	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Methylene Chloride	<1.0		ug/L	1.0	3.3	1	12/06/05 06:52	MAE	5120085	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Tetrachloroethene	16		ug/L	0.50	1.7	1	12/06/05 19:12	MAE	5120116	SW 8260B
Toluene	0.46	J	ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-08 (W-5 - Ground Water) - cont.							Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	12/06/05 06:52	MAE	5120085	SW 8260B
Trichloroethene	0.50	J	ug/L	0.20	0.67	1	12/06/05 19:12	MAE	5120116	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	12/06/05 06:52	MAE	5120085	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	12/06/05 06:52	MAE	5120085	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	<i>105 %</i>									
<i>Surr: Dibromofluoromethane (89-119%)</i>	<i>103 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>95 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>100 %</i>									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	<i>100 %</i>									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	<i>98 %</i>									

Sample ID: WOL0069-09 (Trip Blank - Ground Water)
VOCs by SW8260B

Sampled: 11/29/05 14:00

Benzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	12/05/05 22:27	MAE	5120085	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-09 (Trip Blank - Ground Water) - cont.							Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.										
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Methylene Chloride	3.0	S2, J	ug/L	1.0	3.3	1	12/05/05 22:27	MAE	5120085	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	12/05/05 22:27	MAE	5120085	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	12/05/05 22:27	MAE	5120085	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	12/05/05 22:27	MAE	5120085	SW 8260B
Surr: Dibromofluoromethane (89-119%)	110 %									
Surr: Toluene-d8 (91-109%)	96 %									
Surr: 4-Bromofluorobenzene (89-114%)	101 %									

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst Batch	Method
Sample ID: WOL0069-10 (MeOH Blank - Soil)						Sampled: 11/29/05 14:00		
VOCs by SW8260B								
Benzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Bromobenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Bromochloromethane	<35		ug/kg wet	35	1	12/06/05 14:17	ABA 5120132	SW 8260B
Bromodichloromethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Bromoform	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
Bromomethane	<100		ug/kg wet	100	1	12/06/05 14:17	ABA 5120132	SW 8260B
n-Butylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
sec-Butylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
tert-Butylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Carbon Tetrachloride	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Chlorobenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Chlorodibromomethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Chloroethane	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
Chloroform	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Chloromethane	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
2-Chlorotoluene	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
4-Chlorotoluene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,2-Dibromo-3-chloropropane	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,2-Dibromoethane (EDB)	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Dibromomethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,2-Dichlorobenzene	<30		ug/kg wet	30	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,3-Dichlorobenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,4-Dichlorobenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Dichlorodifluoromethane	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,1-Dichloroethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,2-Dichloroethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,1-Dichloroethene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
cis-1,2-Dichloroethene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
trans-1,2-Dichloroethene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,2-Dichloropropane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,3-Dichloropropane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
2,2-Dichloropropane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,1-Dichloropropene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
cis-1,3-Dichloropropene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
trans-1,3-Dichloropropene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
2,3-Dichloropropene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Isopropyl Ether	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Ethylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Hexachlorobutadiene	<35		ug/kg wet	35	1	12/06/05 14:17	ABA 5120132	SW 8260B
Isopropylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
p-Isopropyltoluene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Methylene Chloride	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
Methyl tert-Butyl Ether	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Naphthalene	<50		ug/kg wet	50	1	12/06/05 14:17	ABA 5120132	SW 8260B
n-Propylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Styrene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,1,1,2-Tetrachloroethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,1,2,2-Tetrachloroethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Tetrachloroethene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
Toluene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B
1,2,3-Trichlorobenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA 5120132	SW 8260B

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Seq/ Analyst	Batch	Method
Sample ID: WOL0069-10 (MeOH Blank - Soil) - cont.						Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.									
1,2,4-Trichlorobenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA	5120132	SW 8260B
1,1,1-Trichloroethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA	5120132	SW 8260B
1,1,2-Trichloroethane	<35		ug/kg wet	35	1	12/06/05 14:17	ABA	5120132	SW 8260B
Trichloroethene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA	5120132	SW 8260B
Trichlorofluoromethane	<25		ug/kg wet	25	1	12/06/05 14:17	ABA	5120132	SW 8260B
1,2,3-Trichloropropane	<75		ug/kg wet	75	1	12/06/05 14:17	ABA	5120132	SW 8260B
1,2,4-Trimethylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA	5120132	SW 8260B
1,3,5-Trimethylbenzene	<25		ug/kg wet	25	1	12/06/05 14:17	ABA	5120132	SW 8260B
Vinyl chloride	<35		ug/kg wet	35	1	12/06/05 14:17	ABA	5120132	SW 8260B
Xylenes, total	<85		ug/kg wet	85	1	12/06/05 14:17	ABA	5120132	SW 8260B
<i>Surr: Dibromofluoromethane (86-113%)</i>	96 %								
<i>Surr: Toluene-d8 (90-110%)</i>	99 %								
<i>Surr: 4-Bromofluorobenzene (89-110%)</i>	99 %								

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-11 (Potable Well Sample - Ground Water)							Sampled: 11/29/05 14:00			
VOCs by SW8260B										
Benzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Bromobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Bromochloromethane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Bromodichloromethane	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Bromoform	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Bromomethane	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
n-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
sec-Butylbenzene	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B
tert-Butylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Carbon Tetrachloride	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Chlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Chlorodibromomethane	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Chloroethane	<1.0		ug/L	1.0	3.3	1	12/05/05 23:01	MAE	5120085	SW 8260B
Chloroform	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Chloromethane	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
2-Chlorotoluene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
4-Chlorotoluene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2-Dibromo-3-chloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2-Dibromoethane (EDB)	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Dibromomethane	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,3-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,4-Dichlorobenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Dichlorodifluoromethane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,1-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2-Dichloroethane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,1-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
cis-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
trans-1,2-Dichloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,3-Dichloropropane	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B
2,2-Dichloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,1-Dichloropropene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
cis-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
trans-1,3-Dichloropropene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Isopropyl Ether	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Ethylbenzene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Hexachlorobutadiene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Isopropylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
p-Isopropyltoluene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Methylene Chloride	2.7	S2, J	ug/L	1.0	3.3	1	12/05/05 23:01	MAE	5120085	SW 8260B
Methyl tert-Butyl Ether	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Naphthalene	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B
n-Propylbenzene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Styrene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,1,1,2-Tetrachloroethane	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,1,2,2-Tetrachloroethane	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Tetrachloroethene	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
Toluene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2,3-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2,4-Trichlorobenzene	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

Analyte	Sample Result	Data Qualifiers	Units	MDL	LOQ	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WOL0069-11 (Potable Well Sample - Ground Water) - cont.							Sampled: 11/29/05 14:00			
VOCs by SW8260B - cont.										
1,1,1-Trichloroethane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,1,2-Trichloroethane	<0.25		ug/L	0.25	0.83	1	12/05/05 23:01	MAE	5120085	SW 8260B
Trichloroethene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Trichlorofluoromethane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2,3-Trichloropropane	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,2,4-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
1,3,5-Trimethylbenzene	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Vinyl chloride	<0.20		ug/L	0.20	0.67	1	12/05/05 23:01	MAE	5120085	SW 8260B
Xylenes, Total	<0.50		ug/L	0.50	1.7	1	12/05/05 23:01	MAE	5120085	SW 8260B
<i>Surr: Dibromofluoromethane (89-119%)</i>	<i>110 %</i>									
<i>Surr: Toluene-d8 (91-109%)</i>	<i>95 %</i>									
<i>Surr: 4-Bromofluorobenzene (89-114%)</i>	<i>101 %</i>									

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Spike		Units	MDL	MRL	Dup %		Dup % REC	RPD	Q
		Result	Level				Result	Result			
VOCs by SW8260B											
Benzene	5120085			ug/L	0.20	0.67	<0.20				
Bromobenzene	5120085			ug/L	0.20	0.67	<0.20				
Bromochloromethane	5120085			ug/L	0.50	1.7	<0.50				
Bromodichloromethane	5120085			ug/L	0.20	0.67	<0.20				
Bromoform	5120085			ug/L	0.20	0.67	<0.20				
Bromomethane	5120085			ug/L	0.20	0.67	<0.20				
2-Butanone (MEK)	5120085			ug/L	0.50	1.7	<0.50				
n-Butylbenzene	5120085			ug/L	0.20	0.67	<0.20				
sec-Butylbenzene	5120085			ug/L	0.25	0.83	<0.25				
tert-Butylbenzene	5120085			ug/L	0.20	0.67	<0.20				
Carbon Tetrachloride	5120085			ug/L	0.50	1.7	<0.50				
Chlorobenzene	5120085			ug/L	0.20	0.67	<0.20				
Chlorodibromomethane	5120085			ug/L	0.20	0.67	<0.20				
Chloroethane	5120085			ug/L	1.0	3.3	<1.0				
Chloroform	5120085			ug/L	0.20	0.67	<0.20				
Chloromethane	5120085			ug/L	0.20	0.67	<0.20				
2-Chlorotoluene	5120085			ug/L	0.50	1.7	<0.50				
4-Chlorotoluene	5120085			ug/L	0.20	0.67	<0.20				
1,2-Dibromo-3-chloropropane	5120085			ug/L	0.50	1.7	<0.50				
1,2-Dibromoethane (EDB)	5120085			ug/L	0.20	0.67	<0.20				
Dibromomethane	5120085			ug/L	0.20	0.67	<0.20				
1,2-Dichlorobenzene	5120085			ug/L	0.20	0.67	<0.20				
1,3-Dichlorobenzene	5120085			ug/L	0.20	0.67	<0.20				
1,4-Dichlorobenzene	5120085			ug/L	0.20	0.67	<0.20				
Dichlorodifluoromethane	5120085			ug/L	0.50	1.7	<0.50				
1,1-Dichloroethane	5120085			ug/L	0.50	1.7	<0.50				
1,2-Dichloroethane	5120085			ug/L	0.50	1.7	<0.50				
1,1-Dichloroethene	5120085			ug/L	0.50	1.7	<0.50				
cis-1,2-Dichloroethene	5120085			ug/L	0.50	1.7	<0.50				
trans-1,2-Dichloroethene	5120085			ug/L	0.50	1.7	<0.50				
1,2-Dichloropropane	5120085			ug/L	0.50	1.7	<0.50				
1,3-Dichloropropane	5120085			ug/L	0.25	0.83	<0.25				
2,2-Dichloropropane	5120085			ug/L	0.50	1.7	<0.50				
1,1-Dichloropropene	5120085			ug/L	0.50	1.7	<0.50				
cis-1,3-Dichloropropene	5120085			ug/L	0.20	0.67	<0.20				
trans-1,3-Dichloropropene	5120085			ug/L	0.20	0.67	<0.20				
Isopropyl Ether	5120085			ug/L	0.50	1.7	<0.50				
Ethylbenzene	5120085			ug/L	0.50	1.7	<0.50				
Hexachlorobutadiene	5120085			ug/L	0.50	1.7	<0.50				
Isopropylbenzene	5120085			ug/L	0.20	0.67	<0.20				
p-Isopropyltoluene	5120085			ug/L	0.20	0.67	<0.20				
Methylene Chloride	5120085			ug/L	1.0	3.3	<1.0				
Methyl tert-Butyl Ether	5120085			ug/L	0.50	1.7	<0.50				
Naphthalene	5120085			ug/L	0.25	0.83	<0.25				
n-Propylbenzene	5120085			ug/L	0.50	1.7	<0.50				

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B												
Styrene	5120085		ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	5120085		ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	5120085		ug/L	0.20	0.67	<0.20						
Tetrachloroethene	5120085		ug/L	0.50	1.7	<0.50						
Toluene	5120085		ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	5120085		ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	5120085		ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	5120085		ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	5120085		ug/L	0.25	0.83	<0.25						
Trichloroethene	5120085		ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	5120085		ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	5120085		ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	5120085		ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	5120085		ug/L	0.20	0.67	<0.20						
Vinyl chloride	5120085		ug/L	0.20	0.67	<0.20						
Xylenes, Total	5120085		ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	5120085		ug/L					108		89-119		
Surrogate: Toluene-d8	5120085		ug/L					96		91-109		
Surrogate: 4-Bromofluorobenzene	5120085		ug/L					101		89-114		
Benzene	5120096		ug/kg wet	N/A	25	<25						
Bromobenzene	5120096		ug/kg wet	N/A	25	<25						
Bromochloromethane	5120096		ug/kg wet	N/A	35	<35						
Bromodichloromethane	5120096		ug/kg wet	N/A	25	<25						
Bromoform	5120096		ug/kg wet	N/A	25	<50						
Bromomethane	5120096		ug/kg wet	N/A	100	<100						
n-Butylbenzene	5120096		ug/kg wet	N/A	25	<25						
sec-Butylbenzene	5120096		ug/kg wet	N/A	25	<25						
tert-Butylbenzene	5120096		ug/kg wet	N/A	25	<25						
Carbon Tetrachloride	5120096		ug/kg wet	N/A	25	<25						
Chlorobenzene	5120096		ug/kg wet	N/A	25	<25						
Chlorodibromomethane	5120096		ug/kg wet	N/A	25	<25						
Chloroethane	5120096		ug/kg wet	N/A	50	<50						
Chloroform	5120096		ug/kg wet	N/A	25	<25						
Chloromethane	5120096		ug/kg wet	N/A	50	<50						
2-Chlorotoluene	5120096		ug/kg wet	N/A	50	<50						
4-Chlorotoluene	5120096		ug/kg wet	N/A	25	<25						
1,2-Dibromo-3-chloropropane	5120096		ug/kg wet	N/A	50	<50						
1,2-Dibromoethane (EDB)	5120096		ug/kg wet	N/A	25	<25						
Dibromomethane	5120096		ug/kg wet	N/A	25	<25						
1,2-Dichlorobenzene	5120096		ug/kg wet	N/A	25	<30						
1,3-Dichlorobenzene	5120096		ug/kg wet	N/A	25	<25						
1,4-Dichlorobenzene	5120096		ug/kg wet	N/A	25	<25						
Dichlorodifluoromethane	5120096		ug/kg wet	N/A	50	<50						
1,1-Dichloroethane	5120096		ug/kg wet	N/A	25	<25						

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Spike		MDL	MRL	Result	Dup %		Dup % REC	RPD	RPD	Limit	Q
		Result	Level				Units	Result					
VOCs by SW8260B													
1,2-Dichloroethane	5120096		ug/kg wet	N/A	25	<25							
1,1-Dichloroethene	5120096		ug/kg wet	N/A	25	<25							
cis-1,2-Dichloroethene	5120096		ug/kg wet	N/A	25	<25							
trans-1,2-Dichloroethene	5120096		ug/kg wet	N/A	25	<25							
1,2-Dichloropropane	5120096		ug/kg wet	N/A	25	<25							
1,3-Dichloropropane	5120096		ug/kg wet	N/A	25	<25							
2,2-Dichloropropane	5120096		ug/kg wet	N/A	25	<25							
1,1-Dichloropropene	5120096		ug/kg wet	N/A	25	<25							
cis-1,3-Dichloropropene	5120096		ug/kg wet	N/A	25	<25							
trans-1,3-Dichloropropene	5120096		ug/kg wet	N/A	25	<25							
2,3-Dichloropropene	5120096		ug/kg wet	N/A	25	<25							
Isopropyl Ether	5120096		ug/kg wet	N/A	25	<25							
Ethylbenzene	5120096		ug/kg wet	N/A	25	<25							
Hexachlorobutadiene	5120096		ug/kg wet	N/A	35	<35							
Isopropylbenzene	5120096		ug/kg wet	N/A	25	<25							
p-Isopropyltoluene	5120096		ug/kg wet	N/A	25	<25							
Methylene Chloride	5120096		ug/kg wet	N/A	50	<50							
Methyl tert-Butyl Ether	5120096		ug/kg wet	N/A	25	<25							
Naphthalene	5120096		ug/kg wet	N/A	50	<50							
n-Propylbenzene	5120096		ug/kg wet	N/A	25	<25							
Styrene	5120096		ug/kg wet	N/A	25	<25							
1,1,1,2-Tetrachloroethane	5120096		ug/kg wet	N/A	25	<25							
1,1,2,2-Tetrachloroethane	5120096		ug/kg wet	N/A	25	<25							
Tetrachloroethene	5120096		ug/kg wet	N/A	25	<25							
Toluene	5120096		ug/kg wet	N/A	25	<25							
1,2,3-Trichlorobenzene	5120096		ug/kg wet	N/A	25	<25							
1,2,4-Trichlorobenzene	5120096		ug/kg wet	N/A	25	<25							
1,1,1-Trichloroethane	5120096		ug/kg wet	N/A	25	<25							
1,1,2-Trichloroethane	5120096		ug/kg wet	N/A	35	<35							
Trichloroethene	5120096		ug/kg wet	N/A	25	<25							
Trichlorofluoromethane	5120096		ug/kg wet	N/A	25	<25							
1,2,3-Trichloropropane	5120096		ug/kg wet	N/A	50	<75							
1,2,4-Trimethylbenzene	5120096		ug/kg wet	N/A	25	<25							
1,3,5-Trimethylbenzene	5120096		ug/kg wet	N/A	25	<25							
Vinyl chloride	5120096		ug/kg wet	N/A	35	<35							
Xylenes, total	5120096		ug/kg wet	N/A	85	<85							
Surrogate: Dibromofluoromethane	5120096		ug/kg wet					95			86-113		
Surrogate: Toluene-d8	5120096		ug/kg wet					100			90-110		
Surrogate: 4-Bromofluorobenzene	5120096		ug/kg wet					98			89-110		

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC	RPD Limits	RPD Limit	Q
VOCs by SW8260B													
Acetone	5120116			ug/L	2.0	6.6	<2.0						
Benzene	5120116			ug/L	0.20	0.67	<0.20						
Bromobenzene	5120116			ug/L	0.20	0.67	<0.20						
Bromochloromethane	5120116			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	5120116			ug/L	0.20	0.67	<0.20						
Bromoform	5120116			ug/L	0.20	0.67	<0.20						
Bromomethane	5120116			ug/L	0.20	0.67	<0.20						
2-Butanone (MEK)	5120116			ug/L	0.50	1.7	<0.50						
n-Butylbenzene	5120116			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	5120116			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	5120116			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	5120116			ug/L	0.50	1.7	<0.50						
Chlorobenzene	5120116			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	5120116			ug/L	0.20	0.67	<0.20						
Chloroethane	5120116			ug/L	1.0	3.3	<1.0						
Chloroform	5120116			ug/L	0.20	0.67	<0.20						
Chloromethane	5120116			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	5120116			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	5120116			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	5120116			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	5120116			ug/L	0.20	0.67	<0.20						
Dibromomethane	5120116			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	5120116			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	5120116			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	5120116			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	5120116			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	5120116			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	5120116			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	5120116			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	5120116			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	5120116			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	5120116			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	5120116			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	5120116			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	5120116			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	5120116			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	5120116			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	5120116			ug/L	0.50	1.7	<0.50						
Ethylbenzene	5120116			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	5120116			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	5120116			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	5120116			ug/L	0.20	0.67	<0.20						
Methylene Chloride	5120116			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	5120116			ug/L	0.50	1.7	<0.50						
Naphthalene	5120116			ug/L	0.25	0.83	<0.25						

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	%REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B												
n-Propylbenzene	5120116		ug/L	0.50	1.7	<0.50						
Styrene	5120116		ug/L	0.20	0.67	<0.20						
1,1,1,2-Tetrachloroethane	5120116		ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	5120116		ug/L	0.20	0.67	<0.20						
Tetrachloroethene	5120116		ug/L	0.50	1.7	<0.50						
Toluene	5120116		ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	5120116		ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	5120116		ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	5120116		ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	5120116		ug/L	0.25	0.83	<0.25						
Trichloroethene	5120116		ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	5120116		ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	5120116		ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	5120116		ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	5120116		ug/L	0.20	0.67	<0.20						
Vinyl chloride	5120116		ug/L	0.20	0.67	<0.20						
Xylenes, Total	5120116		ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	5120116		ug/L					99		89-119		
Surrogate: Toluene-d8	5120116		ug/L					99		91-109		
Surrogate: 4-Bromofluorobenzene	5120116		ug/L					99		89-114		
Benzene	5120132		ug/kg wet	N/A	25	<25						
Bromobenzene	5120132		ug/kg wet	N/A	25	<25						
Bromochloromethane	5120132		ug/kg wet	N/A	35	<35						
Bromodichloromethane	5120132		ug/kg wet	N/A	25	<25						
Bromoform	5120132		ug/kg wet	N/A	25	<50						
Bromomethane	5120132		ug/kg wet	N/A	100	<100						
n-Butylbenzene	5120132		ug/kg wet	N/A	25	<25						
sec-Butylbenzene	5120132		ug/kg wet	N/A	25	<25						
tert-Butylbenzene	5120132		ug/kg wet	N/A	25	<25						
Carbon Tetrachloride	5120132		ug/kg wet	N/A	25	<25						
Chlorobenzene	5120132		ug/kg wet	N/A	25	<25						
Chlorodibromomethane	5120132		ug/kg wet	N/A	25	<25						
Chloroethane	5120132		ug/kg wet	N/A	50	<50						
Chloroform	5120132		ug/kg wet	N/A	25	<25						
Chloromethane	5120132		ug/kg wet	N/A	50	<50						
2-Chlorotoluene	5120132		ug/kg wet	N/A	50	<50						
4-Chlorotoluene	5120132		ug/kg wet	N/A	25	<25						
1,2-Dibromo-3-chloropropane	5120132		ug/kg wet	N/A	50	<50						
1,2-Dibromoethane (EDB)	5120132		ug/kg wet	N/A	25	<25						
Dibromomethane	5120132		ug/kg wet	N/A	25	<25						
1,2-Dichlorobenzene	5120132		ug/kg wet	N/A	25	<30						
1,3-Dichlorobenzene	5120132		ug/kg wet	N/A	25	<25						
1,4-Dichlorobenzene	5120132		ug/kg wet	N/A	25	<25						
Dichlorodifluoromethane	5120132		ug/kg wet	N/A	50	<50						

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Spike		MDL	MRL	Result	Dup	%	Dup	%	REC	RPD	Q
		Result	Level				Units	Result	Result	REC	%REC	Limits	
VOCs by SW8260B													
1,1-Dichloroethane	5120132			ug/kg wet	N/A	25	<25						
1,2-Dichloroethane	5120132			ug/kg wet	N/A	25	<25						
1,1-Dichloroethene	5120132			ug/kg wet	N/A	25	<25						
cis-1,2-Dichloroethene	5120132			ug/kg wet	N/A	25	<25						
trans-1,2-Dichloroethene	5120132			ug/kg wet	N/A	25	<25						
1,2-Dichloropropane	5120132			ug/kg wet	N/A	25	<25						
1,3-Dichloropropane	5120132			ug/kg wet	N/A	25	<25						
2,2-Dichloropropane	5120132			ug/kg wet	N/A	25	<25						
1,1-Dichloropropene	5120132			ug/kg wet	N/A	25	<25						
cis-1,3-Dichloropropene	5120132			ug/kg wet	N/A	25	<25						
trans-1,3-Dichloropropene	5120132			ug/kg wet	N/A	25	<25						
2,3-Dichloropropene	5120132			ug/kg wet	N/A	25	<25						
Isopropyl Ether	5120132			ug/kg wet	N/A	25	<25						
Ethylbenzene	5120132			ug/kg wet	N/A	25	<25						
Hexachlorobutadiene	5120132			ug/kg wet	N/A	35	<35						
Isopropylbenzene	5120132			ug/kg wet	N/A	25	<25						
p-Isopropyltoluene	5120132			ug/kg wet	N/A	25	<25						
Methylene Chloride	5120132			ug/kg wet	N/A	50	<50						
Methyl tert-Butyl Ether	5120132			ug/kg wet	N/A	25	<25						
Naphthalene	5120132			ug/kg wet	N/A	50	<50						
n-Propylbenzene	5120132			ug/kg wet	N/A	25	<25						
Styrene	5120132			ug/kg wet	N/A	25	<25						
1,1,1,2-Tetrachloroethane	5120132			ug/kg wet	N/A	25	<25						
1,1,1,2,2-Tetrachloroethane	5120132			ug/kg wet	N/A	25	<25						
Tetrachloroethene	5120132			ug/kg wet	N/A	25	<25						
Toluene	5120132			ug/kg wet	N/A	25	<25						
1,2,3-Trichlorobenzene	5120132			ug/kg wet	N/A	25	<25						
1,2,4-Trichlorobenzene	5120132			ug/kg wet	N/A	25	<25						
1,1,1-Trichloroethane	5120132			ug/kg wet	N/A	25	<25						
1,1,2-Trichloroethane	5120132			ug/kg wet	N/A	35	<35						
Trichloroethene	5120132			ug/kg wet	N/A	25	<25						
Trichlorofluoromethane	5120132			ug/kg wet	N/A	25	<25						
1,2,3-Trichloropropane	5120132			ug/kg wet	N/A	50	<75						
1,2,4-Trimethylbenzene	5120132			ug/kg wet	N/A	25	<25						
1,3,5-Trimethylbenzene	5120132			ug/kg wet	N/A	25	<25						
Vinyl chloride	5120132			ug/kg wet	N/A	35	<35						
Xylenes, total	5120132			ug/kg wet	N/A	85	<85						
Surrogate: Dibromofluoromethane	5120132			ug/kg wet					90		86-113		
Surrogate: Toluene-d8	5120132			ug/kg wet					98		90-110		
Surrogate: 4-Bromofluorobenzene	5120132			ug/kg wet					96		89-110		

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	5120158			ug/L	0.20	0.67	<0.20						
Bromobenzene	5120158			ug/L	0.20	0.67	<0.20						
Bromochloromethane	5120158			ug/L	0.50	1.7	<0.50						
Bromodichloromethane	5120158			ug/L	0.20	0.67	<0.20						
Bromoform	5120158			ug/L	0.20	0.67	<0.20						
Bromomethane	5120158			ug/L	0.20	0.67	<0.20						
n-Butylbenzene	5120158			ug/L	0.20	0.67	<0.20						
sec-Butylbenzene	5120158			ug/L	0.25	0.83	<0.25						
tert-Butylbenzene	5120158			ug/L	0.20	0.67	<0.20						
Carbon Tetrachloride	5120158			ug/L	0.50	1.7	<0.50						
Chlorobenzene	5120158			ug/L	0.20	0.67	<0.20						
Chlorodibromomethane	5120158			ug/L	0.20	0.67	<0.20						
Chloroethane	5120158			ug/L	1.0	3.3	<1.0						
Chloroform	5120158			ug/L	0.20	0.67	<0.20						
Chloromethane	5120158			ug/L	0.20	0.67	<0.20						
2-Chlorotoluene	5120158			ug/L	0.50	1.7	<0.50						
4-Chlorotoluene	5120158			ug/L	0.20	0.67	<0.20						
1,2-Dibromo-3-chloropropane	5120158			ug/L	0.50	1.7	<0.50						
1,2-Dibromoethane (EDB)	5120158			ug/L	0.20	0.67	<0.20						
Dibromomethane	5120158			ug/L	0.20	0.67	<0.20						
1,2-Dichlorobenzene	5120158			ug/L	0.20	0.67	<0.20						
1,3-Dichlorobenzene	5120158			ug/L	0.20	0.67	<0.20						
1,4-Dichlorobenzene	5120158			ug/L	0.20	0.67	<0.20						
Dichlorodifluoromethane	5120158			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethane	5120158			ug/L	0.50	1.7	<0.50						
1,2-Dichloroethane	5120158			ug/L	0.50	1.7	<0.50						
1,1-Dichloroethene	5120158			ug/L	0.50	1.7	<0.50						
cis-1,2-Dichloroethene	5120158			ug/L	0.50	1.7	<0.50						
trans-1,2-Dichloroethene	5120158			ug/L	0.50	1.7	<0.50						
1,2-Dichloropropane	5120158			ug/L	0.50	1.7	<0.50						
1,3-Dichloropropane	5120158			ug/L	0.25	0.83	<0.25						
2,2-Dichloropropane	5120158			ug/L	0.50	1.7	<0.50						
1,1-Dichloropropene	5120158			ug/L	0.50	1.7	<0.50						
cis-1,3-Dichloropropene	5120158			ug/L	0.20	0.67	<0.20						
trans-1,3-Dichloropropene	5120158			ug/L	0.20	0.67	<0.20						
Isopropyl Ether	5120158			ug/L	0.50	1.7	<0.50						
Ethylbenzene	5120158			ug/L	0.50	1.7	<0.50						
Hexachlorobutadiene	5120158			ug/L	0.50	1.7	<0.50						
Isopropylbenzene	5120158			ug/L	0.20	0.67	<0.20						
p-Isopropyltoluene	5120158			ug/L	0.20	0.67	<0.20						
Methylene Chloride	5120158			ug/L	1.0	3.3	<1.0						
Methyl tert-Butyl Ether	5120158			ug/L	0.50	1.7	<0.50						
Naphthalene	5120158			ug/L	0.25	0.83	<0.25						
n-Propylbenzene	5120158			ug/L	0.50	1.7	<0.50						
Styrene	5120158			ug/L	0.20	0.67	<0.20						

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Spike		Units	MDL	MRL	Dup Result	% REC	Dup %REC	%REC Limits	RPD RPD	Limit	Q
		Result	Level										
VOCs by SW8260B													
1,1,1,2-Tetrachloroethane	5120158			ug/L	0.25	0.83	<0.25						
1,1,2,2-Tetrachloroethane	5120158			ug/L	0.20	0.67	<0.20						
Tetrachloroethene	5120158			ug/L	0.50	1.7	<0.50						
Toluene	5120158			ug/L	0.20	0.67	<0.20						
1,2,3-Trichlorobenzene	5120158			ug/L	0.25	0.83	<0.25						
1,2,4-Trichlorobenzene	5120158			ug/L	0.25	0.83	<0.25						
1,1,1-Trichloroethane	5120158			ug/L	0.50	1.7	<0.50						
1,1,2-Trichloroethane	5120158			ug/L	0.25	0.83	<0.25						
Trichloroethene	5120158			ug/L	0.20	0.67	<0.20						
Trichlorofluoromethane	5120158			ug/L	0.50	1.7	<0.50						
1,2,3-Trichloropropane	5120158			ug/L	0.50	1.7	<0.50						
1,2,4-Trimethylbenzene	5120158			ug/L	0.20	0.67	<0.20						
1,3,5-Trimethylbenzene	5120158			ug/L	0.20	0.67	<0.20						
Vinyl chloride	5120158			ug/L	0.20	0.67	<0.20						
Xylenes, Total	5120158			ug/L	0.50	1.7	<0.50						
Surrogate: Dibromofluoromethane	5120158			ug/L					101			89-119	
Surrogate: Toluene-d8	5120158			ug/L					99			91-109	
Surrogate: 4-Bromofluorobenzene	5120158			ug/L					98			89-114	

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
VOCs by SW8260B														
Benzene	5L05006		50.0	ug/L	N/A	N/A	47.0		94		80-120			
Bromobenzene	5L05006		50.0	ug/L	N/A	N/A	51.7		103		80-120			
Bromochloromethane	5L05006		50.0	ug/L	N/A	N/A	49.0		98		80-120			
Bromodichloromethane	5L05006		50.0	ug/L	N/A	N/A	52.3		105		80-120			
Bromoform	5L05006		50.0	ug/L	N/A	N/A	56.5		113		80-120			
Bromomethane	5L05006		50.0	ug/L	N/A	N/A	40.9		82		80-120			
n-Butylbenzene	5L05006		50.0	ug/L	N/A	N/A	45.6		91		80-120			
sec-Butylbenzene	5L05006		50.0	ug/L	N/A	N/A	45.9		92		80-120			
tert-Butylbenzene	5L05006		50.0	ug/L	N/A	N/A	46.6		93		80-120			
Carbon Tetrachloride	5L05006		50.0	ug/L	N/A	N/A	50.9		102		80-120			
Chlorobenzene	5L05006		50.0	ug/L	N/A	N/A	49.4		99		80-120			
Chlorodibromomethane	5L05006		50.0	ug/L	N/A	N/A	54.1		108		80-120			
Chloroethane	5L05006		50.0	ug/L	N/A	N/A	45.5		91		80-120			
Chloroform	5L05006		50.0	ug/L	N/A	N/A	50.0		100		80-120			
Chloromethane	5L05006		50.0	ug/L	N/A	N/A	44.6		89		80-120			
2-Chlorotoluene	5L05006		50.0	ug/L	N/A	N/A	49.4		99		80-120			
4-Chlorotoluene	5L05006		50.0	ug/L	N/A	N/A	48.8		98		80-120			
1,2-Dibromo-3-chloropropane	5L05006		50.0	ug/L	N/A	N/A	50.4		101		80-120			
1,2-Dibromoethane (EDB)	5L05006		50.0	ug/L	N/A	N/A	53.5		107		80-120			
Dibromomethane	5L05006		50.0	ug/L	N/A	N/A	54.7		109		80-120			
1,2-Dichlorobenzene	5L05006		50.0	ug/L	N/A	N/A	48.8		98		80-120			
1,3-Dichlorobenzene	5L05006		50.0	ug/L	N/A	N/A	48.4		97		80-120			
1,4-Dichlorobenzene	5L05006		50.0	ug/L	N/A	N/A	48.3		97		80-120			
Dichlorodifluoromethane	5L05006		50.0	ug/L	N/A	N/A	40.1		80		80-120			
1,1-Dichloroethane	5L05006		50.0	ug/L	N/A	N/A	47.5		95		80-120			
1,2-Dichloroethane	5L05006		50.0	ug/L	N/A	N/A	48.8		98		80-120			
1,1-Dichloroethene	5L05006		50.0	ug/L	N/A	N/A	46.5		93		80-120			
cis-1,2-Dichloroethene	5L05006		50.0	ug/L	N/A	N/A	48.5		97		80-120			
trans-1,2-Dichloroethene	5L05006		50.0	ug/L	N/A	N/A	47.5		95		80-120			
1,2-Dichloropropane	5L05006		50.0	ug/L	N/A	N/A	48.4		97		80-120			
1,3-Dichloropropane	5L05006		50.0	ug/L	N/A	N/A	49.7		99		80-120			
2,2-Dichloropropane	5L05006		50.0	ug/L	N/A	N/A	44.5		89		80-120			
1,1-Dichloropropene	5L05006		50.0	ug/L	N/A	N/A	47.3		95		80-120			
cis-1,3-Dichloropropene	5L05006		50.0	ug/L	N/A	N/A	49.4		99		80-120			
trans-1,3-Dichloropropene	5L05006		50.0	ug/L	N/A	N/A	49.8		100		80-120			
Isopropyl Ether	5L05006		50.0	ug/L	N/A	N/A	43.7		87		80-120			
Ethylbenzene	5L05006		50.0	ug/L	N/A	N/A	48.1		96		80-120			
Hexachlorobutadiene	5L05006		50.0	ug/L	N/A	N/A	47.6		95		80-120			
Isopropylbenzene	5L05006		50.0	ug/L	N/A	N/A	47.4		95		80-120			
p-Isopropyltoluene	5L05006		50.0	ug/L	N/A	N/A	47.0		94		80-120			
Methylene Chloride	5L05006		50.0	ug/L	N/A	N/A	48.1		96		80-120			
Methyl tert-Butyl Ether	5L05006		50.0	ug/L	N/A	N/A	45.4		91		80-120			
Naphthalene	5L05006		50.0	ug/L	N/A	N/A	47.9		96		80-120			
n-Propylbenzene	5L05006		50.0	ug/L	N/A	N/A	47.3		95		80-120			
Styrene	5L05006		50.0	ug/L	N/A	N/A	48.3		97		80-120			

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC	RPD Limit	RPD Limit	Q
VOCs by SW8260B														
1,1,1,2-Tetrachloroethane	5L05006		50.0	ug/L	N/A	N/A	53.4		107			80-120		
1,1,1,2,2-Tetrachloroethane	5L05006		50.0	ug/L	N/A	N/A	51.7		103			80-120		
Tetrachloroethene	5L05006		50.0	ug/L	N/A	N/A	51.2		102			80-120		
Toluene	5L05006		50.0	ug/L	N/A	N/A	47.1		94			80-120		
1,2,3-Trichlorobenzene	5L05006		50.0	ug/L	N/A	N/A	49.8		100			80-120		
1,2,4-Trichlorobenzene	5L05006		50.0	ug/L	N/A	N/A	49.2		98			80-120		
1,1,1-Trichloroethane	5L05006		50.0	ug/L	N/A	N/A	49.5		99			80-120		
1,1,2-Trichloroethane	5L05006		50.0	ug/L	N/A	N/A	51.2		102			80-120		
Trichloroethene	5L05006		50.0	ug/L	N/A	N/A	52.1		104			80-120		
Trichlorofluoromethane	5L05006		50.0	ug/L	N/A	N/A	47.4		95			80-120		
1,2,3-Trichloropropane	5L05006		50.0	ug/L	N/A	N/A	51.1		102			80-120		
1,2,4-Trimethylbenzene	5L05006		50.0	ug/L	N/A	N/A	47.6		95			80-120		
1,3,5-Trimethylbenzene	5L05006		50.0	ug/L	N/A	N/A	47.0		94			80-120		
Vinyl chloride	5L05006		50.0	ug/L	N/A	N/A	47.0		94			80-120		
Xylenes, Total	5L05006		150	ug/L	N/A	N/A	142		95			80-120		
Surrogate: Dibromofluoromethane	5L05006			ug/L					105			89-119		
Surrogate: Toluene-d8	5L05006			ug/L					97			91-109		
Surrogate: 4-Bromofluorobenzene	5L05006			ug/L					102			89-114		
Benzene	5L05010	2500		ug/kg wet	N/A	N/A	2390		96			80-120		
Bromobenzene	5L05010	2500		ug/kg wet	N/A	N/A	2720		109			80-120		
Bromochloromethane	5L05010	2500		ug/kg wet	N/A	N/A	2280		91			80-120		
Bromodichloromethane	5L05010	2500		ug/kg wet	N/A	N/A	2560		102			80-120		
Bromoform	5L05010	2500		ug/kg wet	N/A	N/A	2420		97			80-120		
Bromomethane	5L05010	2500		ug/kg wet	N/A	N/A	2390		96			80-120		
n-Butylbenzene	5L05010	2500		ug/kg wet	N/A	N/A	2540		102			80-120		
sec-Butylbenzene	5L05010	2500		ug/kg wet	N/A	N/A	2520		101			80-120		
tert-Butylbenzene	5L05010	2500		ug/kg wet	N/A	N/A	2510		100			80-120		
Carbon Tetrachloride	5L05010	2500		ug/kg wet	N/A	N/A	2580		103			80-120		
Chlorobenzene	5L05010	2500		ug/kg wet	N/A	N/A	2600		104			80-120		
Chlorodibromomethane	5L05010	2500		ug/kg wet	N/A	N/A	2430		97			80-120		
Chloroethane	5L05010	2500		ug/kg wet	N/A	N/A	2500		100			80-120		
Chloroform	5L05010	2500		ug/kg wet	N/A	N/A	2370		95			80-120		
Chloromethane	5L05010	2500		ug/kg wet	N/A	N/A	2200		88			80-120		
2-Chlorotoluene	5L05010	2500		ug/kg wet	N/A	N/A	2820		113			80-120		
4-Chlorotoluene	5L05010	2500		ug/kg wet	N/A	N/A	2730		109			80-120		
1,2-Dibromo-3-chloropropane	5L05010	2500		ug/kg wet	N/A	N/A	2830		113			80-120		
1,2-Dibromoethane (EDB)	5L05010	2500		ug/kg wet	N/A	N/A	2860		114			80-120		
Dibromomethane	5L05010	2500		ug/kg wet	N/A	N/A	2700		108			80-120		
1,2-Dichlorobenzene	5L05010	2500		ug/kg wet	N/A	N/A	2460		98			80-120		
1,3-Dichlorobenzene	5L05010	2500		ug/kg wet	N/A	N/A	2480		99			80-120		
1,4-Dichlorobenzene	5L05010	2500		ug/kg wet	N/A	N/A	2450		98			80-120		
Dichlorodifluoromethane	5L05010	2500		ug/kg wet	N/A	N/A	2270		91			80-120		
1,1-Dichloroethane	5L05010	2500		ug/kg wet	N/A	N/A	2320		93			80-120		
1,2-Dichloroethane	5L05010	2500		ug/kg wet	N/A	N/A	2420		97			80-120		

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC	REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
1,1-Dichloroethene	5L05010	2500	ug/kg wet	N/A	N/A	2450		98			80-120			
cis-1,2-Dichloroethene	5L05010	2500	ug/kg wet	N/A	N/A	2390		96			80-120			
trans-1,2-Dichloroethene	5L05010	2500	ug/kg wet	N/A	N/A	2370		95			80-120			
1,2-Dichloropropane	5L05010	2500	ug/kg wet	N/A	N/A	2530		101			80-120			
1,3-Dichloropropane	5L05010	2500	ug/kg wet	N/A	N/A	2540		102			80-120			
2,2-Dichloropropane	5L05010	2500	ug/kg wet	N/A	N/A	2480		99			80-120			
1,1-Dichloropropene	5L05010	2500	ug/kg wet	N/A	N/A	2400		96			80-120			
cis-1,3-Dichloropropene	5L05010	2500	ug/kg wet	N/A	N/A	2730		109			80-120			
trans-1,3-Dichloropropene	5L05010	2500	ug/kg wet	N/A	N/A	2800		112			80-120			
2,3-Dichloropropene	5L05010	2500	ug/kg wet	N/A	N/A	2720		109			80-120			
Isopropyl Ether	5L05010	2500	ug/kg wet	N/A	N/A	2340		94			80-120			
Ethylbenzene	5L05010	2500	ug/kg wet	N/A	N/A	2600		104			80-120			
Hexachlorobutadiene	5L05010	2500	ug/kg wet	N/A	N/A	2820		113			80-120			
Isopropylbenzene	5L05010	2500	ug/kg wet	N/A	N/A	2620		105			80-120			
p-Isopropyltoluene	5L05010	2500	ug/kg wet	N/A	N/A	2550		102			80-120			
Methylene Chloride	5L05010	2500	ug/kg wet	N/A	N/A	2420		97			80-120			
Methyl tert-Butyl Ether	5L05010	2500	ug/kg wet	N/A	N/A	2380		95			80-120			
Naphthalene	5L05010	2500	ug/kg wet	N/A	N/A	2550		102			80-120			
n-Propylbenzene	5L05010	2500	ug/kg wet	N/A	N/A	2730		109			80-120			
Styrene	5L05010	2500	ug/kg wet	N/A	N/A	2780		111			80-120			
1,1,1,2-Tetrachloroethane	5L05010	2500	ug/kg wet	N/A	N/A	2770		111			80-120			
1,1,2,2-Tetrachloroethane	5L05010	2500	ug/kg wet	N/A	N/A	2690		108			80-120			
Tetrachloroethene	5L05010	2500	ug/kg wet	N/A	N/A	2660		106			80-120			
Toluene	5L05010	2500	ug/kg wet	N/A	N/A	2480		99			80-120			
1,2,3-Trichlorobenzene	5L05010	2500	ug/kg wet	N/A	N/A	2670		107			80-120			
1,2,4-Trichlorobenzene	5L05010	2500	ug/kg wet	N/A	N/A	2670		107			80-120			
1,1,1-Trichloroethane	5L05010	2500	ug/kg wet	N/A	N/A	2560		102			80-120			
1,1,2-Trichloroethane	5L05010	2500	ug/kg wet	N/A	N/A	2680		107			80-120			
Trichloroethene	5L05010	2500	ug/kg wet	N/A	N/A	2460		98			80-120			
Trichlorofluoromethane	5L05010	2500	ug/kg wet	N/A	N/A	2490		100			80-120			
1,2,3-Trichloropropane	5L05010	2500	ug/kg wet	N/A	N/A	2820		113			80-120			
1,2,4-Trimethylbenzene	5L05010	2500	ug/kg wet	N/A	N/A	2700		108			80-120			
1,3,5-Trimethylbenzene	5L05010	2500	ug/kg wet	N/A	N/A	2710		108			80-120			
Vinyl chloride	5L05010	2500	ug/kg wet	N/A	N/A	2340		94			80-120			
Xylenes, total	5L05010	7500	ug/kg wet	N/A	N/A	7690		103			80-120			
Surrogate: Dibromofluoromethane	5L05010		ug/kg wet					97			80-120			
Surrogate: Toluene-d8	5L05010		ug/kg wet					101			80-120			
Surrogate: 4-Bromofluorobenzene	5L05010		ug/kg wet					107			80-120			
Benzene	5L06001	50.0	ug/L	N/A	N/A	50.4		101			80-120			
Bromobenzene	5L06001	50.0	ug/L	N/A	N/A	47.6		95			80-120			
Bromochloromethane	5L06001	50.0	ug/L	N/A	N/A	47.3		95			80-120			
Bromodichloromethane	5L06001	50.0	ug/L	N/A	N/A	49.2		98			80-120			
Bromoform	5L06001	50.0	ug/L	N/A	N/A	47.3		95			80-120			
Bromomethane	5L06001	50.0	ug/L	N/A	N/A	51.3		103			80-120			

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
n-Butylbenzene	5L06001	50.0	ug/L	N/A	N/A	49.0		98		80-120			
sec-Butylbenzene	5L06001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
tert-Butylbenzene	5L06001	50.0	ug/L	N/A	N/A	50.3		101		80-120			
Carbon Tetrachloride	5L06001	50.0	ug/L	N/A	N/A	49.4		99		80-120			
Chlorobenzene	5L06001	50.0	ug/L	N/A	N/A	48.2		96		80-120			
Chlorodibromomethane	5L06001	50.0	ug/L	N/A	N/A	49.7		99		80-120			
Chloroethane	5L06001	50.0	ug/L	N/A	N/A	48.3		97		80-120			
Chloroform	5L06001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
Chloromethane	5L06001	50.0	ug/L	N/A	N/A	46.5		93		80-120			
2-Chlorotoluene	5L06001	50.0	ug/L	N/A	N/A	48.7		97		80-120			
4-Chlorotoluene	5L06001	50.0	ug/L	N/A	N/A	46.5		93		80-120			
1,2-Dibromo-3-chloropropane	5L06001	50.0	ug/L	N/A	N/A	50.5		101		80-120			
1,2-Dibromoethane (EDB)	5L06001	50.0	ug/L	N/A	N/A	48.0		96		80-120			
Dibromomethane	5L06001	50.0	ug/L	N/A	N/A	49.0		98		80-120			
1,2-Dichlorobenzene	5L06001	50.0	ug/L	N/A	N/A	50.0		100		80-120			
1,3-Dichlorobenzene	5L06001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
1,4-Dichlorobenzene	5L06001	50.0	ug/L	N/A	N/A	49.7		99		80-120			
Dichlorodifluoromethane	5L06001	50.0	ug/L	N/A	N/A	43.0		86		80-120			
1,1-Dichloroethane	5L06001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
1,2-Dichloroethane	5L06001	50.0	ug/L	N/A	N/A	47.8		96		80-120			
1,1-Dichloroethene	5L06001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
cis-1,2-Dichloroethene	5L06001	50.0	ug/L	N/A	N/A	49.9		100		80-120			
trans-1,2-Dichloroethene	5L06001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
1,2-Dichloropropane	5L06001	50.0	ug/L	N/A	N/A	47.9		96		80-120			
1,3-Dichloropropane	5L06001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
2,2-Dichloropropane	5L06001	50.0	ug/L	N/A	N/A	51.5		103		80-120			
1,1-Dichloropropene	5L06001	50.0	ug/L	N/A	N/A	50.6		101		80-120			
cis-1,3-Dichloropropene	5L06001	50.0	ug/L	N/A	N/A	49.7		99		80-120			
trans-1,3-Dichloropropene	5L06001	50.0	ug/L	N/A	N/A	49.4		99		80-120			
Isopropyl Ether	5L06001	50.0	ug/L	N/A	N/A	49.2		98		80-120			
Ethylbenzene	5L06001	50.0	ug/L	N/A	N/A	45.6		91		80-120			
Hexachlorobutadiene	5L06001	50.0	ug/L	N/A	N/A	45.9		92		80-120			
Isopropylbenzene	5L06001	50.0	ug/L	N/A	N/A	47.6		95		80-120			
p-Isopropyltoluene	5L06001	50.0	ug/L	N/A	N/A	47.0		94		80-120			
Methylene Chloride	5L06001	50.0	ug/L	N/A	N/A	50.8		102		80-120			
Methyl tert-Butyl Ether	5L06001	50.0	ug/L	N/A	N/A	49.7		99		80-120			
Naphthalene	5L06001	50.0	ug/L	N/A	N/A	51.2		102		80-120			
n-Propylbenzene	5L06001	50.0	ug/L	N/A	N/A	48.3		97		80-120			
Styrene	5L06001	50.0	ug/L	N/A	N/A	48.0		96		80-120			
1,1,1,2-Tetrachloroethane	5L06001	50.0	ug/L	N/A	N/A	49.1		98		80-120			
1,1,2,2-Tetrachloroethane	5L06001	50.0	ug/L	N/A	N/A	49.0		98		80-120			
Tetrachloroethene	5L06001	50.0	ug/L	N/A	N/A	47.6		95		80-120			
Toluene	5L06001	50.0	ug/L	N/A	N/A	48.1		96		80-120			
1,2,3-Trichlorobenzene	5L06001	50.0	ug/L	N/A	N/A	45.7		91		80-120			
1,2,4-Trichlorobenzene	5L06001	50.0	ug/L	N/A	N/A	45.1		90		80-120			

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	%REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
1,1,1-Trichloroethane	5L06001	50.0	ug/L	N/A	N/A	48.9		98		80-120			
1,1,2-Trichloroethane	5L06001	50.0	ug/L	N/A	N/A	49.2		98		80-120			
Trichloroethene	5L06001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
Trichlorofluoromethane	5L06001	50.0	ug/L	N/A	N/A	48.1		96		80-120			
1,2,3-Trichloropropane	5L06001	50.0	ug/L	N/A	N/A	47.8		96		80-120			
1,2,4-Trimethylbenzene	5L06001	50.0	ug/L	N/A	N/A	45.9		92		80-120			
1,3,5-Trimethylbenzene	5L06001	50.0	ug/L	N/A	N/A	46.2		92		80-120			
Vinyl chloride	5L06001	50.0	ug/L	N/A	N/A	48.7		97		80-120			
Xylenes, Total	5L06001	150	ug/L	N/A	N/A	143		95		80-120			
Surrogate: Dibromofluoromethane	5L06001		ug/L					101		89-119			
Surrogate: Toluene-d8	5L06001		ug/L					97		91-109			
Surrogate: 4-Bromofluorobenzene	5L06001		ug/L					95		89-114			
Benzene	5L06010	2500	ug/kg wet	N/A	N/A	2460		98		80-120			
Bromobenzene	5L06010	2500	ug/kg wet	N/A	N/A	2630		105		80-120			
Bromochloromethane	5L06010	2500	ug/kg wet	N/A	N/A	2260		90		80-120			
Bromodichloromethane	5L06010	2500	ug/kg wet	N/A	N/A	2550		102		80-120			
Bromoform	5L06010	2500	ug/kg wet	N/A	N/A	2090		84		80-120			
Bromomethane	5L06010	2500	ug/kg wet	N/A	N/A	2340		94		80-120			
n-Butylbenzene	5L06010	2500	ug/kg wet	N/A	N/A	2570		103		80-120			
sec-Butylbenzene	5L06010	2500	ug/kg wet	N/A	N/A	2490		100		80-120			
tert-Butylbenzene	5L06010	2500	ug/kg wet	N/A	N/A	2530		101		80-120			
Carbon Tetrachloride	5L06010	2500	ug/kg wet	N/A	N/A	2830		113		80-120			
Chlorobenzene	5L06010	2500	ug/kg wet	N/A	N/A	2480		99		80-120			
Chlorodibromomethane	5L06010	2500	ug/kg wet	N/A	N/A	2230		89		80-120			
Chloroethane	5L06010	2500	ug/kg wet	N/A	N/A	2500		100		80-120			
Chloroform	5L06010	2500	ug/kg wet	N/A	N/A	2610		104		80-120			
Chloromethane	5L06010	2500	ug/kg wet	N/A	N/A	2150		86		80-120			
2-Chlorotoluene	5L06010	2500	ug/kg wet	N/A	N/A	2640		106		80-120			
4-Chlorotoluene	5L06010	2500	ug/kg wet	N/A	N/A	2430		97		80-120			
1,2-Dibromo-3-chloropropane	5L06010	2500	ug/kg wet	N/A	N/A	2030		81		80-120			
1,2-Dibromoethane (EDB)	5L06010	2500	ug/kg wet	N/A	N/A	2640		106		80-120			
Dibromomethane	5L06010	2500	ug/kg wet	N/A	N/A	2730		109		80-120			
1,2-Dichlorobenzene	5L06010	2500	ug/kg wet	N/A	N/A	2460		98		80-120			
1,3-Dichlorobenzene	5L06010	2500	ug/kg wet	N/A	N/A	2520		101		80-120			
1,4-Dichlorobenzene	5L06010	2500	ug/kg wet	N/A	N/A	2440		98		80-120			
Dichlorodifluoromethane	5L06010	2500	ug/kg wet	N/A	N/A	2270		91		80-120			
1,1-Dichloroethane	5L06010	2500	ug/kg wet	N/A	N/A	2550		102		80-120			
1,2-Dichloroethane	5L06010	2500	ug/kg wet	N/A	N/A	2530		101		80-120			
1,1-Dichloroethene	5L06010	2500	ug/kg wet	N/A	N/A	2480		99		80-120			
cis-1,2-Dichloroethene	5L06010	2500	ug/kg wet	N/A	N/A	2600		104		80-120			
trans-1,2-Dichloroethene	5L06010	2500	ug/kg wet	N/A	N/A	2650		106		80-120			
1,2-Dichloropropane	5L06010	2500	ug/kg wet	N/A	N/A	2560		102		80-120			
1,3-Dichloropropane	5L06010	2500	ug/kg wet	N/A	N/A	2380		95		80-120			
2,2-Dichloropropane	5L06010	2500	ug/kg wet	N/A	N/A	2770		111		80-120			

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Spike		Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
		Result	Level										
VOCs by SW8260B													
1,1-Dichloropropene	5L06010		2500	ug/kg wet	N/A	N/A	2490	100		80-120			
cis-1,3-Dichloropropene	5L06010		2500	ug/kg wet	N/A	N/A	2570	103		80-120			
trans-1,3-Dichloropropene	5L06010		2500	ug/kg wet	N/A	N/A	2550	102		80-120			
2,3-Dichloropropene	5L06010		2500	ug/kg wet	N/A	N/A	2670	107		80-120			
Isopropyl Ether	5L06010		2500	ug/kg wet	N/A	N/A	2290	92		80-120			
Ethylbenzene	5L06010		2500	ug/kg wet	N/A	N/A	2530	101		80-120			
Hexachlorobutadiene	5L06010		2500	ug/kg wet	N/A	N/A	2780	111		80-120			
Isopropylbenzene	5L06010		2500	ug/kg wet	N/A	N/A	2590	104		80-120			
p-Isopropyltoluene	5L06010		2500	ug/kg wet	N/A	N/A	2550	102		80-120			
Methylene Chloride	5L06010		2500	ug/kg wet	N/A	N/A	2450	98		80-120			
Methyl tert-Butyl Ether	5L06010		2500	ug/kg wet	N/A	N/A	2280	91		80-120			
Naphthalene	5L06010		2500	ug/kg wet	N/A	N/A	2170	87		80-120			
n-Propylbenzene	5L06010		2500	ug/kg wet	N/A	N/A	2620	105		80-120			
Styrene	5L06010		2500	ug/kg wet	N/A	N/A	2710	108		80-120			
1,1,1,2-Tetrachloroethane	5L06010		2500	ug/kg wet	N/A	N/A	2720	109		80-120			
1,1,2,2-Tetrachloroethane	5L06010		2500	ug/kg wet	N/A	N/A	2400	96		80-120			
Tetrachloroethene	5L06010		2500	ug/kg wet	N/A	N/A	2590	104		80-120			
Toluene	5L06010		2500	ug/kg wet	N/A	N/A	2430	97		80-120			
1,2,3-Trichlorobenzene	5L06010		2500	ug/kg wet	N/A	N/A	2520	101		80-120			
1,2,4-Trichlorobenzene	5L06010		2500	ug/kg wet	N/A	N/A	2580	103		80-120			
1,1,1-Trichloroethane	5L06010		2500	ug/kg wet	N/A	N/A	2860	114		80-120			
1,1,2-Trichloroethane	5L06010		2500	ug/kg wet	N/A	N/A	2560	102		80-120			
Trichloroethene	5L06010		2500	ug/kg wet	N/A	N/A	2420	97		80-120			
Trichlorofluoromethane	5L06010		2500	ug/kg wet	N/A	N/A	2510	100		80-120			
1,2,3-Trichloropropane	5L06010		2500	ug/kg wet	N/A	N/A	2380	95		80-120			
1,2,4-Trimethylbenzene	5L06010		2500	ug/kg wet	N/A	N/A	2680	107		80-120			
1,3,5-Trimethylbenzene	5L06010		2500	ug/kg wet	N/A	N/A	2670	107		80-120			
Vinyl chloride	5L06010		2500	ug/kg wet	N/A	N/A	2280	91		80-120			
Xylenes, total	5L06010		7500	ug/kg wet	N/A	N/A	7500	100		80-120			
Surrogate: Dibromofluoromethane	5L06010			ug/kg wet				106		80-120			
Surrogate: Toluene-d8	5L06010			ug/kg wet				101		80-120			
Surrogate: 4-Bromofluorobenzene	5L06010			ug/kg wet				104		80-120			
Benzene	5L07001		50.0	ug/L	N/A	N/A	50.6	101		80-120			
Bromobenzene	5L07001		50.0	ug/L	N/A	N/A	48.2	96		80-120			
Bromochloromethane	5L07001		50.0	ug/L	N/A	N/A	47.2	94		80-120			
Bromodichloromethane	5L07001		50.0	ug/L	N/A	N/A	49.0	98		80-120			
Bromoform	5L07001		50.0	ug/L	N/A	N/A	48.5	97		80-120			
Bromomethane	5L07001		50.0	ug/L	N/A	N/A	50.6	101		80-120			
n-Butylbenzene	5L07001		50.0	ug/L	N/A	N/A	47.5	95		80-120			
sec-Butylbenzene	5L07001		50.0	ug/L	N/A	N/A	48.5	97		80-120			
tert-Butylbenzene	5L07001		50.0	ug/L	N/A	N/A	50.0	100		80-120			
Carbon Tetrachloride	5L07001		50.0	ug/L	N/A	N/A	48.6	97		80-120			
Chlorobenzene	5L07001		50.0	ug/L	N/A	N/A	48.9	98		80-120			
Chlorodibromomethane	5L07001		50.0	ug/L	N/A	N/A	49.6	99		80-120			

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
Chloroethane	5L07001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
Chloroform	5L07001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
Chloromethane	5L07001	50.0	ug/L	N/A	N/A	46.6		93		80-120			
2-Chlorotoluene	5L07001	50.0	ug/L	N/A	N/A	42.8		86		80-120			
4-Chlorotoluene	5L07001	50.0	ug/L	N/A	N/A	48.4		97		80-120			
1,2-Dibromo-3-chloropropane	5L07001	50.0	ug/L	N/A	N/A	48.1		96		80-120			
1,2-Dibromoethane (EDB)	5L07001	50.0	ug/L	N/A	N/A	48.6		97		80-120			
Dibromomethane	5L07001	50.0	ug/L	N/A	N/A	48.3		97		80-120			
1,2-Dichlorobenzene	5L07001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
1,3-Dichlorobenzene	5L07001	50.0	ug/L	N/A	N/A	50.4		101		80-120			
1,4-Dichlorobenzene	5L07001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
Dichlorodifluoromethane	5L07001	50.0	ug/L	N/A	N/A	47.3		95		80-120			
1,1-Dichloroethane	5L07001	50.0	ug/L	N/A	N/A	50.0		100		80-120			
1,2-Dichloroethane	5L07001	50.0	ug/L	N/A	N/A	46.5		93		80-120			
1,1-Dichloroethene	5L07001	50.0	ug/L	N/A	N/A	49.6		99		80-120			
cis-1,2-Dichloroethene	5L07001	50.0	ug/L	N/A	N/A	50.1		100		80-120			
trans-1,2-Dichloroethene	5L07001	50.0	ug/L	N/A	N/A	50.6		101		80-120			
1,2-Dichloropropane	5L07001	50.0	ug/L	N/A	N/A	48.6		97		80-120			
1,3-Dichloropropane	5L07001	50.0	ug/L	N/A	N/A	49.2		98		80-120			
2,2-Dichloropropane	5L07001	50.0	ug/L	N/A	N/A	50.5		101		80-120			
1,1-Dichloropropene	5L07001	50.0	ug/L	N/A	N/A	49.6		99		80-120			
cis-1,3-Dichloropropene	5L07001	50.0	ug/L	N/A	N/A	49.7		99		80-120			
trans-1,3-Dichloropropene	5L07001	50.0	ug/L	N/A	N/A	49.4		99		80-120			
Isopropyl Ether	5L07001	50.0	ug/L	N/A	N/A	48.6		97		80-120			
Ethylbenzene	5L07001	50.0	ug/L	N/A	N/A	47.7		95		80-120			
Hexachlorobutadiene	5L07001	50.0	ug/L	N/A	N/A	44.0		88		80-120			
Isopropylbenzene	5L07001	50.0	ug/L	N/A	N/A	48.3		97		80-120			
p-Isopropyltoluene	5L07001	50.0	ug/L	N/A	N/A	47.2		94		80-120			
Methylene Chloride	5L07001	50.0	ug/L	N/A	N/A	51.4		103		80-120			
Methyl tert-Butyl Ether	5L07001	50.0	ug/L	N/A	N/A	49.0		98		80-120			
Naphthalene	5L07001	50.0	ug/L	N/A	N/A	44.9		90		80-120			
n-Propylbenzene	5L07001	50.0	ug/L	N/A	N/A	48.9		98		80-120			
Styrene	5L07001	50.0	ug/L	N/A	N/A	49.4		99		80-120			
1,1,1,2-Tetrachloroethane	5L07001	50.0	ug/L	N/A	N/A	50.2		100		80-120			
1,1,2,2-Tetrachloroethane	5L07001	50.0	ug/L	N/A	N/A	48.7		97		80-120			
Tetrachloroethene	5L07001	50.0	ug/L	N/A	N/A	48.6		97		80-120			
Toluene	5L07001	50.0	ug/L	N/A	N/A	48.9		98		80-120			
1,2,3-Trichlorobenzene	5L07001	50.0	ug/L	N/A	N/A	43.4		87		80-120			
1,2,4-Trichlorobenzene	5L07001	50.0	ug/L	N/A	N/A	44.1		88		80-120			
1,1,1-Trichloroethane	5L07001	50.0	ug/L	N/A	N/A	48.0		96		80-120			
1,1,2-Trichloroethane	5L07001	50.0	ug/L	N/A	N/A	48.9		98		80-120			
Trichloroethene	5L07001	50.0	ug/L	N/A	N/A	49.8		100		80-120			
Trichlorofluoromethane	5L07001	50.0	ug/L	N/A	N/A	49.3		99		80-120			
1,2,3-Trichloropropane	5L07001	50.0	ug/L	N/A	N/A	47.0		94		80-120			
1,2,4-Trimethylbenzene	5L07001	50.0	ug/L	N/A	N/A	46.9		94		80-120			

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

CCV QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	Limit	Q
VOCs by SW8260B													
1,3,5-Trimethylbenzene	5L07001	50.0	ug/L	N/A	N/A	47.2		94		80-120			
Vinyl chloride	5L07001	50.0	ug/L	N/A	N/A	50.7		101		80-120			
Xylenes, Total	5L07001	150	ug/L	N/A	N/A	148		99		80-120			
Surrogate: Dibromofluoromethane	5L07001		ug/L					101		80-120			
Surrogate: Toluene-d8	5L07001		ug/L					99		80-120			
Surrogate: 4-Bromofluorobenzene	5L07001		ug/L					96		80-120			

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Spike Result Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters												
QC Source Sample: WOL0060-01												
% Solids	5120110	78	%	N/A	N/A	78.6				1	20	
QC Source Sample: WOL0076-03												
% Solids	5120110	85	%	N/A	N/A	84.4				1	20	

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD	RPD Limit	Q
VOCs by SW8260B													
Benzene	5120096	2500	ug/kg wet	N/A	N/A	2560	2710	102	108	64-124	6	29	
Bromobenzene	5120096	2500	ug/kg wet	N/A	N/A	2790	2780	112	111	70-130	0	20	
Bromochloromethane	5120096	2500	ug/kg wet	N/A	N/A	2460	2480	98	99	70-130	1	20	
Bromodichloromethane	5120096	2500	ug/kg wet	N/A	N/A	2600	2520	104	101	70-130	3	20	
Bromoform	5120096	2500	ug/kg wet	N/A	N/A	2540	2260	102	90	70-130	12	20	
Bromomethane	5120096	2500	ug/kg wet	N/A	N/A	2700	2650	108	106	70-130	2	20	
n-Butylbenzene	5120096	2500	ug/kg wet	N/A	N/A	2690	2710	108	108	70-130	1	20	
sec-Butylbenzene	5120096	2500	ug/kg wet	N/A	N/A	2620	2660	105	106	70-130	2	20	
tert-Butylbenzene	5120096	2500	ug/kg wet	N/A	N/A	2570	2650	103	106	70-130	3	20	
Carbon Tetrachloride	5120096	2500	ug/kg wet	N/A	N/A	2870	2870	115	115	70-130	0	20	
Chlorobenzene	5120096	2500	ug/kg wet	N/A	N/A	2560	2730	102	109	80-123	6	17	
Chlorodibromomethane	5120096	2500	ug/kg wet	N/A	N/A	2560	2430	102	97	70-130	5	20	
Chloroethane	5120096	2500	ug/kg wet	N/A	N/A	2880	2900	115	116	70-130	1	20	
Chloroform	5120096	2500	ug/kg wet	N/A	N/A	2630	2770	105	111	70-130	5	20	
Chloromethane	5120096	2500	ug/kg wet	N/A	N/A	2690	2660	108	106	70-130	1	20	
2-Chlorotoluene	5120096	2500	ug/kg wet	N/A	N/A	2690	2910	108	116	70-130	8	20	
4-Chlorotoluene	5120096	2500	ug/kg wet	N/A	N/A	2780	2750	111	110	70-130	1	20	
1,2-Dibromo-3-chloropropane	5120096	2500	ug/kg wet	N/A	N/A	3010	2480	120	99	70-130	19	20	
1,2-Dibromoethane (EDB)	5120096	2500	ug/kg wet	N/A	N/A	2880	2940	115	118	70-130	2	20	
Dibromomethane	5120096	2500	ug/kg wet	N/A	N/A	2880	2950	115	118	70-130	2	20	
1,2-Dichlorobenzene	5120096	2500	ug/kg wet	N/A	N/A	2560	2690	102	108	70-130	5	20	
1,3-Dichlorobenzene	5120096	2500	ug/kg wet	N/A	N/A	2650	2710	106	108	70-130	2	20	
1,4-Dichlorobenzene	5120096	2500	ug/kg wet	N/A	N/A	2520	2620	101	105	70-130	4	20	
Dichlorodifluoromethane	5120096	2500	ug/kg wet	N/A	N/A	2840	2790	114	112	70-130	2	20	
1,1-Dichloroethane	5120096	2500	ug/kg wet	N/A	N/A	2610	2740	104	110	70-130	5	20	
1,2-Dichloroethane	5120096	2500	ug/kg wet	N/A	N/A	2650	2790	106	112	70-130	5	20	
1,1-Dichloroethene	5120096	2500	ug/kg wet	N/A	N/A	2640	2630	106	105	43-141	0	44	
cis-1,2-Dichloroethene	5120096	2500	ug/kg wet	N/A	N/A	2650	2750	106	110	70-130	4	20	
trans-1,2-Dichloroethene	5120096	2500	ug/kg wet	N/A	N/A	2620	2630	105	105	70-130	0	20	
1,2-Dichloropropane	5120096	2500	ug/kg wet	N/A	N/A	2610	2640	104	106	70-130	1	20	
1,3-Dichloropropane	5120096	2500	ug/kg wet	N/A	N/A	2620	2660	105	106	70-130	2	20	
2,2-Dichloropropane	5120096	2500	ug/kg wet	N/A	N/A	2780	2600	111	104	70-130	7	20	
1,1-Dichloropropene	5120096	2500	ug/kg wet	N/A	N/A	2660	2720	106	109	70-130	2	20	
cis-1,3-Dichloropropene	5120096	2500	ug/kg wet	N/A	N/A	2800	2690	112	108	70-130	4	20	
trans-1,3-Dichloropropene	5120096	2500	ug/kg wet	N/A	N/A	2940	2710	118	108	70-130	8	20	
Ethylbenzene	5120096	2500	ug/kg wet	N/A	N/A	2630	2750	105	110	79-122	4	17	
Hexachlorobutadiene	5120096	2500	ug/kg wet	N/A	N/A	3010	2950	120	118	70-130	2	20	
Isopropylbenzene	5120096	2500	ug/kg wet	N/A	N/A	2570	2700	103	108	70-130	5	20	
p-Isopropyltoluene	5120096	2500	ug/kg wet	N/A	N/A	2670	2700	107	108	70-130	1	20	
Methylene Chloride	5120096	2500	ug/kg wet	N/A	N/A	2600	2720	104	109	70-130	5	20	
Methyl tert-Butyl Ether	5120096	2410	ug/kg wet	N/A	N/A	3160	3120	131	129	55-137	1	36	
Naphthalene	5120096	2500	ug/kg wet	N/A	N/A	2790	2580	112	103	70-130	8	20	
n-Propylbenzene	5120096	2500	ug/kg wet	N/A	N/A	2760	2850	110	114	70-130	3	20	
Styrene	5120096	2500	ug/kg wet	N/A	N/A	2800	2880	112	115	70-130	3	20	
1,1,1,2-Tetrachloroethane	5120096	2500	ug/kg wet	N/A	N/A	2780	2890	111	116	70-130	4	20	

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Spike				MDL	MRL	Dup		% REC		RPD Limit	RPD Limit	Q
		Result	Level	Units				Result	Result	REC	%REC			
VOCs by SW8260B														
1,1,2,2-Tetrachloroethane	5120096	2500	ug/kg	wet	N/A	N/A	2730	2790	109	112	70-130	2	20	
Tetrachloroethene	5120096	2500	ug/kg	wet	N/A	N/A	2710	2880	108	115	70-130	6	20	
Toluene	5120096	2500	ug/kg	wet	N/A	N/A	2520	2670	101	107	78-120	6	18	
1,2,3-Trichlorobenzene	5120096	2500	ug/kg	wet	N/A	N/A	2860	2770	114	111	70-130	3	20	
1,2,4-Trichlorobenzene	5120096	2500	ug/kg	wet	N/A	N/A	2800	2760	112	110	70-130	1	20	
1,1,1-Trichloroethane	5120096	2500	ug/kg	wet	N/A	N/A	2840	2920	114	117	70-130	3	20	
1,1,2-Trichloroethane	5120096	2500	ug/kg	wet	N/A	N/A	2840	2790	114	112	70-130	2	20	
Trichloroethene	5120096	2500	ug/kg	wet	N/A	N/A	2730	2760	109	110	78-124	1	20	
Trichlorofluoromethane	5120096	2500	ug/kg	wet	N/A	N/A	2650	2670	106	107	70-130	1	20	
1,2,3-Trichloropropane	5120096	2500	ug/kg	wet	N/A	N/A	2600	2630	104	105	70-130	1	20	
1,2,4-Trimethylbenzene	5120096	2500	ug/kg	wet	N/A	N/A	2740	2850	110	114	75-128	4	20	
1,3,5-Trimethylbenzene	5120096	2500	ug/kg	wet	N/A	N/A	2750	2830	110	113	76-127	3	19	
Vinyl chloride	5120096	2500	ug/kg	wet	N/A	N/A	2710	2620	108	105	70-130	3	20	
Xylenes, total	5120096	7500	ug/kg	wet	N/A	N/A	7700	8050	103	107	79-122	4	17	
Surrogate: Dibromofluoromethane	5120096		ug/kg	wet					103	103	86-113			
Surrogate: Toluene-d8	5120096		ug/kg	wet					99	102	90-110			
Surrogate: 4-Bromofluorobenzene	5120096		ug/kg	wet					104	104	89-110			
Benzene	5120132	2500	ug/kg	wet	N/A	N/A	2550	2700	102	108	64-124	6	29	
Bromobenzene	5120132	2500	ug/kg	wet	N/A	N/A	2690	2900	108	116	70-130	8	20	
Bromochloromethane	5120132	2500	ug/kg	wet	N/A	N/A	2350	2580	94	103	70-130	9	20	
Bromodichloromethane	5120132	2500	ug/kg	wet	N/A	N/A	2430	2470	97	99	70-130	2	20	
Bromoform	5120132	2500	ug/kg	wet	N/A	N/A	2230	2290	89	92	70-130	3	20	
Bromomethane	5120132	2500	ug/kg	wet	N/A	N/A	2650	2790	106	112	70-130	5	20	
n-Butylbenzene	5120132	2500	ug/kg	wet	N/A	N/A	2650	2700	106	108	70-130	2	20	
sec-Butylbenzene	5120132	2500	ug/kg	wet	N/A	N/A	2590	2630	104	105	70-130	2	20	
tert-Butylbenzene	5120132	2500	ug/kg	wet	N/A	N/A	2580	2630	103	105	70-130	2	20	
Carbon Tetrachloride	5120132	2500	ug/kg	wet	N/A	N/A	2820	2870	113	115	70-130	2	20	
Chlorobenzene	5120132	2500	ug/kg	wet	N/A	N/A	2550	2740	102	110	80-123	7	17	
Chlorodibromomethane	5120132	2500	ug/kg	wet	N/A	N/A	2330	2390	93	96	70-130	3	20	
Chloroethane	5120132	2500	ug/kg	wet	N/A	N/A	2800	3130	112	125	70-130	11	20	
Chloroform	5120132	2500	ug/kg	wet	N/A	N/A	2630	2870	105	115	70-130	9	20	
Chloromethane	5120132	2500	ug/kg	wet	N/A	N/A	2550	2830	102	113	70-130	10	20	
2-Chlorotoluene	5120132	2500	ug/kg	wet	N/A	N/A	2710	3000	108	120	70-130	10	20	
4-Chlorotoluene	5120132	2500	ug/kg	wet	N/A	N/A	2810	2570	112	103	70-130	9	20	
1,2-Dibromo-3-chloropropane	5120132	2500	ug/kg	wet	N/A	N/A	2550	2580	102	103	70-130	1	20	
1,2-Dibromoethane (EDB)	5120132	2500	ug/kg	wet	N/A	N/A	2730	3010	109	120	70-130	10	20	
Dibromomethane	5120132	2500	ug/kg	wet	N/A	N/A	2740	3000	110	120	70-130	9	20	
1,2-Dichlorobenzene	5120132	2500	ug/kg	wet	N/A	N/A	2540	2680	102	107	70-130	5	20	
1,3-Dichlorobenzene	5120132	2500	ug/kg	wet	N/A	N/A	2620	2690	105	108	70-130	3	20	
1,4-Dichlorobenzene	5120132	2500	ug/kg	wet	N/A	N/A	2560	2590	102	104	70-130	1	20	
Dichlorodifluoromethane	5120132	2500	ug/kg	wet	N/A	N/A	2890	3070	116	123	70-130	6	20	
1,1-Dichloroethane	5120132	2500	ug/kg	wet	N/A	N/A	2620	2780	105	111	70-130	6	20	
1,2-Dichloroethane	5120132	2500	ug/kg	wet	N/A	N/A	2620	2930	105	117	70-130	11	20	
1,1-Dichloroethene	5120132	2500	ug/kg	wet	N/A	N/A	2600	2700	104	108	43-141	4	44	

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Spike		MDL	MRL	Dup		% REC	Dup % REC		RPD		Q
		Result	Level Units			Result	Result		%REC	Limits	RPD	Limit	
VOCs by SW8260B													
cis-1,2-Dichloroethene	5120132	2500	ug/kg wet	N/A	N/A	2610	2820	104	113	70-130	8	20	
trans-1,2-Dichloroethene	5120132	2500	ug/kg wet	N/A	N/A	2540	2670	102	107	70-130	5	20	
1,2-Dichloropropane	5120132	2500	ug/kg wet	N/A	N/A	2440	2680	98	107	70-130	9	20	
1,3-Dichloropropane	5120132	2500	ug/kg wet	N/A	N/A	2420	2720	97	109	70-130	12	20	
2,2-Dichloropropane	5120132	2500	ug/kg wet	N/A	N/A	2720	2600	109	104	70-130	5	20	
1,1-Dichloropropene	5120132	2500	ug/kg wet	N/A	N/A	2620	2800	105	112	70-130	7	20	
cis-1,3-Dichloropropene	5120132	2500	ug/kg wet	N/A	N/A	2640	2640	106	106	70-130	0	20	
trans-1,3-Dichloropropene	5120132	2500	ug/kg wet	N/A	N/A	2650	2720	106	109	70-130	3	20	
Ethylbenzene	5120132	2500	ug/kg wet	N/A	N/A	2590	2760	104	110	79-122	6	17	
Hexachlorobutadiene	5120132	2500	ug/kg wet	N/A	N/A	2970	2950	119	118	70-130	1	20	
Isopropylbenzene	5120132	2500	ug/kg wet	N/A	N/A	2550	2670	102	107	70-130	5	20	
p-Isopropyltoluene	5120132	2500	ug/kg wet	N/A	N/A	2660	2670	106	107	70-130	0	20	
Methylene Chloride	5120132	2500	ug/kg wet	N/A	N/A	2570	2790	103	112	70-130	8	20	
Methyl tert-Butyl Ether	5120132	2410	ug/kg wet	N/A	N/A	2930	3220	122	134	55-137	9	36	
Naphthalene	5120132	2500	ug/kg wet	N/A	N/A	2430	2670	97	107	70-130	9	20	
n-Propylbenzene	5120132	2500	ug/kg wet	N/A	N/A	2680	2840	107	114	70-130	6	20	
Styrene	5120132	2500	ug/kg wet	N/A	N/A	2740	2940	110	118	70-130	7	20	
1,1,1,2-Tetrachloroethane	5120132	2500	ug/kg wet	N/A	N/A	2760	2910	110	116	70-130	5	20	
1,1,2,2-Tetrachloroethane	5120132	2500	ug/kg wet	N/A	N/A	2530	2910	101	116	70-130	14	20	
Tetrachloroethene	5120132	2500	ug/kg wet	N/A	N/A	2700	2890	108	116	70-130	7	20	
Toluene	5120132	2500	ug/kg wet	N/A	N/A	2490	2700	100	108	78-120	8	18	
1,2,3-Trichlorobenzene	5120132	2500	ug/kg wet	N/A	N/A	2720	2810	109	112	70-130	3	20	
1,2,4-Trichlorobenzene	5120132	2500	ug/kg wet	N/A	N/A	2710	2770	108	111	70-130	2	20	
1,1,1-Trichloroethane	5120132	2500	ug/kg wet	N/A	N/A	2780	2920	111	117	70-130	5	20	
1,1,2-Trichloroethane	5120132	2500	ug/kg wet	N/A	N/A	2650	2870	106	115	70-130	8	20	
Trichloroethene	5120132	2500	ug/kg wet	N/A	N/A	2610	2660	104	106	78-124	2	20	
Trichlorofluoromethane	5120132	2500	ug/kg wet	N/A	N/A	2640	2780	106	111	70-130	5	20	
1,2,3-Trichloropropane	5120132	2500	ug/kg wet	N/A	N/A	2400	2690	96	108	70-130	11	20	
1,2,4-Trimethylbenzene	5120132	2500	ug/kg wet	N/A	N/A	2700	2810	108	112	75-128	4	20	
1,3,5-Trimethylbenzene	5120132	2500	ug/kg wet	N/A	N/A	2690	2870	108	115	76-127	6	19	
Vinyl chloride	5120132	2500	ug/kg wet	N/A	N/A	2650	2680	106	107	70-130	1	20	
Xylenes, total	5120132	7500	ug/kg wet	N/A	N/A	7770	8200	104	109	79-122	5	17	
Surrogate: Dibromofluoromethane	5120132		ug/kg wet					103	104	86-113			
Surrogate: Toluene-d8	5120132		ug/kg wet					99	102	90-110			
Surrogate: 4-Bromofluorobenzene	5120132		ug/kg wet					103	100	89-110			

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/	Source Spike			MDL MRL		Dup %		Dup % REC		RPD	Q		
	Batch	Result	Level	Units	Result	Result	Result	REC	%REC	Limits	RPD		Limit	
VOCs by SW8260B														
QC Source Sample: WOL0056-06														
1,1-Dichloroethene	5120116	<0.50	50.0	ug/L	0.50	1.7	50.7	50.7	101	101	72-131	0	17	
cis-1,2-Dichloroethene	5120116	<0.50	50.0	ug/L	0.50	1.7	49.2	48.6	98	97	70-130	1	20	
trans-1,2-Dichloroethene	5120116	<0.50	50.0	ug/L	0.50	1.7	50.3	49.4	101	99	70-130	2	20	
1,2-Dichloropropane	5120116	<0.50	50.0	ug/L	0.50	1.7	47.0	45.9	94	92	70-130	2	20	
1,3-Dichloropropane	5120116	<0.25	50.0	ug/L	0.25	0.83	48.8	47.4	98	95	70-130	3	20	
2,2-Dichloropropane	5120116	<0.50	50.0	ug/L	0.50	1.7	51.4	51.3	103	103	70-130	0	20	
1,1-Dichloropropene	5120116	<0.50	50.0	ug/L	0.50	1.7	50.3	50.2	101	100	70-130	0	20	
cis-1,3-Dichloropropene	5120116	<0.20	50.0	ug/L	0.20	0.67	48.7	47.6	97	95	70-130	2	20	
trans-1,3-Dichloropropene	5120116	<0.20	50.0	ug/L	0.20	0.67	48.2	47.0	96	94	70-130	3	20	
Isopropyl Ether	5120116	<0.50	50.0	ug/L	0.50	1.7	48.5	47.5	97	95	68-128	2	16	
Ethylbenzene	5120116	0.52	50.0	ug/L	0.50	1.7	48.0	49.1	95	97	83-118	2	13	
Hexachlorobutadiene	5120116	<0.50	50.0	ug/L	0.50	1.7	49.6	46.5	99	93	70-130	6	20	
Isopropylbenzene	5120116	63	50.0	ug/L	0.20	0.67	112	108	98	90	70-130	4	20	
p-Isopropyltoluene	5120116	3.4	50.0	ug/L	0.20	0.67	52.2	50.5	98	94	70-130	3	20	
Methylene Chloride	5120116	3.0	50.0	ug/L	1.0	3.3	50.5	51.9	95	98	70-130	3	20	
Methyl tert-Butyl Ether	5120116	<0.50	50.0	ug/L	0.50	1.7	48.9	48.2	98	96	71-127	1	22	
Naphthalene	5120116	74	50.0	ug/L	0.25	0.83	127	119	106	90	70-130	7	20	
n-Propylbenzene	5120116	68	50.0	ug/L	0.50	1.7	117	114	98	92	70-130	3	20	
Styrene	5120116	<0.20	50.0	ug/L	0.20	0.67	49.3	47.9	99	96	70-130	3	20	
1,1,1,2-Tetrachloroethane	5120116	<0.25	50.0	ug/L	0.25	0.83	49.6	48.1	99	96	70-130	3	20	
1,1,2,2-Tetrachloroethane	5120116	<0.20	50.0	ug/L	0.20	0.67	50.8	49.4	102	99	70-130	3	20	
Tetrachloroethene	5120116	<0.50	50.0	ug/L	0.50	1.7	49.7	48.8	99	98	70-130	2	20	
Toluene	5120116	<0.20	50.0	ug/L	0.20	0.67	49.3	48.1	99	96	82-116	2	11	
1,2,3-Trichlorobenzene	5120116	<0.25	50.0	ug/L	0.25	0.83	46.7	43.2	93	86	70-130	8	20	
1,2,4-Trichlorobenzene	5120116	<0.25	50.0	ug/L	0.25	0.83	46.5	42.9	93	86	70-130	8	20	
1,1,1-Trichloroethane	5120116	<0.50	50.0	ug/L	0.50	1.7	48.7	48.6	97	97	70-130	0	20	
1,1,2-Trichloroethane	5120116	<0.25	50.0	ug/L	0.25	0.83	47.7	46.9	95	94	70-130	2	20	
Trichloroethene	5120116	<0.20	50.0	ug/L	0.20	0.67	49.9	48.9	100	98	80-117	2	13	
Trichlorofluoromethane	5120116	<0.50	50.0	ug/L	0.50	1.7	51.4	50.4	103	101	70-130	2	20	
1,2,3-Trichloropropane	5120116	<0.50	50.0	ug/L	0.50	1.7	49.7	48.6	99	97	70-130	2	20	
1,2,4-Trimethylbenzene	5120116	4.7	50.0	ug/L	0.20	0.67	51.7	49.1	94	89	80-122	5	14	
1,3,5-Trimethylbenzene	5120116	9.3	50.0	ug/L	0.20	0.67	56.9	54.4	95	90	83-122	4	12	
Vinyl chloride	5120116	<0.20	50.0	ug/L	0.20	0.67	49.0	49.2	98	98	70-130	0	20	
Xylenes, Total	5120116	8.6	150	ug/L	0.50	1.7	155	151	98	95	84-119	3	12	
Surrogate: Dibromofluoromethane	5120116			ug/L					101	102	89-119			
Surrogate: Toluene-d8	5120116			ug/L					102	101	91-109			
Surrogate: 4-Bromofluorobenzene	5120116			ug/L					97	99	89-114			
QC Source Sample: WOL0059-05														
Benzene	5120158	<0.20	50.0	ug/L	0.20	0.67	38.6	42.4	77	85	80-121	9	11	M12
Bromobenzene	5120158	<0.20	50.0	ug/L	0.20	0.67	35.8	39.9	72	80	70-130	11	20	
Bromochloromethane	5120158	<0.50	50.0	ug/L	0.50	1.7	36.8	39.9	74	80	70-130	8	20	
Bromodichloromethane	5120158	<0.20	50.0	ug/L	0.20	0.67	37.9	40.8	76	82	70-130	7	20	
Bromoform	5120158	<0.20	50.0	ug/L	0.20	0.67	40.2	42.8	80	86	70-130	6	20	
Bromomethane	5120158	<0.20	50.0	ug/L	0.20	0.67	38.7	42.3	77	85	70-130	9	20	
n-Butylbenzene	5120158	<0.20	50.0	ug/L	0.20	0.67	35.6	40.7	71	81	70-130	13	20	

PEP Environmental Services LLC
 7147 Cedar Sauk Road
 Saukville, WI 53080
 Mr. Pete Pavalko

Work Order: WOL0069
 Project: Twin Lakes Laundry
 Project Number: 25022.02

Received: 12/02/05
 Reported: 12/09/05 07:42

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Spike		Units	MDL	MRL	Dup		% REC	Dup % REC	% REC Limits	RPD		Q
		Result	Level				Result	Result				RPD	Limit	
VOCs by SW8260B														
QC Source Sample: WOL0059-05														
1,1,2-Trichloroethane	5120158	<0.25	50.0	ug/L	0.25	0.83	39.6	42.2	79	84	70-130	6	20	
Trichloroethene	5120158	0.24	50.0	ug/L	0.20	0.67	38.5	42.0	77	84	80-117	9	13	M12
Trichlorofluoromethane	5120158	<0.50	50.0	ug/L	0.50	1.7	41.7	43.6	83	87	70-130	4	20	
1,2,3-Trichloropropane	5120158	<0.50	50.0	ug/L	0.50	1.7	40.8	43.3	82	87	70-130	6	20	
1,2,4-Trimethylbenzene	5120158	<0.20	50.0	ug/L	0.20	0.67	33.7	39.9	67	80	80-122	17	14	M12,R2
1,3,5-Trimethylbenzene	5120158	<0.20	50.0	ug/L	0.20	0.67	34.4	39.8	69	80	83-122	15	12	M12,R2
Vinyl chloride	5120158	<0.20	50.0	ug/L	0.20	0.67	40.0	41.5	80	83	70-130	4	20	
Xylenes, Total	5120158	<0.50	150	ug/L	0.50	1.7	108	121	72	81	84-119	11	12	M12
Surrogate: Dibromofluoromethane	5120158			ug/L					100	102	89-119			
Surrogate: Toluene-d8	5120158			ug/L					99	99	91-109			
Surrogate: 4-Bromofluorobenzene	5120158			ug/L					97	97	89-114			

PEP Environmental Services LLC
7147 Cedar Sauk Road
Saukville, WI 53080
Mr. Pete Pavalko

Work Order: WOL0069
Project: Twin Lakes Laundry
Project Number: 25022.02

Received: 12/02/05
Reported: 12/09/05 07:42

CERTIFICATION SUMMARY

TestAmerica Analytical - Watertown

Method	Matrix	Nelac	Wisconsin
SW 5035	Solid/Soil	X	X
SW 8260B	Solid/Soil	X	X
SW 8260B	Water - NonPotable	X	X

DATA QUALIFIERS AND DEFINITIONS

- J** Results reported between the Method Detection Limit (MDL) and Limit of Quantitation (LOQ) are less certain than results at or above the LOQ.
- M12** The MS and/or MSD were below the acceptance limits. See calibration verification (CCV)
- R2** The RPD exceeded the acceptance limit.
- S2** Compound is a common lab solvent and contaminant.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.



Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WOL0069
To assist us in using the proper analytical methods,
is this work being conducted for regulatory purposes?
Compliance Monitoring _____

Client Name: PEP ENVIR. SVCS LLC Client #: _____

Address: 7147 Cedar Sank Rd

City/State/Zip Code: Saukville WI 53080

Project Manager: PETE PAVALKO

Telephone Number: 414-801-1730 Fax: Do NOT FAX RESULTS

Sampler Name: (Print Name) PETE PAVALKO

Sampler Signature: [Signature]

Project Name: TWIN LAKES LAUNDRY (TL)

Project #: 25022.02

Site/Location ID: TWIN LAKES WI State: WI

Report To: PETE PAVALKO

Invoice To: " " \$55 each

Quote #: 25022.02 PO#: 25022.02

TAT <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply) Date Needed: <u>W/IN 5 DAYS</u> Fax Results: <u>Y (N) EMAIL-yes</u>	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix SL - Sludge DW - Drinking Water GW - Groundwater S - Soil/Solid WW - Wastewater Specify Other	Preservation & # of Containers								Analyze For:	QC Deliverables None Level 2 (Batch QC) Level 3 Level 4 Other: _____		
						HNO ₃	HCl	NaOH	H ₂ SO ₄	Methanol	None	Other (Specify)	DEPTH			REMARKS	PID
SAMPLE ID																	
SB-1A	11/29	10AM	G	✓	S					1	1		X				8-10" 0
SB-2A		10:21am	G		S					1	1		X				4-6" 0
SB-3A			G		S					1	1		X				8-10" 0
SB-4A			G		S					1	1		X				10-12" 0
SB-5A			G		S					1	1		X				6-8" 0
W-1			G	NO	W					3			X				
W-2			G	↓	W					3			X				
W-5			G	↓	W					3			X				
WATER TRIP BLANK			G		W					1			X				
MEOH TRIP BLANK			G		W					1			X				
Special Instructions: <u>POTABLE well sample</u>			G	NO	W					3			X				

9 samples x \$55 = \$495

Relinquished By: <u>[Signature]</u>	Date: <u>11/30/05</u>	Time: <u>7:00 AM</u>	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date: <u>12/7/09</u>	Time: <u>10:10</u>

LABORATORY COMMENTS:
Init Lab Temp: _____ °C
Rec Lab Temp: 2 °C
Custody Seals: Y N N/A
Bottles Supplied by Test America: Y N
Method of Shipment: Durban

CG 12/2