

# Konicek Environmental Consulting LLC

---

July 21, 2021

Tarmac LLC  
20814 82<sup>nd</sup> Street  
Bristol, WI 53104

Reference: *Vapor Sample Results*  
118 & 120 South Lake Avenue  
Twin Lakes, Wisconsin 53181

Dear Tarmac LLC,

Konicek Environmental Consulting LLC (KEC) collected two sub-slab vapor samples and one indoor air sample on July 8, 2021, as part of an on-going investigation for volatile organic compounds (VOCs) at the Twin Lakes Laundry property owned by Olsen Properties LLC and located at 111 South Lake Avenue, Twin Lakes, Wisconsin. The vapor samples were collected to monitor the concentrations of VOCs and were analyzed by Pace Analytical.

The laboratory analytical results and a tabulated summary of results are attached to this letter. As indicated in the attached table, there were no VOCs identified at concentrations above Vapor Risk Screening Levels (VRSL) in the sub-slab vapor samples collected, and no VOCs identified at concentrations above Ambient Air Vapor Action Levels in the indoor air sample collected.

Should you have questions about these results please contact DNR Project Manager for this site, Mr. Joseph Martinez, at 414-218-6042 or [joseph.martinez@wisconsin.gov](mailto:joseph.martinez@wisconsin.gov).

We thank you for your cooperation in allowing us to collect the samples.

Sincerely,



Gregory A. Konicek, P.G., CHMM  
Konicek Environmental Consulting LLC

Attachments: Table A.4. Vapor Analytical Table; Pace Analytical Report #10569624

Cc: Mr. Joseph Martinez, DNR  
Mr. Tom Olsen, Twin Lakes Laundry

**Table A.4. Vapor Analytical Table**  
**Twin Lakes Laundry**  
**BRRTS: 02-30-545024**  
**118 & 120 S. Lake Avenue, Twin Lakes, WI 53403**

Sample Location:			Vapor Risk Screening Level (VRSL) of Indoor Air concentrations from sub-slab vapor/soil gas/deep soil gas			
Sample Identification:	SS-4	SS-5	Residential Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.03	Small Commercial Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.03	Large Commercial/Industrial Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.01	c-Carcinogenic; nc-Non-Carcinogenic
Date:	7/8/21	7/8/21	μg/m <sup>3</sup>			
Units:	μg/m <sup>3</sup>	μg/m <sup>3</sup>	μg/m <sup>3</sup>			
Acetone	73.4	23.8	1066667	4666667	1400000	nc
Benzene	2.2	0.44 J	120	533	1600	c
Benzyl Chloride	<1.6	<1.7	19	83	250	c
Bromodichloromethane	<0.42	<0.46	25	110	330	c
Bromoform	<2.9	<3.2	---	---	---	---
Bromomethane	<0.27	<0.29	173	733	2200	nc
1,3-Butadiene	<0.21	<0.24	31	137	410	c
2-Butanone(MEK)	11.4	8.4	173333	733333	2200000	nc
Carbon disulfide	0.91 J	<0.25	24333	103333	310000	nc
Carbon tetrachloride	0.71 J	0.93 J	157	667	2000	c
Chlorobenzene	<0.28	<0.30	1733	7333	22000	nc
Chloroethane	<0.40	0.87 J	---	---	---	---
Chloroform	<0.33	<0.36	40	177	530	c
Chloromethane	0.78	0.81 J	3133	13000	39000	nc
Cyclohexane	6.1	0.67 J	210000	866667	2600000	nc
Dibromochloromethane	<0.92	<1.0	---	---	---	c
1,2-Dibromoethane (EDB)	<0.54	<0.59	2	7	20	c
1,2-Dichlorobenzene	<0.72	<0.79	7000	29333	88000	nc
1,3-Dichlorobenzene	1.3 J	1.2 J	---	---	---	---
1,4-Dichlorobenzene	<1.6	<1.7	87	367	1100	c
Dichlorodifluoromethane	3.2	3.1	3333	14667	44000	nc
1,1 - Dichloroethane (1,1-DCA)	<0.30	<0.32	600	2567	7700	c
1,2 - Dichloroethane (1,2-DCA)	<0.35	<0.38	37	157	470	c
1,1 - Dichloroethylene (1,1-DCE)	<0.25	<0.27	7000	29333	88000	nc
cis-1,2-Dichloroethene	<0.35	<0.38	---	---	---	---
trans-1,2-Dichloroethene	2.9	<0.33	---	---	---	---
1,2-Dichloropropane	<0.48	<0.53	93	400	1200	c
cis-1,3-Dichloropropene	<0.46	<0.50	---	---	---	---
trans-1,3-Dichloropropene	<0.97	<1.1	---	---	---	---
Dichlorotetrafluoroethane	<0.36	<0.40	---	---	---	---
Ethanol	113	192	---	---	---	---
Ethyl acetate	7.0	<0.26	2433	10333	31000	nc
Ethylbenzene	3.3	<0.61	367	1633	4900	c
4-ethyltoluene	2.0 J	<0.93	---	---	---	---
n-Heptane	10.1	<0.35	---	---	---	---
Hexachloro-1,3-butadiene	<2.2	<2.4	---	---	---	---
n-Hexane	5.1	0.67 J	24333	103333	310000	nc
2-Hexanone	<0.79	1.9 J	1033	4333	13000	nc
Methylene Chloride	<1.1	<1.2	21000	86667	260000	nc
4-Methyl-2-pentanone (MIBK)	1.3 J	<0.63	103333	433333	1300000	nc
Methyl Tert-Butyl Ether (MTBE)	<0.23	<0.25	3667	15667	47000	c
Naphthalene	4.1 J	<4.3	28	120	360	c
2-Propanol	18.6	5.0	---	---	---	---
Propylene	<0.23	<0.25	103333	433333	1300000	nc
Styrene	1.9	1.2 J	33333	146667	440000	nc
1,1,2,2-Tetrachloroethane	<0.67	<0.73	16	70	210	c
Tetrachloroethene	9.7	<0.57	1400	6000	18000	nc
Tetrahydrofuran	<0.32	<0.35	70000	293333	880000	nc
Toluene	30.7	1.9	173333	733333	2200000	nc
1,2,4-Trichlorobenzene	<8.7	<9.6	70	293	880	nc
1,1,1 - Trichloroethane	<0.33	<0.36	173333	733333	2200000	nc
1,1,2-Trichloroethane	<0.35	<0.39	7	29	88	nc
Trichloroethene	<0.35	<0.38	70	293	880	nc
Trichlorofluoromethane (Halocarbon 11)	1.7 J	1.5 J	---	---	---	nc
1,1,2-Trichlorotrifluoroethane	0.62 J	0.99 J	---	---	---	---
Trimethylbenzene (1,2,4)	3.6	0.89 J	243	1033	3100	nc
Trimethylbenzene (1,3,5)	1.6 J	0.74 J	---	---	---	---
Vinyl acetate	<0.37	<0.41	7000	29333	88000	nc
Vinyl Chloride	<0.16	<0.17	57	933	2800	c
m&p-Xylene	6.0	1.7 J	3333	14667	44000	nc
o-Xylene	2.7	<0.53	3333	14667	44000	nc

**Notes:**

μg/m<sup>3</sup> - micrograms per cubic meter

**Bold** concentrations exceed the applicable Large Commercial/Industrial Standard

Underlined concentrations exceed the applicable Small Commercial Standard

\*. \* concentrations exceed the Residential Standard

ND - not detected

NA - not analyzed

--- no standard established

N/A - not applicable

Samples were collected by Konicek Environmental Consultants LLC.

Action levels obtained from the November 2017 Vapor Action Levels Quick Look-Up Table and the November 2017 Vapor Intrusion Screening Level (VISL) Calculator

Table A.4. Vapor Analytical Table  
Twin Lakes Laundry  
BRRTS: 02-30-545024

118 & 120 S. Lake Avenue, Twin Lakes, WI 53403

Sample Location:	Sample Identification:	Ambient Air Vapor Action Level		c-Carcinogenic; nc- Non-Carcinogenic
		Non-Residential (1-in-100,000 risk for carcinogens)	Residential (1-in-100,000 risk for carcinogens)	
Date:	7/8/2021			
Units:	ug/m <sup>3</sup>	ug/m <sup>3</sup>	ug/m <sup>3</sup>	
Acetone	40.4	140000	32000	nc
Benzene	0.59	16	3.6	c
Benzyl Chloride	<1.6	2.5	0.57	c
Bromodichloromethane	<0.41	3.3	0.76	c
Bromoform	<2.8	---	---	---
Bromomethane	<0.26	22	5.2	nc
1,3-Butadiene	<0.21	4.1	0.94	c
2-Butanone(MEK)	7.9	22000	5200	nc
Carbon disulfide	0.52 J	3100	730	nc
Carbon tetrachloride	<0.49	20	4.7	c
Chlorobenzene	<0.27	220	52	nc
Chloroethane	<0.39	---	---	---
Chloroform	<0.32	5.3	1.2	c
Chloromethane	0.80	390	94	nc
Cyclohexane	<0.39	26000	6300	nc
Dibromochloromethane	<0.90	---	---	c
1,2-Dibromoethane (EDB)	<0.52	0.2	0.047	c
1,2-Dichlorobenzene	<0.71	880	210	nc
1,3-Dichlorobenzene	2.5 J	---	---	---
1,4-Dichlorobenzene	<1.5	11	2.6	c
Dichlorodifluoromethane	3.0	440	100	nc
1,1 - Dichloroethane (1,1-DCA)	<0.29	77	18	c
1,2 - Dichloroethane (1,2-DCA)	<0.34	4.7	1.1	c
1,1 - Dichloroethylene (1,1-DCE)	<0.24	880	210	nc
cis-1,2-Dichloroethene	<0.34	---	---	---
trans-1,2-Dichloroethene	<0.29	---	---	---
1,2-Dichloropropane	<0.47	12	2.8	c
cis-1,3-Dichloropropene	<0.45	---	---	---
trans-1,3-Dichloropropene	<0.95	---	---	---
Dichlorotetrafluoroethane	<0.35	---	---	---
Ethanol	124	---	---	---
Ethyl acetate	1.4	310	73	nc
Ethylbenzene	<0.54	49	11	c
4-ethyltoluene	1.3 J	---	---	---
n-Heptane	<0.32	---	---	---
Hexachloro-1,3-butadiene	<2.2	---	---	---
n-Hexane	0.49 J	3100	730	nc
2-Hexanone	1.6 J	130	31	nc
Methylene Chloride	<1.0	2600	630	nc
4-Methyl-2-pentanone (MIBK)	<0.56	13000	3100	nc
Methyl Tert-Butyl Ether (MTBE)	<0.22	470	110	c
Naphthalene	<3.8	3.6	0.83	c
2-Propanol	32.1	---	---	---
Propylene	1.2 J	13000	3100	nc
Styrene	1.2 J	4400	1000	nc
1,1,2,2-Tetrachloroethane	<0.65	2.1	0.48	c
Tetrachloroethene	<0.51	180	42	nc
Tetrahydrofuran	<0.32	8800	2100	nc
Toluene	8.4	22000	5200	nc
1,2,4-Trichlorobenzene	<8.5	8.8	2.1	nc
1,1,1 - Trichloroethane	<0.33	22000	5200	nc
1,1,2-Trichloroethane	<0.34	0.88	0.21	nc
Trichloroethene	<0.34	8.8	2.1	nc
Trichlorofluoromethane (Halocarbon 11)	1.7 J	---	---	nc
1,1,2-Trichlorotrifluoroethane	<0.51	---	---	---
Trimethylbenzene (1,2,4)	1.0 J	31	7.3	nc
Trimethylbenzene (1,3,5)	0.70 J	---	---	---
Vinyl Acetate	<0.36	880	210	nc
Vinyl Chloride	<0.15	28	1.7	c
m&p-Xylene	1.9 J	440	100	nc
o-Xylene	0.63 J	440	100	nc

**Notes:**

ug/m<sup>3</sup> - micrograms per cubic meter

Bold concentrations exceed Non-Residential Standard

*italicized* and Underlined concentrations exceed Residential Standard

--- not analyzed, not applicable, not detected, or no standard established

Samples were collected by Konicak Environmental Consultants LLC

Action levels obtained from the June 2017 Vapor Action Levels Quick Look-Up Table and the June 2017 Vapor Intrusion Screening Level (VISL) Calculator

July 19, 2021

Jack McMahon  
Konicek Environmental  
1032 S Spring St  
Port Washington, WI 53074

RE: Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Dear Jack McMahon:


Enclosed are the analytical results for sample(s) received by the laboratory on July 13, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg  
kirsten.hogberg@pacelabs.com  
(612)607-1700  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

### **Pace Analytical Services, LLC - Minneapolis MN**

1700 Elm Street SE, Minneapolis, MN 55414  
A2LA Certification #: 2926.01\*  
1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab  
Alabama Certification #: 40770  
Alaska Contaminated Sites Certification #: 17-009\*  
Alaska DW Certification #: MN00064  
Arizona Certification #: AZ0014\*  
Arkansas DW Certification #: MN00064  
Arkansas WW Certification #: 88-0680  
California Certification #: 2929  
Colorado Certification #: MN00064  
Connecticut Certification #: PH-0256  
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137  
Florida Certification #: E87605\*  
Georgia Certification #: 959  
Hawaii Certification #: MN00064  
Idaho Certification #: MN00064  
Illinois Certification #: 200011  
Indiana Certification #: C-MN-01  
Iowa Certification #: 368  
Kansas Certification #: E-10167  
Kentucky DW Certification #: 90062  
Kentucky WW Certification #: 90062  
Louisiana DEQ Certification #: AI-03086\*  
Louisiana DW Certification #: MN00064  
Maine Certification #: MN00064\*  
Maryland Certification #: 322  
Michigan Certification #: 9909  
Minnesota Certification #: 027-053-137\*  
Minnesota Dept of Ag Approval: via MN 027-053-137  
Minnesota Petrofund Registration #: 1240\*  
Mississippi Certification #: MN00064

Missouri Certification #: 10100  
Montana Certification #: CERT0092  
Nebraska Certification #: NE-OS-18-06  
Nevada Certification #: MN00064  
New Hampshire Certification #: 2081\*  
New Jersey Certification #: MN002  
New York Certification #: 11647\*  
North Carolina DW Certification #: 27700  
North Carolina WW Certification #: 530  
North Dakota Certification #: R-036  
Ohio DW Certification #: 41244  
Ohio VAP Certification (1700) #: CL101  
Ohio VAP Certification (1800) #: CL110\*  
Oklahoma Certification #: 9507\*  
Oregon Primary Certification #: MN300001  
Oregon Secondary Certification #: MN200001\*  
Pennsylvania Certification #: 68-00563\*  
Puerto Rico Certification #: MN00064  
South Carolina Certification #: 74003001  
Tennessee Certification #: TN02818  
Texas Certification #: T104704192\*  
Utah Certification #: MN00064\*  
Vermont Certification #: VT-027053137  
Virginia Certification #: 460163\*  
Washington Certification #: C486\*  
West Virginia DEP Certification #: 382  
West Virginia DW Certification #: 9952 C  
Wisconsin Certification #: 999407970  
Wyoming UST Certification #: via A2LA 2926.01  
USDA Permit #: P330-19-00208  
\*Please Note: Applicable air certifications are denoted with an asterisk (\*).

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10569624001	IA-1	Air	07/08/21 09:53	07/13/21 10:00
10569624002	SS-1	Air	07/08/21 10:09	07/13/21 10:00
10569624003	SS-2	Air	07/08/21 11:00	07/13/21 10:00
10569624004	OA-1	Air	07/08/21 11:10	07/13/21 10:00
10569624005	SS-3	Air	07/08/21 12:30	07/13/21 10:00
10569624006	IA-2	Air	07/08/21 12:35	07/13/21 10:00
10569624007	SS-4	Air	07/08/21 13:40	07/13/21 10:00
10569624008	IA-3	Air	07/08/21 13:45	07/13/21 10:00
10569624009	SS-5	Air	07/08/21 13:54	07/13/21 10:00

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**SAMPLE ANALYTE COUNT**

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10569624001	IA-1	TO-15	MJL	61	PASI-M
10569624002	SS-1	TO-15	MJL	61	PASI-M
10569624003	SS-2	TO-15	MJL	61	PASI-M
10569624004	OA-1	TO-15	MJL	61	PASI-M
10569624005	SS-3	TO-15	MJL	61	PASI-M
10569624006	IA-2	TO-15	MJL	61	PASI-M
10569624007	SS-4	TO-15	MJL	61	PASI-M
10569624008	IA-3	TO-15	MJL	61	PASI-M
10569624009	SS-5	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624001</b>	<b>IA-1</b>					
TO-15	Acetone	51.0	ug/m3	11.1	07/16/21 17:15	
TO-15	Benzene	0.69	ug/m3	0.59	07/16/21 17:15	
TO-15	2-Butanone (MEK)	11.9	ug/m3	5.5	07/16/21 17:15	
TO-15	Carbon disulfide	0.58J	ug/m3	1.2	07/16/21 17:15	
TO-15	Carbon tetrachloride	0.94J	ug/m3	2.3	07/16/21 17:15	
TO-15	Chloroform	1.3	ug/m3	0.91	07/16/21 17:15	
TO-15	Chloromethane	2.8	ug/m3	0.77	07/16/21 17:15	
TO-15	Cyclohexane	0.89J	ug/m3	3.2	07/16/21 17:15	
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.8	07/16/21 17:15	
TO-15	Ethanol	251000	ug/m3	422	07/17/21 13:50	E
TO-15	Ethyl acetate	61.3	ug/m3	1.3	07/16/21 17:15	
TO-15	n-Heptane	5.8	ug/m3	1.5	07/16/21 17:15	
TO-15	n-Hexane	1.3J	ug/m3	1.3	07/16/21 17:15	
TO-15	2-Hexanone	2.3J	ug/m3	7.6	07/16/21 17:15	
TO-15	4-Methyl-2-pentanone (MIBK)	4.3J	ug/m3	7.6	07/16/21 17:15	
TO-15	2-Propanol	190	ug/m3	4.6	07/16/21 17:15	
TO-15	Styrene	1.6	ug/m3	1.6	07/16/21 17:15	
TO-15	Toluene	3.8	ug/m3	1.4	07/16/21 17:15	
TO-15	1,2,4-Trichlorobenzene	9.2J	ug/m3	13.8	07/16/21 17:15	
TO-15	Trichlorofluoromethane	1.9J	ug/m3	2.1	07/16/21 17:15	
TO-15	1,2,4-Trimethylbenzene	0.73J	ug/m3	1.8	07/16/21 17:15	
TO-15	1,3,5-Trimethylbenzene	0.74J	ug/m3	1.8	07/16/21 17:15	
TO-15	m&p-Xylene	2.0J	ug/m3	3.2	07/16/21 17:15	
TO-15	o-Xylene	0.59J	ug/m3	1.6	07/16/21 17:15	
<b>10569624002</b>	<b>SS-1</b>					
TO-15	Acetone	242	ug/m3	11.3	07/16/21 17:52	
TO-15	Benzene	4.4	ug/m3	0.61	07/16/21 17:52	
TO-15	2-Butanone (MEK)	24.1	ug/m3	5.6	07/16/21 17:52	
TO-15	Carbon disulfide	2.5	ug/m3	1.2	07/16/21 17:52	
TO-15	Carbon tetrachloride	1.0J	ug/m3	2.4	07/16/21 17:52	
TO-15	Chloroform	1.2	ug/m3	0.93	07/16/21 17:52	
TO-15	Chloromethane	1.9	ug/m3	0.79	07/16/21 17:52	
TO-15	Cyclohexane	5.1	ug/m3	3.3	07/16/21 17:52	
TO-15	Dichlorodifluoromethane	3.3	ug/m3	1.9	07/16/21 17:52	
TO-15	Ethanol	69000	ug/m3	215	07/17/21 14:22	E
TO-15	Ethyl acetate	30.4	ug/m3	1.4	07/16/21 17:52	
TO-15	Ethylbenzene	5.5	ug/m3	1.7	07/16/21 17:52	
TO-15	4-Ethyltoluene	6.3	ug/m3	4.7	07/16/21 17:52	
TO-15	n-Heptane	11.0	ug/m3	1.6	07/16/21 17:52	
TO-15	n-Hexane	9.4	ug/m3	1.3	07/16/21 17:52	
TO-15	2-Hexanone	4.3J	ug/m3	7.8	07/16/21 17:52	
TO-15	4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	7.8	07/16/21 17:52	
TO-15	Naphthalene	4.1J	ug/m3	5.0	07/16/21 17:52	
TO-15	2-Propanol	197	ug/m3	4.7	07/16/21 17:52	
TO-15	Styrene	1.6J	ug/m3	1.6	07/16/21 17:52	
TO-15	Tetrahydrofuran	2.0	ug/m3	1.1	07/16/21 17:52	
TO-15	Toluene	20.0	ug/m3	1.4	07/16/21 17:52	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624002</b>	<b>SS-1</b>					
TO-15	1,2,4-Trichlorobenzene	9.3J	ug/m3	14.1	07/16/21 17:52	
TO-15	Trichlorofluoromethane	2.5	ug/m3	2.1	07/16/21 17:52	
TO-15	1,2,4-Trimethylbenzene	13.7	ug/m3	1.9	07/16/21 17:52	
TO-15	1,3,5-Trimethylbenzene	11.2	ug/m3	1.9	07/16/21 17:52	
TO-15	m&p-Xylene	7.7	ug/m3	3.3	07/16/21 17:52	
TO-15	o-Xylene	4.6	ug/m3	1.7	07/16/21 17:52	
<b>10569624003</b>	<b>SS-2</b>					
TO-15	Acetone	259	ug/m3	11.6	07/16/21 19:05	
TO-15	Benzene	66.3	ug/m3	0.62	07/16/21 19:05	
TO-15	2-Butanone (MEK)	51.7	ug/m3	5.8	07/16/21 19:05	
TO-15	Carbon disulfide	2.0	ug/m3	1.2	07/16/21 19:05	
TO-15	Carbon tetrachloride	1.2J	ug/m3	2.5	07/16/21 19:05	
TO-15	Chloromethane	1.1	ug/m3	0.81	07/16/21 19:05	
TO-15	Cyclohexane	19.2	ug/m3	3.4	07/16/21 19:05	
TO-15	1,4-Dichlorobenzene	1.8J	ug/m3	5.9	07/16/21 19:05	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	1.9	07/16/21 19:05	
TO-15	Ethanol	824	ug/m3	3.7	07/16/21 19:05	E
TO-15	Ethyl acetate	1.0J	ug/m3	1.4	07/16/21 19:05	
TO-15	Ethylbenzene	18.2	ug/m3	1.7	07/16/21 19:05	
TO-15	4-Ethyltoluene	6.8	ug/m3	4.8	07/16/21 19:05	
TO-15	n-Heptane	36.9	ug/m3	1.6	07/16/21 19:05	
TO-15	n-Hexane	37.8	ug/m3	1.4	07/16/21 19:05	
TO-15	2-Hexanone	12.1	ug/m3	8.0	07/16/21 19:05	
TO-15	4-Methyl-2-pentanone (MIBK)	28.2	ug/m3	8.0	07/16/21 19:05	
TO-15	Naphthalene	4.9J	ug/m3	5.1	07/16/21 19:05	
TO-15	2-Propanol	86.1	ug/m3	4.8	07/16/21 19:05	
TO-15	Propylene	88.2	ug/m3	1.7	07/16/21 19:05	
TO-15	Styrene	16.4	ug/m3	1.7	07/16/21 19:05	
TO-15	Toluene	96.9	ug/m3	1.5	07/16/21 19:05	
TO-15	1,2,4-Trichlorobenzene	9.5J	ug/m3	14.5	07/16/21 19:05	
TO-15	Trichloroethene	0.71J	ug/m3	1.0	07/16/21 19:05	
TO-15	Trichlorofluoromethane	2.0J	ug/m3	2.2	07/16/21 19:05	
TO-15	1,2,4-Trimethylbenzene	31.7	ug/m3	1.9	07/16/21 19:05	
TO-15	1,3,5-Trimethylbenzene	10.8	ug/m3	1.9	07/16/21 19:05	
TO-15	m&p-Xylene	26.5	ug/m3	3.4	07/16/21 19:05	
TO-15	o-Xylene	12.9	ug/m3	1.7	07/16/21 19:05	
<b>10569624004</b>	<b>OA-1</b>					
TO-15	Acetone	16.6	ug/m3	10.8	07/16/21 20:17	
TO-15	Benzene	0.67	ug/m3	0.58	07/16/21 20:17	
TO-15	2-Butanone (MEK)	2.9J	ug/m3	5.4	07/16/21 20:17	
TO-15	Carbon tetrachloride	1.0J	ug/m3	2.3	07/16/21 20:17	
TO-15	Chloromethane	1.3	ug/m3	0.75	07/16/21 20:17	
TO-15	Dichlorodifluoromethane	3.5	ug/m3	1.8	07/16/21 20:17	
TO-15	Ethanol	151	ug/m3	3.4	07/16/21 20:17	
TO-15	2-Hexanone	1.8J	ug/m3	7.4	07/16/21 20:17	
TO-15	2-Propanol	2.5J	ug/m3	4.5	07/16/21 20:17	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624004</b>	<b>OA-1</b>					
TO-15	Propylene	0.57J	ug/m3	1.6	07/16/21 20:17	
TO-15	Styrene	1.2J	ug/m3	1.6	07/16/21 20:17	
TO-15	Toluene	1.4	ug/m3	1.4	07/16/21 20:17	
TO-15	Trichlorofluoromethane	1.6J	ug/m3	2.0	07/16/21 20:17	
<b>10569624005</b>	<b>SS-3</b>					
TO-15	Acetone	118	ug/m3	8.8	07/16/21 20:54	
TO-15	Benzene	2.0	ug/m3	0.47	07/16/21 20:54	
TO-15	2-Butanone (MEK)	19.1	ug/m3	4.4	07/16/21 20:54	
TO-15	Carbon disulfide	1.7	ug/m3	0.92	07/16/21 20:54	
TO-15	Carbon tetrachloride	0.70J	ug/m3	1.9	07/16/21 20:54	
TO-15	Chloroform	0.45J	ug/m3	0.72	07/16/21 20:54	
TO-15	Chloromethane	0.92	ug/m3	0.61	07/16/21 20:54	
TO-15	Cyclohexane	16.4	ug/m3	2.6	07/16/21 20:54	
TO-15	1,4-Dichlorobenzene	1.4J	ug/m3	4.5	07/16/21 20:54	
TO-15	Dichlorodifluoromethane	2.8	ug/m3	1.5	07/16/21 20:54	
TO-15	Ethanol	312	ug/m3	2.8	07/16/21 20:54	
TO-15	Ethyl acetate	31.0	ug/m3	1.1	07/16/21 20:54	
TO-15	Ethylbenzene	4.6	ug/m3	1.3	07/16/21 20:54	
TO-15	4-Ethyltoluene	3.2J	ug/m3	3.6	07/16/21 20:54	
TO-15	n-Heptane	36.1	ug/m3	1.2	07/16/21 20:54	
TO-15	n-Hexane	7.3	ug/m3	1.0	07/16/21 20:54	
TO-15	2-Hexanone	2.0J	ug/m3	6.1	07/16/21 20:54	
TO-15	4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	6.1	07/16/21 20:54	
TO-15	Naphthalene	4.5	ug/m3	3.9	07/16/21 20:54	
TO-15	2-Propanol	50.4	ug/m3	3.6	07/16/21 20:54	
TO-15	Styrene	6.2	ug/m3	1.3	07/16/21 20:54	
TO-15	Tetrachloroethene	201	ug/m3	1.0	07/16/21 20:54	
TO-15	Toluene	53.3	ug/m3	1.1	07/16/21 20:54	
TO-15	1,2,4-Trichlorobenzene	7.1J	ug/m3	11.0	07/16/21 20:54	
TO-15	Trichloroethene	0.80J	ug/m3	0.80	07/16/21 20:54	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.7	07/16/21 20:54	
TO-15	1,2,4-Trimethylbenzene	8.0	ug/m3	1.5	07/16/21 20:54	
TO-15	1,3,5-Trimethylbenzene	2.9	ug/m3	1.5	07/16/21 20:54	
TO-15	m&p-Xylene	11.8	ug/m3	2.6	07/16/21 20:54	
TO-15	o-Xylene	5.3	ug/m3	1.3	07/16/21 20:54	
<b>10569624006</b>	<b>IA-2</b>					
TO-15	Acetone	30.6	ug/m3	10.6	07/16/21 21:30	
TO-15	Benzene	0.63	ug/m3	0.57	07/16/21 21:30	
TO-15	2-Butanone (MEK)	6.9	ug/m3	5.2	07/16/21 21:30	
TO-15	Carbon tetrachloride	0.88J	ug/m3	2.2	07/16/21 21:30	
TO-15	Chloromethane	0.80	ug/m3	0.74	07/16/21 21:30	
TO-15	Cyclohexane	0.42J	ug/m3	3.1	07/16/21 21:30	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	1.8	07/16/21 21:30	
TO-15	Ethanol	144	ug/m3	3.4	07/16/21 21:30	
TO-15	Ethyl acetate	1.1J	ug/m3	1.3	07/16/21 21:30	
TO-15	4-Ethyltoluene	1.4J	ug/m3	4.4	07/16/21 21:30	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624006</b>	<b>IA-2</b>					
TO-15	n-Hexane	0.55J	ug/m3	1.3	07/16/21 21:30	
TO-15	2-Hexanone	1.8J	ug/m3	7.3	07/16/21 21:30	
TO-15	2-Propanol	20.0	ug/m3	4.4	07/16/21 21:30	
TO-15	Propylene	1.5J	ug/m3	1.5	07/16/21 21:30	
TO-15	Styrene	0.94J	ug/m3	1.5	07/16/21 21:30	
TO-15	Tetrachloroethene	2.3	ug/m3	1.2	07/16/21 21:30	
TO-15	Toluene	1.5	ug/m3	1.3	07/16/21 21:30	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	2.0	07/16/21 21:30	
TO-15	1,2,4-Trimethylbenzene	0.80J	ug/m3	1.7	07/16/21 21:30	
TO-15	1,3,5-Trimethylbenzene	0.65J	ug/m3	1.7	07/16/21 21:30	
TO-15	m&p-Xylene	1.7J	ug/m3	3.1	07/16/21 21:30	
<b>10569624007</b>	<b>SS-4</b>					
TO-15	Acetone	73.4	ug/m3	10.8	07/16/21 22:07	
TO-15	Benzene	2.2	ug/m3	0.58	07/16/21 22:07	
TO-15	2-Butanone (MEK)	11.4	ug/m3	5.4	07/16/21 22:07	
TO-15	Carbon disulfide	0.91J	ug/m3	1.1	07/16/21 22:07	
TO-15	Carbon tetrachloride	0.71J	ug/m3	2.3	07/16/21 22:07	
TO-15	Chloromethane	0.78	ug/m3	0.75	07/16/21 22:07	
TO-15	Cyclohexane	6.1	ug/m3	3.1	07/16/21 22:07	
TO-15	1,3-Dichlorobenzene	1.3J	ug/m3	5.5	07/16/21 22:07	
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.8	07/16/21 22:07	
TO-15	trans-1,2-Dichloroethene	2.9	ug/m3	1.4	07/16/21 22:07	
TO-15	Ethanol	113	ug/m3	3.4	07/16/21 22:07	
TO-15	Ethyl acetate	7.0	ug/m3	1.3	07/16/21 22:07	
TO-15	Ethylbenzene	3.3	ug/m3	1.6	07/16/21 22:07	
TO-15	4-Ethyltoluene	2.0J	ug/m3	4.5	07/16/21 22:07	
TO-15	n-Heptane	10.1	ug/m3	1.5	07/16/21 22:07	
TO-15	n-Hexane	5.1	ug/m3	1.3	07/16/21 22:07	
TO-15	4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.4	07/16/21 22:07	
TO-15	Naphthalene	4.1J	ug/m3	4.8	07/16/21 22:07	
TO-15	2-Propanol	18.6	ug/m3	4.5	07/16/21 22:07	
TO-15	Styrene	1.9	ug/m3	1.6	07/16/21 22:07	
TO-15	Tetrachloroethene	9.7	ug/m3	1.2	07/16/21 22:07	
TO-15	Toluene	30.7	ug/m3	1.4	07/16/21 22:07	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	2.0	07/16/21 22:07	
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.8	07/16/21 22:07	
TO-15	1,2,4-Trimethylbenzene	3.6	ug/m3	1.8	07/16/21 22:07	
TO-15	1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	07/16/21 22:07	
TO-15	m&p-Xylene	6.0	ug/m3	3.2	07/16/21 22:07	
TO-15	o-Xylene	2.7	ug/m3	1.6	07/16/21 22:07	
<b>10569624008</b>	<b>IA-3</b>					
TO-15	Acetone	40.4	ug/m3	10.6	07/16/21 22:43	
TO-15	Benzene	0.59	ug/m3	0.57	07/16/21 22:43	
TO-15	2-Butanone (MEK)	7.9	ug/m3	5.2	07/16/21 22:43	
TO-15	Carbon disulfide	0.52J	ug/m3	1.1	07/16/21 22:43	
TO-15	Chloromethane	0.80	ug/m3	0.74	07/16/21 22:43	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624008</b>	<b>IA-3</b>					
TO-15	1,3-Dichlorobenzene	2.5J	ug/m3	5.4	07/16/21 22:43	
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.8	07/16/21 22:43	
TO-15	Ethanol	124	ug/m3	3.4	07/16/21 22:43	
TO-15	Ethyl acetate	1.4	ug/m3	1.3	07/16/21 22:43	
TO-15	4-Ethyltoluene	1.3J	ug/m3	4.4	07/16/21 22:43	
TO-15	n-Hexane	0.49J	ug/m3	1.3	07/16/21 22:43	
TO-15	2-Hexanone	1.6J	ug/m3	7.3	07/16/21 22:43	
TO-15	2-Propanol	32.1	ug/m3	4.4	07/16/21 22:43	
TO-15	Propylene	1.2J	ug/m3	1.5	07/16/21 22:43	
TO-15	Styrene	1.2J	ug/m3	1.5	07/16/21 22:43	
TO-15	Toluene	8.4	ug/m3	1.3	07/16/21 22:43	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	2.0	07/16/21 22:43	
TO-15	1,2,4-Trimethylbenzene	1.0J	ug/m3	1.7	07/16/21 22:43	
TO-15	1,3,5-Trimethylbenzene	0.70J	ug/m3	1.7	07/16/21 22:43	
TO-15	m&p-Xylene	1.9J	ug/m3	3.1	07/16/21 22:43	
TO-15	o-Xylene	0.63J	ug/m3	1.5	07/16/21 22:43	
<b>10569624009</b>	<b>SS-5</b>					
TO-15	Acetone	23.8	ug/m3	11.8	07/16/21 23:20	
TO-15	Benzene	0.44J	ug/m3	0.64	07/16/21 23:20	
TO-15	2-Butanone (MEK)	8.4	ug/m3	5.9	07/16/21 23:20	
TO-15	Carbon tetrachloride	0.93J	ug/m3	2.5	07/16/21 23:20	
TO-15	Chloroethane	0.87J	ug/m3	1.1	07/16/21 23:20	
TO-15	Chloromethane	0.81J	ug/m3	0.82	07/16/21 23:20	
TO-15	Cyclohexane	0.67J	ug/m3	3.4	07/16/21 23:20	
TO-15	1,3-Dichlorobenzene	1.2J	ug/m3	6.0	07/16/21 23:20	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	2.0	07/16/21 23:20	
TO-15	Ethanol	192	ug/m3	3.8	07/16/21 23:20	
TO-15	n-Hexane	0.67J	ug/m3	1.4	07/16/21 23:20	
TO-15	2-Hexanone	1.9J	ug/m3	8.2	07/16/21 23:20	
TO-15	2-Propanol	5.0	ug/m3	4.9	07/16/21 23:20	
TO-15	Styrene	1.2J	ug/m3	1.7	07/16/21 23:20	
TO-15	Toluene	1.9	ug/m3	1.5	07/16/21 23:20	
TO-15	Trichlorofluoromethane	1.5J	ug/m3	2.2	07/16/21 23:20	
TO-15	1,1,2-Trichlorotrifluoroethane	0.99J	ug/m3	3.1	07/16/21 23:20	
TO-15	1,2,4-Trimethylbenzene	0.89J	ug/m3	2.0	07/16/21 23:20	
TO-15	1,3,5-Trimethylbenzene	0.74J	ug/m3	2.0	07/16/21 23:20	
TO-15	m&p-Xylene	1.7J	ug/m3	3.5	07/16/21 23:20	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

**Method:** TO-15  
**Description:** TO15 MSV AIR  
**Client:** Konicek Environmental KEC  
**Date:** July 19, 2021

### General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of-custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

Analyte Comments:

QC Batch: 756759

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- DUP (Lab ID: 4036067)
  - Ethanol
- IA-1 (Lab ID: 10569624001)
  - Ethanol
- SS-1 (Lab ID: 10569624002)
  - Ethanol
- SS-2 (Lab ID: 10569624003)
  - Ethanol

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: IA-1 Lab ID: 10569624001 Collected: 07/08/21 09:53 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Acetone	51.0	ug/m3	11.1	3.3	1.83		07/16/21 17:15	67-64-1	
Benzene	0.69	ug/m3	0.59	0.21	1.83		07/16/21 17:15	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.8	1.6	1.83		07/16/21 17:15	100-44-7	
Bromodichloromethane	<0.43	ug/m3	6.2	0.43	1.83		07/16/21 17:15	75-27-4	
Bromoform	<3.0	ug/m3	9.6	3.0	1.83		07/16/21 17:15	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.83		07/16/21 17:15	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.82	0.22	1.83		07/16/21 17:15	106-99-0	
2-Butanone (MEK)	11.9	ug/m3	5.5	0.85	1.83		07/16/21 17:15	78-93-3	
Carbon disulfide	0.58J	ug/m3	1.2	0.24	1.83		07/16/21 17:15	75-15-0	
Carbon tetrachloride	0.94J	ug/m3	2.3	0.51	1.83		07/16/21 17:15	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.83		07/16/21 17:15	108-90-7	
Chloroethane	<0.41	ug/m3	0.98	0.41	1.83		07/16/21 17:15	75-00-3	
Chloroform	1.3	ug/m3	0.91	0.33	1.83		07/16/21 17:15	67-66-3	
Chloromethane	2.8	ug/m3	0.77	0.16	1.83		07/16/21 17:15	74-87-3	
Cyclohexane	0.89J	ug/m3	3.2	0.40	1.83		07/16/21 17:15	110-82-7	
Dibromochloromethane	<0.94	ug/m3	3.2	0.94	1.83		07/16/21 17:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.4	0.55	1.83		07/16/21 17:15	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	5.6	0.74	1.83		07/16/21 17:15	95-50-1	
1,3-Dichlorobenzene	<0.93	ug/m3	5.6	0.93	1.83		07/16/21 17:15	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.6	1.6	1.83		07/16/21 17:15	106-46-7	
Dichlorodifluoromethane	3.2	ug/m3	1.8	0.34	1.83		07/16/21 17:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.83		07/16/21 17:15	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.83		07/16/21 17:15	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.83		07/16/21 17:15	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.83		07/16/21 17:15	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.83		07/16/21 17:15	156-60-5	
1,2-Dichloropropane	<0.49	ug/m3	1.7	0.49	1.83		07/16/21 17:15	78-87-5	
cis-1,3-Dichloropropene	<0.47	ug/m3	4.2	0.47	1.83		07/16/21 17:15	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.2	1.0	1.83		07/16/21 17:15	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.6	0.37	1.83		07/16/21 17:15	76-14-2	
Ethanol	251000	ug/m3	422	130	219.6		07/17/21 13:50	64-17-5	E
Ethyl acetate	61.3	ug/m3	1.3	0.24	1.83		07/16/21 17:15	141-78-6	
Ethylbenzene	<0.57	ug/m3	1.6	0.57	1.83		07/16/21 17:15	100-41-4	
4-Ethyltoluene	<0.86	ug/m3	4.6	0.86	1.83		07/16/21 17:15	622-96-8	
n-Heptane	5.8	ug/m3	1.5	0.33	1.83		07/16/21 17:15	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	9.9	2.3	1.83		07/16/21 17:15	87-68-3	
n-Hexane	1.3J	ug/m3	1.3	0.35	1.83		07/16/21 17:15	110-54-3	
2-Hexanone	2.3J	ug/m3	7.6	0.81	1.83		07/16/21 17:15	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.5	1.1	1.83		07/16/21 17:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	4.3J	ug/m3	7.6	0.59	1.83		07/16/21 17:15	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.7	0.23	1.83		07/16/21 17:15	1634-04-4	
Naphthalene	<4.0	ug/m3	4.9	4.0	1.83		07/16/21 17:15	91-20-3	
2-Propanol	190	ug/m3	4.6	0.93	1.83		07/16/21 17:15	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.83		07/16/21 17:15	115-07-1	
Styrene	1.6	ug/m3	1.6	0.70	1.83		07/16/21 17:15	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: IA-1 Lab ID: 10569624001 Collected: 07/08/21 09:53 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.68	ug/m3	2.6	0.68	1.83		07/16/21 17:15	79-34-5	
Tetrachloroethene	<0.53	ug/m3	1.3	0.53	1.83		07/16/21 17:15	127-18-4	
Tetrahydrofuran	<0.33	ug/m3	1.1	0.33	1.83		07/16/21 17:15	109-99-9	
Toluene	3.8	ug/m3	1.4	0.45	1.83		07/16/21 17:15	108-88-3	
1,2,4-Trichlorobenzene	9.2J	ug/m3	13.8	8.9	1.83		07/16/21 17:15	120-82-1	
1,1,1-Trichloroethane	<0.34	ug/m3	2.0	0.34	1.83		07/16/21 17:15	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	1.0	0.36	1.83		07/16/21 17:15	79-00-5	
Trichloroethene	<0.36	ug/m3	1.0	0.36	1.83		07/16/21 17:15	79-01-6	
Trichlorofluoromethane	1.9J	ug/m3	2.1	0.43	1.83		07/16/21 17:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.53	ug/m3	2.9	0.53	1.83		07/16/21 17:15	76-13-1	
1,2,4-Trimethylbenzene	0.73J	ug/m3	1.8	0.65	1.83		07/16/21 17:15	95-63-6	
1,3,5-Trimethylbenzene	0.74J	ug/m3	1.8	0.53	1.83		07/16/21 17:15	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.3	0.38	1.83		07/16/21 17:15	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.48	0.16	1.83		07/16/21 17:15	75-01-4	
m&p-Xylene	2.0J	ug/m3	3.2	1.2	1.83		07/16/21 17:15	179601-23-1	
o-Xylene	0.59J	ug/m3	1.6	0.50	1.83		07/16/21 17:15	95-47-6	

Sample: SS-1 Lab ID: 10569624002 Collected: 07/08/21 10:09 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	242	ug/m3	11.3	3.4	1.87		07/16/21 17:52	67-64-1	
Benzene	4.4	ug/m3	0.61	0.21	1.87		07/16/21 17:52	71-43-2	
Benzyl chloride	<1.7	ug/m3	4.9	1.7	1.87		07/16/21 17:52	100-44-7	
Bromodichloromethane	<0.44	ug/m3	6.4	0.44	1.87		07/16/21 17:52	75-27-4	
Bromoform	<3.0	ug/m3	9.8	3.0	1.87		07/16/21 17:52	75-25-2	
Bromomethane	<0.28	ug/m3	1.5	0.28	1.87		07/16/21 17:52	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.84	0.22	1.87		07/16/21 17:52	106-99-0	
2-Butanone (MEK)	24.1	ug/m3	5.6	0.87	1.87		07/16/21 17:52	78-93-3	
Carbon disulfide	2.5	ug/m3	1.2	0.24	1.87		07/16/21 17:52	75-15-0	
Carbon tetrachloride	1.0J	ug/m3	2.4	0.52	1.87		07/16/21 17:52	56-23-5	
Chlorobenzene	<0.29	ug/m3	1.8	0.29	1.87		07/16/21 17:52	108-90-7	
Chloroethane	<0.42	ug/m3	1.0	0.42	1.87		07/16/21 17:52	75-00-3	
Chloroform	1.2	ug/m3	0.93	0.34	1.87		07/16/21 17:52	67-66-3	
Chloromethane	1.9	ug/m3	0.79	0.16	1.87		07/16/21 17:52	74-87-3	
Cyclohexane	5.1	ug/m3	3.3	0.41	1.87		07/16/21 17:52	110-82-7	
Dibromochloromethane	<0.96	ug/m3	3.2	0.96	1.87		07/16/21 17:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	1.5	0.56	1.87		07/16/21 17:52	106-93-4	
1,2-Dichlorobenzene	<0.76	ug/m3	5.7	0.76	1.87		07/16/21 17:52	95-50-1	
1,3-Dichlorobenzene	<0.95	ug/m3	5.7	0.95	1.87		07/16/21 17:52	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.7	1.6	1.87		07/16/21 17:52	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-1 Lab ID: 10569624002 Collected: 07/08/21 10:09 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.3	ug/m3	1.9	0.35	1.87		07/16/21 17:52	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.5	0.31	1.87		07/16/21 17:52	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.87		07/16/21 17:52	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.87		07/16/21 17:52	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.87		07/16/21 17:52	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.87		07/16/21 17:52	156-60-5	
1,2-Dichloropropane	<0.50	ug/m3	1.8	0.50	1.87		07/16/21 17:52	78-87-5	
cis-1,3-Dichloropropene	<0.48	ug/m3	4.3	0.48	1.87		07/16/21 17:52	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.3	1.0	1.87		07/16/21 17:52	10061-02-6	
Dichlorotetrafluoroethane	<0.38	ug/m3	2.7	0.38	1.87		07/16/21 17:52	76-14-2	
Ethanol	69000	ug/m3	215	66.4	112.2		07/17/21 14:22	64-17-5	E
Ethyl acetate	30.4	ug/m3	1.4	0.24	1.87		07/16/21 17:52	141-78-6	
Ethylbenzene	5.5	ug/m3	1.7	0.58	1.87		07/16/21 17:52	100-41-4	
4-Ethyltoluene	6.3	ug/m3	4.7	0.88	1.87		07/16/21 17:52	622-96-8	
n-Heptane	11.0	ug/m3	1.6	0.34	1.87		07/16/21 17:52	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	10.1	2.3	1.87		07/16/21 17:52	87-68-3	
n-Hexane	9.4	ug/m3	1.3	0.36	1.87		07/16/21 17:52	110-54-3	
2-Hexanone	4.3J	ug/m3	7.8	0.83	1.87		07/16/21 17:52	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.6	1.1	1.87		07/16/21 17:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	7.8	0.60	1.87		07/16/21 17:52	108-10-1	
Methyl-tert-butyl ether	<0.24	ug/m3	6.8	0.24	1.87		07/16/21 17:52	1634-04-4	
Naphthalene	4.1J	ug/m3	5.0	4.1	1.87		07/16/21 17:52	91-20-3	
2-Propanol	197	ug/m3	4.7	0.95	1.87		07/16/21 17:52	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.87		07/16/21 17:52	115-07-1	
Styrene	1.6J	ug/m3	1.6	0.72	1.87		07/16/21 17:52	100-42-5	
1,1,2,2-Tetrachloroethane	<0.70	ug/m3	2.6	0.70	1.87		07/16/21 17:52	79-34-5	
Tetrachloroethene	<0.55	ug/m3	1.3	0.55	1.87		07/16/21 17:52	127-18-4	
Tetrahydrofuran	2.0	ug/m3	1.1	0.34	1.87		07/16/21 17:52	109-99-9	
Toluene	20.0	ug/m3	1.4	0.46	1.87		07/16/21 17:52	108-88-3	
1,2,4-Trichlorobenzene	9.3J	ug/m3	14.1	9.1	1.87		07/16/21 17:52	120-82-1	
1,1,1-Trichloroethane	<0.35	ug/m3	2.1	0.35	1.87		07/16/21 17:52	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	1.0	0.37	1.87		07/16/21 17:52	79-00-5	
Trichloroethene	<0.37	ug/m3	1.0	0.37	1.87		07/16/21 17:52	79-01-6	
Trichlorofluoromethane	2.5	ug/m3	2.1	0.44	1.87		07/16/21 17:52	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.54	ug/m3	2.9	0.54	1.87		07/16/21 17:52	76-13-1	
1,2,4-Trimethylbenzene	13.7	ug/m3	1.9	0.66	1.87		07/16/21 17:52	95-63-6	
1,3,5-Trimethylbenzene	11.2	ug/m3	1.9	0.54	1.87		07/16/21 17:52	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.3	0.39	1.87		07/16/21 17:52	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.49	0.16	1.87		07/16/21 17:52	75-01-4	
m&p-Xylene	7.7	ug/m3	3.3	1.2	1.87		07/16/21 17:52	179601-23-1	
o-Xylene	4.6	ug/m3	1.7	0.51	1.87		07/16/21 17:52	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: SS-2 Lab ID: 10569624003 Collected: 07/08/21 11:00 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	259	ug/m3	11.6	3.5	1.92		07/16/21 19:05	67-64-1	
Benzene	66.3	ug/m3	0.62	0.22	1.92		07/16/21 19:05	71-43-2	
Benzyl chloride	<1.7	ug/m3	5.0	1.7	1.92		07/16/21 19:05	100-44-7	
Bromodichloromethane	<0.46	ug/m3	6.5	0.46	1.92		07/16/21 19:05	75-27-4	
Bromoform	<3.1	ug/m3	10.1	3.1	1.92		07/16/21 19:05	75-25-2	
Bromomethane	<0.29	ug/m3	1.5	0.29	1.92		07/16/21 19:05	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.86	0.23	1.92		07/16/21 19:05	106-99-0	
2-Butanone (MEK)	51.7	ug/m3	5.8	0.89	1.92		07/16/21 19:05	78-93-3	
Carbon disulfide	2.0	ug/m3	1.2	0.25	1.92		07/16/21 19:05	75-15-0	
Carbon tetrachloride	1.2J	ug/m3	2.5	0.54	1.92		07/16/21 19:05	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.8	0.30	1.92		07/16/21 19:05	108-90-7	
Chloroethane	<0.43	ug/m3	1.0	0.43	1.92		07/16/21 19:05	75-00-3	
Chloroform	<0.35	ug/m3	0.95	0.35	1.92		07/16/21 19:05	67-66-3	
Chloromethane	1.1	ug/m3	0.81	0.16	1.92		07/16/21 19:05	74-87-3	
Cyclohexane	19.2	ug/m3	3.4	0.42	1.92		07/16/21 19:05	110-82-7	
Dibromochloromethane	<0.99	ug/m3	3.3	0.99	1.92		07/16/21 19:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.58	ug/m3	1.5	0.58	1.92		07/16/21 19:05	106-93-4	
1,2-Dichlorobenzene	<0.78	ug/m3	5.9	0.78	1.92		07/16/21 19:05	95-50-1	
1,3-Dichlorobenzene	<0.98	ug/m3	5.9	0.98	1.92		07/16/21 19:05	541-73-1	
1,4-Dichlorobenzene	1.8J	ug/m3	5.9	1.7	1.92		07/16/21 19:05	106-46-7	
Dichlorodifluoromethane	3.1	ug/m3	1.9	0.36	1.92		07/16/21 19:05	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.6	0.32	1.92		07/16/21 19:05	75-34-3	
1,2-Dichloroethane	<0.37	ug/m3	1.6	0.37	1.92		07/16/21 19:05	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.92		07/16/21 19:05	75-35-4	
cis-1,2-Dichloroethene	<0.37	ug/m3	1.5	0.37	1.92		07/16/21 19:05	156-59-2	
trans-1,2-Dichloroethene	<0.32	ug/m3	1.5	0.32	1.92		07/16/21 19:05	156-60-5	
1,2-Dichloropropane	<0.52	ug/m3	1.8	0.52	1.92		07/16/21 19:05	78-87-5	
cis-1,3-Dichloropropene	<0.49	ug/m3	4.4	0.49	1.92		07/16/21 19:05	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.4	1.0	1.92		07/16/21 19:05	10061-02-6	
Dichlorotetrafluoroethane	<0.39	ug/m3	2.7	0.39	1.92		07/16/21 19:05	76-14-2	
Ethanol	824	ug/m3	3.7	1.1	1.92		07/16/21 19:05	64-17-5	E
Ethyl acetate	1.0J	ug/m3	1.4	0.25	1.92		07/16/21 19:05	141-78-6	
Ethylbenzene	18.2	ug/m3	1.7	0.59	1.92		07/16/21 19:05	100-41-4	
4-Ethyltoluene	6.8	ug/m3	4.8	0.91	1.92		07/16/21 19:05	622-96-8	
n-Heptane	36.9	ug/m3	1.6	0.35	1.92		07/16/21 19:05	142-82-5	
Hexachloro-1,3-butadiene	<2.4	ug/m3	10.4	2.4	1.92		07/16/21 19:05	87-68-3	
n-Hexane	37.8	ug/m3	1.4	0.37	1.92		07/16/21 19:05	110-54-3	
2-Hexanone	12.1	ug/m3	8.0	0.85	1.92		07/16/21 19:05	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.8	1.1	1.92		07/16/21 19:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	28.2	ug/m3	8.0	0.62	1.92		07/16/21 19:05	108-10-1	
Methyl-tert-butyl ether	<0.24	ug/m3	7.0	0.24	1.92		07/16/21 19:05	1634-04-4	
Naphthalene	4.9J	ug/m3	5.1	4.2	1.92		07/16/21 19:05	91-20-3	
2-Propanol	86.1	ug/m3	4.8	0.98	1.92		07/16/21 19:05	67-63-0	
Propylene	88.2	ug/m3	1.7	0.25	1.92		07/16/21 19:05	115-07-1	
Styrene	16.4	ug/m3	1.7	0.74	1.92		07/16/21 19:05	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

**Sample: SS-2**      **Lab ID: 10569624003**      Collected: 07/08/21 11:00      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.71	ug/m3	2.7	0.71	1.92		07/16/21 19:05	79-34-5	
Tetrachloroethene	<0.56	ug/m3	1.3	0.56	1.92		07/16/21 19:05	127-18-4	
Tetrahydrofuran	<0.35	ug/m3	1.2	0.35	1.92		07/16/21 19:05	109-99-9	
Toluene	96.9	ug/m3	1.5	0.47	1.92		07/16/21 19:05	108-88-3	
1,2,4-Trichlorobenzene	9.5J	ug/m3	14.5	9.4	1.92		07/16/21 19:05	120-82-1	
1,1,1-Trichloroethane	<0.36	ug/m3	2.1	0.36	1.92		07/16/21 19:05	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	1.1	0.38	1.92		07/16/21 19:05	79-00-5	
Trichloroethene	0.71J	ug/m3	1.0	0.38	1.92		07/16/21 19:05	79-01-6	
Trichlorofluoromethane	2.0J	ug/m3	2.2	0.45	1.92		07/16/21 19:05	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.55	ug/m3	3.0	0.55	1.92		07/16/21 19:05	76-13-1	
1,2,4-Trimethylbenzene	31.7	ug/m3	1.9	0.68	1.92		07/16/21 19:05	95-63-6	
1,3,5-Trimethylbenzene	10.8	ug/m3	1.9	0.56	1.92		07/16/21 19:05	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.4	0.40	1.92		07/16/21 19:05	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.50	0.17	1.92		07/16/21 19:05	75-01-4	
m&p-Xylene	26.5	ug/m3	3.4	1.2	1.92		07/16/21 19:05	179601-23-1	
o-Xylene	12.9	ug/m3	1.7	0.52	1.92		07/16/21 19:05	95-47-6	

**Sample: OA-1**      **Lab ID: 10569624004**      Collected: 07/08/21 11:10      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Acetone	16.6	ug/m3	10.8	3.2	1.79		07/16/21 20:17	67-64-1	
Benzene	0.67	ug/m3	0.58	0.20	1.79		07/16/21 20:17	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.7	1.6	1.79		07/16/21 20:17	100-44-7	
Bromodichloromethane	<0.42	ug/m3	6.1	0.42	1.79		07/16/21 20:17	75-27-4	
Bromoform	<2.9	ug/m3	9.4	2.9	1.79		07/16/21 20:17	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.79		07/16/21 20:17	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.79		07/16/21 20:17	106-99-0	
2-Butanone (MEK)	2.9J	ug/m3	5.4	0.83	1.79		07/16/21 20:17	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.79		07/16/21 20:17	75-15-0	
Carbon tetrachloride	1.0J	ug/m3	2.3	0.50	1.79		07/16/21 20:17	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.79		07/16/21 20:17	108-90-7	
Chloroethane	<0.40	ug/m3	0.96	0.40	1.79		07/16/21 20:17	75-00-3	
Chloroform	<0.33	ug/m3	0.89	0.33	1.79		07/16/21 20:17	67-66-3	
Chloromethane	1.3	ug/m3	0.75	0.15	1.79		07/16/21 20:17	74-87-3	
Cyclohexane	<0.40	ug/m3	3.1	0.40	1.79		07/16/21 20:17	110-82-7	
Dibromochloromethane	<0.92	ug/m3	3.1	0.92	1.79		07/16/21 20:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.54	ug/m3	1.4	0.54	1.79		07/16/21 20:17	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	5.5	0.72	1.79		07/16/21 20:17	95-50-1	
1,3-Dichlorobenzene	<0.91	ug/m3	5.5	0.91	1.79		07/16/21 20:17	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.79		07/16/21 20:17	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: **OA-1**      Lab ID: **10569624004**      Collected: 07/08/21 11:10      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.5	ug/m3	1.8	0.34	1.79		07/16/21 20:17	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.79		07/16/21 20:17	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	1.5	0.35	1.79		07/16/21 20:17	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		07/16/21 20:17	75-35-4	
cis-1,2-Dichloroethene	<0.35	ug/m3	1.4	0.35	1.79		07/16/21 20:17	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.79		07/16/21 20:17	156-60-5	
1,2-Dichloropropane	<0.48	ug/m3	1.7	0.48	1.79		07/16/21 20:17	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	4.1	0.46	1.79		07/16/21 20:17	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	4.1	0.97	1.79		07/16/21 20:17	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.5	0.36	1.79		07/16/21 20:17	76-14-2	
Ethanol	151	ug/m3	3.4	1.1	1.79		07/16/21 20:17	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.3	0.23	1.79		07/16/21 20:17	141-78-6	
Ethylbenzene	<0.55	ug/m3	1.6	0.55	1.79		07/16/21 20:17	100-41-4	
4-Ethyltoluene	<0.84	ug/m3	4.5	0.84	1.79		07/16/21 20:17	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.79		07/16/21 20:17	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.7	2.2	1.79		07/16/21 20:17	87-68-3	
n-Hexane	<0.34	ug/m3	1.3	0.34	1.79		07/16/21 20:17	110-54-3	
2-Hexanone	1.8J	ug/m3	7.4	0.79	1.79		07/16/21 20:17	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.3	1.1	1.79		07/16/21 20:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.57	ug/m3	7.4	0.57	1.79		07/16/21 20:17	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.79		07/16/21 20:17	1634-04-4	
Naphthalene	<3.9	ug/m3	4.8	3.9	1.79		07/16/21 20:17	91-20-3	
2-Propanol	2.5J	ug/m3	4.5	0.91	1.79		07/16/21 20:17	67-63-0	
Propylene	0.57J	ug/m3	1.6	0.23	1.79		07/16/21 20:17	115-07-1	
Styrene	1.2J	ug/m3	1.6	0.69	1.79		07/16/21 20:17	100-42-5	
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		07/16/21 20:17	79-34-5	
Tetrachloroethene	<0.52	ug/m3	1.2	0.52	1.79		07/16/21 20:17	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.1	0.32	1.79		07/16/21 20:17	109-99-9	
Toluene	1.4	ug/m3	1.4	0.44	1.79		07/16/21 20:17	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		07/16/21 20:17	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		07/16/21 20:17	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		07/16/21 20:17	79-00-5	
Trichloroethene	<0.35	ug/m3	0.98	0.35	1.79		07/16/21 20:17	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	2.0	0.42	1.79		07/16/21 20:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.52	ug/m3	2.8	0.52	1.79		07/16/21 20:17	76-13-1	
1,2,4-Trimethylbenzene	<0.63	ug/m3	1.8	0.63	1.79		07/16/21 20:17	95-63-6	
1,3,5-Trimethylbenzene	<0.52	ug/m3	1.8	0.52	1.79		07/16/21 20:17	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		07/16/21 20:17	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		07/16/21 20:17	75-01-4	
m&p-Xylene	<1.1	ug/m3	3.2	1.1	1.79		07/16/21 20:17	179601-23-1	
o-Xylene	<0.49	ug/m3	1.6	0.49	1.79		07/16/21 20:17	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-3 Lab ID: 10569624005 Collected: 07/08/21 12:30 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	118	ug/m3	8.8	2.6	1.46		07/16/21 20:54	67-64-1	
Benzene	2.0	ug/m3	0.47	0.17	1.46		07/16/21 20:54	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.46		07/16/21 20:54	100-44-7	
Bromodichloromethane	<0.35	ug/m3	5.0	0.35	1.46		07/16/21 20:54	75-27-4	
Bromoform	<2.4	ug/m3	7.7	2.4	1.46		07/16/21 20:54	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.46		07/16/21 20:54	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.66	0.18	1.46		07/16/21 20:54	106-99-0	
2-Butanone (MEK)	19.1	ug/m3	4.4	0.68	1.46		07/16/21 20:54	78-93-3	
Carbon disulfide	1.7	ug/m3	0.92	0.19	1.46		07/16/21 20:54	75-15-0	
Carbon tetrachloride	0.70J	ug/m3	1.9	0.41	1.46		07/16/21 20:54	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.46		07/16/21 20:54	108-90-7	
Chloroethane	<0.33	ug/m3	0.78	0.33	1.46		07/16/21 20:54	75-00-3	
Chloroform	0.45J	ug/m3	0.72	0.27	1.46		07/16/21 20:54	67-66-3	
Chloromethane	0.92	ug/m3	0.61	0.12	1.46		07/16/21 20:54	74-87-3	
Cyclohexane	16.4	ug/m3	2.6	0.32	1.46		07/16/21 20:54	110-82-7	
Dibromochloromethane	<0.75	ug/m3	2.5	0.75	1.46		07/16/21 20:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.1	0.44	1.46		07/16/21 20:54	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	4.5	0.59	1.46		07/16/21 20:54	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	4.5	0.74	1.46		07/16/21 20:54	541-73-1	
1,4-Dichlorobenzene	1.4J	ug/m3	4.5	1.3	1.46		07/16/21 20:54	106-46-7	
Dichlorodifluoromethane	2.8	ug/m3	1.5	0.27	1.46		07/16/21 20:54	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.46		07/16/21 20:54	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.46		07/16/21 20:54	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		07/16/21 20:54	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.46		07/16/21 20:54	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.46		07/16/21 20:54	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.46		07/16/21 20:54	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.4	0.37	1.46		07/16/21 20:54	10061-01-5	
trans-1,3-Dichloropropene	<0.79	ug/m3	3.4	0.79	1.46		07/16/21 20:54	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.1	0.29	1.46		07/16/21 20:54	76-14-2	
Ethanol	312	ug/m3	2.8	0.86	1.46		07/16/21 20:54	64-17-5	
Ethyl acetate	31.0	ug/m3	1.1	0.19	1.46		07/16/21 20:54	141-78-6	
Ethylbenzene	4.6	ug/m3	1.3	0.45	1.46		07/16/21 20:54	100-41-4	
4-Ethyltoluene	3.2J	ug/m3	3.6	0.69	1.46		07/16/21 20:54	622-96-8	
n-Heptane	36.1	ug/m3	1.2	0.26	1.46		07/16/21 20:54	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.9	1.8	1.46		07/16/21 20:54	87-68-3	
n-Hexane	7.3	ug/m3	1.0	0.28	1.46		07/16/21 20:54	110-54-3	
2-Hexanone	2.0J	ug/m3	6.1	0.65	1.46		07/16/21 20:54	591-78-6	
Methylene Chloride	<0.87	ug/m3	5.2	0.87	1.46		07/16/21 20:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	6.1	0.47	1.46		07/16/21 20:54	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.46		07/16/21 20:54	1634-04-4	
Naphthalene	4.5	ug/m3	3.9	3.2	1.46		07/16/21 20:54	91-20-3	
2-Propanol	50.4	ug/m3	3.6	0.74	1.46		07/16/21 20:54	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.46		07/16/21 20:54	115-07-1	
Styrene	6.2	ug/m3	1.3	0.56	1.46		07/16/21 20:54	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

**Sample: SS-3**      **Lab ID: 10569624005**      Collected: 07/08/21 12:30      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.46		07/16/21 20:54	79-34-5	
Tetrachloroethene	201	ug/m3	1.0	0.43	1.46		07/16/21 20:54	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.88	0.26	1.46		07/16/21 20:54	109-99-9	
Toluene	53.3	ug/m3	1.1	0.36	1.46		07/16/21 20:54	108-88-3	
1,2,4-Trichlorobenzene	7.1J	ug/m3	11.0	7.1	1.46		07/16/21 20:54	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.46		07/16/21 20:54	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.81	0.29	1.46		07/16/21 20:54	79-00-5	
Trichloroethene	0.80J	ug/m3	0.80	0.29	1.46		07/16/21 20:54	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.7	0.34	1.46		07/16/21 20:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.42	ug/m3	2.3	0.42	1.46		07/16/21 20:54	76-13-1	
1,2,4-Trimethylbenzene	8.0	ug/m3	1.5	0.52	1.46		07/16/21 20:54	95-63-6	
1,3,5-Trimethylbenzene	2.9	ug/m3	1.5	0.42	1.46		07/16/21 20:54	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.46		07/16/21 20:54	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.38	0.13	1.46		07/16/21 20:54	75-01-4	
m&p-Xylene	11.8	ug/m3	2.6	0.94	1.46		07/16/21 20:54	179601-23-1	
o-Xylene	5.3	ug/m3	1.3	0.40	1.46		07/16/21 20:54	95-47-6	

**Sample: IA-2**      **Lab ID: 10569624006**      Collected: 07/08/21 12:35      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	30.6	ug/m3	10.6	3.2	1.75		07/16/21 21:30	67-64-1	
Benzene	0.63	ug/m3	0.57	0.20	1.75		07/16/21 21:30	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		07/16/21 21:30	100-44-7	
Bromodichloromethane	<0.41	ug/m3	6.0	0.41	1.75		07/16/21 21:30	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		07/16/21 21:30	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		07/16/21 21:30	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		07/16/21 21:30	106-99-0	
2-Butanone (MEK)	6.9	ug/m3	5.2	0.81	1.75		07/16/21 21:30	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.75		07/16/21 21:30	75-15-0	
Carbon tetrachloride	0.88J	ug/m3	2.2	0.49	1.75		07/16/21 21:30	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		07/16/21 21:30	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		07/16/21 21:30	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		07/16/21 21:30	67-66-3	
Chloromethane	0.80	ug/m3	0.74	0.15	1.75		07/16/21 21:30	74-87-3	
Cyclohexane	0.42J	ug/m3	3.1	0.39	1.75		07/16/21 21:30	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		07/16/21 21:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		07/16/21 21:30	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		07/16/21 21:30	95-50-1	
1,3-Dichlorobenzene	<0.89	ug/m3	5.4	0.89	1.75		07/16/21 21:30	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		07/16/21 21:30	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: IA-2 Lab ID: 10569624006 Collected: 07/08/21 12:35 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.1	ug/m3	1.8	0.33	1.75		07/16/21 21:30	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 21:30	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 21:30	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		07/16/21 21:30	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 21:30	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 21:30	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		07/16/21 21:30	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		07/16/21 21:30	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		07/16/21 21:30	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		07/16/21 21:30	76-14-2	
Ethanol	144	ug/m3	3.4	1.0	1.75		07/16/21 21:30	64-17-5	
Ethyl acetate	1.1J	ug/m3	1.3	0.23	1.75		07/16/21 21:30	141-78-6	
Ethylbenzene	<0.54	ug/m3	1.5	0.54	1.75		07/16/21 21:30	100-41-4	
4-Ethyltoluene	1.4J	ug/m3	4.4	0.83	1.75		07/16/21 21:30	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.75		07/16/21 21:30	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		07/16/21 21:30	87-68-3	
n-Hexane	0.55J	ug/m3	1.3	0.33	1.75		07/16/21 21:30	110-54-3	
2-Hexanone	1.8J	ug/m3	7.3	0.77	1.75		07/16/21 21:30	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		07/16/21 21:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		07/16/21 21:30	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		07/16/21 21:30	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		07/16/21 21:30	91-20-3	
2-Propanol	20.0	ug/m3	4.4	0.89	1.75		07/16/21 21:30	67-63-0	
Propylene	1.5J	ug/m3	1.5	0.23	1.75		07/16/21 21:30	115-07-1	
Styrene	0.94J	ug/m3	1.5	0.67	1.75		07/16/21 21:30	100-42-5	
1,1,2,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		07/16/21 21:30	79-34-5	
Tetrachloroethene	2.3	ug/m3	1.2	0.51	1.75		07/16/21 21:30	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		07/16/21 21:30	109-99-9	
Toluene	1.5	ug/m3	1.3	0.43	1.75		07/16/21 21:30	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		07/16/21 21:30	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		07/16/21 21:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		07/16/21 21:30	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		07/16/21 21:30	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	2.0	0.41	1.75		07/16/21 21:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.51	ug/m3	2.7	0.51	1.75		07/16/21 21:30	76-13-1	
1,2,4-Trimethylbenzene	0.80J	ug/m3	1.7	0.62	1.75		07/16/21 21:30	95-63-6	
1,3,5-Trimethylbenzene	0.65J	ug/m3	1.7	0.51	1.75		07/16/21 21:30	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		07/16/21 21:30	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		07/16/21 21:30	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.1	1.1	1.75		07/16/21 21:30	179601-23-1	
o-Xylene	<0.47	ug/m3	1.5	0.47	1.75		07/16/21 21:30	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: SS-4      Lab ID: 10569624007      Collected: 07/08/21 13:40      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	73.4	ug/m3	10.8	3.2	1.79		07/16/21 22:07	67-64-1	
Benzene	2.2	ug/m3	0.58	0.20	1.79		07/16/21 22:07	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.7	1.6	1.79		07/16/21 22:07	100-44-7	
Bromodichloromethane	<0.42	ug/m3	6.1	0.42	1.79		07/16/21 22:07	75-27-4	
Bromoform	<2.9	ug/m3	9.4	2.9	1.79		07/16/21 22:07	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.79		07/16/21 22:07	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.79		07/16/21 22:07	106-99-0	
2-Butanone (MEK)	11.4	ug/m3	5.4	0.83	1.79		07/16/21 22:07	78-93-3	
Carbon disulfide	0.91J	ug/m3	1.1	0.23	1.79		07/16/21 22:07	75-15-0	
Carbon tetrachloride	0.71J	ug/m3	2.3	0.50	1.79		07/16/21 22:07	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.79		07/16/21 22:07	108-90-7	
Chloroethane	<0.40	ug/m3	0.96	0.40	1.79		07/16/21 22:07	75-00-3	
Chloroform	<0.33	ug/m3	0.89	0.33	1.79		07/16/21 22:07	67-66-3	
Chloromethane	0.78	ug/m3	0.75	0.15	1.79		07/16/21 22:07	74-87-3	
Cyclohexane	6.1	ug/m3	3.1	0.40	1.79		07/16/21 22:07	110-82-7	
Dibromochloromethane	<0.92	ug/m3	3.1	0.92	1.79		07/16/21 22:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.54	ug/m3	1.4	0.54	1.79		07/16/21 22:07	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	5.5	0.72	1.79		07/16/21 22:07	95-50-1	
1,3-Dichlorobenzene	1.3J	ug/m3	5.5	0.91	1.79		07/16/21 22:07	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.79		07/16/21 22:07	106-46-7	
Dichlorodifluoromethane	3.2	ug/m3	1.8	0.34	1.79		07/16/21 22:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.79		07/16/21 22:07	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	1.5	0.35	1.79		07/16/21 22:07	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		07/16/21 22:07	75-35-4	
cis-1,2-Dichloroethene	<0.35	ug/m3	1.4	0.35	1.79		07/16/21 22:07	156-59-2	
trans-1,2-Dichloroethene	2.9	ug/m3	1.4	0.30	1.79		07/16/21 22:07	156-60-5	
1,2-Dichloropropane	<0.48	ug/m3	1.7	0.48	1.79		07/16/21 22:07	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	4.1	0.46	1.79		07/16/21 22:07	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	4.1	0.97	1.79		07/16/21 22:07	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.5	0.36	1.79		07/16/21 22:07	76-14-2	
Ethanol	113	ug/m3	3.4	1.1	1.79		07/16/21 22:07	64-17-5	
Ethyl acetate	7.0	ug/m3	1.3	0.23	1.79		07/16/21 22:07	141-78-6	
Ethylbenzene	3.3	ug/m3	1.6	0.55	1.79		07/16/21 22:07	100-41-4	
4-Ethyltoluene	2.0J	ug/m3	4.5	0.84	1.79		07/16/21 22:07	622-96-8	
n-Heptane	10.1	ug/m3	1.5	0.32	1.79		07/16/21 22:07	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.7	2.2	1.79		07/16/21 22:07	87-68-3	
n-Hexane	5.1	ug/m3	1.3	0.34	1.79		07/16/21 22:07	110-54-3	
2-Hexanone	<0.79	ug/m3	7.4	0.79	1.79		07/16/21 22:07	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.3	1.1	1.79		07/16/21 22:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.4	0.57	1.79		07/16/21 22:07	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.79		07/16/21 22:07	1634-04-4	
Naphthalene	4.1J	ug/m3	4.8	3.9	1.79		07/16/21 22:07	91-20-3	
2-Propanol	18.6	ug/m3	4.5	0.91	1.79		07/16/21 22:07	67-63-0	
Propylene	<0.23	ug/m3	1.6	0.23	1.79		07/16/21 22:07	115-07-1	
Styrene	1.9	ug/m3	1.6	0.69	1.79		07/16/21 22:07	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

**Sample: SS-4**      **Lab ID: 10569624007**      Collected: 07/08/21 13:40      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		07/16/21 22:07	79-34-5	
Tetrachloroethene	9.7	ug/m3	1.2	0.52	1.79		07/16/21 22:07	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.1	0.32	1.79		07/16/21 22:07	109-99-9	
Toluene	30.7	ug/m3	1.4	0.44	1.79		07/16/21 22:07	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		07/16/21 22:07	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		07/16/21 22:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		07/16/21 22:07	79-00-5	
Trichloroethene	<0.35	ug/m3	0.98	0.35	1.79		07/16/21 22:07	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	2.0	0.42	1.79		07/16/21 22:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.8	0.52	1.79		07/16/21 22:07	76-13-1	
1,2,4-Trimethylbenzene	3.6	ug/m3	1.8	0.63	1.79		07/16/21 22:07	95-63-6	
1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	0.52	1.79		07/16/21 22:07	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		07/16/21 22:07	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		07/16/21 22:07	75-01-4	
m&p-Xylene	6.0	ug/m3	3.2	1.1	1.79		07/16/21 22:07	179601-23-1	
o-Xylene	2.7	ug/m3	1.6	0.49	1.79		07/16/21 22:07	95-47-6	

**Sample: IA-3**      **Lab ID: 10569624008**      Collected: 07/08/21 13:45      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	40.4	ug/m3	10.6	3.2	1.75		07/16/21 22:43	67-64-1	
Benzene	0.59	ug/m3	0.57	0.20	1.75		07/16/21 22:43	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		07/16/21 22:43	100-44-7	
Bromodichloromethane	<0.41	ug/m3	6.0	0.41	1.75		07/16/21 22:43	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		07/16/21 22:43	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		07/16/21 22:43	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		07/16/21 22:43	106-99-0	
2-Butanone (MEK)	7.9	ug/m3	5.2	0.81	1.75		07/16/21 22:43	78-93-3	
Carbon disulfide	0.52J	ug/m3	1.1	0.23	1.75		07/16/21 22:43	75-15-0	
Carbon tetrachloride	<0.49	ug/m3	2.2	0.49	1.75		07/16/21 22:43	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		07/16/21 22:43	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		07/16/21 22:43	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		07/16/21 22:43	67-66-3	
Chloromethane	0.80	ug/m3	0.74	0.15	1.75		07/16/21 22:43	74-87-3	
Cyclohexane	<0.39	ug/m3	3.1	0.39	1.75		07/16/21 22:43	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		07/16/21 22:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		07/16/21 22:43	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		07/16/21 22:43	95-50-1	
1,3-Dichlorobenzene	2.5J	ug/m3	5.4	0.89	1.75		07/16/21 22:43	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		07/16/21 22:43	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

**Sample: IA-3**      **Lab ID: 10569624008**      Collected: 07/08/21 13:45      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.0	ug/m3	1.8	0.33	1.75		07/16/21 22:43	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 22:43	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 22:43	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		07/16/21 22:43	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 22:43	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 22:43	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		07/16/21 22:43	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		07/16/21 22:43	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		07/16/21 22:43	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		07/16/21 22:43	76-14-2	
Ethanol	124	ug/m3	3.4	1.0	1.75		07/16/21 22:43	64-17-5	
Ethyl acetate	1.4	ug/m3	1.3	0.23	1.75		07/16/21 22:43	141-78-6	
Ethylbenzene	<0.54	ug/m3	1.5	0.54	1.75		07/16/21 22:43	100-41-4	
4-Ethyltoluene	1.3J	ug/m3	4.4	0.83	1.75		07/16/21 22:43	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.75		07/16/21 22:43	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		07/16/21 22:43	87-68-3	
n-Hexane	0.49J	ug/m3	1.3	0.33	1.75		07/16/21 22:43	110-54-3	
2-Hexanone	1.6J	ug/m3	7.3	0.77	1.75		07/16/21 22:43	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		07/16/21 22:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		07/16/21 22:43	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		07/16/21 22:43	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		07/16/21 22:43	91-20-3	
2-Propanol	32.1	ug/m3	4.4	0.89	1.75		07/16/21 22:43	67-63-0	
Propylene	1.2J	ug/m3	1.5	0.23	1.75		07/16/21 22:43	115-07-1	
Styrene	1.2J	ug/m3	1.5	0.67	1.75		07/16/21 22:43	100-42-5	
1,1,2,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		07/16/21 22:43	79-34-5	
Tetrachloroethene	<0.51	ug/m3	1.2	0.51	1.75		07/16/21 22:43	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		07/16/21 22:43	109-99-9	
Toluene	8.4	ug/m3	1.3	0.43	1.75		07/16/21 22:43	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		07/16/21 22:43	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		07/16/21 22:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		07/16/21 22:43	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		07/16/21 22:43	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	2.0	0.41	1.75		07/16/21 22:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.51	ug/m3	2.7	0.51	1.75		07/16/21 22:43	76-13-1	
1,2,4-Trimethylbenzene	1.0J	ug/m3	1.7	0.62	1.75		07/16/21 22:43	95-63-6	
1,3,5-Trimethylbenzene	0.70J	ug/m3	1.7	0.51	1.75		07/16/21 22:43	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		07/16/21 22:43	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		07/16/21 22:43	75-01-4	
m&p-Xylene	1.9J	ug/m3	3.1	1.1	1.75		07/16/21 22:43	179601-23-1	
o-Xylene	0.63J	ug/m3	1.5	0.47	1.75		07/16/21 22:43	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: SS-5 Lab ID: 10569624009 Collected: 07/08/21 13:54 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	23.8	ug/m3	11.8	3.5	1.96		07/16/21 23:20	67-64-1	
Benzene	0.44J	ug/m3	0.64	0.22	1.96		07/16/21 23:20	71-43-2	
Benzyl chloride	<1.7	ug/m3	5.2	1.7	1.96		07/16/21 23:20	100-44-7	
Bromodichloromethane	<0.46	ug/m3	6.7	0.46	1.96		07/16/21 23:20	75-27-4	
Bromoform	<3.2	ug/m3	10.3	3.2	1.96		07/16/21 23:20	75-25-2	
Bromomethane	<0.29	ug/m3	1.5	0.29	1.96		07/16/21 23:20	74-83-9	
1,3-Butadiene	<0.24	ug/m3	0.88	0.24	1.96		07/16/21 23:20	106-99-0	
2-Butanone (MEK)	8.4	ug/m3	5.9	0.91	1.96		07/16/21 23:20	78-93-3	
Carbon disulfide	<0.25	ug/m3	1.2	0.25	1.96		07/16/21 23:20	75-15-0	
Carbon tetrachloride	0.93J	ug/m3	2.5	0.55	1.96		07/16/21 23:20	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.8	0.30	1.96		07/16/21 23:20	108-90-7	
Chloroethane	0.87J	ug/m3	1.1	0.44	1.96		07/16/21 23:20	75-00-3	
Chloroform	<0.36	ug/m3	0.97	0.36	1.96		07/16/21 23:20	67-66-3	
Chloromethane	0.81J	ug/m3	0.82	0.17	1.96		07/16/21 23:20	74-87-3	
Cyclohexane	0.67J	ug/m3	3.4	0.43	1.96		07/16/21 23:20	110-82-7	
Dibromochloromethane	<1.0	ug/m3	3.4	1.0	1.96		07/16/21 23:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.59	ug/m3	1.5	0.59	1.96		07/16/21 23:20	106-93-4	
1,2-Dichlorobenzene	<0.79	ug/m3	6.0	0.79	1.96		07/16/21 23:20	95-50-1	
1,3-Dichlorobenzene	1.2J	ug/m3	6.0	1.0	1.96		07/16/21 23:20	541-73-1	
1,4-Dichlorobenzene	<1.7	ug/m3	6.0	1.7	1.96		07/16/21 23:20	106-46-7	
Dichlorodifluoromethane	3.1	ug/m3	2.0	0.37	1.96		07/16/21 23:20	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.6	0.32	1.96		07/16/21 23:20	75-34-3	
1,2-Dichloroethane	<0.38	ug/m3	1.6	0.38	1.96		07/16/21 23:20	107-06-2	
1,1-Dichloroethene	<0.27	ug/m3	1.6	0.27	1.96		07/16/21 23:20	75-35-4	
cis-1,2-Dichloroethene	<0.38	ug/m3	1.6	0.38	1.96		07/16/21 23:20	156-59-2	
trans-1,2-Dichloroethene	<0.33	ug/m3	1.6	0.33	1.96		07/16/21 23:20	156-60-5	
1,2-Dichloropropane	<0.53	ug/m3	1.8	0.53	1.96		07/16/21 23:20	78-87-5	
cis-1,3-Dichloropropene	<0.50	ug/m3	4.5	0.50	1.96		07/16/21 23:20	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	4.5	1.1	1.96		07/16/21 23:20	10061-02-6	
Dichlorotetrafluoroethane	<0.40	ug/m3	2.8	0.40	1.96		07/16/21 23:20	76-14-2	
Ethanol	192	ug/m3	3.8	1.2	1.96		07/16/21 23:20	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.4	0.26	1.96		07/16/21 23:20	141-78-6	
Ethylbenzene	<0.61	ug/m3	1.7	0.61	1.96		07/16/21 23:20	100-41-4	
4-Ethyltoluene	<0.93	ug/m3	4.9	0.93	1.96		07/16/21 23:20	622-96-8	
n-Heptane	<0.35	ug/m3	1.6	0.35	1.96		07/16/21 23:20	142-82-5	
Hexachloro-1,3-butadiene	<2.4	ug/m3	10.6	2.4	1.96		07/16/21 23:20	87-68-3	
n-Hexane	0.67J	ug/m3	1.4	0.37	1.96		07/16/21 23:20	110-54-3	
2-Hexanone	1.9J	ug/m3	8.2	0.87	1.96		07/16/21 23:20	591-78-6	
Methylene Chloride	<1.2	ug/m3	6.9	1.2	1.96		07/16/21 23:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.63	ug/m3	8.2	0.63	1.96		07/16/21 23:20	108-10-1	
Methyl-tert-butyl ether	<0.25	ug/m3	7.2	0.25	1.96		07/16/21 23:20	1634-04-4	
Naphthalene	<4.3	ug/m3	5.2	4.3	1.96		07/16/21 23:20	91-20-3	
2-Propanol	5.0	ug/m3	4.9	1.0	1.96		07/16/21 23:20	67-63-0	
Propylene	<0.25	ug/m3	1.7	0.25	1.96		07/16/21 23:20	115-07-1	
Styrene	1.2J	ug/m3	1.7	0.75	1.96		07/16/21 23:20	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

**Sample: SS-5**      **Lab ID: 10569624009**      Collected: 07/08/21 13:54      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.73	ug/m3	2.7	0.73	1.96		07/16/21 23:20	79-34-5	
Tetrachloroethene	<0.57	ug/m3	1.4	0.57	1.96		07/16/21 23:20	127-18-4	
Tetrahydrofuran	<0.35	ug/m3	1.2	0.35	1.96		07/16/21 23:20	109-99-9	
Toluene	1.9	ug/m3	1.5	0.48	1.96		07/16/21 23:20	108-88-3	
1,2,4-Trichlorobenzene	<9.6	ug/m3	14.8	9.6	1.96		07/16/21 23:20	120-82-1	
1,1,1-Trichloroethane	<0.36	ug/m3	2.2	0.36	1.96		07/16/21 23:20	71-55-6	
1,1,2-Trichloroethane	<0.39	ug/m3	1.1	0.39	1.96		07/16/21 23:20	79-00-5	
Trichloroethene	<0.38	ug/m3	1.1	0.38	1.96		07/16/21 23:20	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	2.2	0.46	1.96		07/16/21 23:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.99J	ug/m3	3.1	0.57	1.96		07/16/21 23:20	76-13-1	
1,2,4-Trimethylbenzene	0.89J	ug/m3	2.0	0.69	1.96		07/16/21 23:20	95-63-6	
1,3,5-Trimethylbenzene	0.74J	ug/m3	2.0	0.57	1.96		07/16/21 23:20	108-67-8	
Vinyl acetate	<0.41	ug/m3	1.4	0.41	1.96		07/16/21 23:20	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.51	0.17	1.96		07/16/21 23:20	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.5	1.3	1.96		07/16/21 23:20	179601-23-1	
o-Xylene	<0.53	ug/m3	1.7	0.53	1.96		07/16/21 23:20	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

QC Batch: 756759

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

METHOD BLANK: 4035525

Matrix: Air

Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.19	1.1	07/16/21 11:55	
1,1,2,2-Tetrachloroethane	ug/m3	<0.37	1.4	07/16/21 11:55	
1,1,2-Trichloroethane	ug/m3	<0.20	0.56	07/16/21 11:55	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.29	1.6	07/16/21 11:55	
1,1-Dichloroethane	ug/m3	<0.16	0.82	07/16/21 11:55	
1,1-Dichloroethene	ug/m3	<0.14	0.81	07/16/21 11:55	
1,2,4-Trichlorobenzene	ug/m3	5.0J	7.5	07/16/21 11:55	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	07/16/21 11:55	
1,2-Dibromoethane (EDB)	ug/m3	<0.30	0.78	07/16/21 11:55	
1,2-Dichlorobenzene	ug/m3	<0.40	3.1	07/16/21 11:55	
1,2-Dichloroethane	ug/m3	<0.19	0.82	07/16/21 11:55	
1,2-Dichloropropane	ug/m3	<0.27	0.94	07/16/21 11:55	
1,3,5-Trimethylbenzene	ug/m3	<0.29	1.0	07/16/21 11:55	
1,3-Butadiene	ug/m3	<0.12	0.45	07/16/21 11:55	
1,3-Dichlorobenzene	ug/m3	<0.51	3.1	07/16/21 11:55	
1,4-Dichlorobenzene	ug/m3	<0.88	3.1	07/16/21 11:55	
2-Butanone (MEK)	ug/m3	<0.46	3.0	07/16/21 11:55	
2-Hexanone	ug/m3	<0.44	4.2	07/16/21 11:55	
2-Propanol	ug/m3	<0.51	2.5	07/16/21 11:55	
4-Ethyltoluene	ug/m3	<0.47	2.5	07/16/21 11:55	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.32	4.2	07/16/21 11:55	
Acetone	ug/m3	<1.8	6.0	07/16/21 11:55	
Benzene	ug/m3	<0.11	0.32	07/16/21 11:55	
Benzyl chloride	ug/m3	<0.89	2.6	07/16/21 11:55	
Bromodichloromethane	ug/m3	<0.24	3.4	07/16/21 11:55	
Bromoform	ug/m3	<1.6	5.2	07/16/21 11:55	
Bromomethane	ug/m3	<0.15	0.79	07/16/21 11:55	
Carbon disulfide	ug/m3	<0.13	0.63	07/16/21 11:55	
Carbon tetrachloride	ug/m3	<0.28	1.3	07/16/21 11:55	
Chlorobenzene	ug/m3	<0.16	0.94	07/16/21 11:55	
Chloroethane	ug/m3	<0.22	0.54	07/16/21 11:55	
Chloroform	ug/m3	<0.18	0.50	07/16/21 11:55	
Chloromethane	ug/m3	<0.085	0.42	07/16/21 11:55	
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	07/16/21 11:55	
cis-1,3-Dichloropropene	ug/m3	<0.26	2.3	07/16/21 11:55	
Cyclohexane	ug/m3	<0.22	1.8	07/16/21 11:55	
Dibromochloromethane	ug/m3	<0.52	1.7	07/16/21 11:55	
Dichlorodifluoromethane	ug/m3	<0.19	1.0	07/16/21 11:55	
Dichlorotetrafluoroethane	ug/m3	<0.20	1.4	07/16/21 11:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

METHOD BLANK: 4035525

Matrix: Air

Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.59	1.9	07/16/21 11:55	
Ethyl acetate	ug/m3	<0.13	0.73	07/16/21 11:55	
Ethylbenzene	ug/m3	<0.31	0.88	07/16/21 11:55	
Hexachloro-1,3-butadiene	ug/m3	<1.2	5.4	07/16/21 11:55	
m&p-Xylene	ug/m3	<0.64	1.8	07/16/21 11:55	
Methyl-tert-butyl ether	ug/m3	<0.13	3.7	07/16/21 11:55	
Methylene Chloride	ug/m3	<0.59	3.5	07/16/21 11:55	
n-Heptane	ug/m3	<0.18	0.83	07/16/21 11:55	
n-Hexane	ug/m3	<0.19	0.72	07/16/21 11:55	
Naphthalene	ug/m3	<2.2	2.7	07/16/21 11:55	
o-Xylene	ug/m3	<0.27	0.88	07/16/21 11:55	
Propylene	ug/m3	<0.13	0.88	07/16/21 11:55	
Styrene	ug/m3	<0.38	0.87	07/16/21 11:55	
Tetrachloroethene	ug/m3	<0.29	0.69	07/16/21 11:55	
Tetrahydrofuran	ug/m3	<0.18	0.60	07/16/21 11:55	
Toluene	ug/m3	<0.24	0.77	07/16/21 11:55	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	07/16/21 11:55	
trans-1,3-Dichloropropene	ug/m3	<0.54	2.3	07/16/21 11:55	
Trichloroethene	ug/m3	<0.20	0.55	07/16/21 11:55	
Trichlorofluoromethane	ug/m3	<0.23	1.1	07/16/21 11:55	
Vinyl acetate	ug/m3	<0.21	0.72	07/16/21 11:55	
Vinyl chloride	ug/m3	<0.087	0.26	07/16/21 11:55	

LABORATORY CONTROL SAMPLE: 4035526

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	65.6	111	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	84.1	112	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	72.7	122	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	92.6	111	70-130	
1,1-Dichloroethane	ug/m3	43.9	48.1	109	70-133	
1,1-Dichloroethene	ug/m3	43.5	48.3	111	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	187	105	69-132	
1,2,4-Trimethylbenzene	ug/m3	54	60.8	113	70-142	
1,2-Dibromoethane (EDB)	ug/m3	82.5	90.7	110	70-138	
1,2-Dichlorobenzene	ug/m3	66.2	73.7	111	70-146	
1,2-Dichloroethane	ug/m3	44.4	45.6	103	70-132	
1,2-Dichloropropane	ug/m3	50.6	53.5	106	70-134	
1,3,5-Trimethylbenzene	ug/m3	53.7	59.5	111	70-143	
1,3-Butadiene	ug/m3	24.2	24.2	100	70-136	
1,3-Dichlorobenzene	ug/m3	66.3	72.5	109	70-145	
1,4-Dichlorobenzene	ug/m3	66.3	70.7	107	70-140	
2-Butanone (MEK)	ug/m3	32.3	35.4	110	50-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

LABORATORY CONTROL SAMPLE: 4035526

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	44.8	52.1	116	70-148	
2-Propanol	ug/m3	149	158	106	67-135	
4-Ethyltoluene	ug/m3	53.7	58.9	110	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	50.9	113	70-139	
Acetone	ug/m3	128	132	103	64-130	
Benzene	ug/m3	34.8	35.7	102	70-131	
Benzyl chloride	ug/m3	57.6	61.4	107	70-130	
Bromodichloromethane	ug/m3	73.1	61.9	85	70-133	
Bromoform	ug/m3	114	125	110	70-137	
Bromomethane	ug/m3	42.5	37.2	88	64-134	
Carbon disulfide	ug/m3	34.4	37.3	108	70-131	
Carbon tetrachloride	ug/m3	69.4	75.4	109	70-131	
Chlorobenzene	ug/m3	50.2	53.3	106	70-130	
Chloroethane	ug/m3	28.8	31.5	109	69-141	
Chloroform	ug/m3	52.4	60.5	115	70-130	
Chloromethane	ug/m3	22.6	21.3	95	70-130	
cis-1,2-Dichloroethene	ug/m3	43.4	43.0	99	70-137	
cis-1,3-Dichloropropene	ug/m3	49.4	53.8	109	70-144	
Cyclohexane	ug/m3	37.4	40.0	107	70-137	
Dibromochloromethane	ug/m3	93.2	103	111	70-132	
Dichlorodifluoromethane	ug/m3	54.6	53.2	97	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	68.4	96	70-130	
Ethanol	ug/m3	124	116	94	63-133	
Ethyl acetate	ug/m3	38.9	41.4	106	70-136	
Ethylbenzene	ug/m3	47.8	54.0	113	70-142	
Hexachloro-1,3-butadiene	ug/m3	133	155	116	70-135	
m&p-Xylene	ug/m3	95.4	105	111	70-141	
Methyl-tert-butyl ether	ug/m3	39.6	41.8	106	70-143	
Methylene Chloride	ug/m3	190	212	111	70-130	
n-Heptane	ug/m3	44.6	48.4	108	70-137	
n-Hexane	ug/m3	38	38.3	101	70-135	
Naphthalene	ug/m3	65.2	70.2	108	67-132	
o-Xylene	ug/m3	47.6	53.7	113	70-141	
Propylene	ug/m3	18.9	18.0	96	70-130	
Styrene	ug/m3	47	53.6	114	70-142	
Tetrachloroethene	ug/m3	73.4	76.2	104	70-130	
Tetrahydrofuran	ug/m3	32.1	36.5	114	70-136	
Toluene	ug/m3	41.6	45.0	108	70-138	
trans-1,2-Dichloroethene	ug/m3	43.6	43.8	100	70-130	
trans-1,3-Dichloropropene	ug/m3	50.5	53.7	106	70-145	
Trichloroethene	ug/m3	58.4	59.5	102	70-130	
Trichlorofluoromethane	ug/m3	62	65.1	105	69-135	
Vinyl acetate	ug/m3	46.4	50.4	109	70-146	
Vinyl chloride	ug/m3	28	26.8	96	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036067

Parameter	Units	10569624002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.35	<0.35			25
1,1,2,2-Tetrachloroethane	ug/m3	<0.70	<0.70			25
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37			25
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.54	<0.54			25
1,1-Dichloroethane	ug/m3	<0.31	<0.31			25
1,1-Dichloroethene	ug/m3	<0.26	<0.26			25
1,2,4-Trichlorobenzene	ug/m3	9.3J	9.3J			25
1,2,4-Trimethylbenzene	ug/m3	13.7	13.6	1		25
1,2-Dibromoethane (EDB)	ug/m3	<0.56	<0.56			25
1,2-Dichlorobenzene	ug/m3	<0.76	<0.76			25
1,2-Dichloroethane	ug/m3	<0.36	<0.36			25
1,2-Dichloropropane	ug/m3	<0.50	<0.50			25
1,3,5-Trimethylbenzene	ug/m3	11.2	11.5	2		25
1,3-Butadiene	ug/m3	<0.22	<0.22			25
1,3-Dichlorobenzene	ug/m3	<0.95	<0.95			25
1,4-Dichlorobenzene	ug/m3	<1.6	<1.6			25
2-Butanone (MEK)	ug/m3	24.1	28.0	15		25
2-Hexanone	ug/m3	4.3J	4.4J			25
2-Propanol	ug/m3	197	211	7		25
4-Ethyltoluene	ug/m3	6.3	6.7	6		25
4-Methyl-2-pentanone (MIBK)	ug/m3	8.8	7.9	10		25
Acetone	ug/m3	242	261	7		25
Benzene	ug/m3	4.4	4.3	2		25
Benzyl chloride	ug/m3	<1.7	<1.7			25
Bromodichloromethane	ug/m3	<0.44	<0.44			25
Bromoform	ug/m3	<3.0	<3.0			25
Bromomethane	ug/m3	<0.28	<0.28			25
Carbon disulfide	ug/m3	2.5	2.5	1		25
Carbon tetrachloride	ug/m3	1.0J	1.0J			25
Chlorobenzene	ug/m3	<0.29	<0.29			25
Chloroethane	ug/m3	<0.42	<0.42			25
Chloroform	ug/m3	1.2	1.2	2		25
Chloromethane	ug/m3	1.9	1.9	3		25
cis-1,2-Dichloroethene	ug/m3	<0.36	<0.36			25
cis-1,3-Dichloropropene	ug/m3	<0.48	<0.48			25
Cyclohexane	ug/m3	5.1	5.2	3		25
Dibromochloromethane	ug/m3	<0.96	<0.96			25
Dichlorodifluoromethane	ug/m3	3.3	3.1	6		25
Dichlorotetrafluoroethane	ug/m3	<0.38	<0.38			25
Ethanol	ug/m3	69000	67900	2		25 E
Ethyl acetate	ug/m3	30.4	29.3	4		25
Ethylbenzene	ug/m3	5.5	5.4	2		25
Hexachloro-1,3-butadiene	ug/m3	<2.3	<2.3			25
m&p-Xylene	ug/m3	7.7	7.9	3		25
Methyl-tert-butyl ether	ug/m3	<0.24	<0.24			25
Methylene Chloride	ug/m3	<1.1	<1.1			25
n-Heptane	ug/m3	11.0	11.1	1		25

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036067

Parameter	Units	10569624002 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	9.4	10.0	7	25	
Naphthalene	ug/m3	4.1J	4.1J		25	
o-Xylene	ug/m3	4.6	4.5	2	25	
Propylene	ug/m3	<0.24	<0.24		25	
Styrene	ug/m3	1.6J	1.7		25	
Tetrachloroethene	ug/m3	<0.55	<0.55		25	
Tetrahydrofuran	ug/m3	2.0	1.8	9	25	
Toluene	ug/m3	20.0	20.6	3	25	
trans-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
trans-1,3-Dichloropropene	ug/m3	<1.0	<1.0		25	
Trichloroethene	ug/m3	<0.37	<0.37		25	
Trichlorofluoromethane	ug/m3	2.5	2.6	5	25	
Vinyl acetate	ug/m3	<0.39	<0.39		25	
Vinyl chloride	ug/m3	<0.16	<0.16		25	

SAMPLE DUPLICATE: 4036068

Parameter	Units	10569624003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.36	<0.36		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.71	<0.71		25	
1,1,2-Trichloroethane	ug/m3	<0.38	<0.38		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.55	<0.55		25	
1,1-Dichloroethane	ug/m3	<0.32	<0.32		25	
1,1-Dichloroethene	ug/m3	<0.26	<0.26		25	
1,2,4-Trichlorobenzene	ug/m3	9.5J	9.5J		25	
1,2,4-Trimethylbenzene	ug/m3	31.7	30.4	4	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.58	<0.58		25	
1,2-Dichlorobenzene	ug/m3	<0.78	<0.78		25	
1,2-Dichloroethane	ug/m3	<0.37	<0.37		25	
1,2-Dichloropropane	ug/m3	<0.52	<0.52		25	
1,3,5-Trimethylbenzene	ug/m3	10.8	10.5	2	25	
1,3-Butadiene	ug/m3	<0.23	<0.23		25	
1,3-Dichlorobenzene	ug/m3	<0.98	<0.98		25	
1,4-Dichlorobenzene	ug/m3	1.8J	1.8J		25	
2-Butanone (MEK)	ug/m3	51.7	51.3	1	25	
2-Hexanone	ug/m3	12.1	12.0	1	25	
2-Propanol	ug/m3	86.1	77.4	11	25	
4-Ethyltoluene	ug/m3	6.8	7.1	3	25	
4-Methyl-2-pentanone (MIBK)	ug/m3	28.2	28.4	1	25	
Acetone	ug/m3	259	228	13	25	
Benzene	ug/m3	66.3	65.1	2	25	
Benzyl chloride	ug/m3	<1.7	<1.7		25	
Bromodichloromethane	ug/m3	<0.46	<0.46		25	
Bromoform	ug/m3	<3.1	<3.1		25	
Bromomethane	ug/m3	<0.29	<0.29		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036068

Parameter	Units	10569624003 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	2.0	2.1	5	25	
Carbon tetrachloride	ug/m3	1.2J	1.1J		25	
Chlorobenzene	ug/m3	<0.30	<0.30		25	
Chloroethane	ug/m3	<0.43	<0.43		25	
Chloroform	ug/m3	<0.35	<0.35		25	
Chloromethane	ug/m3	1.1	1.1	4	25	
cis-1,2-Dichloroethene	ug/m3	<0.37	<0.37		25	
cis-1,3-Dichloropropene	ug/m3	<0.49	<0.49		25	
Cyclohexane	ug/m3	19.2	18.8	2	25	
Dibromochloromethane	ug/m3	<0.99	<0.99		25	
Dichlorodifluoromethane	ug/m3	3.1	3.1	0	25	
Dichlorotetrafluoroethane	ug/m3	<0.39	<0.39		25	
Ethanol	ug/m3	824	674	20	25	
Ethyl acetate	ug/m3	1.0J	1.4J		25	
Ethylbenzene	ug/m3	18.2	17.5	4	25	
Hexachloro-1,3-butadiene	ug/m3	<2.4	<2.4		25	
m&p-Xylene	ug/m3	26.5	25.9	2	25	
Methyl-tert-butyl ether	ug/m3	<0.24	1.2J		25	
Methylene Chloride	ug/m3	<1.1	<1.1		25	
n-Heptane	ug/m3	36.9	37.4	1	25	
n-Hexane	ug/m3	37.8	36.9	2	25	
Naphthalene	ug/m3	4.9J	4.9J		25	
o-Xylene	ug/m3	12.9	12.3	5	25	
Propylene	ug/m3	88.2	86.8	2	25	
Styrene	ug/m3	16.4	15.9	3	25	
Tetrachloroethene	ug/m3	<0.56	<0.56		25	
Tetrahydrofuran	ug/m3	<0.35	<0.35		25	
Toluene	ug/m3	96.9	95.9	1	25	
trans-1,2-Dichloroethene	ug/m3	<0.32	<0.32		25	
trans-1,3-Dichloropropene	ug/m3	<1.0	<1.0		25	
Trichloroethene	ug/m3	0.71J	0.71J		25	
Trichlorofluoromethane	ug/m3	2.0J	1.7J		25	
Vinyl acetate	ug/m3	<0.40	<0.40		25	
Vinyl chloride	ug/m3	<0.17	<0.17		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10569624001	IA-1	TO-15	756759		
10569624002	SS-1	TO-15	756759		
10569624003	SS-2	TO-15	756759		
10569624004	OA-1	TO-15	756759		
10569624005	SS-3	TO-15	756759		
10569624006	IA-2	TO-15	756759		
10569624007	SS-4	TO-15	756759		
10569624008	IA-3	TO-15	756759		
10569624009	SS-5	TO-15	756759		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

50767

Page: 1 of 1

**Section A**  
Required Client Information:

Company: Konicek Environmental Consulting  
Address: 1032 S Spring Street  
Port Washington, WI 53074  
Email To: jack.mcmahon140@gmail.com  
Phone: 262-287-2557 Fax:  
Requested Due Date/TAT:

**Section B**  
Required Project Information:

Report To: Jack McMahon  
Copy To:  
Purchase Order No.:  
Project Name: Twin Lakes Laundry  
Project Number: 1908091

**Section C**  
Invoice Information:

Attention: Jack McMahon  
Company Name: Konicek Environmental Consulting  
Address: 1032 S Spring St, Port Washington, WI 53074  
Pace Quote Reference:  
Pace Project Manager/Sales Rep.:  
Pace Profile #: 19591

Program

UST  Superfund  Emissions  Clean Air Act  
 Voluntary Clean Up  Dry Clean  RCRA  Other

Location of Sampling by State: WI

Reporting Units  
ug/m<sup>3</sup> \_\_\_\_\_ mg/m<sup>3</sup> \_\_\_\_\_  
PPBV \_\_\_\_\_ PPMV \_\_\_\_\_  
Other \_\_\_\_\_

Report Level: II. \_\_\_\_\_ III. \_\_\_\_\_ IV. \_\_\_\_\_ Other \_\_\_\_\_

ITEM #	'Section D Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tediar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	PID Reading (Client only) MEDIA CODE	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID
				COMPOSITE START		COMPOSITE - END/GRAB						PM10	3C - Fixed Gas (%)	TO-3 BTEX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlorinated	
				DATE	TIME	DATE	TIME													
1	IA-1	6LC		7/8	9:23	7/8	9:53	30	9	2753	0715									001
2	SS-1	6LC		7/8	9:39	7/8	10:09	-30	-8	2113	3199									002
3	SS-2	6LC		7/8	10:30	7/8	11:00	30	10	2365	1903									003
4	OA-1	6LC		7/8	10:40	7/8	11:10	-30	-8	2762	2928									004
5	SS-3	6LC		7/8	12:00	7/8	12:30	30	9	2699	2003									005
6	IA-2	6LC		7/8	12:05	7/8	12:35	29	8	1207	1157									006
7	SS-4	6LC		7/8	1:10	7/8	1:40	-30	-9	0803	3070									007
8	IA-3	6LC		7/8	1:15	7/8	1:45	29	8	0554	0913									008
9	SS-5	6LC		7/8	1:29	7/8	1:54	-30	-9	1276	2900									009

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
							Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
	<i>[Signature]</i>	7/8/21	7/8/21 10:00am	<i>[Signature]</i> / Pace	7-13-21	10:00	-	Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N

**SAMPLER NAME AND SIGNATURE**

PRINT Name of SAMPLER: Jack McMahon

SIGNATURE of SAMPLER: *[Signature]* DATE Signed (MM/DD/YY): 07/08/21

NO#: 10569624





Document Name: **Sample Condition Upon Receipt (SCUR) - Air**  
 Document No.: **ENV-FRM-MIN4-0113 Rev.00**

Document Revised: 24/11/2020  
 Page 1 of 1  
 Pace Analytical Services -  
 Minneapolis

**Air Sample Condition Upon Receipt**

Client Name: **Konicek Env** Project #: \_\_\_\_\_

**WO# : 10569624**

PM: **KNH** Due Date: **07/20/21**  
 CLIENT: **Konicek Env.**

Courier:  Fed Ex  UPS  USPS  Client  
 Pace  Speedee  Commercial See Exception

Tracking Number: **9753 8443 8421, 8432, 8443**

Custody Seal on Cooler/Box Present?  Yes  No Seals Intact?  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other: \_\_\_\_\_ Temp Blank rec:  Yes  No

Temp. (TO17 and TO13 samples only) (°C): \_\_\_\_\_ Corrected Temp (°C): \_\_\_\_\_ Thermometer Used:  G87A9170600254  G87A9155100842

Temp should be above freezing to 6°C Correction Factor: \_\_\_\_\_ Date & Initials of Person Examining Contents: **7-13-21 KNH**

Type of ice Received  Blue  Wet  None

**Comments:**

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <u>Air Can</u> Airbag Filter TDT <input checked="" type="checkbox"/> Passive		11. Individually Certified Cans Y <u>N</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge #  10AIR26  10AIR34  10AIR35  4097

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
IA-1	2753	715	-8	+5	SS-5	1276	2900	-9.5	+5
SS-1	2113	3199	-8.5	↓					
SS-2	2365	1903	-9						
OA-1	2762	2928	-7.5						
SS-3	2699	2003	-2.5						
IA-2	1207	1157	-7						
SS-4	803	3070	-7.5						
IA-3	554	913	-7						

**CLIENT NOTIFICATION/RESOLUTION**

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager Review: Kirsten Hopfer

Date: **7/14/2021**

# Konicek Environmental Consulting LLC

---

July 21, 2021

Olsen Properties LLC  
3010 Brisbane Drive  
Lake in the Hills, IL 60156

Reference: *Vapor Sample Results*  
Twin Lakes Laundry  
111 South Lake Avenue  
Twin Lakes, Wisconsin 53181

Dear Olsen Properties LLC,

Konicek Environmental Consulting LLC (KEC) collected one sub-slab vapor sample and one indoor air sample on July 8, 2021, as part of an on-going investigation for volatile organic compounds (VOCs) at the Twin Lakes Laundry property owned by Olsen Properties LLC and located at 111 South Lake Avenue, Twin Lakes, Wisconsin. The vapor samples were collected to monitor the concentrations of VOCs and were analyzed by Pace Analytical.

The laboratory analytical results and a tabulated summary of results are attached to this letter. As indicated in the attached table, there were no VOCs identified at concentrations above Vapor Risk Screening Levels (VRSL) in the sub-slab vapor sample collected, and no VOCs identified at concentrations above Ambient Air Vapor Action Levels in the indoor air sample collected.

Should you have questions about these results please contact DNR Project Manager for this site, Mr. Joseph Martinez, at 414-218-6042 or [joseph.martinez@wisconsin.gov](mailto:joseph.martinez@wisconsin.gov).

We thank you for your cooperation in allowing us to collect the samples.

Sincerely,



Gregory A. Konicek, P.G., CHMM  
Konicek Environmental Consulting LLC

Attachments: Table A.4. Vapor Analytical Table; Pace Analytical Report #10569624

Cc: Mr. Joseph Martinez, DNR

Table A.4. Vapor Analytical Table  
Twin Lakes Laundry  
BRRTS: 02-30-545024  
111 S. Lake Avenue, Twin Lakes, WI 53403

Sample Location:	Vapor Risk Screening Level (VRSL) of Indoor Air concentrations from sub-slab vapor/soil gas/deep soil gas				
Sample Identification:	SS-3	Residential Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.03	Small Commercial Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.03	Large Commercial/Industrial Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.01	c-Carcinogenic; nc-Non-Carcinogenic
Date:	7/8/21				
Units:	µg/m <sup>3</sup>				
Acetone	118	1066667	4666667	1400000	nc
Benzene	2.0	120	533	1600	c
Benzyl Chloride	<1.3	19	83	250	c
Bromodichloromethane	<0.35	25	110	330	c
Bromoform	<2.4	---	---	---	---
Bromomethane	<0.22	173	733	2200	nc
1,3-Butadiene	<0.16	31	137	410	c
2-Butanone(MEK)	19.1	173333	733333	2200000	nc
Carbon disulfide	1.7	24333	103333	310000	nc
Carbon tetrachloride	0.70 J	157	667	2000	c
Chlorobenzene	<0.23	1733	7333	22000	nc
Chloroethane	<0.33	---	---	---	---
Chloroform	0.45 J	40	177	530	c
Chloromethane	0.92	3133	13000	39000	nc
Cyclohexane	16.4	210000	866667	2600000	nc
Dibromochloromethane	<0.75	---	---	---	c
1,2-Dibromoethane (EDB)	<0.44	2	7	20	c
1,2-Dichlorobenzene	<0.59	7000	29333	86000	nc
1,3-Dichlorobenzene	<0.74	---	---	---	---
1,4-Dichlorobenzene	1.4 J	87	367	1100	c
Dichlorodifluoromethane	2.8	3333	14667	44000	nc
1,1 - Dichloroethane (1,1-DCA)	<0.24	600	2567	7700	c
1,2 - Dichloroethane (1,2-DCA)	<0.28	37	157	470	c
1,1 - Dichloroethylene (1,1-DCE)	<0.20	7000	29333	88000	nc
cis-1,2-Dichloroethene	<0.28	---	---	---	---
trans-1,2-Dichloroethene	<0.25	---	---	---	---
1,2-Dichloropropane	<0.39	93	400	1200	c
cis-1,3-Dichloropropene	<0.37	---	---	---	---
trans-1,3-Dichloropropene	<0.79	---	---	---	---
Dichlorotetrafluoroethane	<0.29	---	---	---	---
Ethanol	312	---	---	---	---
Ethyl acetate	31.0	2433	10333	31000	nc
Ethylbenzene	4.6	367	1633	4900	c
4-ethyltoluene	3.2 J	---	---	---	---
n-Heptane	36.1	---	---	---	---
Hexachloro-1,3-butadiene	<1.8	---	---	---	---
n-Hexane	7.3	24333	103333	310000	nc
2-Hexanone	2.0 J	1033	4333	13000	nc
Methylene Chloride	<0.87	21000	86667	260000	nc
4-Methyl-2-pentanone (MIBK)	8.8	103333	433333	1300000	nc
Methyl Tert-Butyl Ether (MTBE)	<0.18	3667	15667	47000	c
Naphthalene	4.5	28	120	360	c
2-Propanol	50.4	---	---	---	---
Propylene	<0.19	103333	433333	1300000	nc
Styrene	6.2	33333	146667	440000	nc
1,1,2,2-Tetrachloroethane	<0.54	16	70	210	c
Tetrachloroethene	201	1400	6000	18000	nc
Tetrahydrofuran	<0.26	70000	293333	880000	nc
Toluene	53.3	173333	733333	2200000	nc
1,2,4-Trichlorobenzene	7.1 J	70	293	880	nc
1,1,1 - Trichloroethane	<0.27	173333	733333	2200000	nc
1,1,2-Trichloroethane	<0.29	7	29	88	nc
Trichloroethene	0.80 J	70	293	880	nc
Trichlorofluoromethane (Halocarbon 11)	1.4 J	---	---	---	nc
1,1,2-Trichlorotrifluoroethane	<0.42	---	---	---	---
Trimethylbenzene (1,2,4)	8.0	243	1033	3100	nc
Trimethylbenzene (1,3,5)	2.9	---	---	---	---
Vinyl acetate	<0.30	7000	29333	88000	nc
Vinyl Chloride	<0.13	57	933	2800	c
m&p-Xylene	11.8	3333	14667	44000	nc
o-Xylene	5.3	3333	14667	44000	nc

**Notes:**

µg/m<sup>3</sup> - micrograms per cubic meter

**Bold** concentrations exceed the applicable Large Commercial/Industrial Standard

Underlined concentrations exceed the applicable Small Commercial Standard

\*...\* concentrations exceed the Residential Standard

ND - not detected

NA - not analyzed

--- - no standard established

N/A - not applicable

Samples were collected by Konicek Environmental Consultants LLC

Action levels obtained from the November 2017 Vapor Action Levels Quick Look-Up Table and the November 2017 Vapor Intrusion Screening Level (VISL) Calculator

**Table A.4. Vapor Analytical Table**  
**Twin Lakes Laundry**  
**BRTS: 02-30-545024**  
**111 S. Lake Avenue, Twin Lakes, WI 53403**

Sample Location:  Sample Identification:			Ambient Air Vapor Action Level		c-Carcinogenic; nc- Non-Carcinogenic
	IA-2	OA-1	Non-Residential (1-in-100,000 risk for carcinogens)	Residential (1-in-100,000 risk for carcinogens)	
	Date: Units:	7/8/2021 ug/m <sup>3</sup>	7/8/2021 ug/m <sup>3</sup>	ug/m <sup>3</sup>	
Acetone	30.6	16.6	140000	32000	nc
Benzene	0.63	0.67	16	3.6	c
Benzyl Chloride	<1.6	<1.6	2.5	0.57	c
Bromodichloromethane	<0.41	<0.42	3.3	0.76	c
Bromoform	<2.8	<2.9	---	---	---
Bromomethane	<0.26	<0.27	22	5.2	nc
1,3-Butadiene	<0.21	<0.21	4.1	0.94	c
2-Butanone(MEK)	6.9	2.9 J	22000	5200	nc
Carbon disulfide	<0.23	<0.23	3100	730	nc
Carbon tetrachloride	0.88 J	1.0 J	20	4.7	c
Chlorobenzene	<0.27	<0.28	220	52	nc
Chloroethane	<0.39	<0.40	---	---	---
Chloroform	<0.32	<0.33	5.3	1.2	c
Chloromethane	0.80	1.3	390	94	nc
Cyclohexane	0.42 J	<0.40	26000	6300	nc
Dibromochloromethane	<0.90	<0.92	---	---	c
1,2-Dibromoethane (EDB)	<0.52	<0.54	0.2	0.047	c
1,2-Dichlorobenzene	<0.71	<0.72	880	210	nc
1,3-Dichlorobenzene	<0.89	<0.91	---	---	---
1,4-Dichlorobenzene	<1.5	<1.6	11	2.6	c
Dichlorodifluoromethane	3.1	3.5	440	100	nc
1,1 - Dichloroethane (1,1-DCA)	<0.29	<0.30	77	18	c
1,2 - Dichloroethane (1,2-DCA)	<0.34	<0.35	4.7	1.1	c
1,1 - Dichloroethylene (1,1-DCE)	<0.24	<0.25	880	210	nc
cis-1,2-Dichloroethene	<0.34	<0.35	---	---	---
trans-1,2-Dichloroethene	<0.29	<0.30	---	---	---
1,2-Dichloropropane	<0.47	<0.48	12	2.8	c
cis-1,3-Dichloropropene	<0.45	<0.46	---	---	---
trans-1,3-Dichloropropene	<0.95	<0.97	---	---	---
Dichlorotetrafluoroethane	<0.35	<0.36	---	---	---
Ethanol	144	151	---	---	---
Ethyl acetate	1.1 J	<0.23	310	73	nc
Ethylbenzene	<0.54	<0.55	49	11	c
4-ethyltoluene	1.4 J	<0.84	---	---	---
n-Heptane	<0.32	<0.32	---	---	---
Hexachloro-1,3-butadiene	<2.2	<2.2	---	---	---
n-Hexane	0.55 J	<0.34	3100	730	nc
2-Hexanone	1.8 J	1.8 J	130	31	nc
Methylene Chloride	<1.0	<1.1	2600	630	nc
4-Methyl-2-pentanone (MIBK)	<0.56	<0.57	13000	3100	nc
Methyl Tert-Butyl Ether (MTBE)	<0.22	<0.23	470	110	c
Naphthalene	<3.8	<3.9	3.6	0.83	c
2-Propanol	20.0	2.5 J	---	---	---
Propylene	1.5 J	0.57 J	13000	3100	nc
Styrene	0.94 J	1.2 J	4400	1000	nc
1,1,2,2-Tetrachloroethane	<0.65	<0.67	2.1	0.48	c
Tetrachloroethene	2.3	<0.52	180	42	nc
Tetrahydrofuran	<0.32	<0.32	8800	2100	nc
Toluene	1.5	1.4	22000	5200	nc
1,2,4-Trichlorobenzene	<8.5	<8.7	8.8	2.1	nc
1,1,1 - Trichloroethane	<0.33	<0.33	22000	5200	nc
1,1,2-Trichloroethane	<0.34	<0.35	0.88	0.21	nc
Trichloroethene	<0.34	<0.35	8.8	2.1	nc
Trichlorofluoromethane (Halocarbon 11)	1.4 J	1.6 J	---	---	nc
1,1,2-Trichlorotrifluoroethane	<0.51	<0.52	---	---	---
Trimethylbenzene (1,2,4)	0.80 J	<0.63	31	7.3	nc
Trimethylbenzene (1,3,5)	0.65 J	<0.52	---	---	---
Vinyl Acetate	<0.36	<0.37	880	210	nc
Vinyl Chloride	<0.15	<0.16	28	1.7	c
m&p-Xylene	1.7 J	<1.1	440	100	nc
o-Xylene	<0.47	<0.49	440	100	nc

**Notes:**

ug/m<sup>3</sup> - micrograms per cubic meter

**Bold** concentrations exceed Non-Residential Standard

*italicized* and Underlined concentrations exceed Residential Standard

--- not analyzed, not applicable, not detected, or no standard established

Samples were collected by Konicek Environmental Consultants LLC

Action levels obtained from: the June 2017 Vapor Action Levels Quick Look-Up Table and the June 2017 Vapor Intrusion Screening Level (VISL) Calculator



July 19, 2021

Jack McMahon  
Konicek Environmental  
1032 S Spring St  
Port Washington, WI 53074

RE: Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Dear Jack McMahon:


Enclosed are the analytical results for sample(s) received by the laboratory on July 13, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg  
kirsten.hogberg@pacelabs.com  
(612)607-1700  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

### **Pace Analytical Services, LLC - Minneapolis MN**

1700 Elm Street SE, Minneapolis, MN 55414

A2LA Certification #: 2926.01\*

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009\*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014\*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605\*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086\*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064\*

Maryland Certification #: 322

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137\*

Minnesota Dept of Ag Approval: via MN 027-053-137

Minnesota Petrofund Registration #: 1240\*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081\*

New Jersey Certification #: MN002

New York Certification #: 11647\*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification (1700) #: CL101

Ohio VAP Certification (1800) #: CL110\*

Oklahoma Certification #: 9507\*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001\*

Pennsylvania Certification #: 68-00563\*

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192\*

Utah Certification #: MN00064\*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163\*

Washington Certification #: C486\*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

\*Please Note: Applicable air certifications are denoted with an asterisk (\*).

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10569624001	IA-1	Air	07/08/21 09:53	07/13/21 10:00
10569624002	SS-1	Air	07/08/21 10:09	07/13/21 10:00
10569624003	SS-2	Air	07/08/21 11:00	07/13/21 10:00
10569624004	OA-1	Air	07/08/21 11:10	07/13/21 10:00
10569624005	SS-3	Air	07/08/21 12:30	07/13/21 10:00
10569624006	IA-2	Air	07/08/21 12:35	07/13/21 10:00
10569624007	SS-4	Air	07/08/21 13:40	07/13/21 10:00
10569624008	IA-3	Air	07/08/21 13:45	07/13/21 10:00
10569624009	SS-5	Air	07/08/21 13:54	07/13/21 10:00

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10569624001	IA-1	TO-15	MJL	61	PASI-M
10569624002	SS-1	TO-15	MJL	61	PASI-M
10569624003	SS-2	TO-15	MJL	61	PASI-M
10569624004	OA-1	TO-15	MJL	61	PASI-M
10569624005	SS-3	TO-15	MJL	61	PASI-M
10569624006	IA-2	TO-15	MJL	61	PASI-M
10569624007	SS-4	TO-15	MJL	61	PASI-M
10569624008	IA-3	TO-15	MJL	61	PASI-M
10569624009	SS-5	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624001</b>	<b>IA-1</b>					
TO-15	Acetone	51.0	ug/m3	11.1	07/16/21 17:15	
TO-15	Benzene	0.69	ug/m3	0.59	07/16/21 17:15	
TO-15	2-Butanone (MEK)	11.9	ug/m3	5.5	07/16/21 17:15	
TO-15	Carbon disulfide	0.58J	ug/m3	1.2	07/16/21 17:15	
TO-15	Carbon tetrachloride	0.94J	ug/m3	2.3	07/16/21 17:15	
TO-15	Chloroform	1.3	ug/m3	0.91	07/16/21 17:15	
TO-15	Chloromethane	2.8	ug/m3	0.77	07/16/21 17:15	
TO-15	Cyclohexane	0.89J	ug/m3	3.2	07/16/21 17:15	
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.8	07/16/21 17:15	
TO-15	Ethanol	251000	ug/m3	422	07/17/21 13:50	E
TO-15	Ethyl acetate	61.3	ug/m3	1.3	07/16/21 17:15	
TO-15	n-Heptane	5.8	ug/m3	1.5	07/16/21 17:15	
TO-15	n-Hexane	1.3J	ug/m3	1.3	07/16/21 17:15	
TO-15	2-Hexanone	2.3J	ug/m3	7.6	07/16/21 17:15	
TO-15	4-Methyl-2-pentanone (MIBK)	4.3J	ug/m3	7.6	07/16/21 17:15	
TO-15	2-Propanol	190	ug/m3	4.6	07/16/21 17:15	
TO-15	Styrene	1.6	ug/m3	1.6	07/16/21 17:15	
TO-15	Toluene	3.8	ug/m3	1.4	07/16/21 17:15	
TO-15	1,2,4-Trichlorobenzene	9.2J	ug/m3	13.8	07/16/21 17:15	
TO-15	Trichlorofluoromethane	1.9J	ug/m3	2.1	07/16/21 17:15	
TO-15	1,2,4-Trimethylbenzene	0.73J	ug/m3	1.8	07/16/21 17:15	
TO-15	1,3,5-Trimethylbenzene	0.74J	ug/m3	1.8	07/16/21 17:15	
TO-15	m&p-Xylene	2.0J	ug/m3	3.2	07/16/21 17:15	
TO-15	o-Xylene	0.59J	ug/m3	1.6	07/16/21 17:15	
<b>10569624002</b>	<b>SS-1</b>					
TO-15	Acetone	242	ug/m3	11.3	07/16/21 17:52	
TO-15	Benzene	4.4	ug/m3	0.61	07/16/21 17:52	
TO-15	2-Butanone (MEK)	24.1	ug/m3	5.6	07/16/21 17:52	
TO-15	Carbon disulfide	2.5	ug/m3	1.2	07/16/21 17:52	
TO-15	Carbon tetrachloride	1.0J	ug/m3	2.4	07/16/21 17:52	
TO-15	Chloroform	1.2	ug/m3	0.93	07/16/21 17:52	
TO-15	Chloromethane	1.9	ug/m3	0.79	07/16/21 17:52	
TO-15	Cyclohexane	5.1	ug/m3	3.3	07/16/21 17:52	
TO-15	Dichlorodifluoromethane	3.3	ug/m3	1.9	07/16/21 17:52	
TO-15	Ethanol	69000	ug/m3	215	07/17/21 14:22	E
TO-15	Ethyl acetate	30.4	ug/m3	1.4	07/16/21 17:52	
TO-15	Ethylbenzene	5.5	ug/m3	1.7	07/16/21 17:52	
TO-15	4-Ethyltoluene	6.3	ug/m3	4.7	07/16/21 17:52	
TO-15	n-Heptane	11.0	ug/m3	1.6	07/16/21 17:52	
TO-15	n-Hexane	9.4	ug/m3	1.3	07/16/21 17:52	
TO-15	2-Hexanone	4.3J	ug/m3	7.8	07/16/21 17:52	
TO-15	4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	7.8	07/16/21 17:52	
TO-15	Naphthalene	4.1J	ug/m3	5.0	07/16/21 17:52	
TO-15	2-Propanol	197	ug/m3	4.7	07/16/21 17:52	
TO-15	Styrene	1.6J	ug/m3	1.6	07/16/21 17:52	
TO-15	Tetrahydrofuran	2.0	ug/m3	1.1	07/16/21 17:52	
TO-15	Toluene	20.0	ug/m3	1.4	07/16/21 17:52	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624002</b>	<b>SS-1</b>					
TO-15	1,2,4-Trichlorobenzene	9.3J	ug/m3	14.1	07/16/21 17:52	
TO-15	Trichlorofluoromethane	2.5	ug/m3	2.1	07/16/21 17:52	
TO-15	1,2,4-Trimethylbenzene	13.7	ug/m3	1.9	07/16/21 17:52	
TO-15	1,3,5-Trimethylbenzene	11.2	ug/m3	1.9	07/16/21 17:52	
TO-15	m&p-Xylene	7.7	ug/m3	3.3	07/16/21 17:52	
TO-15	o-Xylene	4.6	ug/m3	1.7	07/16/21 17:52	
<b>10569624003</b>	<b>SS-2</b>					
TO-15	Acetone	259	ug/m3	11.6	07/16/21 19:05	
TO-15	Benzene	66.3	ug/m3	0.62	07/16/21 19:05	
TO-15	2-Butanone (MEK)	51.7	ug/m3	5.8	07/16/21 19:05	
TO-15	Carbon disulfide	2.0	ug/m3	1.2	07/16/21 19:05	
TO-15	Carbon tetrachloride	1.2J	ug/m3	2.5	07/16/21 19:05	
TO-15	Chloromethane	1.1	ug/m3	0.81	07/16/21 19:05	
TO-15	Cyclohexane	19.2	ug/m3	3.4	07/16/21 19:05	
TO-15	1,4-Dichlorobenzene	1.8J	ug/m3	5.9	07/16/21 19:05	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	1.9	07/16/21 19:05	
TO-15	Ethanol	824	ug/m3	3.7	07/16/21 19:05	E
TO-15	Ethyl acetate	1.0J	ug/m3	1.4	07/16/21 19:05	
TO-15	Ethylbenzene	18.2	ug/m3	1.7	07/16/21 19:05	
TO-15	4-Ethyltoluene	6.8	ug/m3	4.8	07/16/21 19:05	
TO-15	n-Heptane	36.9	ug/m3	1.6	07/16/21 19:05	
TO-15	n-Hexane	37.8	ug/m3	1.4	07/16/21 19:05	
TO-15	2-Hexanone	12.1	ug/m3	8.0	07/16/21 19:05	
TO-15	4-Methyl-2-pentanone (MIBK)	28.2	ug/m3	8.0	07/16/21 19:05	
TO-15	Naphthalene	4.9J	ug/m3	5.1	07/16/21 19:05	
TO-15	2-Propanol	86.1	ug/m3	4.8	07/16/21 19:05	
TO-15	Propylene	88.2	ug/m3	1.7	07/16/21 19:05	
TO-15	Styrene	16.4	ug/m3	1.7	07/16/21 19:05	
TO-15	Toluene	96.9	ug/m3	1.5	07/16/21 19:05	
TO-15	1,2,4-Trichlorobenzene	9.5J	ug/m3	14.5	07/16/21 19:05	
TO-15	Trichloroethene	0.71J	ug/m3	1.0	07/16/21 19:05	
TO-15	Trichlorofluoromethane	2.0J	ug/m3	2.2	07/16/21 19:05	
TO-15	1,2,4-Trimethylbenzene	31.7	ug/m3	1.9	07/16/21 19:05	
TO-15	1,3,5-Trimethylbenzene	10.8	ug/m3	1.9	07/16/21 19:05	
TO-15	m&p-Xylene	26.5	ug/m3	3.4	07/16/21 19:05	
TO-15	o-Xylene	12.9	ug/m3	1.7	07/16/21 19:05	
<b>10569624004</b>	<b>OA-1</b>					
TO-15	Acetone	16.6	ug/m3	10.8	07/16/21 20:17	
TO-15	Benzene	0.67	ug/m3	0.58	07/16/21 20:17	
TO-15	2-Butanone (MEK)	2.9J	ug/m3	5.4	07/16/21 20:17	
TO-15	Carbon tetrachloride	1.0J	ug/m3	2.3	07/16/21 20:17	
TO-15	Chloromethane	1.3	ug/m3	0.75	07/16/21 20:17	
TO-15	Dichlorodifluoromethane	3.5	ug/m3	1.8	07/16/21 20:17	
TO-15	Ethanol	151	ug/m3	3.4	07/16/21 20:17	
TO-15	2-Hexanone	1.8J	ug/m3	7.4	07/16/21 20:17	
TO-15	2-Propanol	2.5J	ug/m3	4.5	07/16/21 20:17	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624004</b>	<b>OA-1</b>					
TO-15	Propylene	0.57J	ug/m3	1.6	07/16/21 20:17	
TO-15	Styrene	1.2J	ug/m3	1.6	07/16/21 20:17	
TO-15	Toluene	1.4	ug/m3	1.4	07/16/21 20:17	
TO-15	Trichlorofluoromethane	1.6J	ug/m3	2.0	07/16/21 20:17	
<b>10569624005</b>	<b>SS-3</b>					
TO-15	Acetone	118	ug/m3	8.8	07/16/21 20:54	
TO-15	Benzene	2.0	ug/m3	0.47	07/16/21 20:54	
TO-15	2-Butanone (MEK)	19.1	ug/m3	4.4	07/16/21 20:54	
TO-15	Carbon disulfide	1.7	ug/m3	0.92	07/16/21 20:54	
TO-15	Carbon tetrachloride	0.70J	ug/m3	1.9	07/16/21 20:54	
TO-15	Chloroform	0.45J	ug/m3	0.72	07/16/21 20:54	
TO-15	Chloromethane	0.92	ug/m3	0.61	07/16/21 20:54	
TO-15	Cyclohexane	16.4	ug/m3	2.6	07/16/21 20:54	
TO-15	1,4-Dichlorobenzene	1.4J	ug/m3	4.5	07/16/21 20:54	
TO-15	Dichlorodifluoromethane	2.8	ug/m3	1.5	07/16/21 20:54	
TO-15	Ethanol	312	ug/m3	2.8	07/16/21 20:54	
TO-15	Ethyl acetate	31.0	ug/m3	1.1	07/16/21 20:54	
TO-15	Ethylbenzene	4.6	ug/m3	1.3	07/16/21 20:54	
TO-15	4-Ethyltoluene	3.2J	ug/m3	3.6	07/16/21 20:54	
TO-15	n-Heptane	36.1	ug/m3	1.2	07/16/21 20:54	
TO-15	n-Hexane	7.3	ug/m3	1.0	07/16/21 20:54	
TO-15	2-Hexanone	2.0J	ug/m3	6.1	07/16/21 20:54	
TO-15	4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	6.1	07/16/21 20:54	
TO-15	Naphthalene	4.5	ug/m3	3.9	07/16/21 20:54	
TO-15	2-Propanol	50.4	ug/m3	3.6	07/16/21 20:54	
TO-15	Styrene	6.2	ug/m3	1.3	07/16/21 20:54	
TO-15	Tetrachloroethene	201	ug/m3	1.0	07/16/21 20:54	
TO-15	Toluene	53.3	ug/m3	1.1	07/16/21 20:54	
TO-15	1,2,4-Trichlorobenzene	7.1J	ug/m3	11.0	07/16/21 20:54	
TO-15	Trichloroethene	0.80J	ug/m3	0.80	07/16/21 20:54	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.7	07/16/21 20:54	
TO-15	1,2,4-Trimethylbenzene	8.0	ug/m3	1.5	07/16/21 20:54	
TO-15	1,3,5-Trimethylbenzene	2.9	ug/m3	1.5	07/16/21 20:54	
TO-15	m&p-Xylene	11.8	ug/m3	2.6	07/16/21 20:54	
TO-15	o-Xylene	5.3	ug/m3	1.3	07/16/21 20:54	
<b>10569624006</b>	<b>IA-2</b>					
TO-15	Acetone	30.6	ug/m3	10.6	07/16/21 21:30	
TO-15	Benzene	0.63	ug/m3	0.57	07/16/21 21:30	
TO-15	2-Butanone (MEK)	6.9	ug/m3	5.2	07/16/21 21:30	
TO-15	Carbon tetrachloride	0.88J	ug/m3	2.2	07/16/21 21:30	
TO-15	Chloromethane	0.80	ug/m3	0.74	07/16/21 21:30	
TO-15	Cyclohexane	0.42J	ug/m3	3.1	07/16/21 21:30	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	1.8	07/16/21 21:30	
TO-15	Ethanol	144	ug/m3	3.4	07/16/21 21:30	
TO-15	Ethyl acetate	1.1J	ug/m3	1.3	07/16/21 21:30	
TO-15	4-Ethyltoluene	1.4J	ug/m3	4.4	07/16/21 21:30	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624006</b>	<b>IA-2</b>					
TO-15	n-Hexane	0.55J	ug/m3	1.3	07/16/21 21:30	
TO-15	2-Hexanone	1.8J	ug/m3	7.3	07/16/21 21:30	
TO-15	2-Propanol	20.0	ug/m3	4.4	07/16/21 21:30	
TO-15	Propylene	1.5J	ug/m3	1.5	07/16/21 21:30	
TO-15	Styrene	0.94J	ug/m3	1.5	07/16/21 21:30	
TO-15	Tetrachloroethene	2.3	ug/m3	1.2	07/16/21 21:30	
TO-15	Toluene	1.5	ug/m3	1.3	07/16/21 21:30	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	2.0	07/16/21 21:30	
TO-15	1,2,4-Trimethylbenzene	0.80J	ug/m3	1.7	07/16/21 21:30	
TO-15	1,3,5-Trimethylbenzene	0.65J	ug/m3	1.7	07/16/21 21:30	
TO-15	m&p-Xylene	1.7J	ug/m3	3.1	07/16/21 21:30	
<b>10569624007</b>	<b>SS-4</b>					
TO-15	Acetone	73.4	ug/m3	10.8	07/16/21 22:07	
TO-15	Benzene	2.2	ug/m3	0.58	07/16/21 22:07	
TO-15	2-Butanone (MEK)	11.4	ug/m3	5.4	07/16/21 22:07	
TO-15	Carbon disulfide	0.91J	ug/m3	1.1	07/16/21 22:07	
TO-15	Carbon tetrachloride	0.71J	ug/m3	2.3	07/16/21 22:07	
TO-15	Chloromethane	0.78	ug/m3	0.75	07/16/21 22:07	
TO-15	Cyclohexane	6.1	ug/m3	3.1	07/16/21 22:07	
TO-15	1,3-Dichlorobenzene	1.3J	ug/m3	5.5	07/16/21 22:07	
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.8	07/16/21 22:07	
TO-15	trans-1,2-Dichloroethene	2.9	ug/m3	1.4	07/16/21 22:07	
TO-15	Ethanol	113	ug/m3	3.4	07/16/21 22:07	
TO-15	Ethyl acetate	7.0	ug/m3	1.3	07/16/21 22:07	
TO-15	Ethylbenzene	3.3	ug/m3	1.6	07/16/21 22:07	
TO-15	4-Ethyltoluene	2.0J	ug/m3	4.5	07/16/21 22:07	
TO-15	n-Heptane	10.1	ug/m3	1.5	07/16/21 22:07	
TO-15	n-Hexane	5.1	ug/m3	1.3	07/16/21 22:07	
TO-15	4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.4	07/16/21 22:07	
TO-15	Naphthalene	4.1J	ug/m3	4.8	07/16/21 22:07	
TO-15	2-Propanol	18.6	ug/m3	4.5	07/16/21 22:07	
TO-15	Styrene	1.9	ug/m3	1.6	07/16/21 22:07	
TO-15	Tetrachloroethene	9.7	ug/m3	1.2	07/16/21 22:07	
TO-15	Toluene	30.7	ug/m3	1.4	07/16/21 22:07	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	2.0	07/16/21 22:07	
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.8	07/16/21 22:07	
TO-15	1,2,4-Trimethylbenzene	3.6	ug/m3	1.8	07/16/21 22:07	
TO-15	1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	07/16/21 22:07	
TO-15	m&p-Xylene	6.0	ug/m3	3.2	07/16/21 22:07	
TO-15	o-Xylene	2.7	ug/m3	1.6	07/16/21 22:07	
<b>10569624008</b>	<b>IA-3</b>					
TO-15	Acetone	40.4	ug/m3	10.6	07/16/21 22:43	
TO-15	Benzene	0.59	ug/m3	0.57	07/16/21 22:43	
TO-15	2-Butanone (MEK)	7.9	ug/m3	5.2	07/16/21 22:43	
TO-15	Carbon disulfide	0.52J	ug/m3	1.1	07/16/21 22:43	
TO-15	Chloromethane	0.80	ug/m3	0.74	07/16/21 22:43	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624008</b>	<b>IA-3</b>					
TO-15	1,3-Dichlorobenzene	2.5J	ug/m3	5.4	07/16/21 22:43	
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.8	07/16/21 22:43	
TO-15	Ethanol	124	ug/m3	3.4	07/16/21 22:43	
TO-15	Ethyl acetate	1.4	ug/m3	1.3	07/16/21 22:43	
TO-15	4-Ethyltoluene	1.3J	ug/m3	4.4	07/16/21 22:43	
TO-15	n-Hexane	0.49J	ug/m3	1.3	07/16/21 22:43	
TO-15	2-Hexanone	1.6J	ug/m3	7.3	07/16/21 22:43	
TO-15	2-Propanol	32.1	ug/m3	4.4	07/16/21 22:43	
TO-15	Propylene	1.2J	ug/m3	1.5	07/16/21 22:43	
TO-15	Styrene	1.2J	ug/m3	1.5	07/16/21 22:43	
TO-15	Toluene	8.4	ug/m3	1.3	07/16/21 22:43	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	2.0	07/16/21 22:43	
TO-15	1,2,4-Trimethylbenzene	1.0J	ug/m3	1.7	07/16/21 22:43	
TO-15	1,3,5-Trimethylbenzene	0.70J	ug/m3	1.7	07/16/21 22:43	
TO-15	m&p-Xylene	1.9J	ug/m3	3.1	07/16/21 22:43	
TO-15	o-Xylene	0.63J	ug/m3	1.5	07/16/21 22:43	
<b>10569624009</b>	<b>SS-5</b>					
TO-15	Acetone	23.8	ug/m3	11.8	07/16/21 23:20	
TO-15	Benzene	0.44J	ug/m3	0.64	07/16/21 23:20	
TO-15	2-Butanone (MEK)	8.4	ug/m3	5.9	07/16/21 23:20	
TO-15	Carbon tetrachloride	0.93J	ug/m3	2.5	07/16/21 23:20	
TO-15	Chloroethane	0.87J	ug/m3	1.1	07/16/21 23:20	
TO-15	Chloromethane	0.81J	ug/m3	0.82	07/16/21 23:20	
TO-15	Cyclohexane	0.67J	ug/m3	3.4	07/16/21 23:20	
TO-15	1,3-Dichlorobenzene	1.2J	ug/m3	6.0	07/16/21 23:20	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	2.0	07/16/21 23:20	
TO-15	Ethanol	192	ug/m3	3.8	07/16/21 23:20	
TO-15	n-Hexane	0.67J	ug/m3	1.4	07/16/21 23:20	
TO-15	2-Hexanone	1.9J	ug/m3	8.2	07/16/21 23:20	
TO-15	2-Propanol	5.0	ug/m3	4.9	07/16/21 23:20	
TO-15	Styrene	1.2J	ug/m3	1.7	07/16/21 23:20	
TO-15	Toluene	1.9	ug/m3	1.5	07/16/21 23:20	
TO-15	Trichlorofluoromethane	1.5J	ug/m3	2.2	07/16/21 23:20	
TO-15	1,1,2-Trichlorotrifluoroethane	0.99J	ug/m3	3.1	07/16/21 23:20	
TO-15	1,2,4-Trimethylbenzene	0.89J	ug/m3	2.0	07/16/21 23:20	
TO-15	1,3,5-Trimethylbenzene	0.74J	ug/m3	2.0	07/16/21 23:20	
TO-15	m&p-Xylene	1.7J	ug/m3	3.5	07/16/21 23:20	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

**Method:** TO-15  
**Description:** TO15 MSV AIR  
**Client:** Konicek Environmental KEC  
**Date:** July 19, 2021

### General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

Analyte Comments:

QC Batch: 756759

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- DUP (Lab ID: 4036067)
  - Ethanol
- IA-1 (Lab ID: 10569624001)
  - Ethanol
- SS-1 (Lab ID: 10569624002)
  - Ethanol
- SS-2 (Lab ID: 10569624003)
  - Ethanol

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

**Sample: IA-1**      **Lab ID: 10569624001**      Collected: 07/08/21 09:53      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	51.0	ug/m3	11.1	3.3	1.83		07/16/21 17:15	67-64-1	
Benzene	0.69	ug/m3	0.59	0.21	1.83		07/16/21 17:15	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.8	1.6	1.83		07/16/21 17:15	100-44-7	
Bromodichloromethane	<0.43	ug/m3	6.2	0.43	1.83		07/16/21 17:15	75-27-4	
Bromoform	<3.0	ug/m3	9.6	3.0	1.83		07/16/21 17:15	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.83		07/16/21 17:15	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.82	0.22	1.83		07/16/21 17:15	106-99-0	
2-Butanone (MEK)	11.9	ug/m3	5.5	0.85	1.83		07/16/21 17:15	78-93-3	
Carbon disulfide	0.58J	ug/m3	1.2	0.24	1.83		07/16/21 17:15	75-15-0	
Carbon tetrachloride	0.94J	ug/m3	2.3	0.51	1.83		07/16/21 17:15	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.83		07/16/21 17:15	108-90-7	
Chloroethane	<0.41	ug/m3	0.98	0.41	1.83		07/16/21 17:15	75-00-3	
Chloroform	1.3	ug/m3	0.91	0.33	1.83		07/16/21 17:15	67-66-3	
Chloromethane	2.8	ug/m3	0.77	0.16	1.83		07/16/21 17:15	74-87-3	
Cyclohexane	0.89J	ug/m3	3.2	0.40	1.83		07/16/21 17:15	110-82-7	
Dibromochloromethane	<0.94	ug/m3	3.2	0.94	1.83		07/16/21 17:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.4	0.55	1.83		07/16/21 17:15	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	5.6	0.74	1.83		07/16/21 17:15	95-50-1	
1,3-Dichlorobenzene	<0.93	ug/m3	5.6	0.93	1.83		07/16/21 17:15	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.6	1.6	1.83		07/16/21 17:15	106-46-7	
Dichlorodifluoromethane	3.2	ug/m3	1.8	0.34	1.83		07/16/21 17:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.83		07/16/21 17:15	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.83		07/16/21 17:15	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.83		07/16/21 17:15	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.83		07/16/21 17:15	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.83		07/16/21 17:15	156-60-5	
1,2-Dichloropropane	<0.49	ug/m3	1.7	0.49	1.83		07/16/21 17:15	78-87-5	
cis-1,3-Dichloropropene	<0.47	ug/m3	4.2	0.47	1.83		07/16/21 17:15	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.2	1.0	1.83		07/16/21 17:15	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.6	0.37	1.83		07/16/21 17:15	76-14-2	
Ethanol	251000	ug/m3	422	130	219.6		07/17/21 13:50	64-17-5	E
Ethyl acetate	61.3	ug/m3	1.3	0.24	1.83		07/16/21 17:15	141-78-6	
Ethylbenzene	<0.57	ug/m3	1.6	0.57	1.83		07/16/21 17:15	100-41-4	
4-Ethyltoluene	<0.86	ug/m3	4.6	0.86	1.83		07/16/21 17:15	622-96-8	
n-Heptane	5.8	ug/m3	1.5	0.33	1.83		07/16/21 17:15	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	9.9	2.3	1.83		07/16/21 17:15	87-68-3	
n-Hexane	1.3J	ug/m3	1.3	0.35	1.83		07/16/21 17:15	110-54-3	
2-Hexanone	2.3J	ug/m3	7.6	0.81	1.83		07/16/21 17:15	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.5	1.1	1.83		07/16/21 17:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	4.3J	ug/m3	7.6	0.59	1.83		07/16/21 17:15	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.7	0.23	1.83		07/16/21 17:15	1634-04-4	
Naphthalene	<4.0	ug/m3	4.9	4.0	1.83		07/16/21 17:15	91-20-3	
2-Propanol	190	ug/m3	4.6	0.93	1.83		07/16/21 17:15	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.83		07/16/21 17:15	115-07-1	
Styrene	1.6	ug/m3	1.6	0.70	1.83		07/16/21 17:15	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample:	Lab ID:	Collected:	Received:	Matrix:					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: IA-1</b>	<b>Lab ID: 10569624001</b>	07/08/21 09:53	07/13/21 10:00	Air					
<b>TO15 MSV AIR</b> Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.68	ug/m3	2.6	0.68	1.83		07/16/21 17:15	79-34-5	
Tetrachloroethene	<0.53	ug/m3	1.3	0.53	1.83		07/16/21 17:15	127-18-4	
Tetrahydrofuran	<0.33	ug/m3	1.1	0.33	1.83		07/16/21 17:15	109-99-9	
Toluene	3.8	ug/m3	1.4	0.45	1.83		07/16/21 17:15	108-88-3	
1,2,4-Trichlorobenzene	9.2J	ug/m3	13.8	8.9	1.83		07/16/21 17:15	120-82-1	
1,1,1-Trichloroethane	<0.34	ug/m3	2.0	0.34	1.83		07/16/21 17:15	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	1.0	0.36	1.83		07/16/21 17:15	79-00-5	
Trichloroethene	<0.36	ug/m3	1.0	0.36	1.83		07/16/21 17:15	79-01-6	
Trichlorofluoromethane	1.9J	ug/m3	2.1	0.43	1.83		07/16/21 17:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.53	ug/m3	2.9	0.53	1.83		07/16/21 17:15	76-13-1	
1,2,4-Trimethylbenzene	0.73J	ug/m3	1.8	0.65	1.83		07/16/21 17:15	95-63-6	
1,3,5-Trimethylbenzene	0.74J	ug/m3	1.8	0.53	1.83		07/16/21 17:15	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.3	0.38	1.83		07/16/21 17:15	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.48	0.16	1.83		07/16/21 17:15	75-01-4	
m&p-Xylene	2.0J	ug/m3	3.2	1.2	1.83		07/16/21 17:15	179601-23-1	
o-Xylene	0.59J	ug/m3	1.6	0.50	1.83		07/16/21 17:15	95-47-6	

Sample:	Lab ID:	Collected:	Received:	Matrix:					
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: SS-1</b>	<b>Lab ID: 10569624002</b>	07/08/21 10:09	07/13/21 10:00	Air					
<b>TO15 MSV AIR</b> Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Acetone	242	ug/m3	11.3	3.4	1.87		07/16/21 17:52	67-64-1	
Benzene	4.4	ug/m3	0.61	0.21	1.87		07/16/21 17:52	71-43-2	
Benzyl chloride	<1.7	ug/m3	4.9	1.7	1.87		07/16/21 17:52	100-44-7	
Bromodichloromethane	<0.44	ug/m3	6.4	0.44	1.87		07/16/21 17:52	75-27-4	
Bromoform	<3.0	ug/m3	9.8	3.0	1.87		07/16/21 17:52	75-25-2	
Bromomethane	<0.28	ug/m3	1.5	0.28	1.87		07/16/21 17:52	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.84	0.22	1.87		07/16/21 17:52	106-99-0	
2-Butanone (MEK)	24.1	ug/m3	5.6	0.87	1.87		07/16/21 17:52	78-93-3	
Carbon disulfide	2.5	ug/m3	1.2	0.24	1.87		07/16/21 17:52	75-15-0	
Carbon tetrachloride	1.0J	ug/m3	2.4	0.52	1.87		07/16/21 17:52	56-23-5	
Chlorobenzene	<0.29	ug/m3	1.8	0.29	1.87		07/16/21 17:52	108-90-7	
Chloroethane	<0.42	ug/m3	1.0	0.42	1.87		07/16/21 17:52	75-00-3	
Chloroform	1.2	ug/m3	0.93	0.34	1.87		07/16/21 17:52	67-66-3	
Chloromethane	1.9	ug/m3	0.79	0.16	1.87		07/16/21 17:52	74-87-3	
Cyclohexane	5.1	ug/m3	3.3	0.41	1.87		07/16/21 17:52	110-82-7	
Dibromochloromethane	<0.96	ug/m3	3.2	0.96	1.87		07/16/21 17:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	1.5	0.56	1.87		07/16/21 17:52	106-93-4	
1,2-Dichlorobenzene	<0.76	ug/m3	5.7	0.76	1.87		07/16/21 17:52	95-50-1	
1,3-Dichlorobenzene	<0.95	ug/m3	5.7	0.95	1.87		07/16/21 17:52	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.7	1.6	1.87		07/16/21 17:52	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: SS-1 Lab ID: 10569624002 Collected: 07/08/21 10:09 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	3.3	ug/m3	1.9	0.35	1.87		07/16/21 17:52	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.5	0.31	1.87		07/16/21 17:52	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.87		07/16/21 17:52	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.87		07/16/21 17:52	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.87		07/16/21 17:52	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.87		07/16/21 17:52	156-60-5	
1,2-Dichloropropane	<0.50	ug/m3	1.8	0.50	1.87		07/16/21 17:52	78-87-5	
cis-1,3-Dichloropropene	<0.48	ug/m3	4.3	0.48	1.87		07/16/21 17:52	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.3	1.0	1.87		07/16/21 17:52	10061-02-6	
Dichlorotetrafluoroethane	<0.38	ug/m3	2.7	0.38	1.87		07/16/21 17:52	76-14-2	
Ethanol	69000	ug/m3	215	66.4	112.2		07/17/21 14:22	64-17-5	E
Ethyl acetate	30.4	ug/m3	1.4	0.24	1.87		07/16/21 17:52	141-78-6	
Ethylbenzene	5.5	ug/m3	1.7	0.58	1.87		07/16/21 17:52	100-41-4	
4-Ethyltoluene	6.3	ug/m3	4.7	0.88	1.87		07/16/21 17:52	622-96-8	
n-Heptane	11.0	ug/m3	1.6	0.34	1.87		07/16/21 17:52	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	10.1	2.3	1.87		07/16/21 17:52	87-68-3	
n-Hexane	9.4	ug/m3	1.3	0.36	1.87		07/16/21 17:52	110-54-3	
2-Hexanone	4.3J	ug/m3	7.8	0.83	1.87		07/16/21 17:52	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.6	1.1	1.87		07/16/21 17:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	7.8	0.60	1.87		07/16/21 17:52	108-10-1	
Methyl-tert-butyl ether	<0.24	ug/m3	6.8	0.24	1.87		07/16/21 17:52	1634-04-4	
Naphthalene	4.1J	ug/m3	5.0	4.1	1.87		07/16/21 17:52	91-20-3	
2-Propanol	197	ug/m3	4.7	0.95	1.87		07/16/21 17:52	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.87		07/16/21 17:52	115-07-1	
Styrene	1.6J	ug/m3	1.6	0.72	1.87		07/16/21 17:52	100-42-5	
1,1,1,2-Tetrachloroethane	<0.70	ug/m3	2.6	0.70	1.87		07/16/21 17:52	79-34-5	
Tetrachloroethene	<0.55	ug/m3	1.3	0.55	1.87		07/16/21 17:52	127-18-4	
Tetrahydrofuran	2.0	ug/m3	1.1	0.34	1.87		07/16/21 17:52	109-99-9	
Toluene	20.0	ug/m3	1.4	0.46	1.87		07/16/21 17:52	108-88-3	
1,2,4-Trichlorobenzene	9.3J	ug/m3	14.1	9.1	1.87		07/16/21 17:52	120-82-1	
1,1,1-Trichloroethane	<0.35	ug/m3	2.1	0.35	1.87		07/16/21 17:52	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	1.0	0.37	1.87		07/16/21 17:52	79-00-5	
Trichloroethene	<0.37	ug/m3	1.0	0.37	1.87		07/16/21 17:52	79-01-6	
Trichlorofluoromethane	2.5	ug/m3	2.1	0.44	1.87		07/16/21 17:52	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.54	ug/m3	2.9	0.54	1.87		07/16/21 17:52	76-13-1	
1,2,4-Trimethylbenzene	13.7	ug/m3	1.9	0.66	1.87		07/16/21 17:52	95-63-6	
1,3,5-Trimethylbenzene	11.2	ug/m3	1.9	0.54	1.87		07/16/21 17:52	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.3	0.39	1.87		07/16/21 17:52	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.49	0.16	1.87		07/16/21 17:52	75-01-4	
m&p-Xylene	7.7	ug/m3	3.3	1.2	1.87		07/16/21 17:52	179601-23-1	
o-Xylene	4.6	ug/m3	1.7	0.51	1.87		07/16/21 17:52	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: SS-2 Lab ID: 10569624003 Collected: 07/08/21 11:00 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	259	ug/m3	11.6	3.5	1.92		07/16/21 19:05	67-64-1	
Benzene	66.3	ug/m3	0.62	0.22	1.92		07/16/21 19:05	71-43-2	
Benzyl chloride	<1.7	ug/m3	5.0	1.7	1.92		07/16/21 19:05	100-44-7	
Bromodichloromethane	<0.46	ug/m3	6.5	0.46	1.92		07/16/21 19:05	75-27-4	
Bromoform	<3.1	ug/m3	10.1	3.1	1.92		07/16/21 19:05	75-25-2	
Bromomethane	<0.29	ug/m3	1.5	0.29	1.92		07/16/21 19:05	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.86	0.23	1.92		07/16/21 19:05	106-99-0	
2-Butanone (MEK)	51.7	ug/m3	5.8	0.89	1.92		07/16/21 19:05	78-93-3	
Carbon disulfide	2.0	ug/m3	1.2	0.25	1.92		07/16/21 19:05	75-15-0	
Carbon tetrachloride	1.2J	ug/m3	2.5	0.54	1.92		07/16/21 19:05	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.8	0.30	1.92		07/16/21 19:05	108-90-7	
Chloroethane	<0.43	ug/m3	1.0	0.43	1.92		07/16/21 19:05	75-00-3	
Chloroform	<0.35	ug/m3	0.95	0.35	1.92		07/16/21 19:05	67-66-3	
Chloromethane	1.1	ug/m3	0.81	0.16	1.92		07/16/21 19:05	74-87-3	
Cyclohexane	19.2	ug/m3	3.4	0.42	1.92		07/16/21 19:05	110-82-7	
Dibromochloromethane	<0.99	ug/m3	3.3	0.99	1.92		07/16/21 19:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.58	ug/m3	1.5	0.58	1.92		07/16/21 19:05	106-93-4	
1,2-Dichlorobenzene	<0.78	ug/m3	5.9	0.78	1.92		07/16/21 19:05	95-50-1	
1,3-Dichlorobenzene	<0.98	ug/m3	5.9	0.98	1.92		07/16/21 19:05	541-73-1	
1,4-Dichlorobenzene	1.8J	ug/m3	5.9	1.7	1.92		07/16/21 19:05	106-46-7	
Dichlorodifluoromethane	3.1	ug/m3	1.9	0.36	1.92		07/16/21 19:05	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.6	0.32	1.92		07/16/21 19:05	75-34-3	
1,2-Dichloroethane	<0.37	ug/m3	1.6	0.37	1.92		07/16/21 19:05	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.92		07/16/21 19:05	75-35-4	
cis-1,2-Dichloroethene	<0.37	ug/m3	1.5	0.37	1.92		07/16/21 19:05	156-59-2	
trans-1,2-Dichloroethene	<0.32	ug/m3	1.5	0.32	1.92		07/16/21 19:05	156-60-5	
1,2-Dichloropropane	<0.52	ug/m3	1.8	0.52	1.92		07/16/21 19:05	78-87-5	
cis-1,3-Dichloropropene	<0.49	ug/m3	4.4	0.49	1.92		07/16/21 19:05	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.4	1.0	1.92		07/16/21 19:05	10061-02-6	
Dichlorotetrafluoroethane	<0.39	ug/m3	2.7	0.39	1.92		07/16/21 19:05	76-14-2	
Ethanol	824	ug/m3	3.7	1.1	1.92		07/16/21 19:05	64-17-5	E
Ethyl acetate	1.0J	ug/m3	1.4	0.25	1.92		07/16/21 19:05	141-78-6	
Ethylbenzene	18.2	ug/m3	1.7	0.59	1.92		07/16/21 19:05	100-41-4	
4-Ethyltoluene	6.8	ug/m3	4.8	0.91	1.92		07/16/21 19:05	622-96-8	
n-Heptane	36.9	ug/m3	1.6	0.35	1.92		07/16/21 19:05	142-82-5	
Hexachloro-1,3-butadiene	<2.4	ug/m3	10.4	2.4	1.92		07/16/21 19:05	87-68-3	
n-Hexane	37.8	ug/m3	1.4	0.37	1.92		07/16/21 19:05	110-54-3	
2-Hexanone	12.1	ug/m3	8.0	0.85	1.92		07/16/21 19:05	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.8	1.1	1.92		07/16/21 19:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	28.2	ug/m3	8.0	0.62	1.92		07/16/21 19:05	108-10-1	
Methyl-tert-butyl ether	<0.24	ug/m3	7.0	0.24	1.92		07/16/21 19:05	1634-04-4	
Naphthalene	4.9J	ug/m3	5.1	4.2	1.92		07/16/21 19:05	91-20-3	
2-Propanol	86.1	ug/m3	4.8	0.98	1.92		07/16/21 19:05	67-63-0	
Propylene	88.2	ug/m3	1.7	0.25	1.92		07/16/21 19:05	115-07-1	
Styrene	16.4	ug/m3	1.7	0.74	1.92		07/16/21 19:05	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-2 Lab ID: 10569624003 Collected: 07/08/21 11:00 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.71	ug/m3	2.7	0.71	1.92		07/16/21 19:05	79-34-5	
Tetrachloroethene	<0.56	ug/m3	1.3	0.56	1.92		07/16/21 19:05	127-18-4	
Tetrahydrofuran	<0.35	ug/m3	1.2	0.35	1.92		07/16/21 19:05	109-99-9	
Toluene	96.9	ug/m3	1.5	0.47	1.92		07/16/21 19:05	108-88-3	
1,2,4-Trichlorobenzene	9.5J	ug/m3	14.5	9.4	1.92		07/16/21 19:05	120-82-1	
1,1,1-Trichloroethane	<0.36	ug/m3	2.1	0.36	1.92		07/16/21 19:05	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	1.1	0.38	1.92		07/16/21 19:05	79-00-5	
Trichloroethene	0.71J	ug/m3	1.0	0.38	1.92		07/16/21 19:05	79-01-6	
Trichlorofluoromethane	2.0J	ug/m3	2.2	0.45	1.92		07/16/21 19:05	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.55	ug/m3	3.0	0.55	1.92		07/16/21 19:05	76-13-1	
1,2,4-Trimethylbenzene	31.7	ug/m3	1.9	0.68	1.92		07/16/21 19:05	95-63-6	
1,3,5-Trimethylbenzene	10.8	ug/m3	1.9	0.56	1.92		07/16/21 19:05	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.4	0.40	1.92		07/16/21 19:05	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.50	0.17	1.92		07/16/21 19:05	75-01-4	
m&p-Xylene	26.5	ug/m3	3.4	1.2	1.92		07/16/21 19:05	179601-23-1	
o-Xylene	12.9	ug/m3	1.7	0.52	1.92		07/16/21 19:05	95-47-6	

Sample: OA-1 Lab ID: 10569624004 Collected: 07/08/21 11:10 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	16.6	ug/m3	10.8	3.2	1.79		07/16/21 20:17	67-64-1	
Benzene	0.67	ug/m3	0.58	0.20	1.79		07/16/21 20:17	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.7	1.6	1.79		07/16/21 20:17	100-44-7	
Bromodichloromethane	<0.42	ug/m3	6.1	0.42	1.79		07/16/21 20:17	75-27-4	
Bromoform	<2.9	ug/m3	9.4	2.9	1.79		07/16/21 20:17	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.79		07/16/21 20:17	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.79		07/16/21 20:17	106-99-0	
2-Butanone (MEK)	2.9J	ug/m3	5.4	0.83	1.79		07/16/21 20:17	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.79		07/16/21 20:17	75-15-0	
Carbon tetrachloride	1.0J	ug/m3	2.3	0.50	1.79		07/16/21 20:17	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.79		07/16/21 20:17	108-90-7	
Chloroethane	<0.40	ug/m3	0.96	0.40	1.79		07/16/21 20:17	75-00-3	
Chloroform	<0.33	ug/m3	0.89	0.33	1.79		07/16/21 20:17	67-66-3	
Chloromethane	1.3	ug/m3	0.75	0.15	1.79		07/16/21 20:17	74-87-3	
Cyclohexane	<0.40	ug/m3	3.1	0.40	1.79		07/16/21 20:17	110-82-7	
Dibromochloromethane	<0.92	ug/m3	3.1	0.92	1.79		07/16/21 20:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.54	ug/m3	1.4	0.54	1.79		07/16/21 20:17	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	5.5	0.72	1.79		07/16/21 20:17	95-50-1	
1,3-Dichlorobenzene	<0.91	ug/m3	5.5	0.91	1.79		07/16/21 20:17	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.79		07/16/21 20:17	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: OA-1      Lab ID: 10569624004      Collected: 07/08/21 11:10      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	3.5	ug/m3	1.8	0.34	1.79		07/16/21 20:17	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.79		07/16/21 20:17	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	1.5	0.35	1.79		07/16/21 20:17	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		07/16/21 20:17	75-35-4	
cis-1,2-Dichloroethene	<0.35	ug/m3	1.4	0.35	1.79		07/16/21 20:17	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.79		07/16/21 20:17	156-60-5	
1,2-Dichloropropane	<0.48	ug/m3	1.7	0.48	1.79		07/16/21 20:17	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	4.1	0.46	1.79		07/16/21 20:17	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	4.1	0.97	1.79		07/16/21 20:17	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.5	0.36	1.79		07/16/21 20:17	76-14-2	
Ethanol	151	ug/m3	3.4	1.1	1.79		07/16/21 20:17	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.3	0.23	1.79		07/16/21 20:17	141-78-6	
Ethylbenzene	<0.55	ug/m3	1.6	0.55	1.79		07/16/21 20:17	100-41-4	
4-Ethyltoluene	<0.84	ug/m3	4.5	0.84	1.79		07/16/21 20:17	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.79		07/16/21 20:17	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.7	2.2	1.79		07/16/21 20:17	87-68-3	
n-Hexane	<0.34	ug/m3	1.3	0.34	1.79		07/16/21 20:17	110-54-3	
2-Hexanone	1.8J	ug/m3	7.4	0.79	1.79		07/16/21 20:17	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.3	1.1	1.79		07/16/21 20:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.57	ug/m3	7.4	0.57	1.79		07/16/21 20:17	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.79		07/16/21 20:17	1634-04-4	
Naphthalene	<3.9	ug/m3	4.8	3.9	1.79		07/16/21 20:17	91-20-3	
2-Propanol	2.5J	ug/m3	4.5	0.91	1.79		07/16/21 20:17	67-63-0	
Propylene	0.57J	ug/m3	1.6	0.23	1.79		07/16/21 20:17	115-07-1	
Styrene	1.2J	ug/m3	1.6	0.69	1.79		07/16/21 20:17	100-42-5	
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		07/16/21 20:17	79-34-5	
Tetrachloroethene	<0.52	ug/m3	1.2	0.52	1.79		07/16/21 20:17	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.1	0.32	1.79		07/16/21 20:17	109-99-9	
Toluene	1.4	ug/m3	1.4	0.44	1.79		07/16/21 20:17	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		07/16/21 20:17	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		07/16/21 20:17	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		07/16/21 20:17	79-00-5	
Trichloroethene	<0.35	ug/m3	0.98	0.35	1.79		07/16/21 20:17	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	2.0	0.42	1.79		07/16/21 20:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.52	ug/m3	2.8	0.52	1.79		07/16/21 20:17	76-13-1	
1,2,4-Trimethylbenzene	<0.63	ug/m3	1.8	0.63	1.79		07/16/21 20:17	95-63-6	
1,3,5-Trimethylbenzene	<0.52	ug/m3	1.8	0.52	1.79		07/16/21 20:17	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		07/16/21 20:17	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		07/16/21 20:17	75-01-4	
m&p-Xylene	<1.1	ug/m3	3.2	1.1	1.79		07/16/21 20:17	179601-23-1	
o-Xylene	<0.49	ug/m3	1.6	0.49	1.79		07/16/21 20:17	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-3 Lab ID: 10569624005 Collected: 07/08/21 12:30 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	118	ug/m3	8.8	2.6	1.46		07/16/21 20:54	67-64-1	
Benzene	2.0	ug/m3	0.47	0.17	1.46		07/16/21 20:54	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.46		07/16/21 20:54	100-44-7	
Bromodichloromethane	<0.35	ug/m3	5.0	0.35	1.46		07/16/21 20:54	75-27-4	
Bromoform	<2.4	ug/m3	7.7	2.4	1.46		07/16/21 20:54	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.46		07/16/21 20:54	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.66	0.18	1.46		07/16/21 20:54	106-99-0	
2-Butanone (MEK)	19.1	ug/m3	4.4	0.68	1.46		07/16/21 20:54	78-93-3	
Carbon disulfide	1.7	ug/m3	0.92	0.19	1.46		07/16/21 20:54	75-15-0	
Carbon tetrachloride	0.70J	ug/m3	1.9	0.41	1.46		07/16/21 20:54	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.46		07/16/21 20:54	108-90-7	
Chloroethane	<0.33	ug/m3	0.78	0.33	1.46		07/16/21 20:54	75-00-3	
Chloroform	0.45J	ug/m3	0.72	0.27	1.46		07/16/21 20:54	67-66-3	
Chloromethane	0.92	ug/m3	0.61	0.12	1.46		07/16/21 20:54	74-87-3	
Cyclohexane	16.4	ug/m3	2.6	0.32	1.46		07/16/21 20:54	110-82-7	
Dibromochloromethane	<0.75	ug/m3	2.5	0.75	1.46		07/16/21 20:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.1	0.44	1.46		07/16/21 20:54	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	4.5	0.59	1.46		07/16/21 20:54	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	4.5	0.74	1.46		07/16/21 20:54	541-73-1	
1,4-Dichlorobenzene	1.4J	ug/m3	4.5	1.3	1.46		07/16/21 20:54	106-46-7	
Dichlorodifluoromethane	2.8	ug/m3	1.5	0.27	1.46		07/16/21 20:54	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.46		07/16/21 20:54	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.46		07/16/21 20:54	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		07/16/21 20:54	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.46		07/16/21 20:54	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.46		07/16/21 20:54	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.46		07/16/21 20:54	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.4	0.37	1.46		07/16/21 20:54	10061-01-5	
trans-1,3-Dichloropropene	<0.79	ug/m3	3.4	0.79	1.46		07/16/21 20:54	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.1	0.29	1.46		07/16/21 20:54	76-14-2	
Ethanol	312	ug/m3	2.8	0.86	1.46		07/16/21 20:54	64-17-5	
Ethyl acetate	31.0	ug/m3	1.1	0.19	1.46		07/16/21 20:54	141-78-6	
Ethylbenzene	4.6	ug/m3	1.3	0.45	1.46		07/16/21 20:54	100-41-4	
4-Ethyltoluene	3.2J	ug/m3	3.6	0.69	1.46		07/16/21 20:54	622-96-8	
n-Heptane	36.1	ug/m3	1.2	0.26	1.46		07/16/21 20:54	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.9	1.8	1.46		07/16/21 20:54	87-68-3	
n-Hexane	7.3	ug/m3	1.0	0.28	1.46		07/16/21 20:54	110-54-3	
2-Hexanone	2.0J	ug/m3	6.1	0.65	1.46		07/16/21 20:54	591-78-6	
Methylene Chloride	<0.87	ug/m3	5.2	0.87	1.46		07/16/21 20:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	6.1	0.47	1.46		07/16/21 20:54	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.46		07/16/21 20:54	1634-04-4	
Naphthalene	4.5	ug/m3	3.9	3.2	1.46		07/16/21 20:54	91-20-3	
2-Propanol	50.4	ug/m3	3.6	0.74	1.46		07/16/21 20:54	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.46		07/16/21 20:54	115-07-1	
Styrene	6.2	ug/m3	1.3	0.56	1.46		07/16/21 20:54	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

**Sample: SS-3**      **Lab ID: 10569624005**      Collected: 07/08/21 12:30      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.46		07/16/21 20:54	79-34-5	
Tetrachloroethene	201	ug/m3	1.0	0.43	1.46		07/16/21 20:54	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.88	0.26	1.46		07/16/21 20:54	109-99-9	
Toluene	53.3	ug/m3	1.1	0.36	1.46		07/16/21 20:54	108-88-3	
1,2,4-Trichlorobenzene	7.1J	ug/m3	11.0	7.1	1.46		07/16/21 20:54	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.46		07/16/21 20:54	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.81	0.29	1.46		07/16/21 20:54	79-00-5	
Trichloroethene	0.80J	ug/m3	0.80	0.29	1.46		07/16/21 20:54	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.7	0.34	1.46		07/16/21 20:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.42	ug/m3	2.3	0.42	1.46		07/16/21 20:54	76-13-1	
1,2,4-Trimethylbenzene	8.0	ug/m3	1.5	0.52	1.46		07/16/21 20:54	95-63-6	
1,3,5-Trimethylbenzene	2.9	ug/m3	1.5	0.42	1.46		07/16/21 20:54	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.46		07/16/21 20:54	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.38	0.13	1.46		07/16/21 20:54	75-01-4	
m&p-Xylene	11.8	ug/m3	2.6	0.94	1.46		07/16/21 20:54	179601-23-1	
o-Xylene	5.3	ug/m3	1.3	0.40	1.46		07/16/21 20:54	95-47-6	

**Sample: IA-2**      **Lab ID: 10569624006**      Collected: 07/08/21 12:35      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	30.6	ug/m3	10.6	3.2	1.75		07/16/21 21:30	67-64-1	
Benzene	0.63	ug/m3	0.57	0.20	1.75		07/16/21 21:30	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		07/16/21 21:30	100-44-7	
Bromodichloromethane	<0.41	ug/m3	6.0	0.41	1.75		07/16/21 21:30	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		07/16/21 21:30	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		07/16/21 21:30	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		07/16/21 21:30	106-99-0	
2-Butanone (MEK)	6.9	ug/m3	5.2	0.81	1.75		07/16/21 21:30	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.75		07/16/21 21:30	75-15-0	
Carbon tetrachloride	0.88J	ug/m3	2.2	0.49	1.75		07/16/21 21:30	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		07/16/21 21:30	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		07/16/21 21:30	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		07/16/21 21:30	67-66-3	
Chloromethane	0.80	ug/m3	0.74	0.15	1.75		07/16/21 21:30	74-87-3	
Cyclohexane	0.42J	ug/m3	3.1	0.39	1.75		07/16/21 21:30	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		07/16/21 21:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		07/16/21 21:30	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		07/16/21 21:30	95-50-1	
1,3-Dichlorobenzene	<0.89	ug/m3	5.4	0.89	1.75		07/16/21 21:30	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		07/16/21 21:30	106-46-7	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: IA-2 Lab ID: 10569624006 Collected: 07/08/21 12:35 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Dichlorodifluoromethane	3.1	ug/m3	1.8	0.33	1.75		07/16/21 21:30	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 21:30	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 21:30	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		07/16/21 21:30	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 21:30	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 21:30	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		07/16/21 21:30	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		07/16/21 21:30	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		07/16/21 21:30	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		07/16/21 21:30	76-14-2	
Ethanol	144	ug/m3	3.4	1.0	1.75		07/16/21 21:30	64-17-5	
Ethyl acetate	1.1J	ug/m3	1.3	0.23	1.75		07/16/21 21:30	141-78-6	
Ethylbenzene	<0.54	ug/m3	1.5	0.54	1.75		07/16/21 21:30	100-41-4	
4-Ethyltoluene	1.4J	ug/m3	4.4	0.83	1.75		07/16/21 21:30	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.75		07/16/21 21:30	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		07/16/21 21:30	87-68-3	
n-Hexane	0.55J	ug/m3	1.3	0.33	1.75		07/16/21 21:30	110-54-3	
2-Hexanone	1.8J	ug/m3	7.3	0.77	1.75		07/16/21 21:30	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		07/16/21 21:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		07/16/21 21:30	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		07/16/21 21:30	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		07/16/21 21:30	91-20-3	
2-Propanol	20.0	ug/m3	4.4	0.89	1.75		07/16/21 21:30	67-63-0	
Propylene	1.5J	ug/m3	1.5	0.23	1.75		07/16/21 21:30	115-07-1	
Styrene	0.94J	ug/m3	1.5	0.67	1.75		07/16/21 21:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		07/16/21 21:30	79-34-5	
Tetrachloroethene	2.3	ug/m3	1.2	0.51	1.75		07/16/21 21:30	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		07/16/21 21:30	109-99-9	
Toluene	1.5	ug/m3	1.3	0.43	1.75		07/16/21 21:30	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		07/16/21 21:30	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		07/16/21 21:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		07/16/21 21:30	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		07/16/21 21:30	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	2.0	0.41	1.75		07/16/21 21:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.51	ug/m3	2.7	0.51	1.75		07/16/21 21:30	76-13-1	
1,2,4-Trimethylbenzene	0.80J	ug/m3	1.7	0.62	1.75		07/16/21 21:30	95-63-6	
1,3,5-Trimethylbenzene	0.65J	ug/m3	1.7	0.51	1.75		07/16/21 21:30	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		07/16/21 21:30	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		07/16/21 21:30	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.1	1.1	1.75		07/16/21 21:30	179601-23-1	
o-Xylene	<0.47	ug/m3	1.5	0.47	1.75		07/16/21 21:30	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

**Sample: SS-4**      **Lab ID: 10569624007**      Collected: 07/08/21 13:40      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	73.4	ug/m3	10.8	3.2	1.79		07/16/21 22:07	67-64-1	
Benzene	2.2	ug/m3	0.58	0.20	1.79		07/16/21 22:07	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.7	1.6	1.79		07/16/21 22:07	100-44-7	
Bromodichloromethane	<0.42	ug/m3	6.1	0.42	1.79		07/16/21 22:07	75-27-4	
Bromoform	<2.9	ug/m3	9.4	2.9	1.79		07/16/21 22:07	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.79		07/16/21 22:07	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.79		07/16/21 22:07	106-99-0	
2-Butanone (MEK)	11.4	ug/m3	5.4	0.83	1.79		07/16/21 22:07	78-93-3	
Carbon disulfide	0.91J	ug/m3	1.1	0.23	1.79		07/16/21 22:07	75-15-0	
Carbon tetrachloride	0.71J	ug/m3	2.3	0.50	1.79		07/16/21 22:07	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.79		07/16/21 22:07	108-90-7	
Chloroethane	<0.40	ug/m3	0.96	0.40	1.79		07/16/21 22:07	75-00-3	
Chloroform	<0.33	ug/m3	0.89	0.33	1.79		07/16/21 22:07	67-66-3	
Chloromethane	0.78	ug/m3	0.75	0.15	1.79		07/16/21 22:07	74-87-3	
Cyclohexane	6.1	ug/m3	3.1	0.40	1.79		07/16/21 22:07	110-82-7	
Dibromochloromethane	<0.92	ug/m3	3.1	0.92	1.79		07/16/21 22:07	124-48-1	
1,2-Dibromoethane (EDB)	<0.54	ug/m3	1.4	0.54	1.79		07/16/21 22:07	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	5.5	0.72	1.79		07/16/21 22:07	95-50-1	
1,3-Dichlorobenzene	1.3J	ug/m3	5.5	0.91	1.79		07/16/21 22:07	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.79		07/16/21 22:07	106-46-7	
Dichlorodifluoromethane	3.2	ug/m3	1.8	0.34	1.79		07/16/21 22:07	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.79		07/16/21 22:07	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	1.5	0.35	1.79		07/16/21 22:07	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		07/16/21 22:07	75-35-4	
cis-1,2-Dichloroethene	<0.35	ug/m3	1.4	0.35	1.79		07/16/21 22:07	156-59-2	
trans-1,2-Dichloroethene	2.9	ug/m3	1.4	0.30	1.79		07/16/21 22:07	156-60-5	
1,2-Dichloropropane	<0.48	ug/m3	1.7	0.48	1.79		07/16/21 22:07	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	4.1	0.46	1.79		07/16/21 22:07	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	4.1	0.97	1.79		07/16/21 22:07	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.5	0.36	1.79		07/16/21 22:07	76-14-2	
Ethanol	113	ug/m3	3.4	1.1	1.79		07/16/21 22:07	64-17-5	
Ethyl acetate	7.0	ug/m3	1.3	0.23	1.79		07/16/21 22:07	141-78-6	
Ethylbenzene	3.3	ug/m3	1.6	0.55	1.79		07/16/21 22:07	100-41-4	
4-Ethyltoluene	2.0J	ug/m3	4.5	0.84	1.79		07/16/21 22:07	622-96-8	
n-Heptane	10.1	ug/m3	1.5	0.32	1.79		07/16/21 22:07	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.7	2.2	1.79		07/16/21 22:07	87-68-3	
n-Hexane	5.1	ug/m3	1.3	0.34	1.79		07/16/21 22:07	110-54-3	
2-Hexanone	<0.79	ug/m3	7.4	0.79	1.79		07/16/21 22:07	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.3	1.1	1.79		07/16/21 22:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.4	0.57	1.79		07/16/21 22:07	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.79		07/16/21 22:07	1634-04-4	
Naphthalene	4.1J	ug/m3	4.8	3.9	1.79		07/16/21 22:07	91-20-3	
2-Propanol	18.6	ug/m3	4.5	0.91	1.79		07/16/21 22:07	67-63-0	
Propylene	<0.23	ug/m3	1.6	0.23	1.79		07/16/21 22:07	115-07-1	
Styrene	1.9	ug/m3	1.6	0.69	1.79		07/16/21 22:07	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-4 Lab ID: 10569624007 Collected: 07/08/21 13:40 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		07/16/21 22:07	79-34-5	
Tetrachloroethene	9.7	ug/m3	1.2	0.52	1.79		07/16/21 22:07	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.1	0.32	1.79		07/16/21 22:07	109-99-9	
Toluene	30.7	ug/m3	1.4	0.44	1.79		07/16/21 22:07	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		07/16/21 22:07	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		07/16/21 22:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		07/16/21 22:07	79-00-5	
Trichloroethene	<0.35	ug/m3	0.98	0.35	1.79		07/16/21 22:07	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	2.0	0.42	1.79		07/16/21 22:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.8	0.52	1.79		07/16/21 22:07	76-13-1	
1,2,4-Trimethylbenzene	3.6	ug/m3	1.8	0.63	1.79		07/16/21 22:07	95-63-6	
1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	0.52	1.79		07/16/21 22:07	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		07/16/21 22:07	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		07/16/21 22:07	75-01-4	
m&p-Xylene	6.0	ug/m3	3.2	1.1	1.79		07/16/21 22:07	179601-23-1	
o-Xylene	2.7	ug/m3	1.6	0.49	1.79		07/16/21 22:07	95-47-6	

Sample: IA-3 Lab ID: 10569624008 Collected: 07/08/21 13:45 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Acetone	40.4	ug/m3	10.6	3.2	1.75		07/16/21 22:43	67-64-1	
Benzene	0.59	ug/m3	0.57	0.20	1.75		07/16/21 22:43	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		07/16/21 22:43	100-44-7	
Bromodichloromethane	<0.41	ug/m3	6.0	0.41	1.75		07/16/21 22:43	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		07/16/21 22:43	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		07/16/21 22:43	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		07/16/21 22:43	106-99-0	
2-Butanone (MEK)	7.9	ug/m3	5.2	0.81	1.75		07/16/21 22:43	78-93-3	
Carbon disulfide	0.52J	ug/m3	1.1	0.23	1.75		07/16/21 22:43	75-15-0	
Carbon tetrachloride	<0.49	ug/m3	2.2	0.49	1.75		07/16/21 22:43	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		07/16/21 22:43	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		07/16/21 22:43	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		07/16/21 22:43	67-66-3	
Chloromethane	0.80	ug/m3	0.74	0.15	1.75		07/16/21 22:43	74-87-3	
Cyclohexane	<0.39	ug/m3	3.1	0.39	1.75		07/16/21 22:43	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		07/16/21 22:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		07/16/21 22:43	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		07/16/21 22:43	95-50-1	
1,3-Dichlorobenzene	2.5J	ug/m3	5.4	0.89	1.75		07/16/21 22:43	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		07/16/21 22:43	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: IA-3 Lab ID: 10569624008 Collected: 07/08/21 13:45 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.0	ug/m3	1.8	0.33	1.75		07/16/21 22:43	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 22:43	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 22:43	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		07/16/21 22:43	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 22:43	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 22:43	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		07/16/21 22:43	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		07/16/21 22:43	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		07/16/21 22:43	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		07/16/21 22:43	76-14-2	
Ethanol	124	ug/m3	3.4	1.0	1.75		07/16/21 22:43	64-17-5	
Ethyl acetate	1.4	ug/m3	1.3	0.23	1.75		07/16/21 22:43	141-78-6	
Ethylbenzene	<0.54	ug/m3	1.5	0.54	1.75		07/16/21 22:43	100-41-4	
4-Ethyltoluene	1.3J	ug/m3	4.4	0.83	1.75		07/16/21 22:43	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.75		07/16/21 22:43	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		07/16/21 22:43	87-68-3	
n-Hexane	0.49J	ug/m3	1.3	0.33	1.75		07/16/21 22:43	110-54-3	
2-Hexanone	1.6J	ug/m3	7.3	0.77	1.75		07/16/21 22:43	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		07/16/21 22:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		07/16/21 22:43	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		07/16/21 22:43	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		07/16/21 22:43	91-20-3	
2-Propanol	32.1	ug/m3	4.4	0.89	1.75		07/16/21 22:43	67-63-0	
Propylene	1.2J	ug/m3	1.5	0.23	1.75		07/16/21 22:43	115-07-1	
Styrene	1.2J	ug/m3	1.5	0.67	1.75		07/16/21 22:43	100-42-5	
1,1,2,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		07/16/21 22:43	79-34-5	
Tetrachloroethene	<0.51	ug/m3	1.2	0.51	1.75		07/16/21 22:43	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		07/16/21 22:43	109-99-9	
Toluene	8.4	ug/m3	1.3	0.43	1.75		07/16/21 22:43	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		07/16/21 22:43	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		07/16/21 22:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		07/16/21 22:43	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		07/16/21 22:43	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	2.0	0.41	1.75		07/16/21 22:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.51	ug/m3	2.7	0.51	1.75		07/16/21 22:43	76-13-1	
1,2,4-Trimethylbenzene	1.0J	ug/m3	1.7	0.62	1.75		07/16/21 22:43	95-63-6	
1,3,5-Trimethylbenzene	0.70J	ug/m3	1.7	0.51	1.75		07/16/21 22:43	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		07/16/21 22:43	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		07/16/21 22:43	75-01-4	
m&p-Xylene	1.9J	ug/m3	3.1	1.1	1.75		07/16/21 22:43	179601-23-1	
o-Xylene	0.63J	ug/m3	1.5	0.47	1.75		07/16/21 22:43	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-5 Lab ID: 10569624009 Collected: 07/08/21 13:54 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	23.8	ug/m3	11.8	3.5	1.96		07/16/21 23:20	67-64-1	
Benzene	0.44J	ug/m3	0.64	0.22	1.96		07/16/21 23:20	71-43-2	
Benzyl chloride	<1.7	ug/m3	5.2	1.7	1.96		07/16/21 23:20	100-44-7	
Bromodichloromethane	<0.46	ug/m3	6.7	0.46	1.96		07/16/21 23:20	75-27-4	
Bromoform	<3.2	ug/m3	10.3	3.2	1.96		07/16/21 23:20	75-25-2	
Bromomethane	<0.29	ug/m3	1.5	0.29	1.96		07/16/21 23:20	74-83-9	
1,3-Butadiene	<0.24	ug/m3	0.88	0.24	1.96		07/16/21 23:20	106-99-0	
2-Butanone (MEK)	8.4	ug/m3	5.9	0.91	1.96		07/16/21 23:20	78-93-3	
Carbon disulfide	<0.25	ug/m3	1.2	0.25	1.96		07/16/21 23:20	75-15-0	
Carbon tetrachloride	0.93J	ug/m3	2.5	0.55	1.96		07/16/21 23:20	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.8	0.30	1.96		07/16/21 23:20	108-90-7	
Chloroethane	0.87J	ug/m3	1.1	0.44	1.96		07/16/21 23:20	75-00-3	
Chloroform	<0.36	ug/m3	0.97	0.36	1.96		07/16/21 23:20	67-66-3	
Chloromethane	0.81J	ug/m3	0.82	0.17	1.96		07/16/21 23:20	74-87-3	
Cyclohexane	0.67J	ug/m3	3.4	0.43	1.96		07/16/21 23:20	110-82-7	
Dibromochloromethane	<1.0	ug/m3	3.4	1.0	1.96		07/16/21 23:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.59	ug/m3	1.5	0.59	1.96		07/16/21 23:20	106-93-4	
1,2-Dichlorobenzene	<0.79	ug/m3	6.0	0.79	1.96		07/16/21 23:20	95-50-1	
1,3-Dichlorobenzene	1.2J	ug/m3	6.0	1.0	1.96		07/16/21 23:20	541-73-1	
1,4-Dichlorobenzene	<1.7	ug/m3	6.0	1.7	1.96		07/16/21 23:20	106-46-7	
Dichlorodifluoromethane	3.1	ug/m3	2.0	0.37	1.96		07/16/21 23:20	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.6	0.32	1.96		07/16/21 23:20	75-34-3	
1,2-Dichloroethane	<0.38	ug/m3	1.6	0.38	1.96		07/16/21 23:20	107-06-2	
1,1-Dichloroethene	<0.27	ug/m3	1.6	0.27	1.96		07/16/21 23:20	75-35-4	
cis-1,2-Dichloroethene	<0.38	ug/m3	1.6	0.38	1.96		07/16/21 23:20	156-59-2	
trans-1,2-Dichloroethene	<0.33	ug/m3	1.6	0.33	1.96		07/16/21 23:20	156-60-5	
1,2-Dichloropropane	<0.53	ug/m3	1.8	0.53	1.96		07/16/21 23:20	78-87-5	
cis-1,3-Dichloropropene	<0.50	ug/m3	4.5	0.50	1.96		07/16/21 23:20	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	4.5	1.1	1.96		07/16/21 23:20	10061-02-6	
Dichlorotetrafluoroethane	<0.40	ug/m3	2.8	0.40	1.96		07/16/21 23:20	76-14-2	
Ethanol	192	ug/m3	3.8	1.2	1.96		07/16/21 23:20	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.4	0.26	1.96		07/16/21 23:20	141-78-6	
Ethylbenzene	<0.61	ug/m3	1.7	0.61	1.96		07/16/21 23:20	100-41-4	
4-Ethyltoluene	<0.93	ug/m3	4.9	0.93	1.96		07/16/21 23:20	622-96-8	
n-Heptane	<0.35	ug/m3	1.6	0.35	1.96		07/16/21 23:20	142-82-5	
Hexachloro-1,3-butadiene	<2.4	ug/m3	10.6	2.4	1.96		07/16/21 23:20	87-68-3	
n-Hexane	0.67J	ug/m3	1.4	0.37	1.96		07/16/21 23:20	110-54-3	
2-Hexanone	1.9J	ug/m3	8.2	0.87	1.96		07/16/21 23:20	591-78-6	
Methylene Chloride	<1.2	ug/m3	6.9	1.2	1.96		07/16/21 23:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.63	ug/m3	8.2	0.63	1.96		07/16/21 23:20	108-10-1	
Methyl-tert-butyl ether	<0.25	ug/m3	7.2	0.25	1.96		07/16/21 23:20	1634-04-4	
Naphthalene	<4.3	ug/m3	5.2	4.3	1.96		07/16/21 23:20	91-20-3	
2-Propanol	5.0	ug/m3	4.9	1.0	1.96		07/16/21 23:20	67-63-0	
Propylene	<0.25	ug/m3	1.7	0.25	1.96		07/16/21 23:20	115-07-1	
Styrene	1.2J	ug/m3	1.7	0.75	1.96		07/16/21 23:20	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: SS-5 Lab ID: 10569624009 Collected: 07/08/21 13:54 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.73	ug/m3	2.7	0.73	1.96		07/16/21 23:20	79-34-5	
Tetrachloroethene	<0.57	ug/m3	1.4	0.57	1.96		07/16/21 23:20	127-18-4	
Tetrahydrofuran	<0.35	ug/m3	1.2	0.35	1.96		07/16/21 23:20	109-99-9	
Toluene	1.9	ug/m3	1.5	0.48	1.96		07/16/21 23:20	108-88-3	
1,2,4-Trichlorobenzene	<9.6	ug/m3	14.8	9.6	1.96		07/16/21 23:20	120-82-1	
1,1,1-Trichloroethane	<0.36	ug/m3	2.2	0.36	1.96		07/16/21 23:20	71-55-6	
1,1,2-Trichloroethane	<0.39	ug/m3	1.1	0.39	1.96		07/16/21 23:20	79-00-5	
Trichloroethene	<0.38	ug/m3	1.1	0.38	1.96		07/16/21 23:20	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	2.2	0.46	1.96		07/16/21 23:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.99J	ug/m3	3.1	0.57	1.96		07/16/21 23:20	76-13-1	
1,2,4-Trimethylbenzene	0.89J	ug/m3	2.0	0.69	1.96		07/16/21 23:20	95-63-6	
1,3,5-Trimethylbenzene	0.74J	ug/m3	2.0	0.57	1.96		07/16/21 23:20	108-67-8	
Vinyl acetate	<0.41	ug/m3	1.4	0.41	1.96		07/16/21 23:20	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.51	0.17	1.96		07/16/21 23:20	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.5	1.3	1.96		07/16/21 23:20	179601-23-1	
o-Xylene	<0.53	ug/m3	1.7	0.53	1.96		07/16/21 23:20	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

QC Batch: 756759

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR Low Level

Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

METHOD BLANK: 4035525

Matrix: Air

Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.19	1.1	07/16/21 11:55	
1,1,2,2-Tetrachloroethane	ug/m3	<0.37	1.4	07/16/21 11:55	
1,1,2-Trichloroethane	ug/m3	<0.20	0.56	07/16/21 11:55	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.29	1.6	07/16/21 11:55	
1,1-Dichloroethane	ug/m3	<0.16	0.82	07/16/21 11:55	
1,1-Dichloroethene	ug/m3	<0.14	0.81	07/16/21 11:55	
1,2,4-Trichlorobenzene	ug/m3	5.0J	7.5	07/16/21 11:55	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	07/16/21 11:55	
1,2-Dibromoethane (EDB)	ug/m3	<0.30	0.78	07/16/21 11:55	
1,2-Dichlorobenzene	ug/m3	<0.40	3.1	07/16/21 11:55	
1,2-Dichloroethane	ug/m3	<0.19	0.82	07/16/21 11:55	
1,2-Dichloropropane	ug/m3	<0.27	0.94	07/16/21 11:55	
1,3,5-Trimethylbenzene	ug/m3	<0.29	1.0	07/16/21 11:55	
1,3-Butadiene	ug/m3	<0.12	0.45	07/16/21 11:55	
1,3-Dichlorobenzene	ug/m3	<0.51	3.1	07/16/21 11:55	
1,4-Dichlorobenzene	ug/m3	<0.88	3.1	07/16/21 11:55	
2-Butanone (MEK)	ug/m3	<0.46	3.0	07/16/21 11:55	
2-Hexanone	ug/m3	<0.44	4.2	07/16/21 11:55	
2-Propanol	ug/m3	<0.51	2.5	07/16/21 11:55	
4-Ethyltoluene	ug/m3	<0.47	2.5	07/16/21 11:55	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.32	4.2	07/16/21 11:55	
Acetone	ug/m3	<1.8	6.0	07/16/21 11:55	
Benzene	ug/m3	<0.11	0.32	07/16/21 11:55	
Benzyl chloride	ug/m3	<0.89	2.6	07/16/21 11:55	
Bromodichloromethane	ug/m3	<0.24	3.4	07/16/21 11:55	
Bromoform	ug/m3	<1.6	5.2	07/16/21 11:55	
Bromomethane	ug/m3	<0.15	0.79	07/16/21 11:55	
Carbon disulfide	ug/m3	<0.13	0.63	07/16/21 11:55	
Carbon tetrachloride	ug/m3	<0.28	1.3	07/16/21 11:55	
Chlorobenzene	ug/m3	<0.16	0.94	07/16/21 11:55	
Chloroethane	ug/m3	<0.22	0.54	07/16/21 11:55	
Chloroform	ug/m3	<0.18	0.50	07/16/21 11:55	
Chloromethane	ug/m3	<0.085	0.42	07/16/21 11:55	
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	07/16/21 11:55	
cis-1,3-Dichloropropene	ug/m3	<0.26	2.3	07/16/21 11:55	
Cyclohexane	ug/m3	<0.22	1.8	07/16/21 11:55	
Dibromochloromethane	ug/m3	<0.52	1.7	07/16/21 11:55	
Dichlorodifluoromethane	ug/m3	<0.19	1.0	07/16/21 11:55	
Dichlorotetrafluoroethane	ug/m3	<0.20	1.4	07/16/21 11:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

METHOD BLANK: 4035525 Matrix: Air  
Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.59	1.9	07/16/21 11:55	
Ethyl acetate	ug/m3	<0.13	0.73	07/16/21 11:55	
Ethylbenzene	ug/m3	<0.31	0.88	07/16/21 11:55	
Hexachloro-1,3-butadiene	ug/m3	<1.2	5.4	07/16/21 11:55	
m&p-Xylene	ug/m3	<0.64	1.8	07/16/21 11:55	
Methyl-tert-butyl ether	ug/m3	<0.13	3.7	07/16/21 11:55	
Methylene Chloride	ug/m3	<0.59	3.5	07/16/21 11:55	
n-Heptane	ug/m3	<0.18	0.83	07/16/21 11:55	
n-Hexane	ug/m3	<0.19	0.72	07/16/21 11:55	
Naphthalene	ug/m3	<2.2	2.7	07/16/21 11:55	
o-Xylene	ug/m3	<0.27	0.88	07/16/21 11:55	
Propylene	ug/m3	<0.13	0.88	07/16/21 11:55	
Styrene	ug/m3	<0.38	0.87	07/16/21 11:55	
Tetrachloroethene	ug/m3	<0.29	0.69	07/16/21 11:55	
Tetrahydrofuran	ug/m3	<0.18	0.60	07/16/21 11:55	
Toluene	ug/m3	<0.24	0.77	07/16/21 11:55	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	07/16/21 11:55	
trans-1,3-Dichloropropene	ug/m3	<0.54	2.3	07/16/21 11:55	
Trichloroethene	ug/m3	<0.20	0.55	07/16/21 11:55	
Trichlorofluoromethane	ug/m3	<0.23	1.1	07/16/21 11:55	
Vinyl acetate	ug/m3	<0.21	0.72	07/16/21 11:55	
Vinyl chloride	ug/m3	<0.087	0.26	07/16/21 11:55	

LABORATORY CONTROL SAMPLE: 4035526

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	65.6	111	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	84.1	112	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	72.7	122	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	92.6	111	70-130	
1,1-Dichloroethane	ug/m3	43.9	48.1	109	70-133	
1,1-Dichloroethene	ug/m3	43.5	48.3	111	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	187	105	69-132	
1,2,4-Trimethylbenzene	ug/m3	54	60.8	113	70-142	
1,2-Dibromoethane (EDB)	ug/m3	82.5	90.7	110	70-138	
1,2-Dichlorobenzene	ug/m3	66.2	73.7	111	70-146	
1,2-Dichloroethane	ug/m3	44.4	45.6	103	70-132	
1,2-Dichloropropane	ug/m3	50.6	53.5	106	70-134	
1,3,5-Trimethylbenzene	ug/m3	53.7	59.5	111	70-143	
1,3-Butadiene	ug/m3	24.2	24.2	100	70-136	
1,3-Dichlorobenzene	ug/m3	66.3	72.5	109	70-145	
1,4-Dichlorobenzene	ug/m3	66.3	70.7	107	70-140	
2-Butanone (MEK)	ug/m3	32.3	35.4	110	50-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

LABORATORY CONTROL SAMPLE: 4035526

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	44.8	52.1	116	70-148	
2-Propanol	ug/m3	149	158	106	67-135	
4-Ethyltoluene	ug/m3	53.7	58.9	110	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	50.9	113	70-139	
Acetone	ug/m3	128	132	103	64-130	
Benzene	ug/m3	34.8	35.7	102	70-131	
Benzyl chloride	ug/m3	57.6	61.4	107	70-130	
Bromodichloromethane	ug/m3	73.1	61.9	85	70-133	
Bromoform	ug/m3	114	125	110	70-137	
Bromomethane	ug/m3	42.5	37.2	88	64-134	
Carbon disulfide	ug/m3	34.4	37.3	108	70-131	
Carbon tetrachloride	ug/m3	69.4	75.4	109	70-131	
Chlorobenzene	ug/m3	50.2	53.3	106	70-130	
Chloroethane	ug/m3	28.8	31.5	109	69-141	
Chloroform	ug/m3	52.4	60.5	115	70-130	
Chloromethane	ug/m3	22.6	21.3	95	70-130	
cis-1,2-Dichloroethene	ug/m3	43.4	43.0	99	70-137	
cis-1,3-Dichloropropene	ug/m3	49.4	53.8	109	70-144	
Cyclohexane	ug/m3	37.4	40.0	107	70-137	
Dibromochloromethane	ug/m3	93.2	103	111	70-132	
Dichlorodifluoromethane	ug/m3	54.6	53.2	97	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	68.4	96	70-130	
Ethanol	ug/m3	124	116	94	63-133	
Ethyl acetate	ug/m3	38.9	41.4	106	70-136	
Ethylbenzene	ug/m3	47.8	54.0	113	70-142	
Hexachloro-1,3-butadiene	ug/m3	133	155	116	70-135	
m&p-Xylene	ug/m3	95.4	105	111	70-141	
Methyl-tert-butyl ether	ug/m3	39.6	41.8	106	70-143	
Methylene Chloride	ug/m3	190	212	111	70-130	
n-Heptane	ug/m3	44.6	48.4	108	70-137	
n-Hexane	ug/m3	38	38.3	101	70-135	
Naphthalene	ug/m3	65.2	70.2	108	67-132	
o-Xylene	ug/m3	47.6	53.7	113	70-141	
Propylene	ug/m3	18.9	18.0	96	70-130	
Styrene	ug/m3	47	53.6	114	70-142	
Tetrachloroethene	ug/m3	73.4	76.2	104	70-130	
Tetrahydrofuran	ug/m3	32.1	36.5	114	70-136	
Toluene	ug/m3	41.6	45.0	108	70-138	
trans-1,2-Dichloroethene	ug/m3	43.6	43.8	100	70-130	
trans-1,3-Dichloropropene	ug/m3	50.5	53.7	106	70-145	
Trichloroethene	ug/m3	58.4	59.5	102	70-130	
Trichlorofluoromethane	ug/m3	62	65.1	105	69-135	
Vinyl acetate	ug/m3	46.4	50.4	109	70-146	
Vinyl chloride	ug/m3	28	26.8	96	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036067

Parameter	Units	10569624002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.35	<0.35		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.70	<0.70		25	
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.54	<0.54		25	
1,1-Dichloroethane	ug/m3	<0.31	<0.31		25	
1,1-Dichloroethene	ug/m3	<0.26	<0.26		25	
1,2,4-Trichlorobenzene	ug/m3	9.3J	9.3J		25	
1,2,4-Trimethylbenzene	ug/m3	13.7	13.6	1	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.56	<0.56		25	
1,2-Dichlorobenzene	ug/m3	<0.76	<0.76		25	
1,2-Dichloroethane	ug/m3	<0.36	<0.36		25	
1,2-Dichloropropane	ug/m3	<0.50	<0.50		25	
1,3,5-Trimethylbenzene	ug/m3	11.2	11.5	2	25	
1,3-Butadiene	ug/m3	<0.22	<0.22		25	
1,3-Dichlorobenzene	ug/m3	<0.95	<0.95		25	
1,4-Dichlorobenzene	ug/m3	<1.6	<1.6		25	
2-Butanone (MEK)	ug/m3	24.1	28.0	15	25	
2-Hexanone	ug/m3	4.3J	4.4J		25	
2-Propanol	ug/m3	197	211	7	25	
4-Ethyltoluene	ug/m3	6.3	6.7	6	25	
4-Methyl-2-pentanone (MIBK)	ug/m3	8.8	7.9	10	25	
Acetone	ug/m3	242	261	7	25	
Benzene	ug/m3	4.4	4.3	2	25	
Benzyl chloride	ug/m3	<1.7	<1.7		25	
Bromodichloromethane	ug/m3	<0.44	<0.44		25	
Bromoform	ug/m3	<3.0	<3.0		25	
Bromomethane	ug/m3	<0.28	<0.28		25	
Carbon disulfide	ug/m3	2.5	2.5	1	25	
Carbon tetrachloride	ug/m3	1.0J	1.0J		25	
Chlorobenzene	ug/m3	<0.29	<0.29		25	
Chloroethane	ug/m3	<0.42	<0.42		25	
Chloroform	ug/m3	1.2	1.2	2	25	
Chloromethane	ug/m3	1.9	1.9	3	25	
cis-1,2-Dichloroethene	ug/m3	<0.36	<0.36		25	
cis-1,3-Dichloropropene	ug/m3	<0.48	<0.48		25	
Cyclohexane	ug/m3	5.1	5.2	3	25	
Dibromochloromethane	ug/m3	<0.96	<0.96		25	
Dichlorodifluoromethane	ug/m3	3.3	3.1	6	25	
Dichlorotetrafluoroethane	ug/m3	<0.38	<0.38		25	
Ethanol	ug/m3	69000	67900	2	25	E
Ethyl acetate	ug/m3	30.4	29.3	4	25	
Ethylbenzene	ug/m3	5.5	5.4	2	25	
Hexachloro-1,3-butadiene	ug/m3	<2.3	<2.3		25	
m&p-Xylene	ug/m3	7.7	7.9	3	25	
Methyl-tert-butyl ether	ug/m3	<0.24	<0.24		25	
Methylene Chloride	ug/m3	<1.1	<1.1		25	
n-Heptane	ug/m3	11.0	11.1	1	25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036067

Parameter	Units	10569624002 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	9.4	10.0	7	25	
Naphthalene	ug/m3	4.1J	4.1J		25	
o-Xylene	ug/m3	4.6	4.5	2	25	
Propylene	ug/m3	<0.24	<0.24		25	
Styrene	ug/m3	1.6J	1.7		25	
Tetrachloroethene	ug/m3	<0.55	<0.55		25	
Tetrahydrofuran	ug/m3	2.0	1.8	9	25	
Toluene	ug/m3	20.0	20.6	3	25	
trans-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
trans-1,3-Dichloropropene	ug/m3	<1.0	<1.0		25	
Trichloroethene	ug/m3	<0.37	<0.37		25	
Trichlorofluoromethane	ug/m3	2.5	2.6	5	25	
Vinyl acetate	ug/m3	<0.39	<0.39		25	
Vinyl chloride	ug/m3	<0.16	<0.16		25	

SAMPLE DUPLICATE: 4036068

Parameter	Units	10569624003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.36	<0.36		25	
1,1,2,2-Tetrachloroethane	ug/m3	<0.71	<0.71		25	
1,1,2-Trichloroethane	ug/m3	<0.38	<0.38		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.55	<0.55		25	
1,1-Dichloroethane	ug/m3	<0.32	<0.32		25	
1,1-Dichloroethene	ug/m3	<0.26	<0.26		25	
1,2,4-Trichlorobenzene	ug/m3	9.5J	9.5J		25	
1,2,4-Trimethylbenzene	ug/m3	31.7	30.4	4	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.58	<0.58		25	
1,2-Dichlorobenzene	ug/m3	<0.78	<0.78		25	
1,2-Dichloroethane	ug/m3	<0.37	<0.37		25	
1,2-Dichloropropane	ug/m3	<0.52	<0.52		25	
1,3,5-Trimethylbenzene	ug/m3	10.8	10.5	2	25	
1,3-Butadiene	ug/m3	<0.23	<0.23		25	
1,3-Dichlorobenzene	ug/m3	<0.98	<0.98		25	
1,4-Dichlorobenzene	ug/m3	1.8J	1.8J		25	
2-Butanone (MEK)	ug/m3	51.7	51.3	1	25	
2-Hexanone	ug/m3	12.1	12.0	1	25	
2-Propanol	ug/m3	86.1	77.4	11	25	
4-Ethyltoluene	ug/m3	6.8	7.1	3	25	
4-Methyl-2-pentanone (MIBK)	ug/m3	28.2	28.4	1	25	
Acetone	ug/m3	259	228	13	25	
Benzene	ug/m3	66.3	65.1	2	25	
Benzyl chloride	ug/m3	<1.7	<1.7		25	
Bromodichloromethane	ug/m3	<0.46	<0.46		25	
Bromoform	ug/m3	<3.1	<3.1		25	
Bromomethane	ug/m3	<0.29	<0.29		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036068

Parameter	Units	10569624003 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	2.0	2.1	5	25	
Carbon tetrachloride	ug/m3	1.2J	1.1J		25	
Chlorobenzene	ug/m3	<0.30	<0.30		25	
Chloroethane	ug/m3	<0.43	<0.43		25	
Chloroform	ug/m3	<0.35	<0.35		25	
Chloromethane	ug/m3	1.1	1.1	4	25	
cis-1,2-Dichloroethene	ug/m3	<0.37	<0.37		25	
cis-1,3-Dichloropropene	ug/m3	<0.49	<0.49		25	
Cyclohexane	ug/m3	19.2	18.8	2	25	
Dibromochloromethane	ug/m3	<0.99	<0.99		25	
Dichlorodifluoromethane	ug/m3	3.1	3.1	0	25	
Dichlorotetrafluoroethane	ug/m3	<0.39	<0.39		25	
Ethanol	ug/m3	824	674	20	25	
Ethyl acetate	ug/m3	1.0J	1.4J		25	
Ethylbenzene	ug/m3	18.2	17.5	4	25	
Hexachloro-1,3-butadiene	ug/m3	<2.4	<2.4		25	
m&p-Xylene	ug/m3	26.5	25.9	2	25	
Methyl-tert-butyl ether	ug/m3	<0.24	1.2J		25	
Methylene Chloride	ug/m3	<1.1	<1.1		25	
n-Heptane	ug/m3	36.9	37.4	1	25	
n-Hexane	ug/m3	37.8	36.9	2	25	
Naphthalene	ug/m3	4.9J	4.9J		25	
o-Xylene	ug/m3	12.9	12.3	5	25	
Propylene	ug/m3	88.2	86.8	2	25	
Styrene	ug/m3	16.4	15.9	3	25	
Tetrachloroethene	ug/m3	<0.56	<0.56		25	
Tetrahydrofuran	ug/m3	<0.35	<0.35		25	
Toluene	ug/m3	96.9	95.9	1	25	
trans-1,2-Dichloroethene	ug/m3	<0.32	<0.32		25	
trans-1,3-Dichloropropene	ug/m3	<1.0	<1.0		25	
Trichloroethene	ug/m3	0.71J	0.71J		25	
Trichlorofluoromethane	ug/m3	2.0J	1.7J		25	
Vinyl acetate	ug/m3	<0.40	<0.40		25	
Vinyl chloride	ug/m3	<0.17	<0.17		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10569624001	IA-1	TO-15	756759		
10569624002	SS-1	TO-15	756759		
10569624003	SS-2	TO-15	756759		
10569624004	OA-1	TO-15	756759		
10569624005	SS-3	TO-15	756759		
10569624006	IA-2	TO-15	756759		
10569624007	SS-4	TO-15	756759		
10569624008	IA-3	TO-15	756759		
10569624009	SS-5	TO-15	756759		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

50767

Page: 1 of 1

<b>Section A</b> Required Client Information: Company: <u>Konicek Environmental Consulting</u> Address: <u>1032 S Spring Street</u> <u>Port Washington, WI 53074</u> Email To: <u>jackmcmahon140@gmail.com</u> Phone: <u>262-287-2557</u> Fax: Requested Due Date/TAT:	<b>Section B</b> Required Project Information: Report To: <u>Jack McMahon</u> Copy To: Purchase Order No.: Project Name: <u>Twin Lakes Laundry</u> Project Number: <u>1908091</u>	<b>Section C</b> Invoice Information: Attention: <u>Jack McMahon</u> Company Name: <u>Konicek Environmental Consulting</u> Address: <u>1032 S Spring St, Port Washington, WI 53074</u> Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: <u>19591</u>	Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other Location of Sampling by State: <u>WI</u> Reporting Units ug/m <sup>3</sup> _____ mg/m <sup>3</sup> _____ PPBV _____ PPMV _____ Other _____ Report Level: II. _____ III. _____ IV. _____ Other _____
---	---	--	---


ITEM #	'Section D Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID	
					COMPOSITE START		COMPOSITE - END/GRAB						PM10	3C - Fixed Gas (%)	TO-3 BTEX	TO-3M (Metfrang)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlorinated		
					DATE	TIME	DATE	TIME														
1	IA-1	6LC			7/8	9:23	7/8	9:53	30	9	2753	0715									001	
2	SS-1	6LC			7/8	9:39	7/8	10:09	-30	-8	2113	3199										002
3	SS-2	6LC			7/8	10:30	7/8	11:00	30	10	2365	1903										003
4	OA-1	6LC			7/8	10:40	7/8	11:10	-30	-8	2762	2928										004
5	SS-3	6LC			7/8	12:00	7/8	12:30	30	9	2699	2003										005
6	IA-2	6LC			7/8	12:05	7/8	12:35	29	8	1207	1157										006
7	SS-4	6LC			7/8	1:10	7/8	1:40	-30	-9	0803	3070										007
8	IA-3	6LC			7/8	1:15	7/8	1:45	29	8	0554	0913										008
9	SS-5	6LC			7/8	1:24	7/8	1:54	-30	-9	1276	2900										009

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
		<i>[Signature]</i>	7/4/21	7/4/21 10:00am	<i>[Signature]</i>	7-13-21	10:00	Temp in °C	Received on Ice	Custody Sealed Cooler
							Y/N	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N

<b>SAMPLER NAME AND SIGNATURE</b>	
PRINT Name of SAMPLER: <u>Jack McMahon</u>	DATE Signed (MM/DD/YY): <u>07/03/21</u>
SIGNATURE of SAMPLER: <i>[Signature]</i>	

Page 1 of 1  
NO#: 10569624





Document Name: Sample Condition Upon Receipt (SCUR) - Air

Document Revised: 24/11/2020 Page 1 of 1

Document No.: ENV-FRM-MIN4-0113 Rev.00

Pace Analytical Services - Minneapolis

Air Sample Condition Upon Receipt

Client Name: Konicek Env

Project #:

WO#: 10569624

PM: KNH

Due Date: 07/20/21

CLIENT: Konicek Env.

Courier: [X] Fed Ex [ ] UPS [ ] USPS [ ] Client [ ] Pace [ ] Speedee [ ] Commercial See Exception

Tracking Number: 9753 8443 8421, 8432, 8443

Custody Seal on Cooler/Box Present? [ ] Yes [X] No Seals Intact? [ ] Yes [ ] No

Packing Material: [ ] Bubble Wrap [ ] Bubble Bags [X] Foam [ ] None [ ] Tin Can [ ] Other: Temp Blank rec: [ ] Yes [X] No

Temp. (TO17 and TO13 samples only) (°C): Corrected Temp (°C):

Thermometer Used: [ ] G87A9170600254 [ ] G87A9155100842

Temp should be above freezing to 6°C Correction Factor:

Date & Initials of Person Examining Contents: 7-13-21 MZ

Type of ice Received [ ] Blue [ ] Wet [X] None

Comments:

Table with 13 rows of custody and handling questions, including Chain of Custody Present, Short Hold Time Analysis, and Media type.

Gauge # [ ] 10AIR26 [X] 10AIR34 [ ] 10AIR35 [ ] 4097

Canisters

Canisters

Table with 10 columns: Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure, Sample Number, Can ID, Flow Controller, Initial Pressure, Final Pressure.

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? [ ] Yes [ ] No

Person Contacted:

Date/Time:

Comments/Resolution:

Project Manager Review:

Handwritten signature: Kirsten Hopfeng

Date: 7/14/2021

# Konicek Environmental Consulting LLC

---

July 21, 2021

South Lake Avenue Corp  
c/o Daniel Halian  
7504 Meyer Road  
Spring Grove, IL 60080

Reference: *Vapor Sample Results*  
110 South Lake Avenue  
Twin Lakes, Wisconsin 53181

Dear Mr. Halian,


Konicek Environmental Consulting LLC (KEC) collected two sub-slab vapor samples and one indoor air sample on July 8, 2021, as part of an on-going investigation for volatile organic compounds (VOCs) at the Twin Lakes Laundry property owned by Olsen Properties LLC and located at 111 South Lake Avenue, Twin Lakes, Wisconsin. The vapor samples were collected to monitor the concentrations of VOCs and were analyzed by Pace Analytical.

The laboratory analytical results and a tabulated summary of results are attached to this letter. As indicated in the attached table, there were no VOCs identified at concentrations above Vapor Risk Screening Levels (VRSL) in the sub-slab vapor samples collected. There were two VOCs (Chloroform and 1,2,4-Trichlorobenzene) identified above Ambient Air Vapor Action Levels in the indoor air sample collected in the Subway tenant space. It is the opinion of KEC that the identified VOCs are unrelated to the investigation of the dry cleaning operations.

Should you have questions about these results please contact DNR Project Manager for this site, Mr. Joseph Martinez, at 414-218-6042 or [joseph.martinez@wisconsin.gov](mailto:joseph.martinez@wisconsin.gov).

We thank you for your cooperation in allowing us to collect the samples.

Sincerely,



Gregory A. Konicek, P.G., CHMM  
Konicek Environmental Consulting LLC

Attachments: Table A.4. Vapor Analytical Table; Pace Analytical Report #10569624

Cc: Mr. Joseph Martinez, DNR  
Mr. Tom Olsen, Twin Lakes Laundry

**Table A.4. Vapor Analytical Table**  
**Twin Lakes Laundry**  
**BRRTS: 02-30-545024**  
**110 S. Lake Avenue, Twin Lakes, WI 53403**

Sample Location:	Sub-slab Vapor Samples		Vapor Risk Screening Level (VRS�) of Indoor Air concentrations from sub-slab vapor/soil gas/deep soil gas			c-Carcinogenic; nc-Non-Carcinogenic
	Sample Identification:	SS-1	SS-2	Residential Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.03	Small Commercial Sub-slab/Soil Vapor Attenuation Factor (AF) = 0.03	
Date:	7/8/21	7/8/21				
Units:	µg/m <sup>3</sup>	µg/m <sup>3</sup>	µg/m <sup>3</sup>			
Acetone	242	259	1066667	4666667	14000000	nc
Benzene	4.4	66.3	120	533	1600	c
Benzyl Chloride	<1.7	<1.7	19	83	250	c
Bromodichloromethane	<0.44	<0.46	25	110	330	c
Bromoforn	<3.0	<3.1	---	---	---	---
Bromomethane	<0.28	<0.29	173	733	2200	nc
1,3-Butadiene	<0.22	<0.23	31	137	410	c
2-Butanone(MEK)	24.1	51.7	173333	733333	2200000	nc
Carbon disulfide	2.5	2.0	24333	103333	310000	nc
Carbon tetrachloride	1.0 J	1.2 J	157	667	2000	c
Chlorobenzene	<0.29	<0.30	1733	7333	22000	nc
Chloroethane	<0.42	<0.43	---	---	---	---
Chloroform	1.2	<0.35	40	177	530	c
Chloromethane	1.9	1.1	3133	13000	39000	nc
Cyclohexane	5.1	19.2	210000	866667	2600000	nc
Dibromochloromethane	<0.96	<0.99	---	---	---	c
1,2-Dibromoethane (EDB)	<0.56	<0.58	2	7	20	c
1,2-Dichlorobenzene	<0.76	<0.78	7000	29333	88000	nc
1,3-Dichlorobenzene	<0.95	<0.98	---	---	---	---
1,4-Dichlorobenzene	<1.6	1.8 J	87	367	1100	c
Dichlorodifluoromethane	3.3	3.1	3333	14667	44000	nc
1,1 - Dichloroethane (1,1-DCA)	<0.31	<0.32	600	2567	7700	c
1,2 - Dichloroethane (1,2-DCA)	<0.36	<0.37	37	157	470	c
1,1 - Dichloroethylene (1,1-DCE)	<0.26	<0.26	7000	29333	88000	nc
cis-1,2-Dichloroethene	<0.36	<0.37	---	---	---	---
trans-1,2-Dichloroethene	<0.31	<0.32	---	---	---	---
1,2-Dichloropropane	<0.50	<0.52	93	400	1200	c
cis-1,3-Dichloropropene	<0.48	<0.49	---	---	---	---
trans-1,3-Dichloropropene	<1.0	<1.0	---	---	---	---
Dichlorotetrafluoroethane	<0.38	<0.39	---	---	---	---
Ethanol	69000	824	---	---	---	---
Ethyl acetate	30.4	1.0 J	2433	10333	31000	nc
Ethylbenzene	5.5	18.2	367	1633	4900	c
4-ethyltoluene	6.3	6.8	---	---	---	---
n-Heptane	11.0	36.9	---	---	---	---
Hexachloro-1,3-butadiene	<2.3	<2.4	---	---	---	---
n-Hexane	9.4	37.8	24333	103333	310000	nc
2-Hexanone	4.3 J	12.1	1033	4333	13000	nc
Methylene Chloride	<1.1	<1.1	21000	86667	260000	nc
4-Methyl-2-pentanone (MIBK)	8.8	28.2	103333	433333	1300000	nc
Methyl Tert-Butyl Ether (MTBE)	<0.24	<0.24	3667	15667	47000	c
Naphthalene	4.1 J	4.9 J	28	120	360	c
2-Propanol	197	86.1	---	---	---	---
Propylene	<0.24	88.2	103333	433333	1300000	nc
Styrene	1.6 J	16.4	33333	146667	440000	nc
1,1,2,2-Tetrachloroethane	<0.70	<0.71	16	70	210	c
Tetrachloroethene	<0.55	<0.56	1400	6000	18000	nc
Tetrahydrofuran	2.0	<0.35	70000	293333	880000	nc
Toluene	20.0	96.9	173333	733333	2200000	nc
1,2,4-Trichlorobenzene	9.3 J	9.5 J	70	293	880	nc
1,1,1 - Trichloroethane	<0.35	<0.36	173333	733333	2200000	nc
1,1,2-Trichloroethane	<0.37	<0.38	7	29	88	nc
Trichloroethene	<0.37	0.71 J	70	293	880	nc
Trichlorofluoromethane (Halocarbon 11)	2.5	2.0 J	---	---	---	nc
1,1,2-Trichlorotrifluoroethane	<0.54	<0.55	---	---	---	---
Trimethylbenzene (1,2,4)	13.7	31.7	243	1033	3100	nc
Trimethylbenzene (1,3,5)	11.2	10.8	---	---	---	---
Vinyl acetate	<0.39	<0.40	7000	29333	88000	nc
Vinyl Chloride	<0.16	<0.17	57	933	2800	c
m&p-Xylene	7.7	26.5	3333	14667	44000	nc
o-Xylene	4.6	12.9	3333	14667	44000	nc

**Notes:**

µg/m<sup>3</sup> - micrograms per cubic meter

**Bold** concentrations exceed the applicable Large Commercial/Industrial Standard

Underlined concentrations exceed the applicable Small Commercial Standard

\*...\* concentrations exceed the Residential Standard

ND - not detected

NA - not analyzed

--- - no standard established

N/A - not applicable

Samples were collected by Konicek Environmental Consultants LLC

Action levels obtained from the November 2017 Vapor Action Levels Quick Look-Up Table and the November 2017 Vapor Intrusion Screening Level (VISL) Calculator

**Table A.4. Vapor Analytical Table**  
**Twin Lakes Laundry**  
**BRRTS: 02-30-545024**  
**110 S. Lake Avenue, Twin Lakes, WI 53403**

Sample Location:	Indoor/Outdoor Air Vapor Samples	Ambient Air Vapor Action Level		c-Carcinogenic; nc- Non-Carcinogenic
		Non-Residential (1-in-100,000 risk for carcinogens)	Residential (1-in-100,000 risk for carcinogens)	
Sample Identification:	IA-1			
Date:	7/8/2021			
Units:	ug/m <sup>3</sup>	ug/m <sup>3</sup>	ug/m <sup>3</sup>	
Acetone	51.0	140000	32000	nc
Benzene	0.69	16	3.6	c
Benzyl Chloride	<1.6	2.5	0.57	c
Bromodichloromethane	<0.43	3.3	0.76	c
Bromoform	<3.0	---	---	---
Bromomethane	<0.27	22	5.2	nc
1,3-Butadiene	<0.22	4.1	0.94	c
2-Butanone(MEK)	11.9	22000	5200	nc
Carbon disulfide	0.58 J	3100	730	nc
Carbon tetrachloride	0.94 J	20	4.7	c
Chlorobenzene	<0.28	220	52	nc
Chloroethane	<0.41	---	---	---
Chloroform	<u>1.3</u>	5.3	1.2	c
Chloromethane	2.8	390	94	nc
Cyclohexane	0.89 J	26000	6300	nc
Dibromochloromethane	<0.94	---	---	c
1,2-Dibromoethane (EDB)	<0.55	0.2	0.047	c
1,2-Dichlorobenzene	<0.74	880	210	nc
1,3-Dichlorobenzene	<0.93	---	---	---
1,4-Dichlorobenzene	<1.6	11	2.6	c
Dichlorodifluoromethane	3.2	440	100	nc
1,1 - Dichloroethane (1,1-DCA)	<0.30	77	18	c
1,2 - Dichloroethane (1,2-DCA)	<0.36	4.7	1.1	c
1,1 - Dichloroethylene (1,1-DCE)	<0.25	880	210	nc
cis-1,2-Dichloroethene	<0.36	---	---	---
trans-1,2-Dichloroethene	<0.31	---	---	---
1,2-Dichloropropane	<0.49	12	2.8	c
cis-1,3-Dichloropropene	<0.47	---	---	---
trans-1,3-Dichloropropene	<1.0	---	---	---
Dichlorotetrafluoroethane	<0.37	---	---	---
Ethanol	251000	---	---	---
Ethyl acetate	61.3	310	73	nc
Ethylbenzene	<0.57	49	11	c
4-ethyltoluene	<0.86	---	---	---
n-Heptane	5.8	---	---	---
Hexachloro-1,3-butadiene	<2.3	---	---	---
n-Hexane	1.3 J	3100	730	nc
2-Hexanone	2.3 J	130	31	nc
Methylene Chloride	<1.1	2600	630	nc
4-Methyl-2-pentanone (MIBK)	4.3 J	13000	3100	nc
Methyl Tert-Butyl Ether (MTBE)	<0.23	470	110	c
Naphthalene	<4.0	3.6	0.83	c
2-Propanol	190	---	---	---
Propylene	<0.24	13000	3100	nc
Styrene	1.6	4400	1000	nc
1,1,2,2-Tetrachloroethane	<0.68	2.1	0.48	c
Tetrachloroethene	<0.53	180	42	nc
Tetrahydrofuran	<0.33	8800	2100	nc
Toluene	3.8	22000	5200	nc
1,2,4-Trichlorobenzene	9.2 J	8.8	2.1	nc
1,1,1 - Trichloroethane	<0.34	22000	5200	nc
1,1,2-Trichloroethane	<0.36	0.88	0.21	nc
Trichloroethene	<0.36	8.8	2.1	nc
Trichlorofluoromethane (Halocarbon 11)	1.9 J	---	---	nc
1,1,2-Trichlorotrifluoroethane	<0.53	---	---	---
Trimethylbenzene (1,2,4)	0.73 J	31	7.3	nc
Trimethylbenzene (1,3,5)	0.74 J	---	---	---
Vinyl Acetate	<0.38	880	210	nc
Vinyl Chloride	<0.16	28	1.7	c
m&p-Xylene	2.0 J	440	100	nc
o-Xylene	0.59 J	440	100	nc

**Notes:**

ug/m<sup>3</sup> - micrograms per cubic meter

Bold concentrations exceed Non-Residential Standard

*Italicized and Underlined* concentrations exceed Residential Standard

--- -not analyzed, not applicable, not detected, or no standard established

Samples were collected by Konicek Environmental Consultants LLC

Action levels obtained from the June 2017 Vapor Action Levels Quick Look-Up Table and the June 2017 Vapor Intrusion Screening Level (VSL) Calculator

July 19, 2021

Jack McMahon  
Konicek Environmental  
1032 S Spring St  
Port Washington, WI 53074

RE: Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Dear Jack McMahon:


Enclosed are the analytical results for sample(s) received by the laboratory on July 13, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg  
kirsten.hogberg@pacelabs.com  
(612)607-1700  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

### **Pace Analytical Services, LLC - Minneapolis MN**

1700 Elm Street SE, Minneapolis, MN 55414  
A2LA Certification #: 2926.01\*  
1800 Elm Street SE, Minneapolis, MN 55414—Satellite Air Lab  
Alabama Certification #: 40770  
Alaska Contaminated Sites Certification #: 17-009\*  
Alaska DW Certification #: MN00064  
Arizona Certification #: AZ0014\*  
Arkansas DW Certification #: MN00064  
Arkansas WW Certification #: 88-0680  
California Certification #: 2929  
Colorado Certification #: MN00064  
Connecticut Certification #: PH-0256  
EPA Region 8 Tribal Water Systems+Wyoming DW Certification #: via MN 027-053-137  
Florida Certification #: E87605\*  
Georgia Certification #: 959  
Hawaii Certification #: MN00064  
Idaho Certification #: MN00064  
Illinois Certification #: 200011  
Indiana Certification #: C-MN-01  
Iowa Certification #: 368  
Kansas Certification #: E-10167  
Kentucky DW Certification #: 90062  
Kentucky WW Certification #: 90062  
Louisiana DEQ Certification #: AI-03086\*  
Louisiana DW Certification #: MN00064  
Maine Certification #: MN00064\*  
Maryland Certification #: 322  
Michigan Certification #: 9909  
Minnesota Certification #: 027-053-137\*  
Minnesota Dept of Ag Approval: via MN 027-053-137  
Minnesota Petrofund Registration #: 1240\*  
Mississippi Certification #: MN00064

Missouri Certification #: 10100  
Montana Certification #: CERT0092  
Nebraska Certification #: NE-OS-18-06  
Nevada Certification #: MN00064  
New Hampshire Certification #: 2081\*  
New Jersey Certification #: MN002  
New York Certification #: 11647\*  
North Carolina DW Certification #: 27700  
North Carolina WW Certification #: 530  
North Dakota Certification #: R-036  
Ohio DW Certification #: 41244  
Ohio VAP Certification (1700) #: CL101  
Ohio VAP Certification (1800) #: CL110\*  
Oklahoma Certification #: 9507\*  
Oregon Primary Certification #: MN300001  
Oregon Secondary Certification #: MN200001\*  
Pennsylvania Certification #: 68-00563\*  
Puerto Rico Certification #: MN00064  
South Carolina Certification #:74003001  
Tennessee Certification #: TN02818  
Texas Certification #: T104704192\*  
Utah Certification #: MN00064\*  
Vermont Certification #: VT-027053137  
Virginia Certification #: 460163\*  
Washington Certification #: C486\*  
West Virginia DEP Certification #: 382  
West Virginia DW Certification #: 9952 C  
Wisconsin Certification #: 999407970  
Wyoming UST Certification #: via A2LA 2926.01  
USDA Permit #: P330-19-00208  
\*Please Note: Applicable air certifications are denoted with an asterisk (\*).

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE SUMMARY

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10569624001	IA-1	Air	07/08/21 09:53	07/13/21 10:00
10569624002	SS-1	Air	07/08/21 10:09	07/13/21 10:00
10569624003	SS-2	Air	07/08/21 11:00	07/13/21 10:00
10569624004	OA-1	Air	07/08/21 11:10	07/13/21 10:00
10569624005	SS-3	Air	07/08/21 12:30	07/13/21 10:00
10569624006	IA-2	Air	07/08/21 12:35	07/13/21 10:00
10569624007	SS-4	Air	07/08/21 13:40	07/13/21 10:00
10569624008	IA-3	Air	07/08/21 13:45	07/13/21 10:00
10569624009	SS-5	Air	07/08/21 13:54	07/13/21 10:00

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10569624001	IA-1	TO-15	MJL	61	PASI-M
10569624002	SS-1	TO-15	MJL	61	PASI-M
10569624003	SS-2	TO-15	MJL	61	PASI-M
10569624004	OA-1	TO-15	MJL	61	PASI-M
10569624005	SS-3	TO-15	MJL	61	PASI-M
10569624006	IA-2	TO-15	MJL	61	PASI-M
10569624007	SS-4	TO-15	MJL	61	PASI-M
10569624008	IA-3	TO-15	MJL	61	PASI-M
10569624009	SS-5	TO-15	MJL	61	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624001</b>	<b>IA-1</b>					
TO-15	Acetone	51.0	ug/m3	11.1	07/16/21 17:15	
TO-15	Benzene	0.69	ug/m3	0.59	07/16/21 17:15	
TO-15	2-Butanone (MEK)	11.9	ug/m3	5.5	07/16/21 17:15	
TO-15	Carbon disulfide	0.58J	ug/m3	1.2	07/16/21 17:15	
TO-15	Carbon tetrachloride	0.94J	ug/m3	2.3	07/16/21 17:15	
TO-15	Chloroform	1.3	ug/m3	0.91	07/16/21 17:15	
TO-15	Chloromethane	2.8	ug/m3	0.77	07/16/21 17:15	
TO-15	Cyclohexane	0.89J	ug/m3	3.2	07/16/21 17:15	
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.8	07/16/21 17:15	
TO-15	Ethanol	251000	ug/m3	422	07/17/21 13:50	E
TO-15	Ethyl acetate	61.3	ug/m3	1.3	07/16/21 17:15	
TO-15	n-Heptane	5.8	ug/m3	1.5	07/16/21 17:15	
TO-15	n-Hexane	1.3J	ug/m3	1.3	07/16/21 17:15	
TO-15	2-Hexanone	2.3J	ug/m3	7.6	07/16/21 17:15	
TO-15	4-Methyl-2-pentanone (MIBK)	4.3J	ug/m3	7.6	07/16/21 17:15	
TO-15	2-Propanol	190	ug/m3	4.6	07/16/21 17:15	
TO-15	Styrene	1.6	ug/m3	1.6	07/16/21 17:15	
TO-15	Toluene	3.8	ug/m3	1.4	07/16/21 17:15	
TO-15	1,2,4-Trichlorobenzene	9.2J	ug/m3	13.8	07/16/21 17:15	
TO-15	Trichlorofluoromethane	1.9J	ug/m3	2.1	07/16/21 17:15	
TO-15	1,2,4-Trimethylbenzene	0.73J	ug/m3	1.8	07/16/21 17:15	
TO-15	1,3,5-Trimethylbenzene	0.74J	ug/m3	1.8	07/16/21 17:15	
TO-15	m&p-Xylene	2.0J	ug/m3	3.2	07/16/21 17:15	
TO-15	o-Xylene	0.59J	ug/m3	1.6	07/16/21 17:15	
<b>10569624002</b>	<b>SS-1</b>					
TO-15	Acetone	242	ug/m3	11.3	07/16/21 17:52	
TO-15	Benzene	4.4	ug/m3	0.61	07/16/21 17:52	
TO-15	2-Butanone (MEK)	24.1	ug/m3	5.6	07/16/21 17:52	
TO-15	Carbon disulfide	2.5	ug/m3	1.2	07/16/21 17:52	
TO-15	Carbon tetrachloride	1.0J	ug/m3	2.4	07/16/21 17:52	
TO-15	Chloroform	1.2	ug/m3	0.93	07/16/21 17:52	
TO-15	Chloromethane	1.9	ug/m3	0.79	07/16/21 17:52	
TO-15	Cyclohexane	5.1	ug/m3	3.3	07/16/21 17:52	
TO-15	Dichlorodifluoromethane	3.3	ug/m3	1.9	07/16/21 17:52	
TO-15	Ethanol	69000	ug/m3	215	07/17/21 14:22	E
TO-15	Ethyl acetate	30.4	ug/m3	1.4	07/16/21 17:52	
TO-15	Ethylbenzene	5.5	ug/m3	1.7	07/16/21 17:52	
TO-15	4-Ethyltoluene	6.3	ug/m3	4.7	07/16/21 17:52	
TO-15	n-Heptane	11.0	ug/m3	1.6	07/16/21 17:52	
TO-15	n-Hexane	9.4	ug/m3	1.3	07/16/21 17:52	
TO-15	2-Hexanone	4.3J	ug/m3	7.8	07/16/21 17:52	
TO-15	4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	7.8	07/16/21 17:52	
TO-15	Naphthalene	4.1J	ug/m3	5.0	07/16/21 17:52	
TO-15	2-Propanol	197	ug/m3	4.7	07/16/21 17:52	
TO-15	Styrene	1.6J	ug/m3	1.6	07/16/21 17:52	
TO-15	Tetrahydrofuran	2.0	ug/m3	1.1	07/16/21 17:52	
TO-15	Toluene	20.0	ug/m3	1.4	07/16/21 17:52	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624002</b>	<b>SS-1</b>					
TO-15	1,2,4-Trichlorobenzene	9.3J	ug/m3	14.1	07/16/21 17:52	
TO-15	Trichlorofluoromethane	2.5	ug/m3	2.1	07/16/21 17:52	
TO-15	1,2,4-Trimethylbenzene	13.7	ug/m3	1.9	07/16/21 17:52	
TO-15	1,3,5-Trimethylbenzene	11.2	ug/m3	1.9	07/16/21 17:52	
TO-15	m&p-Xylene	7.7	ug/m3	3.3	07/16/21 17:52	
TO-15	o-Xylene	4.6	ug/m3	1.7	07/16/21 17:52	
<b>10569624003</b>	<b>SS-2</b>					
TO-15	Acetone	259	ug/m3	11.6	07/16/21 19:05	
TO-15	Benzene	66.3	ug/m3	0.62	07/16/21 19:05	
TO-15	2-Butanone (MEK)	51.7	ug/m3	5.8	07/16/21 19:05	
TO-15	Carbon disulfide	2.0	ug/m3	1.2	07/16/21 19:05	
TO-15	Carbon tetrachloride	1.2J	ug/m3	2.5	07/16/21 19:05	
TO-15	Chloromethane	1.1	ug/m3	0.81	07/16/21 19:05	
TO-15	Cyclohexane	19.2	ug/m3	3.4	07/16/21 19:05	
TO-15	1,4-Dichlorobenzene	1.8J	ug/m3	5.9	07/16/21 19:05	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	1.9	07/16/21 19:05	
TO-15	Ethanol	824	ug/m3	3.7	07/16/21 19:05	E
TO-15	Ethyl acetate	1.0J	ug/m3	1.4	07/16/21 19:05	
TO-15	Ethylbenzene	18.2	ug/m3	1.7	07/16/21 19:05	
TO-15	4-Ethyltoluene	6.8	ug/m3	4.8	07/16/21 19:05	
TO-15	n-Heptane	36.9	ug/m3	1.6	07/16/21 19:05	
TO-15	n-Hexane	37.8	ug/m3	1.4	07/16/21 19:05	
TO-15	2-Hexanone	12.1	ug/m3	8.0	07/16/21 19:05	
TO-15	4-Methyl-2-pentanone (MIBK)	28.2	ug/m3	8.0	07/16/21 19:05	
TO-15	Naphthalene	4.9J	ug/m3	5.1	07/16/21 19:05	
TO-15	2-Propanol	86.1	ug/m3	4.8	07/16/21 19:05	
TO-15	Propylene	88.2	ug/m3	1.7	07/16/21 19:05	
TO-15	Styrene	16.4	ug/m3	1.7	07/16/21 19:05	
TO-15	Toluene	96.9	ug/m3	1.5	07/16/21 19:05	
TO-15	1,2,4-Trichlorobenzene	9.5J	ug/m3	14.5	07/16/21 19:05	
TO-15	Trichloroethene	0.71J	ug/m3	1.0	07/16/21 19:05	
TO-15	Trichlorofluoromethane	2.0J	ug/m3	2.2	07/16/21 19:05	
TO-15	1,2,4-Trimethylbenzene	31.7	ug/m3	1.9	07/16/21 19:05	
TO-15	1,3,5-Trimethylbenzene	10.8	ug/m3	1.9	07/16/21 19:05	
TO-15	m&p-Xylene	26.5	ug/m3	3.4	07/16/21 19:05	
TO-15	o-Xylene	12.9	ug/m3	1.7	07/16/21 19:05	
<b>10569624004</b>	<b>OA-1</b>					
TO-15	Acetone	16.6	ug/m3	10.8	07/16/21 20:17	
TO-15	Benzene	0.67	ug/m3	0.58	07/16/21 20:17	
TO-15	2-Butanone (MEK)	2.9J	ug/m3	5.4	07/16/21 20:17	
TO-15	Carbon tetrachloride	1.0J	ug/m3	2.3	07/16/21 20:17	
TO-15	Chloromethane	1.3	ug/m3	0.75	07/16/21 20:17	
TO-15	Dichlorodifluoromethane	3.5	ug/m3	1.8	07/16/21 20:17	
TO-15	Ethanol	151	ug/m3	3.4	07/16/21 20:17	
TO-15	2-Hexanone	1.8J	ug/m3	7.4	07/16/21 20:17	
TO-15	2-Propanol	2.5J	ug/m3	4.5	07/16/21 20:17	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624004</b>	<b>OA-1</b>					
TO-15	Propylene	0.57J	ug/m3	1.6	07/16/21 20:17	
TO-15	Styrene	1.2J	ug/m3	1.6	07/16/21 20:17	
TO-15	Toluene	1.4	ug/m3	1.4	07/16/21 20:17	
TO-15	Trichlorofluoromethane	1.6J	ug/m3	2.0	07/16/21 20:17	
<b>10569624005</b>	<b>SS-3</b>					
TO-15	Acetone	118	ug/m3	8.8	07/16/21 20:54	
TO-15	Benzene	2.0	ug/m3	0.47	07/16/21 20:54	
TO-15	2-Butanone (MEK)	19.1	ug/m3	4.4	07/16/21 20:54	
TO-15	Carbon disulfide	1.7	ug/m3	0.92	07/16/21 20:54	
TO-15	Carbon tetrachloride	0.70J	ug/m3	1.9	07/16/21 20:54	
TO-15	Chloroform	0.45J	ug/m3	0.72	07/16/21 20:54	
TO-15	Chloromethane	0.92	ug/m3	0.61	07/16/21 20:54	
TO-15	Cyclohexane	16.4	ug/m3	2.6	07/16/21 20:54	
TO-15	1,4-Dichlorobenzene	1.4J	ug/m3	4.5	07/16/21 20:54	
TO-15	Dichlorodifluoromethane	2.8	ug/m3	1.5	07/16/21 20:54	
TO-15	Ethanol	312	ug/m3	2.8	07/16/21 20:54	
TO-15	Ethyl acetate	31.0	ug/m3	1.1	07/16/21 20:54	
TO-15	Ethylbenzene	4.6	ug/m3	1.3	07/16/21 20:54	
TO-15	4-Ethyltoluene	3.2J	ug/m3	3.6	07/16/21 20:54	
TO-15	n-Heptane	36.1	ug/m3	1.2	07/16/21 20:54	
TO-15	n-Hexane	7.3	ug/m3	1.0	07/16/21 20:54	
TO-15	2-Hexanone	2.0J	ug/m3	6.1	07/16/21 20:54	
TO-15	4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	6.1	07/16/21 20:54	
TO-15	Naphthalene	4.5	ug/m3	3.9	07/16/21 20:54	
TO-15	2-Propanol	50.4	ug/m3	3.6	07/16/21 20:54	
TO-15	Styrene	6.2	ug/m3	1.3	07/16/21 20:54	
TO-15	Tetrachloroethene	201	ug/m3	1.0	07/16/21 20:54	
TO-15	Toluene	53.3	ug/m3	1.1	07/16/21 20:54	
TO-15	1,2,4-Trichlorobenzene	7.1J	ug/m3	11.0	07/16/21 20:54	
TO-15	Trichloroethene	0.80J	ug/m3	0.80	07/16/21 20:54	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	1.7	07/16/21 20:54	
TO-15	1,2,4-Trimethylbenzene	8.0	ug/m3	1.5	07/16/21 20:54	
TO-15	1,3,5-Trimethylbenzene	2.9	ug/m3	1.5	07/16/21 20:54	
TO-15	m&p-Xylene	11.8	ug/m3	2.6	07/16/21 20:54	
TO-15	o-Xylene	5.3	ug/m3	1.3	07/16/21 20:54	
<b>10569624006</b>	<b>IA-2</b>					
TO-15	Acetone	30.6	ug/m3	10.6	07/16/21 21:30	
TO-15	Benzene	0.63	ug/m3	0.57	07/16/21 21:30	
TO-15	2-Butanone (MEK)	6.9	ug/m3	5.2	07/16/21 21:30	
TO-15	Carbon tetrachloride	0.88J	ug/m3	2.2	07/16/21 21:30	
TO-15	Chloromethane	0.80	ug/m3	0.74	07/16/21 21:30	
TO-15	Cyclohexane	0.42J	ug/m3	3.1	07/16/21 21:30	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	1.8	07/16/21 21:30	
TO-15	Ethanol	144	ug/m3	3.4	07/16/21 21:30	
TO-15	Ethyl acetate	1.1J	ug/m3	1.3	07/16/21 21:30	
TO-15	4-Ethyltoluene	1.4J	ug/m3	4.4	07/16/21 21:30	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624006</b>	<b>IA-2</b>					
TO-15	n-Hexane	0.55J	ug/m3	1.3	07/16/21 21:30	
TO-15	2-Hexanone	1.8J	ug/m3	7.3	07/16/21 21:30	
TO-15	2-Propanol	20.0	ug/m3	4.4	07/16/21 21:30	
TO-15	Propylene	1.5J	ug/m3	1.5	07/16/21 21:30	
TO-15	Styrene	0.94J	ug/m3	1.5	07/16/21 21:30	
TO-15	Tetrachloroethene	2.3	ug/m3	1.2	07/16/21 21:30	
TO-15	Toluene	1.5	ug/m3	1.3	07/16/21 21:30	
TO-15	Trichlorofluoromethane	1.4J	ug/m3	2.0	07/16/21 21:30	
TO-15	1,2,4-Trimethylbenzene	0.80J	ug/m3	1.7	07/16/21 21:30	
TO-15	1,3,5-Trimethylbenzene	0.65J	ug/m3	1.7	07/16/21 21:30	
TO-15	m&p-Xylene	1.7J	ug/m3	3.1	07/16/21 21:30	
<b>10569624007</b>	<b>SS-4</b>					
TO-15	Acetone	73.4	ug/m3	10.8	07/16/21 22:07	
TO-15	Benzene	2.2	ug/m3	0.58	07/16/21 22:07	
TO-15	2-Butanone (MEK)	11.4	ug/m3	5.4	07/16/21 22:07	
TO-15	Carbon disulfide	0.91J	ug/m3	1.1	07/16/21 22:07	
TO-15	Carbon tetrachloride	0.71J	ug/m3	2.3	07/16/21 22:07	
TO-15	Chloromethane	0.78	ug/m3	0.75	07/16/21 22:07	
TO-15	Cyclohexane	6.1	ug/m3	3.1	07/16/21 22:07	
TO-15	1,3-Dichlorobenzene	1.3J	ug/m3	5.5	07/16/21 22:07	
TO-15	Dichlorodifluoromethane	3.2	ug/m3	1.8	07/16/21 22:07	
TO-15	trans-1,2-Dichloroethene	2.9	ug/m3	1.4	07/16/21 22:07	
TO-15	Ethanol	113	ug/m3	3.4	07/16/21 22:07	
TO-15	Ethyl acetate	7.0	ug/m3	1.3	07/16/21 22:07	
TO-15	Ethylbenzene	3.3	ug/m3	1.6	07/16/21 22:07	
TO-15	4-Ethyltoluene	2.0J	ug/m3	4.5	07/16/21 22:07	
TO-15	n-Heptane	10.1	ug/m3	1.5	07/16/21 22:07	
TO-15	n-Hexane	5.1	ug/m3	1.3	07/16/21 22:07	
TO-15	4-Methyl-2-pentanone (MIBK)	1.3J	ug/m3	7.4	07/16/21 22:07	
TO-15	Naphthalene	4.1J	ug/m3	4.8	07/16/21 22:07	
TO-15	2-Propanol	18.6	ug/m3	4.5	07/16/21 22:07	
TO-15	Styrene	1.9	ug/m3	1.6	07/16/21 22:07	
TO-15	Tetrachloroethene	9.7	ug/m3	1.2	07/16/21 22:07	
TO-15	Toluene	30.7	ug/m3	1.4	07/16/21 22:07	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	2.0	07/16/21 22:07	
TO-15	1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.8	07/16/21 22:07	
TO-15	1,2,4-Trimethylbenzene	3.6	ug/m3	1.8	07/16/21 22:07	
TO-15	1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	07/16/21 22:07	
TO-15	m&p-Xylene	6.0	ug/m3	3.2	07/16/21 22:07	
TO-15	o-Xylene	2.7	ug/m3	1.6	07/16/21 22:07	
<b>10569624008</b>	<b>IA-3</b>					
TO-15	Acetone	40.4	ug/m3	10.6	07/16/21 22:43	
TO-15	Benzene	0.59	ug/m3	0.57	07/16/21 22:43	
TO-15	2-Butanone (MEK)	7.9	ug/m3	5.2	07/16/21 22:43	
TO-15	Carbon disulfide	0.52J	ug/m3	1.1	07/16/21 22:43	
TO-15	Chloromethane	0.80	ug/m3	0.74	07/16/21 22:43	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Lab Sample ID	Client Sample ID	Result	Units	Report Limit	Analyzed	Qualifiers
Method	Parameters					
<b>10569624008</b>	<b>IA-3</b>					
TO-15	1,3-Dichlorobenzene	2.5J	ug/m3	5.4	07/16/21 22:43	
TO-15	Dichlorodifluoromethane	3.0	ug/m3	1.8	07/16/21 22:43	
TO-15	Ethanol	124	ug/m3	3.4	07/16/21 22:43	
TO-15	Ethyl acetate	1.4	ug/m3	1.3	07/16/21 22:43	
TO-15	4-Ethyltoluene	1.3J	ug/m3	4.4	07/16/21 22:43	
TO-15	n-Hexane	0.49J	ug/m3	1.3	07/16/21 22:43	
TO-15	2-Hexanone	1.6J	ug/m3	7.3	07/16/21 22:43	
TO-15	2-Propanol	32.1	ug/m3	4.4	07/16/21 22:43	
TO-15	Propylene	1.2J	ug/m3	1.5	07/16/21 22:43	
TO-15	Styrene	1.2J	ug/m3	1.5	07/16/21 22:43	
TO-15	Toluene	8.4	ug/m3	1.3	07/16/21 22:43	
TO-15	Trichlorofluoromethane	1.7J	ug/m3	2.0	07/16/21 22:43	
TO-15	1,2,4-Trimethylbenzene	1.0J	ug/m3	1.7	07/16/21 22:43	
TO-15	1,3,5-Trimethylbenzene	0.70J	ug/m3	1.7	07/16/21 22:43	
TO-15	m&p-Xylene	1.9J	ug/m3	3.1	07/16/21 22:43	
TO-15	o-Xylene	0.63J	ug/m3	1.5	07/16/21 22:43	
<b>10569624009</b>	<b>SS-5</b>					
TO-15	Acetone	23.8	ug/m3	11.8	07/16/21 23:20	
TO-15	Benzene	0.44J	ug/m3	0.64	07/16/21 23:20	
TO-15	2-Butanone (MEK)	8.4	ug/m3	5.9	07/16/21 23:20	
TO-15	Carbon tetrachloride	0.93J	ug/m3	2.5	07/16/21 23:20	
TO-15	Chloroethane	0.87J	ug/m3	1.1	07/16/21 23:20	
TO-15	Chloromethane	0.81J	ug/m3	0.82	07/16/21 23:20	
TO-15	Cyclohexane	0.67J	ug/m3	3.4	07/16/21 23:20	
TO-15	1,3-Dichlorobenzene	1.2J	ug/m3	6.0	07/16/21 23:20	
TO-15	Dichlorodifluoromethane	3.1	ug/m3	2.0	07/16/21 23:20	
TO-15	Ethanol	192	ug/m3	3.8	07/16/21 23:20	
TO-15	n-Hexane	0.67J	ug/m3	1.4	07/16/21 23:20	
TO-15	2-Hexanone	1.9J	ug/m3	8.2	07/16/21 23:20	
TO-15	2-Propanol	5.0	ug/m3	4.9	07/16/21 23:20	
TO-15	Styrene	1.2J	ug/m3	1.7	07/16/21 23:20	
TO-15	Toluene	1.9	ug/m3	1.5	07/16/21 23:20	
TO-15	Trichlorofluoromethane	1.5J	ug/m3	2.2	07/16/21 23:20	
TO-15	1,1,2-Trichlorotrifluoroethane	0.99J	ug/m3	3.1	07/16/21 23:20	
TO-15	1,2,4-Trimethylbenzene	0.89J	ug/m3	2.0	07/16/21 23:20	
TO-15	1,3,5-Trimethylbenzene	0.74J	ug/m3	2.0	07/16/21 23:20	
TO-15	m&p-Xylene	1.7J	ug/m3	3.5	07/16/21 23:20	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

**Method:** TO-15  
**Description:** TO15 MSV AIR  
**Client:** Konicek Environmental KEC  
**Date:** July 19, 2021

### General Information:

9 samples were analyzed for TO-15 by Pace Analytical Services Minneapolis. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

Analyte Comments:

QC Batch: 756759

E: Analyte concentration exceeded the calibration range. The reported result is estimated.

- DUP (Lab ID: 4036067)
  - Ethanol
- IA-1 (Lab ID: 10569624001)
  - Ethanol
- SS-1 (Lab ID: 10569624002)
  - Ethanol
- SS-2 (Lab ID: 10569624003)
  - Ethanol

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: IA-1 Lab ID: 10569624001 Collected: 07/08/21 09:53 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	51.0	ug/m3	11.1	3.3	1.83		07/16/21 17:15	67-64-1	
Benzene	0.69	ug/m3	0.59	0.21	1.83		07/16/21 17:15	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.8	1.6	1.83		07/16/21 17:15	100-44-7	
Bromodichloromethane	<0.43	ug/m3	6.2	0.43	1.83		07/16/21 17:15	75-27-4	
Bromoform	<3.0	ug/m3	9.6	3.0	1.83		07/16/21 17:15	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.83		07/16/21 17:15	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.82	0.22	1.83		07/16/21 17:15	106-99-0	
2-Butanone (MEK)	11.9	ug/m3	5.5	0.85	1.83		07/16/21 17:15	78-93-3	
Carbon disulfide	0.58J	ug/m3	1.2	0.24	1.83		07/16/21 17:15	75-15-0	
Carbon tetrachloride	0.94J	ug/m3	2.3	0.51	1.83		07/16/21 17:15	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.83		07/16/21 17:15	108-90-7	
Chloroethane	<0.41	ug/m3	0.98	0.41	1.83		07/16/21 17:15	75-00-3	
Chloroform	1.3	ug/m3	0.91	0.33	1.83		07/16/21 17:15	67-66-3	
Chloromethane	2.8	ug/m3	0.77	0.16	1.83		07/16/21 17:15	74-87-3	
Cyclohexane	0.89J	ug/m3	3.2	0.40	1.83		07/16/21 17:15	110-82-7	
Dibromochloromethane	<0.94	ug/m3	3.2	0.94	1.83		07/16/21 17:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.55	ug/m3	1.4	0.55	1.83		07/16/21 17:15	106-93-4	
1,2-Dichlorobenzene	<0.74	ug/m3	5.6	0.74	1.83		07/16/21 17:15	95-50-1	
1,3-Dichlorobenzene	<0.93	ug/m3	5.6	0.93	1.83		07/16/21 17:15	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.6	1.6	1.83		07/16/21 17:15	106-46-7	
Dichlorodifluoromethane	3.2	ug/m3	1.8	0.34	1.83		07/16/21 17:15	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.83		07/16/21 17:15	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.83		07/16/21 17:15	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.5	0.25	1.83		07/16/21 17:15	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.83		07/16/21 17:15	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.83		07/16/21 17:15	156-60-5	
1,2-Dichloropropane	<0.49	ug/m3	1.7	0.49	1.83		07/16/21 17:15	78-87-5	
cis-1,3-Dichloropropene	<0.47	ug/m3	4.2	0.47	1.83		07/16/21 17:15	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.2	1.0	1.83		07/16/21 17:15	10061-02-6	
Dichlorotetrafluoroethane	<0.37	ug/m3	2.6	0.37	1.83		07/16/21 17:15	76-14-2	
Ethanol	251000	ug/m3	422	130	219.6		07/17/21 13:50	64-17-5	E
Ethyl acetate	61.3	ug/m3	1.3	0.24	1.83		07/16/21 17:15	141-78-6	
Ethylbenzene	<0.57	ug/m3	1.6	0.57	1.83		07/16/21 17:15	100-41-4	
4-Ethyltoluene	<0.86	ug/m3	4.6	0.86	1.83		07/16/21 17:15	622-96-8	
n-Heptane	5.8	ug/m3	1.5	0.33	1.83		07/16/21 17:15	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	9.9	2.3	1.83		07/16/21 17:15	87-68-3	
n-Hexane	1.3J	ug/m3	1.3	0.35	1.83		07/16/21 17:15	110-54-3	
2-Hexanone	2.3J	ug/m3	7.6	0.81	1.83		07/16/21 17:15	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.5	1.1	1.83		07/16/21 17:15	75-09-2	
4-Methyl-2-pentanone (MIBK)	4.3J	ug/m3	7.6	0.59	1.83		07/16/21 17:15	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.7	0.23	1.83		07/16/21 17:15	1634-04-4	
Naphthalene	<4.0	ug/m3	4.9	4.0	1.83		07/16/21 17:15	91-20-3	
2-Propanol	190	ug/m3	4.6	0.93	1.83		07/16/21 17:15	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.83		07/16/21 17:15	115-07-1	
Styrene	1.6	ug/m3	1.6	0.70	1.83		07/16/21 17:15	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

**Sample: IA-1**      **Lab ID: 10569624001**      Collected: 07/08/21 09:53      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.68	ug/m3	2.6	0.68	1.83		07/16/21 17:15	79-34-5	
Tetrachloroethene	<0.53	ug/m3	1.3	0.53	1.83		07/16/21 17:15	127-18-4	
Tetrahydrofuran	<0.33	ug/m3	1.1	0.33	1.83		07/16/21 17:15	109-99-9	
Toluene	3.8	ug/m3	1.4	0.45	1.83		07/16/21 17:15	108-88-3	
1,2,4-Trichlorobenzene	9.2J	ug/m3	13.8	8.9	1.83		07/16/21 17:15	120-82-1	
1,1,1-Trichloroethane	<0.34	ug/m3	2.0	0.34	1.83		07/16/21 17:15	71-55-6	
1,1,2-Trichloroethane	<0.36	ug/m3	1.0	0.36	1.83		07/16/21 17:15	79-00-5	
Trichloroethene	<0.36	ug/m3	1.0	0.36	1.83		07/16/21 17:15	79-01-6	
Trichlorofluoromethane	1.9J	ug/m3	2.1	0.43	1.83		07/16/21 17:15	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.53	ug/m3	2.9	0.53	1.83		07/16/21 17:15	76-13-1	
1,2,4-Trimethylbenzene	0.73J	ug/m3	1.8	0.65	1.83		07/16/21 17:15	95-63-6	
1,3,5-Trimethylbenzene	0.74J	ug/m3	1.8	0.53	1.83		07/16/21 17:15	108-67-8	
Vinyl acetate	<0.38	ug/m3	1.3	0.38	1.83		07/16/21 17:15	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.48	0.16	1.83		07/16/21 17:15	75-01-4	
m&p-Xylene	2.0J	ug/m3	3.2	1.2	1.83		07/16/21 17:15	179601-23-1	
o-Xylene	0.59J	ug/m3	1.6	0.50	1.83		07/16/21 17:15	95-47-6	

**Sample: SS-1**      **Lab ID: 10569624002**      Collected: 07/08/21 10:09      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	242	ug/m3	11.3	3.4	1.87		07/16/21 17:52	67-64-1	
Benzene	4.4	ug/m3	0.61	0.21	1.87		07/16/21 17:52	71-43-2	
Benzyl chloride	<1.7	ug/m3	4.9	1.7	1.87		07/16/21 17:52	100-44-7	
Bromodichloromethane	<0.44	ug/m3	6.4	0.44	1.87		07/16/21 17:52	75-27-4	
Bromoform	<3.0	ug/m3	9.8	3.0	1.87		07/16/21 17:52	75-25-2	
Bromomethane	<0.28	ug/m3	1.5	0.28	1.87		07/16/21 17:52	74-83-9	
1,3-Butadiene	<0.22	ug/m3	0.84	0.22	1.87		07/16/21 17:52	106-99-0	
2-Butanone (MEK)	24.1	ug/m3	5.6	0.87	1.87		07/16/21 17:52	78-93-3	
Carbon disulfide	2.5	ug/m3	1.2	0.24	1.87		07/16/21 17:52	75-15-0	
Carbon tetrachloride	1.0J	ug/m3	2.4	0.52	1.87		07/16/21 17:52	56-23-5	
Chlorobenzene	<0.29	ug/m3	1.8	0.29	1.87		07/16/21 17:52	108-90-7	
Chloroethane	<0.42	ug/m3	1.0	0.42	1.87		07/16/21 17:52	75-00-3	
Chloroform	1.2	ug/m3	0.93	0.34	1.87		07/16/21 17:52	67-66-3	
Chloromethane	1.9	ug/m3	0.79	0.16	1.87		07/16/21 17:52	74-87-3	
Cyclohexane	5.1	ug/m3	3.3	0.41	1.87		07/16/21 17:52	110-82-7	
Dibromochloromethane	<0.96	ug/m3	3.2	0.96	1.87		07/16/21 17:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/m3	1.5	0.56	1.87		07/16/21 17:52	106-93-4	
1,2-Dichlorobenzene	<0.76	ug/m3	5.7	0.76	1.87		07/16/21 17:52	95-50-1	
1,3-Dichlorobenzene	<0.95	ug/m3	5.7	0.95	1.87		07/16/21 17:52	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.7	1.6	1.87		07/16/21 17:52	106-46-7	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

**Sample: SS-1**      **Lab ID: 10569624002**      Collected: 07/08/21 10:09      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.3	ug/m3	1.9	0.35	1.87		07/16/21 17:52	75-71-8	
1,1-Dichloroethane	<0.31	ug/m3	1.5	0.31	1.87		07/16/21 17:52	75-34-3	
1,2-Dichloroethane	<0.36	ug/m3	1.5	0.36	1.87		07/16/21 17:52	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.87		07/16/21 17:52	75-35-4	
cis-1,2-Dichloroethene	<0.36	ug/m3	1.5	0.36	1.87		07/16/21 17:52	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.87		07/16/21 17:52	156-60-5	
1,2-Dichloropropane	<0.50	ug/m3	1.8	0.50	1.87		07/16/21 17:52	78-87-5	
cis-1,3-Dichloropropene	<0.48	ug/m3	4.3	0.48	1.87		07/16/21 17:52	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.3	1.0	1.87		07/16/21 17:52	10061-02-6	
Dichlorotetrafluoroethane	<0.38	ug/m3	2.7	0.38	1.87		07/16/21 17:52	76-14-2	
Ethanol	69000	ug/m3	215	66.4	112.2		07/17/21 14:22	64-17-5	E
Ethyl acetate	30.4	ug/m3	1.4	0.24	1.87		07/16/21 17:52	141-78-6	
Ethylbenzene	5.5	ug/m3	1.7	0.58	1.87		07/16/21 17:52	100-41-4	
4-Ethyltoluene	6.3	ug/m3	4.7	0.88	1.87		07/16/21 17:52	622-96-8	
n-Heptane	11.0	ug/m3	1.6	0.34	1.87		07/16/21 17:52	142-82-5	
Hexachloro-1,3-butadiene	<2.3	ug/m3	10.1	2.3	1.87		07/16/21 17:52	87-68-3	
n-Hexane	9.4	ug/m3	1.3	0.36	1.87		07/16/21 17:52	110-54-3	
2-Hexanone	4.3J	ug/m3	7.8	0.83	1.87		07/16/21 17:52	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.6	1.1	1.87		07/16/21 17:52	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	7.8	0.60	1.87		07/16/21 17:52	108-10-1	
Methyl-tert-butyl ether	<0.24	ug/m3	6.8	0.24	1.87		07/16/21 17:52	1634-04-4	
Naphthalene	4.1J	ug/m3	5.0	4.1	1.87		07/16/21 17:52	91-20-3	
2-Propanol	197	ug/m3	4.7	0.95	1.87		07/16/21 17:52	67-63-0	
Propylene	<0.24	ug/m3	1.6	0.24	1.87		07/16/21 17:52	115-07-1	
Styrene	1.6J	ug/m3	1.6	0.72	1.87		07/16/21 17:52	100-42-5	
1,1,2,2-Tetrachloroethane	<0.70	ug/m3	2.6	0.70	1.87		07/16/21 17:52	79-34-5	
Tetrachloroethene	<0.55	ug/m3	1.3	0.55	1.87		07/16/21 17:52	127-18-4	
Tetrahydrofuran	2.0	ug/m3	1.1	0.34	1.87		07/16/21 17:52	109-99-9	
Toluene	20.0	ug/m3	1.4	0.46	1.87		07/16/21 17:52	108-88-3	
1,2,4-Trichlorobenzene	9.3J	ug/m3	14.1	9.1	1.87		07/16/21 17:52	120-82-1	
1,1,1-Trichloroethane	<0.35	ug/m3	2.1	0.35	1.87		07/16/21 17:52	71-55-6	
1,1,2-Trichloroethane	<0.37	ug/m3	1.0	0.37	1.87		07/16/21 17:52	79-00-5	
Trichloroethene	<0.37	ug/m3	1.0	0.37	1.87		07/16/21 17:52	79-01-6	
Trichlorofluoromethane	2.5	ug/m3	2.1	0.44	1.87		07/16/21 17:52	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.54	ug/m3	2.9	0.54	1.87		07/16/21 17:52	76-13-1	
1,2,4-Trimethylbenzene	13.7	ug/m3	1.9	0.66	1.87		07/16/21 17:52	95-63-6	
1,3,5-Trimethylbenzene	11.2	ug/m3	1.9	0.54	1.87		07/16/21 17:52	108-67-8	
Vinyl acetate	<0.39	ug/m3	1.3	0.39	1.87		07/16/21 17:52	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.49	0.16	1.87		07/16/21 17:52	75-01-4	
m&p-Xylene	7.7	ug/m3	3.3	1.2	1.87		07/16/21 17:52	179601-23-1	
o-Xylene	4.6	ug/m3	1.7	0.51	1.87		07/16/21 17:52	95-47-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: **SS-2**      Lab ID: **10569624003**      Collected: 07/08/21 11:00      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	259	ug/m3	11.6	3.5	1.92		07/16/21 19:05	67-64-1	
Benzene	66.3	ug/m3	0.62	0.22	1.92		07/16/21 19:05	71-43-2	
Benzyl chloride	<1.7	ug/m3	5.0	1.7	1.92		07/16/21 19:05	100-44-7	
Bromodichloromethane	<0.46	ug/m3	6.5	0.46	1.92		07/16/21 19:05	75-27-4	
Bromoform	<3.1	ug/m3	10.1	3.1	1.92		07/16/21 19:05	75-25-2	
Bromomethane	<0.29	ug/m3	1.5	0.29	1.92		07/16/21 19:05	74-83-9	
1,3-Butadiene	<0.23	ug/m3	0.86	0.23	1.92		07/16/21 19:05	106-99-0	
2-Butanone (MEK)	51.7	ug/m3	5.8	0.89	1.92		07/16/21 19:05	78-93-3	
Carbon disulfide	2.0	ug/m3	1.2	0.25	1.92		07/16/21 19:05	75-15-0	
Carbon tetrachloride	1.2J	ug/m3	2.5	0.54	1.92		07/16/21 19:05	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.8	0.30	1.92		07/16/21 19:05	108-90-7	
Chloroethane	<0.43	ug/m3	1.0	0.43	1.92		07/16/21 19:05	75-00-3	
Chloroform	<0.35	ug/m3	0.95	0.35	1.92		07/16/21 19:05	67-66-3	
Chloromethane	1.1	ug/m3	0.81	0.16	1.92		07/16/21 19:05	74-87-3	
Cyclohexane	19.2	ug/m3	3.4	0.42	1.92		07/16/21 19:05	110-82-7	
Dibromochloromethane	<0.99	ug/m3	3.3	0.99	1.92		07/16/21 19:05	124-48-1	
1,2-Dibromoethane (EDB)	<0.58	ug/m3	1.5	0.58	1.92		07/16/21 19:05	106-93-4	
1,2-Dichlorobenzene	<0.78	ug/m3	5.9	0.78	1.92		07/16/21 19:05	95-50-1	
1,3-Dichlorobenzene	<0.98	ug/m3	5.9	0.98	1.92		07/16/21 19:05	541-73-1	
1,4-Dichlorobenzene	1.8J	ug/m3	5.9	1.7	1.92		07/16/21 19:05	106-46-7	
Dichlorodifluoromethane	3.1	ug/m3	1.9	0.36	1.92		07/16/21 19:05	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.6	0.32	1.92		07/16/21 19:05	75-34-3	
1,2-Dichloroethane	<0.37	ug/m3	1.6	0.37	1.92		07/16/21 19:05	107-06-2	
1,1-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.92		07/16/21 19:05	75-35-4	
cis-1,2-Dichloroethene	<0.37	ug/m3	1.5	0.37	1.92		07/16/21 19:05	156-59-2	
trans-1,2-Dichloroethene	<0.32	ug/m3	1.5	0.32	1.92		07/16/21 19:05	156-60-5	
1,2-Dichloropropane	<0.52	ug/m3	1.8	0.52	1.92		07/16/21 19:05	78-87-5	
cis-1,3-Dichloropropene	<0.49	ug/m3	4.4	0.49	1.92		07/16/21 19:05	10061-01-5	
trans-1,3-Dichloropropene	<1.0	ug/m3	4.4	1.0	1.92		07/16/21 19:05	10061-02-6	
Dichlorotetrafluoroethane	<0.39	ug/m3	2.7	0.39	1.92		07/16/21 19:05	76-14-2	
Ethanol	824	ug/m3	3.7	1.1	1.92		07/16/21 19:05	64-17-5	E
Ethyl acetate	1.0J	ug/m3	1.4	0.25	1.92		07/16/21 19:05	141-78-6	
Ethylbenzene	18.2	ug/m3	1.7	0.59	1.92		07/16/21 19:05	100-41-4	
4-Ethyltoluene	6.8	ug/m3	4.8	0.91	1.92		07/16/21 19:05	622-96-8	
n-Heptane	36.9	ug/m3	1.6	0.35	1.92		07/16/21 19:05	142-82-5	
Hexachloro-1,3-butadiene	<2.4	ug/m3	10.4	2.4	1.92		07/16/21 19:05	87-68-3	
n-Hexane	37.8	ug/m3	1.4	0.37	1.92		07/16/21 19:05	110-54-3	
2-Hexanone	12.1	ug/m3	8.0	0.85	1.92		07/16/21 19:05	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.8	1.1	1.92		07/16/21 19:05	75-09-2	
4-Methyl-2-pentanone (MIBK)	28.2	ug/m3	8.0	0.62	1.92		07/16/21 19:05	108-10-1	
Methyl-tert-butyl ether	<0.24	ug/m3	7.0	0.24	1.92		07/16/21 19:05	1634-04-4	
Naphthalene	4.9J	ug/m3	5.1	4.2	1.92		07/16/21 19:05	91-20-3	
2-Propanol	86.1	ug/m3	4.8	0.98	1.92		07/16/21 19:05	67-63-0	
Propylene	88.2	ug/m3	1.7	0.25	1.92		07/16/21 19:05	115-07-1	
Styrene	16.4	ug/m3	1.7	0.74	1.92		07/16/21 19:05	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-2 Lab ID: 10569624003 Collected: 07/08/21 11:00 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.71	ug/m3	2.7	0.71	1.92		07/16/21 19:05	79-34-5	
Tetrachloroethene	<0.56	ug/m3	1.3	0.56	1.92		07/16/21 19:05	127-18-4	
Tetrahydrofuran	<0.35	ug/m3	1.2	0.35	1.92		07/16/21 19:05	109-99-9	
Toluene	96.9	ug/m3	1.5	0.47	1.92		07/16/21 19:05	108-88-3	
1,2,4-Trichlorobenzene	9.5J	ug/m3	14.5	9.4	1.92		07/16/21 19:05	120-82-1	
1,1,1-Trichloroethane	<0.36	ug/m3	2.1	0.36	1.92		07/16/21 19:05	71-55-6	
1,1,2-Trichloroethane	<0.38	ug/m3	1.1	0.38	1.92		07/16/21 19:05	79-00-5	
Trichloroethene	0.71J	ug/m3	1.0	0.38	1.92		07/16/21 19:05	79-01-6	
Trichlorofluoromethane	2.0J	ug/m3	2.2	0.45	1.92		07/16/21 19:05	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.55	ug/m3	3.0	0.55	1.92		07/16/21 19:05	76-13-1	
1,2,4-Trimethylbenzene	31.7	ug/m3	1.9	0.68	1.92		07/16/21 19:05	95-63-6	
1,3,5-Trimethylbenzene	10.8	ug/m3	1.9	0.56	1.92		07/16/21 19:05	108-67-8	
Vinyl acetate	<0.40	ug/m3	1.4	0.40	1.92		07/16/21 19:05	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.50	0.17	1.92		07/16/21 19:05	75-01-4	
m&p-Xylene	26.5	ug/m3	3.4	1.2	1.92		07/16/21 19:05	179601-23-1	
o-Xylene	12.9	ug/m3	1.7	0.52	1.92		07/16/21 19:05	95-47-6	

Sample: OA-1 Lab ID: 10569624004 Collected: 07/08/21 11:10 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	16.6	ug/m3	10.8	3.2	1.79		07/16/21 20:17	67-64-1	
Benzene	0.67	ug/m3	0.58	0.20	1.79		07/16/21 20:17	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.7	1.6	1.79		07/16/21 20:17	100-44-7	
Bromodichloromethane	<0.42	ug/m3	6.1	0.42	1.79		07/16/21 20:17	75-27-4	
Bromoform	<2.9	ug/m3	9.4	2.9	1.79		07/16/21 20:17	75-25-2	
Bromomethane	<0.27	ug/m3	1.4	0.27	1.79		07/16/21 20:17	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.81	0.21	1.79		07/16/21 20:17	106-99-0	
2-Butanone (MEK)	2.9J	ug/m3	5.4	0.83	1.79		07/16/21 20:17	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.79		07/16/21 20:17	75-15-0	
Carbon tetrachloride	1.0J	ug/m3	2.3	0.50	1.79		07/16/21 20:17	56-23-5	
Chlorobenzene	<0.28	ug/m3	1.7	0.28	1.79		07/16/21 20:17	108-90-7	
Chloroethane	<0.40	ug/m3	0.96	0.40	1.79		07/16/21 20:17	75-00-3	
Chloroform	<0.33	ug/m3	0.89	0.33	1.79		07/16/21 20:17	67-66-3	
Chloromethane	1.3	ug/m3	0.75	0.15	1.79		07/16/21 20:17	74-87-3	
Cyclohexane	<0.40	ug/m3	3.1	0.40	1.79		07/16/21 20:17	110-82-7	
Dibromochloromethane	<0.92	ug/m3	3.1	0.92	1.79		07/16/21 20:17	124-48-1	
1,2-Dibromoethane (EDB)	<0.54	ug/m3	1.4	0.54	1.79		07/16/21 20:17	106-93-4	
1,2-Dichlorobenzene	<0.72	ug/m3	5.5	0.72	1.79		07/16/21 20:17	95-50-1	
1,3-Dichlorobenzene	<0.91	ug/m3	5.5	0.91	1.79		07/16/21 20:17	541-73-1	
1,4-Dichlorobenzene	<1.6	ug/m3	5.5	1.6	1.79		07/16/21 20:17	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: OA-1      Lab ID: 10569624004      Collected: 07/08/21 11:10      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.5	ug/m3	1.8	0.34	1.79		07/16/21 20:17	75-71-8	
1,1-Dichloroethane	<0.30	ug/m3	1.5	0.30	1.79		07/16/21 20:17	75-34-3	
1,2-Dichloroethane	<0.35	ug/m3	1.5	0.35	1.79		07/16/21 20:17	107-06-2	
1,1-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		07/16/21 20:17	75-35-4	
cis-1,2-Dichloroethene	<0.35	ug/m3	1.4	0.35	1.79		07/16/21 20:17	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.79		07/16/21 20:17	156-60-5	
1,2-Dichloropropane	<0.48	ug/m3	1.7	0.48	1.79		07/16/21 20:17	78-87-5	
cis-1,3-Dichloropropene	<0.46	ug/m3	4.1	0.46	1.79		07/16/21 20:17	10061-01-5	
trans-1,3-Dichloropropene	<0.97	ug/m3	4.1	0.97	1.79		07/16/21 20:17	10061-02-6	
Dichlorotetrafluoroethane	<0.36	ug/m3	2.5	0.36	1.79		07/16/21 20:17	76-14-2	
Ethanol	151	ug/m3	3.4	1.1	1.79		07/16/21 20:17	64-17-5	
Ethyl acetate	<0.23	ug/m3	1.3	0.23	1.79		07/16/21 20:17	141-78-6	
Ethylbenzene	<0.55	ug/m3	1.6	0.55	1.79		07/16/21 20:17	100-41-4	
4-Ethyltoluene	<0.84	ug/m3	4.5	0.84	1.79		07/16/21 20:17	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.79		07/16/21 20:17	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.7	2.2	1.79		07/16/21 20:17	87-68-3	
n-Hexane	<0.34	ug/m3	1.3	0.34	1.79		07/16/21 20:17	110-54-3	
2-Hexanone	1.8J	ug/m3	7.4	0.79	1.79		07/16/21 20:17	591-78-6	
Methylene Chloride	<1.1	ug/m3	6.3	1.1	1.79		07/16/21 20:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.57	ug/m3	7.4	0.57	1.79		07/16/21 20:17	108-10-1	
Methyl-tert-butyl ether	<0.23	ug/m3	6.6	0.23	1.79		07/16/21 20:17	1634-04-4	
Naphthalene	<3.9	ug/m3	4.8	3.9	1.79		07/16/21 20:17	91-20-3	
2-Propanol	2.5J	ug/m3	4.5	0.91	1.79		07/16/21 20:17	67-63-0	
Propylene	0.57J	ug/m3	1.6	0.23	1.79		07/16/21 20:17	115-07-1	
Styrene	1.2J	ug/m3	1.6	0.69	1.79		07/16/21 20:17	100-42-5	
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		07/16/21 20:17	79-34-5	
Tetrachloroethene	<0.52	ug/m3	1.2	0.52	1.79		07/16/21 20:17	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.1	0.32	1.79		07/16/21 20:17	109-99-9	
Toluene	1.4	ug/m3	1.4	0.44	1.79		07/16/21 20:17	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		07/16/21 20:17	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		07/16/21 20:17	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		07/16/21 20:17	79-00-5	
Trichloroethene	<0.35	ug/m3	0.98	0.35	1.79		07/16/21 20:17	79-01-6	
Trichlorofluoromethane	1.6J	ug/m3	2.0	0.42	1.79		07/16/21 20:17	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.52	ug/m3	2.8	0.52	1.79		07/16/21 20:17	76-13-1	
1,2,4-Trimethylbenzene	<0.63	ug/m3	1.8	0.63	1.79		07/16/21 20:17	95-63-6	
1,3,5-Trimethylbenzene	<0.52	ug/m3	1.8	0.52	1.79		07/16/21 20:17	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		07/16/21 20:17	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		07/16/21 20:17	75-01-4	
m&p-Xylene	<1.1	ug/m3	3.2	1.1	1.79		07/16/21 20:17	179601-23-1	
o-Xylene	<0.49	ug/m3	1.6	0.49	1.79		07/16/21 20:17	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: **SS-3**      Lab ID: **10569624005**      Collected: 07/08/21 12:30      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Acetone	118	ug/m3	8.8	2.6	1.46		07/16/21 20:54	67-64-1	
Benzene	2.0	ug/m3	0.47	0.17	1.46		07/16/21 20:54	71-43-2	
Benzyl chloride	<1.3	ug/m3	3.8	1.3	1.46		07/16/21 20:54	100-44-7	
Bromodichloromethane	<0.35	ug/m3	5.0	0.35	1.46		07/16/21 20:54	75-27-4	
Bromoform	<2.4	ug/m3	7.7	2.4	1.46		07/16/21 20:54	75-25-2	
Bromomethane	<0.22	ug/m3	1.2	0.22	1.46		07/16/21 20:54	74-83-9	
1,3-Butadiene	<0.18	ug/m3	0.66	0.18	1.46		07/16/21 20:54	106-99-0	
2-Butanone (MEK)	19.1	ug/m3	4.4	0.68	1.46		07/16/21 20:54	78-93-3	
Carbon disulfide	1.7	ug/m3	0.92	0.19	1.46		07/16/21 20:54	75-15-0	
Carbon tetrachloride	0.70J	ug/m3	1.9	0.41	1.46		07/16/21 20:54	56-23-5	
Chlorobenzene	<0.23	ug/m3	1.4	0.23	1.46		07/16/21 20:54	108-90-7	
Chloroethane	<0.33	ug/m3	0.78	0.33	1.46		07/16/21 20:54	75-00-3	
Chloroform	0.45J	ug/m3	0.72	0.27	1.46		07/16/21 20:54	67-66-3	
Chloromethane	0.92	ug/m3	0.61	0.12	1.46		07/16/21 20:54	74-87-3	
Cyclohexane	16.4	ug/m3	2.6	0.32	1.46		07/16/21 20:54	110-82-7	
Dibromochloromethane	<0.75	ug/m3	2.5	0.75	1.46		07/16/21 20:54	124-48-1	
1,2-Dibromoethane (EDB)	<0.44	ug/m3	1.1	0.44	1.46		07/16/21 20:54	106-93-4	
1,2-Dichlorobenzene	<0.59	ug/m3	4.5	0.59	1.46		07/16/21 20:54	95-50-1	
1,3-Dichlorobenzene	<0.74	ug/m3	4.5	0.74	1.46		07/16/21 20:54	541-73-1	
1,4-Dichlorobenzene	1.4J	ug/m3	4.5	1.3	1.46		07/16/21 20:54	106-46-7	
Dichlorodifluoromethane	2.8	ug/m3	1.5	0.27	1.46		07/16/21 20:54	75-71-8	
1,1-Dichloroethane	<0.24	ug/m3	1.2	0.24	1.46		07/16/21 20:54	75-34-3	
1,2-Dichloroethane	<0.28	ug/m3	1.2	0.28	1.46		07/16/21 20:54	107-06-2	
1,1-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.46		07/16/21 20:54	75-35-4	
cis-1,2-Dichloroethene	<0.28	ug/m3	1.2	0.28	1.46		07/16/21 20:54	156-59-2	
trans-1,2-Dichloroethene	<0.25	ug/m3	1.2	0.25	1.46		07/16/21 20:54	156-60-5	
1,2-Dichloropropane	<0.39	ug/m3	1.4	0.39	1.46		07/16/21 20:54	78-87-5	
cis-1,3-Dichloropropene	<0.37	ug/m3	3.4	0.37	1.46		07/16/21 20:54	10061-01-5	
trans-1,3-Dichloropropene	<0.79	ug/m3	3.4	0.79	1.46		07/16/21 20:54	10061-02-6	
Dichlorotetrafluoroethane	<0.29	ug/m3	2.1	0.29	1.46		07/16/21 20:54	76-14-2	
Ethanol	312	ug/m3	2.8	0.86	1.46		07/16/21 20:54	64-17-5	
Ethyl acetate	31.0	ug/m3	1.1	0.19	1.46		07/16/21 20:54	141-78-6	
Ethylbenzene	4.6	ug/m3	1.3	0.45	1.46		07/16/21 20:54	100-41-4	
4-Ethyltoluene	3.2J	ug/m3	3.6	0.69	1.46		07/16/21 20:54	622-96-8	
n-Heptane	36.1	ug/m3	1.2	0.26	1.46		07/16/21 20:54	142-82-5	
Hexachloro-1,3-butadiene	<1.8	ug/m3	7.9	1.8	1.46		07/16/21 20:54	87-68-3	
n-Hexane	7.3	ug/m3	1.0	0.28	1.46		07/16/21 20:54	110-54-3	
2-Hexanone	2.0J	ug/m3	6.1	0.65	1.46		07/16/21 20:54	591-78-6	
Methylene Chloride	<0.87	ug/m3	5.2	0.87	1.46		07/16/21 20:54	75-09-2	
4-Methyl-2-pentanone (MIBK)	8.8	ug/m3	6.1	0.47	1.46		07/16/21 20:54	108-10-1	
Methyl-tert-butyl ether	<0.18	ug/m3	5.3	0.18	1.46		07/16/21 20:54	1634-04-4	
Naphthalene	4.5	ug/m3	3.9	3.2	1.46		07/16/21 20:54	91-20-3	
2-Propanol	50.4	ug/m3	3.6	0.74	1.46		07/16/21 20:54	67-63-0	
Propylene	<0.19	ug/m3	1.3	0.19	1.46		07/16/21 20:54	115-07-1	
Styrene	6.2	ug/m3	1.3	0.56	1.46		07/16/21 20:54	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: **SS-3** Lab ID: **10569624005** Collected: 07/08/21 12:30 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.54	ug/m3	2.0	0.54	1.46		07/16/21 20:54	79-34-5	
Tetrachloroethene	201	ug/m3	1.0	0.43	1.46		07/16/21 20:54	127-18-4	
Tetrahydrofuran	<0.26	ug/m3	0.88	0.26	1.46		07/16/21 20:54	109-99-9	
Toluene	53.3	ug/m3	1.1	0.36	1.46		07/16/21 20:54	108-88-3	
1,2,4-Trichlorobenzene	7.1J	ug/m3	11.0	7.1	1.46		07/16/21 20:54	120-82-1	
1,1,1-Trichloroethane	<0.27	ug/m3	1.6	0.27	1.46		07/16/21 20:54	71-55-6	
1,1,2-Trichloroethane	<0.29	ug/m3	0.81	0.29	1.46		07/16/21 20:54	79-00-5	
Trichloroethene	0.80J	ug/m3	0.80	0.29	1.46		07/16/21 20:54	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	1.7	0.34	1.46		07/16/21 20:54	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.42	ug/m3	2.3	0.42	1.46		07/16/21 20:54	76-13-1	
1,2,4-Trimethylbenzene	8.0	ug/m3	1.5	0.52	1.46		07/16/21 20:54	95-63-6	
1,3,5-Trimethylbenzene	2.9	ug/m3	1.5	0.42	1.46		07/16/21 20:54	108-67-8	
Vinyl acetate	<0.30	ug/m3	1.0	0.30	1.46		07/16/21 20:54	108-05-4	
Vinyl chloride	<0.13	ug/m3	0.38	0.13	1.46		07/16/21 20:54	75-01-4	
m&p-Xylene	11.8	ug/m3	2.6	0.94	1.46		07/16/21 20:54	179601-23-1	
o-Xylene	5.3	ug/m3	1.3	0.40	1.46		07/16/21 20:54	95-47-6	

Sample: **IA-2** Lab ID: **10569624006** Collected: 07/08/21 12:35 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	30.6	ug/m3	10.6	3.2	1.75		07/16/21 21:30	67-64-1	
Benzene	0.63	ug/m3	0.57	0.20	1.75		07/16/21 21:30	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		07/16/21 21:30	100-44-7	
Bromodichloromethane	<0.41	ug/m3	6.0	0.41	1.75		07/16/21 21:30	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		07/16/21 21:30	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		07/16/21 21:30	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		07/16/21 21:30	106-99-0	
2-Butanone (MEK)	6.9	ug/m3	5.2	0.81	1.75		07/16/21 21:30	78-93-3	
Carbon disulfide	<0.23	ug/m3	1.1	0.23	1.75		07/16/21 21:30	75-15-0	
Carbon tetrachloride	0.88J	ug/m3	2.2	0.49	1.75		07/16/21 21:30	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		07/16/21 21:30	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		07/16/21 21:30	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		07/16/21 21:30	67-66-3	
Chloromethane	0.80	ug/m3	0.74	0.15	1.75		07/16/21 21:30	74-87-3	
Cyclohexane	0.42J	ug/m3	3.1	0.39	1.75		07/16/21 21:30	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		07/16/21 21:30	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		07/16/21 21:30	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		07/16/21 21:30	95-50-1	
1,3-Dichlorobenzene	<0.89	ug/m3	5.4	0.89	1.75		07/16/21 21:30	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		07/16/21 21:30	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: IA-2 Lab ID: 10569624006 Collected: 07/08/21 12:35 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.1	ug/m3	1.8	0.33	1.75		07/16/21 21:30	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 21:30	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 21:30	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		07/16/21 21:30	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 21:30	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 21:30	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		07/16/21 21:30	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		07/16/21 21:30	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		07/16/21 21:30	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		07/16/21 21:30	76-14-2	
Ethanol	144	ug/m3	3.4	1.0	1.75		07/16/21 21:30	64-17-5	
Ethyl acetate	1.1J	ug/m3	1.3	0.23	1.75		07/16/21 21:30	141-78-6	
Ethylbenzene	<0.54	ug/m3	1.5	0.54	1.75		07/16/21 21:30	100-41-4	
4-Ethyltoluene	1.4J	ug/m3	4.4	0.83	1.75		07/16/21 21:30	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.75		07/16/21 21:30	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		07/16/21 21:30	87-68-3	
n-Hexane	0.55J	ug/m3	1.3	0.33	1.75		07/16/21 21:30	110-54-3	
2-Hexanone	1.8J	ug/m3	7.3	0.77	1.75		07/16/21 21:30	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		07/16/21 21:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		07/16/21 21:30	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		07/16/21 21:30	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		07/16/21 21:30	91-20-3	
2-Propanol	20.0	ug/m3	4.4	0.89	1.75		07/16/21 21:30	67-63-0	
Propylene	1.5J	ug/m3	1.5	0.23	1.75		07/16/21 21:30	115-07-1	
Styrene	0.94J	ug/m3	1.5	0.67	1.75		07/16/21 21:30	100-42-5	
1,1,1,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		07/16/21 21:30	79-34-5	
Tetrachloroethene	2.3	ug/m3	1.2	0.51	1.75		07/16/21 21:30	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		07/16/21 21:30	109-99-9	
Toluene	1.5	ug/m3	1.3	0.43	1.75		07/16/21 21:30	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		07/16/21 21:30	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		07/16/21 21:30	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		07/16/21 21:30	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		07/16/21 21:30	79-01-6	
Trichlorofluoromethane	1.4J	ug/m3	2.0	0.41	1.75		07/16/21 21:30	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.51	ug/m3	2.7	0.51	1.75		07/16/21 21:30	76-13-1	
1,2,4-Trimethylbenzene	0.80J	ug/m3	1.7	0.62	1.75		07/16/21 21:30	95-63-6	
1,3,5-Trimethylbenzene	0.65J	ug/m3	1.7	0.51	1.75		07/16/21 21:30	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		07/16/21 21:30	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		07/16/21 21:30	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.1	1.1	1.75		07/16/21 21:30	179601-23-1	
o-Xylene	<0.47	ug/m3	1.5	0.47	1.75		07/16/21 21:30	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: **SS-4**      Lab ID: **10569624007**      Collected: 07/08/21 13:40      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Acetone	<b>73.4</b>	ug/m3	10.8	3.2	1.79		07/16/21 22:07	67-64-1	
Benzene	<b>2.2</b>	ug/m3	0.58	0.20	1.79		07/16/21 22:07	71-43-2	
Benzyl chloride	<b>&lt;1.6</b>	ug/m3	4.7	1.6	1.79		07/16/21 22:07	100-44-7	
Bromodichloromethane	<b>&lt;0.42</b>	ug/m3	6.1	0.42	1.79		07/16/21 22:07	75-27-4	
Bromoform	<b>&lt;2.9</b>	ug/m3	9.4	2.9	1.79		07/16/21 22:07	75-25-2	
Bromomethane	<b>&lt;0.27</b>	ug/m3	1.4	0.27	1.79		07/16/21 22:07	74-83-9	
1,3-Butadiene	<b>&lt;0.21</b>	ug/m3	0.81	0.21	1.79		07/16/21 22:07	106-99-0	
2-Butanone (MEK)	<b>11.4</b>	ug/m3	5.4	0.83	1.79		07/16/21 22:07	78-93-3	
Carbon disulfide	<b>0.91J</b>	ug/m3	1.1	0.23	1.79		07/16/21 22:07	75-15-0	
Carbon tetrachloride	<b>0.71J</b>	ug/m3	2.3	0.50	1.79		07/16/21 22:07	56-23-5	
Chlorobenzene	<b>&lt;0.28</b>	ug/m3	1.7	0.28	1.79		07/16/21 22:07	108-90-7	
Chloroethane	<b>&lt;0.40</b>	ug/m3	0.96	0.40	1.79		07/16/21 22:07	75-00-3	
Chloroform	<b>&lt;0.33</b>	ug/m3	0.89	0.33	1.79		07/16/21 22:07	67-66-3	
Chloromethane	<b>0.78</b>	ug/m3	0.75	0.15	1.79		07/16/21 22:07	74-87-3	
Cyclohexane	<b>6.1</b>	ug/m3	3.1	0.40	1.79		07/16/21 22:07	110-82-7	
Dibromochloromethane	<b>&lt;0.92</b>	ug/m3	3.1	0.92	1.79		07/16/21 22:07	124-48-1	
1,2-Dibromoethane (EDB)	<b>&lt;0.54</b>	ug/m3	1.4	0.54	1.79		07/16/21 22:07	106-93-4	
1,2-Dichlorobenzene	<b>&lt;0.72</b>	ug/m3	5.5	0.72	1.79		07/16/21 22:07	95-50-1	
1,3-Dichlorobenzene	<b>1.3J</b>	ug/m3	5.5	0.91	1.79		07/16/21 22:07	541-73-1	
1,4-Dichlorobenzene	<b>&lt;1.6</b>	ug/m3	5.5	1.6	1.79		07/16/21 22:07	106-46-7	
Dichlorodifluoromethane	<b>3.2</b>	ug/m3	1.8	0.34	1.79		07/16/21 22:07	75-71-8	
1,1-Dichloroethane	<b>&lt;0.30</b>	ug/m3	1.5	0.30	1.79		07/16/21 22:07	75-34-3	
1,2-Dichloroethane	<b>&lt;0.35</b>	ug/m3	1.5	0.35	1.79		07/16/21 22:07	107-06-2	
1,1-Dichloroethene	<b>&lt;0.25</b>	ug/m3	1.4	0.25	1.79		07/16/21 22:07	75-35-4	
cis-1,2-Dichloroethene	<b>&lt;0.35</b>	ug/m3	1.4	0.35	1.79		07/16/21 22:07	156-59-2	
trans-1,2-Dichloroethene	<b>2.9</b>	ug/m3	1.4	0.30	1.79		07/16/21 22:07	156-60-5	
1,2-Dichloropropane	<b>&lt;0.48</b>	ug/m3	1.7	0.48	1.79		07/16/21 22:07	78-87-5	
cis-1,3-Dichloropropene	<b>&lt;0.46</b>	ug/m3	4.1	0.46	1.79		07/16/21 22:07	10061-01-5	
trans-1,3-Dichloropropene	<b>&lt;0.97</b>	ug/m3	4.1	0.97	1.79		07/16/21 22:07	10061-02-6	
Dichlorotetrafluoroethane	<b>&lt;0.36</b>	ug/m3	2.5	0.36	1.79		07/16/21 22:07	76-14-2	
Ethanol	<b>113</b>	ug/m3	3.4	1.1	1.79		07/16/21 22:07	64-17-5	
Ethyl acetate	<b>7.0</b>	ug/m3	1.3	0.23	1.79		07/16/21 22:07	141-78-6	
Ethylbenzene	<b>3.3</b>	ug/m3	1.6	0.55	1.79		07/16/21 22:07	100-41-4	
4-Ethyltoluene	<b>2.0J</b>	ug/m3	4.5	0.84	1.79		07/16/21 22:07	622-96-8	
n-Heptane	<b>10.1</b>	ug/m3	1.5	0.32	1.79		07/16/21 22:07	142-82-5	
Hexachloro-1,3-butadiene	<b>&lt;2.2</b>	ug/m3	9.7	2.2	1.79		07/16/21 22:07	87-68-3	
n-Hexane	<b>5.1</b>	ug/m3	1.3	0.34	1.79		07/16/21 22:07	110-54-3	
2-Hexanone	<b>&lt;0.79</b>	ug/m3	7.4	0.79	1.79		07/16/21 22:07	591-78-6	
Methylene Chloride	<b>&lt;1.1</b>	ug/m3	6.3	1.1	1.79		07/16/21 22:07	75-09-2	
4-Methyl-2-pentanone (MIBK)	<b>1.3J</b>	ug/m3	7.4	0.57	1.79		07/16/21 22:07	108-10-1	
Methyl-tert-butyl ether	<b>&lt;0.23</b>	ug/m3	6.6	0.23	1.79		07/16/21 22:07	1634-04-4	
Naphthalene	<b>4.1J</b>	ug/m3	4.8	3.9	1.79		07/16/21 22:07	91-20-3	
2-Propanol	<b>18.6</b>	ug/m3	4.5	0.91	1.79		07/16/21 22:07	67-63-0	
Propylene	<b>&lt;0.23</b>	ug/m3	1.6	0.23	1.79		07/16/21 22:07	115-07-1	
Styrene	<b>1.9</b>	ug/m3	1.6	0.69	1.79		07/16/21 22:07	100-42-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: **SS-4** Lab ID: **10569624007** Collected: 07/08/21 13:40 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
1,1,2,2-Tetrachloroethane	<0.67	ug/m3	2.5	0.67	1.79		07/16/21 22:07	79-34-5	
Tetrachloroethene	9.7	ug/m3	1.2	0.52	1.79		07/16/21 22:07	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.1	0.32	1.79		07/16/21 22:07	109-99-9	
Toluene	30.7	ug/m3	1.4	0.44	1.79		07/16/21 22:07	108-88-3	
1,2,4-Trichlorobenzene	<8.7	ug/m3	13.5	8.7	1.79		07/16/21 22:07	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	2.0	0.33	1.79		07/16/21 22:07	71-55-6	
1,1,2-Trichloroethane	<0.35	ug/m3	0.99	0.35	1.79		07/16/21 22:07	79-00-5	
Trichloroethene	<0.35	ug/m3	0.98	0.35	1.79		07/16/21 22:07	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	2.0	0.42	1.79		07/16/21 22:07	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.62J	ug/m3	2.8	0.52	1.79		07/16/21 22:07	76-13-1	
1,2,4-Trimethylbenzene	3.6	ug/m3	1.8	0.63	1.79		07/16/21 22:07	95-63-6	
1,3,5-Trimethylbenzene	1.6J	ug/m3	1.8	0.52	1.79		07/16/21 22:07	108-67-8	
Vinyl acetate	<0.37	ug/m3	1.3	0.37	1.79		07/16/21 22:07	108-05-4	
Vinyl chloride	<0.16	ug/m3	0.47	0.16	1.79		07/16/21 22:07	75-01-4	
m&p-Xylene	6.0	ug/m3	3.2	1.1	1.79		07/16/21 22:07	179601-23-1	
o-Xylene	2.7	ug/m3	1.6	0.49	1.79		07/16/21 22:07	95-47-6	

Sample: **IA-3** Lab ID: **10569624008** Collected: 07/08/21 13:45 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	40.4	ug/m3	10.6	3.2	1.75		07/16/21 22:43	67-64-1	
Benzene	0.59	ug/m3	0.57	0.20	1.75		07/16/21 22:43	71-43-2	
Benzyl chloride	<1.6	ug/m3	4.6	1.6	1.75		07/16/21 22:43	100-44-7	
Bromodichloromethane	<0.41	ug/m3	6.0	0.41	1.75		07/16/21 22:43	75-27-4	
Bromoform	<2.8	ug/m3	9.2	2.8	1.75		07/16/21 22:43	75-25-2	
Bromomethane	<0.26	ug/m3	1.4	0.26	1.75		07/16/21 22:43	74-83-9	
1,3-Butadiene	<0.21	ug/m3	0.79	0.21	1.75		07/16/21 22:43	106-99-0	
2-Butanone (MEK)	7.9	ug/m3	5.2	0.81	1.75		07/16/21 22:43	78-93-3	
Carbon disulfide	0.52J	ug/m3	1.1	0.23	1.75		07/16/21 22:43	75-15-0	
Carbon tetrachloride	<0.49	ug/m3	2.2	0.49	1.75		07/16/21 22:43	56-23-5	
Chlorobenzene	<0.27	ug/m3	1.6	0.27	1.75		07/16/21 22:43	108-90-7	
Chloroethane	<0.39	ug/m3	0.94	0.39	1.75		07/16/21 22:43	75-00-3	
Chloroform	<0.32	ug/m3	0.87	0.32	1.75		07/16/21 22:43	67-66-3	
Chloromethane	0.80	ug/m3	0.74	0.15	1.75		07/16/21 22:43	74-87-3	
Cyclohexane	<0.39	ug/m3	3.1	0.39	1.75		07/16/21 22:43	110-82-7	
Dibromochloromethane	<0.90	ug/m3	3.0	0.90	1.75		07/16/21 22:43	124-48-1	
1,2-Dibromoethane (EDB)	<0.52	ug/m3	1.4	0.52	1.75		07/16/21 22:43	106-93-4	
1,2-Dichlorobenzene	<0.71	ug/m3	5.4	0.71	1.75		07/16/21 22:43	95-50-1	
1,3-Dichlorobenzene	2.5J	ug/m3	5.4	0.89	1.75		07/16/21 22:43	541-73-1	
1,4-Dichlorobenzene	<1.5	ug/m3	5.4	1.5	1.75		07/16/21 22:43	106-46-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: IA-3      Lab ID: 10569624008      Collected: 07/08/21 13:45      Received: 07/13/21 10:00      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
Dichlorodifluoromethane	3.0	ug/m3	1.8	0.33	1.75		07/16/21 22:43	75-71-8	
1,1-Dichloroethane	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 22:43	75-34-3	
1,2-Dichloroethane	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 22:43	107-06-2	
1,1-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		07/16/21 22:43	75-35-4	
cis-1,2-Dichloroethene	<0.34	ug/m3	1.4	0.34	1.75		07/16/21 22:43	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.75		07/16/21 22:43	156-60-5	
1,2-Dichloropropane	<0.47	ug/m3	1.6	0.47	1.75		07/16/21 22:43	78-87-5	
cis-1,3-Dichloropropene	<0.45	ug/m3	4.0	0.45	1.75		07/16/21 22:43	10061-01-5	
trans-1,3-Dichloropropene	<0.95	ug/m3	4.0	0.95	1.75		07/16/21 22:43	10061-02-6	
Dichlorotetrafluoroethane	<0.35	ug/m3	2.5	0.35	1.75		07/16/21 22:43	76-14-2	
Ethanol	124	ug/m3	3.4	1.0	1.75		07/16/21 22:43	64-17-5	
Ethyl acetate	1.4	ug/m3	1.3	0.23	1.75		07/16/21 22:43	141-78-6	
Ethylbenzene	<0.54	ug/m3	1.5	0.54	1.75		07/16/21 22:43	100-41-4	
4-Ethyltoluene	1.3J	ug/m3	4.4	0.83	1.75		07/16/21 22:43	622-96-8	
n-Heptane	<0.32	ug/m3	1.5	0.32	1.75		07/16/21 22:43	142-82-5	
Hexachloro-1,3-butadiene	<2.2	ug/m3	9.5	2.2	1.75		07/16/21 22:43	87-68-3	
n-Hexane	0.49J	ug/m3	1.3	0.33	1.75		07/16/21 22:43	110-54-3	
2-Hexanone	1.6J	ug/m3	7.3	0.77	1.75		07/16/21 22:43	591-78-6	
Methylene Chloride	<1.0	ug/m3	6.2	1.0	1.75		07/16/21 22:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.56	ug/m3	7.3	0.56	1.75		07/16/21 22:43	108-10-1	
Methyl-tert-butyl ether	<0.22	ug/m3	6.4	0.22	1.75		07/16/21 22:43	1634-04-4	
Naphthalene	<3.8	ug/m3	4.7	3.8	1.75		07/16/21 22:43	91-20-3	
2-Propanol	32.1	ug/m3	4.4	0.89	1.75		07/16/21 22:43	67-63-0	
Propylene	1.2J	ug/m3	1.5	0.23	1.75		07/16/21 22:43	115-07-1	
Styrene	1.2J	ug/m3	1.5	0.67	1.75		07/16/21 22:43	100-42-5	
1,1,2,2-Tetrachloroethane	<0.65	ug/m3	2.4	0.65	1.75		07/16/21 22:43	79-34-5	
Tetrachloroethene	<0.51	ug/m3	1.2	0.51	1.75		07/16/21 22:43	127-18-4	
Tetrahydrofuran	<0.32	ug/m3	1.0	0.32	1.75		07/16/21 22:43	109-99-9	
Toluene	8.4	ug/m3	1.3	0.43	1.75		07/16/21 22:43	108-88-3	
1,2,4-Trichlorobenzene	<8.5	ug/m3	13.2	8.5	1.75		07/16/21 22:43	120-82-1	
1,1,1-Trichloroethane	<0.33	ug/m3	1.9	0.33	1.75		07/16/21 22:43	71-55-6	
1,1,2-Trichloroethane	<0.34	ug/m3	0.97	0.34	1.75		07/16/21 22:43	79-00-5	
Trichloroethene	<0.34	ug/m3	0.96	0.34	1.75		07/16/21 22:43	79-01-6	
Trichlorofluoromethane	1.7J	ug/m3	2.0	0.41	1.75		07/16/21 22:43	75-69-4	
1,1,2-Trichlorotrifluoroethane	<0.51	ug/m3	2.7	0.51	1.75		07/16/21 22:43	76-13-1	
1,2,4-Trimethylbenzene	1.0J	ug/m3	1.7	0.62	1.75		07/16/21 22:43	95-63-6	
1,3,5-Trimethylbenzene	0.70J	ug/m3	1.7	0.51	1.75		07/16/21 22:43	108-67-8	
Vinyl acetate	<0.36	ug/m3	1.3	0.36	1.75		07/16/21 22:43	108-05-4	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		07/16/21 22:43	75-01-4	
m&p-Xylene	1.9J	ug/m3	3.1	1.1	1.75		07/16/21 22:43	179601-23-1	
o-Xylene	0.63J	ug/m3	1.5	0.47	1.75		07/16/21 22:43	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

Sample: SS-5 Lab ID: 10569624009 Collected: 07/08/21 13:54 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Acetone	23.8	ug/m3	11.8	3.5	1.96		07/16/21 23:20	67-64-1	
Benzene	0.44J	ug/m3	0.64	0.22	1.96		07/16/21 23:20	71-43-2	
Benzyl chloride	<1.7	ug/m3	5.2	1.7	1.96		07/16/21 23:20	100-44-7	
Bromodichloromethane	<0.46	ug/m3	6.7	0.46	1.96		07/16/21 23:20	75-27-4	
Bromoform	<3.2	ug/m3	10.3	3.2	1.96		07/16/21 23:20	75-25-2	
Bromomethane	<0.29	ug/m3	1.5	0.29	1.96		07/16/21 23:20	74-83-9	
1,3-Butadiene	<0.24	ug/m3	0.88	0.24	1.96		07/16/21 23:20	106-99-0	
2-Butanone (MEK)	8.4	ug/m3	5.9	0.91	1.96		07/16/21 23:20	78-93-3	
Carbon disulfide	<0.25	ug/m3	1.2	0.25	1.96		07/16/21 23:20	75-15-0	
Carbon tetrachloride	0.93J	ug/m3	2.5	0.55	1.96		07/16/21 23:20	56-23-5	
Chlorobenzene	<0.30	ug/m3	1.8	0.30	1.96		07/16/21 23:20	108-90-7	
Chloroethane	0.87J	ug/m3	1.1	0.44	1.96		07/16/21 23:20	75-00-3	
Chloroform	<0.36	ug/m3	0.97	0.36	1.96		07/16/21 23:20	67-66-3	
Chloromethane	0.81J	ug/m3	0.82	0.17	1.96		07/16/21 23:20	74-87-3	
Cyclohexane	0.67J	ug/m3	3.4	0.43	1.96		07/16/21 23:20	110-82-7	
Dibromochloromethane	<1.0	ug/m3	3.4	1.0	1.96		07/16/21 23:20	124-48-1	
1,2-Dibromoethane (EDB)	<0.59	ug/m3	1.5	0.59	1.96		07/16/21 23:20	106-93-4	
1,2-Dichlorobenzene	<0.79	ug/m3	6.0	0.79	1.96		07/16/21 23:20	95-50-1	
1,3-Dichlorobenzene	1.2J	ug/m3	6.0	1.0	1.96		07/16/21 23:20	541-73-1	
1,4-Dichlorobenzene	<1.7	ug/m3	6.0	1.7	1.96		07/16/21 23:20	106-46-7	
Dichlorodifluoromethane	3.1	ug/m3	2.0	0.37	1.96		07/16/21 23:20	75-71-8	
1,1-Dichloroethane	<0.32	ug/m3	1.6	0.32	1.96		07/16/21 23:20	75-34-3	
1,2-Dichloroethane	<0.38	ug/m3	1.6	0.38	1.96		07/16/21 23:20	107-06-2	
1,1-Dichloroethene	<0.27	ug/m3	1.6	0.27	1.96		07/16/21 23:20	75-35-4	
cis-1,2-Dichloroethene	<0.38	ug/m3	1.6	0.38	1.96		07/16/21 23:20	156-59-2	
trans-1,2-Dichloroethene	<0.33	ug/m3	1.6	0.33	1.96		07/16/21 23:20	156-60-5	
1,2-Dichloropropane	<0.53	ug/m3	1.8	0.53	1.96		07/16/21 23:20	78-87-5	
cis-1,3-Dichloropropene	<0.50	ug/m3	4.5	0.50	1.96		07/16/21 23:20	10061-01-5	
trans-1,3-Dichloropropene	<1.1	ug/m3	4.5	1.1	1.96		07/16/21 23:20	10061-02-6	
Dichlorotetrafluoroethane	<0.40	ug/m3	2.8	0.40	1.96		07/16/21 23:20	76-14-2	
Ethanol	192	ug/m3	3.8	1.2	1.96		07/16/21 23:20	64-17-5	
Ethyl acetate	<0.26	ug/m3	1.4	0.26	1.96		07/16/21 23:20	141-78-6	
Ethylbenzene	<0.61	ug/m3	1.7	0.61	1.96		07/16/21 23:20	100-41-4	
4-Ethyltoluene	<0.93	ug/m3	4.9	0.93	1.96		07/16/21 23:20	622-96-8	
n-Heptane	<0.35	ug/m3	1.6	0.35	1.96		07/16/21 23:20	142-82-5	
Hexachloro-1,3-butadiene	<2.4	ug/m3	10.6	2.4	1.96		07/16/21 23:20	87-68-3	
n-Hexane	0.67J	ug/m3	1.4	0.37	1.96		07/16/21 23:20	110-54-3	
2-Hexanone	1.9J	ug/m3	8.2	0.87	1.96		07/16/21 23:20	591-78-6	
Methylene Chloride	<1.2	ug/m3	6.9	1.2	1.96		07/16/21 23:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	<0.63	ug/m3	8.2	0.63	1.96		07/16/21 23:20	108-10-1	
Methyl-tert-butyl ether	<0.25	ug/m3	7.2	0.25	1.96		07/16/21 23:20	1634-04-4	
Naphthalene	<4.3	ug/m3	5.2	4.3	1.96		07/16/21 23:20	91-20-3	
2-Propanol	5.0	ug/m3	4.9	1.0	1.96		07/16/21 23:20	67-63-0	
Propylene	<0.25	ug/m3	1.7	0.25	1.96		07/16/21 23:20	115-07-1	
Styrene	1.2J	ug/m3	1.7	0.75	1.96		07/16/21 23:20	100-42-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Sample: **SS-5** Lab ID: **10569624009** Collected: 07/08/21 13:54 Received: 07/13/21 10:00 Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		Analytical Method: TO-15 Pace Analytical Services - Minneapolis							
1,1,2,2-Tetrachloroethane	<0.73	ug/m3	2.7	0.73	1.96		07/16/21 23:20	79-34-5	
Tetrachloroethene	<0.57	ug/m3	1.4	0.57	1.96		07/16/21 23:20	127-18-4	
Tetrahydrofuran	<0.35	ug/m3	1.2	0.35	1.96		07/16/21 23:20	109-99-9	
Toluene	1.9	ug/m3	1.5	0.48	1.96		07/16/21 23:20	108-88-3	
1,2,4-Trichlorobenzene	<9.6	ug/m3	14.8	9.6	1.96		07/16/21 23:20	120-82-1	
1,1,1-Trichloroethane	<0.36	ug/m3	2.2	0.36	1.96		07/16/21 23:20	71-55-6	
1,1,2-Trichloroethane	<0.39	ug/m3	1.1	0.39	1.96		07/16/21 23:20	79-00-5	
Trichloroethene	<0.38	ug/m3	1.1	0.38	1.96		07/16/21 23:20	79-01-6	
Trichlorofluoromethane	1.5J	ug/m3	2.2	0.46	1.96		07/16/21 23:20	75-69-4	
1,1,2-Trichlorotrifluoroethane	0.99J	ug/m3	3.1	0.57	1.96		07/16/21 23:20	76-13-1	
1,2,4-Trimethylbenzene	0.89J	ug/m3	2.0	0.69	1.96		07/16/21 23:20	95-63-6	
1,3,5-Trimethylbenzene	0.74J	ug/m3	2.0	0.57	1.96		07/16/21 23:20	108-67-8	
Vinyl acetate	<0.41	ug/m3	1.4	0.41	1.96		07/16/21 23:20	108-05-4	
Vinyl chloride	<0.17	ug/m3	0.51	0.17	1.96		07/16/21 23:20	75-01-4	
m&p-Xylene	1.7J	ug/m3	3.5	1.3	1.96		07/16/21 23:20	179601-23-1	
o-Xylene	<0.53	ug/m3	1.7	0.53	1.96		07/16/21 23:20	95-47-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

QC Batch: 756759 Analysis Method: TO-15  
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level  
Laboratory: Pace Analytical Services - Minneapolis  
Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

METHOD BLANK: 4035525 Matrix: Air  
Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.19	1.1	07/16/21 11:55	
1,1,2,2-Tetrachloroethane	ug/m3	<0.37	1.4	07/16/21 11:55	
1,1,2-Trichloroethane	ug/m3	<0.20	0.56	07/16/21 11:55	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.29	1.6	07/16/21 11:55	
1,1-Dichloroethane	ug/m3	<0.16	0.82	07/16/21 11:55	
1,1-Dichloroethene	ug/m3	<0.14	0.81	07/16/21 11:55	
1,2,4-Trichlorobenzene	ug/m3	5.0J	7.5	07/16/21 11:55	
1,2,4-Trimethylbenzene	ug/m3	<0.35	1.0	07/16/21 11:55	
1,2-Dibromoethane (EDB)	ug/m3	<0.30	0.78	07/16/21 11:55	
1,2-Dichlorobenzene	ug/m3	<0.40	3.1	07/16/21 11:55	
1,2-Dichloroethane	ug/m3	<0.19	0.82	07/16/21 11:55	
1,2-Dichloropropane	ug/m3	<0.27	0.94	07/16/21 11:55	
1,3,5-Trimethylbenzene	ug/m3	<0.29	1.0	07/16/21 11:55	
1,3-Butadiene	ug/m3	<0.12	0.45	07/16/21 11:55	
1,3-Dichlorobenzene	ug/m3	<0.51	3.1	07/16/21 11:55	
1,4-Dichlorobenzene	ug/m3	<0.88	3.1	07/16/21 11:55	
2-Butanone (MEK)	ug/m3	<0.46	3.0	07/16/21 11:55	
2-Hexanone	ug/m3	<0.44	4.2	07/16/21 11:55	
2-Propanol	ug/m3	<0.51	2.5	07/16/21 11:55	
4-Ethyltoluene	ug/m3	<0.47	2.5	07/16/21 11:55	
4-Methyl-2-pentanone (MIBK)	ug/m3	<0.32	4.2	07/16/21 11:55	
Acetone	ug/m3	<1.8	6.0	07/16/21 11:55	
Benzene	ug/m3	<0.11	0.32	07/16/21 11:55	
Benzyl chloride	ug/m3	<0.89	2.6	07/16/21 11:55	
Bromodichloromethane	ug/m3	<0.24	3.4	07/16/21 11:55	
Bromoform	ug/m3	<1.6	5.2	07/16/21 11:55	
Bromomethane	ug/m3	<0.15	0.79	07/16/21 11:55	
Carbon disulfide	ug/m3	<0.13	0.63	07/16/21 11:55	
Carbon tetrachloride	ug/m3	<0.28	1.3	07/16/21 11:55	
Chlorobenzene	ug/m3	<0.16	0.94	07/16/21 11:55	
Chloroethane	ug/m3	<0.22	0.54	07/16/21 11:55	
Chloroform	ug/m3	<0.18	0.50	07/16/21 11:55	
Chloromethane	ug/m3	<0.085	0.42	07/16/21 11:55	
cis-1,2-Dichloroethene	ug/m3	<0.20	0.81	07/16/21 11:55	
cis-1,3-Dichloropropene	ug/m3	<0.26	2.3	07/16/21 11:55	
Cyclohexane	ug/m3	<0.22	1.8	07/16/21 11:55	
Dibromochloromethane	ug/m3	<0.52	1.7	07/16/21 11:55	
Dichlorodifluoromethane	ug/m3	<0.19	1.0	07/16/21 11:55	
Dichlorotetrafluoroethane	ug/m3	<0.20	1.4	07/16/21 11:55	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

METHOD BLANK: 4035525

Matrix: Air

Associated Lab Samples: 10569624001, 10569624002, 10569624003, 10569624004, 10569624005, 10569624006, 10569624007, 10569624008, 10569624009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethanol	ug/m3	<0.59	1.9	07/16/21 11:55	
Ethyl acetate	ug/m3	<0.13	0.73	07/16/21 11:55	
Ethylbenzene	ug/m3	<0.31	0.88	07/16/21 11:55	
Hexachloro-1,3-butadiene	ug/m3	<1.2	5.4	07/16/21 11:55	
m&p-Xylene	ug/m3	<0.64	1.8	07/16/21 11:55	
Methyl-tert-butyl ether	ug/m3	<0.13	3.7	07/16/21 11:55	
Methylene Chloride	ug/m3	<0.59	3.5	07/16/21 11:55	
n-Heptane	ug/m3	<0.18	0.83	07/16/21 11:55	
n-Hexane	ug/m3	<0.19	0.72	07/16/21 11:55	
Naphthalene	ug/m3	<2.2	2.7	07/16/21 11:55	
o-Xylene	ug/m3	<0.27	0.88	07/16/21 11:55	
Propylene	ug/m3	<0.13	0.88	07/16/21 11:55	
Styrene	ug/m3	<0.38	0.87	07/16/21 11:55	
Tetrachloroethene	ug/m3	<0.29	0.69	07/16/21 11:55	
Tetrahydrofuran	ug/m3	<0.18	0.60	07/16/21 11:55	
Toluene	ug/m3	<0.24	0.77	07/16/21 11:55	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	07/16/21 11:55	
trans-1,3-Dichloropropene	ug/m3	<0.54	2.3	07/16/21 11:55	
Trichloroethene	ug/m3	<0.20	0.55	07/16/21 11:55	
Trichlorofluoromethane	ug/m3	<0.23	1.1	07/16/21 11:55	
Vinyl acetate	ug/m3	<0.21	0.72	07/16/21 11:55	
Vinyl chloride	ug/m3	<0.087	0.26	07/16/21 11:55	

LABORATORY CONTROL SAMPLE: 4035526

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/m3	59.3	65.6	111	70-130	
1,1,2,2-Tetrachloroethane	ug/m3	75.4	84.1	112	70-132	
1,1,2-Trichloroethane	ug/m3	59.6	72.7	122	70-134	
1,1,2-Trichlorotrifluoroethane	ug/m3	83.6	92.6	111	70-130	
1,1-Dichloroethane	ug/m3	43.9	48.1	109	70-133	
1,1-Dichloroethene	ug/m3	43.5	48.3	111	70-130	
1,2,4-Trichlorobenzene	ug/m3	177	187	105	69-132	
1,2,4-Trimethylbenzene	ug/m3	54	60.8	113	70-142	
1,2-Dibromoethane (EDB)	ug/m3	82.5	90.7	110	70-138	
1,2-Dichlorobenzene	ug/m3	66.2	73.7	111	70-146	
1,2-Dichloroethane	ug/m3	44.4	45.6	103	70-132	
1,2-Dichloropropane	ug/m3	50.6	53.5	106	70-134	
1,3,5-Trimethylbenzene	ug/m3	53.7	59.5	111	70-143	
1,3-Butadiene	ug/m3	24.2	24.2	100	70-136	
1,3-Dichlorobenzene	ug/m3	66.3	72.5	109	70-145	
1,4-Dichlorobenzene	ug/m3	66.3	70.7	107	70-140	
2-Butanone (MEK)	ug/m3	32.3	35.4	110	50-139	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

LABORATORY CONTROL SAMPLE: 4035526

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/m3	44.8	52.1	116	70-148	
2-Propanol	ug/m3	149	158	106	67-135	
4-Ethyltoluene	ug/m3	53.7	58.9	110	70-145	
4-Methyl-2-pentanone (MIBK)	ug/m3	44.9	50.9	113	70-139	
Acetone	ug/m3	128	132	103	64-130	
Benzene	ug/m3	34.8	35.7	102	70-131	
Benzyl chloride	ug/m3	57.6	61.4	107	70-130	
Bromodichloromethane	ug/m3	73.1	61.9	85	70-133	
Bromoform	ug/m3	114	125	110	70-137	
Bromomethane	ug/m3	42.5	37.2	88	64-134	
Carbon disulfide	ug/m3	34.4	37.3	108	70-131	
Carbon tetrachloride	ug/m3	69.4	75.4	109	70-131	
Chlorobenzene	ug/m3	50.2	53.3	106	70-130	
Chloroethane	ug/m3	28.8	31.5	109	69-141	
Chloroform	ug/m3	52.4	60.5	115	70-130	
Chloromethane	ug/m3	22.6	21.3	95	70-130	
cis-1,2-Dichloroethene	ug/m3	43.4	43.0	99	70-137	
cis-1,3-Dichloropropene	ug/m3	49.4	53.8	109	70-144	
Cyclohexane	ug/m3	37.4	40.0	107	70-137	
Dibromochloromethane	ug/m3	93.2	103	111	70-132	
Dichlorodifluoromethane	ug/m3	54.6	53.2	97	70-130	
Dichlorotetrafluoroethane	ug/m3	71.2	68.4	96	70-130	
Ethanol	ug/m3	124	116	94	63-133	
Ethyl acetate	ug/m3	38.9	41.4	106	70-136	
Ethylbenzene	ug/m3	47.8	54.0	113	70-142	
Hexachloro-1,3-butadiene	ug/m3	133	155	116	70-135	
m&p-Xylene	ug/m3	95.4	105	111	70-141	
Methyl-tert-butyl ether	ug/m3	39.6	41.8	106	70-143	
Methylene Chloride	ug/m3	190	212	111	70-130	
n-Heptane	ug/m3	44.6	48.4	108	70-137	
n-Hexane	ug/m3	38	38.3	101	70-135	
Naphthalene	ug/m3	65.2	70.2	108	67-132	
o-Xylene	ug/m3	47.6	53.7	113	70-141	
Propylene	ug/m3	18.9	18.0	96	70-130	
Styrene	ug/m3	47	53.6	114	70-142	
Tetrachloroethene	ug/m3	73.4	76.2	104	70-130	
Tetrahydrofuran	ug/m3	32.1	36.5	114	70-136	
Toluene	ug/m3	41.6	45.0	108	70-138	
trans-1,2-Dichloroethene	ug/m3	43.6	43.8	100	70-130	
trans-1,3-Dichloropropene	ug/m3	50.5	53.7	106	70-145	
Trichloroethene	ug/m3	58.4	59.5	102	70-130	
Trichlorofluoromethane	ug/m3	62	65.1	105	69-135	
Vinyl acetate	ug/m3	46.4	50.4	109	70-146	
Vinyl chloride	ug/m3	28	26.8	96	70-137	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036067

Parameter	Units	10569624002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.35	<0.35			25
1,1,2,2-Tetrachloroethane	ug/m3	<0.70	<0.70			25
1,1,2-Trichloroethane	ug/m3	<0.37	<0.37			25
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.54	<0.54			25
1,1-Dichloroethane	ug/m3	<0.31	<0.31			25
1,1-Dichloroethene	ug/m3	<0.26	<0.26			25
1,2,4-Trichlorobenzene	ug/m3	9.3J	9.3J			25
1,2,4-Trimethylbenzene	ug/m3	13.7	13.6	1		25
1,2-Dibromoethane (EDB)	ug/m3	<0.56	<0.56			25
1,2-Dichlorobenzene	ug/m3	<0.76	<0.76			25
1,2-Dichloroethane	ug/m3	<0.36	<0.36			25
1,2-Dichloropropane	ug/m3	<0.50	<0.50			25
1,3,5-Trimethylbenzene	ug/m3	11.2	11.5	2		25
1,3-Butadiene	ug/m3	<0.22	<0.22			25
1,3-Dichlorobenzene	ug/m3	<0.95	<0.95			25
1,4-Dichlorobenzene	ug/m3	<1.6	<1.6			25
2-Butanone (MEK)	ug/m3	24.1	28.0	15		25
2-Hexanone	ug/m3	4.3J	4.4J			25
2-Propanol	ug/m3	197	211	7		25
4-Ethyltoluene	ug/m3	6.3	6.7	6		25
4-Methyl-2-pentanone (MIBK)	ug/m3	8.8	7.9	10		25
Acetone	ug/m3	242	261	7		25
Benzene	ug/m3	4.4	4.3	2		25
Benzyl chloride	ug/m3	<1.7	<1.7			25
Bromodichloromethane	ug/m3	<0.44	<0.44			25
Bromoform	ug/m3	<3.0	<3.0			25
Bromomethane	ug/m3	<0.28	<0.28			25
Carbon disulfide	ug/m3	2.5	2.5	1		25
Carbon tetrachloride	ug/m3	1.0J	1.0J			25
Chlorobenzene	ug/m3	<0.29	<0.29			25
Chloroethane	ug/m3	<0.42	<0.42			25
Chloroform	ug/m3	1.2	1.2	2		25
Chloromethane	ug/m3	1.9	1.9	3		25
cis-1,2-Dichloroethene	ug/m3	<0.36	<0.36			25
cis-1,3-Dichloropropene	ug/m3	<0.48	<0.48			25
Cyclohexane	ug/m3	5.1	5.2	3		25
Dibromochloromethane	ug/m3	<0.96	<0.96			25
Dichlorodifluoromethane	ug/m3	3.3	3.1	6		25
Dichlorotetrafluoroethane	ug/m3	<0.38	<0.38			25
Ethanol	ug/m3	69000	67900	2		25 E
Ethyl acetate	ug/m3	30.4	29.3	4		25
Ethylbenzene	ug/m3	5.5	5.4	2		25
Hexachloro-1,3-butadiene	ug/m3	<2.3	<2.3			25
m&p-Xylene	ug/m3	7.7	7.9	3		25
Methyl-tert-butyl ether	ug/m3	<0.24	<0.24			25
Methylene Chloride	ug/m3	<1.1	<1.1			25
n-Heptane	ug/m3	11.0	11.1	1		25

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry

Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036067

Parameter	Units	10569624002 Result	Dup Result	RPD	Max RPD	Qualifiers
n-Hexane	ug/m3	9.4	10.0	7	25	
Naphthalene	ug/m3	4.1J	4.1J		25	
o-Xylene	ug/m3	4.6	4.5	2	25	
Propylene	ug/m3	<0.24	<0.24		25	
Styrene	ug/m3	1.6J	1.7		25	
Tetrachloroethene	ug/m3	<0.55	<0.55		25	
Tetrahydrofuran	ug/m3	2.0	1.8	9	25	
Toluene	ug/m3	20.0	20.6	3	25	
trans-1,2-Dichloroethene	ug/m3	<0.31	<0.31		25	
trans-1,3-Dichloropropene	ug/m3	<1.0	<1.0		25	
Trichloroethene	ug/m3	<0.37	<0.37		25	
Trichlorofluoromethane	ug/m3	2.5	2.6	5	25	
Vinyl acetate	ug/m3	<0.39	<0.39		25	
Vinyl chloride	ug/m3	<0.16	<0.16		25	

SAMPLE DUPLICATE: 4036068

Parameter	Units	10569624003 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/m3	<0.36	<0.36		25	
1,1,1,2-Tetrachloroethane	ug/m3	<0.71	<0.71		25	
1,1,2-Trichloroethane	ug/m3	<0.38	<0.38		25	
1,1,2-Trichlorotrifluoroethane	ug/m3	<0.55	<0.55		25	
1,1-Dichloroethane	ug/m3	<0.32	<0.32		25	
1,1-Dichloroethene	ug/m3	<0.26	<0.26		25	
1,2,4-Trichlorobenzene	ug/m3	9.5J	9.5J		25	
1,2,4-Trimethylbenzene	ug/m3	31.7	30.4	4	25	
1,2-Dibromoethane (EDB)	ug/m3	<0.58	<0.58		25	
1,2-Dichlorobenzene	ug/m3	<0.78	<0.78		25	
1,2-Dichloroethane	ug/m3	<0.37	<0.37		25	
1,2-Dichloropropane	ug/m3	<0.52	<0.52		25	
1,3,5-Trimethylbenzene	ug/m3	10.8	10.5	2	25	
1,3-Butadiene	ug/m3	<0.23	<0.23		25	
1,3-Dichlorobenzene	ug/m3	<0.98	<0.98		25	
1,4-Dichlorobenzene	ug/m3	1.8J	1.8J		25	
2-Butanone (MEK)	ug/m3	51.7	51.3	1	25	
2-Hexanone	ug/m3	12.1	12.0	1	25	
2-Propanol	ug/m3	86.1	77.4	11	25	
4-Ethyltoluene	ug/m3	6.8	7.1	3	25	
4-Methyl-2-pentanone (MIBK)	ug/m3	28.2	28.4	1	25	
Acetone	ug/m3	259	228	13	25	
Benzene	ug/m3	66.3	65.1	2	25	
Benzyl chloride	ug/m3	<1.7	<1.7		25	
Bromodichloromethane	ug/m3	<0.46	<0.46		25	
Bromoform	ug/m3	<3.1	<3.1		25	
Bromomethane	ug/m3	<0.29	<0.29		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

SAMPLE DUPLICATE: 4036068

Parameter	Units	10569624003 Result	Dup Result	RPD	Max RPD	Qualifiers
Carbon disulfide	ug/m3	2.0	2.1	5	25	
Carbon tetrachloride	ug/m3	1.2J	1.1J		25	
Chlorobenzene	ug/m3	<0.30	<0.30		25	
Chloroethane	ug/m3	<0.43	<0.43		25	
Chloroform	ug/m3	<0.35	<0.35		25	
Chloromethane	ug/m3	1.1	1.1	4	25	
cis-1,2-Dichloroethene	ug/m3	<0.37	<0.37		25	
cis-1,3-Dichloropropene	ug/m3	<0.49	<0.49		25	
Cyclohexane	ug/m3	19.2	18.8	2	25	
Dibromochloromethane	ug/m3	<0.99	<0.99		25	
Dichlorodifluoromethane	ug/m3	3.1	3.1	0	25	
Dichlorotetrafluoroethane	ug/m3	<0.39	<0.39		25	
Ethanol	ug/m3	824	674	20	25	
Ethyl acetate	ug/m3	1.0J	1.4J		25	
Ethylbenzene	ug/m3	18.2	17.5	4	25	
Hexachloro-1,3-butadiene	ug/m3	<2.4	<2.4		25	
m&p-Xylene	ug/m3	26.5	25.9	2	25	
Methyl-tert-butyl ether	ug/m3	<0.24	1.2J		25	
Methylene Chloride	ug/m3	<1.1	<1.1		25	
n-Heptane	ug/m3	36.9	37.4	1	25	
n-Hexane	ug/m3	37.8	36.9	2	25	
Naphthalene	ug/m3	4.9J	4.9J		25	
o-Xylene	ug/m3	12.9	12.3	5	25	
Propylene	ug/m3	88.2	86.8	2	25	
Styrene	ug/m3	16.4	15.9	3	25	
Tetrachloroethene	ug/m3	<0.56	<0.56		25	
Tetrahydrofuran	ug/m3	<0.35	<0.35		25	
Toluene	ug/m3	96.9	95.9	1	25	
trans-1,2-Dichloroethene	ug/m3	<0.32	<0.32		25	
trans-1,3-Dichloropropene	ug/m3	<1.0	<1.0		25	
Trichloroethene	ug/m3	0.71J	0.71J		25	
Trichlorofluoromethane	ug/m3	2.0J	1.7J		25	
Vinyl acetate	ug/m3	<0.40	<0.40		25	
Vinyl chloride	ug/m3	<0.17	<0.17		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1908091 Twin Lakes Laundry  
Pace Project No.: 10569624

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10569624001	IA-1	TO-15	756759		
10569624002	SS-1	TO-15	756759		
10569624003	SS-2	TO-15	756759		
10569624004	OA-1	TO-15	756759		
10569624005	SS-3	TO-15	756759		
10569624006	IA-2	TO-15	756759		
10569624007	SS-4	TO-15	756759		
10569624008	IA-3	TO-15	756759		
10569624009	SS-5	TO-15	756759		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

50767

Page: 1 of 1

<b>Section A</b> Required Client Information:		<b>Section B</b> Required Project Information:		<b>Section C</b> Invoice Information:		Program	
Company: <u>Konicek Environmental Consulting</u>		Report To: <u>Jack McMahon</u>		Attention: <u>Jack McMahon</u>		<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act	
Address: <u>1032 S Spring Street</u> <u>Port Washington, WI 53074</u>		Copy To:		Company Name: <u>Konicek Environmental Consulting</u>		<input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
Email To: <u>jackmcmahon140@gmail.com</u>		Purchase Order No.:		Address: <u>1032 S Spring St, Port Washington, WI 53074</u>		Location of Sampling by State: <u>WI</u>	
Phone: <u>262-287-2557</u> Fax:		Project Name: <u>Twin Lakes Laundry</u>		Pace Quote Reference:		Reporting Units ug/m <sup>3</sup> _____ mg/m <sup>3</sup> _____ PPBV _____ PPMV _____ Other _____	
Requested Due Date/TAT:		Project Number: <u>1908091</u>		Pace Project Manager/Sales Rep.		Report Level: II. _____ III. _____ IV. _____ Other _____	
				Pace Profile #: <u>19591</u>			

ITEM #	'Section D Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - in Hg)	Canister Pressure (Final Field - in Hg)	Summa Can Number	Flow Control Number	Method:								Pace Lab ID	
					COMPOSITE START		COMPOSITE - END/GRAB						PM10	3C - Fixed Gas (%)	TO-3 BTEX	TO-3M (Methane)	TO-14	TO-15 Full List VOCs	TO-15 Short List BTEX	TO-15 Short List Chlorinated		
					DATE	TIME	DATE	TIME														
1	IA-1	6LC			7/8	9:23	7/8	9:53	30	9	2753	0715									001	
2	SS-1	6LC			7/8	9:39	7/8	10:09	-30	-8	2113	3199										002
3	SS-2	6LC			7/8	10:30	7/8	11:00	30	10	2365	1903										003
4	OA-1	6LC			7/8	10:40	7/8	11:10	-30	-8	2762	2928										004
5	SS-3	6LC			7/8	12:00	7/8	12:30	30	9	2699	2003										005
6	IA-2	6LC			7/8	12:05	7/8	12:35	29	8	1207	1157										006
7	SS-4	6LC			7/8	1:10	7/8	1:40	-30	-9	0803	3070										007
8	IA-3	6LC			7/8	1:15	7/8	1:45	29	8	0554	0913										008
9	SS-5	6LC			7/8	1:24	7/8	1:54	-30	-9	1276	2900										009

Comments :	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS							
	<i>[Signature]</i>	7/4/21	7/4/21 10:00am	<i>[Signature]</i>	7-13-21	10:00	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact	Y/N	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	
							Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	Y/N	

<b>SAMPLER NAME AND SIGNATURE</b>	
PRINT Name of SAMPLER: <u>Jack McMahon</u>	DATE Signed: <u>MM/DD/YYYY</u> <u>07/05/21</u>
SIGNATURE of SAMPLER: <i>[Signature]</i>	

Page 1 of 1  
**NO#: 10569624**



Document Name: **Sample Condition Upon Receipt (SCUR) - Air**  
 Document No.: **ENV-FRM-MIN4-0113 Rev.00**

Document Revised: 24/Mar/2020  
 Page 1 of 1  
 Pace Analytical Services -  
 Minneapolis

**Air Sample Condition Upon Receipt**

Client Name: **Konicek Env** Project #: **WO# : 10569624**

PM: **KNH** Due Date: **07/20/21**  
 CLIENT: **Konicek Env.**

Courier:  Fed Ex  UPS  USPS  Client  
 Pace  Speedee  Commercial See Exception

Tracking Number: **9753 8443 8421, 8432, 8443**

Custody Seal on Cooler/Box Present?  Yes  No Seals Intact?  Yes  No

Packing Material:  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other: \_\_\_\_\_ Temp Blank rec:  Yes  No

Temp. (TO17 and TO13 samples only) (°C): \_\_\_\_\_ Corrected Temp (°C): \_\_\_\_\_ Thermometer Used:  G87A9170600254  G87A9155100842

Temp should be above freezing to 6°C Correction Factor: \_\_\_\_\_ Date & Initials of Person Examining Contents: **7-13-21 WJ**

Type of ice Received  Blue  Wet  None

**Comments:**

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact? (visual inspection) no leaks when pressurized	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <input checked="" type="checkbox"/> Air Can <input type="checkbox"/> Airbag <input type="checkbox"/> Filter <input type="checkbox"/> TDT <input checked="" type="checkbox"/> Passive		11. Individually Certified Cans Y <input checked="" type="checkbox"/> N (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

Gauge #  10AIR26  10AIR34  10AIR35  4097

Canisters					Canisters				
Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure
IA-1	2753	715	-8	+5	SS-5	1276	2900	-9.5	+5
SS-1	2113	3199	-8.5	↓					
SS-2	2365	1903	-9						
OA-1	2762	2928	-7.5						
SS-3	2699	2003	-2.5						
IA-2	1207	1157	-7						
SS-4	803	3070	-7.5						
IA-3	554	913	-7						

**CLIENT NOTIFICATION/RESOLUTION**

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager Review: Kirsten Hoppert

Date: 7/14/2021