


LETTER OF TRANSMITTAL

To: Wisconsin Department of Natural Resources
 Southeast Region Headquarters
 2300 N. Martin Luther King Dr.
 Milwaukee, WI 53212
 Attn: Victoria Stovall



Please check the type(s) of documents you have enclosed. Submittals will be tracked and filed based on the information you provide. **Include the FID and BRRTS numbers which have been assigned to this site, and identify the intent of the document(s) you are submitting in order to speed processing.**
 Please attach any required fees to this checklist.

IS THIS RELEASE PECFA-ELIGIBLE?		
<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO	<input type="checkbox"/> UNKNOWN AT THIS TIME

From: Sigma Environmental Services, Inc.
 1300 West Canal Street
 Milwaukee, WI 53233
 (414) 643-4200

Date: 28-Feb-08

Site Name: Master Dry Cleaners
 Address: 6326 W. Bluemound Road
 Wauwatosa, WI
 FID# 241398630
 BRRTS # 02-41-545142

Type of Submittal:

LUST ERP VPLE OTHER

CHECK	TYPE OF DOCUMENT / REPORT	FEE	DNR CODE (office use only)
	Notification of Release	none	01
	Tank Closure/Site Assessment where release(s) have been detected*	none	33
	Site Investigation Workplan	\$500 if review is requested ~	35, 135~
	Site Investigation Report <u>Please Provide the Following Information</u>	\$750 if review is requested ~	37, 137~
<input type="checkbox"/>	petroleum constituents detected		96~
<input type="checkbox"/>	non-petroleum constituents detected		(if SI is incomplete)
<input type="checkbox"/>	groundwater impacts <input type="checkbox"/> above PAL <input type="checkbox"/> above ES		
<input type="checkbox"/>	free product		
<input type="checkbox"/>	contamination in fractured bedrock or within 1 meter of fractured bedrock		
<input type="checkbox"/>	PAL exceedance in portable well	<input type="checkbox"/> 100' of private well or <input type="checkbox"/> 1,000' of public well	
<input type="checkbox"/>	groundwater impacts >ES, within		
	Request to Transfer Case to Department of Commerce	none	76
	Off-Site Determination Request	\$500 mandatory	638~
	Remedial Action Options Plan	\$750 if review is requested	39, 143~
	NR 720.19 Site Specific Clean-Up Goal Proposed	\$750 if review is requested	67, 68~
	NR 718 Landspreading Request	\$500 mandatory	61~
	Copy of Notification to Treat or Dispose of Contamination Soil or Water	none	99
	Injection/Infiltration Request	\$500 mandatory	63~
	Quarterly Report or Update	\$500 if review is requested	43~
	O&M Form 4400-194	\$300 if review is requested	92, 192~
	Remedial Action Options Report	\$750 if review is requested	41, 41~
	Closure Review Request	\$750 mandatory	79~
<input type="checkbox"/>	Closure Form (Mandatory For Review)		
<input type="checkbox"/>	GIS Registry groundwater greater >ES	\$250 mandatory	700
	Request for No Further Action Letter, under ch. NR 708	\$250 mandatory	68, 67~
	Copy of Draft Deed Affidavit, Well Abandonment Form Restriction	none	99
	Simple Site Process Submittal Under NR 700.11	none	90~
	Remedial Design Report	\$750 if review is requested	147, 148~
	Construction Documentation Reports	\$250 if review is requested	151, 152~
	Long Term Monitoring Plan	\$300 if review is requested	24, 25~
	Voluntary Party Liability Exemption (VPLE) Application	\$250 mandatory	662~
	VPLE Phase I/II Assessments or Additional Reports	Computed hourly	99
	Tax Cancellation Agreement	\$500 mandatory	654~
	Negotiated Agreement	\$1,000 mandatory	630~
	Lender Assessment	\$500 mandatory	686~
	Negotiation and Cost Recovery (municipalities only) Fee for each service	mandatory	90~
	General Liability Clarification Request	\$500 mandatory	684
	Lease Letter Request - Single Property	\$500 mandatory	646
	Lease Letter Request - Multiple Properties	\$1,000 mandatory	646
	Request for Other Technical Assistance	\$500 mandatory	97~
X	Other (please describe): DERF Work Plan Addendum		

* Closure reports for sites where no releases have been detected should be sent directly to "Clean Closures" c/o DNR Remediation & Redevelopment Program, P.O. Box 7921, Madison, WI 53707

Remarks: _____

February 28, 2008

Project Reference #9923

Ms. Brenda Boyce
Wisconsin Department of Natural Resources
141 NW Barstow Street, Room 180
Waukesha, WI 53188

Re: DERF Investigation Work Plan Addendum - 1
Master Drycleaning
6326 W Bluemound Road
Wauwatosa, WI
BRRTS: 02-41-545142

Dear Ms. Boyce:

Sigma Environmental Services, Inc. (Sigma), on behalf of Mr. Harold Shipshock (owner of Master Drycleaning), has prepared this site investigation summary and work plan addendum in accordance with the July 2007 Dry Cleaner Environmental Response Fund (DERF) Site Investigation Work Plan approved by the Wisconsin Department of Natural Resources (WDNR) for Master Drycleaning property located at 6326 West Bluemound Road in Wauwatosa, Wisconsin (hereinafter the "site").

The site investigation activities completed to date have identified chlorinated impacts at concentrations greater than state standards within the soil and groundwater samples collected from the site. The respective chlorinated contaminant plume appears to be relatively well defined at the site; however, the extent of the groundwater impact plume has not been defined down-gradient (off-site). Off-site investigation activities were not included in the initial Work Plan submitted in July 2007, therefore in accordance with the ch. NR169.21 (2)(e) Wis. Adm. Code, Sigma, on behalf of Mr. Shipshock, has prepared the following site investigation work plan addendum for WDNR review and approval.

BACKGROUND

In February 2006, site investigation activities associated with a property transaction were conducted by Key Engineering Group, Ltd. (Key) at the 6310 Bluemound Road property located adjacent (east) to the site. The site investigation results (**Table 1A** and **2**) indicated that chlorinated volatile organic hydrocarbons (CVOCs) were present within the groundwater collected from select monitoring wells (MW-1 and MW-3) located on the 6310 Bluemound Road property (**Figure 2**). Based on the location of impacted monitoring wells, the observed northeast direction of groundwater flow, and the lack of an apparent source at the 6310 Bluemound property, the groundwater impacts were identified to have originated on the Master Drycleaning site.

Prior to its operation as a dry cleaning facility, the site was historically operated as a gasoline station. In June 2006, gasoline USTs, which remained on-site from the historic use, were closed and removed from the property. During the UST closure activities, soil impacts were identified within the former UST area.

Prior to initiating the investigation of the chlorinated release identified by off-site impacts, Sigma on behalf of Master Dry Cleaning, conducted a petroleum environmental clean-up fund act (PECFA) investigation of the gasoline underground storage tanks (UST) release at the site. In December 2006, five groundwater monitoring wells were installed at the site as a part of the PECFA investigation. Soil and groundwater analytical results of samples collected during the PECFA investigation revealed the presence of both petroleum and chlorinated-related impacts at the site.

Based on the results of the PECFA investigation, Sigma prepared a supplemental work plans for both the PECFA and DERF investigations. The work plans recommended the completion of additional investigation activities to define the degree and extent of petroleum and chlorinated-related impacts at the site. The Wisconsin Department of Commerce approved the supplemental work plan (\$20 K exceedance request) on June 12, 2007 and the WDNR approved the DERF investigation work plan on July 23, 2007.

The following is a detailed summary of the supplemental DERF investigation activities. Please note, that although PECFA investigation activities were conducted in order to define and delineate the petroleum-related impacts, the PECFA investigation activities also provides information relevant to the DERF investigation and therefore PECFA related activities have been included in the investigation summary discussed below.

SITE INVESTIGATION ACTIVITIES

The DERF site investigation activities were conducted as a phased approach to first evaluate the material handling procedures at the site to identify any potential release areas resulting of historic procedures, second to identify potential migration pathways (e.g. subsurface utilities), third to assess the potential source areas (outside of the building) by conducting a soil boring and monitoring well investigation, and lastly to define the vertical extent of the identified source area.

Review of Material Handling Procedures

On August 24, 2007, Keith Cronin of Sigma met with Mr. Harold Shipshock (site owner) to discuss historical and current material handling procedures in an effort to identify a potential source of the chlorinated release. During the meeting, Mr. Shipshock indicated that dry cleaner operations have been occurring at the site since approximately 1968, under his ownership since approximately 1972. Dry cleaning and filtration machines were replaced with new machines in 1997. The machines and tetrachloroethene (PCE) storage are currently located in a diked area within the facility. The former machines contained a solid door which prevented workers from visually determining if the cycle was complete and subsequently resulted in accidental PCE spills from opening the door prior to cycle completion. A sewer drain was located near the cleaning therefore a release to the sewer may have occurred during accidental spill incidents.

In addition, Mr. Shipshock indicated that during the filter replacement process the old filters are cleaned to remove PCE solvent prior to removing them from their containers. Old filters are then placed in a 55-gallon drums for future disposal at a recycling facility. However, historically old filters were instantly removed from their containers (without cleaning) and placed outside on the concrete surface adjacent to the building (east side of building). Used filters were allowed to dry outside and were later disposed off in the dumpsters formerly located east of the building.

Based on a review of the historical solvent handling procedures it is possible that a release to the environment may have occurred during the historic filter drying process. In addition, depending on the type and condition of storm sewer at the site, it is possible that solvent which accidentally spilled from the machines could have been released to the environment via a breech in the sewer (e.g. leak).

Utility Survey

On August 28, 2007, Mary Trotta of Sigma conducted a review of the City of Wauwatosa permit and utility records to determine the location of subsurface utilities at the site and subsequently potential contaminant migration pathways. Unfortunately subsurface utilities locations at the site were not included on each of the records reviewed. Utility locations up to the property line were identified on select records; however, the locations on-site were not observed. Based on the record review, a water line, sanitary sewer, and storm sewer (currently abandoned) entered the site on the southeast corner and runs perpendicular to Bluemound Road. The active water line, sanitary sewer, and gas

line enter the property on the northwest corner and run perpendicular to 64th Street. Based on the City records the gas, water, and sanitary sewer line within 64th Street are located at a depth of 3 feet bgs, 5.5 feet bgs, and 8 feet bgs, respectively. The storm sewer, water, and sanitary sewer line within Bluemound Road are located at a depth of approximately 5 feet bgs, 7 feet bgs, and 10 feet bgs. Although, the exact depth of site utilities was not identified, subsurface utilities at the site are likely present at a slightly higher elevation than the right-of-way utilities to account for proper flow within the utility.

In addition, Sigma solicited Diggers Hotline to locate the subsurface utilities at the site prior to drilling activities. Diggers Hotline confirmed the location of utilities at the property line; however, did not locate utilities at the site with the exception of the gas line. Identified utility locations are present on **Figure 2**.

Based on the approximate depth of utilities within the right of way, the depth to groundwater at the site, and the fact that subsurface utility laterals generally slope upward as they enter a property, the subsurface utilities and associated backfill at the site are generally located above the groundwater interface and therefore do not appear to be at risk of receiving impacted groundwater or acting as a migration pathway.

Geoprobe Investigation

On September 6, 2007, Sigma advanced six Geoprobe soil borings (SGP-1 through SGP-6) at the site to a depth of approximately 11 feet below ground surface (bgs). Geoprobe soil borings were advanced north and east wall of the building (SGP-2 through SGP-6) to assess subsurface conditions within the vicinity of the filter drying area and the dry cleaner machine area. In addition one Geoprobe soil boring (SGP-1) was advanced in the southwest corner of the site to evaluate subsurface conditions within the approximate vicinity of the historic storm sewer (currently abandoned).

Two soil samples were collected from each Geoprobe soil boring and submitted for laboratory analysis of volatile organic compounds (VOCs). Soil samples submitted for laboratory analysis were generally collected from the direct contact interval (0-4 feet bgs) and from the sample displaying the highest photoionization detector (PID) reading. Following soil sample collection each of the Geoprobe soil borings were abandoned in accordance with Chapter NR 140 guidelines. Soil boring logs and abandonment forms are included as **Attachment 1** and **2**, respectively.

Monitoring Well Installation Activities

On September 19, 2007 Sigma advanced four hollow stem auger (HSA) soil borings at the site to depths of approximately 15 feet bgs. Each of the HSA soil borings were completed as NR 141 compliant groundwater monitoring wells (SMW-6 through SMW-9). Monitoring wells SMW-6 and SMW-7 were advanced as a part of the PECFA investigation to further define the petroleum impacts while monitoring wells SMW-8 and SMW-9 were advanced as a part of the DERF investigation to define the chlorinated plume to the west and assess the subsurface conditions within the potential source area as identified by the Geoprobe assessment.

Two soil samples were collected for laboratory analysis of VOCs from each of the monitoring well locations with the exception of SMW-9. Monitoring well SMW-9 was advanced adjacent to Geoprobe soil boring SGP-3. Due to the close proximity, the collection of shallow soil samples would have been redundant; therefore only one soil sample was collected at the maximum depth of drilling. With the exception of SMW-9, soil samples submitted for laboratory analysis were generally collected from the direct contact interval (0-4 feet bgs), the soil sample containing the highest field reading, and/or the soil sample collected just above the water table interface. Upon completion of the monitoring well installation, monitoring wells SMW-6 through SMW-9 were developed in accordance with Chapter NR 141 guidelines on September 21, 2007. Soil boring logs are included as

Attachment 1. Well construction reports and well development forms are included as **Attachment 3.**

In addition, to monitoring well installation activities, Sigma also installed a double cased piezometer at the site on November 10 and 11, 2007. The double cased piezometer was installed within the potential source area, as confirmed by the elevated chlorinated concentrations detected within the soil and groundwater at soil boring SGP-3 and monitoring well SMW-9. The double cased piezometer was set at a depth of approximately 35 feet bgs and the casing was installed from approximately one foot bgs to 18 feet bgs. Soil boring logs are included as **Attachment 1.** Well construction reports and well development forms are included as **Attachment 3.**

SITE INVESTIGATION RESULTS

Site Geology

Soil at the site primarily consists of a sandy silt and clay. Specifically a sandy silt was observed beneath the ground surface asphalt layer and associated two feet of sand and gravel fill to approximately six to ten feet bgs. The sandy silt layer was generally underlain with a stiff brown to gray clay to approximately 16.5 feet bgs. Bedrock, comprised of competent dolomite, was encountered at piezometer PZ-1 at approximately 16.5 feet bgs. Soil descriptions are presented on the soil boring logs included as **Attachment A.** Geological cross-sections are depicted on **Figure 3 and 4.**

Site Hydrogeology

Groundwater level measurements were collected at the monitoring well network during the groundwater sampling events on September 25, 2007 and December 6, 2007. During the December 2007 sampling event the depth to groundwater ranged from 8.65 feet bgs at monitoring well SMW-6 to 12.80 feet bgs at monitoring well SMW-9. Based on the static water level measurements and the surveyed top of casing, groundwater flow appears to be toward the northeast. The groundwater flow direction appears to be consistent with the previous sampling events. Groundwater elevations are presented on **Table 3.** Water table contour maps are included as **Figures 5 and 6.**

The horizontal hydraulic gradient at the site ranges from approximately 0.004 feet per foot immediately east of the building (SMW-3 and SMW-9) up to approximately 0.035 ft/ft within western half of the site. The vertical hydraulic gradient at well nest SMW-9/PZ-1 during the most recent sampling round was approximately 0.11 ft/ft downward.

In-situ hydraulic conductivity tests (slug tests) were completed in wells SMW-2, SMW- 6, and SMW-8 on November 19, 2007. Calculated hydraulic conductivities ranged from 6.37×10^{-5} centimeters per second (cm/s) in SMW-2 to 6.85×10^{-3} cm/s in SMW-8. Monitoring well SMW-6 and SMW-8 are screened within a permeable silty sand to sandy silt soil while SMW-2 is screened in clay. Hydraulic conductivity values are generally within the expected range of values for the respective soil types. Slug Test Analysis Reports are included as **Attachment 4.**

The average linear groundwater flow velocity for the saturated formation is determined by the formula:

$$V = \frac{Ki}{n_e}$$

Where:

V = groundwater flow velocity (feet/day)

K = hydraulic conductivity (feet/day)

i = average horizontal hydraulic gradient across site (ft/ft)

n_e = effective porosity of soil (%)

(Freeze and Cherry, 1989)

Based on the average calculated hydraulic conductivity (2.43×10^{-3} cm/s), the average calculated horizontal hydraulic gradient (0.022 ft/ft), and an assumed effective porosity of 0.40 for sandy silt to clay material, the linear groundwater flow velocity in the vicinity of the source area is approximately 0.38 feet per day.

Soil Quality

Based on the site investigation activities completed to date (previous off-site investigation, PECFA site investigation, and recent DERF investigation), chlorinated-related volatile organic compounds (CVOCs), primarily tetrachloroethene (PCE) and trichloroethene (TCE) were detected within soil samples collected from site soil borings SMW-3, SMW-4, SMW-6, SMW-9, and SGP-1 through SGP-6. In addition, methylene chloride was detected during the off-site investigation (6310 Bluemound Road property) within soil borings GP-1 through GP-3. No other chlorinated concentrations were reported at concentrations greater than the laboratory detection limit within the off-site soil samples. Therefore, based on the constituents (TCE and PCE) identified at the site, the lack of those constituents identified within off-site borings GP-1 through GP-3 and the fact that methylene chloride is a common laboratory contaminant; the methylene concentrations identified at off-site soil borings do not appear to be representative of soil quality conditions. Soil sample analytical results are presented on **Table 1A** and **1B** and **Figure 7**. The soil laboratory analytical report is included as **Attachment 5**.

State standards are not established for many individual CVOCs therefore Sigma calculated site specific residual contaminant levels in accordance with Ch. NR 720 using the Environmental Protection Agency Soil Screening Guidance Calculator (WDNR default parameters) for PCE and TCE to determine the potential risk present at the site with respect to the detected CVOC concentrations. Based on the soil quality results, PCE was detected at concentrations greater than the site specific RCL of 1,230 micrograms per kilogram ($\mu\text{g}/\text{kg}$) within soil samples collected from soil borings SMW-3 (2-4 feet bgs and 6-8 feet bg), SMW-9 (14-15 feet bgs), SGP-2 (0-2 and 6-8 feet bgs), SGP-3 (4-6 and 8-10 feet bgs), and SGP-5 (8-10 feet bgs). TCE was detected at concentrations greater than the site specific RCL of 160 $\mu\text{g}/\text{kg}$ within the soil samples collected from soil borings SMW-9 (14-15 feet bgs) and SGP-3 (8-10 feet bgs). Therefore based on the soil quality results, PCE impacts appear to be present adjacent to the eastern wall (former filter drying area) and northeast corner of the site building while TCE impacts appear to be confined to the source area (former filter drying area). Site specific RCL calculations are included as **Attachment 6**.

Groundwater Quality Results

Based on the groundwater quality results from the most recent sampling event (December 2007) select CVOCs, including cis 1,2-dichloroethene (cis 1,2-DCE), PCE, TCE, and vinyl chloride were detected at concentrations greater than the NR 140 ES within the groundwater samples collected from monitoring wells SMW-3, SMW-4, SMW-9, MW-1 and MW-3. In addition, vinyl chloride was detected at a concentration greater than the NR 140 ES within the groundwater sample collected from piezometer PZ-1. Trans 1,2-DCE was reported at concentrations greater than the NR 140 Preventative Action Limit (PAL) within groundwater samples collected from monitoring well SMW-4 and MW-3 while cis 1,2- DCE was reported at concentrations greater than the NR 140 PAL within groundwater samples collected from MW-1. TCE and PCE were reported at concentrations greater than the NR 140 PAL within groundwater samples collected from MW-2. In addition, cis 1,2-DCE, TCE, and PCE were reported at concentrations greater than the NR 140 PAL within groundwater samples collected from piezometer PZ-1. Groundwater analytical results are presented on **Table 2** and **Figure 8**. The groundwater laboratory analytical report is included as **Attachment 7**.

SUMMARY

Chlorinated-related soil impacts, specifically PCE, were detected at concentrations greater than the calculated site specific RCLs within the soil samples collected from soil borings advanced within the area east and northeast of the site building. Based on the soil quality results, soil impacts appear to

be confined to the area just east/northeast of the site building within the vicinity of the historic filter drying area. Soil conditions beneath the building have not been assessed at this time. Based on the historical practices at the site, it is possible that an additional source area (e.g. former storm sewer, spills etc.) is present at the site beneath the building.

Based on the recent groundwater quality results, the chlorinated groundwater contaminant plume appears to be relatively defined up gradient (SMW-2, SMW-7, SMW-6) and side gradient (SMW-8, MW-2); however down-gradient impacts are not defined and groundwater impacts appear to have migrated off-site to the north and northeast. Based on the groundwater quality results from the well nest (SMW-9 and PZ-1) located within the source area, CVOCs groundwater impacts appear to decrease greatly within groundwater samples collected at monitoring well SMW-9 and the corresponding piezometer PZ-1. However, CVOCs remained present at concentrations greater than the NR 140 ES and/or PAL within the groundwater sample collected from PZ-1, therefore the groundwater CVOC contaminant plume does not appear to be vertically defined at this time.

RECOMMENDATIONS

The recent DERF investigation activities have adequately defined the chlorinated-related soil impacts related to the former filter drying area and have laterally defined the chlorinated-related groundwater impact plume up gradient and side gradient; however the extent of the groundwater impact plume has not been defined down-gradient. Sigma recommends the completion of the following site investigation activities to further define and delineate the chlorinated contaminant plume.

- Advance two to three power/hand auger soil borings (dependent of accessibility) to approximately 8 feet bgs inside the site building in the area of the former dry cleaning machines and the storm sewer (**Figure 9**). The soil borings will be advanced using a combination of power auger to drill to a specific depth and a hand auger to collect a representative sample. The soil borings will be advanced to assess soil conditions beneath the site building and evaluate the potential additional source areas (e.g. surface spills, storm sewer, etc).

A maximum of six soil samples (up to two per boring) will be collected from the soil borings for laboratory analysis of VOCs. The selection of soil samples for laboratory analysis will be based on visual and photo-ionization detector (PID) field screening levels.

- Install one monitoring well down-gradient of monitoring well MW-1 to further define the chlorinated contaminant plume. The proposed monitoring well is located on the neighboring property to the northeast (523 63rd Street) therefore, property access must be obtained prior to conducting additional well installation activities.

In addition, as a part of the PECFA investigation Sigma has recommended the installation of an off-site monitoring well located down-gradient from monitoring well SMW-8. Although the proposed monitoring well will be installed to further assess the petroleum-related contaminant plume it will also serve as a down/side-gradient monitoring location for the DERF investigation activities. The proposed well locations are depicted on **Figure 9**.

- Install one piezometer down-gradient of PZ-1 to further assess the groundwater flow and quality. The proposed piezometer will be installed down-gradient of piezometer PZ-1 and will be nested with monitoring well SMW-4 (**Figure 9**). Due to the elevated groundwater impacts present at monitoring well SMW-4, the proposed piezometer will be double cased to prevent the shallow groundwater impacts from impacted the deep groundwater zone during piezometer installation.
- Professional survey of proposed soil borings, monitoring well, and piezometer.

The previously approved scope or work included the completion of one year of quarterly monitoring. To date, Sigma has completed two rounds of groundwater monitoring under the DERF investigation. Therefore following the monitoring well and piezometer installation, Sigma will conduct the third groundwater monitoring event. The previous work plan did not include the above proposed well/piezometer in the sampling plan; therefore costs associated with the collection of the additional groundwater samples from the proposed well/piezometer are included in the attached cost estimate. Following the completion of the third groundwater sampling event, Sigma will prepare a letter report documenting the results of the proposed supplemental investigation activities.

The chlorinated-related groundwater monitoring activities will be conducted in conjunction with the petroleum-related groundwater monitoring activities (PEFCA) in order to reduce costs associated with the investigation of each release. The cost associated with the above referenced activities and subsequently the requested change order is approximately \$17,784. A detailed cost estimate is included as **Attachment 8** for your review and approval.

If you have any questions during your review of the proposed site investigation activities and associated costs or if you need additional information please call us at 414-643-4200.

Sincerely,

SIGMA ENVIRONMENTAL SERVICES, INC.



Mary E. Trotta
Staff Scientist




Kristin K. Kurzka, P.E.
Senior Engineer

Enclosure


Cc: Harold Shipshock – Master Drycleaning, Inc.
Michelle Williams – Reinhart Boerner Van Deuren, S.C.


FIGURES




FIGURE 1 - SITE LOCATION MAP



64TH STREET







MASTER DRYCLEANING
6326 W. BLUEMOUND ROAD, WAUWATOSA, WI

DATE: 02/13/08 DR. BY: SJGJ DR.# 9923-002


GEOLOGIC CROSS SECTION MAP
(B-B')

SIGMA
Single Source. Sound Solutions. GROUP
www.thesigmagroup.com
1300 West Canal Street
Milwaukee, WI 53233
414-643-4200


SCALE: 1" = 20'

Figure 4


64th STREET



64th STREET



64th STREET



LEGEND	
●	MONITORING WELL
●	GEOPROBE LOCATION
— - - - -	PROPERTY LINE
— - - - -	OVERHEAD UTILITY LINE
— - - - -	WATER MAIN
— - - - -	GAS
□	HYDRANT
⊕	POWER POLE
○	LIGHT POLE
●	SEWER MANHOLE

Soil Quality Legend	
ND	Chlorinated constituent concentrations are below the laboratory detection limit
PCE	Tetrachloroethene
TCE	Trichloroethene
MC	Methylene Chloride
SSRCL	Calculated site specific residual contaminant levels
Bold	Concentrations are greater than SSRCL

MASTER DRYCLEANING
6326 W. BLUEMOUND ROAD, WAUWATOSA, WI

DATE: 02/13/08 DR. BY: SJGJ DR.# 9923-002

SOIL QUALITY MAP
(CHLORINATED DETECTS ONLY)

THE SIGMA GROUP
Single Source. Sound Solutions.
www.thesigmagroup.com
1300 West Canal Street
Milwaukee, WI 53233
414-643-4200

SCALE: 1" = 20'

Figure 7

64th STREET





Figure 8



GRAPHIC SCALE

MASTER DRYCLEANING
6326 W. BLUEMOUND ROAD, WAUWATOSA, WI

DATE: 02/13/08 DR. BY: SJGJ DR.# 9923-002

SIGMA
Single Source Sound Solutions / GROUP
www.thesigmagroup.com
1300 West Canal Street
Milwaukee, WI 53233
414-643-4200

SCALE: 1" = 30'

PROPOSED WELL/BORING LOCATION MAP

Figure 9

TABLES

TABLE 1A
SOIL ANALYTICAL QUALITY RESULTS
(OFF-SITE - 6310 BLUEMOUND ROAD)
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923

Soil Boring Identification:					GP-1	GP-2	GP-3		
Sample Depth (ft):					3-4	3-4	13	3-4	12-13
Metals	Unit	NR 720 RCL		Collection Date					
		Non-Industrial	Industrial	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	
Lead	mg/kg	50	500	NA	NA	NA	NA	NA	NA
Volatile Organic Compounds	Unit	NR 720		NR 746					
		RCL	Table 1	Table 2					
Benzene	µg/kg	5.5	8,500	1,100	<32	<29	<32	<31	<32
Bromobenzene	µg/kg	NS	NS	NS	<37	<33	<37	<36	<37
Bromodichloromethane	µg/kg	NS	NS	NS	<46	<41	<46	<44	<46
tert-Butylbenzene	µg/kg	NS	NS	NS	<36	<33	<36	<35	<36
sec-Butylbenzene	µg/kg	NS	NS	NS	<40	<36	<40	<39	<41
n-Butylbenzene	µg/kg	NS	NS	NS	<43	<39	<43	<41	<43
Carbon tetrachloride	µg/kg	NS	NS	NS	<32	<29	<32	<31	<32
Chlorobenzene	µg/kg	NS	NS	NS	<31	<28	<31	<30	<31
Chloroethane	µg/kg	NS	NS	NS	<76	<68	<76	<73	<77
Chloroform	µg/kg	NS	NS	NS	<29	<26	<29	<28	<29
Chloromethane	µg/kg	NS	NS	NS	<59	<53	<59	<57	<60
2-Chlorotoluene	µg/kg	NS	NS	NS	<35	<32	<36	<34	<36
4-Chlorotoluene	µg/kg	NS	NS	NS	<31	<28	<31	<30	<32
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<39	<36	<39	<38	<40
Dibromochloromethane	µg/kg	NS	NS	NS	<48	<44	<49	<47	<49
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<42	<38	<42	<41	<43
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<31	<28	<31	<30	<31
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<41	<37	<41	<39	<41
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<32	<29	<32	<31	<32
1,2-Dichloroethane	µg/kg	4.9	600	540	<41	<37	<41	<40	<42
1,1-Dichloroethane	µg/kg	NS	NS	NS	<38	<34	<38	<37	<39
1,1-Dichloroethene	µg/kg	NS	NS	NS	<41	<37	<41	<39	<41
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<32	<29	<32	<31	<33
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<30	<27	<30	<29	<31
1,2-Dichloropropane	µg/kg	NS	NS	NS	<38	<35	<38	<37	<39
1,3-Dichloropropane	µg/kg	NS	NS	NS	<46	<42	<47	<45	<47
Di-isopropyl ether	µg/kg	NS	NS	NS	<35	<32	<35	<34	<36
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	NA	NA	NA	NA	NA
Ethylbenzene	µg/kg	2,900	4,600	NS	<30	<27	<30	<29	<31
Hexachlorobutadiene	µg/kg	NS	NS	NS	<50	<45	<50	<48	<50
Isopropylbenzene	µg/kg	NS	NS	NS	<39	<35	<39	<38	<40
p-Isopropyltoluene	µg/kg	NS	NS	NS	<37	<34	<37	<36	<38
Methylene chloride	µg/kg	NS	NS	NS	200	<33	130	138	139
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<47	<42	<47	<45	<47
Naphthalene	µg/kg	NS	2,700	NS	<90	<81	<90	<87	<91
n-Propylbenzene	µg/kg	NS	NS	NS	<34	<30	<34	<32	<34
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<52	<47	<52	<51	<53
Tetrachloroethene	µg/kg	1,230*	NS	NS	<36	<33	<36	<40	<37
Toluene	µg/kg	1,500	38,000	NS	<35	<31	<35	<34	<35
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<56	<50	<56	<54	<56
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<59	<54	<59	<57	<60
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<37	<34	<37	<36	<38
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<52	<47	<52	<50	<53
Trichloroethene	µg/kg	160*	NS	NS	<41	<37	<41	<40	<42
Trichlorofluoromethane	µg/kg	NS	NS	NS	<29	<26	<29	<28	<29
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<36	<32	<36	<35	<36
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<41	<37	<41	<40	<41
Vinyl chloride	µg/kg	NS	NS	NS	<25	<23	<25	<25	<26
Total Xylenes	µg/kg	4,100	42,000	NS	<94	<85	<94	<90	<94

Notes: Laboratory analyses performed by: APL, INC. Soil samples collected by: Key Engineering Group, Ltd

J = Analyte detected between Limit of Detection and Limit of Quantitation

mg/kg = milligrams per kilogram (equivalent to parts per million)

µg/kg = micrograms per kilogram (equivalent to parts per billion)

NA = Not Analyzed

NS = No Standard

NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).

NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.

NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.

C9 = Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.

Interim RCL = More stringent generic Residual Contaminant Level for protection of groundwater (gw) or direct contact (dc) pathway for non-industrial land use from WDNR Publication RR-519-97 "Soil Cleanup Levels for Polycyclic Aromatic Hydrocarbons (PAHs) Interim Guidance" (April 1997).

* = Calculated Site Specific RCLs

Exceedances: **BOLD** = detected compound = concentration exceeds standard or site specific RCL

TABLE 1B
SOIL ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923

Soil Boring Identification:			SMW-1		SMW-2		SMW-3		SMW-4		SMW-5		
Sample Depth (ft):			4-6	8-10	2-4	10-12	2-4	6-8	4-6	8-10	2-4	6-8	
Metals	Unit	NR 720 RCL		Collection Date									
		Non-industrial	Industrial	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	
Lead	mg/kg	50	500	26	18	15	14	44	17	27	16	29	13
Volatile Organic Compounds	Unit	NR 720		RCL									
		RCL	Table 1	Table 2									
Benzene	µg/kg	5.5	8,500	1,100	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Bromodichloromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	2,060^J	<25	<25	208	<25	<25	<25	<25
n-Butylbenzene	µg/kg	NS	NS	NS	55^J	6,400	<25	<25	740	<25	<25	<25	<25
Carbon tetrachloride	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Chloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Chloroform	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Chloromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
2-Chlorotoluene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
4-Chlorotoluene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Dibromochloromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloroethane	µg/kg	4.9	600	540	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,3-Dichloropropane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Di-isopropyl ether	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	µg/kg	2,900	4,600	NS	<25	2,200^J	<25	<25	750	<25	<25	<25	<25
Hexachlorobutadiene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Isopropylbenzene	µg/kg	NS	NS	NS	<25	3,080	<25	<25	250	<25	<25	<25	<25
p-Isopropyltoluene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	130	<25	<25	<25
Methylene chloride	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Naphthalene	µg/kg	NS	2,700	NS	<25	4,200	<25	<25	<25	222	<25	<25	<25
n-Propylbenzene	µg/kg	NS	NS	NS	<25	13,300	<25	<25	<25	1,200	<25	<25	<25
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethene	µg/kg	1,230*	NS	NS	<25	<1250	<25	<25	1,440	3,000	<25	115	<25
Toluene	µg/kg	1,500	38,000	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	µg/kg	160*	NS	NS	<25	<1250	<25	<25	<25	40^J	<25	<25	<25
Trichlorofluoromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	26.7^J	13,100	<25	<25	<25	2,980	<25	<25	<25
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<25	<1250	<25	<25	<25	130	<25	<25	<25
Vinyl chloride	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25
Total Xylenes	µg/kg	4,100	42,000	NS	<50	<2500	<50	<50	<50	502^J	<50	<50	<50

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.

J = Analyte detected between Limit of Detection and Limit of Quantitation

mg/kg = milligrams per kilogram (equivalent to parts per million)

µg/kg = micrograms per kilogram (equivalent to parts per billion)

NA = Not Analyzed NS = No Standard

NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).

NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.

NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.

Interim RCL = More stringent generic Residual Contaminant Level for protection of groundwater (gw) or direct contact (dc) pathway for non-industrial land use from WDNR Publication RR-519-97 "Soil Cleanup Levels for Polycyclic Aromatic Hydrocarbons (PAHs) Interim Guidance" (April 1997)

* = Calculated Site Specific RCLs
 Exceedances: **BOLD** = detected compound

BOX = concentration exceeds standard or site specific RCL

TABLE 1B
SOIL ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923

Soil Boring Identification:			SMW-6		SMW-7		SMW-8		SMW-9		SGP-1	
Sample Depth (ft):			4-6	8-10	0-2	6-8	4-6	8-10	14-15	4-6	8-10	
Metals	Unit	NR 720 RCL		Collection Date								
		Non-Industrial	Industrial	09/17/07	09/17/07	09/17/07	09/17/07	09/17/07	09/17/07	09/17/07	09/06/07	09/06/07
Lead	mg/kg	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA
Volatile Organic Compounds	Unit	NR 720	NR 746									
		RCL	Table 1	Table 2								
Benzene	µg/kg	5.5	8,500	1,100	<25	<25	<25	<25	<25	<25	<2500	<25
Bromobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Bromodichloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
tert-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
n-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Carbon tetrachloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Chlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Chloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Chloroform	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Chloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
2-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
4-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Dibromochloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2-Dichloroethane	µg/kg	4.9	600	540	<25	<25	<25	<25	<25	<25	<2500	<25
1,1-Dichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,1-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,3-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Di-isopropyl ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Ethylbenzene	µg/kg	2,900	4,600	NS	<25	<25	<25	<25	<25	<25	8,000	<25
Hexachlorobutadiene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Isopropylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
p-Isopropyltoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Methylene chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Naphthalene	µg/kg	NS	2,700	NS	<25	<25	247	48 "J"	<25	<25	<2500	<25
n-Propylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	2860 "J"	<25
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Tetrachloroethene	µg/kg	1,230*	NS	NS	59 "J"	41 "J"	<25	<25	<25	<25	214,000	550 124
Toluene	µg/kg	1,500	38,000	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Trichloroethene	µg/kg	160*	NS	NS	<25	<25	<25	<25	<25	<25	51,000	<25
Trichlorofluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<25	<25	<25	39 "J"	<25	<25	16,000	<25
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Vinyl chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25
Total Xylenes	µg/kg	4,100	42,000	NS	<50	<50	<50	62 "J"	<50	<50	<2500	<50

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.

J = Analyte detected between Limit of Detection and Limit of Quantitation

mg/kg = milligrams per kilogram (equivalent to parts per million)

µg/kg = micrograms per kilogram (equivalent to parts per billion)

NA = Not Analyzed NS = No Standard

NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).

NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.

NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.

Interim RCL = More stringent generic Residual Contaminant Level for protection of groundwater (gw) or direct contact (dc) pathway for non-industrial land use from WDNR Publication RR-519-97

Soil Cleanup Levels for Polycyclic Aromatic Hydrocarbons (PAHs) Interim Guidance (April 1997)

* = Calculated Site Specific RCLs

Exceedances: **BOX** = concentration exceeds standard or site specific RCL

BOX = concentration exceeds standard or site specific RCL

TABLE 1B
SOIL ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923

Soil Boring Identification:			SGP-2		SGP-3		SGP-4		SGP-5		SGP-6		
Sample Depth (ft):			0-2	6-8	4-6	8-10	0-2	6-8	2-4	8-10	0-2	6-8	
Metals	Unit	NR 720 RCL		Collection Date									
		Non-Industrial	Industrial	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07
Lead	mg/kg	50	500	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Volatile Organic Compounds	Unit	NR 720		NR 746									
		RCL	Table 1	Table 2									
Benzene	µg/kg	5.5	8,500	1,100	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Bromodichloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
tert-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
n-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Carbon tetrachloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloroform	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Chloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
2-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
4-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dibromochloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloroethane	µg/kg	4.9	600	540	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,3-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Di-isopropyl ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Ethylbenzene	µg/kg	2,900	4,600	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Hexachlorobutadiene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Isopropylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
p-Isopropyltoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methylene chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Naphthalene	µg/kg	NS	2,700	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
n-Propylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Tetrachloroethylene	µg/kg	1,230*	NS	NS	1,620	1,390	6,900	7,800	560	940	105	1,670	29.9^j
Toluene	µg/kg	1,500	38,000	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Trichloroethene	µg/kg	160*	NS	NS	<25	<25	65	267	<25	<25	<25	<25	<25
Trichlorofluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Vinyl chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25
Total Xylenes	µg/kg	4,100	42,000	NS	<50	<50	<50	<50	<50	<50	<50	<50	<50

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.

J = Analyte detected between Limit of Detection and Limit of Quantitation

mg/kg = milligrams per kilogram (equivalent to parts per million)

µg/kg = micrograms per kilogram (equivalent to parts per billion)

NA = Not Analyzed NS = No Standard

NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).

NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.

NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.

Interim RCL = More stringent generic Residual Contaminant Level for protection of groundwater (gw) or direct contact (dc) pathway for non-industrial land use from WDNR Publication RR-519-97 "Soil Cleanup Levels for Polycyclic Aromatic Hydrocarbons (PAHs) Interim Guidance" (April 1997)

* = Calculated Site Specific RCLs

Exceedances: **BOLD** = detected compound

BOX = concentration exceeds standard or site specific RCL

TABLE 2
GROUNDWATER ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923/10221

Monitoring Well Identification:					SMW-1		SMW-2		SMW-3				
Metal	Unit	NR 140				Collection Date							
		ES	PAL	12/12/06	09/25/07	12/06/07	12/12/06	09/25/07	12/06/07	12/12/06	09/25/07	12/06/07	
Lead, Dissolved	µg/L	15	1.5	<0.7	NA	NA	<0.7	NA	NA	30	NA	<0.7	
Volatile Organic Compounds													
Benzene	µg/L	5.0	0.5	<0.47	0.51 "J"	<0.47	<0.47	<0.47	<0.47	176	308	320	
Bromobenzene	µg/L	NS	NS	<0.62	<0.36	<0.36	<0.62	<0.36	<0.36	<31	<7.2	<18	
Bromodichloromethane	µg/L	0.6	0.06	<0.82	<0.5	<0.5	<0.82	<0.5	<0.5	<41	<10	<25	
Bromoform	µg/L	4.4	0.44	<0.3	<0.38	<0.38	<0.3	<0.38	<0.38	<15	<7.6	<19	
tert-Butylbenzene	µg/L	NS	NS	<0.6	<0.34	<0.34	<0.6	<0.34	<0.34	<30	<6.8	<17	
sec-Butylbenzene	µg/L	NS	NS	<0.76	8	0.59 "J"	<0.76	<0.36	<0.36	<38	<7.2	<18	
n-Butylbenzene	µg/L	NS	NS	<1.1	7.3	<0.52	<1.1	<0.52	<0.52	<55	<10.4	<26	
Carbon Tetrachloride	µg/L	5.0	0.5	<0.52	<0.46	<0.46	<0.52	<0.46	<0.46	<26	<9.2	<23	
Chlorobenzene	µg/L	100	10	<0.56	<0.31	<0.31	<0.56	<0.31	<0.31	<28	<6.2	<15.5	
Chloroethane	µg/L	400	80	<0.54	<0.47	<0.47	<0.54	<0.47	<0.47	<27	<9.4	<23.5	
Chloroform	µg/L	6.0	0.6	<0.61	<0.48	<0.48	<0.61	<0.48	<0.48	<30.5	<9.6	<24	
Chloromethane	µg/L	3.0	0.3	<1.0	<1	<1	<1.0	<1	<1	<50	<20	<50	
2-Chlorotoluene	µg/L	NS	NS	<1.1	<0.49	<0.49	<1.1	<0.49	<0.49	<55	<9.8	<24.5	
4-Chlorotoluene	µg/L	NS	NS	<0.62	<0.38	<0.38	<0.62	<0.38	<0.38	<31	<7.6	<19	
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<2.5	<1.4	<1.4	<2.5	<1.4	<1.4	<125	<28	<70	
Dibromochloromethane	µg/L	60	6.0	<0.65	<0.32	<0.32	<0.65	<0.32	<0.32	<32.5	<6.4	<16	
1,4-Dichlorobenzene	µg/L	75	15	<0.68	<0.33	<0.33	<0.68	<0.33	<0.33	<34	<6.6	<16.5	
1,3-Dichlorobenzene	µg/L	1,250	125	<0.72	<0.3	<0.3	<0.72	<0.3	<0.3	<36	<6	<15	
1,2-Dichlorobenzene	µg/L	600	60	<0.69	<0.35	<0.35	<0.69	<0.35	<0.35	<34.5	<7	<17.5	
Dichlorodifluoromethane	µg/L	1,000	200	<0.5	<0.46	<0.46	<0.5	<0.46	<0.46	<25	<9.2	<23	
1,2-Dichloroethane	µg/L	5.0	0.5	<0.72	<0.45	<0.45	<0.72	<0.45	<0.45	<36	31.4	<22.5	
1,1-Dichloroethane	µg/L	850	85	<0.56	<0.56	<0.56	<0.56	<0.56	<0.56	<28	<11.2	<28	
1,1-Dichloroethene	µg/L	7.0	0.7	<0.3	<0.64	<0.64	<0.3	<0.64	<0.64	<15	<12.8	<32	
cis-1,2-Dichloroethene	µg/L	70	7.0	<0.68	<0.68	<0.68	<0.68	<0.68	<0.68	870	2400	2250	
trans-1,2-Dichloroethene	µg/L	100	20	<0.95	<0.95	<0.95	<0.95	<0.95	<0.95	<47.5	30 "J"	<47.5	
1,2-Dichloropropane	µg/L	5.0	0.5	<0.47	<0.47	<0.47	<0.47	<0.47	<0.47	<23.5	<9.4	<23.5	
2,2-Dichloropropane	µg/L	NS	NS	<1.2	<0.98	<0.98	<1.2	<0.98	<0.98	<60	<19.6	<49	
1,3-Dichloropropane	µg/L	NS	NS	<0.67	<0.39	<0.39	<0.67	<0.39	<0.39	<33.5	<7.8	<19.5	
Di-isopropyl ether	µg/L	NS	NS	<0.71	<1.3	<1.3	<0.71	<1.3	<1.3	<35.5	<26	<65	
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<0.49	<0.49	<0.49	<0.49	<0.49	<0.49	<24.5	<9.8	<24.5	
Ethylbenzene	µg/L	700	140	2.19	72	0.61 "J"	<0.38	<0.38	<0.38	340	142	62	
Hexachlorobutadiene	µg/L	NS	NS	<2.1	<1.5	<1.5	<2.1	<1.5	<1.5	<105	<30	<75	
Isopropylbenzene	µg/L	NS	NS	<0.99	35	1.3 "J"	<0.99	<0.48	<0.48	<49.5	<9.6	<24	
p-Isopropyltoluene	µg/L	NS	NS	<0.81	1.58	<0.35	<0.81	<0.35	<0.35	<40.5	<7	<17.5	
Methylene Chloride	µg/L	5.0	0.5	<0.69	<0.69	<0.69	<0.69	<0.69	<0.69	<34.5	<13.8	<34.5	
Methyl Tert Butyl Ether (MTBE)	µg/L	60	12	<0.52	<0.52	<0.52	<0.52	<0.52	<0.52	<26	<10.4	<26	
Naphthalene	µg/L	40	8.0	<2.2	3.8 "J"	<1.8	<2.2	<1.8	<1.8	110^j	<36	<90	
n-Propylbenzene	µg/L	NS	NS	<0.61	100	2.16	<0.61	0.42 "J"	<0.38	57 ^j	<7.6	<19	
1,1,2,2-Tetrachloroethane	µg/L	0.2	0.02	<0.89	<0.75	<0.75	<0.89	<0.75	<0.75	<44.5	<15	<37.5	
1,1,1,2-Tetrachloroethane	µg/L	70	7.0	<0.65	<0.65	<0.65	<0.65	<0.65	<0.65	<32.5	<13	<32.5	
Tetrachloroethene	µg/L	5.0	0.5	<0.52	0.69 "J"	<0.52	<0.52	<0.52	<0.52	52^j	174	126	
Toluene	µg/L	1,000	200	<0.59	0.93 "J"	<0.46	<0.59	<0.46	<0.46	256	26.8 "J"	23 "J"	
1,2,4-Trichlorobenzene	µg/L	70	14	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<75	<30	<75	
1,2,3-Trichlorobenzene	µg/L	NS	NS	<1.4	<1.6	<1.6	<1.4	<1.6	<1.6	<70	<32	<80	
1,1,1-Trichloroethane	µg/L	200	40	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<25	<10	<25	
1,1,2-Trichloroethane	µg/L	5.0	0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<25	<10	<25	
Trichloroethene (TCE)	µg/L	5.0	0.5	<0.44	0.56 "J"	<0.44	<0.44	<0.44	<0.44	<44	264	313	278
Trichlorofluoromethane	µg/L	3,490	698	<0.61	<0.61	<0.61	<0.61	<0.61	<0.61	<30.5	<12.2	<30.5	
1,2,4-Trimethylbenzene	µg/L	**	**	1.48	18.5	<1.2	<0.39	<1.2	<1.2	264	39 "J"	<60	
1,3,5-Trimethylbenzene	µg/L	**	**	4.2	<0.37	<0.37	<1.2	<0.37	<0.37	<60	8.2 "J"	<18.5	
Total Trimethylbenzenes	µg/L	480	96	5.68	18.5	<1.57	<1.2	<1.57	<1.57	264	47.2	<78.5	
Vinyl Chloride	µg/L	0.2	0.02	<0.17	<0.2	<0.2	<0.17	<0.2	<0.2	212	314	298	
Xylenes (total)	µg/L	10,000	1,000	7.05 ^j	16.45	<0.99	<1.1	<0.99	<0.99	294	86.2	<48.5	

Notes:

J = Analyte detected between Limit of Detection and Limit of Quantitation

µg/L = micrograms per liter (equivalent to parts per billion)

NA = Not Analyzed NS = No Standard

NR 140 ES = Wisconsin Administrative Code, Chapter NR 140 Enforcement Standard

NR 140 PAL = Wisconsin Administrative Code, Chapter NR 140 Preventive Action Limit

Exceedances: **BOLD** = concentration exceeds Chapter NR 140 PAL

BOX = concentration exceeds Chapter NR 140 ES

TABLE 2
GROUNDWATER ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOULD ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923/10221

Monitoring Well Identification:		SMW-4				SMW-5				SMW-6		SMW-7	
Metal	Unit	NR 140				Collection Date						Collection Date	
		ES	PAL	12/12/06	09/25/07	12/06/07	12/12/06	09/25/07	12/06/07	09/25/07	12/06/07	09/25/07	12/06/07
Lead, Dissolved	µg/L	15	1.5	<0.7	NA	NA	<0.7	NA	NA	NA	NA	NA	1.7
Volatile Organic Compounds													
Benzene	µg/L	5.0	0.5	<23.5	<9.4	<9.4	<0.47	<0.47	<0.47	<0.47	<0.47	99	46 "J"
Bromobenzene	µg/L	NS	NS	<31	<7.2	<7.2	<0.62	<0.36	<0.36	<0.36	<0.36	<18	<18
Bromodichloromethane	µg/L	0.6	0.06	<41	<10	<10	<0.82	<0.5	<0.5	<0.5	<0.5	<25	<25
Bromoform	µg/L	4.4	0.44	<15	<7.6	<7.6	<0.3	<0.38	<0.38	<0.38	<0.38	<19	<19
tert-Butylbenzene	µg/L	NS	NS	<30	<6.8	<6.8	<0.6	<0.34	<0.34	<0.34	<0.34	<17	<17
sec-Butylbenzene	µg/L	NS	NS	<38	<7.2	<7.2	<0.76	<0.36	<0.36	<0.36	<0.36	<18	<18
n-Butylbenzene	µg/L	NS	NS	<55	<10.4	<10.4	<1.1	<0.52	<0.52	<0.52	<0.52	<26	<26
Carbon Tetrachloride	µg/L	5.0	0.5	<26	<9.2	<9.2	<0.52	<0.46	<0.46	<0.46	<0.46	<23	<23
Chlorobenzene	µg/L	100	10	<28	<6.2	<6.2	<0.56	<0.31	<0.31	<0.31	<0.31	<15.5	<15.5
Chloroethane	µg/L	400	80	<27	<9.4	<9.4	<0.54	<0.47	<0.47	<0.47	<0.47	<23.5	<23.5
Chloroform	µg/L	6.0	0.6	<30.5	<9.6	<9.6	<0.61	<0.48	<0.48	<0.48	<0.48	<24	<24
Chloromethane	µg/L	3.0	0.3	<50	<20	<20	<1.0	<1	<1	<1	<1	<50	<50
2-Chlorotoluene	µg/L	NS	NS	<55	<9.8	<9.8	<1.1	<0.49	<0.49	<0.49	<0.49	<24.5	<24.5
4-Chlorotoluene	µg/L	NS	NS	<31	<7.6	<7.6	<0.62	<0.38	<0.38	<0.38	<0.38	<19	<19
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<125	<28	<28	<2.5	<1.4	<1.4	<1.4	<1.4	<70	<70
Dibromochloromethane	µg/L	60	6.0	<32.5	<6.4	<6.4	<0.65	<0.32	<0.32	<0.32	<0.32	<16	<16
1,4-Dichlorobenzene	µg/L	75	15	<34	<6.6	<6.6	<0.68	<0.33	<0.33	<0.33	<0.33	<16.5	<16.5
1,3-Dichlorobenzene	µg/L	1,250	125	<36	<6	<6	<0.72	<0.3	<0.3	<0.3	<0.3	<15	<15
1,2-Dichlorobenzene	µg/L	600	60	<34.5	<7	<7	<0.69	<0.35	<0.35	<0.35	<0.35	<17.5	<17.5
Dichlorodifluoromethane	µg/L	1,000	200	<25	<9.2	<9.2	<0.5	<0.46	<0.46	<0.46	<0.46	<23	<23
1,2-Dichloroethane	µg/L	5.0	0.5	<36	<9	<9	<0.72	<0.45	<0.45	<0.45	<0.45	<22.5	<22.5
1,1-Dichloroethane	µg/L	850	85	<28	<11.2	<11.2	<0.56	<0.56	<0.56	<0.56	<0.56	<28	<28
1,1-Dichloroethylene	µg/L	7.0	0.7	<15	<12.8	<12.8	<0.3	<0.64	<0.64	<0.64	<0.64	<32	<32
cis-1,2-Dichloroethylene	µg/L	70	7.0	1460	1730	1900	<0.68	<0.68	<0.68	7.6	1.64 "J"	<34	<34
trans-1,2-Dichloroethylene	µg/L	100	20	84 ^d	105	89	<0.95	<0.95	<0.95	<0.95	<0.95	<47.5	<47.5
1,2-Dichloropropane	µg/L	5.0	0.5	<23.5	<9.4	<9.4	<0.47	<0.47	<0.47	<0.47	<0.47	<23.5	<23.5
2,2-Dichloropropane	µg/L	NS	NS	<60	<19.6	<19.6	<1.2	<0.98	<0.98	<0.98	<0.98	<49	<49
1,3-Dichloropropane	µg/L	NS	NS	<33.5	<7.8	<7.8	<0.67	<0.39	<0.39	<0.39	<0.39	<19.5	<19.5
Di-isopropyl ether	µg/L	NS	NS	<35.5	<26	<26	<0.71	<1.3	<1.3	<1.3	<1.3	<65	<65
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<24.5	<9.8	<9.8	<0.49	<0.49	<0.49	<0.49	<0.49	<24.5	<24.5
Ethylbenzene	µg/L	700	140	<19	<7.6	<7.6	<0.38	<0.38	<0.38	<0.38	<0.38	2750	2070
Hexachlorobutadiene	µg/L	NS	NS	<105	<30	<30	<2.1	<1.5	<1.5	<1.5	<1.5	<75	<75
Isopropylbenzene	µg/L	NS	NS	<49.5	<9.6	<9.6	<0.99	<0.48	<0.48	<0.48	<0.48	57 "J"	48 "J"
p-Isopropyltoluene	µg/L	NS	NS	<40.5	<7	<7	<0.81	<0.35	<0.35	<0.35	<0.35	<17.5	<17.5
Methylene Chloride	µg/L	5.0	0.5	<34.5	<13.8	<13.8	<0.69	<0.69	<0.69	<0.69	<0.69	<34.5	<34.5
Methyl Tert Butyl Ether (MTBE)	µg/L	60	12	<26	<10.4	<10.4	<0.52	<0.52	<0.52	<0.52	<0.52	<26	<26
Naphthalene	µg/L	40	8.0	<110	<36	<36	<2.2	<1.8	<1.8	<1.8	<1.8	188 "J"	109 "J"
n-Propylbenzene	µg/L	NS	NS	<30.5	<7.6	<7.6	<0.61	<0.38	<0.38	<0.38	<0.38	121	110
1,1,2,2-Tetrachloroethane	µg/L	0.2	0.02	<44.5	<15	<15	<0.89	<0.75	<0.75	<0.75	<0.75	<37.5	<37.5
1,1,1,2-Tetrachloroethane	µg/L	70	7.0	<32.5	<13	<13	<0.65	<0.65	<0.65	<0.65	<0.65	<32.5	<32.5
Tetrachloroethylene	µg/L	5.0	0.5	670	610	560	<0.52	<0.52	<0.52	0.72 "J"	<52	<26	<26
Toluene	µg/L	1,000	200	<29.5	<9.2	<9.2	<0.59	<0.46	<0.46	<0.46	<0.46	1460	1800
1,2,4-Trichlorobenzene	µg/L	70	14	<75	<30	<30	<1.5	<1.5	<1.5	<1.5	<1.5	<75	<75
1,2,3-Trichlorobenzene	µg/L	NS	NS	<70	<32	<32	<1.4	<1.6	<1.6	<1.6	<1.6	<80	<80
1,1,1-Trichloroethane	µg/L	200	40	<25	<10	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<25	<25
1,1,2-Trichloroethane	µg/L	5.0	0.5	<25	<10	<10	<0.5	<0.5	<0.5	<0.5	<0.5	<25	<25
Trichloroethylene (TCE)	µg/L	5.0	0.5	340	540	430	<0.44	<0.44	<0.44	0.51 "J"	<44	<22	<22
Trichlorofluoromethane	µg/L	3,490	698	<30.5	<12.2	<12.2	<0.61	<0.61	<0.61	<0.61	<0.61	<30.5	<30.5
1,2,4-Trimethylbenzene	µg/L	**	**	<19.5	<24	<24	<0.39	<1.2	<1.2	<1.2	<1.2	1370	810
1,3,5-Trimethylbenzene	µg/L	**	**	<60	<7.4	<7.4	<1.2	<0.37	<0.37	<0.37	<0.37	310	234
Total Trimethylbenzenes	µg/L	480	96	<60	<31.4	<31.4	<1.2	<1.57	<1.57	<1.57	<1.57	1680	1044
Vinyl Chloride	µg/L	0.2	0.02	11.5 ^d	11.8 "J"	13.4	<0.17	<0.2	<0.2	0.4 "J"	<0.2	<10	<10
Xylenes (total)	µg/L	10,000	1,000	<55	<19.4	<19.8	<1.1	<0.99	<0.99	<0.99	<0.99	14300	9800

Notes:

J = Analyte detected between Limit of Detection and Limit of Quantitation

µg/L = micrograms per liter (equivalent to parts per billion)

NS = No Standard

NR 140 ES = Wisconsin Administrative Code, Chapter NR 140 Enforcement Standard

NR 140 PAL = Wisconsin Administrative Code, Chapter NR 140 Preventive Action Limit

Exceedances: **BOLD** = concentration exceeds Chapter NR 140 PAL

BOX = concentration exceeds Chapter NR 140 ES

TABLE 2
GROUNDWATER ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923/10221

Monitoring Well Identification:				SMW-8		SMW-9		PZ-1		GP-1		MW-1	
Metal	Unit	NR 140										Collection Date	
		ES	PAL	09/25/07	12/06/07	09/25/07	12/06/07	12/06/07	01/19/06	02/20/06	12/12/06	09/25/07	12/06/07
Lead, Dissolved	µg/L	15	1.5	NA	<0.7	NA	3.3	NA	NA	NA	<0.7	NA	NA
Volatile Organic Compounds													
Benzene	µg/L	5.0	0.5	2560	2050	<23.5	<235	<0.47	33	<0.26	<2.35	<0.47	<0.47
Bromobenzene	µg/L	NS	NS	<18	<18	<18	<180	<0.36	<0.310	<0.35	<3.1	<0.36	<0.36
Bromodichloromethane	µg/L	0.6	0.06	<25	<25	<25	<250	<0.5	<0.380	<0.28	<4.1	<0.5	<0.5
Bromoform	µg/L	4.4	0.44	<19	<19	<19	<190	<0.38	<0.390	<0.4	<1.5	<0.38	<0.38
tert-Butylbenzene	µg/L	NS	NS	<17	<17	<17	<170	<0.34	<0.300	<0.34	<3.0	<0.34	<0.34
sec-Butylbenzene	µg/L	NS	NS	<18	<18	<18	<180	<0.36	<0.340	<0.25	<3.8	<0.36	<0.36
n-Butylbenzene	µg/L	NS	NS	<26	<26	34 "J"	<260	<0.52	<0.360	<0.61	<5.5	<0.52	<0.52
Carbon Tetrachloride	µg/L	5.0	0.5	<23	<23	<23	<230	<0.46	<0.270	<0.25	<2.6	<0.46	<0.46
Chlorobenzene	µg/L	100	10	<15.5	<15.5	<15.5	<155	<0.31	<0.260	<0.26	<2.8	<0.31	<0.31
Chloroethane	µg/L	400	80	<23.5	<23.5	<23.5	<235	<0.47	<0.640	<0.37	<2.7	<0.47	<0.47
Chloroform	µg/L	6.0	0.6	<24	<24	<24	<240	<0.48	<0.240	<0.78	<3.05	<0.48	<0.48
Chloromethane	µg/L	3.0	0.3	<50	<50	<50	<500	<1	<0.490	<1.1	<5.0	<1	<1
2-Chlorotoluene	µg/L	NS	NS	<24.5	<24.5	<24.5	<245	<0.49	<0.300	<0.42	<5.5	<0.49	<0.49
4-Chlorotoluene	µg/L	NS	NS	<19	<19	<19	<190	<0.38	<0.260	<0.24	<3.1	<0.38	<0.38
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<70	<70	<70	<700	<1.4	<0.330	<4.1	<12.5	<1.4	<1.4
Dibromochloromethane	µg/L	60	6.0	<16	<16	<16	<160	<0.32	<0.270	<0.74	<3.25	<0.32	<0.32
1,4-Dichlorobenzene	µg/L	75	15	<16.5	<16.5	<16.5	<165	<0.33	<0.360	<0.69	<3.4	<0.33	<0.33
1,3-Dichlorobenzene	µg/L	1,250	125	<15	<15	<15	<150	<0.3	<0.260	<0.64	<3.6	<0.3	<0.3
1,2-Dichlorobenzene	µg/L	600	60	<17.5	<17.5	<17.5	<175	<0.35	<0.340	<0.86	<3.45	<0.35	<0.35
Dichlorodifluoromethane	µg/L	1,000	200	<23	<23	<23	<230	<0.46	<0.270	<0.2	<2.5	<0.46	<0.46
1,2-Dichloroethane	µg/L	5.0	0.5	<22.5	<22.5	<22.5	<225	<0.45	<0.350	<0.25	<3.6	<0.45	<0.45
1,1-Dichloroethane	µg/L	850	85	<28	<28	<28	<280	<0.56	<0.320	<0.91	<2.8	<0.56	<0.56
1,1-Dichloroethene	µg/L	7.0	0.7	<32	<32	<32	<320	<0.64	5.86	<0.2	<1.5	<0.64	<0.64
cis-1,2-Dichloroethene	µg/L	70	7.0	<34	<34	6000	7900	8.3	1,800	7.8	9.0^j	9.7	8.2
trans-1,2-Dichloroethene	µg/L	100	20	<47.5	<47.5	175	<475	<0.95	54	0.77 ^j	<4.75	<0.95	<0.95
1,2-Dichloropropane	µg/L	5.0	0.5	<23.5	<23.5	<23.5	<235	<0.47	<0.320	<0.37	<2.35	<0.47	<0.47
2,2-Dichloropropane	µg/L	NS	NS	<49	<49	<49	<490	<0.98	<0.270	<0.34	<6.0	<0.98	<0.98
1,3-Dichloropropane	µg/L	NS	NS	<19.5	<19.5	<19.5	<195	<0.39	<0.390	<0.4	<3.35	<0.39	<0.39
Di-isopropyl ether	µg/L	NS	NS	<65	<65	<65	<650	<1.3	<0.300	<0.23	<3.55	<1.3	<1.3
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<24.5	<24.5	<24.5	<245	<0.49	<0.460	<0.58	<2.45	<0.49	<0.49
Ethylbenzene	µg/L	700	140	112	95	279	<190	<0.38	120	<0.3	<1.9	<0.38	<0.38
Hexachlorobutadiene	µg/L	NS	NS	<75	<75	<75	<750	<1.5	<0.420	<1.6	<10.5	<1.5	<1.5
Isopropylbenzene	µg/L	NS	NS	60 "J"	<24	100	<240	<0.48	8.53	<0.56	<4.95	<0.48	<0.48
p-Isopropyltoluene	µg/L	NS	NS	<17.5	<17.5	<17.5	<175	<0.35	<0.310	<0.5	<4.05	<0.35	<0.35
Methylene Chloride	µg/L	5.0	0.5	<34.5	<34.5	<34.5	<345	<0.69	<0.300	<0.55	<3.45	<0.69	<0.69
Methyl Tert Butyl Ether (MTBE)	µg/L	60	12	<26	<26	<26	<260	<0.52	<0.390	<0.36	<2.6	<0.52	<0.52
Naphthalene	µg/L	40	8.0	<90	<90	<90	<900	<1.8	1.68	<0.85	<11	<1.8	<1.8
n-Propylbenzene	µg/L	NS	NS	94	44 "J"	306	195 "J"	<0.38	17	<0.56	<3.05	<0.38	<0.38
1,1,2,2-Tetrachloroethane	µg/L	0.2	0.02	<37.5	<37.5	<37.5	<375	<0.75	<0.440	<0.29	<4.45	<0.75	<0.75
1,1,1,2-Tetrachloroethane	µg/L	70	7.0	<32.5	<32.5	<32.5	<325	<0.65	<0.220	<0.49	<3.25	<0.65	<0.65
Tetrachloroethene	µg/L	5.0	0.5	<26	<26	39800	28800	1.12 "J"	18	81	48	43	27.2
Toluene	µg/L	1,000	200	193	52 "J"	<23	<230	<0.46	12	<0.52	<2.95	<0.46	<0.46
1,2,4-Trichlorobenzene	µg/L	70	14	<75	<75	<75	<750	<1.5	<0.470	<1.1	<7.5	<1.5	<1.5
1,2,3-Trichlorobenzene	µg/L	NS	NS	<80	<80	<80	<800	<1.6	<0.500	<1.6	<7.0	<1.6	<1.6
1,1,1-Trichloroethane	µg/L	200	40	<25	<25	<25	<250	<0.5	<0.310	<0.42	<2.5	<0.5	<0.5
1,1,2-Trichloroethane	µg/L	5.0	0.5	<25	<25	<25	<250	<0.5	<0.440	<0.35	<2.5	<0.5	<0.5
Trichloroethene (TCE)	µg/L	5.0	0.5	<22	<22	8100	6200	0.56 "J"	701	38	36	52	32
Trichlorofluoromethane	µg/L	3,490	698	<30.5	<30.5	<30.5	<305	<0.61	<0.240	<0.48	<3.05	<0.61	<0.61
1,2,4-Trimethylbenzene	µg/L	**	**	880	224	147 "J"	<600	<1.2	<0.300	<0.32	<1.95	<1.2	<1.2
1,3,5-Trimethylbenzene	µg/L	**	**	262	70	256	<185	<0.37	<0.340	<0.83	<6.0	<0.37	<0.37
Total Trimethylbenzenes	µg/L	480	96	1142	294	403	<785	<1.57	<0.640	<1.15	<6.0	<1.57	<1.57
Vinyl Chloride	µg/L	0.2	0.02	<10	<10	58	255 "J"	2.09	80	<0.16	1.4^j	0.79	0.38 "J"
Xylenes (total)	µg/L	10,000	1,000	1394	280	90 "J"	<485	<0.99	1.22	<1.17	<5.5	<0.99	<0.99

Notes:

J = Analyte detected between Limit of Detection and Limit of Quantitation

µg/L = micrograms per liter (equivalent to parts per billion)

NA = Not Analyzed

NS = No Standard

NR 140 ES = Wisconsin Administrative Code, Chapter NR 140 Enforcement Standard

NR 140 PAL = Wisconsin Administrative Code, Chapter NR 140 Preventive Action Limit

Exceedances: **BOLD** = concentration exceeds Chapter NR 140 PAL

BOX = concentration exceeds Chapter NR 140 ES

TABLE 2
GROUNDWATER ANALYTICAL QUALITY RESULTS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOULD ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923/10221

Monitoring Well Identification:		MW-2				MW-3					
Metal	Unit	NR 140		Collection Date							
		ES	PAL	02/20/06	12/12/06	09/25/07	12/06/07	02/20/06	12/12/06	09/25/07	12/06/07
Lead, Dissolved	µg/L	15	1.5	NA	<0.7	NA	NA	NA	<0.7	NA	NA
Volatile Organic Compounds											
Benzene	µg/L	5.0	0.5	<0.26	<0.47	<0.47	<0.47	<52	<47	<47	<23.5
Bromobenzene	µg/L	NS	NS	<0.35	<0.62	<0.36	<0.36	<70	<62	<36	<18
Bromodichloromethane	µg/L	0.6	0.06	<0.28	<0.82	<0.5	<0.5	<56	<82	<50	<25
Bromoform	µg/L	4.4	0.44	<0.4	<0.3	<0.38	<0.38	<80	<30	<38	<19
tert-Butylbenzene	µg/L	NS	NS	<0.34	<0.6	<0.34	<0.34	<68	<60	<34	<17
sec-Butylbenzene	µg/L	NS	NS	<0.25	<0.76	<0.36	<0.36	<50	<76	<36	<18
n-Butylbenzene	µg/L	NS	NS	<0.61	<1.1	<0.52	<0.52	<122	<110	<52	<26
Carbon Tetrachloride	µg/L	5.0	0.5	<0.25	<0.52	<0.46	<0.46	<50	<52	<46	<23
Chlorobenzene	µg/L	100	10	<0.26	<0.56	<0.31	<0.31	<52	<56	<31	<15.5
Chloroethane	µg/L	400	80	<0.37	<0.54	<0.47	<0.47	<74	<54	<47	<23.5
Chloroform	µg/L	6.0	0.6	<0.78	<0.61	<0.48	<0.48	<156	<61	<48	<24
Chloromethane	µg/L	3.0	0.3	<1.1	<1.0	<1	<1	<220	<100	<100	<50
2-Chlorotoluene	µg/L	NS	NS	<0.42	<1.1	<0.49	<0.49	<84	<110	<49	<24.5
4-Chlorotoluene	µg/L	NS	NS	<0.24	<0.62	<0.38	<0.38	<48	<62	<38	<19
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<4.1	<2.5	<1.4	<1.4	<820	<250	<140	<70
Dibromochloromethane	µg/L	60	6.0	<0.74	<0.65	<0.32	<0.32	<148	<65	<32	<16
1,4-Dichlorobenzene	µg/L	75	15	<0.69	<0.68	<0.33	<0.33	<138	<68	<33	<16.5
1,3-Dichlorobenzene	µg/L	1,250	125	<0.64	<0.72	<0.3	<0.3	<128	<72	<30	<15
1,2-Dichlorobenzene	µg/L	600	60	<0.86	<0.69	<0.35	<0.35	<172	<69	<35	<17.5
Dichlorodifluoromethane	µg/L	1,000	200	<0.2	<0.5	<0.46	<0.46	<40	<50	<46	<23
1,2-Dichloroethane	µg/L	5.0	0.5	<0.25	<0.72	<0.45	<0.45	<50	<72	<45	<22.5
1,1-Dichloroethane	µg/L	850	85	<0.91	<0.56	<0.56	<0.56	<182	<56	<56	<28
1,1-Dichloroethene	µg/L	7.0	0.7	<0.2	<0.3	<0.64	<0.64	<40	<30	<64	<32
cis-1,2-Dichloroethene	µg/L	70	7.0	<0.27	<0.68	<0.68	<0.68	3,800	3,090	3700	3400
trans-1,2-Dichloroethene	µg/L	100	20	<0.4	<0.95	<0.95	<0.95	170^j	<95	<95	74 "J"
1,2-Dichloropropane	µg/L	5.0	0.5	<0.37	<0.47	<0.47	<0.47	<74	<47	<47	<23.5
2,2-Dichloropropane	µg/L	NS	NS	<0.34	<1.2	<0.98	<0.98	<68	<120	<98	<49
1,3-Dichloropropane	µg/L	NS	NS	<0.4	<0.67	<0.39	<0.39	<80	<67	<39	<19.5
Di-isopropyl ether	µg/L	NS	NS	<0.23	<0.71	<1.3	<1.3	<46	<71	<130	<65
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<0.58	<0.49	<0.49	<0.49	<116	<49	<49	<24.5
Ethylbenzene	µg/L	700	140	<0.3	<0.38	<0.38	<0.38	<60	<38	<38	28.5 "J"
Hexachlorobutadiene	µg/L	NS	NS	<1.6	<2.1	<1.5	<1.5	<320	<210	<150	<75
Isopropylbenzene	µg/L	NS	NS	<0.56	<0.99	<0.48	<0.48	<112	<99	<48	<24
p-Isopropyltoluene	µg/L	NS	NS	<0.5	<0.81	<0.35	<0.35	<100	<81	<35	<17.5
Methylene Chloride	µg/L	5.0	0.5	<0.55	<0.69	<0.69	<0.69	<110	<69	<69	<34.5
Methyl Tert Butyl Ether (MTBE)	µg/L	60	12	<0.36	<0.52	<0.52	<0.52	<72	<52	<52	<26
Naphthalene	µg/L	40	8.0	<0.85	<2.2	<1.8	<1.8	<170	<220	<180	<90
n-Propylbenzene	µg/L	NS	NS	<0.56	<0.61	<0.38	<0.38	<112	<61	<38	<19
1,1,2,2-Tetrachloroethane	µg/L	0.2	0.02	<0.29	<0.89	<0.75	<0.75	<58	<89	<75	<37.5
1,1,1,2-Tetrachloroethane	µg/L	70	7.0	<0.49	<0.65	<0.65	<0.65	<98	<65	<65	<32.5
Tetrachloroethene	µg/L	5.0	0.5	<0.45	3.5	1.38 "J"	2.75	282	247	198	140
Toluene	µg/L	1,000	200	<0.52	<0.59	<0.46	<0.46	<104	<59	<46	<23
1,2,4-Trichlorobenzene	µg/L	70	14	<1.1	<1.5	<1.5	<1.5	<220	<150	<150	<75
1,2,3-Trichlorobenzene	µg/L	NS	NS	<1.6	<1.4	<1.6	<1.6	<320	<140	<160	<80
1,1,1-Trichloroethane	µg/L	200	40	<0.42	<0.5	<0.5	<0.5	<84	<50	<50	<25
1,1,2-Trichloroethane	µg/L	5.0	0.5	<0.35	<0.5	<0.5	<0.5	<70	<50	<50	<25
Trichloroethene (TCE)	µg/L	5.0	0.5	<0.37	1.38^j	0.45 "J"	1.71	1,770	1,730	2150	1720
Trichlorofluoromethane	µg/L	3,490	698	<0.48	<0.61	<0.61	<0.61	<96	<61	<61	<30.5
1,2,4-Trimethylbenzene	µg/L	**	**	<0.32	<0.39	<1.2	<1.2	<64	<39	<120	<60
1,3,5-Trimethylbenzene	µg/L	**	**	<0.83	<1.2	<0.37	<0.37	<166	<120	<37	<18.5
Total Trimethylbenzenes	µg/L	480	96	<1.15	<1.2	<1.57	<1.57	<230	<120	<157	<78.5
Vinyl Chloride	µg/L	0.2	0.02	<0.16	<0.17	<0.2	<0.2	102^j	98	320	152
Xylenes (total)	µg/L	10,000	1,000	<1.17	<1.1	<0.99	<0.99	<234	<110	<99	<49.5

Notes:

J = Analyte detected between Limit of Detection and Limit of Quantitation

µg/L = micrograms per liter (equivalent to parts per billion)

NS = Not Standard

NR 140 ES = Wisconsin Administrative Code, Chapter NR 140 Enforcement Standard

NR 140 PAL = Wisconsin Administrative Code, Chapter NR 140 Preventive Action Limit

BOLD = concentration exceeds Chapter NR 140 PAL

BOX = concentration exceeds Chapter NR 140 ES

TABLE 3
STATIC GROUNDWATER ELEVATIONS
MASTER DRYCLEANERS, INC. PROPERTY
6326 WEST BLUEMOUND ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923/10221

Monitoring Well Identification	Date	Ground Surface Elevation (feet MSL)	Top of Casing Elevation (feet MSL)	Depth to Groundwater (feet from TOC)	Groundwater Elevation (feet MSL)	Well Screen Interval (feet bgs)
SMW-1	12/12/06	691.72	691.31	8.85	682.46	7-17
	09/25/07			9.25	682.06	
	12/06/07			10.39	680.92	
SMW-2	12/12/06	691.11	690.76	6.67	684.09	7-17
	09/25/07			7.02	683.74	
	12/06/07			8.84	681.92	
SMW-3	12/12/06	691.83	691.42	11.49	679.93	5-15
	09/25/07			12.41	679.01	
	12/06/07			12.46	678.96	
SMW-4	12/12/06	691.470	691.17	10.94	680.23	6-16
	09/25/07			12.34	678.83	
	12/06/07			12.49	678.68	
SMW-5	12/12/06	690.970	690.53	7.68	682.85	5-15
	09/25/07			9.28	681.25	
	12/06/07			9.96	680.57	
SMW-6	09/25/07	691.06	690.56	8.75	681.81	5-15
	12/06/07			8.65	681.91	
SMW-7	09/25/07	691.87	691.48	10.35	681.13	5-15
	12/06/07			11.07	680.41	
SMW-8	09/25/07	690.90	690.51	11.21	679.02	5-15
	12/06/07			11.43	679.02	
SMW-9	09/25/07	691.990	691.65	12.70	678.95	5-15
	12/06/07			12.80	678.85	
PZ-1	12/06/07	691.920	691.49	12.53	678.64	30-35
MW-1	02/23/06	110.136 691.03	109.76 690.69	12.12	97.64	7.3-17.3
	12/12/06			11.13	679.56	
	09/25/07			12.57	678.12	
	12/06/07			12.69	678	
MW-2	02/23/06	110.08 690.94	109.67 690.55	11.33	98.34	4-14
	12/12/06			10.29	680.26	
	09/25/07			11.34	679.21	
	12/06/07			11.46	679.09	
MW-3	02/23/06	110.34 691.18	109.95 690.85	11.14	98.81	5.5-15.5
	12/12/06			9.37	681.48	
	09/25/07			10.92	679.93	
	12/06/07			11.11	679.74	

Notes:

-elevation measurements on 2/23/06 were conducted by Key Engineering Group, Ltd.

feet MSL = feet above Mean Sea Level

feet from TOC = feet below top of casing

feet bgs = feet below ground surface

* = well does not appear to have fully recovered.

TABLE 4
GROUNDWATER BIOCHEMICAL RESULTS
MASTER DRYCLEANING, INC. PROPERTY
6326 WEST BLUEMOULD ROAD
WAUWATOSA, WISCONSIN
Project Reference #9923/10221

Monitoring Well ID	Collection Date	Biochemical Parameters					Natural Attenuation Parameters						
		Units		Dissolved Oxygen	Redox	pH	Ferrous Fe	Temperature	Nitrate/Nitrite	Sulfate	Manganese	Ethane	Ethene
		mg/L	mV	S.U.	mg/L	mg/L	°C	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L
SMW-1	12/12/06	0.24	56.0	7.0	4.8	10.0	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.25	-35.0	7.0	3.4	16.0	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.42	-34.0	7.0	3.0	16.3	NA	NA	NA	NA	NA	NA	NA
SMW-2	12/12/06	0.38	103.0	7.0	0.0	10.1	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.31	123.0	7.0	0.0	16.2	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.48	149.0	7.0	0.0	16.0	NA	NA	NA	NA	NA	NA	NA
SMW-3	12/12/06	0.29	64.0	7.0	0.8	10.7	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.34	9.0	7.0	3.0	16.7	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.39	-5.0	7.0	3.0	16.1	0.03 "J"	15.32	285.0	NA	NA	NA	NA
SMW-4	12/12/06	0.48	112.0	7.0	0.0	10.6	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.65	121.0	7.0	0.0	15.4	NA	NA	NA	NA	NA	NA	NA
	12/06/07	2.22	78.0	7.0	0.0	15.5	NA	NA	NA	NA	NA	NA	NA
SMW-5	12/12/06	0.42	98.0	7.0	0.0	10.2	NA	NA	NA	NA	NA	NA	NA
	09/25/07	2.28	122.0	7.0	0.0	16.0	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.94	141.0	7.0	0.0	15.5	0.78	23.54	15.1	<1	<1	<1	
SMW-6	09/25/07	7.23	125.0	7.0	0.0	16.7	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.78	62.0	7.0	0.0	16.1	NA	NA	NA	NA	NA	NA	NA
SMW-7	09/25/07	0.39	30.0	7.0	3.0	17.1	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.24	-75.0	7.0	2.8	16.6	2.17	37.34	256.5	NA	NA	NA	NA
SMW-6	09/25/07	3.50	106.0	7.0	0.0	15.5	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.15	-58.0	7.0	2.0	15.3	0.06 "J"	22.75	169.5	NA	NA	NA	NA
SMW-9	09/25/07	0.49	-9.0	7.0	4.2	16.7	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.20	-101.0	7.0	4.0	16.6	1.61	49.08	496.5	19.0	4.8	76.0	
PZ-1	12/06/07	7.40	108.0	7.0	0.0	15.2	NA	NA	NA	NA	NA	NA	NA
MW-1	12/12/06	0.40	103.0	7.0	0.0	10.4	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.50	96.0	7.0	0.0	15.1	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.20	44.0	7.0	0.0	15.4	NA	NA	NA	NA	NA	NA	NA
MW-2	12/12/06	0.44	105.0	7.0	0.0	10.5	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.95	156.0	7.0	0.0	17.5	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.77	95.0	7.0	-	16.0	NA	NA	NA	NA	NA	NA	NA
MW-3	12/12/06	0.39	88.0	7.0	0.8	10.2	NA	NA	NA	NA	NA	NA	NA
	09/25/07	0.43	8.0	7.0	1.0	16.7	NA	NA	NA	NA	NA	NA	NA
	12/06/07	0.23	-53.0	7.0	3.2	16.0	0.09	49.8	519.6	13.0	<1	14.0	

Notes:

mg/L = milligrams per liter
 µg/L = micrograms per liter
 mV = millivolts
 S.U. = standard pH unit
 Degree C = Degree Celsius
 NA = Not Analyzed

ATTACHMENT 1


Soil Boring Logs

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 1

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number			Boring Number SGP-1							
Boring Drilled By: Name of crew chief (first, last) and Firm Joe Sikora Sigma Environmental Services			Date Drilling Started 9/6/2007		Date Drilling Completed 9/6/2007		Drilling Method Geoprobe						
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL		Surface Elevation 691.3 Feet MSL		Borehole Diameter 2.0 inches						
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat ° ' " <input type="checkbox"/> N Long ° ' " <input type="checkbox"/> S		Local Grid Location Feet <input type="checkbox"/> E Feet <input type="checkbox"/> W								
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa									
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	Soil Properties				RQD/ Comments
				PID/FID	Compressive Strength				Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 GP	24 16	P U S H	1	Asphalt brown (7.5YR5/3) silty CLAY, trace fine gravel, trace dark brown mottling, soft, moist		CL-ML asphalt			0.2				
2 GP	24 16	P U S H	2	Concrete		Concrete			0.7				
3 GP	24 20	P U S H	3	brown (10YR5/3) gravelly SILT, soft, moist to dry		ML			0.7				
4 GP	24 20	P U S H	4	dark brown (7.5YR3/2) sandy SILT, very soft, moist		ML			0.2				
5 GP	36 30	P U S H	5	dark yellowish brown (10YR4/4) clayey SILT, trace mottling, soft, moist		ML			0.2				
			6	pale brown (10YR6/3) SILT, trace fine sand, wet		ML			0.2				
			7	brown (10YR5/3) CLAY, trace mottling, stiff, moist		CL							
			8	brown (10YR5/3) CLAY, trace fine sand, stiff, petro odor, moist to wet		CL							
			9										
			10										
			11										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
--	---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other

Page 1 of 1

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SGP-2								
Boring Drilled By: Name of crew chief (first, last) and Firm Joe Sikora Sigma Environmental Services			Date Drilling Started 9/6/2007	Date Drilling Completed 9/6/2007	Drilling Method Geoprobe								
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 692.0 Feet MSL	Borehole Diameter 2.0 inches								
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat ° ' " Lat <input type="checkbox"/> N Long ° ' " Long <input type="checkbox"/> S	Local Grid Location Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W									
Facility ID	County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa										
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties					RQD/ Comments	
				USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index		
1 GP	24 16	P U S H	1	Asphalt	asphalt		0.7						P 200
			2	dark brown (10YR3/3) fine SAND, dry	SP								
			3	pale brown (10YR6/3) silty CLAY, trace fine gravel, soft, moist		CL-MI							
2 GP	24 16	P U S H	4	brown (10YR4/3) silty SAND, to sandy gravelly SILT, soft, moist			0.7						
3 GP	24 16	P U S H	5				1.2						
4 GP	24 16	P U S H	6	brown (10YR4/3) SILT, trace mottling, soft, moist	SM		0.7						
5 GP	36 30	P U S H	7	ML			1.2						
			8	yellowish brown (10YR5/4) sandy gravelly SILT, medium stiff, moist	ML								
			9	ML									
			10	yellowish brown (10YR5/4) fine sandy SILT to silty SAND, soft, wet	ML								
			11										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **Sigma Environmental Services, Inc.**
1300 W. Canal Street Milwaukee, WI 53233 Tel: (414) 643-4200
Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 1

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SGP-3							
Boring Drilled By: Name of crew chief (first, last) and Firm Joe Sikora Sigma Environmental Services			Date Drilling Started 9/6/2007	Date Drilling Completed 9/6/2007	Drilling Method Geoprobe							
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 692.0 Feet MSL	Borehole Diameter 2.0 inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat ° ' "	Local Grid Location □ N □ E Feet □ S Feet □ W								
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa								
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties				RQD/ Comments		
				U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content		Liquid Limit	Plasticity Index
1 GP	24 14	P U S H	1	Asphalt	asphalt		0.7					
			2	dark brown (10YR3/3) fine SAND, dry	SW							
2 GP	24 14	P U S H	3	light yellowish brown (10YR6/3) silty CLAY, mottling, soft, non-plastic, moist	CL-MI		2.8					
3 GP	24 22	P U S H	4	dark yellowish brown (10YR4/4) SILT, trace fine gravel and sand, very soft, moist			3.8					
4 GP	24 22	P U S H	5		ML		3.3					
5 GP	36 36	P U S H	6				2.3					
			7									
			8	brown (10YR5/3) SILT, medium stiff, moist	ML							
			9									
			10									
			11									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **Sigma Environmental Services, Inc.**
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200
Fax: (414) 643-4210


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other

Page 1 of 1

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SGP-4									
Boring Drilled By: Name of crew chief (first, last) and Firm Joe Sikora Sigma Environmental Services			Date Drilling Started 9/6/2007	Date Drilling Completed 9/6/2007	Drilling Method Geoprobe									
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 691.9 Feet MSL	Borehole Diameter 2.0 inches									
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat ° ' "	Long ° ' "	Local Grid Location □ N Feet □ S Feet □ W									
Facility ID	County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa											
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties					RQD/ Comments				
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet		USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength		Moisture Content	Liquid Limit	Plasticity Index	P 200
1 GP	24 16	P U S H	1	asphalt	asphalt			0.2						
			2	dark brown (10YR3/3) SAND, dry	SW			0.2						
			3	grayish brown (10YR5/2) silty CLAY, very stiff, moist	CL-ML			0.2						
2 GP	24 16	P U S H	4	yellowish brown (10YR5/4) sandy gravelly SILT, soft, moist to dry	ML			0.7						
			5					0.7						
3 GP	24 16	P U S H	6	dark grayish brown (10YR4/2) SILT, very trace sand, soft, moist	ML			0.7						
4 GP	24 16	P U S H	7											
5 GP	36 30	P U S H	8	yellowish brown (10YR5/4) CLAY, mottling, very stiff, dry to wet	CL									
			9											
			10											
			11											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
--	---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 1

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number			Boring Number SGP-5						
Boring Drilled By: Name of crew chief (first, last) and Firm Joe Sikora Sigma Environmental Services			Date Drilling Started 9/6/2007		Date Drilling Completed 9/6/2007	Drilling Method Geoprobe						
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 691.7 Feet MSL	Borehole Diameter 2.0 inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	Local Grid Location								
State Plane SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	<input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W								
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa								
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties				RQD/ Comments		
				USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content		Liquid Limit	Plasticity Index
1 GP	24 16	P U S H	1	Asphalt asphalt			0.2					
2 GP	24 16	P U S H	2	dark yellowish brown (10YR4/4) sandy gravelly SILT, soft, moist		ML		0.2				
3 GP	24 16	P U S H	3					0.2				
4 GP	24 16	P U S H	4	brown (7.5YR5/3) CLAY, trace fine gravel, very stiff, moist to dry, wet at 11 feet bgs.				0.2				
5 GP	36 30	P U S H	5					0.2				
			6					0.2				
			7					0.2				
			8					0.2				
			9									
			10									
			11									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other

Page 1 of 1

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SGP-6											
Boring Drilled By: Name of crew chief (first, last) and Firm Joe Sikora Sigma Environmental Services			Date Drilling Started 9/6/2007	Date Drilling Completed 9/6/2007	Drilling Method Geoprobe											
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 691.7 Feet MSL	Borehole Diameter 2.0 inches											
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat ° ' " Local Grid Location	Long ° ' " Feet <input type="checkbox"/> N <input type="checkbox"/> S	Feet <input type="checkbox"/> E <input type="checkbox"/> W											
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa												
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit			U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
				Asphalt	ML	Concrete					CL-ML	CL	Compressive Strength	Moisture Content	Liquid Limit	
1 GP	24 16	P U S H	1	Asphalt dark yellowish brown (10YR4/4) sandy gravelly SILT, soft, moist to dry			asphalt				0.2					
2 GP	24 16	P U S H	2				ML				0.2					
3 GP	48 10	P U S H	3	Concrete			Concrete				0.2					
5 GP	36 30	P U S H	4								0.2					
			5	dark yellowish brown (10YR4/4) silty CLAY, trace mottling, very soft, moist												
			6													
			7													
			8	brown (10YR5/3) CLAY, mottling, very stiff, non-plastic, dry to wet (10 feet bgs)												
			9													
			10													
			11													

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200

Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.


Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SMW-6
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-site Environmental Services			Date Drilling Started 9/17/2007	Date Drilling Completed 9/17/2007	Drilling Method Hollow Stem Auger
WI Unique Well No.	DNR Well ID No.	Common Well Name SMW-6	Final Static Water Level Feet MSL	Surface Elevation 691.1 Feet MSL	Borehole Diameter 8.0 inches
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W
Facility ID	County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa		

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	P D/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 GP	24 10	P U S H	1	Asphalt	asphalt			0.0						
				brown (10YR5/3) sandy SILT, trace gravel, very soft, moist to wet	ML									
2 GP	24 16	P U S H	2	brown (10YR4/3) SILT, trace medium sand, trace gravel, very soft, moist to wet				0.1						
			3		ML									
3 GP	24 24	P U S H	4					0.2						
			5		ML									
4 GP	24 24	P U S H	6					0.1						
			7		ML									
5 GP	24 24	P U S H	8	light yellowish brown (10YR6/4) silty fine SAND to sandy SILT, wet	SM			0.0						
			9		ML									
6 GP	24 24	P U S H	10	pale brown to light brownish gray (10YR6/3 to 6/2) sandy SILT, medium soft, moist to wet				0.0						
			11		ML									
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number **SMW-6**

Use only as an attachment to Form 4400-122.


Page 2 of 2

Sample				Soil Properties								RQD/ Comments		
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200
7 GP	24 24	P U S H	13	pale brown to light brownish gray (10YR6/3 to 6/2) sandy SILT, medium soft, moist to wet (continued)	ML				0.0					
8 GP	12 24	P U S H	14 15	gray (10YR6/1) silty CLAY, non-plastic, stiff, moist	CL-ML				0.0					

Route To: Watershed/Wastewater
Remediation/Redevelopment
Other

Page 1 of 2

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SMW-7	
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-site Environmental Services			Date Drilling Started 9/17/2007	Date Drilling Completed 9/17/2007	Drilling Method Hollow Stem Auger	
WI Unique Well No.	DNR Well ID No.	Common Well Name SMW-7	Final Static Water Level Feet MSL	Surface Elevation 691.9 Feet MSL	Borehole Diameter 8.0 inches	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location			
State Plane N, E S/C/N			Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	<input type="checkbox"/> N <input type="checkbox"/> E		
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	Feet <input type="checkbox"/> S <input type="checkbox"/> W Feet <input type="checkbox"/> W		
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa		



I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **Sigma Environmental Services, Inc.**
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200





Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number **SMW-7**

Use only as an attachment to Form 4400-122.

Page **2** of **2**

Sample	Soil/Rock Description And Geologic Origin For Each Major Unit				USCS	Graphic Log	Well Diagram	Soil Properties					RQD/ Comments
	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet				PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
7 GP	24 24	P U S H	13	Sand and fine gravel	SP			714					
8 GP	12 12	P U S H	14 15	grayish brown (10YR5/2) silty CLAY to clayey silt, trace gravel, very stiff, moist	CL-ML			161					

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SMW-8											
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-site Environmental Services			Date Drilling Started 9/17/2007	Date Drilling Completed 9/17/2007	Drilling Method Hollow Stem Auger											
WI Unique Well No.	DNR Well ID No.	Common Well Name SMW-8	Final Static Water Level Feet MSL	Surface Elevation 690.9 Feet MSL	Borehole Diameter 8.0 inches											
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W Feet <input type="checkbox"/> Feet <input type="checkbox"/> W											
Facility ID	County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa													
Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit			U S C S asphalt	Graphic Log	Well Diagram	P/D/FID 9.0	Soil Properties					RQD/ Comments
				Compressive Strength	Moisture Content	Liquid Limit					Plasticity Index	P 200				
1 GP	24 8	P U S H	1	Asphalt brown (10YR5/3) silty CLAY to clay, very trace mottling, very stiff, dry												
2 GP	24 8	P U S H	2												7.3	
3 GP	24 16	P U S H	3												7.1	
4 GP	24 20	P U S H	4												6.0	
5 GP	24 20	P U S H	5												25	
6 GP	24 20	P U S H	6	brown (10YR5/3) SILT, trace clay, trace mottling, very soft, wet			ML								8.9	
			7													
			8													
			9													
			10	gray (10YR5/1) silty SAND, petro odor			SM									
			11													
			12													

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200

Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number SMW-8

Use only as an attachment to Form 4400-122.

Page 2 of 2


Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Soil Properties				RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
7 GP		24 20	P U S H	- - 13	gray (10YR5/1) silty SAND, petro odor <i>(continued)</i> dark gray to grayish brown (10YR4/1 to 5/2) silty SAND, petro odor, wet	SM			494				P 200
8 GP		12 12	P U S H	- - 14 15	grayish brown (10YR5/2) silty CLAY, trace gravel, stiff, petro odor, moist	CL-ML			91				

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number		Boring Number SMW-9							
Boring Drilled By: Name of crew chief (first, last) and Firm Tony Kapugi On-site Environmental Services			Date Drilling Started 9/17/2007	Date Drilling Completed 9/17/2007	Drilling Method Hollow Stem Auger							
WI Unique Well No.		DNR Well ID No. SMW-9	Final Static Water Level Feet MSL	Surface Elevation 692.0 Feet MSL	Borehole Diameter 8.0 inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> ''	Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> ''	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W Feet <input type="checkbox"/> W							
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa								
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties						RQD/ Comments
Number and Type	Length Att. & Recovered (in)			USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
1 GP	24 24	P U S H	1 2 3 4 5 6 7 8 9 10 11 12	Blind drilled. See boring log SGP-3		ML			39.3			
brown (10YR5/3) SILT, soft, moist to wet												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature


Firm **Sigma Environmental Services, Inc.**
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200
Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number **SMW-9**

Use only as an attachment to Form 4400-122.

Page **2** of **2**


Sample		Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties				RQD/ Comments
Number and Type	Length Att. & Recovered (in)						Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
2 GP	24 24	brown (10YR5/3) SILT, soft, moist to wet <i>(continued)</i>	ML			576					
		light brownish gray to gray (10YR6/2 to 6/1) clayey SILT to silty CLAY, intermediate sand seams, wet									
3 GP	12 12	gray course SAND, wet	CL-ML	SW		734					

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other

Page 1 of 3

Facility/Project Name Master Dry Cleaners			License/Permit/Monitoring Number			Boring Number PZ-1						
Boring Drilled By: Name of crew chief (first, last) and Firm Alex Badger State Drillin			Date Drilling Started 11/9/2007		Date Drilling Completed 11/10/2007	Drilling Method Hollow Stem Auger/Air Rotary						
WI Unique Well No. OY225	DNR Well ID No. PZ-1	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation 691.9 Feet MSL		Borehole Diameter 12.0 inches						
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat ° ' "	Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> Feet <input type="checkbox"/> S <input type="checkbox"/> W								
Facility ID		County Milwaukee	County Code 41	Civil Town/City/ or Village Wauwatosa								
Number and Type Length Att. & Recovered (in)	Sample	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties					RQD/ Comments	
				U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit		Plasticity Index
				Blind drilled. See boring log SGP-3.								
				1								
				2								
				3								
				4								
				5								
				6								
				7								
				8								
				9								
				10								
				11								
				12								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature


Firm **Sigma Environmental Services, Inc.**
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200
Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number PZ-1

Use only as an attachment to Form 4400-122.

Page 2 of 3

Boring Number PZ-1

Use only as an attachment to Form 4400-122.

Page 3 of 3

ATTACHMENT 2
Soil Boring Abandonment Forms.

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY / OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners	
Common Well Name <u>SGP-1</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE 1/4 of SE 1/4 of Sec. 27 ; T. 7 N; R. 21</u> <input checked="" type="checkbox"/> E <u>ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.</u>			Street Address of Well 6326 W Bluemound Road	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>			City, Village, or Town Wauwatosa	
Lat <u> ° ' "</u>	Long <u> ° ' "</u>	s c n	Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock
State Plane <u> </u> ft. N. <u> </u> ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner 6326 W Bluemound Road	
Reason For Abandonment Investigative boring		WI Unique Well No. of Replacement Well	City, State, Zip Code Wauwatosa, WI 53213	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION			(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL		
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry		

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07	FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work <u>Mary M. Hart</u>	Date Signed 11/27/07	Date Received	Noted By	
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	Comments _____		

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION		
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners		
Common Well Name <u>SGP-2</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.	
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E <u> </u> ft. <input type="checkbox"/> N. <input type="checkbox"/> S., <u> </u> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well 6326 W Bluemound Road		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>			City, Village, or Town Wauwatosa		
Lat <u> ° ' "</u>	Long <u> ° ' "</u>	or S C N	Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock	
State Plane ft. N. ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner 6326 W Bluemound Road		
Reason For Abandonment Investigative boring	WI Unique Well No. of Replacement Well	City, State, Zip Code Wauwatosa, WI 53213			
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION					
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry		
(5) Sealing Material Used			From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite			Surface	11.0	
(6) Comments _____					

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07
Signature of Person Doing Work <u>May J. O'Dell</u>		Date Signed <u>11/27/07</u>
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION		
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners		
Common Well Name <u>SGP-3</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.	
SE 1/4 of SE 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E Grid Location <u> </u> ft. <input type="checkbox"/> N. <input type="checkbox"/> S., <u> </u> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well 6326 W Bluemound Road		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>			City, Village, or Town Wauwatosa		
Lat <u> ° ' "</u>	Long <u> ° ' "</u>	S C N ft. N. ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone	Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock	
Reason For Abandonment Investigative boring	WI Unique Well No. of Replacement Well	Street Address or Route of Owner 6326 W Bluemound Road			
City, State, Zip Code Wauwatosa, WI 53213					

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION			(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL		
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____			Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips)		
Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____			Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry		

(5)	Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
	3/8 bentonite	Surface	11.0	

(6) Comments _____

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07
Signature of Person Doing Work <u>May</u>	Date Signed <u>11/27/07</u>	
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners	
Common Well Name <u>SGP-4</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E <u> </u> ft. <input type="checkbox"/> N. <input type="checkbox"/> S., <u> </u> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well 6326 W Bluemound Road	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>			City, Village, or Town Wauwatosa	
Lat <u> ° ' "</u>	Long <u> ° ' "</u>	S C N	Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock
State Plane <u> </u> ft. N. <u> </u> ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner 6326 W Bluemound Road	
Reason For Abandonment Investigative boring	WI Unique Well No. of Replacement Well		City, State, Zip Code Wauwatosa, WI 53213	
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION				
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole			If a Well Construction Report is available, please attach.	
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug				
<input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>				
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock				
Total Well Depth (ft.) <u> </u> (From ground surface) Casing Diameter (in.) <u> </u> Casing Depth (ft.) <u> </u>				
Lower Drillhole Diameter (in.) <u>2.0</u>				
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown				
If Yes, To What Depth? _____ Feet				
Depth to Water (Feet) _____				
(5) Sealing Material Used			From (Ft.)	To (Ft.)
3/8 bentonite			Surface	11.0
(6) Comments _____				
(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services			Date of Abandonment 9/6/07	
Signature of Person Doing Work <i>May L. L. L.</i>		Date Signed <i>11/27/07</i>	FOR DNR OR COUNTY USE ONLY	
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	Comments		
City, State, Zip Code Milwaukee, WI 53233				


Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other _____

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION		
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners		
Common Well Name <u>SGP-5</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.	
SE 1/4 of SE 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E Grid Location <u> </u> ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <u> </u> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well 6326 W Bluemound Road		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>			City, Village, or Town Wauwatosa		
Lat <u> </u> ° <u> </u> ' <u> </u> " Long <u> </u> ° <u> </u> ' <u> </u> " or	S C N		Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock	
State Plane <u> </u> ft. N. <u> </u> ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner 6326 W Bluemound Road		
Reason For Abandonment Investigative boring	WI Unique Well No. of Replacement Well		City, State, Zip Code Wauwatosa, WI 53213		

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION			(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL		
Original Construction Date _____			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole			Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
If a Well Construction Report is available, please attach.			Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>			Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total Well Depth (ft.) <u> </u> Casing Diameter (in.) <u> </u> (From ground surface) Casing Depth (ft.) <u> </u>			Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Lower Drillhole Diameter (in.) <u>2.0</u>			Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
If Yes, To What Depth? <u> </u> Feet			Required Method of Placing Sealing Material		
Depth to Water (Feet) <u> </u>			<input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) <u>(Bentonite Chips)</u>		
			Sealing Materials		
			<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	For monitoring wells and monitoring well boreholes only	
				<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	

(5)	Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
	3/8 bentonite	Surface	11.0	

(6) Comments _____		FOR DNR OR COUNTY USE ONLY		
(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services				Date of Abandonment 9/6/07
Signature of Person Doing Work 	Date Signed 11/27/07			
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	Date Received	Noted By	
Comments				

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to: <input type="checkbox"/> Drinking Water <input type="checkbox"/> Watershed/Wastewater <input type="checkbox"/> Waste Management <input checked="" type="checkbox"/> Remediation/Redevelopment <input type="checkbox"/> Other			
(1) GENERAL INFORMATION		(2) FACILITY / OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County	Facility Name Master Dry Cleaners
		Milwaukee	Facility ID
Common Well Name <u>SGP-6</u>		Gov't Lot (if applicable)	License/Permit/Monitoring No.
Grid Location <u>SE 1/4 of SE 1/4 of Sec. 27 ; T. 7 N; R. 21</u>		E <input checked="" type="checkbox"/> W <input type="checkbox"/>	Street Address of Well <u>6326 W Bluemound Road</u>
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., <input type="checkbox"/> ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		City, Village, or Town <u>Wauwatosa</u>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>		Present Well Owner <u>Harold Shipshock</u>	Original Owner <u>Mr. Harold Shipshock</u>
Lat <u>43° 10' 00"</u>	Long <u>87° 45' 00"</u>	Street Address or Route of Owner <u>6326 W Bluemound Road</u>	
State Plane <u>ft. N.</u>		ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone	City, State, Zip Code <u>Wauwatosa, WI 53213</u>
Reason For Abandonment <input type="checkbox"/> Investigative boring		WI Unique Well No. of Replacement Well	
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION			
Original Construction Date		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Total Well Depth (ft.) <u>100</u> (From ground surface)		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Casing Diameter (in.) <u>4</u>		Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Casing Depth (ft.) <u>100</u>		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Lower Drillhole Diameter (in.) <u>2.0</u>		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		Required Method of Placing Sealing Material	
If Yes, To What Depth? <u>100</u> Feet		<input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped	
Depth to Water (Feet) <u>100</u>		<input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) <u>(Bentonite Chips)</u>	
(5) Sealing Material Used		Sealing Materials	For monitoring wells and monitoring well boreholes only
3/8 bentonite		<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	<input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry
		From (Ft.)	To (Ft.)
		Surface	11.0
			Mix Ratio or Mud Weight
(6) Comments			
(7) Name of Person or Firm Doing Sealing Work <u>Sigma Environmental Services</u>		Date of Abandonment <u>9/6/07</u>	
Signature of Person Doing Work <u>Mary S.</u>		Date Signed <u>11/27/07</u>	
Street or Route <u>1300 W Canal Street</u>		Telephone Number <u>414-643-4200</u>	
FOR DNR OR COUNTY USE ONLY			
Date Received		Noted By	
Comments			

ATTACHMENT 3

**Well Construction Forms
Well Development Forms**

Facility/Project Name Master Dry Cleaners		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SMW-6
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> ° <input type="checkbox"/> ' " Long. <input type="checkbox"/> ° <input type="checkbox"/> ' " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. DNR Well Number
Facility ID		Section Location of Waste/Source SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 <input checked="" type="checkbox"/> E Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known Gov. Lot Number	Date Well Installed 09/17/2007
Type of Well Well Code 71/dw		On-site Environmental Services	Well Installed By: (Person's Name and Firm) Tony Kapugi
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>		
<p>A. Protective pipe, top elevation <u>691.09</u> ft. MSL</p> <p>B. Well casing, top elevation <u>690.56</u> ft. MSL</p> <p>C. Land surface elevation <u>691.1</u> ft. MSL</p> <p>D. Surface seal, bottom <u>690.1</u> ft. MSL or <u>1.0</u> ft.</p> <p>12. USCS classification of soil near screen: <input type="checkbox"/> GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> <input type="checkbox"/> Bedrock </p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/> -- </p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99 </p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required):</p>			
E. Bentonite seal, top	<u>690.1</u> ft. MSL or <u>1.0</u> ft.	1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No	
F. Fine sand, top	<u>688.1</u> ft. MSL or <u>3.0</u> ft.	2. Protective cover pipe: a. Inside diameter: <u>9.0</u> in. b. Length: <u>1.0</u> ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/> -- <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
G. Filter pack, top	<u>687.6</u> ft. MSL or <u>3.5</u> ft.	d. Additional protection? If yes, describe: _____ Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/> --	
H. Screen joint, top	<u>686.1</u> ft. MSL or <u>5.0</u> ft.	3. Surface seal: _____ Bentonite <input type="checkbox"/> 30 sand Other <input type="checkbox"/> --	
I. Well bottom	<u>676.1</u> ft. MSL or <u>15.0</u> ft.	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08	
J. Filter pack, bottom	<u>676.1</u> ft. MSL or <u>15.0</u> ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. <u> </u> Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. <u> </u> Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. <u> </u> % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. <u> </u> Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08	
K. Borehole, bottom	<u>676.1</u> ft. MSL or <u>15.0</u> ft.	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. Other <input type="checkbox"/> --	
L. Borehole, diameter	<u>8.0</u> in.	7. Fine sand material: Manufacturer, product name & mesh size a. Ohio Brand #4000	
M. O.D. well casing	<u>2.38</u> in.	8. Filter pack material: Manufacturer, product name & mesh size a. Ohio Brand #5 b. Volume added <u> </u> ft ³	
N. I.D. well casing	<u>2.05</u> in.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/> --	
10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/> -- b. Manufacturer _____ c. Slot size: <u>0.010</u> in. d. Slotted length: <u>10.0</u> ft.			
11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/> --			

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233 Tel: (414) 643-4200
Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other **MONITORING WELL CONSTRUCTION**
Form 4400-113A Rev. 7-98

Facility/Project Name Master Dry Cleaners		Local Grid Location of Well ft. <input type="checkbox"/> N. ft. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. ft. <input type="checkbox"/> W.	Well Name SMW-7
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. ____ ° ____ ' ____ " Long. ____ ° ____ ' ____ " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. <input type="checkbox"/> DNR Well Number
Facility ID		Section Location of Waste/Source SE 1/4 of SE 1/4 of Sec. 27 T. 7 N. R. 21 <input checked="" type="checkbox"/> E	Date Well Installed 09/17/2007
Type of Well Well Code 71/dw		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Well Installed By: (Person's Name and Firm) Tony Kapugi
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Gov. Lot Number	On-site Environmental Services
A. Protective pipe, top elevation 691.87 ft. MSL		1. Cap and lock? <input type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation 691.87 ft. MSL		2. Protective cover pipe: a. Inside diameter: 9.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> --	
C. Land surface elevation 691.9 ft. MSL		d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
D. Surface seal, bottom 690.9 ft. MSL or 1.0 ft.		If yes, describe: _____ Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> --	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		3. Surface seal: _____ 4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 sand Other <input type="checkbox"/> --	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No		5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8	
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> --		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> --	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		7. Fine sand material: Manufacturer, product name & mesh size Ohio Brand #4000 a. _____ b. Volume added _____ ft ³	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		8. Filter pack material: Manufacturer, product name & mesh size Ohio Brand #5 a. _____ b. Volume added _____ ft ³	
17. Source of water (attach analysis, if required): _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> --	
E. Bentonite seal, top 690.9 ft. MSL or 1.0 ft.		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --	
F. Fine sand, top 688.9 ft. MSL or 3.0 ft.		b. Manufacturer _____ c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.	
G. Filter pack, top 688.4 ft. MSL or 3.5 ft.			
H. Screen joint, top 686.9 ft. MSL or 5.0 ft.			
I. Well bottom 676.9 ft. MSL or 15.0 ft.			
J. Filter pack, bottom 676.9 ft. MSL or 15.0 ft.			
K. Borehole, bottom 676.9 ft. MSL or 15.0 ft.			
L. Borehole, diameter 8.0 in.			
M. O.D. well casing 2.38 in.			
N. I.D. well casing 2.05 in.			

The diagram illustrates a vertical monitoring well borehole. It shows the following layers from top to bottom:

- A. Protective pipe:** Top layer, labeled 691.87 ft. MSL.
- B. Well casing:** Layer below the protective pipe, labeled 691.87 ft. MSL.
- C. Land surface elevation:** Layer below the well casing, labeled 691.9 ft. MSL.
- D. Surface seal:** Layer at the bottom of the well, labeled 690.9 ft. MSL or 1.0 ft.
- E. Bentonite seal:** Layer just above the surface seal, labeled 690.9 ft. MSL or 1.0 ft.
- F. Fine sand:** Layer above the filter pack, labeled 688.9 ft. MSL or 3.0 ft.
- G. Filter pack:** Layer above the screen joint, labeled 688.4 ft. MSL or 3.5 ft.
- H. Screen joint:** Layer above the well bottom, labeled 686.9 ft. MSL or 5.0 ft.
- I. Well bottom:** Layer at the very bottom of the well, labeled 676.9 ft. MSL or 15.0 ft.
- J. Filter pack:** Layer just above the borehole bottom, labeled 676.9 ft. MSL or 15.0 ft.
- K. Borehole:** The hole itself, labeled 676.9 ft. MSL or 15.0 ft.
- L. Borehole diameter:** The width of the borehole, labeled 8.0 in.
- M. O.D. well casing:** The outer diameter of the well casing, labeled 2.38 in.
- N. I.D. well casing:** The inner diameter of the well casing, labeled 2.05 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233Tel: (414) 643-4200
Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Master Dry Cleaners		Local Grid Location of Well ft. <input type="checkbox"/> N. ft. <input type="checkbox"/> E. <input type="checkbox"/> S. ft. <input type="checkbox"/> W.		Well Name SMW-8	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> ° <input type="checkbox"/> ' Long. <input type="checkbox"/> ° <input type="checkbox"/> ' or St. Plane _____ ft. N, _____ ft. E. S / C / N		Wis. Unique Well No. DNR Well Number	
Facility ID		Section Location of Waste/Source SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 <input checked="" type="checkbox"/> E u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known Gov. Lot Number		Date Well Installed 09/17/2007	
Type of Well Well Code 71/dw				Well Installed By: (Person's Name and Firm) Tony Kapugi	
Distance from Waste/ Source ft.	Enf. Stds. Apply <input type="checkbox"/>			On-site Environmental Services	
<p>A. Protective pipe, top elevation <u>690.90</u> ft. MSL</p> <p>B. Well casing, top elevation <u>690.51</u> ft. MSL</p> <p>C. Land surface elevation <u>690.9</u> ft. MSL</p> <p>D. Surface seal, bottom <u>689.9</u> ft. MSL or <u>1.0</u> ft.</p> <p>12. USCS classification of soil near screen: <input type="checkbox"/> GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> <input checked="" type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> <input type="checkbox"/> Bedrock</p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>14. Drilling method used: <input type="checkbox"/> Rotary <input type="checkbox"/> 50 <input type="checkbox"/> Hollow Stem Auger <input checked="" type="checkbox"/> 41 <input type="checkbox"/> Other <input type="checkbox"/> --</p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 <input type="checkbox"/> Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required):</p>					
E. Bentonite seal, top	<u>689.9</u> ft. MSL or <u>1.0</u> ft.			<p>1. Cap and lock?</p> <p>2. Protective cover pipe: a. Inside diameter: <u>9.0</u> in. b. Length: <u>1.0</u> ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 in. Other <input type="checkbox"/> --</p> <p>d. Additional protection? If yes, describe: _____</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> --</p> <p>4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 sand Other <input type="checkbox"/> --</p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3.3 b. Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. Ft³ volume added for any of the above</p> <p>f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8</p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. 1/4 in. <input type="checkbox"/> 3/8 in. <input checked="" type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. Other <input type="checkbox"/> --</p> <p>7. Fine sand material: Manufacturer, product name & mesh size a. Ohio Brand #4000</p> <p>8. Filter pack material: Manufacturer, product name & mesh size a. Ohio Brand #5</p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> --</p> <p>10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --</p> <p>b. Manufacturer _____ c. Slot size: <u>0.010</u> in. d. Slotted length: <u>10.0</u> ft.</p> <p>11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> --</p>	
F. Fine sand, top	<u>687.9</u> ft. MSL or <u>3.0</u> ft.				
G. Filter pack, top	<u>687.4</u> ft. MSL or <u>3.5</u> ft.				
H. Screen joint, top	<u>685.9</u> ft. MSL or <u>5.0</u> ft.				
I. Well bottom	<u>675.9</u> ft. MSL or <u>15.0</u> ft.				
J. Filter pack, bottom	<u>675.9</u> ft. MSL or <u>15.0</u> ft.				
K. Borehole, bottom	<u>675.9</u> ft. MSL or <u>15.0</u> ft.				
L. Borehole, diameter	<u>8.0</u> in.				
M. O.D. well casing	<u>2.38</u> in.				
N. I.D. well casing	<u>2.05</u> in.				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 

Firm Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200
Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other **MONITORING WELL CONSTRUCTION**
Form 4400-113A Rev. 7-98

Facility/Project Name Master Dry Cleaners		Local Grid Location of Well ft. <input type="checkbox"/> N. ft. <input type="checkbox"/> E. ft. <input type="checkbox"/> S. ft. <input type="checkbox"/> W.	Well Name SMW-9
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> ° <input type="checkbox"/> ' Long. <input type="checkbox"/> ° <input type="checkbox"/> ' or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. _____ DNR Well Number _____
Facility ID		Section Location of Waste/Source SE <input type="checkbox"/> 1/4 of SE <input type="checkbox"/> 1/4 of Sec. 27, T. 7 N, R. 21 <input checked="" type="checkbox"/> E u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Date Well Installed 09/17/2007
Type of Well Well Code 71/dw		Location of Well Relative to Waste/Source ft. Enf. Stds. Apply <input type="checkbox"/> ft. Gov. Lot Number	Well Installed By: (Person's Name and Firm) Tony Kapugi
Distance from Waste/ Source	Enf. Stds. ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	On-site Environmental Services
A. Protective pipe, top elevation		691.99 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation		691.65 ft. MSL	2. Protective cover pipe: a. Inside diameter: 9.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> --
C. Land surface elevation		692.0 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____ Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> --
D. Surface seal, bottom		691.0 ft. MSL or 1.0 ft.	3. Surface seal: _____ Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> --
12. USCS classification of soil near screen:		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 sand Other <input type="checkbox"/> --	
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> --	
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> --		7. Fine sand material: Manufacturer, product name & mesh size a. _____ Ohio Brand #4000 b. Volume added _____ ft ³	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		8. Filter pack material: Manufacturer, product name & mesh size a. _____ Ohio Brand #5 b. Volume added _____ ft ³	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> --	
17. Source of water (attach analysis, if required):		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --	
E. Bentonite seal, top		691.0 ft. MSL or 1.0 ft.	b. Manufacturer _____ c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.
F. Fine sand, top		689.0 ft. MSL or 3.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> --
G. Filter pack, top		688.5 ft. MSL or 3.5 ft.	
H. Screen joint, top		687.0 ft. MSL or 5.0 ft.	
I. Well bottom		677.0 ft. MSL or 15.0 ft.	
J. Filter pack, bottom		677.0 ft. MSL or 15.0 ft.	
K. Borehole, bottom		677.0 ft. MSL or 15.0 ft.	
L. Borehole, diameter		8.0 in.	
M. O.D. well casing		2.38 in.	
N. I.D. well casing		2.05 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200

Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Master Dry Cleaners		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name PZ-1
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> ° <input type="checkbox"/> ' Long. <input type="checkbox"/> ° <input type="checkbox"/> ' or St. Plane _____ ft. N, _____ ft. E. S / C / N	Wis. Unique Well No. OY225 DNR Well Number
Facility ID		Section Location of Waste/Source SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 <input checked="" type="checkbox"/> E u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Date Well Installed 11/10/2007 Well Installed By: (Person's Name and Firm) Alex Badger State Drilling
Type of Well	Well Code 72/dp	Location of Well Relative to Waste/Source ft. Enf. Stds. Apply	Gov. Lot Number
Distance from Waste/ Source	ft.	u <input type="checkbox"/> Upgradient d <input type="checkbox"/> Downgradient	
A. Protective pipe, top elevation	691.92 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation	691.49 ft. MSL	2. Protective cover pipe: a. Inside diameter: 9.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> ____	
C. Land surface elevation	691.9 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> ____	
D. Surface seal, bottom	690.9 ft. MSL or 1.0 ft.	3. Surface seal: _____ 4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 sand Other <input type="checkbox"/> ____	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/>		5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. 10 % Bentonite ... Bentonite-cement grout <input checked="" type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input checked="" type="checkbox"/> 0.2 Gravity <input type="checkbox"/> 0.8	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> ____	
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Rotary <input type="checkbox"/> Other <input checked="" type="checkbox"/> ____		7. Fine sand material: Manufacturer, product name & mesh size a. _____ Ohio Brand #4000 b. Volume added _____ ft ³	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input checked="" type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input type="checkbox"/> 9.9		8. Filter pack material: Manufacturer, product name & mesh size a. _____ Ohio Brand #5 b. Volume added _____ ft ³	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> ____	
17. Source of water (attach analysis, if required):		10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> ____ b. Manufacturer _____ c. Slot size: 0.010 in. d. Slotted length: 5.0 ft.	
E. Bentonite seal, top	690.9 ft. MSL or 1.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> ____	
F. Fine sand, top	665.9 ft. MSL or 26.0 ft.		
G. Filter pack, top	663.9 ft. MSL or 28.0 ft.		
H. Screen joint, top	661.9 ft. MSL or 30.0 ft.		
I. Well bottom	656.9 ft. MSL or 35.0 ft.		
J. Filter pack, bottom	656.9 ft. MSL or 35.0 ft.		
K. Borehole, bottom	656.9 ft. MSL or 35.0 ft.		
L. Borehole, diameter	12.0 in.		
M. O.D. well casing	2.38 in.		
N. I.D. well casing	6.00 in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm Sigma Environmental Services, Inc.
1300 W. Canal Street Milwaukee, WI 53233

Tel: (414) 643-4200
Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <i>MASTER Dry Cleaners</i>	County Name <i>Milwaukee</i>	Well Name <i>JMW-6</i>	
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number

1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Depth to Water (from top of well casing)	<u>Before Development</u> <u>After Development</u>
2. Well development method		a. <u>8.89</u> ft.	<u>13.68</u> ft.
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	b. <u>09/21/2007</u>	<u>09/21/2007</u>
surged with bailer and pumped	<input type="checkbox"/> 61	m m d d y y y y	m m d d y y y y
surged with block and bailed	<input type="checkbox"/> 42	c. <u>9:40</u> <input checked="" type="checkbox"/> a.m.	<u>1:20</u> <input checked="" type="checkbox"/> p.m.
surged with block and pumped	<input type="checkbox"/> 62		
surged with block, bailed and pumped	<input type="checkbox"/> 70		
compressed air	<input type="checkbox"/> 20		
bailed only	<input type="checkbox"/> 10		
pumped only	<input type="checkbox"/> 51		
pumped slowly	<input type="checkbox"/> 50		
Other _____	<input checked="" type="checkbox"/>		
3. Time spent developing well	<u>210</u> min.	12. Sediment in well bottom	<u>1.0</u> inches <u>0.0</u> inches
4. Depth of well (from top of well casisng)	<u>14.0</u> ft.	13. Water clarity	Clear <input type="checkbox"/> 10 <input checked="" type="checkbox"/> 15 Turbid <input checked="" type="checkbox"/> 15 (Describe) _____
5. Inside diameter of well	<u>2.00</u> in.		Clear <input type="checkbox"/> 20 <input checked="" type="checkbox"/> 25 Turbid <input checked="" type="checkbox"/> 25 (Describe) _____
6. Volume of water in filter pack and well casing	<u>0.83</u> gal.	Fill in if drilling fluids were used and well is at solid waste facility:	
7. Volume of water removed from well	<u>6.0</u> gal.	14. Total suspended solids	<u>mg/l</u> <u>mg/l</u>
8. Volume of water added (if any)	<u>-----</u> gal.	15. COD	<u>mg/l</u> <u>mg/l</u>
9. Source of water added _____		16. Well developed by: Name (first, last) and Firm	
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input type="checkbox"/> No	First Name: <u>Bruce</u> Last Name: <u>BENOIT</u>	
17. Additional comments on development:	<u>Sigma Environmental</u>		

Name and Address of Facility Contact/Owner/Responsible Party First Name: _____ Last Name: _____	I hereby certify that the above information is true and correct to the best of my knowledge.
Facility/Firm: _____	Signature: _____
Street: _____	Print Name: _____
City/State/Zip: _____	Firm: _____

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name MASTER Dry Cleaners	County Name MILWAUKEE	Well Name SMW-7
Facility License, Permit or Monitoring Number	County Code ____	Wis. Unique Well Number ____

1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Depth to Water (from top of well casing)	<u>Before Development</u> <u>After Development</u>
2. Well development method		Date	a. <u>10.18</u> ft. <u>14.46</u> ft.
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	Time	b. <u>09/21/2007</u> <u>09/21/2001</u> m m d d y y y y m m d d y y y y
surged with bailer and pumped	<input type="checkbox"/> 61		c. <u>11:30</u> <input checked="" type="checkbox"/> a.m. <u>1:50</u> <input type="checkbox"/> p.m.
surged with block and bailed	<input type="checkbox"/> 42	12. Sediment in well bottom	<u>1.0</u> inches <u>0.0</u> inches
surged with block and pumped	<input type="checkbox"/> 62	13. Water clarity	Clear <input type="checkbox"/> 10 <u>15</u> inches Turbid <input checked="" type="checkbox"/> 15 <u>25</u> inches (Describe) _____
surged with block, bailed and pumped	<input type="checkbox"/> 70		Clear <input type="checkbox"/> 20 <u>25</u> inches Turbid <input checked="" type="checkbox"/> 25 <u>30</u> inches (Describe) _____
compressed air	<input type="checkbox"/> 20		_____
bailed only	<input type="checkbox"/> 10		_____
pumped only	<input type="checkbox"/> 51		_____
pumped slowly	<input type="checkbox"/> 50		_____
Other _____	<input type="checkbox"/> 		_____
3. Time spent developing well	<u>140</u> min.	Fill in if drilling fluids were used and well is at solid waste facility:	
4. Depth of well (from top of well casisng)	<u>14.91</u> ft.	14. Total suspended solids	<u>mg/l</u> <u>mg/l</u>
5. Inside diameter of well	<u>2.00</u> in.	15. COD	<u>mg/l</u> <u>mg/l</u>
6. Volume of water in filter pack and well casing	<u>0.75</u> gal.	16. Well developed by: Name (first, last) and Firm	
7. Volume of water removed from well	<u>7.0</u> gal.	First Name: <u>Bruce</u> Last Name: <u>Beardt</u>	
8. Volume of water added (if any)	<u>-----</u> gal.	Firm: <u>SIGMA ENVIRONMENTAL</u>	
9. Source of water added _____			
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	17. Additional comments on development:	

Name and Address of Facility Contact /Owner/Responsible Party
First Name: _____ Last Name: _____
Facility/Firm: _____
Street: _____
City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: _____
Print Name: _____
Firm: _____

Route to: Watershed/Wastewater
Remediation/Redevelopment

Waste Management

Other

Facility/Project Name MASTER Dry Cleaners	County Name MILWAUKEE	Well Name SMW-8
Facility License, Permit or Monitoring Number	County Code ____	Wis. Unique Well Number ____

1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Depth to Water (from top of well casing)	Before Development a. <u>10.96</u> ft.	After Development a. <u>14.12</u> ft.
2. Well development method		Date	b. <u>09/21/2007</u> m m d d y y y y	<u>09/21/2007</u> m m d d y y y y
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	Time	c. <u>10:45</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>1:35</u> <input checked="" type="checkbox"/> p.m.
surged with bailer and pumped	<input type="checkbox"/> 61	12. Sediment in well bottom	<u>1.0</u> inches	<u>0.0</u> inches
surged with block and bailed	<input type="checkbox"/> 42	13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)
surged with block and pumped	<input type="checkbox"/> 62			
surged with block, bailed and pumped	<input type="checkbox"/> 70			
compressed air	<input type="checkbox"/> 20			
bailed only	<input type="checkbox"/> 10			
pumped only	<input type="checkbox"/> 51			
pumped slowly	<input type="checkbox"/> 50			
Other _____	<input type="checkbox"/> _____			
3. Time spent developing well	<u>170</u> min.			
4. Depth of well (from top of well casing)	<u>14.80</u> ft.			
5. Inside diameter of well	<u>2.00</u> in.			
6. Volume of water in filter pack and well casing	<u>0.38</u> gal.			
7. Volume of water removed from well	<u>5.0</u> gal.			
8. Volume of water added (if any)	<u>-----</u> gal.			
9. Source of water added _____				
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input type="checkbox"/> No		Fill in if drilling fluids were used and well is at solid waste facility:	
17. Additional comments on development:		14. Total suspended solids	<u>-----</u> mg/l	<u>-----</u> mg/l
		15. COD	<u>-----</u> mg/l	<u>-----</u> mg/l
		16. Well developed by: Name (first, last) and Firm	 First Name: <u>BruCE</u> Last Name: <u>BENOIT</u>	
		Firm:	<u>SIGMA ENVIRONMENTAL</u>	

Name and Address of Facility Contact /Owner/Responsible Party
First Name: _____ Last Name: _____
Facility/Firm: _____
Street: _____
City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: _____
Print Name: _____
Firm: _____

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name MASTER Dry Cleaners	County Name Milwaukee	Well Name SMW-9
Facility License, Permit or Monitoring Number	County Code ____	Wis. Unique Well Number _____

1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Depth to Water (from top of well casing)	<u>Before Development</u> <u>After Development</u>
2. Well development method		a. <u>12.56</u> ft.	<u>13.87</u> ft.
surged with bailer and bailed	<input checked="" type="checkbox"/> 41	Date	b. <u>09/21/2007</u> <u>09/21/2007</u>
surged with bailer and pumped	<input type="checkbox"/> 61	mm dd yy yy	mm dd yy yy
surged with block and bailed	<input type="checkbox"/> 42	Time	c. <u>10:00</u> <input checked="" type="checkbox"/> a.m. <u>1:00</u> <input type="checkbox"/> p.m.
surged with block and pumped	<input type="checkbox"/> 62		
surged with block, bailed and pumped	<input type="checkbox"/> 70		
compressed air	<input type="checkbox"/> 20		
bailed only	<input type="checkbox"/> 10		
pumped only	<input type="checkbox"/> 51		
pumped slowly	<input type="checkbox"/> 50		
Other _____	<input type="checkbox"/> _____		
3. Time spent developing well	<u>180</u> min.	12. Sediment in well bottom	<u>2.0</u> inches <u>0.0</u> inches
4. Depth of well (from top of well casisng)	<u>14.95</u> ft.	13. Water clarity	Clear <input type="checkbox"/> 10 <u>15</u> Turbid <input checked="" type="checkbox"/> 25 (Describe) <u>Some odor</u>
5. Inside diameter of well	<u>2.00</u> in.		
6. Volume of water in filter pack and well casing	<u>0.30</u> gal.		
7. Volume of water removed from well	<u>4.0</u> gal.	Fill in if drilling fluids were used and well is at solid waste facility:	
8. Volume of water added (if any)	<u>-----</u> gal.	14. Total suspended solids	<u>-----</u> mg/l <u>-----</u> mg/l
9. Source of water added	<u>-----</u>	15. COD	<u>-----</u> mg/l <u>-----</u> mg/l
10. Analysis performed on water added? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (If yes, attach results)		16. Well developed by: Name (first, last) and Firm	
17. Additional comments on development:		First Name: <u>Bruce</u> Last Name: <u>BENOIT</u>	
		Firm: <u>SIGMA ENVIRONMENTAL</u>	

Name and Address of Facility Contact /Owner/Responsible Party
First Name: _____ Last Name: _____
Facility/Firm: _____
Street: _____
City/State/Zip: _____

I hereby certify that the above information is true and correct to the best of my knowledge.
Signature: _____
Print Name: _____
Firm: _____

Route to: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Facility/Project Name <u>Master Dry Cleaning</u>	County Name <u>Milwaukee</u>	Well Name <u>PZ-1</u>
Facility License, Permit or Monitoring Number	County Code --	Wis. Unique Well Number <u>0Y225</u> DNR Well ID Number ----

1. Can this well be purged dry? Yes No

2. Well development method

- surged with bailer and bailed
- surged with bailer and pumped
- surged with block and bailed
- surged with block and pumped
- surged with block, bailed and pumped
- compressed air
- bailed only
- pumped only
- pumped slowly
- Other _____

41
 61
 42
 62
 70
 20
 10
 51
 50

3. Time spent developing well _____ min.

4. Depth of well (from top of well casing) 34.40 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 16.42 gal.

7. Volume of water removed from well 5.0 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added? Yes No
(If yes, attach results)

17. Additional comments on development: plumped well dry 3 times
1st = 4.0 gals
2nd = 1.0 gal.
3rd = 1/2 liter } 15 min. intervals

Name and Address of Facility Contact /Owner/Responsible Party
First Name: _____ Last Name: _____

I hereby certify that the above information is true and correct to the best of my knowledge.

Facility/Firm: _____

Signature: David Dailey

Street: _____


Print Name: David Dailey

City/State/Zip: _____

Firm: Sigma Env

ATTACHMENT 4

Slug Test Analysis



Waterloo Hydrogeologic Inc.
180 Columbia St. Unit 1104
Waterloo, Ontario, Canada
Phone 519 746-1798


Slug Test Analysis Report

Project: masterdrycleaning

Number:

Client:

smw -2 [Bouwer & Rice]



Slug Test: **smw-2**

Analysis Method: **Bouwer & Rice**

Analysis Results:

Conductivity:

6.37E-5 [cm/s]

Test parameters: Test Well: smw-2 Aquifer Thickness: 30 [ft]

Casing radius: 0.08333 [ft] Gravel Pack Porosity (%): 25

Screen length: 10 [ft]


Boring radius: 0.34375 [ft]

$r(\text{eff})$: 0.186 [ft]

Comments:

Evaluated by: Steve Meer

Evaluation Date: 11/19/2007



Waterloo Hydrogeologic Inc.
180 Columbia St. Unit 1104
Waterloo, Ontario, Canada
Phone 519 746-1798


Slug Test Analysis Report

Project: masterdrycleaning

Number:

Client:

smw -6 [Bouwer & Rice]



Slug Test: **smw-6**

Analysis Method: **Bouwer & Rice**

Analysis Results:

Conductivity: 3.92E-4 [cm/s]

Test parameters: Test Well: smw-6 Aquifer Thickness: 30 [ft]

Casing radius: 0.08333 [ft] Gravel Pack Porosity (%) 25

Screen length: 10 [ft]


Boring radius: 0.34375 [ft]

$r(\text{eff})$: 0.186 [ft]

Comments:

Evaluated by: Steve Meer

Evaluation Date: 11/19/2007



Waterloo Hydrogeologic Inc.
180 Columbia St. Unit 1104
Waterloo, Ontario, Canada
Phone 519 746-1798


Slug Test Analysis Report

Project: masterdrycleaning

Number:

Client:

smw -8 [Bouwer & Rice]



Slug Test: smw-8

Analysis Method: Bouwer & Rice

Analysis Results: Conductivity: 6.85E-3 [cm/s]

Test parameters: Test Well: smw-8 Aquifer Thickness: 30 [ft]

Casing radius: 0.0833 [ft] Gravel Pack Porosity (%): 25

Screen length: 10 [ft]

Boring radius: 0.34375 [ft]

r(eff): 0.186 [ft]

Comments:

Evaluated by: Steve Meer

Evaluation Date: 11/19/2007

ATTACHMENT 5

Laboratory Report – Soil

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 03-Oct-07

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046A
Sample ID SMW-6 2-4
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent									
	84.0	%			1	8260B	9/18/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046A
Sample ID SMW-6 2-4
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	59 "J"	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046B
Sample ID SMW-6 6-8
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	83.5	%			1	5021	9/18/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046B
Sample ID SMW-6 6-8
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	41 "J"	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046C
Sample ID SMW-7 2-4
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	87.0	%			1	5021	9/18/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046C
Sample ID SMW-7 2-4
Sample Matrix Soil
Sample Date 9/17/2007

VOC's	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Benzene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	247	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046C
Sample ID SMW-7 2-4
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046D
Sample ID SMW-7 8-10
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

General

General

Solids Percent	87.5	%			1	5021	9/18/2007	DJB	1
----------------	------	---	--	--	---	------	-----------	-----	---

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	48 "J"	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046D
Sample ID SMW-7 8-10
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	< 25	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	39 "J"	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1
m&p-Xylene	62 "J"	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046E
Sample ID SMW-8 0-2
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	80.7	%			1	5021	9/18/2007	DJB	1
Organic									
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	10/2/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	10/2/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	10/2/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	10/2/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	10/2/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	10/2/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	10/2/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046E
Sample ID SMW-8 0-2
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	10/2/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	10/2/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	10/2/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	10/2/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Tetrachloroethene	< 25	ug/kg	21	67	1	8260B	10/2/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	10/2/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	10/2/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	10/2/2007	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	10/2/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	10/2/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	10/2/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1

Lab Code 5016046F
Sample ID SMW-8 6-8
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent									
78.3 %									
Organic									
VOC's									
Benzene									
< 25 ug/kg									
Bromobenzene									
< 25 ug/kg									
Bromodichloromethane									
< 25 ug/kg									
Bromoform									
< 25 ug/kg									
tert-Butylbenzene									
< 25 ug/kg									
sec-Butylbenzene									
< 25 ug/kg									
n-Butylbenzene									
< 25 ug/kg									
Carbon Tetrachloride									
< 25 ug/kg									
Chlorobenzene									
< 25 ug/kg									
Chloroethane									
< 25 ug/kg									
Chloroform									
< 25 ug/kg									
Chloromethane									
< 25 ug/kg									

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046F
Sample ID SMW-8 6-8
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	10/2/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	10/2/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	10/2/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	10/2/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	10/2/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	10/2/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	10/2/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Tetrachloroethene	< 25	ug/kg	21	67	1	8260B	10/2/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	10/2/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	10/2/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	10/2/2007	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	10/2/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	10/2/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	10/2/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1

Lab Code 5016046G
Sample ID SMW-9 14-15
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	80.1	%			1	5021	9/18/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046G
Sample ID SMW-9 14-15
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	< 2500	ug/kg	2000	6500	100	8260B	9/19/2007	CJR	1
Bromobenzene	< 2500	ug/kg	1400	4400	100	8260B	9/19/2007	CJR	1
Bromodichloromethane	< 2500	ug/kg	2400	7600	100	8260B	9/19/2007	CJR	1
Bromoform	< 2500	ug/kg	1000	3300	100	8260B	9/19/2007	CJR	1
tert-Butylbenzene	< 2500	ug/kg	1400	4600	100	8260B	9/19/2007	CJR	1
sec-Butylbenzene	< 2500	ug/kg	1700	5500	100	8260B	9/19/2007	CJR	1
n-Butylbenzene	< 2500	ug/kg	1600	5000	100	8260B	9/19/2007	CJR	1
Carbon Tetrachloride	< 2500	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1
Chlorobenzene	< 2500	ug/kg	2100	6800	100	8260B	9/19/2007	CJR	1
Chloroethane	< 2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
Chloroform	< 2500	ug/kg	2000	6300	100	8260B	9/19/2007	CJR	1
Chloromethane	< 2500	ug/kg	1700	5400	100	8260B	9/19/2007	CJR	1
2-Chlorotoluene	< 2500	ug/kg	1800	5800	100	8260B	9/19/2007	CJR	1
4-Chlorotoluene	< 2500	ug/kg	1600	5100	100	8260B	9/19/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 2500	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1
Dibromochloromethane	< 2500	ug/kg	2300	7400	100	8260B	9/19/2007	CJR	1
1,4-Dichlorobenzene	< 2500	ug/kg	1500	4700	100	8260B	9/19/2007	CJR	1
1,3-Dichlorobenzene	< 2500	ug/kg	1500	4800	100	8260B	9/19/2007	CJR	1
1,2-Dichlorobenzene	< 2500	ug/kg	1800	5700	100	8260B	9/19/2007	CJR	1
Dichlorodifluoromethane	< 2500	ug/kg	2000	6200	100	8260B	9/19/2007	CJR	1
1,2-Dichloroethane	< 2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
1,1-Dichloroethane	< 2500	ug/kg	2000	6200	100	8260B	9/19/2007	CJR	1
1,1-Dichloroethene	< 2500	ug/kg	2400	7600	100	8260B	9/19/2007	CJR	1
cis-1,2-Dichloroethene	< 2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
trans-1,2-Dichloroethene	< 2500	ug/kg	2000	6200	100	8260B	9/19/2007	CJR	1
1,2-Dichloropropane	< 2500	ug/kg	2300	7300	100	8260B	9/19/2007	CJR	1
2,2-Dichloropropane	< 2500	ug/kg	2100	6600	100	8260B	9/19/2007	CJR	1
1,3-Dichloropropane	< 2500	ug/kg	2300	7300	100	8260B	9/19/2007	CJR	1
Di-isopropyl ether	< 2500	ug/kg	1800	5800	100	8260B	9/19/2007	CJR	1
EDB (1,2-Dibromoethane)	< 2500	ug/kg	2200	6900	100	8260B	9/19/2007	CJR	1
Ethylbenzene	8000	ug/kg	1700	5400	100	8260B	9/19/2007	CJR	1
Hexachlorobutadiene	< 2500	ug/kg	2300	7400	100	8260B	9/19/2007	CJR	1
Isopropylbenzene	< 2500	ug/kg	1700	5300	100	8260B	9/19/2007	CJR	1
p-Isopropyltoluene	< 2500	ug/kg	1400	4400	100	8260B	9/19/2007	CJR	1
Methylene chloride	< 2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 2500	ug/kg	1500	4700	100	8260B	9/19/2007	CJR	1
Naphthalene	< 2500	ug/kg	2000	6500	100	8260B	9/19/2007	CJR	1
n-Propylbenzene	2860 "J"	ug/kg	1300	4300	100	8260B	9/19/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 2500	ug/kg	2100	6800	100	8260B	9/19/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 2500	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1
Tetrachloroethene	214000	ug/kg	2100	6700	100	8260B	9/19/2007	CJR	1
Toluene	< 2500	ug/kg	2100	6800	100	8260B	9/19/2007	CJR	1
1,2,4-Trichlorobenzene	< 2500	ug/kg	2500	7800	100	8260B	9/19/2007	CJR	1
1,2,3-Trichlorobenzene	< 2500	ug/kg	2400	7600	100	8260B	9/19/2007	CJR	1
1,1,1-Trichloroethane	< 2500	ug/kg	2300	7300	100	8260B	9/19/2007	CJR	1
1,1,2-Trichloroethane	< 2500	ug/kg	2400	7800	100	8260B	9/19/2007	CJR	1
Trichloroethene (TCE)	51000	ug/kg	1700	5400	100	8260B	9/19/2007	CJR	1
Trichlorofluoromethane	< 2500	ug/kg	2500	8100	100	8260B	9/19/2007	CJR	3
1,2,4-Trimethylbenzene	12500	ug/kg	2000	6300	100	8260B	9/19/2007	CJR	1
1,3,5-Trimethylbenzene	3500 "J"	ug/kg	1600	5200	100	8260B	9/19/2007	CJR	1
Vinyl Chloride	< 2500	ug/kg	1900	6200	100	8260B	9/19/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046G
Sample ID SMW-9 14-15
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	20200	ug/kg	4000	12900	100	8260B	9/19/2007	CJR	1
o-Xylene	3300 "J"	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1

Lab Code 5016046H
Sample ID TRIP
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

**Organic
VOC's**

Benzene	< 25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	10/2/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	10/2/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	10/2/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	10/2/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	10/2/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	10/2/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	10/2/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	10/2/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	10/2/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	10/2/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	10/2/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Tetrachloroethene	< 25	ug/kg	21	67	1	8260B	10/2/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 10221/9923

Invoice # E16046

Lab Code 5016046H
Sample ID TRIP
Sample Matrix Soil
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	10/2/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	10/2/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	10/2/2007	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	10/2/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	10/2/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	10/2/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
3 The matrix spike not within established limits.

Authorized Signature

Michael J. Ricker

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

Chain # No. 1918
Page 1 of 1

Lab I.D. #	
Account No. :	Quote No.:
Project #: 10221 (SMW-6-7) 9923 (SMW-8-9)	
Sampler: (signature) May-trotter	

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
 Rushes accepted only with prior authorization
 Normal Turn Around

Project (Name / Location): Master Dry Cleaning

Reports To: May-Trotter

Invoice To:

Sample

Company Sigma

Company

Address 1300 W Canal

Address

City State Zip Milwaukee

City State Zip

Phone 414-643-4200

Phone

FAX -4200

FAX

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested							Other Analysis	PID/FID
										DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	Dry Weight
A	SMW-6-4	9/1/07	8:30	X	-	X	1+bag	S	MeOH	X	X							0.0
B	SMW-6-8	9/1/07	9:45	X	-	X	1+bag	S	MeOH	X	X							0.0
C	SMW-7-4	9/1/07	9:45	X	-	X	1+bag	S	MeOH	X	X							0.7
D	SMW-7-10	9/1/07	10:15	X	-	X	1+bag	S	MeOH	X	X							5.4
E	SMW-8-2	9/1/07	11:15	X	-	X	1+bag	S	MeOH	X	X							9.0
F	SMW-8-8	9/1/07	11:30	X	-	X	1+bag	S	MeOH	X	X							6.0
G	SMW-9-14-15	9/1/07	12:30	X	-	X	1+bag	S	MeOH	X	X							7.84
H	try	9/1/07	-	X	-	X	1	blank	MeOH	X								

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Container

Temp. of Temp. Blank: 0°C On Ice 7

Sealer seal intact upon receipt: Yes No

Relinquished By: (sign) May-trotter Time 2:00 Date 9/1/07 Received By: (sign) _____ Time _____ Date _____

Received in Laboratory By: Paul J. Bies Time: 08:25 Date: 9/18/07

ATTACHMENT 6
Site Specific RCL Calculations



Waste and Cleanup
Risk Assessment
Home

Basic Information

Where You Live

Waste and Cleanup
Programs' Risk
Assessment

Risk Assessment
Topics

Policy Guidance

Databases and Tools

Alphabetical List of
Documents

Frequent Questions

Related Links

Glossary

Site Map

U.S. Environmental Protection Agency

Waste and Cleanup Risk Assessment

[Recent Additions](#) | [Contact Us](#) | [Print Version](#)

Search:



[EPA Home](#) > [OSWER](#) > [Waste and Cleanup Risk Assessment](#) > [Databases and Tools](#) > [Soil Screening Calculator](#)

Soil Screening Guidance Calculator



Equation Values for Ingestion

Noncarcinogenic Parameter	Value	Carcinogenic Age-adjusted Parameter	Value	Carcinogenic Nonadjusted Parameter	Value
Target Hazard Quotient (unitless)	0.2	Target Risk (unitless)	1.0E-7	Target Risk (unitless)	1.0E-6
Body Weight (kg)	15	Adult Body Weight (kg)	70	Body Weight (kg)	70
		Child Body Weight (kg)	15		
Exposure Duration (yr)	6	Adult Exposure Duration (yr)	24	Exposure Duration (yr)	25
		Child Exposure Duration (yr)	6		
Exposure Frequency (day/yr)	350	Exposure Frequency (day/yr)	350	Exposure Frequency (day/yr)	250
Intake Rate (mg/day)	200	Adult Intake Rate (mg/day)	100	Intake Rate (mg/day)	100
		Child Intake Rate (mg/day)	200		
		Average Lifetime (yr)	70	Average Lifetime (yr)	70
		Age-adjusted Ingestion Factor (mg-yr/kg-day)	114.29		



Soil Screening Levels for Ingestion (mg/kg)

Analyte	Cas Number	Oral RfD	Oral Slope Factor	Noncarcinogenic	Carcinogenic (Age-adjusted)	Carcinogenic (Nonadjusted)
Tetrachloroethylene	127184	1.00E-02 ^a	5.20E-02 ^v	1.56E+02	1.23E+00	5.50E+01
Trichloroethylene	79016	3.00E-04 ^v	4.00E-01 ^v	4.69E+00	1.60E-01	7.15E+00

□□

Equation Values for Inhalation of Fugitive Dust

Particulate Emission Factor Parameter	Value	Noncarcinogenic Parameter	Value	Carcinogenic Parameter	Value
Surface Area (acres)	0.5	Target Hazard Quotient (unitless)	0.2	Target Risk (unitless)	1.0E-7
City (climate zone)	Chicago(VII)	Exposure Duration (yr)	30	Exposure Duration (yr)	30
Q/C (g/m ² -s per kg/m ³)	98.43071	Exposure Frequency (day/yr)	350	Exposure Frequency (day/yr)	350
Fraction of vegetative cover (unitless)	0.5			Average Lifetime (yr)	70
Mean annual windspeed (m/s)	5				
Equivalent threshold value of windspeed at 7m (m/s)	11				
Function dependent on U _m /U _t (unitless)	0.2707				

Soil Screening Levels for Inhalation of Fugitive Dust (mg/kg)

Analyte	Cas Number	Inhalation RfC	Inhalation Unit Risk	Particulate Emission Factor	Noncarcinogenic	Carcinogenic
Tetrachloroethylene	127184	6.00E-01 ✓	5.8E-07 ✓	7.74E+08	9.69E+07	3.25E+05
Trichloroethylene	79016	4.00E-02 ✓	1.1E-04 ✓	7.74E+08	6.46E+06	1.71E+03

Equation Values for Inhalation of Volatiles

Volatilization Factor Parameter	Value	Soil Saturation Concentration Parameter	Value	Noncarcinogenic Parameter	Value	Carcinogenic Parameter	Value
Surface Area (acres)	0.5			Target Hazard Quotient (unitless)	0.2	Target Risk (unitless)	1.0E-7
City (climate zone)	Chicago(VII)			Exposure Duration (yr)	30	Exposure Duration (yr)	30
Q/C (g/m ² -s per kg/m ³)	98.43071			Exposure Frequency (day/yr)	350	Exposure Frequency (day/yr)	350
Fraction organic carbon (unitless)	0.006	Fraction organic carbon (unitless)	0.006			Average Lifetime (yr)	70
Dry soil bulk density (g/cm ³)	1.5	Dry soil bulk density (g/cm ³)	1.5				
Soil particle density (g/cm ³)	2.65	Soil particle density (g/cm ³)	2.65				
Water-filled soil porosity (L _{water} /L _{soil})	0.2	Water-filled soil porosity (L _{water} /L _{soil})	0.2				
Exposure interval (s)	9.5e08						

Soil Screening Levels for Inhalation of Volatiles (mg/kg)

Analyte	Cas Number	Inhalation RfC	Inhalation Unit Risk	Volatilization Factor	Soil Saturation Concentration	Noncarcinogenic	Carcinogenic
Tetrachloroethylene	127184	6.0E-01	5.8E-07	5.0E+03	2.4E+02	6.3E+02	2.1E+00
Trichloroethylene	79016	4.0E-02	1.1E-04	6.4E+03	1.3E+03	5.4E+01	1.4E-02

This site is maintained and operated through a cooperative agreement between the EPA Office of Superfund and Oak Ridge National Laboratory. For questions or comments please contact Dave Crawford at the Office of Superfund.

[OSWER Home](#) | [Customer Satisfaction Survey](#)

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Tuesday, October 24th, 2006

URL: <http://rais.ornl.gov/cgi-bin/epa/ssl2.cgi>

ATTACHMENT 7
Laboratory Report – Groundwater

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 14-Sep-07

Project Name	MASTER DRY CLEANING	Invoice #	E15985						
Project #	9923								
Lab Code	5015985A								
Sample ID	SGP-1 4-6								
Sample Matrix	Soil								
Sample Date	9/6/2007								
	Result	Unit	Method						
General		LOD	LOQ	Dil	Run Date	Analyst	Code		
General									
Solids Percent	82.6	%		1	5021	9/11/2007	DJB	1	
Organic									
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING

Project # 9923

Invoice # E15985

Lab Code 5015985A

Sample ID SGP-1 4-6

Sample Matrix Soil

Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethylene	550	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985B

Sample ID SGP-1 8-10

Sample Matrix Soil

Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent									
	80.5	%			1	5021	9/11/2007	DBJ	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1

Project Name **MASTER DRY CLEANING**
 Project # **9923**

Invoice # E15985

Lab Code 5015985B
Sample ID SGP-1 8-10
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	124	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985C

Sample ID SGP-2 0-2

Sample Matrix Soil

Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	87.7	%			1	5021	9/11/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985C
Sample ID SGP-2 0-2
Sample Matrix Soil
Sample Date 9/6/2007

VOC's	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	1620	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985C
Sample ID SGP-2 0-2
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985D
Sample ID SGP-2 6-8
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	85.3	%			1	5021	9/11/2007	DJB	1
Organic									
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroether	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING

Invoice # E15985

Project # 9923

Lab Code 5015985D

Sample ID SGP-2 6-8

Sample Matrix Soil

Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	1390	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985E

Sample ID SGP-3 4-6

Sample Matrix Soil

Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	87.8	%			1	5021	9/11/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985E
Sample ID SGP-3 4-6
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethylene	6900	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethylene (TCE)	65	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m,p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985F
Sample ID SGP-3 8-10
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	77.2	%			1	5021	9/11/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985F
Sample ID SGP-3 8-10
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	7800	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	267	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985G
Sample ID SGP-4 0-2
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	86.9	%			1	5021	9/11/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985G
Sample ID SGP-4 0-2
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	560	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985G
Sample ID SGP-4 0-2
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985H
Sample ID SGP-4 6-8
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

General

General

Solids Percent	78.4	%			1	5021	9/11/2007	DJB	1
----------------	------	---	--	--	---	------	-----------	-----	---

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985H
Sample ID SGP-4 6-8
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	940	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985I
Sample ID SGP-5 2-4
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent									
	90.9	%			1	5021	9/11/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985J
Sample ID SGP-5 2-4
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethylene	105	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethylene (TCE)	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985J
Sample ID SGP-5 8-10
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	83.8	%			1	5021	9/11/2007	DJB	1
Organic									
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985J
Sample ID SGP-5 8-10
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	1670	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985K
Sample ID SGP-6 0-2
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	91.1	%			1	5021	9/11/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING

Project # 9923

Invoice # E15985

Lab Code 5015985K

Sample ID SGP-6 0-2

Sample Matrix Soil

Sample Date 9/6/2007

VOC's	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethylene	29.9 "J"	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethylene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985K
Sample ID SGP-6 0-2
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985L
Sample ID SGP-6 4-8
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

General

General

Solids Percent	83.0	%			1	5021	9/11/2007	DJB	1
----------------	------	---	--	--	---	------	-----------	-----	---

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropene	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING
Project # 9923

Invoice # E15985

Lab Code 5015985L
Sample ID SGP-6 4-8
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	253	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985M
Sample ID TRIP
Sample Matrix Soil
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOCs									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropene	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropene	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropene	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1

Project Name **MASTER DRY CLEANING**
Project # **9923**

Invoice # **E15985**

Lab Code **5015985M**
Sample ID **TRIP**
Sample Matrix **Soil**
Sample Date **9/6/2007**

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethylene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
2 Relative percent difference failed for laboratory spiked samples.

Authorized Signature

Michael J. Ricker

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMMENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 08-Oct-07

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115A
Sample ID SMW-3
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene									
Benzene	308	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Bromobenzene	< 7.2	ug/l	7.2	22	20	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Bromoform	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 6.8	ug/l	6.8	22	20	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 7.2	ug/l	7.2	24	20	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
Chlorobenzene	< 6.2	ug/l	6.2	20	20	8260B	10/4/2007	CJR	1
Chloroethane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
Chloromethane	< 20	ug/l	20	66	20	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 9.8	ug/l	9.8	32	20	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 6.4	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 6.6	ug/l	6.6	22	20	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 6	ug/l	6	19	20	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	31.4	ug/l	9	28	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 11.2	ug/l	11.2	36	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 12.8	ug/l	12.8	40	20	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	2400	ug/l	13.6	44	20	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	30 "J"	ug/l	19	60	20	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 19.6	ug/l	19.6	62	20	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 7.8	ug/l	7.8	26	20	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 26	ug/l	26	82	20	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115A
Sample ID SMW-3
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 9.8	ug/l	9.8	30	20	8260B	10/4/2007	CJR	1
Ethylbenzene	142	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	98	20	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Methylene chloride	< 13.8	ug/l	13.8	44	20	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Naphthalene	< 36	ug/l	36	112	20	8260B	10/4/2007	CJR	34
n-Propylbenzene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48	20	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 13	ug/l	13	42	20	8260B	10/4/2007	CJR	1
Tetrachloroethene	174	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Toluene	26.8 "J"	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 30	ug/l	30	92	20	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	313	ug/l	8.8	28	20	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 12.2	ug/l	12.2	38	20	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	39 "J"	ug/l	24	76	20	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	8.2 "J"	ug/l	7.4	24	20	8260B	10/4/2007	CJR	1
Vinyl Chloride	314	ug/l	4	12.6	20	8260B	10/4/2007	CJR	1
m&p-Xylene	69	ug/l	13.4	42	20	8260B	10/4/2007	CJR	1
o-Xylene	17.2 "J"	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1

Lab Code 5016115B
Sample ID SMW-4
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
VOC's									
Benzene	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Bromobenzene	< 7.2	ug/l	7.2	22	20	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Bromoform	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 6.8	ug/l	6.8	22	20	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 7.2	ug/l	7.2	24	20	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
Chlorobenzene	< 6.2	ug/l	6.2	20	20	8260B	10/4/2007	CJR	1
Chloroethane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
Chloromethane	< 20	ug/l	20	66	20	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 9.8	ug/l	9.8	32	20	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 6.4	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 6.6	ug/l	6.6	22	20	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 6	ug/l	6	19	20	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115B
Sample ID SMW-4
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloroethane	< 9	ug/l	9	28	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 11.2	ug/l	11.2	36	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 12.8	ug/l	12.8	40	20	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	1730	ug/l	13.6	44	20	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	105	ug/l	19	60	20	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 19.6	ug/l	19.6	62	20	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 7.8	ug/l	7.8	26	20	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 26	ug/l	26	82	20	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 9.8	ug/l	9.8	30	20	8260B	10/4/2007	CJR	1
Ethylbenzene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	98	20	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Methylene chloride	< 13.8	ug/l	13.8	44	20	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Naphthalene	< 36	ug/l	36	112	20	8260B	10/4/2007	CJR	34
n-Propylbenzene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48	20	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 13	ug/l	13	42	20	8260B	10/4/2007	CJR	1
Tetrachloroethene	610	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Toluene	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 30	ug/l	30	92	20	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	540	ug/l	8.8	28	20	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 12.2	ug/l	12.2	38	20	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	< 24	ug/l	24	76	20	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	20	8260B	10/4/2007	CJR	1
Vinyl Chloride	11.8 "J"	ug/l	4	12.6	20	8260B	10/4/2007	CJR	1
m&p-Xylene	< 13.4	ug/l	13.4	42	20	8260B	10/4/2007	CJR	1
o-Xylene	< 6.4	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1

Lab Code 5016115D
Sample ID SMW-8
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	2560	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/3/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	34
Chloroform	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115D
Sample ID SMW-8
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 50	ug/l	50	165	50	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/3/2007	CJR	1
Ethylbenzene	112	ug/l	19	60	50	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/3/2007	CJR	1
Isopropylbenzene	60 "J"	ug/l	24	75	50	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/3/2007	CJR	4
n-Propylbenzene	94	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Toluene	193	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	880	ug/l	60	190	50	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	262	ug/l	18.5	60	50	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	10/3/2007	CJR	1
m&p-Xylene	1120	ug/l	33.5	105	50	8260B	10/3/2007	CJR	1
o-Xylene	274	ug/l	16	50	50	8260B	10/3/2007	CJR	1

Lab Code 5016115E
Sample ID SMW-9
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene									
Benzene	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115E
Sample ID SMW-9
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/3/2007	CJR	1
n-Butylbenzene	34 "J"	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/3/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	34
Chloroform	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	6000	ug/l	34	110	50	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	175	ug/l	47.5	150	50	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/3/2007	CJR	1
Ethylbenzene	279	ug/l	19	60	50	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/3/2007	CJR	1
Isopropylbenzene	100	ug/l	24	75	50	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/3/2007	CJR	4
n-Propylbenzene	306	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/3/2007	CJR	1
Tetrachloroethene	39800	ug/l	260	800	500	8260B	10/5/2007	CJR	1
Toluene	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	8100	ug/l	22	70	50	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	147 "J"	ug/l	60	190	50	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	256	ug/l	18.5	60	50	8260B	10/3/2007	CJR	1
Vinyl Chloride	58	ug/l	10	31.5	50	8260B	10/3/2007	CJR	1
m&p-Xylene	90 "J"	ug/l	33.5	105	50	8260B	10/3/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115F
Sample ID MW-1
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/4/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethylene	< 0.64	ug/l	0.64	2	1	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	9.7	ug/l	0.68	2.2	1	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/4/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/4/2007	CJR	3.4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/4/2007	CJR	1
Tetrachloroethene	43	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	52	ug/l	0.44	1.4	1	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115F
Sample ID MW-1
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Vinyl Chloride	0.79	ug/l	0.2	0.63	1	8260B	10/4/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/4/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1

Lab Code 5016115G
Sample ID MW-2
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

**Organic
VOC's**

Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	34
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	1.38 "J"	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115G
Sample ID MW-2
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1

Lab Code 5016115H
Sample ID MW-3
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 47	ug/l	47	150	100	8260B	10/3/2007	CJR	1
Bromobenzene	< 36	ug/l	36	110	100	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 50	ug/l	50	160	100	8260B	10/3/2007	CJR	1
Bromoform	< 38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 34	ug/l	34	110	100	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 36	ug/l	36	120	100	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 52	ug/l	52	160	100	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 46	ug/l	46	150	100	8260B	10/3/2007	CJR	1
Chlorobenzene	< 31	ug/l	31	100	100	8260B	10/3/2007	CJR	1
Chloroethane	< 47	ug/l	47	150	100	8260B	10/3/2007	CJR	34
Chloroform	< 48	ug/l	48	150	100	8260B	10/3/2007	CJR	1
Chloromethane	< 100	ug/l	100	330	100	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 49	ug/l	49	160	100	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	450	100	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 32	ug/l	32	100	100	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 33	ug/l	33	110	100	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 30	ug/l	30	95	100	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 35	ug/l	35	110	100	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 46	ug/l	46	150	100	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 45	ug/l	45	140	100	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 56	ug/l	56	180	100	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 64	ug/l	64	200	100	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	3700	ug/l	68	220	100	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 95	ug/l	95	300	100	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 47	ug/l	47	150	100	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 98	ug/l	98	310	100	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 39	ug/l	39	130	100	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 130	ug/l	130	410	100	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 49	ug/l	49	150	100	8260B	10/3/2007	CJR	1
Ethylbenzene	< 38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 150	ug/l	150	490	100	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS

Project # 9923

Lab Code 5016115H

Sample ID MW-3

Sample Matrix Water

Sample Date 9/25/2007

Invoice # E16115

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Isopropylbenzene	< 48	ug/l	48	150	100	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 35	ug/l	35	110	100	8260B	10/3/2007	CJR	1
Methylene chloride	< 69	ug/l	69	220	100	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 52	ug/l	52	160	100	8260B	10/3/2007	CJR	1
Naphthalene	< 180	ug/l	180	560	100	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 75	ug/l	75	240	100	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 65	ug/l	65	210	100	8260B	10/3/2007	CJR	1
Tetrachloroethene	198	ug/l	52	160	100	8260B	10/3/2007	CJR	1
Toluene	< 46	ug/l	46	150	100	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 150	ug/l	150	460	100	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	500	100	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 50	ug/l	50	160	100	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 50	ug/l	50	160	100	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	2150	ug/l	44	140	100	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 61	ug/l	61	190	100	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 120	ug/l	120	380	100	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l	37	120	100	8260B	10/3/2007	CJR	1
Vinyl Chloride	320	ug/l	20	63	100	8260B	10/3/2007	CJR	1
m&p-Xylene	< 67	ug/l	67	210	100	8260B	10/3/2007	CJR	1
o-Xylene	< 32	ug/l	32	100	100	8260B	10/3/2007	CJR	1

Lab Code 5016115I

Sample ID DUP

Sample Matrix Water

Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene									
Benzene	260	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/3/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	34
Chloroform	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115I
Sample ID DUP
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
cis-1,2-Dichloroethene	2070	ug/l	34	110	50	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/3/2007	CJR	1
Ethylbenzene	138	ug/l	19	60	50	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/3/2007	CJR	1
Tetrachloroethene	450	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Toluene	25 "J"	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	297	ug/l	22	70	50	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	10/3/2007	CJR	1
Vinyl Chloride	370	ug/l	10	31.5	50	8260B	10/3/2007	CJR	1
m&p-Xylene	56 "J"	ug/l	33.5	105	50	8260B	10/3/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1

Lab Code 5016115J
Sample ID EQUIP
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	34
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115J
Sample ID EQUIP
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1

Lab Code 5016115K
Sample ID TRIP
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

Lab Code 5016115K
Sample ID TRIP
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	34
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l		3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l		4.5	1	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923

Invoice # E16115

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- | | |
|---|--|
| 1 | Laboratory QC within limits. |
| 3 | The matrix spike not within established limits. |
| 4 | The continuing calibration standard not within established limits. |

Authorized Signature

Michael J. Ricker

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMNENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 18-Dec-07

Project Name MASTER DRY CLEANERS

Invoice # E16116

Project # 10221

Lab Code 5016116A

Sample ID SMW-1

Sample Matrix Water

Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	---------	------

Organic

VOC's

Benzene	0.51 "J"	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/4/2007	CJR	1
sec-Butylbenzene	8	ug/l	0.36	1.2	1	8260B	10/4/2007	CJR	1
n-Butylbenzene	7.3	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/4/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221

Invoice # E16116

Lab Code 5016116A
Sample ID SMW-1
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/4/2007	CJR	1
Ethylbenzene	72	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/4/2007	CJR	1
Isopropylbenzene	35	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	1.58	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Naphthalene	3.8 "J"	ug/l	1.8	5.6	1	8260B	10/4/2007	CJR	34
n-Propylbenzene	100	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/4/2007	CJR	1
Tetrachloroethene	0.69 "J"	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Toluene	0.93 "J"	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	0.56 "J"	ug/l	0.44	1.4	1	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	18.5	ug/l	1.2	3.8	1	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/4/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/4/2007	CJR	1
m&p-Xylene	15	ug/l	0.67	2.1	1	8260B	10/4/2007	CJR	1
o-Xylene	1.45	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1

Lab Code 5016116B
Sample ID SMW-2
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/4/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221

Invoice # E16116

Lab Code 5016116B
Sample ID SMW-2
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/4/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/4/2007	CJR	34
n-Propylbenzene	0.42 "J"	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/4/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/4/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/4/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/4/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1

Lab Code 5016116C
Sample ID SMW-6
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221

Invoice # E16116

Lab Code 5016116C
Sample ID SMW-6
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Bromodichloromethane	<0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Bromoform	<0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
tert-Butylbenzene	<0.34	ug/l	0.34	1.1	1	8260B	10/4/2007	CJR	1
sec-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B	10/4/2007	CJR	1
n-Butylbenzene	<0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	<0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
Chlorobenzene	<0.31	ug/l	0.31	1	1	8260B	10/4/2007	CJR	1
Chloroethane	<0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Chloroform	<0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
Chloromethane	<1	ug/l		3.3	1	8260B	10/4/2007	CJR	1
2-Chlorotoluene	<0.49	ug/l	0.49	1.6	1	8260B	10/4/2007	CJR	1
4-Chlorotoluene	<0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B	10/4/2007	CJR	1
Dibromochloromethane	<0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	<0.33	ug/l	0.33	1.1	1	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	<0.3	ug/l	0.3	0.95	1	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	<0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	<0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	<0.45	ug/l	0.45	1.4	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	<0.56	ug/l	0.56	1.8	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	<0.64	ug/l	0.64	2	1	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	7.6	ug/l	0.68	2.2	1	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	<0.95	ug/l	0.95	3	1	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	<0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	<0.98	ug/l	0.98	3.1	1	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	<0.39	ug/l	0.39	1.3	1	8260B	10/4/2007	CJR	1
Di-isopropyl ether	<1.3	ug/l	1.3	4.1	1	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	<0.49	ug/l	0.49	1.5	1	8260B	10/4/2007	CJR	1
Ethylbenzene	<0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.9	1	8260B	10/4/2007	CJR	1
Isopropylbenzene	<0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	<0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Methylene chloride	<0.69	ug/l	0.69	2.2	1	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Naphthalene	<1.8	ug/l	1.8	5.6	1	8260B	10/4/2007	CJR	3 4
n-Propylbenzene	<0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	<0.75	ug/l	0.75	2.4	1	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	<0.65	ug/l	0.65	2.1	1	8260B	10/4/2007	CJR	1
Tetrachloroethene	0.72 "J"	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Toluene	<0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	<1.5	ug/l	1.5	4.6	1	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5	1	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	0.51 "J"	ug/l	0.44	1.4	1	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	<0.61	ug/l	0.61	1.9	1	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	<1.2	ug/l	1.2	3.8	1	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	<0.37	ug/l	0.37	1.2	1	8260B	10/4/2007	CJR	1
Vinyl Chloride	0.40 "J"	ug/l	0.2	0.63	1	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221

Invoice # E16116

Lab Code 5016116C
Sample ID SMW-6
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/4/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1

Lab Code 5016116D
Sample ID SMW-7
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

**Organic
VOC's**

Benzene	99	ug/l	23.5	75	50	8260B	10/4/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/4/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/4/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/4/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/4/2007	CJR	34
Chloroform	< 24	ug/l	24	75	50	8260B	10/4/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/4/2007	CJR	1
Ethylbenzene	2750	ug/l	19	60	50	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/4/2007	CJR	1
Isopropylbenzene	57 "J"	ug/l	24	75	50	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/4/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/4/2007	CJR	1
Naphthalene	188 "J"	ug/l	90	280	50	8260B	10/4/2007	CJR	4
n-Propylbenzene	121	ug/l	19	60	50	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221

Invoice # E16116

Lab Code 5016116D
Sample ID SMW-7
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/4/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	10/4/2007	CJR	1
Toluene	1460	ug/l	23	75	50	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	1370	ug/l	60	190	50	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	310	ug/l	18.5	60	50	8260B	10/4/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	10/4/2007	CJR	1
m&p-Xylene	9500	ug/l	33.5	105	50	8260B	10/4/2007	CJR	1
o-Xylene	4800	ug/l	16	50	50	8260B	10/4/2007	CJR	1

Lab Code 5016116E
Sample ID SMW-5
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Isopropyl Acetate	< 0.62	ug/l	0.62	2	1	8260B	10/3/2007	CJR	1
n-Amyl Acetate	< 0.33	ug/l	0.33	1	1	8260B	10/3/2007	CJR	1
Propyl Acetate	< 0.67	ug/l	0.67	2.2	1	8260B	10/3/2007	CJR	1
Acrylonitrile	< 0.66	ug/l	0.66	2.1	1	8260B	10/3/2007	CJR	1
2-Methylnaphthalene	< 3.3	ug/l	3.3	10	1	8260B	10/3/2007	CJR	1
ETBE	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
1-Butanol	< 4	ug/l	4	13	1	8260B	10/3/2007	CJR	1
Acetone	< 2.1	ug/l	2.1	6.7	1	8260B	10/3/2007	CJR	1
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Ethyl Acetate	< 0.44	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromochloromethane	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Bromomethane	< 3.2	ug/l	3.2	10	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Disulfide	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221
Lab Code 5016116E
Sample ID SMW-5
Sample Matrix Water
Sample Date 9/25/2007

Invoice # E16116

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
Dibromomethane	< 0.7	ug/l	0.7	2.2	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
trans-1,3-Dichloropropene	< 0.4	ug/l	0.4	1.3	1	8260B	10/3/2007	CJR	1
cis-1,3-Dichloropropene	< 0.57	ug/l	0.57	1.8	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethyl ether	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
2-Hexanone	< 1.4	ug/l	1.4	4.3	1	8260B	10/3/2007	CJR	1
Iodomethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methyl ethyl ketone (MEK)	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Methyl isobutyl ketone (MIBK)	< 1.4	ug/l	1.4	4.6	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Styrene	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Tetrahydrofuran	< 0.85	ug/l	0.85	2.7	1	8260B	10/3/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
trans-1,4-Dichloro-2-Butene	< 0.6	ug/l	0.6	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,3-Trichloropropane	< 0.6	ug/l	0.6	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl acetate	< 1.7	ug/l	1.7	5.3	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 10221

Invoice # E16116

Lab Code 5016116E
Sample ID SMW-5
Sample Matrix Water
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32		1	8260B	10/3/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.

Authorized Signature

Michael J. Ricker

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MARY TROTTA
SIGMA ENVIRONMENTAL
1300 W. CANAL STREET
MILWAUKEE, WI 53233

Report Date 19-Dec-07

Project Name MASTER DRY CLEANERS

Project # 9923/10221

Invoice # E16469

Lab Code 5016469A

Sample ID SMW-1

Sample Matrix Water

Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	0.59 "J"	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469A
Sample ID SMW-1
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	0.61 "J"	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	1.37 "J"	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	2.16	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469B
Sample ID SMW-2
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469B
Sample ID SMW-2
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469C
Sample ID SMW-3
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	285.0	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469C
Sample ID SMW-3
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	320	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/11/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	2250	ug/l	34	110	50	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/11/2007	CJR	1
Ethylbenzene	62	ug/l	19	60	50	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/11/2007	CJR	1
Tetrachloroethene	126	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Toluene	23 "J"	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	278	ug/l	22	70	50	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469C
Sample ID SMW-3
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	12/11/2007	CJR	1
Vinyl Chloride	298	ug/l	10	31.5	50	8260B	12/11/2007	CJR	1
m&p-Xylene	< 33.5	ug/l	33.5	105	50	8260B	12/11/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.03 "J"	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	15.32	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469D
Sample ID SMW-4
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 9.4	ug/l	9.4	30	20	8260B	12/11/2007	CJR	1
Bromobenzene	< 7.2	ug/l	7.2	22	20	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 10	ug/l	10	32	20	8260B	12/11/2007	CJR	1
Bromoform	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 6.8	ug/l	6.8	22	20	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 7.2	ug/l	7.2	24	20	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 10.4	ug/l	10.4	32	20	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 9.2	ug/l	9.2	30	20	8260B	12/11/2007	CJR	1
Chlorobenzene	< 6.2	ug/l	6.2	20	20	8260B	12/11/2007	CJR	1
Chloroethane	< 9.4	ug/l	9.4	30	20	8260B	12/11/2007	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B	12/11/2007	CJR	1
Chloromethane	< 20	ug/l	20	66	20	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 9.8	ug/l	9.8	32	20	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 6.4	ug/l	6.4	20	20	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 6.6	ug/l	6.6	22	20	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 6	ug/l	6	19	20	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 7	ug/l	7	22	20	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 9.2	ug/l	9.2	30	20	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 9	ug/l	9	28	20	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 11.2	ug/l	11.2	36	20	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 12.8	ug/l	12.8	40	20	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	1900	ug/l	13.6	44	20	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	89	ug/l	19	60	20	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 9.4	ug/l	9.4	30	20	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 19.6	ug/l	19.6	62	20	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 7.8	ug/l	7.8	26	20	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 26	ug/l	26	82	20	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 9.8	ug/l	9.8	30	20	8260B	12/11/2007	CJR	1
Ethylbenzene	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469D
Sample ID SMW-4
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Hexachlorobutadiene	< 30	ug/l	30	98	20	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 9.6	ug/l	9.6	30	20	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 7	ug/l	7	22	20	8260B	12/11/2007	CJR	1
Methylene chloride	< 13.8	ug/l	13.8	44	20	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 10.4	ug/l	10.4	32	20	8260B	12/11/2007	CJR	1
Naphthalene	< 36	ug/l	36	112	20	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48	20	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 13	ug/l	13	42	20	8260B	12/11/2007	CJR	1
Tetrachloroethene	560	ug/l	10.4	32	20	8260B	12/11/2007	CJR	1
Toluene	< 9.2	ug/l	9.2	30	20	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 30	ug/l	30	92	20	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 10	ug/l	10	32	20	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 10	ug/l	10	32	20	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	430	ug/l	8.8	28	20	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 12.2	ug/l	12.2	38	20	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 24	ug/l	24	76	20	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	20	8260B	12/11/2007	CJR	1
Vinyl Chloride	13.4	ug/l	4	12.6	20	8260B	12/11/2007	CJR	1
m&p-Xylene	< 13.4	ug/l	13.4	42	20	8260B	12/11/2007	CJR	1
o-Xylene	< 6.4	ug/l	6.4	20	20	8260B	12/11/2007	CJR	1

Lab Code 5016469E
Sample ID SMW-5
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	15.1	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									
GASES									
Ethane	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
Ethene	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
Methane	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469E
Sample ID SMW-5
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.78	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	23.54	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469F
Sample ID SMW-6
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	1.64 "J"	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469F
Sample ID SMW-6
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469G
Sample ID SMW-7
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic Metals									
Manganese, Dissolved	256.5	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic VOC's									
Benzene	46 "J"	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/11/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/11/2007	CJR	1
Ethylbenzene	2070	ug/l	19	60	50	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469G
Sample ID SMW-7
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/11/2007	CJR	1
Isopropylbenzene	48 "J"	ug/l	24	75	50	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Naphthalene	109 "J"	ug/l	90	280	50	8260B	12/11/2007	CJR	1
n-Propylbenzene	110	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Toluene	1800	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	810	ug/l	60	190	50	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	234	ug/l	18.5	60	50	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	12/11/2007	CJR	1
m&p-Xylene	6300	ug/l	33.5	105	50	8260B	12/11/2007	CJR	1
o-Xylene	3500	ug/l	16	50	50	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	2.17	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	37.34	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469H

Sample ID SMW-8

Sample Matrix Water

Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved									
169.5									
Organic									
VOC's									
Benzene									
2050									
Bromobenzene									
< 18									
Bromodichloromethane									
< 25									
Bromoform									
< 19									
tert-Butylbenzene									
< 17									
sec-Butylbenzene									
< 18									
n-Butylbenzene									
< 26									
Carbon Tetrachloride									
< 23									
Chlorobenzene									
< 15.5									
Chloroethane									
< 23.5									
Chloroform									
< 24									

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469H
Sample ID SMW-8
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 50	ug/l	50	165	50	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/11/2007	CJR	1
Ethylbenzene	95	ug/l	19	60	50	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	12/11/2007	CJR	1
n-Propylbenzene	44 "J"	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Toluene	52 "J"	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	224	ug/l	60	190	50	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	70	ug/l	18.5	60	50	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	12/11/2007	CJR	1
m&p-Xylene	220	ug/l	33.5	105	50	8260B	12/11/2007	CJR	1
o-Xylene	60	ug/l	16	50	50	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.06 "J"	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	22.75	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469I
Sample ID SMW-9
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	496.5	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									
GASES									
Ethane	19	ug/l	1	3	1	8015	12/13/2007	MJR	1
Ethene	4.8	ug/l	1	3	1	8015	12/13/2007	MJR	1
Methane	76	ug/l	1	3	1	8015	12/13/2007	MJR	1
VOC's									
Benzene	< 235	ug/l	235	750	500	8260B	12/11/2007	CJR	1
Bromobenzene	< 180	ug/l	180	550	500	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 250	ug/l	250	800	500	8260B	12/11/2007	CJR	1
Bromoform	< 190	ug/l	190	600	500	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 170	ug/l	170	550	500	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 180	ug/l	180	600	500	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 260	ug/l	260	800	500	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 230	ug/l	230	750	500	8260B	12/11/2007	CJR	1
Chlorobenzene	< 155	ug/l	155	500	500	8260B	12/11/2007	CJR	1
Chloroethane	< 235	ug/l	235	750	500	8260B	12/11/2007	CJR	1
Chloroform	< 240	ug/l	240	750	500	8260B	12/11/2007	CJR	1
Chloromethane	< 500	ug/l	500	1650	500	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 245	ug/l	245	800	500	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 190	ug/l	190	600	500	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 700	ug/l	700	2250	500	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 160	ug/l	160	500	500	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 165	ug/l	165	550	500	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 150	ug/l	150	475	500	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 175	ug/l	175	550	500	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 230	ug/l	230	750	500	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 225	ug/l	225	700	500	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 280	ug/l	280	900	500	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 320	ug/l	320	1000	500	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	7900	ug/l	340	1100	500	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 475	ug/l	475	1500	500	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 235	ug/l	235	750	500	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 490	ug/l	490	1550	500	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 195	ug/l	195	650	500	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 650	ug/l	650	2050	500	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 245	ug/l	245	750	500	8260B	12/11/2007	CJR	1
Ethylbenzene	< 190	ug/l	190	600	500	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 750	ug/l	750	2450	500	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 240	ug/l	240	750	500	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 175	ug/l	175	550	500	8260B	12/11/2007	CJR	1
Methylene chloride	< 345	ug/l	345	1100	500	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 260	ug/l	260	800	500	8260B	12/11/2007	CJR	1
Naphthalene	< 900	ug/l	900	2800	500	8260B	12/11/2007	CJR	1
n-Propylbenzene	195 "J"	ug/l	190	600	500	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 375	ug/l	375	1200	500	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469I
Sample ID SMW-9
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 325	ug/l	325	1050	500	8260B	12/11/2007	CJR	1
Tetrachloroethene	28800	ug/l	260	800	500	8260B	12/11/2007	CJR	1
Toluene	< 230	ug/l	230	750	500	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 750	ug/l	750	2300	500	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 800	ug/l	800	2500	500	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 250	ug/l	250	800	500	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 250	ug/l	250	800	500	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	6200	ug/l	220	700	500	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 305	ug/l	305	950	500	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 600	ug/l	600	1900	500	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 185	ug/l	185	600	500	8260B	12/11/2007	CJR	1
Vinyl Chloride	255 "J"	ug/l	100	315	500	8260B	12/11/2007	CJR	1
m&p-Xylene	< 335	ug/l	335	1050	500	8260B	12/11/2007	CJR	1
o-Xylene	< 160	ug/l	160	500	500	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	1.61	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	49.08	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469J

Sample ID MW-1
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469J
Sample ID MW-1
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	8.2	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/12/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1
Tetrachloroethene	27.2	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	32	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1
Vinyl Chloride	0.38 "J"	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1

Lab Code 5016469K

Sample ID MW-2

Sample Matrix Water

Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469K
Sample ID MW-2
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code	
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1	
Chloromethane	< 1	ug/l		1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1	
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1	
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	4	
Dibromochloromethane	< 0.32	ug/l	0.32		1	8260B	12/12/2007	CJR	1	
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1	
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1	
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1	
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1	
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	1	
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1	
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1	
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1	
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1	
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1	
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1	
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1	
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/12/2007	CJR	1	
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1	
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/12/2007	CJR	1	
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1	
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1	
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1	
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/12/2007	CJR	1	
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1	
Tetrachloroethene	2.75	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1	
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/12/2007	CJR	1	
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1	
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1	
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1	
Trichloroethene (TCE)	1.71	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1	
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1	
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1	
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1	
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1	
o-Xylene	< 0.32	ug/l	0.32		1	8260B	12/12/2007	CJR	1	

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469L
Sample ID MW-3
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic Metals									
Manganese, Dissolved									
	519.6	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic GASES									
Ethane	13	ug/l	1	3	1	8015	12/13/2007	MJR	1
Ethene	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
Methane	14	ug/l	1	3	1	8015	12/13/2007	MJR	1
VOC's									
Benzene	< 23.5	ug/l	23.5	75	50	8260B	12/12/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/12/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/12/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/12/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/12/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/12/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/12/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/12/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/12/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/12/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/12/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	3400	ug/l	34	110	50	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	74 "J"	ug/l	47.5	150	50	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/12/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/12/2007	CJR	1
Ethylbenzene	28.5 "J"	ug/l	19	60	50	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/12/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/12/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	12/12/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469L
Sample ID MW-3
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/12/2007	CJR	1
Tetrachloroethene	140	ug/l	26	80	50	8260B	12/12/2007	CJR	1
Toluene	< 23	ug/l	23	75	50	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	1720	ug/l	22	70	50	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	12/12/2007	CJR	1
Vinyl Chloride	152	ug/l	10	31.5	50	8260B	12/12/2007	CJR	1
m&p-Xylene	< 33.5	ug/l	33.5	105	50	8260B	12/12/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	12/12/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.09	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	49.80	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469M
Sample ID PZ-1
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	3
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	3
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469M
Sample ID PZ-1
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code	
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1	
cis-1,2-Dichloroethene	8.3	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1	
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1	
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1	
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1	
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1	
Di-isopropyl ether	< 1.3	ug/l		1.3	1	8260B	12/12/2007	CJR	3	
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1	
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l		1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1	
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1	
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1	
Naphthalene	< 1.8	ug/l		1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3	
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	3	
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1	
Tetrachloroethene	1.12 "J"	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1	
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1	
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1	
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1	
Trichloroethene (TCE)	0.56 "J"	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1	
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1	
1,2,4-Trimethylbenzene	< 1.2	ug/l		1.2	3.8	1	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1	
Vinyl Chloride	2.09	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1	
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1	
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1	

Lab Code 5016469N
Sample ID DUP
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	3
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469N
Sample ID DUP
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code	
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1	
Chloromethane	< 1	ug/l		1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1	
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3	
1,2-Dibromo-3-chloropropane	< 1.4	ug/l		1.4	4.5	1	8260B	12/12/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32		1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1	
1,3-Dichlorobenzene	< 0.3	ug/l		0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1	
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1	
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	3	
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1	
1,1-Dichloroethene	< 0.64	ug/l	0.64		2	1	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethylene	6.0	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1	
trans-1,2-Dichloroethylene	< 0.95	ug/l	0.95		3	1	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1	
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1	
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1	
Di-isopropyl ether	< 1.3	ug/l		1.3	4.1	1	8260B	12/12/2007	CJR	3
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1	
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1	
Hexachlorobutadiene	< 1.5	ug/l		1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1	
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1	
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1	
Naphthalene	< 1.8	ug/l		1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3	
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	3	
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1	
Tetrachloroethylene	23.3	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1	
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6		5	1	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1	
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1	
Trichloroethylene (TCE)	30.5	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1	
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1	
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1	
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1	
Vinyl Chloride	0.56 "J"	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1	
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1	
o-Xylene	< 0.32	ug/l	0.32		1	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469O
Sample ID EQUIP
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469O
Sample ID EQUIP
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469P
Sample ID TRIP
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic VOC's									
Benzene									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS
Project # 9923/10221

Invoice # E16469

Lab Code 5016469P
Sample ID TRIP
Sample Matrix Water
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethylene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethylene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.

Authorized Signature

Michael J. Ricker

CHAIN OF CUSTODY RECORD

Synergy**Environmental Lab, Inc.**

Chain # No 771

Page 1 of 2

Lab I.D. #	
Account No.:	Quote No.:
Project #: 9923 / 10226	
Sampler: (signature) <i>David Dailey</i>	

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request	
<input type="checkbox"/>	Rush Analysis Date Required
(Rushes accepted only with prior authorization)	
<input checked="" type="checkbox"/>	Normal Turn Around

Project (Name / Location): Master Dry Cleaners									Analysis Requested	Other Analysis		PID/FID												
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered * Y/N*	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCR METALS	Diss. Mn.	Methane, Ethane, Ethene	
A	SMW - 1	12-6-01	12:15	G			3	GW	HCl										X					
B	SMW - 2		12:03	G			3												X					
C	SMW - 3		1:20	G			6		H ₂ SO ₄ HNO ₃				X	X	X	X								
D	SMW - 4		1:30	G			3												X					
E	SMW - 5		11:50	G			7		H ₂ SO ₄ HNO ₃				X	X	X	X								
F	SMW - 6		1:15	G			3												X					
G	SMW - 7		12:30	G			6		H ₂ SO ₄ HNO ₃				X	X	X	X								
H	SMW - 8		12:58	G			6							X	X	X	X							
I	SMW - 9		2:15	G			7							X	X	X	X							
J	mw - 1		1:35	G			3											y						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

* only the HNO₃ containers are filtered

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign) <i>David Dailey</i>	Time 8:10 Am	Date 12-7-01	Received By: (sign)	Time	Date
Method of Shipment: <i>Driver</i>						
Temp. of Temp. Blank: ____ °C On Ice: <input checked="" type="checkbox"/>						
Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Received in Laboratory By: <i>David J. Pote</i>	Time: 11:00	Date: 12/08/01			

CHAIN OF CUSTODY RECORD

Synergy Environmental Lab, Inc.

Chain # No () 770
Page 2 of 2

Lab I.D. #	
Account No. :	Quote No.:
Project #: 9923	10226
Sampler: (signature)	Daniel Dailen

990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)

Normal Turn Around

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*only the HNO₃ containers are filtered

Sample Integrity - To be completed by receiving lab.		Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
Method of Shipment:		<u>David Dailey</u>	<u>8:10</u>	<u>AM</u>	<u>12-7-07</u>		
Temp. of Temp. Blank		°C On Ice					
Cooler seal intact upon receipt:		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
		Received in Laboratory By:	<u>Charles H. Ross</u>		Time: <u>11:22</u>	Date: <u>12/08/07</u>	

ATTACHMENT 8

Cost Estimate

COST ESTIMATE
CHANGE ORDER REQUEST - 1
MASTER DRY CLEANERS
6326 W BLUEMOUND ROAD
WAUWAUTOSA, WISCONSIN
Project Reference #9923

Item Description	Unit Price	Quantity	Units	Total Cost
PROFESSIONAL SERVICES				
Soil Borings, Well Installations, and Development				
Hand Auger Soil Borings				
Monitoring Well Installation				
Piezometer Installation				
Monitoring Well and Piezometer Development				
	<i>Subtotal</i>			\$3,490.00
Groundwater Sampling - Additional Wells Only				
	<i>Subtotal</i>			\$420.00
Supplemental Investigation Report				
	<i>Subtotal</i>			\$4,140.00
Project Management				
	<i>Subtotal</i>			\$2,325.00
TOTAL COST PROFESSIONAL SERVICES				
				\$10,375.00
COMMODITY SERVICES (Budgeted)				
Investigative Waste Disposal				
Development and Purge Water				
Transporation	\$150.00	1	trip	\$150.00
Disposal - Hazardous	\$3.00	200	gallons	\$600.00
Disposal - Non hazardous	\$0.40	100	gallons	\$40.00
Auger Spoils				
Transportation	\$150.00	1	trip	\$150.00
Disposal	\$90.00	7	drums	\$630.00
	<i>Subtotal</i>			\$1,570.00
Survey				
				\$400.00
	<i>Subtotal</i>			\$400.00
Soil Boring and Monitoring Well Investigation				
Monitoring Well Installation				
				\$834.00
Piezometer Installation				
				\$3,972.00
	<i>Subtotal</i>			\$4,806.00
Soil and Groundwater Analysis				
Laboratory				
Soil				
VOCs	\$55.00	6	samples	\$330.00
Groundwater - New well/piezometer only				
VOCs	\$55.00	2	samples	\$110.00
Nitrate/Dissolved Manganese/Sulfate	\$28.00	1	samples	\$28.00
Ethene/Ethane/Methane (additional fee*)	\$55.00	3	samples	\$165.00
	<i>Subtotal</i>			\$633.00
TOTAL COST COMMODITY SERVICES				
				\$7,409.00
TOTAL PROJECT COST				
				\$17,784.00

- The original Scope of Work submitted in July 2007 included four quarterly rounds of groundwater monitoring. Therefore the above change order request only includes groundwater sampling activities associated with the newly installed monitoring well and piezometer.

* =The estimated laboratory costs for the dissolved gas analysis included in the July 2007 Scope of Work were based on a laboratory method which applied a reporting limit of 1 microgram per liter. However, a lower reporting limit is necessary to fully evaluate the degradation of groundwater contaminants at the site. Therefore a lower detection limit (0.025µg/l for ethane and ethene and 0.1 µg/l for methane) will be applied for the future dissolved gas analysis and therefore the laboratory cost per sample has been increased from \$45 per sample to \$100 per sample.