

**RECEIVED**

APR 11 2013

BY: 

**SITE INVESTIGATION REPORT**

**MASTER DRYCLEANING  
6326 WEST BLUEMOUND ROAD  
WAUWATOSA, WISCONSIN**

**BRRTS: 02-41-545142  
FID: 241398630**

PREPARED FOR:

**MASTER DRYCLEANING, INC.  
MR. HAROLD SHIPSHOCK  
N57 W26389 Mt. Dulac Drive  
Sussex, WI 53089**


PREPARED BY:



PROJECT REFERENCE: #9923

MARCH 2013

  
Mary Trotta  
Project Scientist

  
Kristin Kurzka, P.E.  
Senior Engineer

  
Randy Boness, P.G.  
Geosciences Group Leader

## TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	i
CERTIFICATION STATEMENTS .....	iii
<b>1.0 INTRODUCTION.....</b>	<b>1</b>
<b>2.0 SITE CONDITIONS and BACKGROUND .....</b>	<b>1</b>
2.1 <i>Site Operation History and Potential Release Sources</i> .....	1
2.2 <i>Existing Site Conditions</i> .....	2
2.2.1 <i>Potential Contaminant Receptors</i> .....	2
2.3 <i>Background - Previous Investigation Activities</i> .....	3
2.3.1 <i>Property Transaction Site Investigation – 6310 West Bluemound Road</i> .....	3
2.3.2 <i>PECFA Subsurface Investigation</i> .....	4
<b>3.0 SUBSURFACE INVESTIGATION ACTIVITIES .....</b>	<b>4</b>
3.1 <i>Geoprobe Advancement</i> .....	5
3.2 <i>Hand Auger Advancement</i> .....	5
3.3 <i>Monitoring Well Installation</i> .....	5
3.4 <i>Monitoring Well Development</i> .....	7
3.5 <i>Sub-Slab Vapor Assessment</i> .....	7
3.6 <i>Indoor Air Quality Assessment</i> .....	8
3.7 <i>Surveying</i> .....	8
3.8 <i>Static Water Level Measurement</i> .....	8
3.9 <i>Groundwater Sampling and Analysis</i> .....	8
3.10 <i>Management of Investigation Wastes</i> .....	9
<b>4.0 INVESTIGATION RESULTS .....</b>	<b>9</b>
4.1 <i>Geology</i> .....	9
4.2 <i>Hydrogeology</i> .....	10
4.3 <i>Soil Analytical Results</i> .....	11
4.4 <i>Groundwater Analytical Results</i> .....	12
4.5 <i>Preliminary Groundwater Natural Attenuation Evaluation</i> .....	13
4.6 <i>Sub-Slab Vapor Sampling Results</i> .....	14
4.7 <i>Indoor Air Sampling Results</i> .....	14
4.8 <i>Site Investigation Conclusions</i> .....	14
<b>5.0 RECOMMENDATIONS.....</b>	<b>16</b>
<b>6.0 LIMITATIONS OF INVESTIGATION.....</b>	<b>16</b>

## **TABLES**

- Table 1 Groundwater Elevations
- Table 2 Soil Analytical Results
- Table 3 Groundwater Analytical Results

## **FIGURES**

- Figure 1 Site Location Map
- Figure 2 Site Plan Map
- Figure 3 Geologic Cross-Section Map (A-A')
- Figure 4 Geologic Cross-Section Map (B-B')
- Figure 5 Groundwater Contour Map (January 10, 2012)
- Figure 6 Soil Quality Map (Chlorinated Detects Only)
- Figure 7 Groundwater Quality Map

## **APPENDICES**

- Appendix A Soil Boring Logs
- Appendix B Monitoring Well Construction Forms and Boring Abandonment Forms
- Appendix C Monitoring Well Development Forms
- Appendix D Waste Disposal Manifests
- Appendix E Slug Test Results
- Appendix F Soil Analytical Reports
- Appendix G Groundwater Analytical Reports
- Appendix H Air Analytical Reports

## EXECUTIVE SUMMARY

The Sigma Group, Inc. (Sigma) was retained by Mr. Harold Shipshock, owner and operator of Master Drycleaning, to conduct a subsurface site investigation at the property located at 6326 West Bluemound Road in Wauwatosa, Wisconsin (hereinafter the "site"). In February 2006, site investigation activities related to a property transaction at the 6310 West Bluemound Road property (east adjacent property) indicated that chlorinated volatile organic hydrocarbons (CVOCs), likely originating from the Master Drycleaning site, were present within the groundwater (Figure 2).

Following the enrollment of the site into the Drycleaner Environmental Response Program (DERP) in June 2006 and solicitation of site investigation proposals in accordance with DERP requirements, Sigma was selected as the environmental consultant for site investigation activities related to the chlorinated release.

The subject property has been utilized as a commercial dry cleaning store since the late 1960's. Prior to its use as a dry cleaner, the site was historically occupied by a gasoline service station. The associated gasoline underground storage tanks (USTs) were closed and removed from the site in 2006. A petroleum-related release was identified during the 2006 UST removal and is currently being investigated by Sigma under the Petroleum Environmental Cleanup Fund Award (PECFA) program. As such, investigation activities associated with both the chlorinated and petroleum-related releases at the site were conducted concurrently. However, for the purposes of this submittal only the investigation results related to the chlorinated release will be discussed.

Investigation activities conducted at the site included the advancement of six Geoprobe soil borings (SGP-1 through SGP-6) and two hand auger soil borings (HA-1 and HA-2), the installation of nine on-site monitoring wells (SMW-1 through SMW-9), two on-site piezometers (PZ-1 and PZ-2), and five off-site monitoring wells (SMW-10 through SMW-14), the collection of three sub-slab air samples and two indoor air samples, and the completion of up to six groundwater sampling events.

Based on the information obtained during various phases of subsurface investigation, the lithology of the site generally consists of sandy silts and silt to depths of approximately six to 10 feet below ground surface (bgs). A layer of stiff silty clay was encountered beneath the sandy silt/silt to depths of 13 to 17 feet bgs and is underlain by competent bedrock. Shallow groundwater levels indicate that the depth to groundwater at the site ranges from approximately 8 to 13 feet bgs. Groundwater generally flows to the north.

Based on the soil analytical data collected to date, the highest reported concentrations of PCE are located in soil samples collected from the east central portion of the site, in the area of the historic drycleaning machines and exterior filter drying and disposal container/storage locations. Based on the soil analytical data collected to date, the vertical extent of CVOC constituent impacts to the soil at the site appears to extend to the groundwater interface (approximately 13 feet bgs). The horizontal extent of impacts appears to be defined to the south by SGP-1 and SMW-6, to the west by SGP-6 and SMW-7, to the north by SMW-4, and to the east by GP-1.

Review of the groundwater quality results collected to date indicates that PCE and/or one or more of its associated breakdown products were reported at concentrations greater than Ch. NR 140 ESs in groundwater samples collected from monitoring wells SMW-3, SMW-4, SMW-9 through SMW-12, SMW-14, and piezometers PZ-1 and PZ-2. The highest concentrations of PCE and its associated breakdown products were reported in groundwater samples collected from source area groundwater monitoring well, SMW-9. In general, contaminant concentrations reported within the groundwater at monitoring well SMW-9 decreased by one to two orders of magnitude within 45 feet laterally down-gradient (SMW-4) and 15 feet side-gradient (MW-3) of monitoring well SMW-9. In addition, contaminant concentrations identified within the groundwater at monitoring well SMW-9 decrease by one to four orders of magnitude within the deeper groundwater zone (PZ-1 and PZ-2).

Based on the existing groundwater data the lateral extent of CVOC impacts within the shallow groundwater are relatively defined to the east by MW-2, to the south by SMW-6 and SMW-7, to the west by SMW-5 and SMW-8, and to the north by SMW-13 and SMW-14. Natural attenuation indicator data collected during the groundwater monitoring activities demonstrates that natural attenuation processes are likely occurring at the site.

The analytical results of the sub-slab soil vapor sampling conducted at the north adjacent residence (518 North 64<sup>th</sup> Street) indicates that trichloroethene (TCE) was reported within the northeast sub-slab air sample at concentrations greater than the calculated sub-slab air standard. However, indoor air samples collected from the adjacent residence did not indicate the presence of chlorinated constituents within the indoor air at concentrations greater than laboratory detection limits.

Based on the soil and groundwater analytical results collected to date, it appears that the soil and groundwater impacts associated with the chlorinated release have been adequately investigated and defined. In addition, the potential vapor risks associated at the adjacent residence to the north were evaluated via sub-slab and indoor air sample collection. Based on the results of the site investigation and as requested by the WDNR, Sigma has prepared this comprehensive site investigation and recommends that the WDNR approve the site investigation conducted to date as complete. Given the soil and groundwater quality identified to date, it appears that a remedial action to address the chlorinated related impacts will be necessary. Since the site is currently enrolled in the DERF program, it is Sigma's understanding that remedial phase of the site activities will go out for public bid. As such, Sigma has not provided a recommended remedial approach within this report.

**CERTIFICATION STATEMENTS**

"I, Kristin K. Kurzka, P.E., hereby certify that I am a registered Professional Engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the Rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code."

  
\_\_\_\_\_  
Signature  
Project Engineer

  
\_\_\_\_\_  
Date and Stamp

**SUPPLEMENTAL SITE INVESTIGATION REPORT**  
**Master Drycleaning**  
**6326 West Bluemound Road**  
**Wauwatosa, Wisconsin**

**1.0 INTRODUCTION**

The Sigma Group, Inc. (Sigma) was retained by Mr. Harold Shipshock to conduct a subsurface site investigation at the property located at 6326 West Bluemound Road in Milwaukee, Wisconsin (hereinafter the "site"). In February 2006, site investigation activities related to a property transaction at the 6310 West Bluemound Road property (east adjacent property) indicated that chlorinated volatile organic hydrocarbons (CVOCs), which appeared to be migrating from the site were present within the groundwater collected from the 6310 Bluemound Road property (Figure 2).

Following the enrollment of the site into the Drycleaner Environmental Response Program (DERP) in June 2006 and solicitation of site investigation proposals in accordance with DERP requirements, Sigma was selected as the environmental consultant for site investigation activities. Sigma submitted a workplan for the site investigation activities on July 6, 2007. The Wisconsin Department of Natural Resources (WDNR) issued a letter approving the submitted workplan on July 23, 2007. In addition to the initial work plan, Sigma submitted four workplan addendums dated February 28, 2008, December 30, 2008, January 30, 2010, and November 11, 2011 (email correspondence). Site investigation activities, as described in the July 2007 WDNR-approved workplan and supplemental approved workplan addendums, were completed between August 2007 and February 2012. This report summarizes the site investigation activities completed in 2007 through 2012 and their results. Additional information related to the site investigation activities may be present in DERP Investigation Work Plan Addendum 1 through 3 dated, February 28, 2006, December 30, 2008, and January 30, 2010, respectively.

**2.0 SITE CONDITIONS and BACKGROUND**

**2.1 Site Operation History and Potential Release Sources**

The subject property has been utilized as a commercial dry cleaning store since the late 1960's. The facility historically used and currently uses tetrachloroethene (PCE) as a dry cleaning solvent. The dry cleaning equipment is currently located in the eastern portion of the building.

On August 24, 2007, Keith Cronin of Sigma met with Mr. Harold Shipshock (site owner) to discuss historical and current material handling procedures in an effort to identify potential chlorinated source areas. During the meeting, Mr. Shipshock indicated that dry cleaning and filtration machines were replaced with new machines in 1997. The machines and tetrachloroethene (PCE) storage are currently located in a diked area within the facility. The former machines contained a solid door which prevented workers from visually determining if the cycle was complete and subsequently resulted in accidental PCE spills from opening the door prior to cycle completion. A sewer drain was located near the cleaning therefore a release to the sewer may have occurred during accidental spill incidents.

In addition, Mr. Shipshock indicated that during the current filter replacement process the old filters are cleaned to remove PCE solvent prior to removing them from their containers. Old filters are then placed in 55-gallon drums for future disposal at a recycling facility. However, historically old filters were instantly removed from their containers (without cleaning) and placed outside on the concrete surface adjacent to the building (east side of building). Used filters were allowed to dry outside and were later disposed of in the dumpsters formerly located east of the building.

Based on a review of the historical solvent handling procedures it is possible that a release to the environment may have occurred during the historic filter drying process. In addition, depending on the type and condition of storm sewer at the site, it is possible that solvent which accidentally spilled from the machines could have been released to the environment via a breach in the sewer (e.g. leak).

Prior to its use as a dry cleaner, the site was occupied by a gasoline service station. The associated gasoline underground storage tank (USTs) were closed and removed from the site in 2006.

## 2.2 Existing Site Conditions

The subject property is located at the northeast corner of the intersection of West Bluemound Road and North 64<sup>th</sup> Street in Wauwatosa, Wisconsin. The subject site is developed with a 1,300 square foot one-story building with a slab on grade foundation constructed in 1950.

The property is bordered to the south by West Bluemound Road followed by commercial business, to the west by North 64<sup>th</sup> Street followed by residences, to the north by a residence (518 North 64<sup>th</sup> Street) and to the east by the Milwaukee Police Association (6310 West Bluemound Road). The site is located in a residential and commercially zoned area of Wauwatosa in the southeast 1/4 of the southeast 1/4 of Section 27, Township 7 North, Range 21 East. A site location map is included as **Figure 1**.

Based on information obtained from a recent site survey, the elevation of the site is approximately 690 feet above mean sea level (MSL). The area is characterized by topography that is relatively flat. Surface drainage at the site is influenced and controlled by topography; catch basins and storm sewers are present within the right-of-ways along West Bluemound Road and North 64<sup>th</sup> Street.

### 2.2.1 Potential Contaminant Receptors

Information regarding underground utilities was obtained by a review of the City of Wauwatosa building permit and utility records and by contacting Diggers Hotline and inspecting site features. Unfortunately the City of Wauwatosa utility-related information was limited to subsurface utilities location within the adjacent right-of-ways therefore the actual locations on-site could not be confirmed. The approximate locations of utility lines identified during site investigation activities are included on **Figure 2**. The active underground water, sanitary sewer, and gas lines enter the site from

North 64<sup>th</sup> Street on the west side of the property. Abandoned water, sanitary sewer and storm sewer lines enter the site on the southeast corner and run perpendicular to Bluemound Road. Based on the City records the gas, water, and sanitary sewer line within 64<sup>th</sup> Street are located at a depth of 3 feet bgs, 5.5 feet bgs, and 8 feet bgs, respectively. The storm sewer, water, and sanitary sewer line within Bluemound Road are located at a depth of approximately 5 feet bgs, 7 feet bgs, and 10 feet bgs. Although, the exact depth of site utilities was not identified, subsurface utilities at the site are likely present at a slightly higher elevation than the right-of-way utilities to account for proper flow within the utility.

Based on the approximate depth of utilities within the right of way, the depth to groundwater at the site, and the fact that subsurface utility laterals generally slope upward as they enter a property, the subsurface utilities and associated backfill at the site are generally located above the groundwater interface and therefore do not appear to be at risk of receiving impacted groundwater or acting as a migration pathway.

A review of area maps indicates the closest surface water body is the Menomonee River located approximately 3,000 feet north of the site.

The subject property is located within the City of Wauwatosa, an area serviced by a municipal water supply system, which obtains its water from Lake Michigan. As such a well receptor survey was not completed as the surrounding properties are serviced by the municipal water service.

The adjacent residential structure (518 North 64<sup>th</sup> Street) to the north of the site is equipped with a basement and subsequently is a potential receptor for the vapor migration pathway. Additional structures which may be a potential receptor for vapor migration includes the 524 and 532 North 64<sup>th</sup> Street residences (approximately 55 to 120 feet north of the Master Drycleaning property) and the 6310 West Bluemound Road commercial building (east adjacent). Given the low level contaminant concentrations (generally below the Chapter NR 140 enforcement standard) identified within the monitoring wells adjacent to the above referenced structures and/or the lack of a basement structure, the potential vapor migration risk associated with the 524 and 532 North 64<sup>th</sup> residence and the 6310 West Bluemound Road commercial building appears to be minimal.

## **2.3 Background - Previous Investigation Activities**

### **2.3.1 Property Transaction Site Investigation – 6310 West Bluemound Road**

In February 2006, site investigation activities associated with a property transaction were conducted by Key Engineering Group, Ltd. (Key) at the 6310 Bluemound Road property located adjacent (east) to the site. The site investigation results (Table 2A and 3) indicated that chlorinated volatile organic hydrocarbons (CVOCs) were present within the groundwater collected from select monitoring wells (MW-1 and MW-3) located on the

6310 Bluemound Road property (Figure 2). Based on the location of the impacted monitoring wells, the observed northeast direction of groundwater flow, and the lack of an apparent source at the 6310 Bluemound property, the groundwater impacts were identified to have originated on the Master Drycleaning site.

Please note, the monitoring wells (MW-1 through MW-3) advanced during the property transaction site investigation activities associated with 6310 West Bluemound Road property remain present at this time and are currently being utilized to evaluate the groundwater contaminant plume associated with the site. As such, groundwater quality results associated with monitoring wells MW-1 through MW-3 are further discussed in Section 4.4 of this report.

### 2.3.2 PECFA Subsurface Investigation

As indicated in Section 2.1, the site was historically utilized as a gasoline station. In June 2006, a 2,000-gallon and two 3,000-gallon gasoline USTs, which had been out of use since the late 1960's, were closed and removed from the site. During the UST closure activities, soil impacts were identified within the former UST area.

Prior to initiating the investigation of the chlorinated release identified by off-site impacts (6310 West Bluemound investigation, Section 2.3.1), Sigma on behalf of Master Dry Cleaning, initiated a petroleum environmental clean-up fund award (PECFA) investigation of the gasoline release related to the underground storage tanks (UST) at the site. The PECFA site investigation was initiated on December 6, 2006 and included the installation of five Chapter NR 141 compliant groundwater monitoring wells (SMW-1 through SMW-5) across the site (Figure 2). Two soil samples were collected from each monitoring well location and one groundwater sample was collected from the monitoring well network which included the previously installed off-site monitoring wells MW-1 through MW-3. Soil and groundwater samples were analysis for volatile organic compounds (VOCs) and total lead to assess the soil and groundwater quality beneath the site. The analytical results of the soil and groundwater samples collected during the PECFA investigation revealed the presence of both petroleum and chlorinated-related impacts at the site. The results of the PECFA investigation, as they relate to the chlorinated release, are discussed in greater detail in 4.3 and 4.4 of this report.

## 3.0 SUBSURFACE INVESTIGATION ACTIVITIES

The following sections provide a comprehensive summary of the investigation activities conducted at the site and related to the identified chlorinated release. Chlorinated-related investigation activities were initiated in August 2007 and continued through February 2012. As a part of the investigation activities, Sigma submitted four work plan addendums dated February 28, 2008, December 30, 2008, January 30, 2010, and November 11, 2011 (email correspondence). With the exception of the November 2011 Work Plan Addendum request, each of the

Work Plan Addendums included a summary of the investigation activities completed prior to the addendum submittal. Therefore, additional information related to the chlorinated-related site investigation activities may also be found in the above referenced Work Plan Addendums.

### 3.1 Geoprobe Advancement

On September 6, 2007, Sigma advanced six Geoprobe soil borings (SGP-1 through SGP-6) at the site to a depth of approximately 11 feet below ground surface (bgs). The Geoprobe soil borings were advanced to assess the subsurface conditions within the vicinity of the potential chlorinated source areas identified through an interview with the property owner on August 24, 2007 (Section 2.1 of this report). Specifically Geoprobe soil borings SGP-2 through SGP-6 were advanced along the exterior of the north and east building wall to evaluate the former filter drying area and the dry cleaner machine area. Geoprobe soil boring SGP-1 was advanced in the southwest corner of the site to evaluate subsurface conditions within the approximate vicinity of the historic storm sewer (currently abandoned).

Two soil samples were collected from each Geoprobe soil boring and submitted for laboratory analysis of volatile organic compounds (VOCs). Soil samples submitted for laboratory analysis were generally collected from the direct contact interval (0-4 feet bgs) and from the sample displaying the highest photoionization detector (PID) reading. Following soil sample collection each of the Geoprobe soil borings were abandoned in accordance with Chapter NR 141 guidelines. Soil boring logs and abandonment forms are included as **Appendix A** and **B**, respectively.

### 3.2 Hand Auger Advancement

On July 31, 2008 Sigma advanced two hand auger soil borings (HA-1 and HA-2) through the floor of the site building near the former dry cleaning equipment and the storm sewer (**Figure 1**) to assess soil conditions beneath the site building and evaluate potential source areas (e.g. surface spills, storm sewer, etc). The soil borings were advanced to approximately five feet below the concrete floor. Two soil samples were collected from each hand auger soil boring for laboratory analysis of VOCs. Following the soil sample collection, each hand auger soil boring was abandoned in accordance with Chapter NR 141 requirements. The soil boring logs are included as **Appendix A** and the abandonment forms are included as **Appendix B**.

### 3.3 Monitoring Well Installation

As stated in Section 2.3.2 of this report, on December 6, 2006, Sigma installed five NR 141 compliant groundwater monitoring wells (SMW-1 through SMW-5) as a part of the PECFA investigation at the site. Although installed under the PECFA program, the monitoring wells were also utilized to evaluate the chlorinated release at the site. Monitoring wells SMW-1 through SMW-5 were installed to depths ranging from 15 to 17 feet bgs.

Between September 19, 2007 and August 6, 2009, Sigma installed five NR 141 monitoring wells (SMW-8, SMW-9, SMW-12 through SMW-14) at the site and off-site to the north. The wells were installed with approval from the DERF program in

an effort to define the extent of the chlorinated-related groundwater impact plume. In addition, four NR 141 monitoring wells (SMW-6, SMW-7, SMW-10, and SMW-11) were installed at the site and off-site to the north with approval from the PECFA program to evaluate the extent of the petroleum-release. All PECFA-related wells were also utilized to further define and delineate the extent of the chlorinated-related release. Monitoring well locations are identified on **Figure 2**.

In addition, on November 11, 2007, Sigma installed a double-cased peizometer (PZ-1) adjacent to SMW-9 to define the vertical extent of chlorinated groundwater impacts within the potential source area. On August 12, 2008 an additional double-cased peizometer (PZ-2) was installed adjacent to SMW-4 to define the chlorinated groundwater impacts at depth.

In general, monitoring wells SMW-1 through SMW-14 were advanced to depths ranging from 13 to 17 feet bgs while piezometers PZ-1 and PZ-2 were advanced to approximately 35 feet bgs. During well advancement, soil samples were collected on a continuous basis and described on the basis of color, grain size, texture, and plasticity, and were classified in general accordance with the USCS. Piezometer PZ-1 was blind drilled to a depth of 13 feet bgs and soil samples were collected continuously to the depth of bedrock, approximately 17 feet bgs. Piezometer PZ-2 was blind drilled to approximately 35 feet bgs. Soil classifications, description and specific sampling intervals are presented on the soil boring logs in **Appendix A**.

The monitoring wells were constructed with a 10-foot length of two-inch diameter PVC screen (0.010 machine slotted) connected to an appropriate length of two-inch diameter PVC riser pipe. The screen was positioned to intersect the groundwater table as observed during the drilling activities. The monitoring well construction forms (WDNR Form 4400-113A) are included as **Appendix B**.

Piezometers PZ-1 and PZ-2 were completed as double-cased piezometers with a 6-inch diameter steel outer casing installed to a depth of approximately 18 feet bgs, approximately one foot into the bedrock. The outer steel casing for each piezometer was grouted in place with a bentonite/cement grout mixture and allowed to set up overnight. Given the presence of bedrock, air rotary was used to drill through the outer steel casing to complete installation of the piezometers. The piezometers were constructed with a 5-foot length of two-inch diameter PVC screen connected to an appropriate length of PVC riser pipe. Piezometer construction details are presented on well construction forms included as **Appendix B**.

In general two soil samples collected from monitoring wells SMW-1 through SMW-9 were submitted for laboratory analysis of volatile organic compounds (VOCs). Soil samples submitted for laboratory analysis were generally collected from the direct contact interval (0-4 feet bgs), the soil sample containing the highest field reading, and/or the soil sample collected just above the water table interface.

### 3.4 Monitoring Well Development

Well development activities were completed in accordance with Chapter NR 141 to remove fine sediment from the monitoring well annulus and filter pack and to establish a hydraulic connection with the surrounding formation. Monitoring wells were developed by surging and purging each well with a bailer on December 8, 2006 (SMW-1 through SMW-5), September 21, 2007 (SMW-6 through SMW-9), November 15, 2007 (PZ-1), August 14, 2008 (SMW-10 through SMW-12 and PZ-2), and August 18, 2009 (SMW-13 and SMW-14). The monitoring well development forms (WDNR Form 4400-113B) are included as Appendix C.

### 3.5 Sub-Slab Vapor Assessment

On July 21, 2009, Sigma conducted a vapor assessment at the residential property located immediately north of the site (518 North 64<sup>th</sup> Street) to identify if a vapor migration risk is present as a result of the chlorinated impact plume at the site. Please note the completion of vapor assessment activities at the Milwaukee Police Association property located immediately east of the site (6310 West Bluemound Road) was deemed not necessary by the WDNR (in a phone correspondence) due to the fact that the building was constructed as slab on grade and does not include a basement structure. Specifically, based on the depth of groundwater (11 feet bgs), the minimal groundwater impacts present within the vicinity of the building (MW-2), the lack of a basement structure, and as confirmed with WDNR, a vapor assessment was not conducted at the 6310 West Bluemound Road building. Furthermore, the WDNR did not request the completion of a vapor assessment at the north structures located within close proximity to the down-gradient groundwater plume margin. Although possible, a vapor migration risk to the 6310 West Bluemound Road commercial building and/or residences (524 and 532 North 64<sup>th</sup> Street) along the northern groundwater impact plume boundary appear to be minimal. In addition sub-slab air sampling was not conducted at the site building due to the continued use of PCE within the facility.

The vapor assessment activities at the 518 North 64<sup>th</sup> Street residence consisted of the installation of three vapor points (VP-1 through VP-3) immediately beneath the basement slab. The vapor points were advanced through the concrete basement slab on the eastern half of the basement. The western half of the basement had a finished floor and the owner of the property preferred that we did not drill through the finished floor.

At each vapor probe location (VP-1 through VP-3), a hammer drill with a 3/8-inch diameter drill bit was used to advance a small diameter hole through the concrete basement slab. A new section of 1/4 inch diameter rigid wall tubing was inserted into the borehole and the borehole was sealed at the surface with cement. Following the sealing activities, a SUMMA canister was connected to the tubing. With the exception of vapor probe (VP-3), an air sample was collected from each vapor probe at a maximum flow rate of 0.1 liter per minute for a one hour period. However, during the air sampling at VP-3 there appeared to be a malfunction with the SUMMA canister sampling device which caused an increased flow rate and the SUMMA canister to fill within approximately 20 minutes rather than the allotted hour.

Given the malfunction of the SUMMA canister sampling device at vapor probe location VP-3, an additional sub-slab air sample (VP-3R) was collected from the area of VP-3 on April 7, 2010 to confirm the July 2009 air quality results.

The air samples were submitted for laboratory analysis of VOC using laboratory method TO-15.

### 3.6 Indoor Air Quality Assessment

Evaluated concentrations of TCE were identified within the air samples collected from vapor point VP-3/3R. Given the results of the sub-slab vapor assessment, an indoor air assessment was conducted at the residence (518 N 64th Street) located immediately north of the Master Dry Cleaning site on February 27, 2012 to evaluate the potential vapor risk. Air quality samples were collected via a SUMMA canister calibrated to accept air for a 24 hour period. Air samples were collected from the basement and first floor of the residence to evaluate indoor air conditions and from the outside to establish background ambient air conditions. Following the sample collection, the air samples were submitted for a limited TO-15 analysis consisting of TCE, PCE, vinyl chloride, cis-1,2-dichloroethene (DCE), and Trans 1,2-DCE.

### 3.7 Surveying

The elevations and locations of the new monitoring wells and significant site features were determined by a survey with a horizontal control accuracy of  $\pm 1.0$  feet and a vertical accuracy of  $\pm 0.01$  foot. Elevation data was referenced to a local USGS datum in feet above Mean Sea Level (MSL).

### 3.8 Static Water Level Measurement

Static water levels were obtained from the monitoring well network to determine the horizontal groundwater flow direction, calculate hydraulic gradients, and monitor temporal fluctuations in the water table. The water levels were measured with an electronic water level indicator to the nearest one-hundredth of a foot and were referenced to the surveyed monitoring well top of casing elevation.

### 3.9 Groundwater Sampling and Analysis

Up to five rounds of groundwater monitoring which were related to the investigation of the chlorinated release were conducted on the well network. Specifically groundwater samples were collected from the monitoring well network, existing at the time of sampling, on December 12, 2006, September 25, 2007, December 6, 2007, September 9, 2008, and August 18, 2009. An additional groundwater sample was also collected from monitoring well SMW-9 on January 10, 2012. Groundwater samples from the monitoring well network were submitted for laboratory analysis of VOCs. *In-situ* groundwater parameters (dissolved oxygen, ferrous iron, pH, and groundwater temperature) were also collected during each sampling event. In addition, natural attenuation parameters, including nitrate/nitrite, sulfate, manganese, ethane, ethane, and/or methane were also analyzed on the groundwater sample collected from select monitoring wells on December 6, 2007, September 9, 2008, and January 10, 2012.

Groundwater sampling related to the petroleum release was also conducted on July 01, 2010 and October 29, 2010; however, the analysis requested was limited to petroleum-related volatile organic compounds (PVOCs) and naphthalene and therefore did not aid in the evaluation of the chlorinated groundwater plume.

### **3.10 Management of Investigation Wastes**

Monitoring well development and purge water generated from those monitoring wells (SMW-3, SMW-4, SMW-9, SMW-10, SMW-11, SMW-12, SMW-14, MW-1, MW-2, MW-3, PZ-1, and PZ-2) exhibiting concentrations of trichloroethene (TCE), tetrachloroethene (PCE), and/or vinyl chloride greater than the Chapter NR 140 enforcement standard (ES) were containerized in steel 55-gallon Department of Transportation (DOT)-approved drums and handled as a listed hazardous waste (F002) by Jensen Environmental, Inc. of Muskego, Wisconsin and/or Badger Disposal of Wisconsin. Disposal documentation is attached as **Appendix D**. Development and purge water generated from all other wells was disposed of the Port Washington Waste Water Treatment Plant.

A "contained-out" exemption for soil contaminated with CVOC constituents was obtained from the WDNR on October 30, 2007. With the exception of soil generated from installation of monitoring well SMW-9 and piezometer PZ-1, soil cuttings from well installation activities were placed in 55-gallon steel drums and subsequently transported off-site to Waste Management's Orchard Ridge facility for disposal. Given the elevated TCE concentrations reported in the soil from monitoring well SMW-9, the soil generated during the well installation activities monitoring well SMW-9 and piezometer PZ-1 was placed in 55-gallon drums and subsequently transported off-site by AAA Environmental Services, Inc. for disposal as a hazardous waste. Disposal documentation is included as **Appendix D**.

## **4.0 INVESTIGATION RESULTS**

### **4.1 Geology**

Based on information obtained during the various phases of subsurface investigation, the lithology of the site generally consists of sand, silt and clay. Specifically sandy silt to silty sand was observed at the site beneath the ground surface asphalt layer and the associated two feet of sand and gravel fill to approximately six to ten feet bgs. The sandy silt/silty sand layer was generally underlain with a stiff brown to gray clay to approximately 17 feet bgs. Bedrock, comprised of competent dolomite, was encountered beneath the clay layer at piezometer PZ-1 and PZ-2 at approximately 17 feet bgs.

The soils observed on the adjacent properties to the north differ slightly from site lithology. Specifically, subsurface conditions observed on the off-site properties to the north generally consisted of a silty clay unit just beneath the topsoil layer to depths of approximately 10 feet bgs. The silty clay interval was underlain by a two to four foot layer of sand which extended to the bottom of the borehole. Bedrock was encountered within off-site borings a depths ranging from 13 to 16 feet bgs. The specific soil characteristics and depths encountered during drilling activities are

shown on the soil boring logs in Appendix A. Geologic cross sections of the site included as Figures 3 and 4.

#### 4.2 Hydrogeology

Groundwater level measurements were collected at the monitoring well network during each of the monitoring events. Based on the most recent monitoring event (January 10, 2012), the depth to groundwater at the site and the adjacent assessed properties, ranged from 7.83 feet bgs at monitoring well SMW-2 to 13 feet bgs at monitoring well SMW-3. Based on the static water level measurements and the surveyed top of casing, groundwater flow appears to be predominantly toward the north and appears to be consistent during all of the sampling events. The measured static water levels in site monitoring wells are presented in Table 1. A groundwater contour map based on the most recent monitoring event is presented as Figure 5.

The horizontal hydraulic gradient at the site ranges from approximately 0.0184 feet per foot up to approximately 0.038 ft/ft. The vertical hydraulic gradient at well nest SMW-9/PZ-1 during the October 29, 2010 monitoring event was approximately 0.0038 ft/ft downward.

In-situ hydraulic conductivity tests (slug tests) were completed in wells SMW-2, SMW- 6, and SMW-8 on November 19, 2007. Calculated hydraulic conductivities ranged from  $6.37 \times 10^{-5}$  centimeters per second (cm/s) in SMW-2 to  $6.85 \times 10^{-3}$  cm/s in SMW-8. Monitoring well SMW-6 and SMW-8 are screened within a permeable silty sand to sandy silt soil while SMW-2 is screened in clay. Hydraulic conductivity values are generally within the expected range of values for the respective soil types. Slug Test Analysis Reports are included as Appendix E.

The average linear groundwater flow velocity for the saturated formation is determined by the formula:

$$V = \frac{Ki}{n_e}$$

Where:

V = groundwater flow velocity (feet/day)

K = hydraulic conductivity (feet/day)

i = average horizontal hydraulic gradient across site (ft/ft)

$n_e$  = effective porosity of soil (%)

(Freeze and Cherry, 1989)

Based on the calculated mean hydraulic conductivity ( $5.5 \times 10^{-4}$  cm/s), the average calculated horizontal hydraulic gradient (0.022 ft/ft), and an assumed effective porosity of 0.40 for sandy silt to clay material, the linear groundwater flow velocity in the vicinity of the source area is approximately 0.08 feet per day.

#### 4.3 Soil Analytical Results

This site investigation report was prepared to document the site investigation activities and results specific to the chlorinated release. As such, the soil quality discussion below only relates to impacts associated with a chlorinated release. Petroleum-related soil impacts have been identified at the site and provided to the WDNR under BRRTS #03-41-547831.

State standards were not established for many individual CVOCs reported during the investigation activities. Therefore Sigma calculated site specific residual contaminant levels (RCLs) in accordance with Ch. NR 720 using the Environmental Protection Agency Soil Screening Guidance Calculator (WDNR default parameters) for PCE and TCE.

A total of 33 soil samples, collected from the on-site monitoring wells SMW-1 through SMW-9 and soil borings SGP-1 through SGP-6 and HA-1 and HA-2, were submitted for laboratory analysis of VOCs. In addition, five soil samples, collected from the off-site (east adjacent property, 6310 West Bluemound) soil borings, GP-1 through GP-3 were also submitted for laboratory analysis of VOCs. Soil analytical results collected to date are presented in Table 2 and on Figure 6. The laboratory reports for the soil samples are included as Appendix F.

Review of the analytical results indicates that PCE concentrations greater than the calculated site specific residual contaminant level (SSRCL) of 1,230 micrograms per kilogram ( $\mu\text{g}/\text{kg}$ ) were reported within the soil samples collected from seven soil borings. In general the chlorinated related soil impacts were identified within the east central portion of the site (former drycleaning machine and filter drying areas). PCE concentrations greater than the SSRCL generally ranged from 1,400 to 10,900  $\mu\text{g}/\text{kg}$ ; however, an elevated PCE concentration of 214,000  $\mu\text{g}/\text{kg}$  was reported within the soil sample collected from 14 to 15 feet bgs at monitoring well SMW-9. TCE concentrations ranging from 65 to 267  $\mu\text{g}/\text{kg}$  (SSRCL of 160  $\mu\text{g}/\text{kg}$ ) were reported within the soil samples submitted for laboratory analysis from soil boring SGP-3 while an elevated TCE concentration of 51,000  $\mu\text{g}/\text{kg}$  was also reported within the soil sample collected from 14 to 15 feet bgs at monitoring well SMW-9. Given that the soil sample (14-15 feet bgs) submitted for laboratory analysis from monitoring well SMW-9 was collected approximately one foot beneath the observed water table (approximately 13 feet bgs), it is likely that the elevated chlorinated-related soil impacts identified within the soil at SMW-9 may be more representative of both groundwater and soil contamination.

Based on the soil analytical data collected to date, the extent of CVOC constituent impact to soil at the site appears to be defined to the south by SGP-1 and SMW-6, to the west by SGP-6 and SMW-7, to the north by SMW-4, and to the east by GP-1. Vertically, the soil impacts appear to extend to the water table, approximately 13 feet bgs.

#### 4.4 Groundwater Analytical Results

One to six rounds of groundwater samples were collected from the monitoring wells at the site on February 2006 (off-site investigation), December 2006 (petroleum investigation), September 2007, December 2007, September 2008, August 2009, and January 2012 (petroleum investigation). All groundwater analytical results are summarized on Table 3 and presented on Figure 7, and laboratory analytical reports are included in Appendix G.

Review of the most recent groundwater analytical results (August 2009 at all wells except SMW-9; December 2012 at SMW-9) indicates that select CVOCs, including cis 1,2-dichloroethene (cis 1,2-DCE), PCE, TCE, and/or vinyl chloride were detected at concentrations greater than their respective Chapter NR 140 Enforcement Standard (ES) within the groundwater samples collected from each of the monitoring wells excluding SMW-1, SMW-2, and SMW-5 through SMW-8, SMW-13, and MW-2. In addition, cis 1,2-DCE and vinyl chloride were detected at concentrations greater than the NR 140 ES within the groundwater sample collected from piezometer PZ-2. Concentrations of PCE and/or TCE greater than the NR 140 Preventative Action Limit (PAL) were reported within the groundwater samples collected from monitoring wells SMW-6 and MW-2. In addition, cis 1,2-DCE, PCE, and TCE were reported at concentrations greater than the NR 140 PAL within groundwater samples collected from piezometer PZ-1.

Based on the groundwater quality results, elevated CVOCs were identified within the groundwater sample collected from monitoring well SMW-9 which further indicates the source of the release to be associated with the former drycleaning machines and filter drying area. Contaminant concentrations decrease by one to two orders of magnitude within 45 feet laterally down-gradient (SMW-4) and 15 feet side-gradient (MW-3) of monitoring well SMW-9 indicating that the elevated groundwater impacts are relatively confined to the area immediately east of the building. In addition, contaminant concentrations identified within the groundwater at monitoring well SMW-9 decrease by one to four orders of magnitude within groundwater samples collected from the deeper groundwater zone (PZ-1 and PZ-2) indicating that contamination migration to the deeper groundwater unit is relatively limited.

Chlorinated-related VOCs were not reported at concentrations greater than the laboratory detection limit within the groundwater sample collected from monitoring well SMW-13 therefore the down-gradient extent of the chlorinated plume appears to be defined to the northeast. Cis-1,2-DCE and vinyl chloride were reported at concentrations greater than the NR 140 ES within the groundwater sample collected from monitoring well SMW-14; however, TCE was not reported at concentrations greater than the laboratory detection limit (2.1 micrograms per liter [ $\mu\text{g/l}$ ]). Cis 1,2-DCE and vinyl chloride are breakdown products of PCE, the parent compound associated with the chlorinated release at the site. The presence of breakdown products and lack of the parent compound within the groundwater sample collected from monitoring well SMW-14 indicates that monitoring well SMW-14 is likely located at the plume margin. Chlorinated constituents were not detected or were detected at concentrations below the NR 140 ES within the

groundwater samples collected from up-gradient and side-gradient monitoring wells SMW-5, SMW6, SMW-7 and MW-2. Therefore based on the most recent sampling results, the extent of the chlorinated groundwater plume appears to be adequately defined laterally.

#### 4.5 Preliminary Groundwater Natural Attenuation Evaluation

Natural attenuation is generally evaluated using a "lines of evidence" approach. Typically, the first line of evidence is reduction of contaminants and is documented through reviewing historical trends in contaminant concentration and distribution in conjunction with site geology and hydrogeology to show that reduction in the total mass of contaminant is occurring at the site.

The second line of evidence is presence and distribution of geochemical and biochemical indicators. This is documented by examining changes in concentrations and distributions of geochemical and biochemical indicator parameters that have been shown to be related to natural attenuation.

The third line of evidence (direct microbiological evidence) is documented by: 1) demonstrating that the types of microorganisms that have been associated with chlorinated solvent biodegradation are present at the site; and/or 2) demonstrating that the indigenous microorganisms can biodegrade the contaminants present at the site under site conditions (e. g., microcosm biofeasibility studies).

Data collection activities for the site were focused on developing the first and the second lines of evidence. The third line of evidence (microbial identifications or microcosm studies) was not considered at this stage because this information is generally only required when data supporting the first two lines of evidence is insufficient to adequately support natural attenuation.

**First Line of Evidence** - The most compelling evidence of bioremediation occurring at a CVOC impacted site is the presence of chlorinated compound daughter products such as cis- and trans-dichloroethene (DCE, though cis-1,2-DCE predominates and is the best indicator of the two DCE isomers that biodegradation is occurring) and vinyl chloride. As noted above, these compounds were detected within groundwater samples collected from monitoring wells SMW-3, SMW-4, SMW-9, SMW-11, SMW-12, SMW-14, PZ-1 and PZ-2

**Second Line of Evidence** - Anaerobic degradation of PCE and TCE proceeds via DCE and vinyl chloride to dissolved gases ethene, ethane and methane. The presence of these gases is a significant piece of evidence, which supports the first line of evidence data that bioremediation processes are likely occurring at the site. Groundwater samples collected from monitoring wells SMW-5, SMW-9, and MW-3 were submitted for laboratory analysis of ethane, ethene, and methane. Review of the reported concentrations indicates that concentrations of dissolved gases are greater in the source monitoring well SMW-9 and immediately downgradient monitoring well MW-3 than in side-gradient well SMW-5.

Data collected during groundwater monitoring activities indicate that natural attenuation processes are likely occurring at the site. Analytical data for natural attenuation parameters are included in Table 4.

#### 4.6 Sub-Slab Vapor Sampling Results

Review of the air quality results from the sub-slab air samples collected from the 518 North 64<sup>th</sup> Street residence located immediately north of the site indicates that chlorinated-related constituents were not reported at concentrations greater than the calculated sub-slab air standard with the exception of TCE which was reported at a concentration of 449 micrograms per cubic meter of air ( $\mu\text{g}/\text{m}^3$ ) within the air sample collected from vapor probe VP-3R. Analytical results from the vapor assessment are presented on Table 5. The laboratory analytical report is included as Appendix H.

#### 4.7 Indoor Air Sampling Results

Review of the air quality results from the indoor air samples collected from the 518 North 64<sup>th</sup> Street residence located immediately north of the site indicates that chlorinated-related constituents were not reported at concentrations greater than the limit of detection. Analytical results from the vapor assessment are presented on Table 5. The laboratory analytical report is included as Appendix H.

#### 4.8 Site Investigation Conclusions

Based on all investigation activities to date, it can be concluded that:

- The historic dry cleaning machines which were prone to spills given the solid door construction were replaced with new machines located in a diked area 1997. In addition, the used filter management process, which formerly included air drying on the sidewalk surface east adjacent to the building and placement in a standard dumpster, has been ceased. Current management practices include the placement of the used filters in 55-gallon drums for future off-site recycling. Therefore there is no continued source for soil and groundwater impacts.
- Based on information obtained during various phases of subsurface investigation, the lithology of the site generally consists of sandy silt/silty sand to depths of approximately six to 10 feet bgs. A layer of stiff silty clay was encountered beneath the sandy silt/silt to depths of 13 to 17 feet bgs and was underlain by bedrock.
- Shallow groundwater levels indicate that the depth to groundwater at the site ranges from approximately 8 to 13 feet bgs. Groundwater generally flows to the north.
- The approximate horizontal hydraulic gradient based on the January 2012 groundwater elevation data was estimated to be 0.022 feet per foot. The vertical gradient as measured in monitoring well SMW-9 and piezometer PZ-1 is approximately 0.0038 feet/foot downward.

- The highest reported concentrations of PCE were located in soil samples collected from the east central portion of the site, in the area of the historic drycleaning machines and exterior filter drying and disposal. Based on the soil analytical data collected to date, the lateral extent of CVOC constituent impact to soil at the site appears to extend to the groundwater table (approximately 13 feet bgs). The horizontal extent of impacts appear to be defined to the south by SGP-1 and SMW-6, to the west by SGP-6 and SMW-7, to the north by SMW-4, and to the east by GP-1.
- Concentrations of PCE or one or more of its associated breakdown products were reported at concentrations greater than Ch. NR 140 ESs in groundwater samples collected from monitoring wells SMW-3, SMW-4, SMW-9 through SMW-12, SMW-14, and piezometers PZ-1 and PZ-2 in August 2009. Concentrations of PCE and its associated breakdown products in groundwater are highest in groundwater samples collected from groundwater monitoring well SMW-9 and in general decrease by one to two orders of magnitude within 45 feet laterally down-gradient (SMW-4) and 15 feet side-gradient (MW-3) of monitoring well SMW-9. In addition, contaminant concentrations identified within the groundwater at the source area monitoring well (SMW-9) decrease by one to four orders of magnitude within the deeper groundwater zone (PZ-1 and PZ-2).
- Based on the existing groundwater data the extent of CVOC impacts to shallow groundwater are relatively defined to the east by MW-2, to the south by SMW-6 and SMW-7, to the west by SMW-5 and SMW-8, and to the north by SMW-13 and SMW-14.
- Data collected during groundwater monitoring activities indicate that natural attenuation processes are likely occurring at the site. Chlorinated compound breakdown products were detected in groundwater samples collected from site monitoring wells. In addition, concentrations of dissolved gases ethane, ethene, and methane are greater in source area and down gradient groundwater monitoring wells than in side-gradient monitoring well SMW-5.
- Analytical results of sub-slab soil vapor sampling indicate that reported concentrations of TCE in the vapor sample collected from beneath the floor slab of the adjacent residence to the north (518 North 64<sup>th</sup> Street) are greater than the calculated sub-slab air standard. However, indoor air samples collected from the adjacent residence did not indicate the presence of chlorinated constituents at concentrations greater than laboratory detection limits.

## 5.0 RECOMMENDATIONS

Based on the soil and groundwater analytical results collected to date, it appears that the soil and groundwater impacts associated with the chlorinated release have been adequately investigated and defined. In addition, the potential vapor risks associated at the adjacent residence to the north were evaluated via sub-slab and indoor air sample collection. Based on the results of the site investigation and as requested by the WDNR, Sigma has prepared this comprehensive site investigation and recommends that the WDNR approve the site investigation conducted to date as complete. Given the soil and groundwater quality identified to date, it appears that a remedial action to address the chlorinated related impacts will be necessary. Since the site is currently enrolled in the DERF program, it is Sigma's understanding that remedial phase of the site activities will go out for public bid. As such, Sigma has not provided a recommended remedial approach within this report.

## 6.0 LIMITATIONS OF INVESTIGATION

This report was prepared under constraints of cost, time, and scope, and reflects a limited assessment and evaluation rather than a full, total, complete, or extensive assessment and evaluation. Our assessment was performed using the degree of care and skill ordinarily exercised, under similar circumstances, by professional consultants practicing in this or similar localities. No other warranty or guarantee, expressed or implied, is made as to the conclusions and professional advice included in this report.

The findings of this report are valid as of the present date of the assessment. However, changes in the conditions of a property can occur with the passage of time, whether due to natural processes or the works of man on this or adjacent properties. In addition, changes in applicable or appropriate standards may occur, whether they result from legislation, from the broadening of knowledge, or from other reasons. Accordingly, the findings of this report may be invalidated wholly or partially by changes outside our control.

The interpretations and conclusions contained in this report are based upon the result of independent laboratory tests and analysis intended to detect the presence and/or concentrations of certain chemical constituents in samples taken from the subject property. Sigma has no control over such testing and analysis and therefore, disclaims any responsibility for any errors and omissions arising therefrom.

A subsurface exploration was performed and presented in this report. However, subsurface exploration cannot totally reveal what is below the surface. Depending upon the sampling method and frequency, every soil condition may not be observed, and some materials or layers, which are present in the subsurface, may not be noted.

This report is issued with the understanding that it is the responsibility of the owner(s) to ensure that the information and recommendations contained herein are brought to the attention of the appropriate regulatory agency(ies).

## TABLES

**TABLE 1**  
**STATIC GROUNDWATER ELEVATIONS**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923/10221**

Monitoring Well Identification	Date	Ground Surface Elevation (feet MSL)	Top of Casing Elevation (feet MSL)	Product Thickness (feet)	Depth to Groundwater		Groundwater Elevation (feet MSL)	Well Screen Interval (feet bgs)
					(feet from TOC)	(feet from ground)		
SMW-1	12/12/06	691.72	691.31		8.85	9.26	682.46	7-17
	09/25/07				9.25	9.66	682.06	
	12/06/07				10.39	10.8	680.92	
	09/09/08				9.26	9.67	682.05	
	08/18/09				9.88	10.29	681.43	
	06/30/10				7.33	7.74	683.98	
	10/29/10				10.55	10.96	680.76	
	01/10/12				9.10	9.51	682.21	
SMW-2	12/12/06	691.11	690.76		6.67	7.02	684.09	7-17
	09/25/07				7.02	7.37	683.74	
	12/06/07				8.84	9.19	681.92	
	09/09/08				7.10	7.45	683.66	
	08/18/09				7.87	8.22	682.89	
	06/30/10				6.53	6.88	684.23	
	10/29/10				8.79	9.14	681.97	
	01/10/12				7.48	7.83	683.28	
SMW-3	12/12/06	691.83	691.42		11.49	11.90	679.93	5-15
	09/25/07				12.41	12.82	679.01	
	12/06/07				12.46	12.87	678.96	
	09/09/08				11.95	12.36	679.47	
	08/18/09				12.77	13.18	678.65	
	06/30/10				11.30	11.71	680.12	
	10/29/10				12.95	13.36	678.47	
	01/10/12				12.59	13.00	678.83	
SMW-4	12/12/06	691.47	691.17		10.94	11.24	680.23	6-16
	09/25/07				12.34	12.64	678.83	
	12/06/07		691.20		12.49	703.96	678.68	
	09/09/08				12.23	12.53	678.94	
	08/18/09				12.86	13.16	678.31	
	06/30/10				10.20	10.50	680.97	
	10/29/10				12.98	13.28	678.19	
	01/10/12				12.03	12.33	679.14	
SMW-5	12/12/06	690.97	690.53		7.68	8.12	682.85	5-15
	09/25/07				9.28	9.72	681.25	
	12/06/07				9.96	10.40	680.57	
	09/09/08				9.10	9.54	681.43	
	08/18/09				9.96	10.40	680.57	
	06/30/10				8.03	8.47	682.50	
	10/29/10				10.23	10.67	680.30	
	01/10/12				9.25	9.69	681.28	
SMW-6	09/25/07	691.06	690.56		8.75	9.25	681.81	5-15
	12/06/07				8.65	9.15	681.91	
	09/09/08				8.23	8.73	682.33	
	08/18/09				8.95	9.45	681.61	
	06/30/10				7.61	8.11	682.95	
	10/29/10				9.1	9.60	681.46	
	01/10/12				8.88	9.38	681.68	
	SMW-7				09/25/07	691.87	691.48	
12/06/07		11.07	11.46	680.41				
09/09/08		10.03	10.42	681.45				
08/18/09		10.67	11.06	680.81				
06/30/10		8.05	8.44	683.43				
10/29/10		11.24	11.63	680.24				
01/10/12		9.68	10.07	681.80				

**TABLE 1  
 STATIC GROUNDWATER ELEVATIONS  
 MASTER DRYCLEANERS, INC. PROPERTY  
 6326 WEST BLUEMOUND ROAD  
 WAUWATOSA, WISCONSIN  
 Project Reference #9923/10221**

Monitoring Well Identification	Date	Ground Surface Elevation (feet MSL)	Top of Casing Elevation (feet MSL)	Product Thickness (feet)	Depth to Groundwater		Groundwater Elevation (feet MSL)	Well Screen Interval (feet bgs)
					(feet from TOC)	(feet from ground)		
SMW-8	09/25/07	690.90	690.51		11.21	11.60	679.30	5-15
	12/06/07				11.43	11.82	679.08	
	09/09/08				11.15	11.54	679.36	
	08/18/09				11.61	12.00	678.90	
	06/30/10				8.89	9.28	681.62	
	10/29/10				11.91	12.30	678.60	
	01/10/12				10.75	11.14	679.76	
SMW-9	09/25/07	691.99	691.65	0.02	12.70	13.04	678.95	5-15
	12/06/07				12.80	13.14	678.85	
	09/09/08				12.26	12.60	679.39	
	08/18/09				13.05	13.39	678.60	
	06/30/10				11.21	11.55	680.44	
	10/29/10				13.20	13.54	679.25	
	01/10/12				12.57	12.91	679.08	
SMW-10	09/09/08	690.88	690.49		12.26	12.65	678.23	6-16
	08/18/09				12.55	12.94	677.94	
	06/30/10				10.42	10.81	680.07	
	10/29/10				12.98	13.37	677.51	
	01/10/12				12.20	12.59	678.29	
SMW-11	09/09/08	689.48	689.04		10.28	10.72	678.76	5-15
	08/18/09				10.91	11.35	678.13	
	06/30/10				9.04	9.48	680.00	
	10/29/10				11.14	11.58	677.90	
	01/10/12				10.54	10.98	678.50	
SMW-12	09/09/08	687.80	687.43		8.79	9.16	678.64	3-13
	08/18/09				9.65	10.02	677.78	
	06/30/10				7.73	8.10	679.70	
	10/29/10				9.77	10.14	677.66	
SMW-13	08/18/09	688.56	688.08		10.45	10.93	676.98	4-14
	06/30/10				8.58	9.06	678.85	
	10/29/10				10.65	11.13	677.43	
	01/10/12				10.00	10.48	678.08	
SMW-14	08/18/09	688.00	687.27		10.00	10.73	677.43	3-13
	06/30/10				8.56	9.29	678.87	
	10/29/10				10.25	10.98	677.02	
	01/10/12				9.68	10.41	677.59	
PZ-1	12/06/07	691.92	691.49		12.53	12.96	678.64	30-35
	09/09/08				11.60	12.03	679.57	
	08/18/09				23.15	23.58	668.02	
	06/30/10				10.72	11.15	680.45	
	10/29/10				12.31	12.74	679.18	
PZ-2	09/09/08	691.52	691.22		13.11	13.41	678.06	30-35
	08/18/09				13.46	13.76	677.71	
	06/30/10				12.29	12.59	678.88	
	10/29/10				13.70	14.00	677.52	

**TABLE 1  
 STATIC GROUNDWATER ELEVATIONS  
 MASTER DRYCLEANERS, INC. PROPERTY  
 6326 WEST BLUEMOUND ROAD  
 WAUWATOSA, WISCONSIN  
 Project Reference #9923/10221**

Monitoring Well Identification	Date	Ground Surface Elevation (feet MSL)	Top of Casing Elevation (feet MSL)	Product Thickness (feet)	Depth to Groundwater		Groundwater Elevation (feet MSL)	Well Screen Interval (feet bgs)
					(feet from TOC)	(feet from ground)		
MW-1	02/23/06	110.136	109.76		12.12	12.50	97.64	7.3-17.3
	12/12/06	691.03	690.69		11.13	11.47	679.56	
	09/25/07				12.57	12.91	678.12	
	12/06/07				12.69	13.03	678	
	09/09/08				12.09	12.43	678.6	
	08/18/09				12.89	13.23	677.8	
	06/30/10				10.99	11.33	679.7	
	10/29/10				13.03	13.37	677.66	
01/10/12				12.47	12.81	678.22		
MW-2	02/23/06	110.08	109.67		11.33	11.74	98.34	4-14
	12/12/06	690.94	690.55		10.29	10.68	680.26	
	09/25/07				11.34	11.73	679.21	
	12/06/07				11.46	11.85	679.09	
	09/09/08				10.88	11.27	679.67	
	08/18/09				11.94	12.33	678.61	
	06/30/10				10.07	10.46	680.48	
	10/29/10				11.97	12.36	678.58	
01/10/12				11.45	11.84	679.10		
MW-3	02/23/06	110.34	109.95		11.14	11.53	98.81	5.5-15.5
	12/12/06	691.18	690.85		9.37	9.70	681.48	
	09/25/07				10.92	11.25	679.93	
	12/06/07				11.11	11.44	679.74	
	09/09/08				10.93	11.26	679.92	
	08/18/09				11.36	11.69	679.49	
	06/30/10				9.16	9.49	681.69	
	10/29/10					Could not access		
01/10/12				10.58	10.91	680.27		

Notes:

- elevation measurements on 2/23/06 were conducted by Key Engineering Group, Ltd.
- Sigma resurveyed SMW-4 on August 18, 2008 to determine if the well was affected by the air rotary drilling at PZ-2.
- feet MSL = feet above Mean Sea Level
- feet from TOC = feet below top of casing
- feet bgs = feet below ground surface
- \* = well does not appear to have fully recovered.

**TABLE 2A**  
**SOIL ANALYTICAL QUALITY RESULTS**  
**(OFF-SITE - 6310 BLUEMOUND ROAD)**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Soil Boring Identification:					GP-1	GP-2		GP-3	
Sample Depth (ft):					3-4	3-4	13	3-4	12-13
Metals	Unit	NR 720 RCL			Collection Date				
		Non-Industrial	Industrial		12/06/06	12/06/06	12/06/06	12/06/06	12/06/06
Lead	mg/kg	50	500		NA	NA	NA	NA	NA
Volatile Organic Compounds	Unit	NR 720		NR 746					
		RCL	Table 1	Table 2					
Benzene	µg/kg	5.5	8,500	1,100	<32	<29	<32	<31	<32
Bromobenzene	µg/kg	NS	NS	NS	<37	<33	<37	<36	<37
Bromodichloromethane	µg/kg	NS	NS	NS	<46	<41	<46	<44	<46
tert-Butylbenzene	µg/kg	NS	NS	NS	<36	<33	<36	<35	<36
sec-Butylbenzene	µg/kg	NS	NS	NS	<40	<36	<40	<39	<41
n-Butylbenzene	µg/kg	NS	NS	NS	<43	<39	<43	<41	<43
Carbon tetrachloride	µg/kg	NS	NS	NS	<32	<29	<32	<31	<32
Chlorobenzene	µg/kg	NS	NS	NS	<31	<28	<31	<30	<31
Chloroethane	µg/kg	NS	NS	NS	<76	<68	<76	<73	<77
Chloroform	µg/kg	NS	NS	NS	<29	<26	<29	<28	<29
Chloromethane	µg/kg	NS	NS	NS	<59	<53	<59	<57	<60
2-Chlorotoluene	µg/kg	NS	NS	NS	<35	<32	<36	<34	<36
4-Chlorotoluene	µg/kg	NS	NS	NS	<31	<28	<31	<30	<32
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<39	<36	<39	<38	<40
Dibromochloromethane	µg/kg	NS	NS	NS	<48	<44	<49	<47	<49
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<42	<38	<42	<41	<43
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<31	<28	<31	<30	<31
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<41	<37	<41	<39	<41
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<32	<29	<32	<31	<32
1,2-Dichloroethane	µg/kg	4.9	600	540	<41	<37	<41	<40	<42
1,1-Dichloroethane	µg/kg	NS	NS	NS	<38	<34	<38	<37	<39
1,1-Dichloroethene	µg/kg	NS	NS	NS	<41	<37	<41	<39	<41
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<32	<29	<32	<31	<33
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<30	<27	<30	<29	<31
1,2-Dichloropropane	µg/kg	NS	NS	NS	<38	<35	<38	<37	<39
1,3-Dichloropropane	µg/kg	NS	NS	NS	<46	<42	<47	<45	<47
Di-isopropyl ether	µg/kg	NS	NS	NS	<35	<32	<35	<34	<36
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	NA	NA	NA	NA	NA
Ethylbenzene	µg/kg	2,900	4,600	NS	<30	<27	<30	<29	<31
Hexachlorobutadiene	µg/kg	NS	NS	NS	<50	<45	<50	<48	<50
Isopropylbenzene	µg/kg	NS	NS	NS	<39	<35	<39	<38	<40
p-Isopropyltoluene	µg/kg	NS	NS	NS	<37	<34	<37	<36	<38
Methylene chloride	µg/kg	NS	NS	NS	<b>200</b>	<33	<b>130</b>	<b>138</b>	<b>139</b>
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<47	<42	<47	<45	<47
Naphthalene	µg/kg	NS	2,700	NS	<90	<81	<90	<87	<91
n-Propylbenzene	µg/kg	NS	NS	NS	<34	<30	<34	<32	<34
1,1,1,2-Tetrachloroethane	µg/kg	NS	NS	NS	<52	<47	<52	<51	<53
Tetrachloroethene	µg/kg	1,230*	NS	NS	<36	<33	<36	<40	<37
Toluene	µg/kg	1,500	38,000	NS	<35	<31	<35	<34	<35
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<56	<50	<56	<54	<56
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<59	<54	<59	<57	<60
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<37	<34	<37	<36	<38
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<52	<47	<52	<50	<53
Trichloroethene	µg/kg	160*	NS	NS	<41	<37	<41	<40	<42
Trichlorofluoromethane	µg/kg	NS	NS	NS	<29	<26	<29	<28	<29
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<36	<32	<36	<35	<36
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<41	<37	<41	<40	<41
Vinyl chloride	µg/kg	NS	NS	NS	<25	<23	<25	<25	<26
Total Xylenes	µg/kg	4,100	42,000	NS	<94	<85	<94	<90	<94

Notes: Laboratory analyses performed by: APL, INC. Soil samples collected by: Key Engineering Group, Ltd  
J = Analyte detected between Limit of Detection and Limit of Quantitation  
mg/kg = milligrams per kilogram (equivalent to parts per million)  
µg/kg = micrograms per kilogram (equivalent to parts per billion)  
NA = Not Analyzed NS = No Standard  
NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).  
NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.  
NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.  
C9 = Calibration Verification recovery was outside the method control limits for this analyte. The LCS for this analyte met CCV acceptance criteria, and was used to validate the batch.  
Interim RCL = More stringent generic Residual Contaminant Level for protection of groundwater (gw) or direct contact (dc) pathway for non-industrial land use from WDNR Publication RR-519-97 "Soil Cleanup Levels for Polycyclic Aromatic Hydrocarbons (PAHs) Interim Guidance" (April 2000)  
\* = Calculated Site Specific RCLs  
Exceedances: **BOLD** = detected compound   = concentration exceeds standard or site specific RCL

**TABLE 2B**  
**SOIL ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Soil Boring Identification:				SMW-1		SMW-2		SMW-3		SMW-4		SMW-5			
Sample Depth (ft):				4-6	8-10	2-4	10-12	2-4	6-8	4-6	8-10	2-4	6-8		
Metals	Unit	NR 720 RCL			Collection Date										
		Non-Industrial	Industrial		12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	12/06/06	
Lead	mg/kg	50	500		<b>26</b>	<b>18</b>	<b>15</b>	<b>14</b>	<b>44</b>	<b>17</b>	<b>27</b>	<b>16</b>	<b>29</b>	<b>13</b>	
Volatile Organic Compounds	Unit	NR 720		NR 746											
		RCL	Table 1	Table 2											
Benzene	µg/kg	5.5	8,500	1,100	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Bromobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Bromodichloromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
tert-Butylbenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	<b>2,060<sup>J</sup></b>	<25	<25	<25	<b>208</b>	<25	<25	<25	<25	
n-Butylbenzene	µg/kg	NS	NS	NS	<b>55<sup>J</sup></b>	<b>6,400</b>	<25	<25	<25	<b>740</b>	<25	<25	<25	<25	
Carbon tetrachloride	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Chlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroform	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Chloromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
2-Chlorotoluene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
4-Chlorotoluene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Dibromochloromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloroethane	µg/kg	4.9	600	540	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloropropane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichloropropane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Di-isopropyl ether	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Ethylbenzene	µg/kg	2,900	4,600	NS	<25	<b>2,200<sup>J</sup></b>	<25	<25	<25	<b>750</b>	<25	<25	<25	<25	
Hexachlorobutadiene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Isopropylbenzene	µg/kg	NS	NS	NS	<25	<b>3,080</b>	<25	<25	<25	<b>250</b>	<25	<25	<25	<25	
p-Isopropyltoluene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<b>130</b>	<25	<25	<25	<25	
Methylene chloride	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Naphthalene	µg/kg	NS	2,700	NS	<25	<b>4,200</b>	<25	<25	<25	<b>222</b>	<25	<25	<25	<25	
n-Propylbenzene	µg/kg	NS	NS	NS	<25	<b>13,300</b>	<25	<25	<25	<b>1,200</b>	<25	<25	<25	<25	
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Tetrachloroethene	µg/kg	1,230*	NS	NS	<25	<1250	<25	<25	<b>1,440</b>	<b>3,000</b>	<25	<b>115</b>	<25	<25	
Toluene	µg/kg	1,500	38,000	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Trichloroethene	µg/kg	160*	NS	NS	<25	<1250	<25	<25	<25	<b>40<sup>J</sup></b>	<25	<25	<25	<25	
Trichlorofluoromethane	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<b>26.7<sup>J</sup></b>	<b>13,100</b>	<25	<25	<25	<b>2,980</b>	<25	<25	<25	<25	
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<25	<1250	<25	<25	<25	<b>130</b>	<25	<25	<25	<25	
Vinyl chloride	µg/kg	NS	NS	NS	<25	<1250	<25	<25	<25	<25	<25	<25	<25	<25	
Total Xylenes	µg/kg	4,100	42,000	NS	<50	<2500	<50	<50	<50	<b>502<sup>J</sup></b>	<50	<50	<50	<50	

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.  
J = Analyte detected between Limit of Detection and Limit of Quantitation  
mg/kg = milligrams per kilogram (equivalent to parts per million)  
µg/kg = micrograms per kilogram (equivalent to parts per billion)  
NA = Not Analyzed NS = No Standard  
NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (Industrial land use RCLs for RCRA metals).  
NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.  
NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.  
\* = Calculated Site Specific RCLs  
Exceedances: **BOLD** = detected compound **BOX** = concentration exceeds standard or site specific RCL

**TABLE 2B**  
**SOIL ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Soil Boring Identification:			SMW-6		SMW-7		SMW-8		SMW-9		SGP-1		
Sample Depth (ft):			4-6	8-10	0-2	6-8	4-6	8-10	14-15	4-6	8-10		
Metals	Unit	NR 720 RCL			Collection Date								
		Non-Industrial	Industrial		09/17/07	09/17/07	09/17/07	09/17/07	09/17/07	09/17/07	09/17/07	09/06/07	09/06/07
Lead	mg/kg	50	500		NA	NA	NA	NA	NA	NA	NA	NA	
Volatile Organic Compounds	Unit	NR 720		NR 746									
		RCL	Table 1	Table 2									
Benzene	µg/kg	5.5	8,500	1,100	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Bromobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Bromodichloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
tert-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
n-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Carbon tetrachloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Chlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Chloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Chloroform	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Chloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
2-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
4-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Dibromochloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2-Dichloroethane	µg/kg	4.9	600	540	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,1-Dichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,1-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,3-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Di-isopropyl ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Ethylbenzene	µg/kg	2,900	4,600	NS	<25	<25	<25	<25	<25	<25	8,000	<25	<25
Hexachlorobutadiene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Isopropylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
p-Isopropyltoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Methylene chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Naphthalene	µg/kg	NS	2,700	NS	<25	<25	247	48 "J"	<25	<25	<2500	<25	<25
n-Propylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	2860 "J"	<25	<25
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Tetrachloroethene	µg/kg	1,230*	NS	NS	59 "J"	41 "J"	<25	<25	<25	<25	214,000	550	124
Toluene	µg/kg	1,500	38,000	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Trichloroethene	µg/kg	160*	NS	NS	<25	<25	<25	<25	<25	<25	51,000	<25	<25
Trichlorofluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<25	<25	<25	39 "J"	<25	<25	16,000	<25	<25
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Vinyl chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<2500	<25	<25
Total Xylenes	µg/kg	4,100	42,000	NS	<50	<50	<50	62 "J"	<50	<50	<2500	<50	<50

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.  
 J = Analyte detected between Limit of Detection and Limit of Quantitation  
 mg/kg = milligrams per kilogram (equivalent to parts per million)  
 µg/kg = micrograms per kilogram (equivalent to parts per billion)  
 NA = Not Analyzed NS = No Standard  
 NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).  
 NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.  
 NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.  
 \* = Calculated Site Specific RCL  
 Exceedances: **BOLD** = detected compound **BOX** = concentration exceeds standard or site specific RCL

**TABLE 2B**  
**SOIL ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Soil Boring Identification:				SGP-2		SGP-3		SGP-4		SGP-5		SGP-6		
Sample Depth (ft):				0-2	6-8	4-6	8-10	0-2	6-8	2-4	8-10	0-2	6-8	
Metals	Unit	NR 720 RCL			Collection Date									
		Non-Industrial	Industrial		09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07	09/06/07
Lead	mg/kg	50	500		NA	NA	NA	NA	NA	NA	NA	NA	NA	
Volatile Organic Compounds	Unit	NR 720	NR 746											
		RCL	Table 1	Table 2										
Benzene	µg/kg	5.5	8,500	1,100	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Bromodichloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
tert-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
n-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Carbon tetrachloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloroform	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Chloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
2-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
4-Chlorotoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Dibromochloromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloroethane	µg/kg	4.9	600	540	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3-Dichloropropane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Di-isopropyl ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Ethylbenzene	µg/kg	2,900	4,600	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Hexachlorobutadiene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Isopropylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
p-Isopropyltoluene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Methylene chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Naphthalene	µg/kg	NS	2,700	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
n-Propylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Tetrachloroethene	µg/kg	1,230*	NS	NS	<b>1,620</b>	<b>1,390</b>	<b>6,900</b>	<b>7,800</b>	<b>560</b>	<b>940</b>	<b>105</b>	<b>1,670</b>	<b>29.9<sup>J</sup></b>	
Toluene	µg/kg	1,500	38,000	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Trichloroethene	µg/kg	160*	NS	NS	<25	<25	<b>65</b>	<b>267</b>	<25	<25	<25	<25	<25	
Trichlorofluoromethane	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Vinyl chloride	µg/kg	NS	NS	NS	<25	<25	<25	<25	<25	<25	<25	<25	<25	
Total Xylenes	µg/kg	4,100	42,000	NS	<50	<50	<50	<50	<50	<50	<50	<50	<50	

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.  
J = Analyte detected between Limit of Detection and Limit of Quantitation  
mg/kg = milligrams per kilogram (equivalent to parts per million)  
µg/kg = micrograms per kilogram (equivalent to parts per billion)  
NA = Not Analyzed NS = No Standard  
NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (Industrial land use RCLs for RCRA metals).  
NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Pores.  
NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.  
\* = Calculated Site Specific RCLs  
Exceedances: **BOLD** = detected compound **BOX** = concentration exceeds standard or site specific RCL

**TABLE 2B**  
**SOIL ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Soil Boring Identification:					HA-1		HA-2	
Sample Depth (ft):					1-1.5	4-4.5	1-1.5	4.5-5
Metals	Unit	NR 720 RCL			Collection Date			
		Non-Industrial		Industrial	07/31/08	07/31/08	07/31/08	07/31/08
Lead	mg/kg	50		500	NA	NA	NA	NA
Volatile Organic Compounds	Unit	NR 720	NR 746					
		RCL	Table 1	Table 2				
Benzene	µg/kg	5.5	8,500	1,100	<20	<20	<20	<20
Bromobenzene	µg/kg	NS	NS	NS	<34	<34	<34	<34
Bromodichloromethane	µg/kg	NS	NS	NS	<16	<16	<16	<16
tert-Butylbenzene	µg/kg	NS	NS	NS	<23	<23	<23	<23
sec-Butylbenzene	µg/kg	NS	NS	NS	<25	<25	<25	<25
n-Butylbenzene	µg/kg	NS	NS	NS	<35	<35	<35	<35
Carbon tetrachloride	µg/kg	NS	NS	NS	<21	<21	<21	<21
Chlorobenzene	µg/kg	NS	NS	NS	<16	<16	<16	<16
Chloroethane	µg/kg	NS	NS	NS	<23	<23	<23	<23
Chloroform	µg/kg	NS	NS	NS	<50	<50	<50	<50
Chloromethane	µg/kg	NS	NS	NS	<43	<43	<43	<43
2-Chlorotoluene	µg/kg	NS	NS	NS	<31	<31	<31	<31
4-Chlorotoluene	µg/kg	NS	NS	NS	<24	<24	<24	<24
1,2-Dibromo-3-chloropropane	µg/kg	NS	NS	NS	<37	<37	<37	<37
Dibromochloromethane	µg/kg	NS	NS	NS	<21	<21	<21	<21
1,4-Dichlorobenzene	µg/kg	NS	NS	NS	<42	<42	<42	<42
1,3-Dichlorobenzene	µg/kg	NS	NS	NS	<41	<41	<41	<41
1,2-Dichlorobenzene	µg/kg	NS	NS	NS	<32	<32	<32	<32
Dichlorodifluoromethane	µg/kg	NS	NS	NS	<33	<33	<33	<33
1,2-Dichloroethane	µg/kg	4.9	600	540	<24	<24	<24	<24
1,1-Dichloroethane	µg/kg	NS	NS	NS	<22	<22	<22	<22
1,1-Dichloroethene	µg/kg	NS	NS	NS	<27	<27	<27	<27
cis-1,2-Dichloroethene	µg/kg	NS	NS	NS	<24	<24	<24	<24
trans-1,2-Dichloroethene	µg/kg	NS	NS	NS	<29	<29	<29	<29
1,2-Dichloropropane	µg/kg	NS	NS	NS	<19	<19	<19	<19
1,3-Dichloropropane	µg/kg	NS	NS	NS	<21	<21	<21	<21
Di-isopropyl ether	µg/kg	NS	NS	NS	<15	<15	<15	<15
EDB (1,2-Dibromoethane)	µg/kg	NS	NS	NS	<21	<21	<21	<21
Ethylbenzene	µg/kg	2,900	4,600	NS	<16	<16	<16	<16
Hexachlorobutadiene	µg/kg	NS	NS	NS	<50	<50	<50	<50
Isopropylbenzene	µg/kg	NS	NS	NS	<30	<30	<30	<30
p-Isopropyltoluene	µg/kg	NS	NS	NS	<30	<30	<30	<30
Methylene chloride	µg/kg	NS	NS	NS	<44	<44	<44	<44
Methyl-tert-butyl-ether	µg/kg	NS	NS	NS	<23	<23	<23	<23
Naphthalene	µg/kg	NS	2,700	NS	<117	<117	<117	<117
n-Propylbenzene	µg/kg	NS	NS	NS	<29	<29	<29	<29
1,1,2,2-Tetrachloroethane	µg/kg	NS	NS	NS	<25	<25	<25	<25
Tetrachloroethene	µg/kg	1,230*	NS	NS	<b>2600</b>	<b>10900</b>	<b>3000</b>	<b>2320</b>
Toluene	µg/kg	1,500	38,000	NS	<23	<23	<23	<23
1,2,4-Trichlorobenzene	µg/kg	NS	NS	NS	<53	<53	<53	<53
1,2,3-Trichlorobenzene	µg/kg	NS	NS	NS	<87	<87	<87	<87
1,1,1-Trichloroethane	µg/kg	NS	NS	NS	<27	<27	<27	<27
1,1,2-Trichloroethane	µg/kg	NS	NS	NS	<30	<30	<30	<30
Trichloroethene	µg/kg	160*	NS	NS	<20	22.9	<20	<20
Trichlorofluoromethane	µg/kg	NS	NS	NS	<16	<16	<16	<16
1,2,4-Trimethylbenzene	µg/kg	NS	83,000	NS	<20	<20	<20	<20
1,3,5-Trimethylbenzene	µg/kg	NS	11,000	NS	<24	<24	<24	<24
Vinyl chloride	µg/kg	NS	NS	NS	<17	<17	<17	<17
Total Xylenes	µg/kg	4,100	42,000	NS	<48	<48	<48	<48

Notes: Laboratory analyses performed by: Synergy Environmental Lab, Inc.  
J = Analyte detected between Limit of Detection and Limit of Quantitation  
mg/kg = milligrams per kilogram (equivalent to parts per million)  
µg/kg = micrograms per kilogram (equivalent to parts per billion)  
NA = Not Analyzed NS = No Standard  
NR 720 RCL = Wisconsin Administrative Code, Chapter NR 720 generic Residual Contaminant Level (industrial land use RCLs for RCRA metals).  
NR 746 Table 1 = Wisconsin Administrative Code, Chapter NR 746, Table 1 soil screening level: Indicators of Residual Petroleum Products in Soil Poles.  
NR 746 Table 2 = Wisconsin Administrative Code, Chapter NR 746, Table 2: Protection of Human Health from Direct Contact with Contaminated Soil.  
\* = Calculated Site Specific RCLs  
Exceedances: **BOLD** = detected compound **BOX** = concentration exceeds standard or site specific RCL

TABLE 3  
GROUNDWATER ANALYTICAL QUALITY RESULTS  
MASTER DRYCLEANERS, INC. PROPERTY  
6326 WEST BLUEMOUND ROAD  
WAUWATOSA, WISCONSIN  
Project Reference #9923/10221

Monitoring Well Identification:			SMW-1					SMW-2					SMW-3					SMW-4												
Metal	Unit	NR 140		Collection Date																										
		ES	PAL	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	07/01/10	10/29/10	01/10/12	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	01/10/12			
Lead, Dissolved	µg/L	15	1.5	<0.7	NA	NA	NA	NA	<0.7	NA	NA	NA	NA	30	NA	<0.7	NA	NA	NA	NA	NA	<0.7	NA	NA	NA	NA	NA	NA		
Volatile Organic Compounds																														
Benzene	µg/L	5.0	0.5	<0.47	<b>0.51 "J"</b>	<0.47	<b>0.38 "J"</b>	<0.41	<0.47	<0.47	<0.47	<0.24	<0.41	<b>176</b>	<b>308</b>	<b>320</b>	<b>175</b>	<b>133</b>	<b>590</b>	<b>145</b>	<b>144</b>	<23.5	<9.4	<9.4	<12	<8.2	<b>1.28 "J"</b>			
Bromobenzene	µg/L	NS	NS	<0.62	<0.36	<0.36	<0.44	<0.43	<0.62	<0.36	<0.36	<0.44	<0.43	<31	<7.2	<18	<8.8	<8.6	NA	NA	NA	<31	<7.2	<7.2	<22	<8.6	NA			
Bromodichloromethane	µg/L	0.6	0.06	<0.82	<0.5	<0.5	<0.3	<0.41	<0.82	<0.5	<0.5	<0.3	<0.41	<41	<10	<25	<6	<8.2	NA	NA	NA	<41	<10	<10	<15	<8.2	NA			
Bromoform	µg/L	4.4	0.44	<0.3	<0.38	<0.38	<0.7	<0.46	<0.3	<0.38	<0.38	<0.7	<0.46	<15	<7.6	<19	<14	<9.2	NA	NA	NA	<15	<7.6	<7.6	<35	<9.2	NA			
tert-Butylbenzene	µg/L	NS	NS	<0.6	<0.34	<0.34	<0.32	<0.46	<0.6	<0.34	<0.34	<0.32	<0.46	<30	<6.8	<17	<6.4	<9.2	NA	NA	NA	<30	<6.8	<6.8	<16	<9.2	NA			
sec-Butylbenzene	µg/L	NS	NS	<0.76	8	<b>0.59 "J"</b>	<b>1.64 "J"</b>	<b>0.86 "J"</b>	<0.76	<0.36	<0.36	<0.73	<0.43	<38	<7.2	<18	<14.6	<8.6	NA	NA	NA	<38	<7.2	<7.2	<36.5	<8.6	NA			
n-Butylbenzene	µg/L	NS	NS	<1.1	7.3	<0.52	<b>1.06 "J"</b>	<1.5	<1.1	<0.52	<0.52	<0.55	<1.5	<55	<10.4	<26	<11	<30	NA	NA	NA	<55	<10.4	<10.4	<27.5	<30	NA			
Carbon Tetrachloride	µg/L	5.0	0.5	<0.52	<0.46	<0.46	<0.3	<0.43	<0.52	<0.46	<0.46	<0.3	<0.43	<26	<9.2	<23	<6	<8.6	NA	NA	NA	<26	<9.2	<9.2	<15	<8.6	NA			
Chlorobenzene	µg/L	100	10	<0.56	<0.31	<0.31	<0.39	<0.39	<0.56	<0.31	<0.31	<0.39	<0.39	<28	<6.2	<15.5	<7.8	<7.8	NA	NA	NA	<28	<6.2	<6.2	<19.5	<7.8	NA			
Chloroethane	µg/L	400	80	<0.54	<0.47	<0.47	<0.97	<1.5	<0.54	<0.47	<0.47	<0.97	<1.5	<27	<9.4	<23.5	<19.4	<30	NA	NA	NA	<27	<9.4	<9.4	<48.5	<30	NA			
Chloroform	µg/L	6.0	0.6	<0.61	<0.48	<0.48	<0.47	<0.48	<0.61	<0.48	<0.48	<0.47	<0.48	<30.5	<9.6	<24	<9.4	<9.6	NA	NA	NA	<30.5	<9.6	<9.6	<23.5	<9.6	NA			
Chloromethane	µg/L	30.0	3.0	<1.0	<1	<1	<0.5	<0.5	<1.0	<1	<1	<0.5	<0.5	<50	<20	<50	<10	<10	NA	NA	NA	<50	<20	<20	<25	<10	NA			
2-Chlorotoluene	µg/L	NS	NS	<1.1	<0.49	<0.49	<0.41	<0.37	<1.1	<0.49	<0.49	<0.41	<0.37	<55	<9.8	<24.5	<8.2	<7.4	NA	NA	NA	<55	<9.8	<9.8	<20.5	<7.4	NA			
4-Chlorotoluene	µg/L	NS	NS	<0.62	<0.38	<0.38	<0.3	<0.63	<0.62	<0.38	<0.38	<0.3	<0.63	<31	<7.6	<19	<6	<12.6	NA	NA	NA	<31	<7.6	<7.6	<15	<12.6	NA			
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<2.5	<1.4	<1.4	<1.7	<2	<2.5	<1.4	<1.4	<1.7	<2	<125	<28	<70	<34	<40	NA	NA	NA	<125	<28	<28	<85	<40	NA			
Dibromochloromethane	µg/L	60	6.0	<0.65	<0.32	<0.32	<0.4	<0.76	<0.65	<0.32	<0.32	<0.4	<0.76	<32.5	<6.4	<16	<8	<15.2	NA	NA	NA	<32.5	<6.4	<6.4	<20	<15.2	NA			
1,4-Dichlorobenzene	µg/L	75	15	<0.68	<0.33	<0.33	<0.74	<0.77	<0.68	<0.33	<0.33	<0.74	<0.77	<34	<6.6	<16.5	<14.8	<15.4	NA	NA	NA	<34	<6.6	<6.6	<37	<15.4	NA			
1,3-Dichlorobenzene	µg/L	1,250	125	<0.72	<0.3	<0.3	<0.67	<0.34	<0.72	<0.3	<0.3	<0.67	<0.34	<36	<6	<15	<13.4	<6.8	NA	NA	NA	<36	<6	<6	<33.5	<6.8	NA			
1,2-Dichlorobenzene	µg/L	600	60	<0.69	<0.35	<0.35	<0.88	<0.66	<0.69	<0.35	<0.35	<0.88	<0.66	<34.5	<7	<17.5	<17.6	<13.2	NA	NA	NA	<34.5	<7	<7	<44	<13.2	NA			
Dichlorodifluoromethane	µg/L	600	120	<0.5	<0.46	<0.46	<0.76	<0.45	<0.5	<0.46	<0.46	<0.76	<0.45	<25	<9.2	<23	<15.2	<9	NA	NA	NA	<25	<9.2	<9.2	<38	<9	NA			
1,2-Dichloroethane	µg/L	5.0	0.5	<0.72	<0.45	<0.45	<0.41	<0.43	<0.72	<0.45	<0.45	<0.41	<0.43	<36	<b>31.4</b>	<22.5	<8.2	<8.6	NA	NA	NA	<36	<9	<9	<20.5	<8.6	NA			
1,1-Dichloroethane	µg/L	850	85	<0.56	<0.56	<0.56	<0.59	<0.44	<0.56	<0.56	<0.56	<0.59	<0.44	<28	<11.2	<28	<11.8	<8.8	NA	NA	NA	<28	<11.2	<11.2	<29.5	<8.8	NA			
1,1-Dichloroethene	µg/L	7.0	0.7	<0.3	<0.64	<0.64	<0.5	<0.47	<0.3	<0.64	<0.64	<0.5	<0.47	<15	<12.8	<32	<10	<9.4	NA	NA	NA	<15	<12.8	<12.8	<25	<b>10 "J"</b>	NA			
cis-1,2-Dichloroethene	µg/L	70	7.0	<0.68	<0.68	<0.68	<0.44	<0.68	<0.68	<0.68	<0.68	<0.44	<0.68	<b>870</b>	<b>2400</b>	<b>2250</b>	<b>2040</b>	<b>1740</b>	NA	NA	NA	<b>1460</b>	<b>1730</b>	<b>1900</b>	<b>5600</b>	<b>2530</b>	NA			
trans-1,2-Dichloroethene	µg/L	100	20	<0.95	<0.95	<0.95	<0.61	<0.61	<0.95	<0.95	<0.95	<0.61	<0.61	<47.5	<b>30 "J"</b>	<47.5	<12.2	<12.2	NA	NA	NA	<b>84</b>	<b>105</b>	<b>89</b>	<b>123</b>	<b>77</b>	NA			
1,2-Dichloropropane	µg/L	5.0	0.5	<0.47	<0.47	<0.47	<0.27	<0.26	<0.47	<0.47	<0.47	<0.27	<0.26	<23.5	<9.4	<23.5	<5.4	<5.2	NA	NA	NA	<23.5	<9.4	<9.4	<13.5	<5.2	NA			
2,2-Dichloropropane	µg/L	NS	NS	<1.2	<0.98	<0.98	<0.53	<0.89	<1.2	<0.98	<0.98	<0.53	<0.89	<60	<19.6	<49	<10.6	<17.8	NA	NA	NA	<60	<19.6	<19.6	<26.5	<17.8	NA			
1,3-Dichloropropane	µg/L	NS	NS	<0.67	<0.39	<0.39	<0.4	<0.49	<0.67	<0.39	<0.39	<0.4	<0.49	<33.5	<7.8	<19.5	<8	<9.8	NA	NA	NA	<33.5	<7.8	<7.8	<20	<9.8	NA			
Diisopropyl ether	µg/L	NS	NS	<0.71	<1.3	<1.3	<0.37	<0.32	<0.71	<1.3	<1.3	<0.37	<0.32	<35.5	<26	<65	<7.4	<6.4	NA	NA	NA	<35.5	<26	<26	<18.5	<6.4	NA			
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<0.49	<0.49	<0.49	<0.76	<0.52	<0.49	<0.49	<0.49	<0.76	<0.52	<24.5	<9.8	<24.5	<15.2	<10.4	NA	NA	NA	<24.5	<9.8	<9.8	<38	<10.4	NA			
Ethylbenzene	µg/L	700	140	2.19	72	<b>0.61 "J"</b>	23.6	<0.87	<0.38	<0.38	<0.38	<b>0.37 "J"</b>	<0.87	<b>340</b>	<b>142</b>	62	<b>148</b>	<b>42 "J"</b>	<b>500</b>	65	58	<19	<7.6	<7.6	107	<b>39 "J"</b>	<0.98			
Hexachlorobutadiene	µg/L	NS	NS	<2.1	<1.5	<1.5	<1.7	<1.5	<2.1	<1.5	<1.5	<1.7	<1.5	<105	<30	<75	<34	<30	NA	NA	NA	<105	<30	<30	<85	<30	NA			
Isopropylbenzene	µg/L	NS	NS	<0.99	35	<b>1.3 "J"</b>	14.6	1.79	<0.99	<0.48	<0.48	<0.6	<0.39	<49.5	<9.6	<24	<12	<7.8	NA	NA	NA	<49.5	<9.6	<9.6	<30	<7.8	NA			
p-Isopropyltoluene	µg/L	NS	NS	<0.81	1.58	<0.35	<0.77	<0.57	<0.81	<0.35	<0.35	<0.77	<0.57	<40.5	<7	<17.5	<15.4	<11.4	NA	NA	NA	<40.5	<7	<7	<38.5	<11.4	NA			
Methylene Chloride	µg/L	5.0	0.5	<0.69	<0.69	<0.69	<0.99	<1.5	<0.69	<0.69	<0.69	<0.99	<1.5	<34.5	<13.8	<34.5	<19.8	<30	NA	NA	NA	<34.5	<13.8	<13.8	<49.5	<30	NA			
Methyl Tert Butyl Ether (MTBE)	µg/L	60	12	<0.52	<0.52	<0.52	<0.7	<0.5	<0.52	<0.52	<0.52	<0.7	<0.5	<26	<10.4	<26	<14	<10	<24.5	<4.9	<4.7	<26	<10.4	<10.4	<35	<10	<0.47			
Naphthalene	µg/L	100	10.0	<2.2	<b>3.8 "J"</b>	<1.8	<b>2.19 "J"</b>	<1.7	<2.2	<1.8	<1.8	<1.8	<1.7	<b>110</b>	<36	<90	<36	<34	<b>247</b>	<b>18.2 "J"</b>	<20	<110	<36	<36	<90	<34	<2			
n-Propylbenzene	µg/L	NS	NS	<0.61	100	2.16	31.5	2.31	<0.61	<b>0.42 "J"</b>	<0.38	<0.54	<0.33	57	<7.6	<19	<b>14 "J"</b>	<6.6	NA	NA	NA	<30.5	<7.6	<7.6	<27	<6.				



TABLE 3  
GROUNDWATER ANALYTICAL QUALITY RESULTS  
MASTER DRYCLEANERS, INC. PROPERTY  
6326 WEST BLUEMOUND ROAD  
WAUWATOSA, WISCONSIN  
Project Reference #923/10221

Monitoring Well Identification:		SMW-9				SMW-10				SMW-11				SMW-12		SMW-13		SMW-14		
Metal	Unit	NR 140		09/25/07	12/06/07	09/09/08	08/18/09	01/10/12	09/09/08	08/18/09	07/01/10	10/29/10	01/10/12	09/09/08	08/18/09	08/18/09	01/10/12	08/18/09		
		ES	PAL	NA	3.3	NA	3	NA	11.6	5.6	NA	NA	NA	<0.7	NA	NA	NA	NA		
Lead, Dissolved		µg/L	15	1.5	NA	3.3	NA	3	NA	11.6	5.6	NA	NA	NA	<0.7	NA	NA	NA		
Volatile Organic Compounds																				
Benzene	µg/L	5.0	0.5	<23.5	<235	<120	<82	42 "J"	24.5 "J"	<20.5	<4	6.1	3.6	<4.8	<8.2	<0.24	<0.41	<0.41	<0.5	<2.05
Bromobenzene	µg/L	NS	NS	<18	<180	<220	<86	<37	<22	<21.5	NA	NA	NA	<8.8	<8.6	<0.44	<0.43	<0.43	<0.74	<2.15
Bromodichloromethane	µg/L	0.6	0.06	<25	<250	<150	<82	<34	<15	<20.5	NA	NA	NA	<6	<8.2	<0.3	<0.41	<0.41	<0.68	<2.05
Bromoform	µg/L	4.4	0.44	<19	<190	<350	<92	<21.5	<35	<23	NA	NA	NA	<14	<9.2	<0.7	<0.46	<0.46	<0.43	<2.3
tert-Butylbenzene	µg/L	NS	NS	<17	<170	<160	<92	<35.5	<16	<23	NA	NA	NA	<6.4	<9.2	<0.32	<0.46	<0.46	<0.71	<2.3
sec-Butylbenzene	µg/L	NS	NS	<18	<180	<365	<86	<50	<36.5	<21.5	NA	NA	NA	<14.6	<8.6	<0.73	<0.43	<0.43	<1	<2.15
n-Butylbenzene	µg/L	NS	NS	34 "J"	<260	<275	<300	<45	66 "J"	<75	NA	NA	NA	<11	<30	<0.55	<1.5	<1.5	<0.9	<7.5
Carbon Tetrachloride	µg/L	5.0	0.5	<23	<230	<150	<86	<23.5	<15	<21	NA	NA	NA	<6	<8.6	<0.3	<0.43	<0.43	<0.47	<2.15
Chlorobenzene	µg/L	100	10	<15.5	<155	<195	<78	<25.5	<19.5	<19.5	NA	NA	NA	<7.8	<7.8	<0.39	<0.39	<0.39	<0.51	<1.95
Chloroethane	µg/L	400	80	<23.5	<235	<485	<300	<70	<48.5	<75	NA	NA	NA	<19.4	<30	<0.97	<1.5	<1.5	<1.4	<7.5
Chloroform	µg/L	6.0	0.6	<24	<240	<235	<96	<24.5	<23.5	<24	NA	NA	NA	<9.4	<9.6	<0.47	<0.48	<0.48	<0.49	<2.4
Chloromethane	µg/L	30.0	3.0	<50	<500	<250	<100	<95	<25	<25	NA	NA	NA	<10	<10	<0.5	<0.5	<0.5	<1.9	<2.5
2-Chlorotoluene	µg/L	NS	NS	<24.5	<245	<205	<74	<35	<20.5	<18.5	NA	NA	NA	<8.2	<7.4	<0.41	<0.37	<0.37	<0.7	<1.85
4-Chlorotoluene	µg/L	NS	NS	<19	<190	<150	<126	<22	<15	<31.5	NA	NA	NA	<6	<12.6	<0.3	<0.63	<0.63	<0.44	<3.15
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<70	<700	<850	<400	<140	<85	<100	NA	NA	NA	<34	<40	<1.7	<2	<2	<2.8	<10
Dibromochloromethane	µg/L	60	6.0	<16	<160	<200	<152	<27.5	<20	<38	NA	NA	NA	<8	<15.2	<0.4	<0.76	<0.76	<0.55	<3.8
1,4-Dichlorobenzene	µg/L	75	15	<16.5	<165	<370	<154	<49	<37	<38.5	NA	NA	NA	<14.8	<15.4	<0.74	<0.77	<0.77	<0.98	<3.85
1,3-Dichlorobenzene	µg/L	1,250	125	<15	<150	<35	<68	<43.5	<33.5	<17	NA	NA	NA	<13.4	<6.8	<0.67	<0.34	<0.34	<0.87	<1.7
1,2-Dichlorobenzene	µg/L	600	60	<17.5	<175	<440	<132	<38	<44	<33	NA	NA	NA	<17.6	<13.2	<0.88	<0.66	<0.66	<0.76	<3.3
Dichlorodifluoromethane	µg/L	600	120	<23	<230	<380	<90	<90	<38	<22.5	NA	NA	NA	<15.2	<9	<0.76	<0.45	<0.45	<1.8	<2.25
1,2-Dichloroethane	µg/L	5.0	0.5	<22.5	<225	<205	<86	<25	<20.5	<21.5	NA	NA	NA	<8.2	<8.6	<0.41	<0.43	<0.43	<0.5	<2.15
1,1-Dichloroethane	µg/L	850	85	<28	<280	<295	<88	<49	<29.5	<22	NA	NA	NA	<11.8	<8.8	<0.59	<0.44	<0.44	<0.98	<2.2
1,1-Dichloroethene	µg/L	7.0	0.7	<32	<320	<250	<94	<30	<25	<23.5	NA	NA	NA	<10	<9.4	<0.5	<0.47	<0.47	<0.6	<2.35
cis-1,2-Dichloroethene	µg/L	70	7.0	6000	7900	6500	7700	6100	<22	<34	NA	NA	NA	90	57	<0.44	<0.68	<0.68	<0.74	151
trans-1,2-Dichloroethene	µg/L	100	20	175	<475	<305	218 "J"	297	<30.5	<30.5	NA	NA	NA	<12.2	<12.2	<0.61	<0.61	<0.61	<0.79	15.5
1,2-Dichloropropane	µg/L	5.0	0.5	<23.5	<235	<135	<52	<20	<13.5	<13	NA	NA	NA	<5.4	<5.2	<0.27	<0.26	<0.26	<0.4	<1.3
2,2-Dichloropropane	µg/L	NS	NS	<49	<490	<265	<178	<95 "B"	<26.5	<44.5	NA	NA	NA	<10.6	<17.8	<0.53	<0.89	<0.89	<1.8 "B"	<4.45
1,3-Dichloropropane	µg/L	NS	NS	<19.5	<195	<200	<98	<35.5	<20	<24.5	NA	NA	NA	<8	<9.8	<0.4	<0.49	<0.49	<0.71	<2.45
Di-Isopropyl ether	µg/L	NS	NS	<65	<650	<185	<64	<34.5	<18.5	<16	NA	NA	NA	<7.4	<6.4	<0.37	<0.32	<0.32	<0.69	<1.6
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<24.5	<245	<380	<104	<31.5	<38	<26	NA	NA	NA	<15.2	<10.4	<0.76	<0.52	<0.52	<0.63	<2.6
Ethylbenzene	µg/L	700	140	279	<190	<175	226 "J"	64 "J"	2470	105 "J"	12 "J"	296	390	<7	<17.4	<0.35	<0.87	<0.87	<0.78	<4.35
Hexachlorobutadiene	µg/L	NS	NS	<75	<750	<850	<300	<110	<85	<75	NA	NA	NA	<34	<30	<1.7	<1.5	<1.5	<2.2	<7.5
Isopropylbenzene	µg/L	NS	NS	100	<240	<300	<78	<46	130	20 "J"	NA	NA	NA	<12	<7.8	<0.6	<0.39	<0.39	<0.92	<1.95
p-Isopropyltoluene	µg/L	NS	NS	<17.5	<175	<385	<114	<46	<38.5	<28.5	NA	NA	NA	<15.4	<11.4	<0.77	<0.57	<0.57	<0.92	<2.85
Methylene Chloride	µg/L	5.0	0.5	<34.5	<345	<495	<300	<55	<49.5	<75	NA	NA	NA	<19.8	<30	<0.99	<1.5	<1.5	<1.1	<7.5
Methyl Tert Butyl Ether (MTBE)	µg/L	60	12	<26	<260	<350	<100	<40	<35	<25	<4.9	<0.49	<0.47	<14	<10	<0.7	<0.5	<0.5	<0.8	<2.5
Naphthalene	µg/L	100	10.0	<90	<900	<900	<340	<105	312	<85	<12	61	107	<36	<34	<1.8	<1.7	<1.7	<2.1	<8.5
n-Propylbenzene	µg/L	NS	NS	306	195 "J"	<270	132 "J"	52 "J"	360	40 "J"	NA	NA	NA	<10.8	<6.6	<0.54	<0.33	<0.33	<0.59	<1.65
1,1,2,2-Tetrachloroethane	µg/L	0.2	0.02	<37.5	<375	<250	<110	<26.5	<25	<27.5	NA	NA	NA	<10	<11	<0.5	<0.55	<0.55	<0.53	<2.75
1,1,1,2-Tetrachloroethane	µg/L	70	7.0	<32.5	<325	<160	<108	<50	<15	<27	NA	NA	NA	<6.4	<10.8	<0.32	<0.54	<0.54	<1	<2.7
Tetrachloroethene	µg/L	5.0	0.5	39800	28800	44000	162000	23000	7700	440	NA	NA	NA	266	205	0.75 "J"	<0.42	<0.42	<0.44	<2.1
Toluene	µg/L	800	160	<23	<230	<195	<102	92	1140	53 "J"	37	65	120	<7.8	<10.2	<0.39	<0.51	<0.51	<0.53	<2.55
1,2,4-Trichlorobenzene	µg/L	70	14	<75	<750	<550	<420	<75	<55	<105	NA	NA	NA	<22	<42	<1.1	<2.1	<2.1	<1.5	<10.5
1,2,3-Trichlorobenzene	µg/L	NS	NS	<80	<800	<800	<320	<65	<80	<80	NA	NA	NA	<32	<32	<1.6	<1.6	<1.6	<1.3	<8
1,1,1-Trichloroethane	µg/L	200	40	<25	<250	<140	<92	<42.5	<14	<23	NA	NA	NA	<5.6	<9.2	<0.28	<0.46	<0.46	<0.85	<2.3
1,1,2-Trichloroethane	µg/L	5.0	0.5	<25	<250	<195	<82	<23.5	<19.5	<20.5	NA	NA	NA	<7.8	<9.2	<0.39	<0.41	<0.41	<0.47	<2.05
Trichloroethene (TCE)	µg/L	5.0	0.5	8100	6200	4000	5000	2860	139	<19.5	NA	NA	NA	220	133	<0.47	<0.39	<0.39	<0.47	<1.95
Trichlorofluoromethane	µg/L	3,490	698	<30.5	<305	<405	<144	<85	<40.5	<26	NA	NA	NA	<10.2	<11.4	<0.81	<0.72	<0.72	<1.7	<3.6
1,2,4-Trimethylbenzene	µg/L	**	**	147 "J"	<600	<225	<220	<40	1880	270	27.2	370	490	10.6 "J"	<22	<0.51	<1.1	<1.1	<0.8	<5.5
1,3,5-Trimethylbenzene	µg/L	**	**	256	<185	<115	<300	<37	470	84 "J"	16.7 "J"	57	131	<4.6	<30	<0.23	<1.5	<1.5	<0.74	<7.5
Total Trimethylbenzenes	µg/L	480	96	403	<785	<335	<520	<40	2350	354	43.9	427	621	10.6 "J"	<52	<0.74	<2.6	<2.6	<0.8	<13
Vinyl Chloride	µg/L	0.2	0.02	58	255 "J"	185 "J"	258	146	<10	<10	NA	NA	NA	<4	&lt					

**TABLE 3**  
**GROUNDWATER ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923/10221**

Monitoring Well Identification:		PZ-1				PZ-2				MW-1				MW-2				MW-3													
Metal	Unit	NR 140		12/06/07	09/09/08	08/18/09	9/9/08	08/18/09	07/01/10	10/29/10	02/20/06	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	02/20/06	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	02/20/06	12/12/06	09/25/07	12/06/07	09/09/08	08/18/09	01/10/12		
		ES	PAL	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Lead, Dissolved	µg/L	15	1.5	NA	NA	NA	NA	NA	NA	NA	NA	<0.7	NA	NA	NA	NA	NA	<0.7	NA	NA	NA	NA	NA	<0.7	NA	NA	NA	NA	NA		
<b>Volatile Organic Compounds</b>																															
Benzene	µg/L	5.0	0.5	<0.47	<0.24	<0.41	<b>2.56</b>	<2.05	<0.4	<0.4	<0.26	<2.35	<0.47	<0.47	<0.24	<0.41	<0.26	<0.47	<0.47	<0.47	<0.24	<0.41	<52	<47	<47	<23.5	<12	<0.41	<b>2.5</b>		
Bromobenzene	µg/L	NS	NS	<0.36	<0.44	<0.43	<0.44	<2.15	NA	NA	<0.35	<3.1	<0.36	<0.36	<0.44	<0.43	<0.35	<0.62	<0.36	<0.36	<0.44	<0.43	<70	<62	<36	<18	<22	<0.43	NA		
Bromodichloromethane	µg/L	0.6	0.06	<0.5	<0.3	<0.41	<0.3	<2.05	NA	NA	<0.28	<4.1	<0.5	<0.5	<0.3	<0.41	<0.28	<0.82	<0.5	<0.5	<0.3	<0.41	<56	<82	<50	<25	<15	<0.41	NA		
Bromoform	µg/L	4.4	0.44	<0.38	<0.7	<0.46	<0.7	<2.3	NA	NA	<0.4	<1.5	<0.38	<0.38	<0.7	<0.46	<0.4	<0.3	<0.38	<0.38	<0.7	<0.46	<80	<30	<38	<19	<35	<0.46	NA		
tert-Butylbenzene	µg/L	NS	NS	<0.34	<0.32	<0.46	<0.32	<2.3	NA	NA	<0.34	<3.0	<0.34	<0.34	<0.32	<0.46	<0.34	<0.6	<0.34	<0.34	<0.32	<0.46	<68	<60	<34	<17	<16	<0.46	NA		
sec-Butylbenzene	µg/L	NS	NS	<0.36	<0.73	<0.43	<0.73	<2.15	NA	NA	<0.25	<3.8	<0.36	<0.36	<0.73	<0.43	<0.25	<0.76	<0.36	<0.36	<0.73	<0.43	<50	<76	<36	<18	<36.5	<0.43	NA		
n-Butylbenzene	µg/L	NS	NS	<0.52	<0.55	<1.5	<0.55	<7.5	NA	NA	<0.61	<5.5	<0.52	<0.52	<0.55	<1.5	<0.61	<1.1	<0.52	<0.52	<0.55	<1.5	<122	<110	<52	<26	<27.5	<1.5	NA		
Carbon Tetrachloride	µg/L	5.0	0.5	<0.46	<0.3	<0.43	<0.3	<2.15	NA	NA	<0.25	<2.6	<0.46	<0.46	<0.3	<0.43	<0.25	<0.52	<0.46	<0.46	<0.3	<0.43	<50	<52	<46	<23	<15	<0.43	NA		
Chlorobenzene	µg/L	100	10	<0.31	<0.39	<0.39	<0.39	<1.95	NA	NA	<0.26	<2.8	<0.31	<0.31	<0.39	<0.39	<0.26	<0.56	<0.31	<0.31	<0.39	<0.39	<52	<56	<31	<15.5	<19.5	<0.39	NA		
Chloroethane	µg/L	400	80	<0.47	<0.97	<1.5	<0.97	<7.5	NA	NA	<0.37	<2.7	<0.47	<0.47	<0.97	<1.5	<0.37	<0.54	<0.47	<0.47	<0.97	<1.5	<74	<54	<47	<23.5	<48.5	<1.5	NA		
Chloroform	µg/L	6.0	0.6	<0.48	<0.47	<0.48	<0.47	<2.4	NA	NA	<0.78	<3.05	<0.48	<0.48	<0.47	<0.48	<0.78	<0.61	<0.48	<0.48	<0.47	<0.48	<156	<61	<48	<24	<23.5	<0.48	NA		
Chloromethane	µg/L	30.0	3.0	<1	<0.5	<0.5	<0.5	<2.5	NA	NA	<1.1	<5.0	<1	<1	<0.5	<0.5	<1.1	<1.0	<1	<1	<0.5	<0.5	<220	<100	<100	<50	<25	<0.5	NA		
2-Chlorotoluene	µg/L	NS	NS	<0.49	<0.41	<0.37	<0.41	<1.85	NA	NA	<0.42	<5.5	<0.49	<0.49	<0.41	<0.37	<0.42	<1.1	<0.49	<0.49	<0.41	<0.37	<84	<110	<49	<24.5	<20.5	<0.37	NA		
4-Chlorotoluene	µg/L	NS	NS	<0.38	<0.3	<0.63	<0.3	<3.15	NA	NA	<0.24	<3.1	<0.38	<0.38	<0.3	<0.63	<0.24	<0.62	<0.38	<0.38	<0.3	<0.63	<48	<62	<38	<19	<15	<0.63	NA		
1,2-Dibromo-3-Chloropropane	µg/L	0.2	0.02	<1.4	<1.7	<2	<1.7	<10	NA	NA	<4.1	<12.5	<1.4	<1.4	<1.7	<2	<4.1	<2.5	<1.4	<1.4	<1.7	<2	<820	<250	<140	<70	<85	<2	NA		
Dibromochloromethane	µg/L	60	6.0	<0.32	<0.4	<0.76	<0.4	<3.8	NA	NA	<0.74	<3.25	<0.32	<0.32	<0.4	<0.76	<0.74	<0.65	<0.32	<0.32	<0.4	<0.76	<148	<65	<32	<16	<20	<0.76	NA		
1,4-Dichlorobenzene	µg/L	75	15	<0.33	<0.74	<0.77	<0.74	<3.85	NA	NA	<0.69	<3.4	<0.33	<0.33	<0.74	<0.77	<0.69	<0.68	<0.33	<0.33	<0.74	<0.77	<138	<68	<33	<16.5	<37	<0.77	NA		
1,3-Dichlorobenzene	µg/L	1,250	125	<0.3	<0.67	<0.34	<0.67	<1.7	NA	NA	<0.64	<3.6	<0.3	<0.3	<0.67	<0.34	<0.64	<0.72	<0.3	<0.3	<0.67	<0.34	<128	<72	<30	<15	<33.5	<0.34	NA		
1,2-Dichlorobenzene	µg/L	600	60	<0.35	<0.88	<0.66	<0.88	<3.3	NA	NA	<0.86	<3.45	<0.35	<0.35	<0.88	<0.66	<0.86	<0.69	<0.35	<0.35	<0.88	<0.66	<172	<69	<35	<17.5	<44	<0.66	NA		
Dichlorodifluoromethane	µg/L	600	120	<0.46	<0.76	<0.45	<0.76	<2.25	NA	NA	<0.2	<2.5	<0.46	<0.46	<0.76	<0.45	<0.2	<0.5	<0.46	<0.46	<0.76	<0.45	<40	<50	<46	<23	<38	<0.45	NA		
1,2-Dichloroethane	µg/L	5.0	0.5	<0.45	<0.41	<0.43	<0.41	<2.15	NA	NA	<0.25	<3.6	<0.45	<0.45	<0.41	<0.43	<0.25	<0.72	<0.45	<0.45	<0.41	<0.43	<50	<72	<45	<22.5	<20.5	<0.43	NA		
1,1-Dichloroethane	µg/L	850	85	<0.56	<0.59	<0.44	<0.59	<2.2	NA	NA	<0.91	<2.8	<0.56	<0.56	<0.59	<0.44	<0.91	<0.56	<0.56	<0.56	<0.59	<0.44	<182	<56	<56	<28	<29.5	<0.44	NA		
1,1-Dichloroethene	µg/L	7.0	0.7	<0.64	<0.5	<0.47	<0.5	<2.35	NA	NA	<0.2	<1.5	<0.64	<0.64	<0.5	<0.47	<0.2	<0.3	<0.64	<0.64	<0.5	<0.47	<40	<30	<64	<32	<25	<0.47	NA		
cis-1,2-Dichloroethene	µg/L	70	7.0	<b>8.3</b>	<b>9.5</b>	<b>7.7</b>	<b>148</b>	<b>79</b>	NA	NA	<b>7.8</b>	<b>9.0<sup>J</sup></b>	<b>9.7</b>	<b>8.2</b>	2.08	0.77 <sup>J</sup>	<0.27	<0.68	<0.68	<0.68	0.46 <sup>J</sup>	<0.68	<b>3,800</b>	<b>3,090</b>	<b>3,700</b>	<b>3,400</b>	<b>2,560</b>	<b>1,790</b>	NA		
trans-1,2-Dichloroethene	µg/L	100	20	<0.95	<0.61	<0.61	3.06	3.5 <sup>J</sup>	NA	NA	0.77 <sup>J</sup>	<4.75	<0.95	<0.95	<0.61	<0.61	<0.4	<0.95	<0.95	<0.95	<0.61	<0.61	<b>170<sup>J</sup></b>	<95	<95	<b>74<sup>J</sup></b>	<b>69<sup>J</sup></b>	<b>117</b>	NA		
1,2-Dichloropropane	µg/L	5.0	0.5	<0.47	<0.27	<0.26	<0.27	<1.3	NA	NA	<0.37	<2.35	<0.47	<0.47	<0.27	<0.26	<0.37	<0.47	<0.47	<0.27	<0.26	<0.47	<74	<47	<47	<23.5	<13.5	<0.26	NA		
2,2-Dichloropropane	µg/L	NS	NS	<0.98	<0.53	<0.89	<0.53	<4.45	NA	NA	<0.34	<6.0	<0.98	<0.98	<0.53	<0.89	<0.34	<1.2	<0.98	<0.98	<0.53	<0.89	<68	<120	<98	<49	<26.5	<0.89	NA		
1,3-Dichloropropane	µg/L	NS	NS	<0.39	<0.4	<0.49	<0.4	<2.45	NA	NA	<0.4	<3.35	<0.39	<0.39	<0.4	<0.49	<0.4	<0.67	<0.39	<0.39	<0.4	<0.49	<80	<67	<39	<19.5	<20	<0.49	NA		
Di-Isopropyl ether	µg/L	NS	NS	<1.3	<0.37	<0.32	<0.37	<1.6	NA	NA	<0.23	<3.55	<1.3	<1.3	<0.37	<0.32	<0.23	<0.71	<1.3	<1.3	<0.37	<0.32	<46	<71	<130	<65	<18.5	<0.32	NA		
EDB (1,2-Dibromoethane)	µg/L	0.05	0.01	<0.49	<0.76	<0.52	<0.76	<2.6	NA	NA	<0.58	<2.45	<0.49	<0.49	<0.76	<0.52	<0.58	<0.49	<0.49	<0.49	<0.76	<0.52	<116	<49	<49	<24.5	<38	<0.52	NA		
Ethylbenzene	µg/L	700	140	<0.38	<0.35	<0.87	<0.35	<4.35	<0.65	<0.65	<0.3	<1.9	<0.38	<0.38	<0.35	<0.87	<0.3	<0.38	<0.38	<0.38	<0.35	<0.87	<60	<38	<38	28.5 <sup>J</sup>	<17.5	<0.87	9.1		
Hexachlorobutadiene	µg/L	NS	NS	<1.5	<1.7	<1.5	<1.7	<7.5	NA	NA	<1.6	<10.5	<1.5	<1.5	<1.7	<1.5	<1.6	<2.1	<1.5	<1.5	<1.7	<1.5	<320	<210	<150	<75	<85	<1.5	NA		
Isopropylbenzene	µg/L	NS	NS	<0.48	<0.6	<0.39	<0.6	<1.95	NA	NA	<0.56	<4.95	<0.48	<0.48	<0.6	<0.39	<0.56	<0.99	<0.48	<0.48	<0.6	<0.39	<112	<99	<48	<24	<30	<0.39	NA		
p-Isopropyltoluene	µg/L	NS	NS	<0.35	<0.77	<0.57	<0.77	<2.85	NA	NA	<0.5	<4.05	<0.35	<0.35	<0.77	<0.57	<0.5	<0.81	<0.35	<0.35	<0.77	<0.57	<100	<8							

TABLE 4  
**GROUNDWATER BIOCHEMICAL RESULTS**  
 MASTER DRYCLEANING, INC. PROPERTY  
 6326 WEST BLUEMOUND ROAD  
 WAUWATOSA, WISCONSIN  
 Project Reference #9923/10221

Monitoring Well ID	Collection Date	Biochemical Parameters					Natural Attenuation Parameters					
		Dissolved Oxygen	Redox	pH	Ferrous Fe	Temperature	Nitrate/Nitrite	Sulfate	Manganese	Ethane	Ethene	Methane
	Units	mg/L	mV	S.U.	mg/L	°C	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L
SMW-1	12/12/06	0.24	56.0	7	4.8	10	NA	NA	NA	NA	NA	NA
	09/25/07	0.25	-35.0	7	3.4	16	NA	NA	NA	NA	NA	NA
	12/06/07	0.42	-34.0	7	3.0	16.3	NA	NA	NA	NA	NA	NA
	09/09/08	0.42	-194.4	7.15	2.0	14.85	NA	NA	NA	NA	NA	NA
	08/18/09	0.34	2.0	7.1	2.0	16.9	NA	NA	NA	NA	NA	NA
	01/10/12	0.95	-89.0	7.0	10.0	14.0	<0.1	86.1	259	NA	NA	NA
SMW-2	12/12/06	0.38	103.0	7	0.0	10.1	NA	NA	NA	NA	NA	NA
	09/25/07	0.31	123.0	7	0.0	16.2	NA	NA	NA	NA	NA	NA
	12/06/07	0.48	149.0	7	0.0	16	NA	NA	NA	NA	NA	NA
	09/09/08	0.40	-22.2	7.31	0.0	16.29	NA	NA	NA	NA	NA	NA
	08/18/09	0.35	42.0	7.4	0.0	15.3	NA	NA	NA	NA	NA	NA
	01/10/12	1.90	164.0	7.1	0.0	13.5	9.4	57.4	68.0	NA	NA	NA
SMW-3	12/12/06	0.29	64.0	7	0.8	10.7	NA	NA	NA	NA	NA	NA
	09/25/07	0.34	9.0	7	3.0	16.7	NA	NA	NA	NA	NA	NA
	12/06/07	0.39	-5.0	7	3.0	16.1	0.03 "J"	15.32	285.0	NA	NA	NA
	09/09/08	0.39	-22.5	7.18	2.6	15.23	<0.1	4.23	292.0	NA	NA	NA
	08/18/09	0.23	-122.0	7.4	3.0	15	NA	NA	NA	NA	NA	NA
	07/01/10	0.28	-4.0	7	NA	13.6	NA	NA	NA	NA	NA	NA
	10/29/10	0.38	-35.0	7	NA	15.1	NA	NA	NA	NA	NA	NA
	01/10/12	0.50	-24.0	7.0	4.8	14.2	<0.1	8.8 "J"	177	NA	NA	NA
	SMW-4	12/12/06	0.48	112.0	7	0.0	10.6	NA	NA	NA	NA	NA
09/25/07		0.65	121.0	7	0.0	15.4	NA	NA	NA	NA	NA	NA
12/06/07		2.22	78.0	7	0.0	15.5	NA	NA	NA	NA	NA	NA
09/09/08		0.85	-29.8	7.83	0.0	13.8	NA	NA	NA	NA	NA	NA
08/18/09		0.26	140.0	7	0.0	13.5	NA	NA	NA	NA	NA	NA
01/10/12		1.00	29.0	7.2	0.0	13.8	2.6	33	39.6	NA	NA	NA
SMW-5	12/12/06	0.42	98.0	7	0.0	10.2	NA	NA	NA	NA	NA	NA
	09/25/07	2.28	122.0	7	0.0	16	NA	NA	NA	NA	NA	NA
	12/06/07	0.94	141.0	7	0.0	15.5	0.78	23.54	15.1	<1	<1	<1
	09/09/08	0.48	-133.2	7.64	0.0	14.21	1.17	18.1	<4.8	<0.25	<0.25	2.3
	08/18/09	1.08	65.0	7.6	0.0	14.8	NA	NA	NA	NA	NA	NA
	01/10/12	2.00	154.0	7.4	0.0	12.8	2.8	35.9	<4.8	NA	NA	NA
SMW-6	09/25/07	7.23	125.0	7	0.0	16.7	NA	NA	NA	NA	NA	NA
	12/06/07	0.78	62.0	7	0.0	16.1	NA	NA	NA	NA	NA	NA
	09/09/08	0.62	-193.8	7.39	0.0	15.1	NA	NA	NA	NA	NA	NA
	08/18/09	0.30	9.0	7.1	0.0	14.9	NA	NA	NA	NA	NA	NA
	01/10/12	3.00	20.0	7.1	0.0	13.3	0.2 "J"	57.1	11.4	NA	NA	NA
SMW-7	09/25/07	0.39	30.0	7	3.0	17.1	NA	NA	NA	NA	NA	NA
	12/06/07	0.24	-75.0	7	2.8	16.6	2.17	37.34	256.5	NA	NA	NA
	09/09/08	0.48	-286.2	7.12	2.8	15.49	0.10 "J"	4.34	92.5	NA	NA	NA
	08/18/09	0.57	-96.0	7.4	4.0	15.6	NA	NA	NA	NA	NA	NA
	07/01/10	0.23	-32.0	7	NA	14	NA	NA	NA	NA	NA	NA
	10/29/10	0.40	-70.0	7	NA	15.4	NA	NA	NA	NA	NA	NA
	01/10/12	0.68	-100.0	7.1	10.0	14.2	<0.1	7.2 "J"	71.9	NA	NA	NA
SMW-8	09/25/07	3.50	106.0	7	0.0	15.5	NA	NA	NA	NA	NA	NA
	12/06/07	0.15	-58.0	7	2.0	15.3	0.06 "J"	22.75	169.5	NA	NA	NA
	09/09/08	0.53	-139.8	7.75	9.4	13.96	<0.1	1.82 "J"	116.0	NA	NA	NA
	08/18/09	0.16	-57.0	7.7	3.0	13.9	NA	NA	NA	NA	NA	NA
	07/01/10	4.04	112.0	7	NA	12.4	NA	NA	NA	NA	NA	NA
	01/10/12	0.33	26.0	7	NA	15.8	NA	NA	NA	NA	NA	NA
	01/10/12	0.40	-72.0	7.3	4.2	13.3	<0.1	18.8	316	NA	NA	NA

**TABLE 4**  
**GROUNDWATER BIOCHEMICAL RESULTS**  
**MASTER DRYCLEANING, INC. PROPERTY**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923/10221**

Monitoring Well ID	Collection Date	Biochemical Parameters					Natural Attenuation Parameters					
		Dissolved Oxygen	Redox	pH	Ferrous Fe	Temperature	Nitrate/Nitrite	Sulfate	Manganese	Ethane	Ethene	Methane
		mg/L	mV	S.U.	mg/L	°C	mg/L	mg/L	mg/L	µg/L	µg/L	µg/L
SMW-9	09/25/07	0.49	-9.0	7	4.2	16.7	NA	NA	NA	NA	NA	NA
	12/06/07	0.20	-101.0	7	4.0	16.6	1.61	49.08	496.5	19.0	4.8	76.0
	09/09/08	0.37	-205.4	7.29	3.6	15.06	1.22	38.6	447.0	11.0	1.7	28.0
	08/18/09	0.17	-40.0	7	6.0	15.1	NA	NA	NA	NA	NA	NA
	01/10/12	0.41	-139.0	7.2	4.0	13.8	NA	NA	NA	NA	NA	NA
SMW-10	09/09/08	0.60	-152.4	7.49	0.0	12.84	<0.1	8.13	174.0	NA	NA	NA
	08/18/09	0.32	146.0	7	3.0	12.5	NA	NA	NA	NA	NA	NA
	07/01/10	0.35	51.0	7	NA	11.7	NA	NA	NA	NA	NA	NA
	10/29/10	0.35	-120.0	7	NA	14.4	NA	NA	NA	NA	NA	NA
	01/10/12	0.50	-101.0	7.4	5.2	13.0	<0.1	89.8	288	NA	NA	NA
SMW-11	09/09/08	0.53	-127.8	7.56	0.0	12.37	5.11	92.8	104.0	NA	NA	NA
	08/18/09	0.35	100.0	7	0.0	12.1	NA	NA	NA	NA	NA	NA
SMW-12	09/09/08	0.84	-219.2	7.62	0.0	13.13	8.10	77.5	109.0	NA	NA	NA
	08/18/09	0.26	126.0	7	0.0	12.8	NA	NA	NA	NA	NA	NA
SMW-13	08/19/09	1.12	163.0	7	0.0	12.4	NA	NA	NA	NA	NA	NA
	01/10/12	0.80	-30.0	7.5	0.0	12.2	15.0	39.6	22.4	NA	NA	NA
SMW-14	08/18/09	0.91	129.0	7	0.0	12.2	NA	NA	NA	NA	NA	NA
PZ-1	12/06/07	7.40	108.0	7	0.0	15.2	NA	NA	NA	NA	NA	NA
	09/09/08	1.02	-219.5	8.02	0.0	13.49	NA	NA	NA	NA	NA	NA
	08/18/09	3.68	102.0	7.9	0.0	13.2	NA	NA	NA	NA	NA	NA
PZ-2	09/09/08	1.21	-31.1	8.38	0.0	12.81	NA	NA	NA	NA	NA	NA
	08/18/09	0.49	89.0	7	0.0	12.7	NA	NA	NA	NA	NA	NA
	07/01/10	3.14	68.0	7	NA	12.2	NA	NA	NA	NA	NA	NA
	10/29/10	5.30	95.0	7	NA	14.4	NA	NA	NA	NA	NA	NA
MW-1	12/12/06	0.40	103.0	7	0.0	10.4	NA	NA	NA	NA	NA	NA
	09/25/07	0.50	96.0	7	0.0	15.1	NA	NA	NA	NA	NA	NA
	12/06/07	0.20	44.0	7	0.0	15.4	NA	NA	NA	NA	NA	NA
	09/09/08	0.82	-151.6	7.5	0.0	13.75	NA	NA	NA	NA	NA	NA
	08/18/09	0.34	40.0	7.5	0.0	13.8	NA	NA	NA	NA	NA	NA
MW-2	12/12/06	0.44	105.0	7	0.0	10.5	NA	NA	NA	NA	NA	NA
	09/25/07	0.95	156.0	7	0.0	17.5	NA	NA	NA	NA	NA	NA
	12/06/07	0.77	95.0	7	-	16	NA	NA	NA	NA	NA	NA
	09/09/08	0.71	-166.5	7.56	0.0	16.23	NA	NA	NA	NA	NA	NA
	08/18/09	0.72	39.0	7.6	0.5	16.2	NA	NA	NA	NA	NA	NA
	01/10/12	1.00	5.0	7.6	0.0	13.7	14.2	38.6	16.5	NA	NA	NA
MW-3	12/12/06	0.39	88.0	7	0.8	10.2	NA	NA	NA	NA	NA	NA
	09/25/07	0.43	8.0	7	1.0	16.7	NA	NA	NA	NA	NA	NA
	12/06/07	0.23	-53.0	7	3.2	16	0.09	49.8	519.6	13.0	<1	14.0
	09/09/08	0.62	-141.5	7.28	0.0	14.5	0.13 "J"	49.8	678.0	6.5	0.5	5.0
	08/18/09	0.16	65.0	7.5	1.0	14.3	NA	NA	NA	NA	NA	NA
01/10/12	0.65	23.0	7.2	0.6	14.0	4.4	59.4	662	NA	NA	NA	

Notes:

- mg/l = milligrams per liter
- µg/l = micrograms per liter
- mV = millivolts
- S.U. = standard pH unit
- Degree C = Degree Celsius
- NA = Not Analyzed
- J = Analyte detected between Limit of Detection and Limit of Quantitation

**TABLE 5**  
**SUB-SLAB AIR ANALYTICAL QUALITY RESULTS - DETECTS ONLY**  
**MASTER DRYCLEANERS, INC. SITE INVESTIGATION**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923/10221**

Volatile Organic Compounds - Detects Only	Unit	Vapor Risk Screening Level	518 North 64th Street			
			VP-1	VP-2	VP-3	VP-3R
			Collection Date			
			7/21/2009	7/21/2009	7/21/2009	4/7/2010
1,1,1-Trichloroethane	µg/m3	52000	6.1	<4.6	<77	9.98
1,2,4-Trichlorobenzene	µg/m3	42	<3.9	6.71	<100	<5.8
1,2,4-Trimethylbenzene	µg/m3	73	<3.9	<4.0	<68	18
1,3,5-Trimethylbenzene	µg/m3	NS	<4.0	<4.1	<69	4.1
1,4-Dichlorobenzene	µg/m3	22	17.7	19.6	<84	5.81
2-Butanone (MEK)	µg/m3	52000	8.69	8.09	14400	8.69
2-Hexanone	µg/m3	310	<3.5	<3.6	<61	12.1
4-Ethyltoluene	µg/m3	NS	<4.1	<4.2	<71	8
4-Methyl-2-pentanone (MIBK)	µg/m3	31000	<3.5	<3.6	115	4.58
Acetone	µg/m3	320000	91	40.8	1440	74.9
Benzene	µg/m3	31	<2.6	3.25	<45	<2.5
Carbon disulfide	µg/m3	7300	<3.1	31	<42	<2.3
Chlorobenzene	µg/m3	520	<3.7	5.62	<65	<3.6
Cyclohexane	µg/m3	63000	<2.8	19.2	<49	5.6
Ethyl acetate	µg/m3	NS	6.96	<3	118	3.08
Ethylbenzene	µg/m3	97	<3.5	<3.7	<61	3.75
m&p-xylene	µg/m3	1000	7.5	8.83	181	21.2
Methylene Chloride	µg/m3	52	<2.8	<2.9	<49	3.43
n-Heptane	µg/m3	NS	<3.3	4.58	<58	<2.8
n-Hexane	µg/m3	7300	<2.9	4.66	<51	6.18
o-xylene	µg/m3	7300	4.86	7.5	<61	<5.2
Styrene	µg/m3	10000	4.76	<3.8	<64	<3.5
Tetrachloroethene	µg/m3	420	17.2	8.96	<96	5.52
Toluene	µg/m3	52000	22.2	14.6	80.4	8.43
Trichloroethene	µg/m3	21	<4.4	<4.5	<b>683</b>	<b>449</b>
Trichlorofluoromethane	µg/m3	7300	8.57	<4.6	<77	<4.2

Notes:

µg/m3 = micrograms per cubic meter of air

NS = No calculated standard

Vapor Risk Screening Level = Screening Level for Subslab Vapor to Indoor Air Pathway = Risk-based concentrations based on VALs for residential air which has been adjusted with an Attenuation Factor of 0.1 for the subslab vapor to ambient air pathway in a residential/small commercial building as provided in WDNR publication PUB-RR-800 "Addressing Vapor Intrusion at Remediation & Redevelopment Sites in Wisconsin" (dated December 2010).

Exceedances: **BOLD** = concentration exceeds vapor risk screening level

**TABLE 6**  
**INDOOR AIR ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. SITE INVESTIGATION**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Volatile Organic Compounds	Unit	Vapor Action Level for Residential Indoor Air	518 North 64th Street		
			Amb-1st Flr	Amb-Basement	Amb-Outdoor
			Collection Date		
			2/7/2012	2/7/2012	2/7/2012
cis 1,2-Dichloroethene	µg/m3	NS	<1.1	<1.1	<1.1
trans 1,2-Dichloroethene	µg/m3	63	<1.1	<1.1	<1.1
Tetrachloroethene	µg/m3	42	<0.92	<0.92	<0.92
Trichloroethene	µg/m3	2.1	<0.74	<0.74	<0.74
Vinyl chloride	µg/m3	1.6	<0.35	<0.35	<0.35


Notes:

µg/m3 = micrograms per cubic meter of air  
 NS = No calculated standard.

Vapor Action Level for Residential Indoor Air = Vapor Action Level described in WDNR publication PUB-RR-800 "Addressing Vapor Intrusion at Remediation & Redevelopment Sites in Wisconsin" (dated December 2010) which in turn references EPA Region 3 Risk-Based Concentrations for residential air (Regional Screening Level Master Table - November 2012 [[http://www.epa.gov/reg3hwmd/risk/human/rb-concentration\\_table/index.htm](http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm)]) and May 2012 "Indoor Air Vapor Action Levels for Various VOCs Quick Look-Up Table". VAL adjusted to 1-in-100,000 increase in lifetime cancer risk for carcinogens per WDNR publication PUB-RR-800; VAL is not adjusted for non-carcinogens (i.e., hazard index = 1).


Exceedances: **BOLD** = concentration exceeds calculated sub-slab air standard

## FIGURES



LEGEND	
	= PIEZOMETER
	= MONITORING WELL
	= GEOPROBE LOCATION
	= HAND AUGER LOCATION
	= VAPOR PROBE LOCATION
	= PROPERTY LINE
	= UTILITY LINE
	= WATER
	= GAS
	= SANITARY LINE
	= HYDRANT
	= POWER POLE
	= LIGHT POLE
	= SEWER MANHOLE

NOTE: UTILITIES WITHIN 64TH STREET ARE APPROXIMATE.



**MASTER DRYCLEANING**  
**6326 W. BLUEMOUND ROAD, WAUWATOSA, WI**

DATE: 11/6/08	DR. BY: SJGJ	DR.# 9923-006
---------------	--------------	---------------


**SITE PLAN MAP**

**THE SIGMA GROUP**  
 www.thesigmagroup.com  
 1300 West Canal Street  
 Milwaukee, WI 53233  
 414-643-4200

SCALE: 1" = 30'



**Figure 2**

K:\MASTER DRYCLEANERS\10221-004.dwg, F4-GCSM-B-B', 2/15/2008 1:22:32 PM, 11 x 17, 1:1




VERTICAL SCALE: 1" = 5'  
HORIZONTAL SCALE: 1" = 20'

VERTICAL SCALE: 1" = 5'  
HORIZONTAL SCALE: 1" = 20'



LEGEND	
	CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY, GRAVELLY CLAYS. SAND CLAYS. SILTY CLAYS. LEAN CLAYS.
	ML - INORGANIC SILTS AND VERY FINE SANDS. ROCK FLOUR. SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY.
	SW - WELL - GRADED SANDS. GRAVELLY SANDS. LITTLE OR NO FINES.
	SM - SILTY - SANDS. SAND - SILT MIXTURES.
	DM - DOLOMITE.
	= WELL SCREEN INTERVAL
	= GROUNDWATER ELEVATION (12-06-07).


<b>MASTER DRYCLEANING</b> 6326 W. BLUEMOUND ROAD, WAUWATOSA, WI			<b>THE SIGMA GROUP</b> www.thesigmagroup.com 1300 West Canal Street Milwaukee, WI 53233 414-643-4200
DATE: 02/13/08	DR. BY: SJGJ	DR.# 10221-004	
<b>GEOLOGIC CROSS SECTION MAP (B-B')</b>			SCALE: 1" = 20'
<b>Figure 4</b>			



### LEGEND



- = MONITORING WELL
- = GEOPROBE LOCATION
- = PROPERTY LINE
- = OVERHEAD UTILITY LINE
- = WATER MAIN
- = GAS
- H = HYDRANT
- P = POWER POLE
- L = LIGHT POLE
- S = SEWER MANHOLE
- = GROUNDWATER CONTOUR
- (xxx.xx) = GROUNDWATER ELEVATION
- = GROUNDWATER FLOW DIRECTION

NOTE: UTILITIES WITHIN 64TH STREET ARE APPROXIMATE.



<b>MASTER DRYCLEANING</b>		<p style="font-size: 8px; margin: 0;">www.thesigmagroup.com 1300 West Canal Street Milwaukee, WI 53233 414-643-4200</p>
<b>6326 W. BLUEMOUND ROAD, WAUWATOSA, WI</b>		
DATE: 11/6/08	DR. BY: SJGJ	DR.# 9923-006
<b>GROUNDWATER CONTOUR MAP</b>		SCALE: 1" = 30'
(January 10, 2012)		<b>Figure 5</b>


K:\MASTER DRYCLEANERS\10221\10221-004.dwg, F3-GCSM-A-A, 2/15/2008 1:22:04 PM, 11 x 17, 1:1



**LEGEND**

- CL - INORGANIC CLAYS OF LOW TO MEDIUM PLASTICITY. GRAVELLY CLAYS. SAND CLAYS. SILTY CLAYS. LEAN CLAYS.
- ML - INORGANIC SILTS AND VERY FINE SANDS. ROCK FLOUR. SILTY OR CLAYEY FINE SANDS OR CLAYEY SILTS WITH SLIGHT PLASTICITY.
- SW - WELL - GRADED SANDS. GRAVELY SANDS. LITTLE OR NO FINES.
- SM - SILTY - SANDS. SAND - SILT MIXTURES.
- DM - DOLOMITE.
- = WELL SCREEN INTERVAL
- = GROUNDWATER ELEVATION (12-06-07)

VERTICAL SCALE: 1" = 5'  
HORIZONTAL SCALE: 1" = 20'



VERTICAL SCALE: 1" = 5'  
HORIZONTAL SCALE: 1" = 20'

<b>MASTER DRYCLEANING</b>		<b>THE SIGMA GROUP</b> <small>Single Source. Sound Solutions.</small>	<small>www.thesigmagroup.com 1300 West Canal Street Milwaukee, WI 53233 414-643-4200</small>
<b>6326 W. BLUEMOUND ROAD, WAUWATOSA, WI</b>			
DATE: 02/13/08	DR. BY: SJGJ	DR.# 10221-004	SCALE: 1" = 20'
<b>GEOLOGIC CROSS SECTION MAP (A-A')</b>			<b>Figure 3</b>

TABLE 5  
SUB-SLAB AIR ANALYTICAL QUALITY RESULTS - DETECTS ONLY  
MASTER DRYCLEANERS, INC. SITE INVESTIGATION  
6326 WEST BLUEMOUND ROAD  
WAUWATOSA, WISCONSIN  
Project Reference #9923/10221

Volatile Organic Compounds - Detects Only	Unit	Vapor Risk Screening Level	518 North 64th Street			
			VP-1	VP-2	VP-3	VP-3R
			Collection Date			
			7/21/2009	7/21/2009	7/21/2009	4/7/2010
1,1,1-Trichloroethane	µg/m3	52000	6.1	<4.6	<11	9.98
1,2,4-Trichlorobenzene	µg/m3	42	<3.9	6.71	<100	<5.8
1,2,4-Trimethylbenzene	µg/m3	73	<3.9	<4.0	<68	18
1,3,5-Trimethylbenzene	µg/m3	NS	<4.0	<4.1	<69	4.1
1,4-Dichlorobenzene	µg/m3	22	17.7	19.6	<84	5.81
2-Butanone (MEK)	µg/m3	52000	8.69	8.09	14400	8.69
2-Hexanone	µg/m3	310	<3.5	<3.6	<61	12.1
4-Ethyltoluene	µg/m3	NS	<4.1	<4.2	<71	8
4-Methyl-2-pentanone (MIBK)	µg/m3	31000	<3.5	<3.6	115	4.58
Acetone	µg/m3	320000	91	40.8	1440	74.9
Benzene	µg/m3	31	<2.6	3.25	<45	<2.5
Carbon disulfide	µg/m3	7300	<3.1	31	<42	<2.3
Chlorobenzene	µg/m3	520	<3.7	5.62	<65	<3.6
Cyclohexane	µg/m3	63000	<2.8	19.2	<49	5.6
Ethyl acetate	µg/m3	NS	6.96	<3	118	3.08
Ethylbenzene	µg/m3	97	<3.5	<3.7	<61	3.75
m&p-xylene	µg/m3	1000	7.5	8.83	181	21.2
Methylene Chloride	µg/m3	52	<2.8	<2.9	<49	3.43
n-Heptane	µg/m3	NS	<3.3	4.58	<58	<2.8
n-Hexane	µg/m3	7300	<2.9	4.66	<51	6.18
o-xylene	µg/m3	7300	4.86	7.5	<61	<5.2
Styrene	µg/m3	10000	4.76	<3.8	<64	<3.5
Tetrachloroethene	µg/m3	420	17.2	8.96	<96	5.52
Toluene	µg/m3	52000	22.2	14.6	80.4	8.43
Trichloroethene	µg/m3	21	<4.4	<4.5	<b>683</b>	<b>449</b>
Trichlorofluoromethane	µg/m3	7300	8.57	<4.6	<77	<4.2

Notes:

µg/m3 = micrograms per cubic meter of air

NS = No calculated standard

Risk Screening Level = Screening Level for Subslab Vapor to Indoor Air Pathway = Risk-based concentrations based on VALs for residential air which has been adjusted with an Attenuation Factor of 0.1 for the subslab vapor to ambient air pathway in a residential/small commercial building as provided in WDNR publication PUB-RR-800 "Addressing Vapor Intrusion at Remediation & Redevelopment Sites in Wisconsin" (dated December 2010).

Exceedances: **BOLD** = concentration exceeds vapor risk screening level

**TABLE 6**  
**INDOOR AIR ANALYTICAL QUALITY RESULTS**  
**MASTER DRYCLEANERS, INC. SITE INVESTIGATION**  
**6326 WEST BLUEMOUND ROAD**  
**WAUWATOSA, WISCONSIN**  
**Project Reference #9923**

Volatile Organic Compounds	Unit	Vapor Action Level for Residential Indoor Air	518 North 64th Street		
			Amb-1st Flr	Amb-Basement	Amb-Outdoor
			Collection Date		
			2/7/2012	2/7/2012	2/7/2012
cis 1,2-Dichloroethene	µg/m3	NS	<1.1	<1.1	<1.1
trans 1,2-Dichloroethene	µg/m3	63	<1.1	<1.1	<1.1
Tetrachloroethene	µg/m3	42	<0.92	<0.92	<0.92
Trichloroethene	µg/m3	2.1	<0.74	<0.74	<0.74
Vinyl chloride	µg/m3	1.6	<0.35	<0.35	<0.35

Notes:


µg/m3 =micrograms per cubic meter of air

NS = No calculated standard

Vapor Action Level for

Residential Indoor Air = Vapor Action Level described in WDNR publication PUB-RR-800 "Addressing Vapor Intrusion at Remediation & Redevelopment Sites in Wisconsin" (dated December 2010) which in turn references EPA Region 3 Risk-Based Concentrations for residential air (Regional Screening Level Master Table - November 2012 [[http://www.epa.gov/reg3hwmd/risk/human/rb-concentration\\_table/index.htm](http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm)]) and May 2012 "Indoor Air Vapor Action Levels for Various VOCs Quick Look-Up Table". VAL adjusted to 1-in-100,000 increase in lifetime cancer risk for carcinogens per WDNR publication PUB-RR-800; VAL is not adjusted for non-carcinogens (i.e., hazard index = 1).

Exceedances: **BOLD** = concentration exceeds calculated sub-slab air standard



### LEGEND

- ⊕ = PIEZOMETER
- ⊙ = MONITORING WELL
- = GEOPROBE LOCATION
- × = HAND AUGER LOCATION
- ⊙ = VAPOR PROBE LOCATION
- = PROPERTY LINE
- - - = UTILITY LINE
- = WATER
- = GAS
- = SANITARY LINE
- ⊕ = HYDRANT
- ⊕ = POWER POLE
- ⊙ = LIGHT POLE
- ⊕ = SEWER MANHOLE

### Soil Quality Legend

All results reported in micrograms per kilograms (ug/kg)

ND = Chlorinated constituent concentrations are below the laboratory detection limit

PCE = Tetrachloroethene

TCE = Trichloroethene

MC = Methylene Chloride

SSRCL = Calculated site specific residual contaminant levels

**Bold** = Concentrations are greater than SSRCL

**MASTER DRYCLEANING**  
**6326 W. BLUEMOUND ROAD, WAUWATOSA, WI**

DATE: 02/13/08 | DR. BY: SJGJ | DR.# 9923-004


**SOIL QUALITY MAP**  
**(CHLORINATED DETECTS ONLY)**


**SIGMA** GROUP  
 Single Source. Sound Solutions.

www.thesigmagroup.com  
 1300 West Canal Street  
 Milwaukee, WI 53233  
 414-643-4200

SCALE: 1" = 20'

**Figure 6**





SMW-14	
Date	8/18/09
PCE	<2.1
TCE	<1.95
Vinyl Chloride	32
Cis 1,2-DCE	151

SMW-13	
Date	8/18/09
PCE	<0.42
TCE	<0.39
Vinyl Chloride	<0.2
Cis 1,2-DCE	<0.68

SMW-12		
Date	9/9/08	8/18/09
PCE	0.75	<0.42
TCE	<0.47	<0.39
Vinyl Chloride	0.59	1.2

MW-1						
Date	2/20/06	12/12/06	9/25/07	12/6/07	9/9/08	8/18/09
PCE	81	48	43	27.2	22.1	6
TCE	38	36	52	32	9.8	5.3
Vinyl Chloride	<0.16	1.4	0.79	0.38	1.03	0.8
Cis 1,2-DCE	7.8	9	9.7	8.2	2.08	0.77

MW-2						
Date	2/20/06	12/12/06	9/25/07	12/6/07	9/9/08	8/18/09
PCE	<0.45	3.5	1.38	2.75	15.1	2.03
TCE	<0.37	1.38	0.45	1.71	1.62	1.68

MW-3						
Date	2/20/06	12/12/06	9/25/07	12/6/07	9/9/08	8/18/09
PCE	282	247	198	140	261	158
TCE	1,770	1,730	2,150	1,720	1,030	690
Vinyl Chloride	102	98	320	152	117	55
Cis 1,2-DCE	3,800	3,090	3,700	3,400	2,560	1,790
Trans 1,2-DCE	170	<95	<95	74	63	117

PZ-1			
Date	12/6/07	9/9/08	8/18/09
PCE	1.12	37	1.3
TCE	0.66	4.81	0.96
Vinyl Chloride	2.09	<0.2	<0.2
Cis 1,2-DCE	8.3	9.5	7.7

SMW-9					
Date	9/25/07	12/6/07	9/9/08	8/18/09	1/10/12
PCE	39,800	28,800	44,000	162,000	23,000
TCE	8,100	6,200	4,000	6,000	2,860
Vinyl Chloride	58	255	185	258	146
Cis 1,2-DCE	6,000	7,900	6,500	7,700	6,100
Trans 1,2-DCE	175	<475	<305	218	297

SMW-3					
Date	12/12/06	9/25/07	12/6/07	9/9/08	8/18/09
PCE	52	174	126	81	13.6
TCE	264	313	278	274	103
Vinyl Chloride	212	314	288	227	123
Cis 1,2-DCE	870	2,400	2,250	2,040	1,740
Trans 1,2-DCE	<47.5	30	<47.5	<12.2	<12.2

SMW-6				
Date	9/25/07	12/6/07	9/9/08	8/18/09
PCE	0.72	<0.52	1.33	1.94
TCE	<0.51	<0.44	<0.47	<0.39
Vinyl Chloride	0.4	<0.2	<0.2	<0.20
Cis 1,2-DCE	7.6	1.64	<0.44	<0.68

### LEGEND

- ⊕ = PIEZOMETER
- ⊙ = MONITORING WELL
- = GEOPROBE LOCATION
- × = HAND AUGER LOCATION
- ⊙ = VAPOR PROBE LOCATION
- = PROPERTY LINE
- - - = UTILITY LINE
- - - - - = WATER
- - - - - = GAS
- - - - - = SANITARY LINE
- ⊕ = HYDRANT
- ⊕ = POWER POLE
- ⊕ = LIGHT POLE
- ⊕ = SEWER MANHOLE

### Groundwater Quality Legend

All results reported in micrograms per liter (ug/l).

ND = Chlorinated constituent concentrations are below the laboratory detection limit.

NA = Not Analyzed

PCE = Tetrachloroethene

TCE = Trichloroethene

DCE = Dichloroethene

NR 140 ES = Wisconsin Administrative Code, Chapter NR 140 Enforcement Standard

NR 140 PAL = Wisconsin Administrative Code, Chapter NR 140 Preventive Action Limit

Bold = Concentrations are greater than NR 140 PAL

Bold Line = Concentrations are greater than NR 140 ES

## MASTER DRYCLEANING

### 6326 W. BLUEMOUND ROAD, WAUWATOSA, WI

DATE: 11/06/09 DR. BY: SJGJ DR.# 9923-006

# GROUNDWATER QUALITY MAP

**THE SIGMA GROUP**  
Single Source. Sound Solutions.

www.thesigmagroup.com  
1300 West Canal Street  
Milwaukee, WI 53233  
414-643-4200

SCALE: 1" = 30'

## Figure 7

**APPENDIX A**  
**Soil Boring Logs**

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SGP-1</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>		Date Drilling Started <b>9/6/2007</b>		Date Drilling Completed <b>9/6/2007</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>691.3 Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane <b>N, E S/C/N</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____ ° _____ ' _____ "		Long _____ ° _____ ' _____ "	

Facility ID	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>
-------------	----------------------------	--------------------------	---

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	P U S H	1	Asphalt brown (7.5YR5/3) silty CLAY, trace fine gravel, trace dark brown mottling, soft, moist	CL-ML asphalt			0.2							
				2	Concrete	Concrete			0.7						
3 GP	24 20	P U S H	3	brown (10YR5/3) gravelly SILT, soft, moist to dry	ML			0.7							
				4	dark brown (7.5YR3/2) sandy SILT, very soft, moist	ML									
4 GP	24 20	P U S H	5	dark yellowish brown (10YR4/4) clayey SILT, trace mottling, soft, moist	ML			0.2							
				6	pale brown (10YR6/3) SILT, trace fine sand, wet	ML			0.2						
5 GP	36 30	P U S H	7	brown (10YR5/3) CLAY, trace mottling, stiff, moist	CL										
				8	brown (10YR5/3) CLAY, trace fine sand, stiff, petro odor, moist to wet	CL									
					9										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Sigma Environmental Services, Inc.</b> 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
---------------	---	--

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>SGP-2</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>9/6/2007</b>		Date Drilling Completed <b>9/6/2007</b>	
WI Unique Well No.		DNR Well ID No.	Common Well Name		Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>692.0 Feet MSL</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane <b>N, E S/C/N</b>		Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E		Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "		Feet <input type="checkbox"/> S <input type="checkbox"/> W		Borehole Diameter <b>2.0 inches</b>
Facility ID		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	P U S H	1	Asphalt	asphalt			0.7							
				dark brown (10YR3/3) fine SAND, dry	SP										
2 GP	24 16	P U S H	2	pale brown (10YR6/3) silty CLAY, trace fine gravel, soft, moist				0.7							
					CL-MI										
3 GP	24 16	P U S H	4	brown (10YR4/3) silty SAND, to sandy gravelly SILT, soft, moist				1.2							
					SM										
4 GP	24 16	P U S H	7	brown (10YR4/3) SILT, trace mottling, soft, moist				0.7							
					ML										
5 GP	36 30	P U S H	8	yellowish brown (10YR5/4) sandy gravelly SILT, medium stiff, moist				1.2							
					ML										
					ML										
			10	yellowish brown (10YR5/4) fine sandy SILT to silty SAND, soft, wet											
			11												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: *Mary AS* Firm: **Sigma Environmental Services, Inc.**  
1300 W. Canal Street Milwaukee, WI 53233  
Tel: (414) 643-4200 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>SGP-3</b>		
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>9/6/2007</b>		Date Drilling Completed <b>9/6/2007</b>		
WI Unique Well No.			DNR Well ID No.		Common Well Name		
Final Static Water Level <b>Feet MSL</b>			Surface Elevation <b>692.0 Feet MSL</b>		Borehole Diameter <b>2.0 inches</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Lat _____ ' _____ "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Long _____ ' _____ "				
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>		Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 14	P U S H	1	Asphalt	asphalt			0.7							
				dark brown (10YR3/3) fine SAND, dry	SW										
2 GP	24 14	P U S H	2 3	light yellowish brown (10YR6/3) silty CLAY, mottling, soft, non-plastic, moist	CL-ML			2.8							
3 GP	24 22	P U S H	4 5	dark yellowish brown (10YR4/4) SILT, trace fine gravel and sand, very soft, moist				3.8							
4 GP	24 22	P U S H	6 7		ML			3.3							
5 GP	36 36	P U S H	8 9					2.3							
				brown (10YR5/3) SILT, medium stiff, moist	ML										
			10 11												

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature *Mary Telle* Firm **Sigma Environmental Services, Inc.** 1300 W. Canal Street Milwaukee, WI 53233 Tel: (414) 643-4200 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>SGP-4</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>9/6/2007</b>		Date Drilling Completed <b>9/6/2007</b>	Drilling Method <b>Geoprobe</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>691.9 Feet MSL</b>	Borehole Diameter <b>2.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Lat _____"		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E	
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Long _____"		Feet <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	PUSH	1	asphalt	asphalt			0.2							
				dark brown (10YR3/3) SAND, dry	SW										
2 GP	24 16	PUSH	2	grayish brown (10YR5/2) silty CLAY, very stiff, moist	CL-ML			0.2							
				yellowish brown (10YR5/4) sandy gravelly SILT, soft, moist to dry											
3 GP	24 16	PUSH	3		ML			0.2							
4 GP	24 16	PUSH	4	dark grayish brown (10YR4/2) SILT, very trace sand, soft, moist	ML			0.7							
5 GP	36 30	PUSH	5	yellowish brown (10YR5/4) CLAY, mottling, very stiff, dry to wet	CL			0.7							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>SGP-5</b>		
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>9/6/2007</b>		Date Drilling Completed <b>9/6/2007</b>		
Drilling Method <b>Geoprobe</b>			WI Unique Well No.		DNR Well ID No.		
Common Well Name			Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>691.7 Feet MSL</b>		
Borehole Diameter <b>2.0 inches</b>			Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>				
State Plane <b>N, E S/C/N</b>			Lat _____"		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E		
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Long _____"		Feet <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>		Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	P U S H	1	Asphalt	asphalt			0.2							
2 GP	24 16	P U S H	2-3	dark yellowish brown (10YR4/4) sandy gravelly SILT, soft, moist	ML			0.2							
3 GP	24 16	P U S H	4-5	brown (7.5YR5/3) CLAY, trace fine gravel, very stiff, moist to dry, wet at 11 feet bgs.	CL			0.2							
4 GP	24 16	P U S H	6-7					0.2							
5 GP	36 30	P U S H	8-9					0.2							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SGP-6</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>9/6/2007</b>	Date Drilling Completed <b>9/6/2007</b>	Drilling Method <b>Geoprobe</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>691.7 Feet MSL</b>	Borehole Diameter <b>2.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Lat <b>° ' "</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Long <b>° ' "</b>		Feet <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	PUSH	1	Asphalt	asphalt			0.2							
				dark yellowish brown (10YR4/4) sandy gravelly SILT, soft, moist to dry											
2 GP	24 16	PUSH	2-3	Concrete	Concrete			0.2							
				dark yellowish brown (10YR4/4) silty CLAY, trace mottling, very soft, moist											
3 GP	48 10	PUSH	4-5	Concrete	Concrete			0.2							
				dark yellowish brown (10YR4/4) silty CLAY, trace mottling, very soft, moist											
5 GP	36 30	PUSH	8-9	brown (10YR5/3) CLAY, mottling, very stiff, non-plastic, dry to wet (10 feet bgs)	CL			0.2							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *May HS* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>HA-1</b>		
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>7/31/2008</b>		Date Drilling Completed <b>7/31/2008</b>		
WI Unique Well No.		DNR Well ID No.	Common Well Name		Final Static Water Level Feet MSL		
					Surface Elevation Feet MSL		
					Borehole Diameter <b>3.0 inches</b>		
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Lat _____"		Local Grid Location		
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Long _____"		<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>		Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 HA	12 12		0.5	Concrete											
2 HA	12 12		1.0	sandy stone basecourse											
3 HA	12 12		1.5	brown silty CLAY w/ trace gravel, moist											
4 HA	12 12		2.0												
5 HA	6 6		3.0												
			3.5												
			4.0												
			4.5												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm <b>Sigma Environmental</b> 1300 W Canal Milwaukee, WI 53233	Tel: 414-643-4100 Fax: 414-643-4210
-----------	---	--

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>HA-2</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Joe Sikora Sigma Environmental Services</b>			Date Drilling Started <b>7/31/2008</b>		Date Drilling Completed <b>7/31/2008</b>	
Drilling Method <b>Hand Auger</b>			Final Static Water Level Feet MSL		Surface Elevation Feet MSL	
WI Unique Well No.	DNR Well ID No.	Common Well Name	Borehole Diameter <b>3.0 inches</b>			
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>			Local Grid Location			
State Plane <b>N, E S/C/N</b>			Lat _____"			
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Long _____"			
Facility ID		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments		
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200				
1 HA	12 12		0.5	Concrete													
2 HA	12 12		1.0	sandy stone basecourse													
3 HA	12 12		1.5	brown silty CLAY w/ trace gravel, moist	CL-MI												
4 HA	12 12		2.0														
5 HA	12 12		2.5														
			3.0														
			3.5														
			4.0														
			4.5														
			5.0														

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **Sigma Environmental**  
1300 W Canal Milwaukee, WI 53233 Tel: 414-643-4100  
Fax: 414-643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>		License/Permit/Monitoring Number -		Boring Number <b>SMW-1</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services, inc.</b>		Date Drilling Started <b>12/6/2006</b>		Date Drilling Completed <b>12/6/2006</b>	
Drilling Method <b>hollow stem auger</b>		WI Unique Well No. <b>ox435</b>		DNR Well ID No.	
Common Well Name <b>SMW-1</b>		Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>	
Borehole Diameter <b>8.3 inches</b>		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>		Local Grid Location	
State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____"		<input type="checkbox"/> N <input type="checkbox"/> E	
Long _____"		Feet <input type="checkbox"/> S		Feet <input type="checkbox"/> W	
Facility ID <b>241398630</b>		County <b>Milwaukee</b>		County Code <b>41</b>	
Civil Town/City/ or Village <b>Wauwautosa</b>					

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 8	PUSH	1	ASPHALT Fill, Sand and Gravel	GW			0.0							
2 GP	24 8	PUSH	2-3					0.1							
3 GP	24 8	PUSH	4-5	brown (10YR4/3) sandy SILT, trace gravel, soft, moist				9.0							
4 GP	24 8	PUSH	6-7		ML			5.3							
5 GP	24 8	PUSH	8-9	grayish brown (10YR5/2) sandy SILT, trace gravel, soft, strong odor, moist	ML			359							
6 GP	24 24	PUSH	10-11	brown (10YR/53) CLAY, non-plastic, stiff, moist	CL			15							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary Teth* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>		License/Permit/Monitoring Number -		Boring Number <b>SMW-2</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services, inc.</b>		Date Drilling Started <b>12/6/2006</b>		Date Drilling Completed <b>12/6/2006</b>	
Drilling Method <b>hollow stem auger</b>		WI Unique Well No. <b>ox436</b>		DNR Well ID No.	
Common Well Name <b>SMW-2</b>		Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>	
Borehole Diameter <b>8.3 inches</b>		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E		Lat _____		Long _____	
Facility ID <b>241398630</b>		County <b>Milwaukee</b>		County Code <b>41</b>	
		Civil Town/City/ or Village <b>Wauwatosa</b>			

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	PUSH	1	ASPHALT brown (10YR4/3) silty medium to coarse SAND to sandy SILT, moist	asphalt			0.1							
2 GP	24 16	PUSH	2-3		SM			0.1							
3 GP	24 16	PUSH	4-5		ML			0.1							
4 GP	24 16	PUSH	6-7	brown (10YR5/3) SILT, trace fine sand, moist to wet	ML			0.1							
5 GP	24 16	PUSH	8-9	brown (10YR5/3) CLAY, non-plastic, very stiff, moist	CL			0.1							
6 GP	24 16	PUSH	10-11					0.1							

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature: *Mary J. J...* Firm: **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number **SMW-2**

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
7 GP	24 24	P U S H	13	grayish brown (10YR5/2) CLAY, trace gravel, semi-plastic, very stiff, moist	CL			0.1						
8 GP	36 24	P U S H	14 15 16 17					0.1						

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>			License/Permit/Monitoring Number -		Boring Number <b>SMW-3</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services, inc.</b>			Date Drilling Started <b>12/6/2006</b>		Date Drilling Completed <b>12/6/2006</b>	
Drilling Method <b>hollow stem auger</b>						
WI Unique Well No. <b>ox437</b>	DNR Well ID No.	Common Well Name <b>SMW3</b>	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter <b>8.3 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>			Local Grid Location			
State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Lat _____ N Long _____ W			
Facility ID <b>241398630</b>		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 GP	24 10	P U S H	1	ASPHALT FILL, Sand and Gravel	asphalt GW			0.3						
2 GP	24 10	P U S H	2-3	dark yellowish brown (10YR4/6) coarse SAND, trace gravel, moist	SW			0.9						
3 GP	24 10	P U S H	4-5	dark brown (10YR3/3) SILT, trace gravel, mottling, medium stiff, moist	ML			0.6						
			5-6	brown (10YR5/3) silty CLAY, trace gravel, very stiff, moist to dry	CL-ML									
4 GP	24 20	P U S H	6-7	brown (10YR5/3) sandy SILT, black mottling, soft, odor, moist to wet	ML			19.5						
5 GP	24 20	P U S H	8-9	grayish brown (10YR5/2) CLAY, medium soft, moist	CL			14.2						
6 GP	24 6	P U S H	10-11		CL			6.0						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>		License/Permit/Monitoring Number -		Boring Number <b>SMW-4</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services, inc.</b>			Date Drilling Started <b>12/6/2006</b>	Date Drilling Completed <b>12/6/2006</b>	Drilling Method <b>hollow stem auger</b>
WI Unique Well No. <b>ox438</b>	DNR Well ID No.	Common Well Name <b>SMW-4</b>	Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>Feet MSL</b>	Borehole Diameter <b>8.3 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/> State Plane <b>N, E S/C/N</b>			Local Grid Location		
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat _____"	Long _____"	<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID <b>241398630</b>		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	48 4	P U S H	1	ASPHALT FILL, Sand and Gravel	asphalt			0.3							
2 GP	24 12	P U S H	4	brown (10YR4/3) to dark grayish brown (10YR4/2) CLAY, trace mottling, dry to moist	SW			0.3							
3 GP	24 24	P U S H	6		CL			0.1							
4 GP	24 24	P U S H	8	brown (10YR5/3) CLAY, mottling, very stiff, moist to wet	CL			0.1							
5 GP	24 24	P U S H	10	wet sand seam wet sand seam	CL			0.1							
			11	Black GRAVEL yellowish brown (10YR5/4) SILT, mottling, medium soft, moist to wet	GW ML										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary H. H.* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>		License/Permit/Monitoring Number -		Boring Number <b>SMW-5</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services, inc.</b>		Date Drilling Started <b>12/6/2006</b>		Date Drilling Completed <b>12/6/2006</b>	
Drilling Method <b>hollow stem auger</b>		WI Unique Well No. <b>ox439</b>		DNR Well ID No.	
Common Well Name <b>SMW-5</b>		Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>	
Borehole Diameter <b>8.3 inches</b>		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input checked="" type="checkbox"/>		Local Grid Location	
State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		N, E S/C/N		Lat _____" Long _____"	
Facility ID <b>241398630</b>		County <b>Milwaukee</b>		County Code <b>41</b>	
Civil Town/City/ or Village <b>Wauwautosa</b>		Feet <input type="checkbox"/> N <input type="checkbox"/> E		Feet <input type="checkbox"/> S <input type="checkbox"/> W	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 16	P U S H	1	ASPHALT Fill, Sand and Gravel	asphalt GW			0.6							
2 GP	24 16	P U S H	2-3	very dark grayish brown (10YR3/2) SILT, soft, moist	ML			0.3							
3 GP	24 20	P U S H	4-5	yellowish brown (10YR5/4) CLAY, non-plastic, very stiff, moist	CL			0.3							
4 GP	24 24	P U S H	6-7	yellowish brown (10YR5/4) SILT, trace clay seams, trace mottling, moist to wet	ML			0.3							
5 GP	24 24	P U S H	8-9		ML			0.1							
6 GP	24 24	P U S H	10-11	yellowish brown (10YR5/4) CLAY, very stiff, moist to wet saturated gravel seam	CL			0.1							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Sigma Environmental Services, Inc.</b> 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
---------------	---	--

Boring Number **SMW-5** Use only as an attachment to Form 4400-122.

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
7 GP	24 24	P U S H	13	gray (10YR5/1) CLAY, trace gravel, non-plastic, very stiff, moist	CL			0.1						
8 GP	12 12	P U S H	14 15					0.1						

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-6</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>			Date Drilling Started <b>9/17/2007</b>	Date Drilling Completed <b>9/17/2007</b>	Drilling Method <b>Hollow Stem Auger</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name <b>SMW-6</b>	Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>691.1 Feet MSL</b>	Borehole Diameter <b>8.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Local Grid Location		
SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E			Lat _____"	Long _____"	Feet <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 10	PUSH	1	Asphalt	asphalt			0.0							
				brown (10YR5/3) sandy SILT, trace gravel, very soft, moist to wet	ML										
2 GP	24 16	PUSH	2	brown (10YR4/3) SILT, trace medium sand, trace gravel, very soft, moist to wet				0.1							
3 GP	24 24	PUSH	4		ML			0.2							
4 GP	24 24	PUSH	6					0.1							
5 GP	24 24	PUSH	8	light yellowish brown (10YR6/4) silty fine SAND to sandy SILT, wet	SM			0.0							
6 GP	24 24	PUSH	10	pale brown to light brownish gray (10YR6/3 to 6/2) sandy SILT, medium soft, moist to wet	ML			0.0							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *May* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Boring Number **SMW-6** Use only as an attachment to Form 4400-122. Page **2** of **2**

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
7 GP	24 24	P U S H	13	pale brown to light brownish gray (10YR6/3 to 6/2) sandy SILT, medium soft, moist to wet <i>(continued)</i>	ML			0.0						
8 GP	12 24	P U S H	14	gray (10YR6/1) silty CLAY, non-plastic, stiff, moist	CL-MI			0.0						

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-7</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>			Date Drilling Started <b>9/17/2007</b>	Date Drilling Completed <b>9/17/2007</b>	Drilling Method <b>Hollow Stem Auger</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name <b>SMW-7</b>	Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>691.9 Feet MSL</b>	Borehole Diameter <b>8.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Local Grid Location		
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Lat _____ ' _____ "	Long _____ ' _____ "	<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 6	P U S H	1	Asphalt	asphalt			2.7							
				Crushed stone backfill											
2 GP	24 6	P U S H	2					1.2							
3 GP	24 6	P U S H	3		Stone										
4 GP	24 0	P U S H	4												
5 GP	24 24	P U S H	5	brown (10YR5/3) sandy SILT to silty SAND, petro odor, wet	ML			5.4							
6 GP	24 24	P U S H	6	gray (10YR5/1) SILT, trace fine sand, soft, petro odor, wet	ML			628							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary* Firm **Sigma Environmental Services, Inc.** 1300 W. Canal Street Milwaukee, WI 53233 Tel: (414) 643-4200 Fax: (414) 643-4210



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-8</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>		Date Drilling Started <b>9/17/2007</b>		Date Drilling Completed <b>9/17/2007</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name <b>SMW-8</b>	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>690.9 Feet MSL</b>		Borehole Diameter <b>8.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane <b>N, E S/C/N</b>		Local Grid Location	
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____° _____'		Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>	
				Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 8	P U S H	1	Asphalt	asphalt			9.0							
2 GP	24 8	P U S H	2-3	brown (10YR5/3) silty CLAY to clay, very trace mottling, very stiff, dry				7.3							
3 GP	24 16	P U S H	4-5		CL-ML			7.1							
4 GP	24 20	P U S H	6-7					6.0							
5 GP	24 20	P U S H	8-9	brown (10YR5/3) SILT, trace clay, trace mottling, very soft, wet	ML			25							
6 GP	24 20	P U S H	10-11	gray (10YR5/1) silty SAND, petro odor	SM			8.9							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210



Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-9</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>			Date Drilling Started <b>9/17/2007</b>	Date Drilling Completed <b>9/17/2007</b>	Drilling Method <b>Hollow Stem Auger</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name <b>SMW-9</b>	Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>692.0 Feet MSL</b>	Borehole Diameter <b>8.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Local Grid Location		
SE 1/4 of SE 1/4 of Section <b>27, T 7 N, R 21 E</b>			Lat _____ ° _____ ' _____ "	Long _____ ° _____ ' _____ "	<input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
			1 2 3 4 5 6 7 8 9 10 11 12	Blind drilled. See boring log SGP-3											
1 GP	24 24	P U S H		brown (10YR5/3) SILT, soft, moist to wet	ML			39.3							

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary AA* Firm **Sigma Environmental Services, Inc.** 1300 W. Canal Street Milwaukee, WI 53233  
Tel: (414) 643-4200 Fax: (414) 643-4210




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>SMW-10</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>			Date Drilling Started <b>7/31/2008</b>		Date Drilling Completed <b>7/31/2008</b>	
WI Unique Well No.		DNR Well ID No.	Common Well Name <b>SMW-10</b>	Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>690.9 Feet MSL</b>
						Borehole Diameter <b>8.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>			Local Grid Location			
State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Lat _____ " _____ "			Feet <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W
Facility ID		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24	PUSH	1	Topsoil											
	24			brown CLAY, trace gravel, dry, stiff											
2 GP	24	PUSH	2-3		CL										
	24														
3 GP	24	PUSH	4-5												
	24			brown/tan sandy CLAY, soft, moist	CL										
4 GP	24	PUSH	6-7												
	24			tan sandy CLAY, soft, moist/wet	CL										
5 GP	24	PUSH	8-9												
	24			brown/tan silty CLAY w/trace gravel, wet	CL-MI										
6 GP	24	PUSH	10-11												
	24			gray sandy CLAY w/trace gravel, wet/saturated	CL										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Sigma Environmental 1300 W Canal Milwaukee, WI 53233</b>	Tel: 414-643-4100 Fax: 414-643-4210
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-11</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>			Date Drilling Started <b>7/31/2008</b>	Date Drilling Completed <b>7/31/2008</b>	Drilling Method <b>Hollow Stem Auger</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name <b>SMW-11</b>	Final Static Water Level <b>Feet MSL</b>	Surface Elevation <b>689.0 Feet MSL</b>	Borehole Diameter <b>8.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>N, E S/C/N</b>			Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W		
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Lat _____ Long _____		

Facility ID	County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>
-------------	----------------------------	--------------------------	---

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
1 GP	24 24	P U S H	1	Topsoil										
				brown CLAY, trace gravel, moist, stiff										
2 GP	24 24	P U S H	2		CL									
3 GP	24 24	P U S H	4	brown/tan silty CLAY w/ trace gravel, moist	CL-MI									
4 GP	24 24	P U S H	6	brown silty CLAY w/ trace sand, wet	CL-MI									
5 GP	24 24	P U S H	8	brownish gray sandy CLAY soft, wet	CL									
6 GP	24 24	P U S H	10	tan/gray silty CLAY w/ trace gravel, wet	CL-MI									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Sigma Environmental 1300 W Canal Milwaukee, WI 53233</b>	Tel: 414-643-4100 Fax: 414-643-4210
--	---	--

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>SMW-12</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>			Date Drilling Started <b>7/31/2008</b>		Date Drilling Completed <b>7/31/2008</b>	Drilling Method <b>Hollow Stem Auger</b>
WI Unique Well No.	DNR Well ID No.	Common Well Name <b>SMW-12</b>	Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>687.8 Feet MSL</b>	Borehole Diameter <b>8.0 inches</b>
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>			Local Grid Location			
State Plane <b>N, E S/C/N</b>			Lat _____"	_____"	<input type="checkbox"/> N	<input type="checkbox"/> E
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>			Long _____"	_____"	Feet <input type="checkbox"/> S	Feet <input type="checkbox"/> W
Facility ID		County <b>Milwaukee</b>	County Code <b>41</b>	Civil Town/City/ or Village <b>Wauwatosa</b>		

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 24	P U S H	1	Topsoil											
				brown silty CLAY w/ gravel, stiff, dry	CL-MI										
2 GP	24 24	P U S H	2 3	brown sandy CLAY, stiff, moist, mixed fill material (glass-slag)	CL										
				tan/brown CLAY stiff, moist											
3 GP	24 24	P U S H	4 5												
4 GP	24 24	P U S H	6 7		CL										
5 GP	24 12	P U S H	8 9	coarse SAND, well sorted, moist	SP										
6 GP	24 24	P U S H	10 11	brown medium SAND, wet, well sorted	SP										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature:  Firm: **Sigma Environmental**  
1300 W Canal Milwaukee, WI 53233 Tel: 414-643-4100  
Fax: 414-643-4210




Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-13</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>		Date Drilling Started <b>8/6/2009</b>		Date Drilling Completed <b>8/6/2009</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name <b>SMW-13</b>	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>		Borehole Diameter <b>8.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		State Plane <b>N, E S/C/N</b>		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
<b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____		Long _____	
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>	
				Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments	
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200			
1 GP	24 24	P U S H	1	dark grayish brown (10YR4/2) SILT, very dry	ML			4.3								
2 GP	24 24	P U S H	2	brown (10YR5/3) to dark grayish brown (10YR4/2) SILT to CLAY	CL-MI			3.0								
3 GP	24 24	P U S H	3	brown (10YR5/3) silty CLAY, medium stiff, moist	CL-MI			2.0								
4 GP	24 24	P U S H	4													
5 GP	24 24	P U S H	5	medium sand seam	CL-MI			2.4								
6 GP	24 24	P U S H	6													
6 GP	36 36	P U S H	7	yellowish brown (10YR5/6) fine to medium SAND, saturated	SW			2.4								
			8	grayish brown (10YR5/2) CLAY, soft, moist	CL											
			9													
			10													
			11													
			12													
			13													
			14													
				Installed monitoring well at 14.5 feet bgs												

I hereby certify that the information on this form is true and correct to the best of my knowledge.


Signature:  Firm: **Sigma Environmental**  
1300 W Canal St Milwaukee, WI 53233  
Tel: 414-643-4200 Fax: 414-643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>SMW-14</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Tony Kapugi On-site Environmental Services</b>		Date Drilling Started <b>8/6/2009</b>		Date Drilling Completed <b>8/6/2009</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name <b>SMW-14</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>Feet MSL</b>	
State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____"		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>	
				Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 GP	24 24	P U S H	1	brown (10YR5/3 silty CLAY, very stiff, moist				2.0							
2 GP	24 24	P U S H	2					0.0							
3 GP	24 24	P U S H	3		CL-MI										
4 GP	24 24	P U S H	4	moist to wet, soft				0.0							
5 GP	24 24	P U S H	5												
6 GP	24 24	P U S H	6	grayish brown (10YR5/2) silty CLAY, soft to stiff, wet. trace silt seams				0.0							
7 GP	24 24	P U S H	7		CL-MI										
8 GP	24 24	P U S H	8												
9 GP	24 24	P U S H	9												
10 GP	24 24	P U S H	10	black fine SAND, saturated	SW			4.5							
11 GP	24 24	P U S H	11												
12 GP	24 24	P U S H	12	brown/tan fine to medium SAND, saturated	SW			2.0							
13 GP	24 24	P U S H	13												
14 GP	24 24	P U S H	14	Installed monitoring well at 13 feet bgs.											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature:  Firm: **Sigma Environmental**  
1300 W Canal St Milwaukee, WI 53233  
Tel: 414-643-4200 Fax: 414-643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>PZ-1</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Alex Badger State Drillin</b>		Date Drilling Started <b>11/9/2007</b>		Date Drilling Completed <b>11/10/2007</b>	
WI Unique Well No. <b>OY225</b>		DNR Well ID No.		Common Well Name <b>PZ-1</b>	
Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>691.9 Feet MSL</b>		Borehole Diameter <b>12.0 inches</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____ ' _____ '' Long _____ ' _____ ''		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>	
				Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample	Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
										Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
				1	Blind drilled. See boring log SGP-3.											
				2												
				3												
				4												
				5												
				6												
				7												
				8												
				9												
				10												
				11												
				12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm <b>Sigma Environmental Services, Inc.</b> 1300 W. Canal Street Milwaukee, WI 53233	Tel: (414) 643-4200 Fax: (414) 643-4210
---------------	---	--


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.



Boring Number **PZ-1**

Use only as an attachment to Form 4400-122.

Page **3** of **3**

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Alt. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			33 34 35	Bedrock (Dolomite) <i>(continued)</i>	Bedrock									

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		License/Permit/Monitoring Number		Boring Number <b>PZ-2</b>	
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Alex Badger State Drillin</b>		Date Drilling Started <b>8/12/2008</b>		Date Drilling Completed <b>8/13/2008</b>	
WI Unique Well No.		DNR Well ID No.		Common Well Name <b>PZ-2</b>	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Boring Location <input type="checkbox"/>		Final Static Water Level <b>Feet MSL</b>		Surface Elevation <b>691.5 Feet MSL</b>	
State Plane <b>SE 1/4 of SE 1/4 of Section 27, T 7 N, R 21 E</b>		Lat _____ ' _____ "		Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W	
Facility ID		County <b>Milwaukee</b>		County Code <b>41</b>	
				Civil Town/City/ or Village <b>Wauwatosa</b>	

Sample Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties						RQD/ Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200		
1 AUGER	Blind Drilled		1-12	Blind Drilled 0-35' bgs											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: Firm: **Sigma Environmental**  
1300 W Canal Milwaukee, WI 53233  
Tel: 414-643-4100 Fax: 414-643-4210


This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.



Boring Number **PZ-2**

Use only as an attachment to Form 4400-122.

Page 3 of 3

Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)								Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			33 34 35	Bedrock <i>(continued)</i>										

**APPENDIX B**

**Monitoring Well Construction Forms  
and  
Soil Boring Abandonment Forms**

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-1</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input checked="" type="checkbox"/>		Wis. Unique Well No. <b>ox435</b>   DNR Well Number	
Facility ID <b>241398630</b>		St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed <b>12/06/2006</b>	
Type of Well <b>Well Code 71/dw</b>		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 E</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source ft. _____		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				On-site Environmental Services, Inc.	

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ 9.0 in. b. Length: _____ 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	
17. Source of water (attach analysis, if required): _____	
E. Bentonite seal, top _____ ft. MSL or _____ 1.0 ft.	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 30 Sand <input checked="" type="checkbox"/>
F. Fine sand, top _____ ft. MSL or _____ 5.0 ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
G. Filter pack, top _____ ft. MSL or _____ 6.0 ft.	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
H. Screen joint, top _____ ft. MSL or _____ 7.0 ft.	7. Fine sand material: Manufacturer, product name & mesh size a. _____ Ohio Brand #4000 b. Volume added _____ ft <sup>3</sup>
I. Well bottom _____ ft. MSL or _____ 17.0 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. _____ Ohio Brand #5 b. Volume added _____ ft <sup>3</sup>
J. Filter pack, bottom _____ ft. MSL or _____ 17.0 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
K. Borehole, bottom _____ ft. MSL or _____ 20.0 ft.	10. Screen material: _____ PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
L. Borehole, diameter _____ 8.3 in.	b. Manufacturer _____ c. Slot size: _____ 0.010 in. d. Slotted length: _____ 10.0 ft.
M. O.D. well casing _____ 2.20 in.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>
N. I.D. well casing _____ 2.20 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Mary Tith Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:  Watershed/Wastewater  Remediation/Redevelopment  Waste Management  Other

MONITORING WELL CONSTRUCTION  
Form 4400-113A Rev. 7-98

Facility/Project Name <b>Master Drycleaning</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name <b>SMW-1</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input checked="" type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. <b>ox436</b> DNR Well Number
Facility ID <b>241398630</b>	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed <b>12/06/2006</b>
Type of Well <b>Well Code 71/dw</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>
Distance from Waste/Source ft. <input type="checkbox"/> Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
		On-site Environmental Services, Inc.

- A. Protective pipe, top elevation \_\_\_\_\_ ft. MSL
- B. Well casing, top elevation \_\_\_\_\_ ft. MSL
- C. Land surface elevation \_\_\_\_\_ ft. MSL
- D. Surface seal, bottom \_\_\_\_\_ ft. MSL or \_\_\_\_\_ ft.

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis attached?  Yes  No


14. Drilling method used: Rotary  5 0  
 Hollow Stem Auger  4 1  
 Other

15. Drilling fluid used: Water  0 2 Air  0 1  
 Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):



- 1. Cap and lock?  Yes  No
- 2. Protective cover pipe:
  - a. Inside diameter: \_\_\_\_\_ 9.0 in.
  - b. Length: \_\_\_\_\_ 1.0 ft.
  - c. Material: Steel  0 4  
Other
  - d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_
- 3. Surface seal:
  - Bentonite  3 0
  - Concrete  0 1
  - Other
- 4. Material between well casing and protective pipe:
  - Bentonite  3 0
  - Sand
  - Other
- 5. Annular space seal:
  - a. Granular/Chipped Bentonite  3 3
  - b. \_\_\_\_\_ Lbs/gal mud weight . . . Bentonite-sand slurry  3 5
  - c. \_\_\_\_\_ Lbs/gal mud weight . . . Bentonite slurry  3 1
  - d. \_\_\_\_\_ % Bentonite . . . Bentonite-cement grout  5 0
  - e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above
  - f. How installed: Tremie  0 1  
Tremie pumped  0 2  
Gravity  0 8
- 6. Bentonite seal:
  - a. Bentonite granules  3 3
  - b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2
  - c. \_\_\_\_\_ Other
- 7. Fine sand material: Manufacturer, product name & mesh size  
a. **Ohio Brand #4000**
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 8. Filter pack material: Manufacturer, product name & mesh size  
a. **Ohio Brand #5**
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 9. Well casing: Flush threaded PVC schedule 40  2 3  
Flush threaded PVC schedule 80  2 4  
Other
- 10. Screen material: **PVC**
  - a. Screen Type: Factory cut  1 1  
Continuous slot  0 1  
Other
  - b. Manufacturer \_\_\_\_\_
  - c. Slot size: \_\_\_\_\_ 0.010 in.
  - d. Slotted length: \_\_\_\_\_ 10.0 ft.
- 11. Backfill material (below filter pack): None  1 4  
Other

- E. Bentonite seal, top \_\_\_\_\_ ft. MSL or 1.0 ft.
- F. Fine sand, top \_\_\_\_\_ ft. MSL or 5.0 ft.
- G. Filter pack, top \_\_\_\_\_ ft. MSL or 6.0 ft.
- H. Screen joint, top \_\_\_\_\_ ft. MSL or 7.0 ft.
- I. Well bottom \_\_\_\_\_ ft. MSL or 17.0 ft.
- J. Filter pack, bottom \_\_\_\_\_ ft. MSL or 17.0 ft.
- K. Borehole, bottom \_\_\_\_\_ ft. MSL or 17.0 ft.
- L. Borehole, diameter 8.3 in.
- M. O.D. well casing 2.20 in.
- N. I.D. well casing 2.20 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary T. H.* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
 1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name <b>SMW-3</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input checked="" type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No. <b>ox437</b> DNR Well Number _____
Facility ID <b>241398630</b>	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed <b>12/06/2006</b>
Type of Well <b>Well Code 71/dw</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 E</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>
Distance from Waste/Source ft. <input type="checkbox"/> Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
		<b>On-site Environmental Services, Inc.</b>

A. Protective pipe, top elevation \_\_\_\_\_ ft. MSL  
B. Well casing, top elevation \_\_\_\_\_ ft. MSL  
C. Land surface elevation \_\_\_\_\_ ft. MSL  
D. Surface seal, bottom \_\_\_\_\_ ft. MSL or \_\_\_\_\_ ft.

12. USCS classification of soil near screen:  
GP  GM  GC  GW  SW  SP   
SM  SC  ML  MH  CL  CH   
Bedrock


13. Sieve analysis attached?  Yes  No

14. Drilling method used: Rotary  50  
Hollow Stem Auger  41  
Other

15. Drilling fluid used: Water  02 Air  01  
Drilling Mud  03 None  99

16. Drilling additives used?  Yes  No  
Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):  
\_\_\_\_\_



1. Cap and lock?  Yes  No

2. Protective cover pipe:  
a. Inside diameter: \_\_\_\_\_ **9.0** in.  
b. Length: \_\_\_\_\_ **1.0** ft.  
c. Material: Steel  04  
Other

d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_

3. Surface seal:  
Bentonite  30  
Concrete  01  
Other

4. Material between well casing and protective pipe:  
Bentonite  30  
Sand

5. Annular space seal:  
a. Granular/Chipped Bentonite  33  
b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  35  
c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  31  
d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  50  
e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above  
f. How installed: Tremie  01  
Tremie pumped  02  
Gravity  08

6. Bentonite seal:  
a. Bentonite granules  33  
b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  32  
c. \_\_\_\_\_ Other

7. Fine sand material: Manufacturer, product name & mesh size  
a. \_\_\_\_\_ **Ohio Brand #4000**  
b. Volume added \_\_\_\_\_ ft<sup>3</sup>

8. Filter pack material: Manufacturer, product name & mesh size  
a. \_\_\_\_\_ **Ohio Brand #5**  
b. Volume added \_\_\_\_\_ ft<sup>3</sup>

9. Well casing: Flush threaded PVC schedule 40  23  
Flush threaded PVC schedule 80  24  
Other

10. Screen material: \_\_\_\_\_ **PVC**  
a. Screen Type: Factory cut  11  
Continuous slot  01  
Other

b. Manufacturer \_\_\_\_\_  
c. Slot size: \_\_\_\_\_ **0.010** in.  
d. Slotted length: \_\_\_\_\_ **10.0** ft.

11. Backfill material (below filter pack): None  14  
Other

E. Bentonite seal, top \_\_\_\_\_ ft. MSL or **1.0** ft.  
F. Fine sand, top \_\_\_\_\_ ft. MSL or **4.0** ft.  
G. Filter pack, top \_\_\_\_\_ ft. MSL or **5.0** ft.  
H. Screen joint, top \_\_\_\_\_ ft. MSL or **6.0** ft.  
I. Well bottom \_\_\_\_\_ ft. MSL or **15.0** ft.  
J. Filter pack, bottom \_\_\_\_\_ ft. MSL or **16.0** ft.  
K. Borehole, bottom \_\_\_\_\_ ft. MSL or **16.0** ft.  
L. Borehole, diameter **8.3** in.  
M. O.D. well casing **2.20** in.  
N. I.D. well casing **2.20** in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Mary J. [Signature]* Firm **Sigma Environmental Services, Inc.**  
1300 W. Canal Street Milwaukee, WI 53233 Tel: (414) 643-4200  
Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

**MONITORING WELL CONSTRUCTION**  
Form 4400-113A Rev. 7-98

Facility/Project Name <b>Master Drycleaning</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name <b>SMW4</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input checked="" type="checkbox"/> Lat. _____ ' _____ " Long. _____ ' _____ " or	Wis. Unique Well No. <b>ox438</b> DNR Well Number _____
Facility ID <b>241398630</b>	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed <b>12/06/2006</b>
Type of Well <b>Well Code 71/dw</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 E</b> <input checked="" type="checkbox"/> W	Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>
Distance from Waste/Source ft. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
Enf. Stds. Apply <input type="checkbox"/>		On-site Environmental Services, Inc.

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ 9.0 in. b. Length: _____ 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0 4 Other <input type="checkbox"/> _____
C. Land surface elevation _____ ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3 0 Concrete <input checked="" type="checkbox"/> 0 1 Other <input type="checkbox"/> _____
<div style="border: 1px solid black; padding: 5px;"> <p>12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 5 0 Hollow Stem Auger <input checked="" type="checkbox"/> 4 1 Other <input type="checkbox"/> _____</p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1 Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____</p> <p>17. Source of water (attach analysis, if required): _____</p> </div>	
E. Bentonite seal, top _____ ft. MSL or _____ 1.0 ft.	4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3 0 Sand <input checked="" type="checkbox"/> _____ Other <input type="checkbox"/> _____
F. Fine sand, top _____ ft. MSL or _____ 4.0 ft.	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight . . . Bentonite-sand slurry <input type="checkbox"/> 3 5 c. _____ Lbs/gal mud weight . . . Bentonite slurry <input type="checkbox"/> 3 1 d. _____ % Bentonite . . . Bentonite-cement grout <input type="checkbox"/> 5 0 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input type="checkbox"/> 0 8
G. Filter pack, top _____ ft. MSL or _____ 5.0 ft.	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3 2 c. _____ Other <input type="checkbox"/> _____
H. Screen joint, top _____ ft. MSL or _____ 6.0 ft.	7. Fine sand material: Manufacturer, product name & mesh size a. _____ Ohio Brand #4000 b. Volume added _____ ft <sup>3</sup>
I. Well bottom _____ ft. MSL or _____ 16.0 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. _____ Ohio Brand #5 b. Volume added _____ ft <sup>3</sup>
J. Filter pack, bottom _____ ft. MSL or _____ 16.0 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4 Other <input type="checkbox"/> _____
K. Borehole, bottom _____ ft. MSL or _____ 16.0 ft.	10. Screen material: _____ PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1 1 Continuous slot <input type="checkbox"/> 0 1 Other <input type="checkbox"/> _____
L. Borehole, diameter _____ 8.3 in.	b. Manufacturer _____ c. Slot size: _____ 0.010 in. d. Slotted length: _____ 10.0 ft.
M. O.D. well casing _____ 2.20 in.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1 4 Other <input checked="" type="checkbox"/> _____
N. I.D. well casing _____ 2.20 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Mary Beth Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:  Watershed/Wastewater  Waste Management  
 Remediation/Redevelopment  Other

Facility/Project Name <b>Master Drycleaning</b>		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-5</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input checked="" type="checkbox"/>		Wis. Unique Well No. <b>ox439</b>   DNR Well Number	
Facility ID <b>241398630</b>		St. Plane _____ ft. N. _____ ft. E. S/C/N		Date Well Installed <b>12/06/2006</b>	
Type of Well <b>Well Code 71/dw</b>		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source _____ ft.		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				On-site Environmental Services, Inc.	

A. Protective pipe, top elevation _____ ft. MSL		1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL		2. Protective cover pipe: a. Inside diameter: _____ 9.0 in. b. Length: _____ 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> _____
C. Land surface elevation _____ ft. MSL		d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ ft. MSL or _____ ft.		3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> _____
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe: Bentonite <input type="checkbox"/> 3.0 Sand <input checked="" type="checkbox"/> _____
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No		5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravimetric <input type="checkbox"/> 0.8
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> _____		6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> _____
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		7. Fine sand material: Manufacturer, product name & mesh size a. _____ Ohio Brand #4000 b. Volume added _____ ft <sup>3</sup>
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		8. Filter pack material: Manufacturer, product name & mesh size a. _____ Ohio Brand #5 b. Volume added _____ ft <sup>3</sup>
Describe _____		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> _____
17. Source of water (attach analysis, if required): _____		10. Screen material: _____ PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> _____
E. Bentonite seal, top _____ ft. MSL or _____ 1.0 ft.		b. Manufacturer _____ c. Slot size: _____ 0.010 in. d. Slotted length: _____ 10.0 ft.
F. Fine sand, top _____ ft. MSL or _____ 3.0 ft.		11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> _____
G. Filter pack, top _____ ft. MSL or _____ 4.0 ft.		
H. Screen joint, top _____ ft. MSL or _____ 5.0 ft.		
I. Well bottom _____ ft. MSL or _____ 15.0 ft.		
J. Filter pack, bottom _____ ft. MSL or _____ 15.0 ft.		
K. Borehole, bottom _____ ft. MSL or _____ 15.0 ft.		
L. Borehole, diameter _____ 8.3 in.		
M. O.D. well casing _____ 2.20 in.		
N. I.D. well casing _____ 2.20 in.		


I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Mary J. H. Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.		Well Name <b>SMW-6</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Wis. Unique Well No. <input type="checkbox"/> DNR Well Number <input type="checkbox"/>	
Facility ID		St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed <b>09/17/2007</b>	
Type of Well Well Code <b>71/dw</b>		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 E W</b>		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source ft. _____		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				On-site Environmental Seives	

- A. Protective pipe, top elevation 691.09 ft. MSL
- B. Well casing, top elevation 690.56 ft. MSL
- C. Land surface elevation 691.1 ft. MSL
- D. Surface seal, bottom 690.1 ft. MSL or 1.0 ft.



- 1. Cap and lock?  Yes  No
- 2. Protective cover pipe:
  - a. Inside diameter: 9.0 in.
  - b. Length: 1.0 ft.
  - c. Material: Steel  04  
Other
  - d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_
- 3. Surface seal: Bentonite  30  
Concrete  01  
Other
- 4. Material between well casing and protective pipe: Bentonite  30  
sand \_\_\_\_\_ Other
- 5. Annular space seal:
  - a. Granular/Chipped Bentonite  33
  - b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  35
  - c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  31
  - d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  50
  - e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above
  - f. How installed: Tremie  01  
Tremie pumped  02  
Gravity  08
- 6. Bentonite seal:
  - a. Bentonite granules  33
  - b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  32
  - c. \_\_\_\_\_ Other
- 7. Fine sand material: Manufacturer, product name & mesh size  
a. Ohio Brand #4000
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 8. Filter pack material: Manufacturer, product name & mesh size  
a. Ohio Brand #5
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 9. Well casing: Flush threaded PVC schedule 40  23  
Flush threaded PVC schedule 80  24  
Other
- 10. Screen material: PVC
  - a. Screen Type: Factory cut  11  
Continuous slot  01  
Other
  - b. Manufacturer \_\_\_\_\_
  - c. Slot size: 0.010 in.
  - d. Slotted length: 10.0 ft.
- 11. Backfill material (below filter pack): None  14  
Other

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis attached?  Yes  No

14. Drilling method used: Rotary  50  
 Hollow Stem Auger  41  
 Other

15. Drilling fluid used: Water  02 Air  01  
 Drilling Mud  03 None  99

16. Drilling additives used?  Yes  No  
 Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):  
 \_\_\_\_\_

- E. Bentonite seal, top 690.1 ft. MSL or 1.0 ft.
- F. Fine sand, top 688.1 ft. MSL or 3.0 ft.
- G. Filter pack, top 687.6 ft. MSL or 3.5 ft.
- H. Screen joint, top 686.1 ft. MSL or 5.0 ft.
- I. Well bottom 676.1 ft. MSL or 15.0 ft.
- J. Filter pack, bottom 676.1 ft. MSL or 15.0 ft.
- K. Borehole, bottom 676.1 ft. MSL or 15.0 ft.
- L. Borehole, diameter 8.0 in.
- M. O.D. well casing 2.38 in.
- N. I.D. well casing 2.05 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
 1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-7</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or		Wis. Unique Well No. _____ DNR Well Number _____
Facility ID	St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed <b>09/17/2007</b>
Type of Well <b>Well Code 71/dw</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>
Distance from Waste/Source ft. _____	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
			<b>On-site Environmental Services</b>

A. Protective pipe, top elevation 691.87 ft. MSL  
 B. Well casing, top elevation 691.87 ft. MSL  
 C. Land surface elevation 691.9 ft. MSL  
 D. Surface seal, bottom 690.9 ft. MSL or 1.0 ft.

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis attached?  Yes  No


14. Drilling method used: Rotary  5 0  
 Hollow Stem Auger  4 1  
 Other

15. Drilling fluid used: Water  0 2 Air  0 1  
 Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required): \_\_\_\_\_



1. Cap and lock?  Yes  No
2. Protective cover pipe:
  - a. Inside diameter: 9.0 in.
  - b. Length: 1.0 ft.
  - c. Material: Steel  04  
Other
  - d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_
3. Surface seal: Bentonite  3 0  
Concrete  0 1  
Other
4. Material between well casing and protective pipe: Bentonite  3 0  
sand \_\_\_\_\_ Other
5. Annular space seal:
  - a. Granular/Chipped Bentonite  3 3
  - b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  3 5
  - c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  3 1
  - d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  5 0
  - e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above
  - f. How installed: Tremie  0 1  
Tremie pumped  0 2  
Gravity  0 8
6. Bentonite seal:
  - a. Bentonite granules  3 3
  - b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2
  - c. \_\_\_\_\_ Other
7. Fine sand material: Manufacturer, product name & mesh size  
a. Ohio Brand #4000
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
8. Filter pack material: Manufacturer, product name & mesh size  
a. Ohio Brand #5
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
9. Well casing: Flush threaded PVC schedule 40  2 3  
Flush threaded PVC schedule 80  2 4  
Other
10. Screen material: PVC
  - a. Screen Type: Factory cut  1 1  
Continuous slot  0 1  
Other
  - b. Manufacturer \_\_\_\_\_
  - c. Slot size: 0.010 in.
  - d. Slotted length: 10.0 ft.
11. Backfill material (below filter pack): None  1 4  
Other

E. Bentonite seal, top 690.9 ft. MSL or 1.0 ft.  
 F. Fine sand, top 688.9 ft. MSL or 3.0 ft.  
 G. Filter pack, top 688.4 ft. MSL or 3.5 ft.  
 H. Screen joint, top 686.9 ft. MSL or 5.0 ft.  
 I. Well bottom 676.9 ft. MSL or 15.0 ft.  
 J. Filter pack, bottom 676.9 ft. MSL or 15.0 ft.  
 K. Borehole, bottom 676.9 ft. MSL or 15.0 ft.  
 L. Borehole, diameter 8.0 in.  
 M. O.D. well casing 2.38 in.  
 N. I.D. well casing 2.05 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Mary A. A. Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
 1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name <b>Master Dry Cleaners</b>		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-8</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Wis. Unique Well No.   DNR Well Number	
Facility ID		Lat. _____ Long. _____ or _____		Date Well Installed <b>09/17/2007</b>	
Type of Well Well Code <b>71/dw</b>		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source ft. _____		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	
Enf. Stds. Apply <input type="checkbox"/>				On-site Environmental Services	

<p>A. Protective pipe, top elevation _____ <b>690.90</b> ft. MSL</p> <p>B. Well casing, top elevation _____ <b>690.51</b> ft. MSL</p> <p>C. Land surface elevation _____ <b>690.9</b> ft. MSL</p> <p>D. Surface seal, bottom _____ <b>689.9</b> ft. MSL or _____ <b>1.0</b> ft.</p>	<p>1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>2. Protective cover pipe: a. Inside diameter: _____ <b>9.0</b> in. b. Length: _____ <b>1.0</b> ft. c. Material: Steel <input checked="" type="checkbox"/> <b>04</b> Other <input type="checkbox"/> _____</p> <p>d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____</p> <p>3. Surface seal: Bentonite <input type="checkbox"/> <b>30</b> Concrete <input checked="" type="checkbox"/> <b>01</b> Other <input type="checkbox"/> _____</p> <p>4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> <b>30</b> sand Other <input type="checkbox"/> _____</p> <p>5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> <b>33</b> b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> <b>35</b> c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> <b>31</b> d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> <b>50</b> e. _____ Ft<sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> <b>01</b> Tremie pumped <input type="checkbox"/> <b>02</b> Gravity <input type="checkbox"/> <b>08</b></p> <p>6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> <b>33</b> b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> <b>32</b> c. _____ Other <input type="checkbox"/> _____</p> <p>7. Fine sand material: Manufacturer, product name &amp; mesh size a. _____ <b>Ohio Brand #4000</b> b. Volume added _____ ft<sup>3</sup></p> <p>8. Filter pack material: Manufacturer, product name &amp; mesh size a. _____ <b>Ohio Brand #5</b> b. Volume added _____ ft<sup>3</sup></p> <p>9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> <b>23</b> Flush threaded PVC schedule 80 <input type="checkbox"/> <b>24</b> Other <input type="checkbox"/> _____</p> <p>10. Screen material: _____ <b>PVC</b> a. Screen Type: Factory cut <input checked="" type="checkbox"/> <b>11</b> Continuous slot <input type="checkbox"/> <b>01</b> Other <input type="checkbox"/> _____ b. Manufacturer _____ c. Slot size: _____ <b>0.010</b> in. d. Slotted length: _____ <b>10.0</b> ft.</p> <p>11. Backfill material (below filter pack): None <input type="checkbox"/> <b>14</b> Other <input checked="" type="checkbox"/> _____</p>
---	---

12. USCS classification of soil near screen:  
GP  GM  GC  GW  SW  SP   
SM  SC  ML  MH  CL  CH   
Bedrock

13. Sieve analysis attached?  Yes  No

14. Drilling method used: Rotary  **50**  
Hollow Stem Auger  **41**  
Other  \_\_\_\_\_

15. Drilling fluid used: Water  **02** Air  **01**  
Drilling Mud  **03** None  **99**

16. Drilling additives used?  Yes  No  
Describe \_\_\_\_\_

17. Source of water (attach analysis, if required): \_\_\_\_\_

<p>E. Bentonite seal, top _____ <b>689.9</b> ft. MSL or _____ <b>1.0</b> ft.</p> <p>F. Fine sand, top _____ <b>687.9</b> ft. MSL or _____ <b>3.0</b> ft.</p> <p>G. Filter pack, top _____ <b>687.4</b> ft. MSL or _____ <b>3.5</b> ft.</p> <p>H. Screen joint, top _____ <b>685.9</b> ft. MSL or _____ <b>5.0</b> ft.</p> <p>I. Well bottom _____ <b>675.9</b> ft. MSL or _____ <b>15.0</b> ft.</p> <p>J. Filter pack, bottom _____ <b>675.9</b> ft. MSL or _____ <b>15.0</b> ft.</p> <p>K. Borehole, bottom _____ <b>675.9</b> ft. MSL or _____ <b>15.0</b> ft.</p> <p>L. Borehole, diameter _____ <b>8.0</b> in.</p> <p>M. O.D. well casing _____ <b>2.38</b> in.</p> <p>N. I.D. well casing _____ <b>2.05</b> in.</p>
--

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Max H.* Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.	Well Name <b>SMW-9</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or	Wis. Unique Well No.   DNR Well Number
Facility ID	St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed <b>09/17/2007</b>
Type of Well <b>Well Code 71/dw</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>
Distance from Waste/Source ft. _____	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
Enf. Stds. Apply <input type="checkbox"/>		On-site Environmental Services

A. Protective pipe, top elevation 691.99 ft. MSL  Yes  No

B. Well casing, top elevation 691.65 ft. MSL

C. Land surface elevation 692.0 ft. MSL

D. Surface seal, bottom 691.0 ft. MSL or 1.0 ft.

12. USCS classification of soil near screen:  
GP  GM  GC  GW  SW  SP   
SM  SC  ML  MH  CL  CH   
Bedrock

13. Sieve analysis attached?  Yes  No


14. Drilling method used: Rotary  5 0  
Hollow Stem Auger  4 1  
Other

15. Drilling fluid used: Water  0 2 Air  0 1  
Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):



1. Cap and lock?  Yes  No

2. Protective cover pipe:  
a. Inside diameter: 9.0 in.  
b. Length: 1.0 ft.  
c. Material: Steel  0 4  
Other

d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_

3. Surface seal: Bentonite  3 0  
Concrete  0 1  
Other

4. Material between well casing and protective pipe: Bentonite  3 0  
sand Other

5. Annular space seal: a. Granular/Chipped Bentonite  3 3  
b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  3 5  
c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  3 1  
d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  5 0  
e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above  
f. How installed: Tremie  0 1  
Tremie pumped  0 2  
Gravity  0 8

6. Bentonite seal: a. Bentonite granules  3 3  
b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2  
c. \_\_\_\_\_ Other

7. Fine sand material: Manufacturer, product name & mesh size  
a. Ohio Brand #4000  
b. Volume added \_\_\_\_\_ ft<sup>3</sup>

8. Filter pack material: Manufacturer, product name & mesh size  
a. Ohio Brand #5  
b. Volume added \_\_\_\_\_ ft<sup>3</sup>

9. Well casing: Flush threaded PVC schedule 40  2 3  
Flush threaded PVC schedule 80  2 4  
Other

10. Screen material: PVC  
a. Screen Type: Factory cut  1 1  
Continuous slot  0 1  
Other

b. Manufacturer \_\_\_\_\_  
c. Slot size: 0.010 in.  
d. Slotted length: 10.0 ft.

11. Backfill material (below filter pack): None  1 4  
Other

E. Bentonite seal, top 691.0 ft. MSL or 1.0 ft.

F. Fine sand, top 689.0 ft. MSL or 3.0 ft.

G. Filter pack, top 688.5 ft. MSL or 3.5 ft.

H. Screen joint, top 687.0 ft. MSL or 5.0 ft.

I. Well bottom 677.0 ft. MSL or 15.0 ft.

J. Filter pack, bottom 677.0 ft. MSL or 15.0 ft.

K. Borehole, bottom 677.0 ft. MSL or 15.0 ft.

L. Borehole, diameter 8.0 in.

M. O.D. well casing 2.38 in.

N. I.D. well casing 2.05 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Max [Signature] Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141; Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

MONITORING WELL CONSTRUCTION  
Form 4400-113A Rev. 7-98

Facility/Project Name <b>Master Dry Cleaners</b>		Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> E. <input type="checkbox"/> S. <input type="checkbox"/> W.		Well Name <b>SMW-10</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Wis. Unique Well No. <input type="checkbox"/> DNR Well Number <input type="checkbox"/>	
Facility ID		Lat. _____ Long. _____ or _____		Date Well Installed <b>07/31/2008</b>	
Type of Well <b>Well Code 71/dw</b>		St. Plane _____ ft. N, _____ ft. E. S/C/N		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source ft. _____		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 E W</b>		On-site Environmental Seives	
Enf. Stds. Apply <input type="checkbox"/>		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	

A. Protective pipe, top elevation	_____ 690.88 ft. MSL	1. Cap and lock?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
B. Well casing, top elevation	_____ 690.49 ft. MSL	2. Protective cover pipe:			
C. Land surface elevation	_____ 690.9 ft. MSL	a. Inside diameter:	_____ 9.0 in.		
D. Surface seal, bottom	_____ 687.9 ft. MSL or _____ 3.0 ft.	b. Length:	_____ 1.0 ft.		
<div style="border: 1px solid black; padding: 5px;"> <p>12. USCS classification of soil near screen:                      GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/>                      SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/>                      Bedrock <input type="checkbox"/></p> <p>13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>14. Drilling method used: Rotary <input type="checkbox"/> 5 0                      Hollow Stem Auger <input checked="" type="checkbox"/> 4 1                      Other <input type="checkbox"/></p> <p>15. Drilling fluid used: Water <input type="checkbox"/> 0 2 Air <input type="checkbox"/> 0 1                      Drilling Mud <input type="checkbox"/> 0 3 None <input checked="" type="checkbox"/> 9 9</p> <p>16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No                      Describe _____</p> <p>17. Source of water (attach analysis, if required):                      _____</p> </div>		c. Material:	Steel <input checked="" type="checkbox"/> 0 4 Other <input type="checkbox"/>		
				d. Additional protection?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
				3. Surface seal:	Bentonite <input checked="" type="checkbox"/> 3 0 Concrete <input type="checkbox"/> 0 1 Other <input type="checkbox"/>
				4. Material between well casing and protective pipe:	Bentonite <input checked="" type="checkbox"/> 3 0 sand _____ Other <input type="checkbox"/>
				5. Annular space seal:	a. Granular/Chipped Bentonite <input type="checkbox"/> 3 3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3 5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3 1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5 0 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0 1 Tremie pumped <input type="checkbox"/> 0 2 Gravity <input type="checkbox"/> 0 8
				6. Bentonite seal:	a. Bentonite granules <input type="checkbox"/> 3 3 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 3 2 c. _____ Other <input type="checkbox"/>
				7. Fine sand material: Manufacturer, product name & mesh size	a. _____ Ohio Brand #4000 b. Volume added _____ ft <sup>3</sup>
				8. Filter pack material: Manufacturer, product name & mesh size	a. _____ Ohio Brand #5 b. Volume added _____ ft <sup>3</sup>
				9. Well casing:	Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2 3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2 4 Other <input type="checkbox"/>
				10. Screen material: _____ PVC	
				a. Screen Type:	Factory cut <input checked="" type="checkbox"/> 1 1 Continuous slot <input type="checkbox"/> 0 1 Other <input type="checkbox"/>
				b. Manufacturer _____	
				c. Slot size:	_____ 0.010 in.
				d. Slotted length:	_____ 10.0 ft.
				11. Backfill material (below filter pack):	None <input type="checkbox"/> 1 4 Other <input checked="" type="checkbox"/>
		E. Bentonite seal, top	_____ 690.4 ft. MSL or _____ 0.5 ft.		
		F. Fine sand, top	_____ 687.9 ft. MSL or _____ 3.0 ft.		
G. Filter pack, top	_____ 686.9 ft. MSL or _____ 4.0 ft.				
H. Screen joint, top	_____ 684.9 ft. MSL or _____ 6.0 ft.				
I. Well bottom	_____ 674.9 ft. MSL or _____ 16.0 ft.				
J. Filter pack, bottom	_____ 674.9 ft. MSL or _____ 16.0 ft.				
K. Borehole, bottom	_____ 674.9 ft. MSL or _____ 16.0 ft.				
L. Borehole, diameter	_____ 8.0 in.				
M. O.D. well casing	_____ 2.38 in.				
N. I.D. well casing	_____ 2.05 in.				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm **Sigma Environmental** 1300 W Canal Milwaukee, WI 53233 Tel: 414-643-4100 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-11</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Wis. Unique Well No.   DNR Well Number	
Facility ID		Lat. _____ ' _____ " Long. _____ ' _____ " or		Date Well Installed <b>07/31/2008</b>	
Type of Well <b>Well Code 71/dw</b>		St. Plane _____ ft. N, _____ ft. E. S/C/N		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source ft. _____		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		On-site Environmental Services	
Enf. Stds. Apply <input type="checkbox"/>		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number _____	

- A. Protective pipe, top elevation 689.04 ft. MSL
- B. Well casing, top elevation 688.48 ft. MSL
- C. Land surface elevation 689.0 ft. MSL
- D. Surface seal, bottom 686.5 ft. MSL or 2.5 ft.

12. USCS classification of soil near screen:

GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis attached?  Yes  No


14. Drilling method used: Rotary  5 0  
 Hollow Stem Auger  4 1  
 Other

15. Drilling fluid used: Water  0 2 Air  0 1  
 Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required): \_\_\_\_\_



- 1. Cap and lock?  Yes  No
- 2. Protective cover pipe:
  - a. Inside diameter: 9.0 in.
  - b. Length: 1.0 ft.
  - c. Material: Steel  0 4  
Other
  - d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_
- 3. Surface seal: Bentonite  3 0  
Concrete  0 1  
Other
- 4. Material between well casing and protective pipe: Bentonite  3 0  
sand Other
- 5. Annular space seal:
  - a. Granular/Chipped Bentonite  3 3
  - b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  3 5
  - c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  3 1
  - d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  5 0
  - e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above
  - f. How installed: Tremie  0 1  
Tremie pumped  0 2  
Gravity  0 8
- 6. Bentonite seal:
  - a. Bentonite granules  3 3
  - b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2
  - c. \_\_\_\_\_ Other
- 7. Fine sand material: Manufacturer, product name & mesh size  
 a. Ohio Brand #4000  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 8. Filter pack material: Manufacturer, product name & mesh size  
 a. Ohio Brand #5  
 b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 9. Well casing: Flush threaded PVC schedule 40  2 3  
 Flush threaded PVC schedule 80  2 4  
 Other
- 10. Screen material: PVC
  - a. Screen Type: Factory cut  1 1  
Continuous slot  0 1  
Other
  - b. Manufacturer \_\_\_\_\_
  - c. Slot size: 0.010 in.
  - d. Slotted length: 10.0 ft.
- 11. Backfill material (below filter pack): None  1 4  
Other

- E. Bentonite seal, top 688.5 ft. MSL or 0.5 ft.
- F. Fine sand, top 686.5 ft. MSL or 2.5 ft.
- G. Filter pack, top 685.5 ft. MSL or 3.5 ft.
- H. Screen joint, top 684.0 ft. MSL or 5.0 ft.
- I. Well bottom 674.0 ft. MSL or 15.0 ft.
- J. Filter pack, bottom 674.0 ft. MSL or 15.0 ft.
- K. Borehole, bottom 674.0 ft. MSL or 15.0 ft.
- L. Borehole, diameter 8.0 in.
- M. O.D. well casing 2.38 in.
- N. I.D. well casing 2.05 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature [Signature] Firm **Sigma Environmental** Tel: 414-643-4100  
 1300 W Canal Milwaukee, WI 53233 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name Master Dry Cleaners	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name SMW-12
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>	Wis. Unique Well No. DNR Well Number
Facility ID	Lat. " ' " Long. " ' " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Date Well Installed 07/31/2008
Type of Well Well Code 71/dw	Section Location of Waste/Source SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Tony Kapugi
Distance from Waste/Source ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number
Enf. Stds. Apply <input type="checkbox"/>		On-site Environmental Services

A. Protective pipe, top elevation	687.80 ft. MSL	1. Cap and lock?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	687.43 ft. MSL	2. Protective cover pipe:	
C. Land surface elevation	687.8 ft. MSL	a. Inside diameter:	9.0 in.
D. Surface seal, bottom	685.8 ft. MSL or 2.0 ft.	b. Length:	1.0 ft.
		c. Material:	Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
12. USCS classification of soil near screen:		d. Additional protection?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/>		If yes, describe: _____	
SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/>		3. Surface seal:	Bentonite <input checked="" type="checkbox"/> 30 Concrete <input type="checkbox"/> 01 Other <input type="checkbox"/>
Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe:	Bentonite <input checked="" type="checkbox"/> 30 sand Other <input type="checkbox"/>
13. Sieve analysis attached?	<input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal:	a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
14. Drilling method used:	Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	6. Bentonite seal:	a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
15. Drilling fluid used:	Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size	a. Ohio Brand #4000 b. Volume added _____ ft <sup>3</sup>
16. Drilling additives used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	8. Filter pack material: Manufacturer, product name & mesh size	a. Ohio Brand #5 b. Volume added _____ ft <sup>3</sup>
Describe _____		9. Well casing:	Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
17. Source of water (attach analysis, if required):		10. Screen material:	PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
E. Bentonite seal, top	687.3 ft. MSL or 0.5 ft.	b. Manufacturer _____	c. Slot size: 0.010 in.
F. Fine sand, top	685.8 ft. MSL or 2.0 ft.	d. Slotted length: 10.0 ft.	
G. Filter pack, top	684.8 ft. MSL or 3.0 ft.	11. Backfill material (below filter pack):	None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>
H. Screen joint, top	684.8 ft. MSL or 3.0 ft.		
I. Well bottom	674.8 ft. MSL or 13.0 ft.		
J. Filter pack, bottom	674.8 ft. MSL or 13.0 ft.		
K. Borehole, bottom	674.8 ft. MSL or 13.0 ft.		
L. Borehole, diameter	8.0 in.		
M. O.D. well casing	2.38 in.		
N. I.D. well casing	2.05 in.		

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm Sigma Environmental  
1300 W Canal Milwaukee, WI 53233  
Tel: 414-643-4100 Fax: 414-643-4210

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>		Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-13</b>	
Facility License, Permit or Monitoring No.		Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Wis. Unique Well No.   DNR Well Number	
Facility ID		Lat. _____ ° _____ ' _____ " Long. _____ ° _____ ' _____ " or		Date Well Installed <b>08/06/2009</b>	
Type of Well <b>Well Code 71/dw</b>		St. Plane _____ ft. N, _____ ft. E. S/C/N		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>	
Distance from Waste/Source ft. _____		Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		On-site Environmental Services	
Enf. Stds. Apply <input type="checkbox"/>		Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known		Gov. Lot Number	

A. Protective pipe, top elevation _____ ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ 9.0 in.
C. Land surface elevation _____ ft. MSL	b. Length: _____ 1.0 ft.
D. Surface seal, bottom _____ ft. MSL or 1.0 ft.	c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Other <input type="checkbox"/>	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input checked="" type="checkbox"/> 99	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 sand Other <input type="checkbox"/>
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
17. Source of water (attach analysis, if required): _____	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
E. Bentonite seal, top _____ ft. MSL or 1.0 ft.	7. Fine sand material: Manufacturer, product name & mesh size a. _____ Ohio Brand #4000 <input checked="" type="checkbox"/>
F. Fine sand, top _____ ft. MSL or 3.0 ft.	b. Volume added _____ ft <sup>3</sup>
G. Filter pack, top _____ ft. MSL or 3.5 ft.	8. Filter pack material: Manufacturer, product name & mesh size a. _____ Ohio Brand #5 <input checked="" type="checkbox"/>
H. Screen joint, top _____ ft. MSL or 4.5 ft.	b. Volume added _____ ft <sup>3</sup>
I. Well bottom _____ ft. MSL or 14.5 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
J. Filter pack, bottom _____ ft. MSL or 14.5 ft.	10. Screen material: _____ PVC <input checked="" type="checkbox"/>
K. Borehole, bottom _____ ft. MSL or 14.5 ft.	a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
L. Borehole, diameter 8.0 in.	b. Manufacturer _____
M. O.D. well casing 2.38 in.	c. Slot size: _____ 0.010 in.
N. I.D. well casing 2.05 in.	d. Slotted length: _____ 10.0 ft.
	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm **Sigma Environmental** Tel: 414-643-4200  
1300 W Canal St Milwaukee, WI 53233 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>SMW-14</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ " Long. _____ " or		Wis. Unique Well No. _____ DNR Well Number _____
Facility ID	St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed <b>08/06/2009</b>
Type of Well Well Code <b>71/dw</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) <b>Tony Kapugi</b>
Distance from Waste/Source ft. _____	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
			On-site Environmental Services

- A. Protective pipe, top elevation \_\_\_\_\_ ft. MSL
- B. Well casing, top elevation \_\_\_\_\_ ft. MSL
- C. Land surface elevation \_\_\_\_\_ ft. MSL
- D. Surface seal, bottom \_\_\_\_\_ ft. MSL or 1.0 ft.

12. USCS classification of soil near screen:  
 GP  GM  GC  GW  SW  SP   
 SM  SC  ML  MH  CL  CH   
 Bedrock

13. Sieve analysis attached?  Yes  No


14. Drilling method used: Rotary  5 0  
 Hollow Stem Auger  4 1  
 Other

15. Drilling fluid used: Water  0 2 Air  0 1  
 Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No

Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):  
 \_\_\_\_\_



- 1. Cap and lock?  Yes  No
- 2. Protective cover pipe:
  - a. Inside diameter: \_\_\_\_\_ 9.0 in.
  - b. Length: \_\_\_\_\_ 1.0 ft.
  - c. Material: Steel  0 4  
Other
  - d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_
- 3. Surface seal: Bentonite  3 0  
Concrete  0 1  
Other
- 4. Material between well casing and protective pipe: \_\_\_\_\_ sand \_\_\_\_\_  
Bentonite  3 0  
Other
- 5. Annular space seal:
  - a. Granular/Chipped Bentonite  3 3
  - b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  3 5
  - c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  3 1
  - d. \_\_\_\_\_ % Bentonite ... Bentonite-cement grout  5 0
  - e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above
  - f. How installed: Tremie  0 1  
Tremie pumped  0 2  
Gravity  0 8
- 6. Bentonite seal:
  - a. Bentonite granules  3 3
  - b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2
  - c. \_\_\_\_\_ Other
- 7. Fine sand material: Manufacturer, product name & mesh size  
a. Ohio Brand #4000
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 8. Filter pack material: Manufacturer, product name & mesh size  
a. Ohio Brand #5
- b. Volume added \_\_\_\_\_ ft<sup>3</sup>
- 9. Well casing: Flush threaded PVC schedule 40  2 3  
Flush threaded PVC schedule 80  2 4  
Other
- 10. Screen material: PVC
  - a. Screen Type: Factory cut  1 1  
Continuous slot  0 1  
Other
  - b. Manufacturer \_\_\_\_\_
  - c. Slot size: \_\_\_\_\_ 0.010 in
  - d. Slotted length: \_\_\_\_\_ 10.0 ft.
- 11. Backfill material (below filter pack): None  1 4  
Other

- E. Bentonite seal, top \_\_\_\_\_ ft. MSL or 1.0 ft.
- F. Fine sand, top \_\_\_\_\_ ft. MSL or 2.8 ft.
- G. Filter pack, top \_\_\_\_\_ ft. MSL or 3.0 ft.
- H. Screen joint, top \_\_\_\_\_ ft. MSL or 3.0 ft.
- I. Well bottom \_\_\_\_\_ ft. MSL or 13.0 ft.
- J. Filter pack, bottom \_\_\_\_\_ ft. MSL or 13.0 ft.
- K. Borehole, bottom \_\_\_\_\_ ft. MSL or 14.0 ft.
- L. Borehole, diameter 8.0 in.
- M. O.D. well casing 2.38 in.
- N. I.D. well casing 2.05 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature: [Signature] Firm: **Sigma Environmental** Tel: 414-643-4200  
 1300 W Canal St Milwaukee, WI 53233 Fax: 414-643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaners</b>	Local Grid Location of Well _____ ft. <input type="checkbox"/> N. _____ ft. <input type="checkbox"/> E. _____ ft. <input type="checkbox"/> S. _____ ft. <input type="checkbox"/> W.		Well Name <b>PZ-1</b>
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or		Wis. Unique Well No. <b>OY225</b>   DNR Well Number
Facility ID	St. Plane _____ ft. N, _____ ft. E. S/C/N		Date Well Installed <b>11/10/2007</b>
Type of Well <b>Well Code 72/dp</b>	Section Location of Waste/Source <b>SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21</b> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Well Installed By: (Person's Name and Firm) <b>Alex</b>
Distance from Waste/Source ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number

A. Protective pipe, top elevation 691.92 ft. MSL  Yes  No

B. Well casing, top elevation 691.49 ft. MSL

C. Land surface elevation 691.9 ft. MSL

D. Surface seal, bottom 690.9 ft. MSL or 1.0 ft.

12. USCS classification of soil near screen:  
GP  GM  GC  GW  SW  SP   
SM  SC  ML  MH  CL  CH   
Bedrock


13. Sieve analysis attached?  Yes  No

14. Drilling method used: Rotary  5 0  
Hollow Stem Auger  4 1  
Rotary  Other

15. Drilling fluid used: Water  0 2 Air  0 1  
Drilling Mud  0 3 None  9 9

16. Drilling additives used?  Yes  No  
Describe \_\_\_\_\_

17. Source of water (attach analysis, if required):  
\_\_\_\_\_



1. Cap and lock?  Yes  No

2. Protective cover pipe:  
a. Inside diameter: 9.0 in.  
b. Length: 1.0 ft.  
c. Material: \_\_\_\_\_ Steel  0 4  
Other

d. Additional protection?  Yes  No  
If yes, describe: \_\_\_\_\_

3. Surface seal: \_\_\_\_\_ Bentonite  3 0  
Concrete  0 1  
Other

4. Material between well casing and protective pipe:  
\_\_\_\_\_ Bentonite  3 0  
sand \_\_\_\_\_ Other

5. Annular space seal: a. Granular/Chipped Bentonite  3 3  
b. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite-sand slurry  3 5  
c. \_\_\_\_\_ Lbs/gal mud weight ... Bentonite slurry  3 1  
d. 10 % Bentonite ... Bentonite-cement grout  5 0  
e. \_\_\_\_\_ Ft<sup>3</sup> volume added for any of the above  
f. How installed: Tremie  0 1  
Tremie pumped  0 2  
Gravity  0 8

6. Bentonite seal: a. Bentonite granules  3 3  
b.  1/4 in.  3/8 in.  1/2 in. Bentonite chips  3 2  
c. \_\_\_\_\_ Other

7. Fine sand material: Manufacturer, product name & mesh size  
a. Ohio Brand #4000  
b. Volume added \_\_\_\_\_ ft<sup>3</sup>

8. Filter pack material: Manufacturer, product name & mesh size  
a. Ohio Brand #5  
b. Volume added \_\_\_\_\_ ft<sup>3</sup>

9. Well casing: Flush threaded PVC schedule 40  2 3  
Flush threaded PVC schedule 80  2 4  
Other

10. Screen material: PVC  
a. Screen Type: Factory cut  1 1  
Continuous slot  0 1  
Other

b. Manufacturer \_\_\_\_\_  
c. Slot size: 0.010 in.  
d. Slotted length: 5.0 ft.

11. Backfill material (below filter pack): \_\_\_\_\_ None  1 4  
Other

E. Bentonite seal, top 690.9 ft. MSL or 1.0 ft.

F. Fine sand, top 665.9 ft. MSL or 26.0 ft.

G. Filter pack, top 663.9 ft. MSL or 28.0 ft.

H. Screen joint, top 661.9 ft. MSL or 30.0 ft.

I. Well bottom 656.9 ft. MSL or 35.0 ft.

J. Filter pack, bottom 656.9 ft. MSL or 35.0 ft.

K. Borehole, bottom 656.9 ft. MSL or 35.0 ft.

L. Borehole, diameter 12.0 in.

M. O.D. well casing 2.38 in.

N. I.D. well casing 6.00 in.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Mary Hill Firm **Sigma Environmental Services, Inc.** Tel: (414) 643-4200  
1300 W. Canal Street Milwaukee, WI 53233 Fax: (414) 643-4210

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name Master Dry Cleaners	Local Grid Location of Well ft. <input type="checkbox"/> N. <input type="checkbox"/> S. <input type="checkbox"/> E. <input type="checkbox"/> W.	Well Name PZ-2
Facility License, Permit or Monitoring No.	Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat. _____ Long. _____ or	Wis. Unique Well No. _____ DNR Well Number _____
Facility ID	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed 08/13/2008
Type of Well Well Code 72/dp	Section Location of Waste/Source SE 1/4 of SE 1/4 of Sec. 27, T. 7 N, R. 21 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Alex
Distance from Waste/Source ft.	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____ Badger State Drilling

A. Protective pipe, top elevation _____ 691.52 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation _____ 691.22 ft. MSL	2. Protective cover pipe: a. Inside diameter: _____ 9.0 in. b. Length: _____ 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 04 Other <input type="checkbox"/>
C. Land surface elevation _____ 691.5 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom _____ 690.5 ft. MSL or _____ 1.0 ft.	3. Surface seal: Bentonite <input type="checkbox"/> 30 Concrete <input checked="" type="checkbox"/> 01 Other <input type="checkbox"/>
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input type="checkbox"/> SC <input type="checkbox"/> ML <input type="checkbox"/> MH <input type="checkbox"/> CL <input type="checkbox"/> CH <input type="checkbox"/> Bedrock <input checked="" type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 30 sand Other <input type="checkbox"/>
13. Sieve analysis attached? <input type="checkbox"/> Yes <input type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input type="checkbox"/> 33 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 35 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 31 d. 10 % Bentonite ... Bentonite-cement grout <input checked="" type="checkbox"/> 50 e. _____ Ft <sup>3</sup> volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 01 Tremie pumped <input checked="" type="checkbox"/> 02 Gravity <input type="checkbox"/> 08
14. Drilling method used: Rotary <input type="checkbox"/> 50 Hollow Stem Auger <input checked="" type="checkbox"/> 41 Rotary Other <input checked="" type="checkbox"/>	6. Bentonite seal: a. Bentonite granules <input type="checkbox"/> 33 b. <input type="checkbox"/> 1/4 in. <input checked="" type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input checked="" type="checkbox"/> 32 c. _____ Other <input type="checkbox"/>
15. Drilling fluid used: Water <input type="checkbox"/> 02 Air <input checked="" type="checkbox"/> 01 Drilling Mud <input type="checkbox"/> 03 None <input type="checkbox"/> 99	7. Fine sand material: Manufacturer, product name & mesh size a. Ohio Brand #4000 b. Volume added _____ ft <sup>3</sup>
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name & mesh size a. Ohio Brand #5 b. Volume added _____ ft <sup>3</sup>
17. Source of water (attach analysis, if required): _____	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 23 Flush threaded PVC schedule 80 <input type="checkbox"/> 24 Other <input type="checkbox"/>
E. Bentonite seal, top _____ 690.5 ft. MSL or _____ 1.0 ft.	10. Screen material: PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 11 Continuous slot <input type="checkbox"/> 01 Other <input type="checkbox"/>
F. Fine sand, top _____ 664.5 ft. MSL or _____ 27.0 ft.	b. Manufacturer _____ c. Slot size: _____ 0.010 in. d. Slotted length: _____ 5.0 ft.
G. Filter pack, top _____ 663.5 ft. MSL or _____ 28.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 14 Other <input checked="" type="checkbox"/>
H. Screen joint, top _____ 661.5 ft. MSL or _____ 30.0 ft.	
I. Well bottom _____ 656.5 ft. MSL or _____ 35.0 ft.	
J. Filter pack, bottom _____ 656.5 ft. MSL or _____ 35.0 ft.	
K. Borehole, bottom _____ 656.5 ft. MSL or _____ 35.0 ft.	
L. Borehole, diameter _____ 12.0 in.	
M. O.D. well casing _____ 2.38 in.	
N. I.D. well casing _____ 6.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.  
Signature \_\_\_\_\_ Firm Sigma Environmental  
1300 W Canal Milwaukee, WI 53233  
Tel: 414-643-4100 Fax: 414-643-4210

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY /OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners	
Common Well Name <u>SGP-1</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well 6326 W Bluemound Road City, Village, or Town Wauwatosa Present Well Owner Harold Shipshock Original Owner Mr. Harold Shipshock Street Address or Route of Owner 6326 W Bluemound Road City, State, Zip Code Wauwatosa, WI 53213	
Reason For Abandonment Investigative boring		WI Unique Well No. of Replacement Well		

<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>	
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite <input type="checkbox"/> Bentonite-Sand Slurry	

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07
Signature of Person Doing Work <i>[Signature]</i>		Date Signed 11/27/07
Street or Route 1300 W Canal Street		Telephone Number 414-643-4200
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County	Facility Name	
		Milwaukee	Master Dry Cleaners	
Common Well Name <u>SGP-2</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
<u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N.; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well	
Reason For Abandonment			Present Well Owner	
Investigative boring			Harold Shipshock	
WI Unique Well No. of Replacement Well			Original Owner	
			Mr. Harold Shipshock	
			Street Address or Route of Owner	
			6326 W Bluemound Road	
			City, State, Zip Code	
			Wauwatosa, WI 53213	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date _____	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u>	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
If a Well Construction Report is available, please attach.	Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Total Well Depth (ft) _____ Casing Diameter (in.) _____	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
(From ground surface) Casing Depth (ft.) _____	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Lower Drillhole Diameter (in.) <u>2.0</u>	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If Yes, To What Depth? _____ Feet	Required Method of Placing Sealing Material
Depth to Water (Feet) _____	<input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips)
	Sealing Materials For monitoring wells and monitoring well boreholes only
	<input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite - Sand Slurry <input checked="" type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Chipped Bentonite

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work		Date of Abandonment
Sigma Environmental Services		9/6/07
Signature of Person Doing Work	Date Signed	
<i>Maya</i>	11/27/07	
Street or Route	Telephone Number	
1300 W Canal Street	414-643-4200	
City, State, Zip Code		
Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

**Notice:** Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners	
Common Well Name <u>SGP-3</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N.; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well 6326 W Bluemound Road	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			City, Village, or Town Wauwatosa	
Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or _____ ° _____ ' _____ " or _____ ° _____ ' _____ " Zone _____ S _____ C _____ N			Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock
State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner 6326 W Bluemound Road	
Reason For Abandonment Investigative boring			City, State, Zip Code Wauwatosa, WI 53213	
WI Unique Well No. of Replacement Well				

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite - Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07
Signature of Person Doing Work <i>Mary [Signature]</i>		Date Signed 11/27/07
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners	
Common Well Name <u>SGP-4</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N.; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>			Street Address of Well 6326 W Bluemound Road	
Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			City, Village, or Town Wauwatosa	
Reason For Abandonment Investigative boring		WI Unique Well No. of Replacement Well	Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock
			Street Address or Route of Owner 6326 W Bluemound Road	
			City, State, Zip Code Wauwatosa, WI 53213	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite - Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07
Signature of Person Doing Work <i>May [Signature]</i>		Date Signed 11/27/07
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

(1) GENERAL INFORMATION		(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners
Common Well Name <u>SGP-5</u> Gov't Lot (if applicable)		Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		Street Address of Well 6326 W Bluemound Road	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		City, Village, or Town Wauwatosa	
Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or		Present Well Owner Harold Shipshock	Original Owner Mr. Harold Shipshock
State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		Street Address or Route of Owner 6326 W Bluemound Road	
Reason For Abandonment Investigative boring		City, State, Zip Code Wauwatosa, WI 53213	
WI Unique Well No. of Replacement Well			

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite <input type="checkbox"/> Bentonite - Sand Slurry

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments \_\_\_\_\_

Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 9/6/07
Signature of Person Doing Work <i>Mary [Signature]</i>		Date Signed 11/27/07
Street or Route 1300 W Canal Street	Telephone Number 414-643-4200	
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County	Facility Name	
		Milwaukee	Master Dry Cleaners	
Common Well Name <u>SGP-6</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
<u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N.; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well <u>6326 W Bluemound Road</u>	
Reason For Abandonment <u>Investigative boring</u>			City, Village, or Town <u>Wauwatosa</u>	
WI Unique Well No. of Replacement Well			Present Well Owner <u>Harold Shipshock</u>	Original Owner <u>Mr. Harold Shipshock</u>
			Street Address or Route of Owner <u>6326 W Bluemound Road</u>	
			City, State, Zip Code <u>Wauwatosa, WI 53213</u>	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>2.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite - Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
3/8 bentonite	Surface	11.0	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work <u>Sigma Environmental Services</u>	Date of Abandonment <u>9/6/07</u>
Signature of Person Doing Work <i>[Signature]</i>	Date Signed <u>11/27/07</u>
Street or Route <u>1300 W Canal Street</u>	Telephone Number <u>414-643-4200</u>
City, State, Zip Code <u>Milwaukee, WI 53233</u>	

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

(1) GENERAL INFORMATION			(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County Milwaukee	Facility Name Master Dry Cleaners	
Common Well Name <u>HA-1</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W. Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/> Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address of Well 6326 W Bluemound Road	
Reason For Abandonment Investigative boring			Present Well Owner Harold Shipshock	
WI Unique Well No. of Replacement Well			Original Owner Mr. Harold Shipshock	
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION Original Construction Date _____ <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole / Borehole Construction Type: <input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>Hand Auger</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) <u>3.0</u> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet Depth to Water (Feet) _____			(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Required Method of Placing Sealing Material <input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips) Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Sacks Sealant	Mix Ratio or Mud Weight
Concrete	Surface	1.0	0.25	
3/8 bentonite	1.0	4.5	0.33	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work Sigma Environmental Services		Date of Abandonment 7/31/08
Signature of Person Doing Work <i>[Signature]</i>		Date Signed 11-19-08
Street or Route 300 W Canal Street		Telephone Number 414-643-4200
City, State, Zip Code Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

Notice: Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other

(1) GENERAL INFORMATION		(2) FACILITY /OWNER INFORMATION	
WI Unique Well No.	DNR Well ID No.	County	Facility Name
		Milwaukee	Master Dry Cleaners
Common Well Name <u>HA-2</u>		Gov't Lot (if applicable)	
Grid Location <u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>27</u> ; T. <u>7</u> N; R. <u>21</u> <input checked="" type="checkbox"/> E <input type="checkbox"/> W		Facility ID	
_____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.		License/Permit/Monitoring No.	
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/> ) or Well Location <input type="checkbox"/>		Street Address of Well	
Lat _____ ° _____ ' _____ " Long _____ ° _____ ' _____ " or		6326 W Bluemound Road	
State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone		City, Village, or Town	
Reason For Abandonment		Wauwatosa	
Investigative boring	WI Unique Well No. of Replacement Well	Present Well Owner	
		Harold Shipshock	
		Original Owner	
		Mr. Harold Shipshock	
		Street Address or Route of Owner	
		6326 W Bluemound Road	
		City, State, Zip Code	
		Wauwatosa, WI 53213	

(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date _____	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well	Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input type="checkbox"/> Water Well	Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input type="checkbox"/> Drillhole / Borehole	Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
If a Well Construction Report is available, please attach.	Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Construction Type:	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Drilled <input checked="" type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug	Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
<input checked="" type="checkbox"/> Other (Specify) <u>Hand Auger</u>	If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Formation Type:	Required Method of Placing Sealing Material
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	<input type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped
Total Well Depth (ft) _____ Casing Diameter (in.) _____	<input checked="" type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain)
(From ground surface) _____ Casing Depth (ft.) _____	(Bentonite Chips)
Lower Drillhole Diameter (in.) <u>3.0</u>	Sealing Materials
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	<input type="checkbox"/> Neat Cement Grout
If Yes, To What Depth? _____ Feet	<input type="checkbox"/> Sand-Cement (Concrete) Grout
Depth to Water (Feet) _____	<input checked="" type="checkbox"/> Concrete
	<input type="checkbox"/> Clay-Sand Slurry
	<input type="checkbox"/> Bentonite-Sand Slurry
	<input checked="" type="checkbox"/> Chipped Bentonite
	For monitoring wells and monitoring well boreholes only
	<input type="checkbox"/> Bentonite Chips
	<input type="checkbox"/> Granular Bentonite
	<input type="checkbox"/> Bentonite-Cement Grout
	<input type="checkbox"/> Bentonite - Sand Slurry

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Sacks Sealant	Mix Ratio or Mud Weight
Concrete	Surface	1.0	0.25	
3/8 bentonite	1.0	5.0	0.33	

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work		Date of Abandonment
Sigma Environmental Services		7/31/08
Signature of Person Doing Work	Date Signed	
<i>[Signature]</i>	7-19-08	
Street or Route	Telephone Number	
1800 W Canal Street	414-643-4200	
City, State, Zip Code		
Milwaukee, WI 53233		

FOR DNR OR COUNTY USE ONLY	
Date Received	Noted By
Comments	

**APPENDIX C**

**Monitoring Well Development Forms**

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaning</b>	County Name <b>Milwaukee</b>	Well Name <b>SMW-1</b>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number <b>0X435</b>
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 16.75 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 11.99 gal.

7. Volume of water removed from well 6.5 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

11. Depth to Water Before Development After Development

a. 8.85 ft. 16.22 ft.  
(from top of well casing)

Date b. 12/08/2006 12/08/2006  
m m d d y y y y m m d d y y y y

Time c. 9:30  a.m.  p.m. 10:30  a.m.  p.m.

12. Sediment in well bottom 1.0 inches 0.0 inches

13. Water clarity Clear  10 Clear  20  
Turbid  15 Turbid  25  
(Describe) (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: David Last Name: Dailey

Firm: Sigma Env.

17. Additional comments on development:

Purged well dry. 3 times  
1st = 3 gals  
2nd = 1 gal  
3rd = 1/2 gal.  
} 15 min. intervals

Name and Address of Facility Contact /Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>Master Dry Cleaning</u>	County Name <u>Milwaukee</u>	Well Name <u>SMW-2</u>	
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number	DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 16.30 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 14.43 gal.

7. Volume of water removed from well 8.5 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>6.78</u> ft.	<u>16.00</u> ft.
Date	b. <u>12/08/2006</u> m m d d y y y y	<u>12/08/2006</u> m m d d y y y y
Time	c. <u>10:30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>11:30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm  
First Name: David Last Name: Dailey  
Firm: Sigma Env.

17. Additional comments on development: Purged well dry 3 times

1st = 7gals.  
2nd = 1gal.  
3rd = 1/2 gal.  
} 15 min intervals

Name and Address of Facility Contact /Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaning</b>	County Name <b>Milwaukee</b>	Well Name <b>SMW-3</b>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No
2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other
3. Time spent developing well 60 min.
4. Depth of well (from top of well casing) 14.95 ft.
5. Inside diameter of well 2.0 in.
6. Volume of water in filter pack and well casing 4.81 gal.
7. Volume of water removed from well 4.5 gal.
8. Volume of water added (if any) None gal.
9. Source of water added None
10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>11.77</u> ft.	<u>14.57</u> ft.
Date	b. <u>12/08/2006</u> m m d d y y y y	<u>12/08/2006</u> m m d d y y y y
Time	c. <u>9:45</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>10:45</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: David Last Name: Dailey

Firm: Sigma Env.

17. Additional comments on development: Purged well dry 3 times

1st = 3 gals.  
2nd = 1 gal.  
3rd = 1/2 gal. } 15 min. intervals

Name and Address of Facility Contact / Owner / Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>Master Dry Cleaning</u>	County Name <u>Milwaukee</u>	Well Name <u>SMW-4</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method

- surged with bailer and bailed  41
- surged with bailer and pumped  61
- surged with block and bailed  42
- surged with block and pumped  62
- surged with block, bailed and pumped  70
- compressed air  20
- bailed only  10
- pumped only  51
- pumped slowly  50
- Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 16.35 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 7.56 gal.

7. Volume of water removed from well 3.5 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>11.45</u> ft.	<u>14.02</u> ft.
Date	b. <u>12/08/2006</u> m m d d y y y y	<u>12/08/2006</u> m m d d y y y y
Time	c. <u>11:00</u> <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>12:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: David Last Name: Dailey

Firm: Sigma Env.

17. Additional comments on development: Purged well dry 3 times

1st = 2 gals.  
2nd = 1 gal  
3rd = 1/2 gal  
} 15 min. intervals

Name and Address of Facility Contact/Owner/Responsible Party  
First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Facility/Firm: \_\_\_\_\_  
Street: \_\_\_\_\_  
City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey  
Print Name: David Dailey  
Firm: Sigma Env.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>Master Dry Cleaning</b>	County Name <b>Milwaukee</b>	Well Name <b>SMW-5</b>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 15.15 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 11.07 gal.

7. Volume of water removed from well 6.5 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>7.88</u> ft.	<u>15.00</u> ft.
Date	b. <u>12/08/2006</u> m m d d y y y y	<u>12/08/2006</u> m m d d y y y y
Time	c. <u>12:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.	<u>1:00</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>1.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm  
First Name: David Last Name: Dailey  
Firm: Sigma Env.

17. Additional comments on development: Purged well dry 3 times

1st = 4 gals  
2nd = 1.5 gals  
3rd = 1.6 gal. } 15 min. intervals

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>MASTER Dry Cleaners</u>	County Name <u>Milwaukee</u>	Well Name <u>5MW-6</u>	
Facility License, Permit or Monitoring Number	County Code ---	Wis. Unique Well Number -----	DNR Well ID Number -----

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 210 min.

4. Depth of well (from top of well casing) 14.0 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing 0.83 gal.

7. Volume of water removed from well 6.0 gal.

8. Volume of water added (if any) \_\_\_\_\_ gal.

9. Source of water added \_\_\_\_\_

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development:

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>8.89</u> ft.	<u>13.68</u> ft.
Date	b. <u>09/21/2007</u>	<u>09/21/2007</u>
	m m d d y y y y	m m d d y y y y
Time	c. <u>9:40</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>1:20</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>1.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: BRUCE Last Name: BENOIT

Firm: SIGMA ENVIRONMENTAL

Name and Address of Facility Contact /Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Firm: \_\_\_\_\_

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <i>MASTER DRY CLEANERS</i>	County Name <i>MILWAUKEE</i>	Well Name <i>SMW-7</i>
Facility License, Permit or Monitoring Number	County Code	DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 140 min.

4. Depth of well (from top of well casing) 14.91 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing 0.75 gal.

7. Volume of water removed from well 7.0 gal.

8. Volume of water added (if any) \_\_\_\_\_ gal.

9. Source of water added \_\_\_\_\_

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development:

11. Depth to Water (from top of well casing)

	Before Development	After Development
a.	<u>10.18</u> ft.	<u>14.46</u> ft.

Date

	Before Development	After Development
b.	<u>09/21/2007</u>	<u>09/21/2001</u>
	m m d d y y y y	m m d d y y y y

Time

	Before Development	After Development
c.	<u>11:30</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>1:50</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.

12. Sediment in well bottom 1.0 inches 0.0 inches

13. Water clarity

	Before Development	After Development
Clear	<input type="checkbox"/> 10	<input type="checkbox"/> 20
Turbid	<input checked="" type="checkbox"/> 15	<input checked="" type="checkbox"/> 25
(Describe)	_____	_____
	_____	_____
	_____	_____
	_____	_____

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: BRUCE Last Name: BENBIT

Firm: SIGMA ENVIRONMENTAL

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Firm: \_\_\_\_\_

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>MASTER Dry Cleaners</u>	County Name <u>Milwaukee</u>	Well Name <u>SMW-8</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No
2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other
3. Time spent developing well 170 min.
4. Depth of well (from top of well casing) 14.80 ft.
5. Inside diameter of well 2.00 in.
6. Volume of water in filter pack and well casing 0.38 gal.
7. Volume of water removed from well 5.0 gal.
8. Volume of water added (if any) \_\_\_\_\_ gal.
9. Source of water added \_\_\_\_\_
10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	<u>Before Development</u>	<u>After Development</u>
11. Depth to Water (from top of well casing)	a. <u>10.96</u> ft.	<u>14.12</u> ft.
Date	b. <u>09/21/2007</u>	<u>09/21/2007</u>
	m m d d y y y y	m m d d y y y y
Time	c. <u>10:45</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>1:35</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>1.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe)	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: BRUCE Last Name: BENOIT

Firm: SIGMA ENVIRONMENTAL

17. Additional comments on development:

Name and Address of Facility Contact /Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Firm: \_\_\_\_\_

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>MASTER Dry Cleaners</b>	County Name <b>Milwaukee</b>	Well Name <b>SMW-9</b>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 180 min.

4. Depth of well (from top of well casing) 14.95 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing 0.38 gal.

7. Volume of water removed from well 4.0 gal.

8. Volume of water added (if any) \_\_\_\_\_ gal.

9. Source of water added \_\_\_\_\_

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development:

11. Depth to Water Before Development After Development

(from top of well casing) a. 12.56 ft. 13.87 ft.

Date b. 09/21/2007 09/21/2007  
m m d d y y y y m m d d y y y y

Time c. 10:00  a.m. 1:00  p.m.

12. Sediment in well bottom 2.0 inches 0.0 inches

13. Water clarity Clear  10 Clear  20  
Turbid  15 Turbid  25  
(Describe) (Describe)  
Some odor

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l  
solids

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: BRUCE Last Name: BENOIT

Firm: SIGMA ENVIRONMENTAL

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: \_\_\_\_\_

Print Name: \_\_\_\_\_

Firm: \_\_\_\_\_

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>MASTER DRYCLEANING</b>	County Name <b>MILWAUKEE</b>	Well Name <b>SMW-10</b>
Facility License, Permit or Monitoring Number	County Code <b>41</b>	Wis. Unique Well Number <b>PJ 061</b>
		DNR Well ID Number _____

1. Can this well be purged dry?  Yes  No
2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other
3. Time spent developing well 55 min.
4. Depth of well (from top of well casing) 16.10 ft.
5. Inside diameter of well 2.00 in.
6. Volume of water in filter pack and well casing \_\_\_\_\_ gal.
7. Volume of water removed from well 7.00 gal.
8. Volume of water added (if any) 0.0 gal.
9. Source of water added \_\_\_\_\_
10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>12.15</u> ft.	<u>16.01</u> ft.
Date	b. <u>08/14/2008</u> m m d d y y y y	<u>08/14/2008</u> m m d d y y y y
Time	c. <u>08:05</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>09:00</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input checked="" type="checkbox"/> 10 Turbid <input type="checkbox"/> 15 (Describe) <u>0-7 GALLONS CLEAR</u>	Clear <input type="checkbox"/> 20 Turbid <input type="checkbox"/> 25 (Describe) _____
Fill in if drilling fluids were used and well is at solid waste facility:		
14. Total suspended solids	_____ mg/l	_____ mg/l
15. COD	_____ mg/l	_____ mg/l
16. Well developed by: Name (first, last) and Firm		
First Name:	<u>TOM</u>	Last Name: <u>MCCOY</u>
Firm:	<u>SIGMA ENVIRONMENTAL</u>	

17. Additional comments on development:  
**WELL PURGED DRY THREE TIMES - SLOW RECHARGE**

Name and Address of Facility Contact /Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature:

Print Name: TOM MCCOY

Firm: SIGMA ENVIRONMENTAL

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>MASTER DRYCLEANING</b>	County Name <b>MILWAUKEE</b>	Well Name <b>SMW-11</b>
Facility License, Permit or Monitoring Number	County Code <b>4.1</b>	Wis. Unique Well Number <b>PJ 062</b>
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method

- surged with bailer and bailed  41
- surged with bailer and pumped  61
- surged with block and bailed  42
- surged with block and pumped  62
- surged with block, bailed and pumped  70
- compressed air  20
- bailed only  10
- pumped only  51
- pumped slowly  50
- Other

3. Time spent developing well 55 min.

4. Depth of well (from top of well casing) 13.90 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing \_\_\_\_\_ gal.

7. Volume of water removed from well 6.50 gal.

8. Volume of water added (if any) 0.0 gal.

9. Source of water added \_\_\_\_\_

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>10.37</u> ft.	<u>13.77</u> ft.
Date	b. <u>08/14/2008</u> m m d d y y y y	<u>08/14/2008</u> m m d d y y y y
Time	c. <u>09:10</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>10:05</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe) <u>0-6.5 GALLONS SILTY/TURBID</u>	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe)
Fill in if drilling fluids were used and well is at solid waste facility:		
14. Total suspended solids	_____ mg/l	_____ mg/l
15. COD	_____ mg/l	_____ mg/l
16. Well developed by: Name (first, last) and Firm		
First Name:	<u>TOM</u>	Last Name: <u>MCCOY</u>
Firm:	<u>SIGMA ENVIRONMENTAL</u>	

17. Additional comments on development:  
  
**WELL PURGED DRY THREE TIMES ~ SLOW RECHARGE**

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature:

Print Name: TOM MCCOY

Firm: SIGMA ENVIRONMENTAL

NOTE: See instructions for more information including a list of county codes and well type codes.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>MASTER DRYCLEANING</b>	County Name <b>MILWAUKEE</b>	Well Name <b>SMW-12</b>
Facility License, Permit or Monitoring Number	County Code <b>41</b>	Wis. Unique Well Number <b>PJ 063</b>
		DNR Well ID Number _____

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 55 min.

4. Depth of well (from top of well casing) 12.55 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing \_\_\_\_\_ gal.

7. Volume of water removed from well 7.00 gal.

8. Volume of water added (if any) 0.0 gal.

9. Source of water added \_\_\_\_\_

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development:

*WELL PURGED DRY THREE TIMES ~ SLOW RECHARGE*

	Before Development	After Development
11. Depth to Water (from top of well casing)	a. <u>8.89</u> ft.	<u>12.46</u> ft.
Date	b. <u>08/14/2008</u>	<u>08/14/2008</u>
Time	c. <u>10:15</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>11:10</u> <input type="checkbox"/> a.m. <input checked="" type="checkbox"/> p.m.
12. Sediment in well bottom	<u>0.0</u> inches	<u>0.0</u> inches
13. Water clarity	Clear <input type="checkbox"/> 10 Turbid <input checked="" type="checkbox"/> 15 (Describe) <u>0-2 GALLONS SILTY/TURBID</u>	Clear <input type="checkbox"/> 20 Turbid <input checked="" type="checkbox"/> 25 (Describe) <u>2-7 GALLONS SLIGHTLY SILTY/TURBID</u>
Fill in if drilling fluids were used and well is at solid waste facility:		
14. Total suspended solids	_____ mg/l	_____ mg/l
15. COD	_____ mg/l	_____ mg/l
16. Well developed by: Name (first, last) and Firm		
First Name:	<u>TOM</u>	
Last Name:	<u>MCCOY</u>	
Firm:	<u>SIGMA ENVIRONMENTAL</u>	

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature:

Print Name: TOM MCCOY

Firm: SIGMA ENVIRONMENTAL

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>Master Drycleaning</u>	County Name <u>Milwaukee</u>	Well Name <u>Smw-13</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 14.05 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 5.42 gal.

7. Volume of water removed from well 10.5 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development:

1st = 5.0 gals.  
2nd = 3.5 gals.  
3rd = 2.0 gals. } 15 min. intervals  
purged well dry 3 times

Before Development After Development

11. Depth to Water (from top of well casing)  
a. 10.45 ft. 14.00 ft.

Date  
b. 08/18/2009 08/18/2009  
m m d d y y y y m m d d y y y y

Time  
c. 8:15  a.m.  p.m. 9:15  a.m.  p.m.

12. Sediment in well bottom 0.5 inches 0.0 inches

13. Water clarity  
Clear  10 Turbid  15  
(Describe) light brown  
Clear  20 Turbid  25  
(Describe) slight turbid

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: David Last Name: Dailey

Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>Master Drycleaning</u>	County Name <u>Milwaukee</u>	Well Name <u>Smw-14</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
		DNR Well ID Number

1. Can this well be purged/dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 60 min.

4. Depth of well (from top of well casing) 12.85 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 4.2 gal.

7. Volume of water removed from well 6.0 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development: purged well dry 3 times

1st = 4.0 gals.  
2nd = 1.5 gals.  
3rd = 0.50 gal. } 15 min. intervals

11. Depth to Water (from top of well casing)

	Before Development	After Development
a.	<u>10.03</u> ft.	<u>12.82</u> ft.

Date

	Before Development	After Development
b.	<u>08/18/2009</u>	<u>08/18/2009</u>
	m m d d y y y y	m m d d y y y y

Time

	Before Development	After Development
c.	<u>8:00</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	<u>9:00</u> <input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.

12. Sediment in well bottom 0.5 inches 0.0 inches

13. Water clarity

	Before Development	After Development
Clear	<input type="checkbox"/> 10	<input type="checkbox"/> 20
Turbid	<input checked="" type="checkbox"/> 15	<input checked="" type="checkbox"/> 25
(Describe)	<u>light brown</u>	<u>slight turbid</u>

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids                      mg/l                      mg/l

15. COD                      mg/l                      mg/l

16. Well developed by: Name (first, last) and Firm

First Name: David Last Name: Dailey

Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name:                      Last Name:                     

Facility/Firm:                     

Street:                     

City/State/Zip:                     

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env.

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <u>Master Dry Cleaning</u>	County Name <u>Milwaukee</u>	Well Name <u>PZ-1</u>
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number <u>0Y225</u>
		DNR Well ID Number

1. Can this well be purged dry?  Yes  No

2. Well development method

- surged with bailer and bailed  41
- surged with bailer and pumped  61
- surged with block and bailed  42
- surged with block and pumped  62
- surged with block, bailed and pumped  70
- compressed air  20
- bailed only  10
- pumped only  51
- pumped slowly  50
- Other

3. Time spent developing well \_\_\_\_\_ min.

4. Depth of well (from top of well casing) 34.40 ft.

5. Inside diameter of well 2.0 in.

6. Volume of water in filter pack and well casing 16.42 gal.

7. Volume of water removed from well 5.0 gal.

8. Volume of water added (if any) None gal.

9. Source of water added None

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

17. Additional comments on development: pumped well dry 3 times

1st = 4.0 gals  
2nd = 1.0 gal.  
3rd = 1/2 liter  
} 15 min. intervals

11. Depth to Water (from top of well casing)

	Before Development	After Development
a.	<u>23.76</u> ft.	<u>34.30</u> ft.

Date b. 11/15/2007 11/15/2007  
m m d d y y y y m m d d y y y y

Time c. 9:00  a.m.  p.m. 10:00  a.m.  p.m.

12. Sediment in well bottom 0.0 inches 0.0 inches

13. Water clarity

	Clear <input type="checkbox"/>	Turbid <input checked="" type="checkbox"/>	Clear <input type="checkbox"/>	Turbid <input type="checkbox"/>
(Describe)	10	15	20	25
		<u>slight turbid</u>		<u>very slight turbid</u>
		<u>light brown</u>		<u>cloudy</u>

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: David Last Name: Dailey

Firm: Sigma Env.

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_  
Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: David Dailey

Print Name: David Dailey

Firm: Sigma Env

Route to: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Facility/Project Name <b>MASTER DRYCLEANING</b>	County Name <b>MILWAUKEE</b>	Well Name <b>PZ-2</b>
Facility License, Permit or Monitoring Number	County Code <b>41</b>	Wis. Unique Well Number <b>0Y 244</b>
		DNR Well ID Number _____

1. Can this well be purged dry?  Yes  No

2. Well development method
- surged with bailer and bailed  41
  - surged with bailer and pumped  61
  - surged with block and bailed  42
  - surged with block and pumped  62
  - surged with block, bailed and pumped  70
  - compressed air  20
  - bailed only  10
  - pumped only  51
  - pumped slowly  50
  - Other

3. Time spent developing well 30 min.

4. Depth of well (from top of well casing) 34.60 ft.

5. Inside diameter of well 2.00 in.

6. Volume of water in filter pack and well casing \_\_\_\_\_ gal.

7. Volume of water removed from well 1.00 gal.

8. Volume of water added (if any) 0.0 gal.

9. Source of water added —

10. Analysis performed on water added?  Yes  No  
(If yes, attach results)

11. Depth to Water Before Development After Development  
(from top of well casing) a. 32.91 ft. 34.53 ft.

Date b. 08/14/2008 08/14/2008  
m m d d y y y y m m d d y y y

Time c. 07:25  a.m.  p.m. 07:55  a.m.  p.m.

12. Sediment in well bottom 0.0 inches 0.0 inches

13. Water clarity Clear  10 Clear  20  
Turbid  15 Turbid  25  
(Describe) (Describe)

0-1 GALLON  
SILTY/TURBID

Fill in if drilling fluids were used and well is at solid waste facility:

14. Total suspended solids \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

15. COD \_\_\_\_\_ mg/l \_\_\_\_\_ mg/l

16. Well developed by: Name (first, last) and Firm

First Name: TOM Last Name: MCCOY

Firm: SIGMA ENVIRONMENTAL

17. Additional comments on development:

WELL PURGED DRY ~ NO RECHARGE

Name and Address of Facility Contact/Owner/Responsible Party

First Name: \_\_\_\_\_ Last Name: \_\_\_\_\_

Facility/Firm: \_\_\_\_\_

Street: \_\_\_\_\_

City/State/Zip: \_\_\_\_\_

I hereby certify that the above information is true and correct to the best of my knowledge.

Signature: [Signature]

Print Name: TOM MCCOY

Firm: SIGMA ENVIRONMENTAL

**APPENDIX D**

**Waste Disposal Documentation**

Orchard Ridge

SPECIAL WASTE MANIFEST DISPOSAL TICKET

1009083



A Waste Management Company

6326 W Bluemound Road  
Wauwatosa, WI

11 Drums

BILL TO: Sigma Environmental

TRANSPORTER: AAA Environmental

GENERATOR: Master Dry Cleaning

GENERATORS SIGNATURE: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
Date

WASTE DESCRIPTION: Contaminated Soil

PROFILE # BIO101181WI

ACCEPTED BY: [Signature] 04/24/08  
Date

DRIVERS SIGNATURE: [Signature] 4.27.08 TRUCK NO. 432  
Date

TONS/YARDS

Use type (Form designed for use on a 12-pitch typewriter)

1. Generator ID Number W5014963	2. Page 1 of 1	3. Emergency Response Phone 414 761 9121	4. Manifest Tracking Number 003181783 JJK
------------------------------------	----------------	---	--

Generator's Name and Mailing Address Badger Disposal, Inc. 501 W. Wisconsin Ave. Milwaukee, WI 53212	Generator's Site Address (if different than mailing address)
---	--

Transporter 1 Company Name Waste Management, Inc.	U.S. EPA ID Number WI-D0017158
--	-----------------------------------

Transporter 2 Company Name	U.S. EPA ID Number
----------------------------	--------------------

Designated Facility Name and Site Address Badger Disposal, Inc. 501 W. Wisconsin Ave. Milwaukee, WI 53212	U.S. EPA ID Number WI-D0017158
--	-----------------------------------

9. DOT Description (including Proper Shipping Name, Hazard Class, ID Number and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Vol./Wt.	13. Waste Codes	
	No.	Type			1. Code	2. Code
Hazardous Waste (Flammable Liquid) (UN 1202)	2/5	DR	165	G	1.002	D043
Hazardous Waste (Flammable Liquid) (UN 1202)	3/5	DR	165	G	1.002	D027

14. Special Handling Instructions and Additional Information  
 9A7 W5014963 501 W. WI  
 9A7 W5014963 501 W. WI

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Officer's Printed/Typed Name HAROLD SHIPSTOCK	Signature Harold Shipstock	Month 4	Day 24	Year 08
--	-------------------------------	------------	-----------	------------

16. International Shipments: <input type="checkbox"/> Import <input checked="" type="checkbox"/> Export (from U.S.)	Port of origin/exit Date (leaving U.S.)
---	--

17. Transporter Acknowledgment (Report of Materials)	Signature Corey D. Wilder	Month 4	Day 24	Year 08
--	------------------------------	------------	-----------	------------

18. Discrepancy	Signature Corey D. Wilder	Month 4	Day 24	Year 08
-----------------	------------------------------	------------	-----------	------------

18a. Discrepancy Indication: <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection	Manifest Reference Number:
--	----------------------------

18b. Alternate Facility (or Generator)	U.S. EPA ID Number
--	--------------------

18c. Signature of Alternate Facility (or Generator)	Month 5	Day 14	Year 08
---	------------	-----------	------------

H061	H061		
------	------	--	--

20. Designated Facility Owner, or Operator, Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a	Signature Martin W. Schmitt	Month 5	Day 14	Year 08
---	--------------------------------	------------	-----------	------------

GENERATOR TRANSPORTER INTL DESIGNATED FACILITY

8 Drums

Richard Ridge

SPECIAL WASTE MANIFEST DISPOSAL TICKET

14772

Bill TO: Sigma Environmental



A Waste Management Company

TRANSPORTER: WC Industrial

GENERATOR: Master Dry Cleaning

6326 W. Blue Mound Rd  
Wauwatosa, WI

GENERATORS SIGNATURE: \_\_\_\_\_

WASTE DESCRIPTION: Contaminated Soil

53213

PROFILE # B10101181 W1

ACCEPTED BY: [Signature] 10/31/08

DRIVERS SIGNATURE: [Signature] 10/31/08

TRUCK NO. 820814

8 Drums  
TONS/YARDS

220

Orchard Ridge RDF

SPECIAL WASTE MANIFEST DISPOSAL TICKET

25410

*Jensen*

BILL TO Sigma Environmental Services



A Waste Management Company

TRANSPORTER Jensen Environmental Management

GENERATOR Master Dry Cleaning

GENERATORS SIGNATURE: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
Date

WASTE DESCRIPTION: Contaminated Soil

PROFILE # BIO101181WI

ACCEPTED BY: [Signature] 9/22/09  
Date

DRIVERS SIGNATURE: [Signature] 9/22/09  
Date

TRUCK NO. 1 2 TONS/YARDS  
2 drums

*44*

Kandy @ badgerdisposal.com

**Badger Disposal OF WI., Inc.**

5611 West Hemlock  
Milwaukee, WI 53223

**Invoice**

Date	Invoice #
10/28/2008	24334

<b>Bill To</b>
Sigma Environmental Services, Inc. 1300 W. Canal Street Milwaukee, WI 53233

<b>Received From</b>
Master Dry Cleaning 6326 W. Bluemound Wauwatosa, WI 53213

Order Number	P.O. #	Terms	Due Date	Received	Manifest
101308		Net 30 Days	11/27/2008	10/13/2008	4815654
Description			Qty/Wt	Rate	Amount
Goundwater, Hazardous WS#14962			1	147.00	147.00
Fuel Surcharge			147	0.065	9.56
Manifest Fee			1	6.00	6.00
PROJ # <u>9923</u> PROJ. NAME <u>Master Dry Cleaning</u> PHASE <u>CL</u> TASK _____ MARK UP % _____ AMOUNT <u>162.56</u> APPROVAL <u>NET</u> DATE <u>10/3/08</u> 11-3 EXPENSE CODE _____      TRANS # _____					
				<b>Total</b>	\$162.56

Any deviation of waste from the stated constituents on the Material Characterization report can result in rejection of the load or off-spec charges.

Payments/Credits	\$0.00
Balance Due	\$162.56

<b>Phone #</b>
414-760-9175

<b>Fax #</b>
414-760-9189



**Jensen Environmental Management, Inc.**

W144 S6347 College Court  
Muskego, WI 53150  
Phone (414) 422-9169  
Fax (414) 422-9656

# Uniform Waste Manifest

*WID 988591277*

<b>Uniform Waste Manifest</b>		1. Generator's US EPA ID No. WVVSQG	Manifest Document No. 38367	2. Page 1 of 1	3. Service Representative <i>[Signature]</i>
4. Generator's Name and Mailing Address Master Dry Cleaning c/o Sigma 6326 W. Bluemound Road Milwaukee WI 53213		Site Location If Different			
5. Generator's Phone (414) 643-4131		A. State Generator's ID			
6. Transporter 1 Company Name Jensen Environmental Mgt., Inc. (H)		7. US EPA ID Number VMR000004515		B. State Transporter's ID WM16165	
8. Transporter 2 Company Name		9. US EPA ID Number		C. Transporter's Phone (800) 529-5758	
10. Designated Facility Name and Site Address Badger Disposal 5811 W. Hemlock Street Milwaukee, WI 53223		11. US EPA ID Number WMD988580056		D. State Transporter's ID	
				E. Transporter's Phone	
				F. State Facility's ID	
				G. Facility's Phone (414) 760-8175	
12. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		13. Containers No.	14. Total Quantity	15. Unit Wt/Vol	H. Waste No.
a. RQ-Waste Tetrachloroethylene, 8.1, UN1897, PGIII F002, D039		1	200	P	F002
b.					
c.					
d.					
e.					
I. Additional Descriptions for Materials Listed Above			J. Handling Code for Wastes Listed Above		
a. WS _____ ERG# 160 c.					
b. _____ d.					
16. Special Handling Instructions and Additional Information 24 Hour Emergency Contact (414) 313-1834					
K. Generator Status EXEMPT _____ VSQG _____ SQG <i>[initials]</i> LQG _____					
17. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations and according to the requirements of the WDNR/MIDEQ/ILEPA.					
Printed/Typed Name & Position Title <i>Sherry Vickio</i>		Signature <i>Sherry Vickio</i>		Date 02/24/99	
18. TRANSPORTER 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name & Position Title <i>Thomas Stanislawski</i>		Signature <i>[Signature]</i>		Date 02/24/99	
19. TRANSPORTER 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name & Position Title		Signature		Date	
20. Discrepancy Indication Space					
21. Facility Owner or Operator: Certification of receipt of materials covered by this manifest except as noted in Item 20.					
Printed/Typed Name & Position Title <i>Ron Mitchell General Manager</i>		Signature <i>Ron Mitchell</i>		Date 09/24/09	

GENERATOR  
TRANSPORTER  
FACILITY


# ***Certificate of Disposal***

## ***Badger Disposal of WI, Inc.***

This is to certify that all material from Master Dry Cleaning, 6326 W. Bluemound, Wauwatosa WI 53213 per Manifest Number: 38367 received by Badger Disposal of WI, Inc., Milwaukee WI 53223 on September 24, 2009 has been recycled/disposed of on or about the date stated, in a manner consistent with acceptable engineering standards and in compliance with applicable permits, authorizations, rules, and regulations issued or set forth by State and Federal authorities.

**Waste Streams Received:**

WS014962 monitoring water

  
\_\_\_\_\_  
Authorization Signature



**Jensen Environmental Management, Inc.**

W144 S6347 College Court  
Muskego, WI 53150  
Phone (414) 422-9169  
Fax (414) 422-9656

# Uniform Waste Manifest

<b>Uniform Waste Manifest</b>		1. Generator's US EPA ID No. MVSQG	Manifest Document No. <b>40899</b>	2. Page 1 of 1	3. Service Representative 
4. Generator's Name and Mailing Address Master Dry Cleaning Co Sigma 6326 W. Bluemound Road Milwaukee WI 53213		Site Location If Different			
5. Generator's Phone (414) 643-4131		A. State Generator's ID			
6. Transporter 1 Company Name Jensen Environmental Mgt., Inc. (H)		7. US EPA ID Number WR000004515		B. State Transporter's ID WM18185	
8. Transporter 2 Company Name		9. US EPA ID Number		C. Transporter's Phone (800) 629-5758	
10. Designated Facility Name and Site Address Badger Disposal of Wisconsin, Inc. 5611 W. Hemlock Street Milwaukee, WI 53223		11. US EPA ID Number WD988580056		D. State Transporter's ID	
				E. Transporter's Phone	
				F. State Facility's ID	
				G. Facility's Phone (414) 760-9175	
12. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)			13. Containers	14. Total Quantity	15. Unit Wt/Vol
a. Waste Tetrachloroethylene, 6.1, UN1897, PGIII			No.   Type		H. Waste No.
				207 P	F 002
b.					
c.					
d.					
e.					
I. Additional Descriptions for Materials Listed Above			J. Handling Code for Wastes Listed Above		
a. WS014962 ERG# 160					
b.					
c.					
d.					
16. Special Handling Instructions and Additional Information 24 Hour Emergency Contact (414) 313-1834					
K. Generator Status EXEMPT _____ VSQG <input checked="" type="checkbox"/> SQG _____ LQG _____					
17. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations and according to the requirements of the WDNR/MIDEQ/ILEPA.					
Printed/Typed Name & Position Title			Signature	Date	
Sherry L. Vickio			Sherry L. Vickio	11/10/81	
18. TRANSPORTER 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name & Position Title			Signature	Date	
Thomas J. [Signature]			[Signature]	11/10/81	
19. TRANSPORTER 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name & Position Title			Signature	Date	
20. Discrepancy Indication Space					
21. Facility Owner or Operator: Certification of receipt of materials covered by this manifest except as noted in Item 20.					
Printed/Typed Name & Position Title			Signature	Date	
Scott Zarnett			[Signature]	11/10/81	


# **Certificate of Disposal**

## ***Badger Disposal of WI, Inc.***

This is to certify that all material from Master Dry Cleaning, 6326 W. Bluemound, Wauwatosa WI 53213 per Manifest Number: 40899 received by Badger Disposal of WI, Inc., Milwaukee WI 53223 on November 08, 2010 has been recycled/disposed of on or about the date stated, in a manner consistent with acceptable engineering standards and in compliance with applicable permits, authorizations, rules, and regulations issued or set forth by State and Federal authorities.

**Waste Streams Received:**

WS014962 monitoring water



---

Authorization Signature



**Jensen Environmental Management, Inc.**

W144 S6347 College Court  
Muskego, WI 53150  
Phone (414) 422-9169  
Fax (414) 422-9656

# Shipment Manifest

<b>Shipment Manifest</b>		I. Generator's US EPA ID No. WVVSQG	Manifest Document No. 44219	2. Page 1 of 1	3. Service Representative <i>[Signature]</i>
4. Generator's Name and Mailing Address Master Dry Cleaning o/o Sigma 6326 W. Bluemound Road Milwaukee WI 53213		Site Location If Different			
5. Generator's Phone (414) 643-4131	A. State Generator's ID				
6. Transporter 1 Company Name Jensen Environmental Mgt., Inc.	7. US EPA ID Number WVRO00004515	B. State Transporter's ID WI16185		C. Transporter's Phone (800) 529-5758	
8. Transporter 2 Company Name	9. US EPA ID Number	D. State Transporter's ID		E. Transporter's Phone	
10. Designated Facility Name and Site Address Badger Disposal of WI, Inc. 5811 W. Hamlock Street Milwaukee, WI 53223	11. US EPA ID Number WV0988580056	F. State Facility's ID		G. Facility's Phone (414) 760-9175	
12. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		13. Containers No.	14. Total Quantity	15. Unit Wt/Vol	H. Waste No.
a. Waste Tetrachloroethylene, 8.1, UN1897, PGIII		001	80	P	F002
b.					
c.					
d.					
e.					
I. Additional Descriptions for Materials Listed Above			J. Handling Code for Wastes Listed Above		
a. WSD14962 ERG# 180 (16) c.					
b. d.					
16. Special Handling Instructions and Additional Information 24 Hour Emergency Contact (414) 313-1834					
K. Generator Status EXEMPT _____ VSQG <input checked="" type="checkbox"/> SQG _____ LQG _____					
17. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations and according to the requirements of the WDNR/MIDEQ/ILEPA.					
Printed/Typed Name & Position Title <i>[Signature]</i> AGENT			Signature <i>[Signature]</i>		Date 01/10/12
18. TRANSPORTER 1 Acknowledgment of Receipt of Materials			Signature <i>[Signature]</i>		Date 01/10/12
19. TRANSPORTER 2 Acknowledgment of Receipt of Materials			Signature		Date
20. Discrepancy Indication Space					
21. Facility Owner or Operator: Certification of receipt of materials covered by this manifest except as noted in Item 20.					Date
Printed/Typed Name & Position Title <i>[Signature]</i>			Signature <i>[Signature]</i>		Date 01/17/12


# ***Certificate of Disposal***

## ***Badger Disposal of WI, Inc.***

This is to certify that all material from Master Dry Cleaning, 6326 W. Bluemound, Wauwatosa WI 53213 per Manifest Number: 44219 received by Badger Disposal of WI, Inc., Milwaukee WI 53223 on January 17, 2012 has been recycled/disposed of on or about the date stated, in a manner consistent with acceptable engineering standards and in compliance with applicable permits, authorizations, rules, and regulations issued or set forth by State and Federal authorities.

Waste Streams Received:

WS014962 monitoring water



Authorization Signature

RAILROAD STRAIGHT BILL OF LADING—SHORT FORM

Shipper No. \_\_\_\_\_

Not Negotiable

Carrier No. \_\_\_\_\_

**Sigma Env**  
(Name of Carrier)

Date **10-29-10**

TO: Consignee <b>Port Washington</b>	FROM: Shipper <b>Master Drycleaners</b>
Street _____	Street <b>6326 Bluemound Rd.</b>
Destination <b>W.W.T.P.</b> Zip Code _____	Origin <b>Wauwatosa WI</b> Zip Code _____
Route: <b>N. on I43</b>	Vehicle No. <b>135</b>

No. of Shipping Units	Kind of Packaging, Description of Articles, Special Marks and Exceptions	Weight (Subject to Correction)	RATE	CHARGES
<b>1-55 gal.</b>	<b>ground purge water</b>	<b>4.5 gals.</b>		
<b>Drum</b>				
	<b>proj. # 10221</b>			

REMIT ADDRESS	COD Amt. \$	COD FEE: PREPAID <input type="checkbox"/> COLLECT <input type="checkbox"/> \$	TOTAL CHARGES \$
---------------	-------------	---	------------------

Note—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.  
The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ \_\_\_\_\_ per \_\_\_\_\_

Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement:  
The carrier shall not make delivery of this shipment without payment of freight and all other charges.

FREIGHT CHARGES  
Check Appropriate Box:  
 Freight prepaid  Collect

(Signature of Consignor)

RECEIVED, subject to the classifications and lawfully filed tariffs in effect, on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of the shipment.  
Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER <b>Sigma</b>	CARRIER <b>Sigma</b>
PER <b>Master Drycleaners</b>	PER <b>P. Paul</b>
	DATE <b>10-29-10</b>

TERNATE STRAIGHT BILL OF LADING—SHORT FORM

Shipper No. \_\_\_\_\_

**Not Negotiable**

Carrier No. \_\_\_\_\_

Sigma Env.  
(Name of Carrier)

Date 8-18-09

TO: Consignee <u>Port Washington</u>		FROM: Shipper <u>Master Drycleaning</u>	
Street _____		Street <u>6326 Bluemound Rd.</u>	
Destination <u>W.W.T.P.</u>	Zip Code _____	Origin <u>Wauwatosa, WI</u>	Zip Code _____
Route: <u>N. I43</u>	Vehicle No. <u>135</u>		

No. Shipping Units	Kind of Packaging, Description of Articles, Special Marks and Exceptions	Weight (Subject to Correction)	RATE	CHARGES
<u>1.55 gal</u>	<u>ground purge water</u>	<u>23 gals</u>		
<u>Drum</u>				
	<u>proj. # 10221</u>			

REMIT TO: ADDRESS _____	COG Amt. \$ _____	C.O.D. FEE PREPAID <input type="checkbox"/> \$ _____ COLLECT <input type="checkbox"/> \$ _____	TOTAL CHARGES \$ _____
-------------------------	-------------------	--	------------------------

Note—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.  
 The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ \_\_\_\_\_ per \_\_\_\_\_

Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement.  
 The carrier shall not make delivery of this shipment without payment of freight and all other charges.  
 \_\_\_\_\_  
 (Signature of Consignor)

**FREIGHT CHARGES**  
 Check Appropriate Box:  
 Freight prepaid       Collect

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of the shipment.

Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER <u>Master Drycleaning</u>	CARRIER <u>Sigma Env.</u>
PER <u>Sigma Env.</u>	DATE <u>8-18-09</u>



CARBONLESS FORM 38411

BILL OF LADING TRIPLICATE

ALTERNATE STRAIGHT BILL OF LADING—SHORT FORM

Original—Not Negotiable

Sigma Env. (Name of Carrier)

Shipper No. \_\_\_\_\_

Carrier No. \_\_\_\_\_

Date 11-21-07

TO: Consignee <u>Port Washington W.W.T.P.</u>	FROM: Shipper <u>Master Dry Cleaners</u>
Street _____	Street _____
Destination <u>Port Washington W.W.T.P. Zip Code _____</u>	Origin <u>Wauwatosa, WI</u> Zip Code _____
Route: <u>N. on I43</u>	Vehicle No. <u>135</u>

No. Shipping Units	Kind of Packaging, Description of Articles, Special Marks and Exceptions	Weight (Subject to Correction)	RATE	CHARGES
1-55 gal. Drum	ground purge water	16 gals.		
	# 9923/10226			

REVIT C.O.D. TO ADDRESS	C.O.D. FEE: PREPAID <input type="checkbox"/> COLLECT <input type="checkbox"/>	TOTAL CHARGES \$
-------------------------	---	------------------

Note—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.  
 The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ \_\_\_\_\_ per \_\_\_\_\_

Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement.  
 The carrier shall not make delivery of this shipment without payment of freight and all other charges.

(Signature of Consignor)

FREIGHT CHARGES  
 Check Appropriate Box:  
 Freight prepaid  Collect

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of the shipment.

Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER <u>Master Dry Cleaners</u>	CARRIER <u>Sigma Env.</u>
PER <u>Sigma Env.</u>	PER <u>David Dailey</u> DATE <u>11-21-07</u>



Snap-off®

CARBONLESS FORM 38411

BILL OF LADING

TRIPLICATE

ALTERNATE STRAIGHT BILL OF LADING—SHORT FORM

Shipper No. \_\_\_\_\_

Original—Not Negotiable

Carrier No. \_\_\_\_\_

Sigma Env.

Date 12-11-07

(Name of Carrier)

TO: Consignee <u>Port Washington W.W.T.P.</u>	FROM: Shipper <u>Master Dry Cleaners</u>
Street _____	Street _____
Destination <u>Port Washington W.W.T.P.</u> Zip Code _____	Origin <u>Wauwatosa, WI</u> Zip Code _____
Route: <u>N. on I43 to Port Washington</u>	Vehicle No. <u>135</u>

No. Shipping Units	Kind of Packaging, Description of Articles Special Marks and Exceptions	Weight (Subject to Correction)	RATE	CHARGES
1-55 gal. Drum	ground purge water	1/4 gals.		
	# 9923/10226			

REMIT C.O.D. TO ADDRESS	C.O.D. Amt. \$	C.O.D. FEE: PREPAID <input type="checkbox"/> COLLECT <input checked="" type="checkbox"/> \$	TOTAL CHARGES \$
-------------------------	----------------	---	------------------

Note—Where the rate is dependent on value, shippers are required to state specifically in writing the agreed or declared value of the property.  
 The agreed or declared value of the property is hereby specifically stated by the shipper to be not exceeding \$ \_\_\_\_\_ per \_\_\_\_\_

Subject to Section 7 of the conditions, if this shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statement.  
 The carrier shall not make delivery of this shipment without payment of freight and all other charges.  
 \_\_\_\_\_  
 (Signature of Consignor)


FREIGHT CHARGES  
 Check Appropriate Box:  
 Freight prepaid  Collect

RECEIVED, subject to the classifications and lawfully filed tariffs in effect on the date of the issue of this Bill of Lading, the property described above in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated above which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of, said property over all or any portion of said route to destination and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the bill of lading terms and conditions in the governing classification on the date of the shipment.

Shipper hereby certifies that he is familiar with all the bill of lading terms and conditions in the governing classification and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.

SHIPPER <u>Master Dry Cleaners</u>	CARRIER <u>Sigma Env.</u>
PER <u>Sigma Env.</u>	PER <u>Daniel Dalley</u> DATE <u>12-11-07</u>

**APPENDIX E**  
**Slug Test Results**




**Waterloo Hydrogeologic Inc.**  
 180 Columbia St. Unit 1104  
 Waterloo, Ontario, Canada  
 Phone 519 746-1798

**Slug Test Analysis Report**

Project: masterdrycleaning

Number:

Client:



Slug Test: smw-2

Analysis Method: Bouwer & Rice

Analysis Results:

Conductivity: 6.37E-5 [cm/s]


Test parameters:

Test Well:	smw-2	Aquifer Thickness:	30 [ft]
Casing radius:	0.08333 [ft]	Gravel Pack Porosity (%):	25
Screen length:	10 [ft]		
Boring radius:	0.34375 [ft]		
r(eff):	0.186 [ft]		

Comments:

Evaluated by: Steve Meer

Evaluation Date: 11/19/2007



**Waterloo Hydrogeologic Inc.**


180 Columbia St. Unit 1104  
 Waterloo, Ontario, Canada  
 Phone 519 746-1798

**Slug Test Analysis Report**

Project: masterdrycleaning

Number:

Client:



Slug Test: smw-6

Analysis Method: Bouwer & Rice

Analysis Results:

Conductivity: 3.92E-4 [cm/s]


Test parameters:

Test Well:	smw-6	Aquifer Thickness:	30 [ft]
Casing radius:	0.08333 [ft]	Gravel Pack Porosity (%):	25
Screen length:	10 [ft]		
Boring radius:	0.34375 [ft]		
$r_{(eff)}$ :	0.186 [ft]		

Comments:

Evaluated by: Steve Meer

Evaluation Date: 11/19/2007



**Waterloo Hydrogeologic Inc.**

180 Columbia St. Unit 1104

Waterloo, Ontario, Canada


Phone 519-746-1798

**Slug Test Analysis Report**

Project: masterdrycleaning

Number:

Client:



Slug Test: smw-8

Analysis Method: Bouwer & Rice

Analysis Results:

Conductivity: 6.85E-3 [cm/s]

Test parameters:

Test Well:	smw-8	Aquifer Thickness:	30 [ft]
Casing radius:	0.0833 [ft]	Gravel Pack Porosity (%):	25
Screen length:	10 [ft]		
Boring radius:	0.34375 [ft]		
$r(eff)$ :	0.186 [ft]		

Comments:

Evaluated by: Steve Meer

Evaluation Date: 11/19/2007

**APPENDIX F**

**Soil Analytical Reports**

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 15-Aug-08

Project Name MASTER DRY CLEANERS  
Project # 9923  
Lab Code 5017620A  
Sample ID HA-1 1-1.5  
Sample Matrix Soil  
Sample Date 7/31/2008

Invoice # E17620

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	87.4	%			1	5021	8/6/2008		MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B	8/12/2008		CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B	8/12/2008		CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B	8/12/2008		CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B	8/12/2008		CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B	8/12/2008		CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B	8/12/2008		CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	8/12/2008		CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	8/12/2008		CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	8/12/2008		CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B	8/12/2008		CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B	8/12/2008		CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B	8/12/2008		CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	8/12/2008		CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	8/12/2008		CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	8/12/2008		CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B	8/12/2008		CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B	8/12/2008		CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B	8/12/2008		CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B	8/12/2008		CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B	8/12/2008		CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B	8/12/2008		CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B	8/12/2008		CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E17620

Lab Code 5017620A  
 Sample ID HA-1 1-1.5  
 Sample Matrix Soil  
 Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/12/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/12/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/12/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/12/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/12/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/12/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/12/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/12/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/12/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/12/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/12/2008	CJR	47
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/12/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/12/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/12/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
Tetrachloroethene	2600	ug/kg	18	57	1	8260B		8/12/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/12/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/12/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/12/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/12/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/12/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/12/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/12/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/12/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/12/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/12/2008	CJR	1

Lab Code 5017620B  
 Sample ID HA-1 4-4.5  
 Sample Matrix Soil  
 Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.2	%			1	5021		8/6/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		8/12/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		8/12/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		8/12/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		8/12/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		8/12/2008	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E17620

Lab Code 5017620B  
 Sample ID HA-1 4-4.5  
 Sample Matrix Soil  
 Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	8/12/2008	8/12/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	8/12/2008	8/12/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	8/12/2008	8/12/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B	8/12/2008	8/12/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B	8/12/2008	8/12/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B	8/12/2008	8/12/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	8/12/2008	8/12/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	8/12/2008	8/12/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B	8/12/2008	8/12/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B	8/12/2008	8/12/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B	8/12/2008	8/12/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B	8/12/2008	8/12/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B	8/12/2008	8/12/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B	8/12/2008	8/12/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B	8/12/2008	8/12/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B	8/12/2008	8/12/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B	8/12/2008	8/12/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B	8/12/2008	8/12/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B	8/12/2008	8/12/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B	8/12/2008	8/12/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B	8/12/2008	8/12/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B	8/12/2008	8/12/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B	8/12/2008	8/12/2008	CJR	47
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B	8/12/2008	8/12/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B	8/12/2008	8/12/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B	8/12/2008	8/12/2008	CJR	1
Tetrachloroethene	10900	ug/kg	18	57	1	8260B	8/12/2008	8/12/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B	8/12/2008	8/12/2008	CJR	1
Trichloroethene (TCE)	22.9 "J"	ug/kg	20	65	1	8260B	8/12/2008	8/12/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B	8/12/2008	8/12/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B	8/12/2008	8/12/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B	8/12/2008	8/12/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B	8/12/2008	8/12/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B	8/12/2008	8/12/2008	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E17620

Project # 9923

Lab Code 5017620C

Sample ID HA-2 1-1.5

Sample Matrix Soil

Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	93.9	%			1	5021		8/6/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		8/12/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		8/12/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		8/12/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		8/12/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		8/12/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		8/12/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		8/12/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		8/12/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		8/12/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		8/12/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		8/12/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		8/12/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		8/12/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		8/12/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		8/12/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		8/12/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		8/12/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		8/12/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		8/12/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		8/12/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/12/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/12/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/12/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/12/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/12/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/12/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/12/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/12/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/12/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/12/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/12/2008	CJR	47
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/12/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/12/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/12/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
Tetrachloroethene	3000	ug/kg	18	57	1	8260B		8/12/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/12/2008	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E17620

Lab Code 5017620C  
 Sample ID HA-2 1-1.5  
 Sample Matrix Soil  
 Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/12/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/12/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/12/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/12/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/12/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/12/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/12/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/12/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/12/2008	CJR	1

Lab Code 5017620D  
 Sample ID HA-2 4.5-5  
 Sample Matrix Soil  
 Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.9	%			1	5021		8/6/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		8/12/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		8/12/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		8/12/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		8/12/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		8/12/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		8/12/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		8/12/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		8/12/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		8/12/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		8/12/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		8/12/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		8/12/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		8/12/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		8/12/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		8/12/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		8/12/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		8/12/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		8/12/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		8/12/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		8/12/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/12/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/12/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/12/2008	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E17620

Project # 9923

Lab Code 5017620D

Sample ID HA-2 4.5-5

Sample Matrix Soil

Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B	8/12/2008	8/12/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B	8/12/2008	8/12/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B	8/12/2008	8/12/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B	8/12/2008	8/12/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B	8/12/2008	8/12/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B	8/12/2008	8/12/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B	8/12/2008	8/12/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B	8/12/2008	8/12/2008	CJR	47
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B	8/12/2008	8/12/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B	8/12/2008	8/12/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B	8/12/2008	8/12/2008	CJR	1
Tetrachloroethene	2320	ug/kg	18	57	1	8260B	8/12/2008	8/12/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B	8/12/2008	8/12/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B	8/12/2008	8/12/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B	8/12/2008	8/12/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B	8/12/2008	8/12/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B	8/12/2008	8/12/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B	8/12/2008	8/12/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B	8/12/2008	8/12/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B	8/12/2008	8/12/2008	CJR	1

Lab Code 5017620E

Sample ID TRIP BLANK

Sample Matrix Soil

Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B	8/12/2008	8/12/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B	8/12/2008	8/12/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B	8/12/2008	8/12/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B	8/12/2008	8/12/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B	8/12/2008	8/12/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B	8/12/2008	8/12/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	8/12/2008	8/12/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	8/12/2008	8/12/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	8/12/2008	8/12/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B	8/12/2008	8/12/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B	8/12/2008	8/12/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B	8/12/2008	8/12/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	8/12/2008	8/12/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	8/12/2008	8/12/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	8/12/2008	8/12/2008	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E17620

Lab Code 5017620E  
 Sample ID TRIP BLANK  
 Sample Matrix Soil  
 Sample Date 7/31/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		8/12/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		8/12/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		8/12/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		8/12/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		8/12/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		8/12/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		8/12/2008	CJR	1
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/12/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/12/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/12/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/12/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/12/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/12/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/12/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/12/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/12/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/12/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/12/2008	CJR	47
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/12/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/12/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/12/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/12/2008	CJR	1
Tetrachloroethene	< 18	ug/kg	18	57	1	8260B		8/12/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/12/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/12/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/12/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/12/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/12/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/12/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/12/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/12/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/12/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/12/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/12/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/12/2008	CJR	1

**Project Name** MASTER DRY CLEANERS  
**Project #** 9923

**Invoice #** E17620

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection


LOQ Limit of Quantitation

**Code**      **Comment**

- 1      Laboratory QC within limits.
- 4      The continuing calibration standard not within established limits.
- 7      The LCS not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

**Authorized Signature**



# Synergy Environmental Lab, INC.

## Invoice

ACCOUNTS PAYABLE  
SIGMA ENVIRONMMENTAL

1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Client Account #	894464	Invoice #	E17620
Project #	9923	Invoice Date	8/13/2008
Project Name	MASTER DRY CLEANERS	Quote #	
Notes	13879	Date Due	9/12/2008
		Sample Date	7/31/2008

Sample ID	Labcode	Sample Type	Matrix	Test Name	Price
HA-1 1-1.5	5017620A	Sample	Soil	VOC'S	\$64.00
HA-1 4-4.5	5017620B	Sample	Soil	VOC'S	\$64.00
HA-2 1-1.5	5017620C	Sample	Soil	VOC'S	\$64.00
HA-2 4.5-5	5017620D	Sample	Soil	VOC'S	\$64.00
TRIP BLANK	5017620E	Sample	Soil	VOC'S	\$64.00

**Total Cost: \$320.00**

To ensure proper payment,  
Include Account # Invoice #

PLEASE REMIT PAYMENT TO:  
SYNERGY ENVIRONMENTAL LAB, INC.  
1990 PROSPECT CT.,  
APPLETON, WI 54914.



# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 03-Oct-07

Project Name MASTER DRY CLEANING  
Project # 10221/9923

Invoice # E16046

Lab Code 5016046A  
Sample ID SMW-6-2-4  
Sample Matrix Soil  
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	84.0	%			1	5021	9/18/2007	DJB	1
Organic									
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046A  
 Sample ID SMW-6 2-4  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	59 "J"	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046B  
 Sample ID SMW-6 6-8  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	83.5	%			1	5021	9/18/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046B  
 Sample ID SMW-6 6-8  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	41 "J"	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046C  
 Sample ID SMW-7 2-4  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	87.0	%			1	5021	9/18/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046C  
 Sample ID SMW-7 2-4  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	247	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING  
Project # 10221/9923

Invoice # E16046

Lab Code 5016046C  
Sample ID SMW-7 2-4  
Sample Matrix Soil  
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046D  
Sample ID SMW-7 8-10  
Sample Matrix Soil  
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	---------	------

General

General

Solids Percent	87.5	%			1	5021	9/18/2007	DJB	1
----------------	------	---	--	--	---	------	-----------	-----	---

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/29/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/29/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/29/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/29/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/29/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/29/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/29/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/29/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/29/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/29/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/29/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/29/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/29/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/29/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/29/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/29/2007	CJR	1
Naphthalene	48 "J"	ug/kg	20	65	1	8260B	9/29/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/29/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046D  
 Sample ID SMW-7 8-10  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1
Tetrachloroethene	< 25	ug/kg	21	67	1	8260B	9/29/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/29/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/29/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/29/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/29/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/29/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/29/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/29/2007	CJR	1
1,2,4-Trimethylbenzene	39 "J"	ug/kg	20	63	1	8260B	9/29/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/29/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/29/2007	CJR	1
m&p-Xylene	62 "J"	ug/kg	40	129	1	8260B	9/29/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/29/2007	CJR	1

Lab Code 5016046E  
 Sample ID SMW-8 0-2  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	80.7	%			1	5021	9/18/2007	DJB	1

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	10/2/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	10/2/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	10/2/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	10/2/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	10/2/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	10/2/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	10/2/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046E  
 Sample ID SMW-8 0-2  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	10/2/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	10/2/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	10/2/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	10/2/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	10/2/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	10/2/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	10/2/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	10/2/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	10/2/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	10/2/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	10/2/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1

Lab Code 5016046F  
 Sample ID SMW-8 6-8  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	78.3	%			1	5021	9/18/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	10/2/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	10/2/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	10/2/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	10/2/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046F  
 Sample ID SMW-8 6-8  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	10/2/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	10/2/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	10/2/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	10/2/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	10/2/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	10/2/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	10/2/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	10/2/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	10/2/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	10/2/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	10/2/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	10/2/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	10/2/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	10/2/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1

Lab Code 5016046G  
 Sample ID SMW-9 14-15  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	80.1	%			1	5021	9/18/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING  
 Project # 10221/9923

Invoice # E16046

Lab Code 5016046G  
 Sample ID SMW-9 14-15  
 Sample Matrix Soil  
 Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	<2500	ug/kg	2000	6500	100	8260B	9/19/2007	CJR	1
Bromobenzene	<2500	ug/kg	1400	4400	100	8260B	9/19/2007	CJR	1
Bromodichloromethane	<2500	ug/kg	2400	7600	100	8260B	9/19/2007	CJR	1
Bromoform	<2500	ug/kg	1000	3300	100	8260B	9/19/2007	CJR	1
tert-Butylbenzene	<2500	ug/kg	1400	4600	100	8260B	9/19/2007	CJR	1
sec-Butylbenzene	<2500	ug/kg	1700	5500	100	8260B	9/19/2007	CJR	1
n-Butylbenzene	<2500	ug/kg	1600	5000	100	8260B	9/19/2007	CJR	1
Carbon Tetrachloride	<2500	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1
Chlorobenzene	<2500	ug/kg	2100	6800	100	8260B	9/19/2007	CJR	1
Chloroethane	<2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
Chloroform	<2500	ug/kg	2000	6300	100	8260B	9/19/2007	CJR	1
Chloromethane	<2500	ug/kg	1700	5400	100	8260B	9/19/2007	CJR	1
2-Chlorotoluene	<2500	ug/kg	1800	5800	100	8260B	9/19/2007	CJR	1
4-Chlorotoluene	<2500	ug/kg	1600	5100	100	8260B	9/19/2007	CJR	1
1,2-Dibromo-3-chloropropane	<2500	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1
Dibromochloromethane	<2500	ug/kg	2300	7400	100	8260B	9/19/2007	CJR	1
1,4-Dichlorobenzene	<2500	ug/kg	1500	4700	100	8260B	9/19/2007	CJR	1
1,3-Dichlorobenzene	<2500	ug/kg	1500	4800	100	8260B	9/19/2007	CJR	1
1,2-Dichlorobenzene	<2500	ug/kg	1800	5700	100	8260B	9/19/2007	CJR	1
Dichlorodifluoromethane	<2500	ug/kg	2000	6200	100	8260B	9/19/2007	CJR	1
1,2-Dichloroethane	<2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
1,1-Dichloroethane	<2500	ug/kg	2000	6200	100	8260B	9/19/2007	CJR	1
1,1-Dichloroethene	<2500	ug/kg	2400	7600	100	8260B	9/19/2007	CJR	1
cis-1,2-Dichloroethene	<2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
trans-1,2-Dichloroethene	<2500	ug/kg	2000	6200	100	8260B	9/19/2007	CJR	1
1,2-Dichloropropane	<2500	ug/kg	2300	7300	100	8260B	9/19/2007	CJR	1
2,2-Dichloropropane	<2500	ug/kg	2100	6600	100	8260B	9/19/2007	CJR	1
1,3-Dichloropropane	<2500	ug/kg	2300	7300	100	8260B	9/19/2007	CJR	1
Di-isopropyl ether	<2500	ug/kg	1800	5800	100	8260B	9/19/2007	CJR	1
EDB (1,2-Dibromoethane)	<2500	ug/kg	2200	6900	100	8260B	9/19/2007	CJR	1
Ethylbenzene	8000	ug/kg	1700	5400	100	8260B	9/19/2007	CJR	1
Hexachlorobutadiene	<2500	ug/kg	2300	7400	100	8260B	9/19/2007	CJR	1
Isopropylbenzene	<2500	ug/kg	1700	5300	100	8260B	9/19/2007	CJR	1
p-Isopropyltoluene	<2500	ug/kg	1400	4400	100	8260B	9/19/2007	CJR	1
Methylene chloride	<2500	ug/kg	1900	6000	100	8260B	9/19/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<2500	ug/kg	1500	4700	100	8260B	9/19/2007	CJR	1
Naphthalene	<2500	ug/kg	2000	6500	100	8260B	9/19/2007	CJR	1
n-Propylbenzene	2860 "J"	ug/kg	1300	4300	100	8260B	9/19/2007	CJR	1
1,1,2,2-Tetrachloroethane	<2500	ug/kg	2100	6800	100	8260B	9/19/2007	CJR	1
1,1,1,2-Tetrachloroethane	<2500	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1
Tetrachloroethene	214000	ug/kg	2100	6700	100	8260B	9/19/2007	CJR	1
Toluene	<2500	ug/kg	2100	6800	100	8260B	9/19/2007	CJR	1
1,2,4-Trichlorobenzene	<2500	ug/kg	2500	7800	100	8260B	9/19/2007	CJR	1
1,2,3-Trichlorobenzene	<2500	ug/kg	2400	7600	100	8260B	9/19/2007	CJR	1
1,1,1-Trichloroethane	<2500	ug/kg	2300	7300	100	8260B	9/19/2007	CJR	1
1,1,2-Trichloroethane	<2500	ug/kg	2400	7800	100	8260B	9/19/2007	CJR	1
Trichloroethene (TCE)	51000	ug/kg	1700	5400	100	8260B	9/19/2007	CJR	1
Trichlorofluoromethane	<2500	ug/kg	2500	8100	100	8260B	9/19/2007	CJR	3
1,2,4-Trimethylbenzene	12500	ug/kg	2000	6300	100	8260B	9/19/2007	CJR	1
1,3,5-Trimethylbenzene	3500 "J"	ug/kg	1600	5200	100	8260B	9/19/2007	CJR	1
Vinyl Chloride	<2500	ug/kg	1900	6200	100	8260B	9/19/2007	CJR	1

Project Name MASTER DRY CLEANING  
Project # I0221/9923

Invoice # E16046

Lab Code 5016046G  
Sample ID SMW-9 14-15  
Sample Matrix Soil  
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	20200	ug/kg	4000	12900	100	8260B	9/19/2007	CJR	1
o-Xylene	3300 "J"	ug/kg	2300	7200	100	8260B	9/19/2007	CJR	1

Lab Code 5016046H  
Sample ID TRIP  
Sample Matrix Soil  
Sample Date 9/17/2007

Result Unit LOD LOQ Dil Method Run Date Analyst Code

Organic

VOC's

Benzene	<25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	10/2/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	10/2/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	10/2/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	10/2/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	10/2/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	10/2/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	10/2/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	10/2/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	10/2/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	10/2/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	10/2/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	10/2/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	10/2/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	10/2/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	10/2/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	10/2/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	10/2/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	10/2/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	10/2/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	10/2/2007	CJR	1

Project Name MASTER DRY CLEANING  
Project # 10221/9923

Invoice # E16046

Lab Code 5016046H  
Sample ID TRIP  
Sample Matrix Soil  
Sample Date 9/17/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	10/2/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	10/2/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	10/2/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	10/2/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	10/2/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	10/2/2007	CJR	1
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	10/2/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	10/2/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	10/2/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	10/2/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	10/2/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.

Authorized Signature

*Michael J. Ricker*

CHAIN OF CUSTODY RECORD



Chain # No ( ) 918  
Page 1 of 1

**Synergy Environmental Lab, Inc.**

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
Project #: 10221 (Sigma-647) 9923 (Sigma-849)  
Sampler: (signature) *Mary Trotter*

Project (Name / Location): *Master Dry Cleaning*  
Reports To: *Mary Trotter* Invoice To: *Same*  
Company: *Sigma* Company: \_\_\_\_\_  
Address: *1300 W Canal* Address: \_\_\_\_\_  
City State Zip: *Milwaukee* City State Zip: \_\_\_\_\_  
Phone: *414-643-4200* Phone: \_\_\_\_\_  
FAX: *-4200* FAX: \_\_\_\_\_

Analysis Requested										
Other Analysis										
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead			PID/FID

Lab ID	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	VOC (EPA 8260)	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	PID/FID
A	SUW-6 2-4	9/17/07 8:30		X	-	1+ bag	S	MeOH				X					0.0
B	SUW-6 6-8	9/17/07 8:45		X	-	1+ bag	S	MeOH				X					0.0
C	SUW-7 2-4	9/17/07 9:45		X	-	1+ bag	S	MeOH				X					0.2
D	SUW-7 8-10	9/17/07 10:15		X	-	1+ bag	S	MeOH				X					5.4
E	SUW-8 0-2	9/17/07 10:15		X	-	1+ bag	S	MeOH				X					9.0
F	SUW-8 6-8	9/17/07 11:30		X	-	1+ bag	S	MeOH				X					6.0
G	SUW-9 14-15	9/17/07 12:30		X	-	1+ bag	S	MeOH				X					7.4
H	trip	9/17/07 -		X	-	1	blank	MeOH				X					

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample integrity: To be completed by receiving lab  
Method of shipment: *Box*  
Temp. of Temp. Blank: *0*  
Coffer seal intact upon receipt:  Yes  No

Relinquished By: (sign) *Mary Trotter* Time: *2:00* Date: *9/17/07*  
Received By: (sign) \_\_\_\_\_ Time: *08:25* Date: *9/18/07*

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 14-Sep-07

Project Name MASTER DRY CLEANING  
Project # 9923

Invoice # E15985

Lab Code 5015985A  
Sample ID SGP-1 4-6  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
<b>General</b>									
<b>General</b>									
Solids Percent	82.6	%			1	5021	9/11/2007	DJB	1
<b>Organic</b>									
<b>VOC's</b>									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
Project # 9923

Invoice # E15985

Lab Code 5015985A  
Sample ID SGP-1 4-6  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	550	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985B  
Sample ID SGP-1 8-10  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
<b>General</b>									
<b>General</b>									
Solids Percent	80.5	%			1	5021	9/11/2007	DJB	1
<b>Organic</b>									
<b>VOC's</b>									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985B  
 Sample ID SGP-1 8-10  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	124	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985C  
 Sample ID SGP-2 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	87.7	%			1	5021	9/11/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985C  
 Sample ID SGP-2 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	1620	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985C  
 Sample ID SGP-2 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985D  
 Sample ID SGP-2 6-8  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	85.3	%			1	5021	9/11/2007	DJB	1

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
Project # 9923

Invoice # E15985

Lab Code 5015985D  
Sample ID SGP-2 6-8  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	1390	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985E  
Sample ID SGP-3 4-6  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	87.8	%			1	5021	9/11/2007	DJB	1

Organic

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985E  
 Sample ID SGP-3 4-6  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	6900	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	65	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985F  
 Sample ID SGP-3 8-10  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	77.2	%			1	5021	9/11/2007	DJB	1
Organic									
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985F  
 Sample ID SGP-3 8-10  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	7800	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	267	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985G  
 Sample ID SGP-4 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	86.9	%			1	5021	9/11/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985G  
 Sample ID SGP-4 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoforn	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	560	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985G  
 Sample ID SGP-4 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985H  
 Sample ID SGP-4 6-8  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	78.4	%			1	5021	9/11/2007	DJB	1

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoforn	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985H  
 Sample ID SGP-4 6-8  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	940	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985I  
 Sample ID SGP-5 2-4  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
<b>General</b>									
<b>General</b>									
Solids Percent	90.9	%			1	5021	9/11/2007	DJB	1
<b>Organic</b>									
<b>VOC's</b>									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
Project # 9923

Invoice # E15985

Lab Code 5015985I  
Sample ID SGP-5 2-4  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	105	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985J  
Sample ID SGP-5 8-10  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
<b>General</b>									
<b>General</b>									
Solids Percent	83.8	%			1	5021	9/11/2007	DJB	1
<b>Organic</b>									
<b>VOC's</b>									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985J  
 Sample ID SGP-5 8-10  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	1670	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985K  
 Sample ID SGP-6 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	91.1	%			1	5021	9/11/2007	DJB	1
Organic									

Project Name MASTER DRY CLEANING  
Project # 9923

Invoice # E15985

Lab Code 5015985K  
Sample ID SGP-6 0-2  
Sample Matrix Soil  
Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	<25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	<25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	<25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	<25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	<25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	<25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	<25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethane	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	<25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	<25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	<25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	29.9 "J"	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985K  
 Sample ID SGP-6 0-2  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985L  
 Sample ID SGP-6 4-8  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
General									
General									
Solids Percent	83.0	%			1	5021	9/11/2007	DJB	1

Organic

VOC's

Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
EDB (1,2-Dibromoethane)	< 25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	< 25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	< 25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985L  
 Sample ID SGP-6 4-8  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,2,2-Tetrachloroethane	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	253	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	< 25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	< 25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	< 25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	< 25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	< 50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

Lab Code 5015985M  
 Sample ID TRIP  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
Bromobenzene	< 25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Bromodichloromethane	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
Bromoform	< 25	ug/kg	10	33	1	8260B	9/13/2007	CJR	1
tert-Butylbenzene	< 25	ug/kg	14	46	1	8260B	9/13/2007	CJR	1
sec-Butylbenzene	< 25	ug/kg	17	55	1	8260B	9/13/2007	CJR	1
n-Butylbenzene	< 25	ug/kg	16	50	1	8260B	9/13/2007	CJR	1
Carbon Tetrachloride	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Chlorobenzene	< 25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
Chloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Chloroform	< 25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
Chloromethane	< 25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
2-Chlorotoluene	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1
4-Chlorotoluene	< 25	ug/kg	16	51	1	8260B	9/13/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Dibromochloromethane	< 25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
1,4-Dichlorobenzene	< 25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
1,3-Dichlorobenzene	< 25	ug/kg	15	48	1	8260B	9/13/2007	CJR	1
1,2-Dichlorobenzene	< 25	ug/kg	18	57	1	8260B	9/13/2007	CJR	1
Dichlorodifluoromethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloroethane	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethane	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,1-Dichloroethene	< 25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
cis-1,2-Dichloroethene	< 25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
trans-1,2-Dichloroethene	< 25	ug/kg	20	62	1	8260B	9/13/2007	CJR	1
1,2-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
2,2-Dichloropropane	< 25	ug/kg	21	66	1	8260B	9/13/2007	CJR	1
1,3-Dichloropropane	< 25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
Di-isopropyl ether	< 25	ug/kg	18	58	1	8260B	9/13/2007	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E15985

Lab Code 5015985M  
 Sample ID TRIP  
 Sample Matrix Soil  
 Sample Date 9/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	<25	ug/kg	22	69	1	8260B	9/13/2007	CJR	1
Ethylbenzene	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Hexachlorobutadiene	<25	ug/kg	23	74	1	8260B	9/13/2007	CJR	1
Isopropylbenzene	<25	ug/kg	17	53	1	8260B	9/13/2007	CJR	1
p-Isopropyltoluene	<25	ug/kg	14	44	1	8260B	9/13/2007	CJR	1
Methylene chloride	<25	ug/kg	19	60	1	8260B	9/13/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/kg	15	47	1	8260B	9/13/2007	CJR	1
Naphthalene	<25	ug/kg	20	65	1	8260B	9/13/2007	CJR	1
n-Propylbenzene	<25	ug/kg	13	43	1	8260B	9/13/2007	CJR	1
1,1,2,2-Tetrachloroethane	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,1,1,2-Tetrachloroethane	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1
Tetrachloroethene	<25	ug/kg	21	67	1	8260B	9/13/2007	CJR	1
Toluene	<25	ug/kg	21	68	1	8260B	9/13/2007	CJR	1
1,2,4-Trichlorobenzene	<25	ug/kg	25	78	1	8260B	9/13/2007	CJR	1
1,2,3-Trichlorobenzene	<25	ug/kg	24	76	1	8260B	9/13/2007	CJR	1
1,1,1-Trichloroethane	<25	ug/kg	23	73	1	8260B	9/13/2007	CJR	1
1,1,2-Trichloroethane	<25	ug/kg	24	78	1	8260B	9/13/2007	CJR	1
Trichloroethene (TCE)	<25	ug/kg	17	54	1	8260B	9/13/2007	CJR	1
Trichlorofluoromethane	<25	ug/kg	25	81	1	8260B	9/13/2007	CJR	2
1,2,4-Trimethylbenzene	<25	ug/kg	20	63	1	8260B	9/13/2007	CJR	1
1,3,5-Trimethylbenzene	<25	ug/kg	16	52	1	8260B	9/13/2007	CJR	1
Vinyl Chloride	<25	ug/kg	19	62	1	8260B	9/13/2007	CJR	1
m&p-Xylene	<50	ug/kg	40	129	1	8260B	9/13/2007	CJR	1
o-Xylene	<25	ug/kg	23	72	1	8260B	9/13/2007	CJR	1

\*J\* Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

- 1 Laboratory QC within limits.
- 2 Relative percent difference failed for laboratory spiked samples.

Authorized Signature

*Michael J. Ricker*

**APPENDIX G**

**Groundwater Analytical Reports**

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 16-Jan-12

Project Name MASTER DRY CLEANING  
Project # 9923

Invoice # E23317

Lab Code 5023317A  
Sample ID SMW-13  
Sample Matrix Water  
Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		1/13/2012	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		1/13/2012	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		1/13/2012	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		1/13/2012	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		1/13/2012	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		1/13/2012	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		1/13/2012	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		1/13/2012	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		1/13/2012	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		1/13/2012	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		1/13/2012	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		1/13/2012	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		1/13/2012	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		1/13/2012	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		1/13/2012	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		1/13/2012	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		1/13/2012	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		1/13/2012	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		1/13/2012	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		1/13/2012	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		1/13/2012	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		1/13/2012	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		1/13/2012	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		1/13/2012	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		1/13/2012	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		1/13/2012	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		1/13/2012	CJR	8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		1/13/2012	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		1/13/2012	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923

Invoice # E23317

Lab Code 5023317A  
 Sample ID SMW-13  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		1/13/2012	CJR	1
Ethylbenzene	<0.78	ug/l	0.78	2.5	1	8260B		1/13/2012	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	6.8	1	8260B		1/13/2012	CJR	1
Isopropylbenzene	<0.92	ug/l	0.92	2.9	1	8260B		1/13/2012	CJR	1
p-Isopropyltoluene	<0.92	ug/l	0.92	2.9	1	8260B		1/13/2012	CJR	1
Methylene chloride	<1.1	ug/l	1.1	3.4	1	8260B		1/13/2012	CJR	1
Methyl tert-butyl ether (MTBE)	<0.8	ug/l	0.8	2.5	1	8260B		1/13/2012	CJR	1
Naphthalene	<2.1	ug/l	2.1	6.8	1	8260B		1/13/2012	CJR	1
n-Propylbenzene	<0.59	ug/l	0.59	1.9	1	8260B		1/13/2012	CJR	1
1,1,2,2-Tetrachloroethane	<0.53	ug/l	0.53	1.7	1	8260B		1/13/2012	CJR	1
1,1,1,2-Tetrachloroethane	<1	ug/l	1	3.2	1	8260B		1/13/2012	CJR	1
Tetrachloroethene	<0.44	ug/l	0.44	1.4	1	8260B		1/13/2012	CJR	1
Toluene	<0.53	ug/l	0.53	1.7	1	8260B		1/13/2012	CJR	1
1,2,4-Trichlorobenzene	<1.5	ug/l	1.5	4.6	1	8260B		1/13/2012	CJR	1
1,2,3-Trichlorobenzene	<1.3	ug/l	1.3	4.2	1	8260B		1/13/2012	CJR	1
1,1,1-Trichloroethane	<0.85	ug/l	0.85	2.7	1	8260B		1/13/2012	CJR	1
1,1,2-Trichloroethane	<0.47	ug/l	0.47	1.5	1	8260B		1/13/2012	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		1/13/2012	CJR	1
Trichlorofluoromethane	<1.7	ug/l	1.7	5.3	1	8260B		1/13/2012	CJR	1
1,2,4-Trimethylbenzene	<0.8	ug/l	0.8	2.5	1	8260B		1/13/2012	CJR	1
1,3,5-Trimethylbenzene	<0.74	ug/l	0.74	2.4	1	8260B		1/13/2012	CJR	1
Vinyl Chloride	<0.18	ug/l	0.18	0.56	1	8260B		1/13/2012	CJR	1
m&p-Xylene	<1.1	ug/l	1.1	3.5	1	8260B		1/13/2012	CJR	1
o-Xylene	<0.8	ug/l	0.8	2.6	1	8260B		1/13/2012	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		1/13/2012	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		1/13/2012	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		1/13/2012	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		1/13/2012	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code Comment**

- 1 Laboratory QC within limits.
- 8 Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field. The laboratory analytical services associated with this report were performed in compliance with Synergy Environmental lab's Quality Assurance Program Manual.

Authorized Signature Michael J. Ricker



# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 23-Jan-12

Project Name MASTER DRY CLEANING  
Project # 10221

Invoice # E23316

Lab Code 5023316A  
Sample ID SMW-1  
Sample Matrix Water  
Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	259	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	86.1	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Lab Code 5023316B  
Sample ID SMW-2  
Sample Matrix Water  
Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	68.0	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	9.4	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	57.4	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Manganese, Dissolved	177	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
<b>Organic</b>										
<b>PVOC + Naphthalene</b>										
Benzene	144	ug/l	4.9	15	10	GRO95/8021		1/14/2012	CJR	1
Ethylbenzene	58	ug/l	9.8	31	10	GRO95/8021		1/14/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	GRO95/8021		1/14/2012	CJR	1
Naphthalene	< 20	ug/l	20	44	10	GRO95/8021		1/14/2012	CJR	1
Toluene	30.5	ug/l	8.9	28	10	GRO95/8021		1/14/2012	CJR	1
1,2,4-Trimethylbenzene	< 14	ug/l	14	44	10	GRO95/8021		1/14/2012	CJR	1
1,3,5-Trimethylbenzene	< 13	ug/l	13	40	10	GRO95/8021		1/14/2012	CJR	1
m&p-Xylene	22 "J"	ug/l	20	63	10	GRO95/8021		1/14/2012	CJR	1
o-Xylene	17.8 "J"	ug/l	12	38	10	GRO95/8021		1/14/2012	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	8.8 "J"	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Lab Code 5023316D  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Manganese, Dissolved	39.6	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
<b>Organic</b>										
<b>PVOC + Naphthalene</b>										
Benzene	1.28 "J"	ug/l	0.49	1.5	1	GRO95/8021		1/13/2012	CJR	1
Ethylbenzene	< 0.98	ug/l	0.98	3.1	1	GRO95/8021		1/13/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	GRO95/8021		1/13/2012	CJR	1
Naphthalene	< 2	ug/l	2	4.4	1	GRO95/8021		1/13/2012	CJR	1
Toluene	< 0.89	ug/l	0.89	2.8	1	GRO95/8021		1/13/2012	CJR	1
1,2,4-Trimethylbenzene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		1/13/2012	CJR	1
1,3,5-Trimethylbenzene	< 1.3	ug/l	1.3	4	1	GRO95/8021		1/13/2012	CJR	1
m&p-Xylene	2.06 "J"	ug/l	2	6.3	1	GRO95/8021		1/13/2012	CJR	1
o-Xylene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		1/13/2012	CJR	1
<b>Wet Chemistry</b>										
<b>General</b>										
Nitrite Plus Nitrate, Dissolved	2.6	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	33	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316E  
 Sample ID SMW-5  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	< 4.8	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	2.8	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	35.9	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Lab Code 5023316F  
 Sample ID SMW-6  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	11.4	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	0.2 *J	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	57.1	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Lab Code 5023316G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	71.9	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	<24.5	ug/l	24.5	75	50	GRO95/8021		1/13/2012	CJR	1
Ethylbenzene	2760	ug/l	49	155	50	GRO95/8021		1/13/2012	CJR	1
Methyl tert-butyl ether (MTBE)	<23.5	ug/l	23.5	75	50	GRO95/8021		1/13/2012	CJR	1
Naphthalene	410	ug/l	100	220	50	GRO95/8021		1/13/2012	CJR	1
Toluene	234	ug/l	44.5	140	50	GRO95/8021		1/13/2012	CJR	1
1,2,4-Trimethylbenzene	1730	ug/l	70	220	50	GRO95/8021		1/13/2012	CJR	1
1,3,5-Trimethylbenzene	510	ug/l	65	200	50	GRO95/8021		1/13/2012	CJR	1
m&p-Xylene	9100	ug/l	100	315	50	GRO95/8021		1/13/2012	CJR	1
o-Xylene	3300	ug/l	60	190	50	GRO95/8021		1/13/2012	CJR	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	<0.1	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	7.2 *J	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	316	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	6.0	ug/l	0.49	1.5	1	GRO95/8021		1/13/2012	CJR	1
Ethylbenzene	3.4	ug/l	0.98	3.1	1	GRO95/8021		1/13/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	GRO95/8021		1/13/2012	CJR	1
Naphthalene	< 2	ug/l	2	4.4	1	GRO95/8021		1/13/2012	CJR	1
Toluene	13.3	ug/l	0.89	2.8	1	GRO95/8021		1/13/2012	CJR	1
1,2,4-Trimethylbenzene	17	ug/l	1.4	4.4	1	GRO95/8021		1/13/2012	CJR	1
1,3,5-Trimethylbenzene	1.74 "J"	ug/l	1.3	4	1	GRO95/8021		1/13/2012	CJR	1
m&p-Xylene	4.3 "J"	ug/l	2	6.3	1	GRO95/8021		1/13/2012	CJR	1
o-Xylene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		1/13/2012	CJR	1
Wet Chemistry										
General										
Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	18.8	mg/l	3.4	10.6	2	300.0		1/13/2012	CWT	1

Lab Code 5023316I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Organic										
VOC's										
Benzene	42 "J"	ug/l	25	80	50	8260B		1/14/2012	CJR	1
Bromobenzene	< 37	ug/l	37	120	50	8260B		1/14/2012	CJR	1
Bromodichloromethane	< 34	ug/l	34	110	50	8260B		1/14/2012	CJR	1
Bromoform	< 21.5	ug/l	21.5	70	50	8260B		1/14/2012	CJR	1
tert-Butylbenzene	< 35.5	ug/l	35.5	115	50	8260B		1/14/2012	CJR	1
sec-Butylbenzene	< 50	ug/l	50	165	50	8260B		1/14/2012	CJR	1
n-Butylbenzene	< 45	ug/l	45	145	50	8260B		1/14/2012	CJR	1
Carbon Tetrachloride	< 23.5	ug/l	23.5	75	50	8260B		1/14/2012	CJR	1
Chlorobenzene	< 25.5	ug/l	25.5	80	50	8260B		1/14/2012	CJR	1
Chloroethane	< 70	ug/l	70	225	50	8260B		1/14/2012	CJR	1
Chloroform	< 24.5	ug/l	24.5	75	50	8260B		1/14/2012	CJR	1
Chloromethane	< 95	ug/l	95	305	50	8260B		1/14/2012	CJR	1
2-Chlorotoluene	< 35	ug/l	35	110	50	8260B		1/14/2012	CJR	1
4-Chlorotoluene	< 22	ug/l	22	70	50	8260B		1/14/2012	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	445	50	8260B		1/14/2012	CJR	1
Dibromochloromethane	< 27.5	ug/l	27.5	90	50	8260B		1/14/2012	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	155	50	8260B		1/14/2012	CJR	1
1,3-Dichlorobenzene	< 43.5	ug/l	43.5	140	50	8260B		1/14/2012	CJR	1
1,2-Dichlorobenzene	< 38	ug/l	38	120	50	8260B		1/14/2012	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	295	50	8260B		1/14/2012	CJR	1
1,2-Dichloroethane	< 25	ug/l	25	80	50	8260B		1/14/2012	CJR	1
1,1-Dichloroethane	< 49	ug/l	49	155	50	8260B		1/14/2012	CJR	1
1,1-Dichloroethene	< 30	ug/l	30	95	50	8260B		1/14/2012	CJR	1
cis-1,2-Dichloroethene	6100	ug/l	37	120	50	8260B		1/14/2012	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
trans-1,2-Dichloroethene	297	ug/l	39.5	125	50	8260B		1/14/2012	CJR	1
1,2-Dichloropropane	< 20	ug/l	20	65	50	8260B		1/14/2012	CJR	1
2,2-Dichloropropane	< 95	ug/l	95	295	50	8260B		1/14/2012	CJR	8
1,3-Dichloropropane	< 35.5	ug/l	35.5	115	50	8260B		1/14/2012	CJR	1
Di-isopropyl ether	< 34.5	ug/l	34.5	110	50	8260B		1/14/2012	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		1/14/2012	CJR	1
Ethylbenzene	64 "J"	ug/l	39	125	50	8260B		1/14/2012	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	340	50	8260B		1/14/2012	CJR	1
Isopropylbenzene	< 46	ug/l	46	145	50	8260B		1/14/2012	CJR	1
p-Isopropyltoluene	< 46	ug/l	46	145	50	8260B		1/14/2012	CJR	1
Methylene chloride	< 55	ug/l	55	170	50	8260B		1/14/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 40	ug/l	40	125	50	8260B		1/14/2012	CJR	1
Naphthalene	< 105	ug/l	105	340	50	8260B		1/14/2012	CJR	1
n-Propylbenzene	52 "J"	ug/l	29.5	95	50	8260B		1/14/2012	CJR	1
1,1,2,2-Tetrachloroethane	< 26.5	ug/l	26.5	85	50	8260B		1/14/2012	CJR	1
1,1,1,2-Tetrachloroethane	< 50	ug/l	50	160	50	8260B		1/14/2012	CJR	1
Tetrachloroethene	23000	ug/l	440	1400	1000	8260B		1/14/2012	CJR	1
Toluene	92	ug/l	26.5	85	50	8260B		1/14/2012	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B		1/14/2012	CJR	1
1,2,3-Trichlorobenzene	< 65	ug/l	65	210	50	8260B		1/14/2012	CJR	1
1,1,1-Trichloroethane	< 42.5	ug/l	42.5	135	50	8260B		1/14/2012	CJR	1
1,1,2-Trichloroethane	< 23.5	ug/l	23.5	75	50	8260B		1/14/2012	CJR	1
Trichloroethene (TCE)	2860	ug/l	23.5	75	50	8260B		1/14/2012	CJR	1
Trichlorofluoromethane	< 85	ug/l	85	265	50	8260B		1/14/2012	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	125	50	8260B		1/14/2012	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l	37	120	50	8260B		1/14/2012	CJR	1
Vinyl Chloride	146	ug/l	9	28	50	8260B		1/14/2012	CJR	1
m&p-Xylene	< 55	ug/l	55	175	50	8260B		1/14/2012	CJR	1
o-Xylene	< 40	ug/l	40	130	50	8260B		1/14/2012	CJR	1
SUR - Toluene-d8	99	REC %			50	8260B		1/14/2012	CJR	1
SUR - Dibromofluoromethane	95	REC %			50	8260B		1/14/2012	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			50	8260B		1/14/2012	CJR	1
SUR - 1,2-Dichloroethane-d4	85	REC %			50	8260B		1/14/2012	CJR	1

Lab Code 5023316J  
 Sample ID SMW-10  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	288	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1
Organic										
PVOC + Naphthalene										
Benzene	3.6	ug/l	0.49	1.5	1	GRO95/8021		1/13/2012	CJR	1
Ethylbenzene	390	ug/l	0.98	3.1	1	GRO95/8021		1/13/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	GRO95/8021		1/13/2012	CJR	1
Naphthalene	107	ug/l	2	4.4	1	GRO95/8021		1/13/2012	CJR	1
Toluene	120	ug/l	0.89	2.8	1	GRO95/8021		1/13/2012	CJR	1
1,2,4-Trimethylbenzene	490	ug/l	1.4	4.4	1	GRO95/8021		1/13/2012	CJR	1
1,3,5-Trimethylbenzene	131	ug/l	1.3	4	1	GRO95/8021		1/13/2012	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316J  
 Sample ID SMW-10  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
m&p-Xylene	960	ug/l	2	6.3	1	GRO95/8021		1/13/2012	CJR	1
o-Xylene	277	ug/l	1.2	3.8	1	GRO95/8021		1/13/2012	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	89.8	mg/l	3.4	10.6	2	300.0		1/16/2012	CWT	1

Lab Code 5023316K  
 Sample ID SMW-13  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	22.4	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	15.0	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	39.6	mg/l	3.4	10.6	2	300.0		1/16/2012	CWT	1

Lab Code 5023316L  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	16.5	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	14.2	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	38.6	mg/l	3.4	10.6	2	300.0		1/16/2012	CWT	1

Lab Code 5023316M  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	662	ug/l	4.8	15.4	1	200.7		1/12/2012	CWT	1

Organic

PVOC + Naphthalene

Benzene	2.53	ug/l	0.49	1.5	1	GRO95/8021		1/13/2012	CJR	1
Ethylbenzene	9.1	ug/l	0.98	3.1	1	GRO95/8021		1/13/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	GRO95/8021		1/13/2012	CJR	1
Naphthalene	9.8	ug/l	2	4.4	1	GRO95/8021		1/13/2012	CJR	1
Toluene	2.22 "J"	ug/l	0.89	2.8	1	GRO95/8021		1/13/2012	CJR	1
1,2,4-Trimethylbenzene	5.8	ug/l	1.4	4.4	1	GRO95/8021		1/13/2012	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316M  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
1,3,5-Trimethylbenzene	1.95 "J"	ug/l	1.3	4	1	GRO95/8021		1/13/2012	CJR	1
m&p-Xylene	10.2	ug/l	2	6.3	1	GRO95/8021		1/13/2012	CJR	1
o-Xylene	3.5 "J"	ug/l	1.2	3.8	1	GRO95/8021		1/13/2012	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	4.4	mg/l	0.1	0.31	1	4500F		1/12/2012	CWT	1
Sulfate, Dissolved	59.4	mg/l	3.4	10.6	2	300.0		1/16/2012	CWT	1

Lab Code 5023316N  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	19.6	ug/l	4.9	15	10	GRO95/8021		1/19/2012	CJR	1
Ethylbenzene	98	ug/l	9.8	31	10	GRO95/8021		1/19/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	GRO95/8021		1/19/2012	CJR	1
Naphthalene	21.1 "J"	ug/l	20	44	10	GRO95/8021		1/19/2012	CJR	1
Toluene	14 "J"	ug/l	8.9	28	10	GRO95/8021		1/19/2012	CJR	1
1,2,4-Trimethylbenzene	38 "J"	ug/l	14	44	10	GRO95/8021		1/19/2012	CJR	1
1,3,5-Trimethylbenzene	22.5 "J"	ug/l	13	40	10	GRO95/8021		1/19/2012	CJR	1
m&p-Xylene	44 "J"	ug/l	20	63	10	GRO95/8021		1/19/2012	CJR	1
o-Xylene	27.1 "J"	ug/l	12	38	10	GRO95/8021		1/19/2012	CJR	1

Lab Code 5023316O  
 Sample ID EQUIP  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.49	ug/l	0.49	1.5	1	GRO95/8021		1/17/2012	CJR	1
Ethylbenzene	< 0.98	ug/l	0.98	3.1	1	GRO95/8021		1/17/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	GRO95/8021		1/17/2012	CJR	1
Naphthalene	< 2	ug/l	2	4.4	1	GRO95/8021		1/17/2012	CJR	1
Toluene	< 0.89	ug/l	0.89	2.8	1	GRO95/8021		1/17/2012	CJR	1
1,2,4-Trimethylbenzene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		1/17/2012	CJR	1
1,3,5-Trimethylbenzene	< 1.3	ug/l	1.3	4	1	GRO95/8021		1/17/2012	CJR	1
m&p-Xylene	< 2	ug/l	2	6.3	1	GRO95/8021		1/17/2012	CJR	1
o-Xylene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		1/17/2012	CJR	1

Lab Code 5023316P  
 Sample ID TB  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.49	ug/l	0.49	1.5	1	GRO95/8021		1/17/2012	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 10221

Invoice # E23316

Lab Code 5023316P  
 Sample ID TB  
 Sample Matrix Water  
 Sample Date 1/10/2012

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Dat	Analyst	Code
Ethylbenzene	< 0.98	ug/l	0.98	3.1	1	GRO95/8021		1/17/2012	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	GRO95/8021		1/17/2012	CJR	1
Naphthalene	< 2	ug/l	2	4.4	1	GRO95/8021		1/17/2012	CJR	1
Toluene	< 0.89	ug/l	0.89	2.8	1	GRO95/8021		1/17/2012	CJR	1
1,2,4-Trimethylbenzene	< 1.4	ug/l	1.4	4.4	1	GRO95/8021		1/17/2012	CJR	1
1,3,5-Trimethylbenzene	< 1.3	ug/l	1.3	4	1	GRO95/8021		1/17/2012	CJR	1
m&p-Xylene	< 2	ug/l	2	6.3	1	GRO95/8021		1/17/2012	CJR	1
o-Xylene	< 1.2	ug/l	1.2	3.8	1	GRO95/8021		1/17/2012	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code Comment**

- 1 Laboratory QC within limits.
- 8 Closing calibration standard not within established limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field. The laboratory analytical services associated with this report were performed in compliance with Synergy Environmental lab's Quality Assurance Program Manual.

Authorized Signature

*Michael J. Ricker*

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

Chain # 802

Page 1 of 2

Lab I.D. #  
 Account No. Quote No.  
 Project #: 10221  
 Sampler: (signature) David Dailey

1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

Sample Handling Request  
 Rush Analysis Date Required  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Project (Name / Location): Masterdry Cleaning, 6326 Bluemound Rd.  
 Reports To: Mary Trotta Invoice To:  
 Company: Sigma Env. Company:  
 Address: 1300 W. Canal St. Address:  
 City State Zip: Milw. WI 53233 City State Zip:  
 Phone: 414. 643. 4200 Phone:  
 FAX: FAX:

Analysis Requested

DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	PVOC (EPA 8060) + Naptholene	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	Nitrate	Sulfate	Dis. Mn.	VOC 5160	PID/FID
----------------------	----------------------	-----------------	------------------------------	--------------------	----------------	------------------------	------	---------	---------	----------	----------	---------

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered FYN*	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	PVOC (EPA 8021)	PVOC (EPA 8060) + Naptholene	VOC DW (EPA 524.2)	PAH (EPA 8270)	Total Suspended Solids	Lead	Nitrate	Sulfate	Dis. Mn.	VOC 5160	PID/FID
S023316A	SMW-1	1-10-12	11:00		G	X	3	GW	H <sub>2</sub> SO <sub>4</sub> /HNO <sub>3</sub>									X	X	X		
B	SMW-2		10:15		G		3		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub>									X	X	X		
C	SMW-3		10:45		G		6		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub>			X						X	X	X		
D	SMW-4		12:00		G		6		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCL			X						X	X	X		
E	SMW-5		10:00		G		3		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub>									X	X	X		
F	SMW-6		12:30		G		3		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub>									X	X	X		
G	SMW-7		10:30		G		6		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCL			X						X	X	X		
H	SMW-8		12:50		G		6		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCL			X						X	X	X		
I	SMW-9		1:05		G		3		HCL													
J	SMW-10		1:30		G		6		H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCL			X						X	X	X	X	

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
 Analyze MW-3 for V. 5000  
 per MAM - SA HZIR  
 \*\* Only the HNO<sub>3</sub> containers are filtered  
 Change protocol to VOC per MAM on 1-12-12 - MC

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: 545507  
 Temp. of Temp. Blank: C On Ice:   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) David Dailey Time: 2:40 Date: 1-10-12  
 Received By: (sign) MAM - SFL Time: 2:00 PM Date: 1-11-12



# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \* P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 26-Aug-09

Project Name MASTER DRY CLEANERS  
Project # 9923/10221

Invoice # E19447

Lab Code 5019447A  
Sample ID SMW-1  
Sample Matrix Water  
Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
sec-Butylbenzene	0.86 "J"	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E19447

Project # 9923/10221

Lab Code 5019447A

Sample ID SMW-1

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	8/19/2009	8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	8/19/2009	8/19/2009	CJR	1
Isopropylbenzene	1.79	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B	8/19/2009	8/19/2009	CJR	1
n-Propylbenzene	2.31	ug/l	0.33	1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	8/19/2009	8/19/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	8/19/2009	8/19/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	8/19/2009	8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	8/19/2009	8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	8/19/2009	8/19/2009	CJR	1

Lab Code 5019447B

Sample ID SMW-2

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	8/19/2009	8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447B  
 Sample ID SMW-2  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		8/19/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		8/19/2009	CJR	1

Lab Code 5019447C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	133	ug/l	8.2	26	20	8260B		8/19/2009	CJR	1
Bromobenzene	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E19447

Project # 9923/10221

Lab Code 5019447C

Sample ID SMW-3

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromodichloromethane	< 8.2	ug/l	8.2	26	20	8260B		8/19/2009	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 9.2	ug/l	9.2	30	20	8260B		8/19/2009	CJR	1
sec-Butylbenzene	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 30	ug/l	30	96	20	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/19/2009	CJR	1
Chloroethane	< 30	ug/l	30	96	20	8260B		8/19/2009	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B		8/19/2009	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 7.4	ug/l	7.4	24	20	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 40	ug/l	40	126	20	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 15.2	ug/l	15.2	48	20	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 15.4	ug/l	15.4	50	20	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 6.8	ug/l	6.8	22	20	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 13.2	ug/l	13.2	42	20	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 8.8	ug/l	8.8	28	20	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 9.4	ug/l	9.4	30	20	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	1740	ug/l	13.6	44	20	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 12.2	ug/l	12.2	38	20	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 5.2	ug/l	5.2	16.4	20	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 17.8	ug/l	17.8	56	20	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 9.8	ug/l	9.8	32	20	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 6.4	ug/l	6.4	20	20	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 10.4	ug/l	10.4	32	20	8260B		8/19/2009	CJR	1
Ethylbenzene	42 "J"	ug/l	17.4	56	20	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	94	20	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24	20	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 11.4	ug/l	11.4	36	20	8260B		8/19/2009	CJR	1
Methylene chloride	< 30	ug/l	30	96	20	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 10	ug/l	10	32	20	8260B		8/19/2009	CJR	1
Naphthalene	< 34	ug/l	34	108	20	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	20	20	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 11	ug/l	11	36	20	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 10.8	ug/l	10.8	34	20	8260B		8/19/2009	CJR	1
Tetrachloroethene	13.6 "J"	ug/l	8.4	26	20	8260B		8/19/2009	CJR	1
Toluene	11.6 "J"	ug/l	10.2	32	20	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 42	ug/l	42	132	20	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	102	20	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 9.2	ug/l	9.2	28	20	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 8.2	ug/l	8.2	26	20	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	103	ug/l	7.8	24	20	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	< 14.4	ug/l	14.4	46	20	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	70	20	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	98	20	8260B		8/19/2009	CJR	1
Vinyl Chloride	123	ug/l	4	12.8	20	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
m&p-Xylene	< 32	ug/l	32	102	20	8260B		8/19/2009	CJR	1
o-Xylene	< 10.6	ug/l	10.6	34	20	8260B		8/19/2009	CJR	1

Lab Code 5019447D  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	--------	------	-----	-----	-----	--------	----------	----------	---------	------

Organic

VOC's

Benzene	< 8.2	ug/l	8.2	26	20	8260B		8/19/2009	CJR	1
Bromobenzene	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
Bromodichloromethane	< 8.2	ug/l	8.2	26	20	8260B		8/19/2009	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 9.2	ug/l	9.2	30	20	8260B		8/19/2009	CJR	1
sec-Butylbenzene	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 30	ug/l	30	96	20	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/19/2009	CJR	1
Chloroethane	< 30	ug/l	30	96	20	8260B		8/19/2009	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B		8/19/2009	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 7.4	ug/l	7.4	24	20	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 40	ug/l	40	126	20	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 15.2	ug/l	15.2	48	20	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 15.4	ug/l	15.4	50	20	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 6.8	ug/l	6.8	22	20	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 13.2	ug/l	13.2	42	20	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 8.6	ug/l	8.6	28	20	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 8.8	ug/l	8.8	28	20	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	10 "J"	ug/l	9.4	30	20	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	2530	ug/l	13.6	44	20	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	77	ug/l	12.2	38	20	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 5.2	ug/l	5.2	16.4	20	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 17.8	ug/l	17.8	56	20	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 9.8	ug/l	9.8	32	20	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 6.4	ug/l	6.4	20	20	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 10.4	ug/l	10.4	32	20	8260B		8/19/2009	CJR	1
Ethylbenzene	39 "J"	ug/l	17.4	56	20	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	94	20	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24	20	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 11.4	ug/l	11.4	36	20	8260B		8/19/2009	CJR	1
Methylene chloride	< 30	ug/l	30	96	20	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 10	ug/l	10	32	20	8260B		8/19/2009	CJR	1
Naphthalene	< 34	ug/l	34	108	20	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	20	20	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 11	ug/l	11	36	20	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E19447

Project # 9923/10221

Lab Code 5019447D

Sample ID SMW-4

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 10.8	ug/l	10.8	34	20	8260B		8/19/2009	CJR	1
Tetrachloroethene	460	ug/l	8.4	26	20	8260B		8/19/2009	CJR	1
Toluene	88	ug/l	10.2	32	20	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 42	ug/l	42	132	20	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	102	20	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 9.2	ug/l	9.2	28	20	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 8.2	ug/l	8.2	26	20	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	330	ug/l	7.8	24	20	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	< 14.4	ug/l	14.4	46	20	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	70	20	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	98	20	8260B		8/19/2009	CJR	1
Vinyl Chloride	16	ug/l	4	12.8	20	8260B		8/19/2009	CJR	1
m&p-Xylene	119	ug/l	32	102	20	8260B		8/19/2009	CJR	1
o-Xylene	46	ug/l	10.6	34	20	8260B		8/19/2009	CJR	1

Lab Code 5019447E

Sample ID SMW-5

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E19447

Project # 9923/10221

Lab Code 5019447E

Sample ID SMW-5

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	<0.49	ug/l	0.49	1.6	1	8260B		8/19/2009	CJR	1
Di-isopropyl ether	<0.32	ug/l	0.32	1	1	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	<0.52	ug/l	0.52	1.6	1	8260B		8/19/2009	CJR	1
Ethylbenzene	<0.87	ug/l	0.87	2.8	1	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.7	1	8260B		8/19/2009	CJR	1
Isopropylbenzene	<0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	<0.57	ug/l	0.57	1.8	1	8260B		8/19/2009	CJR	1
Methylene chloride	<1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	<0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	<0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	<0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	<0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethene	<0.42	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	<0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	<2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	<0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	<0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	<0.72	ug/l	0.72	2.3	1	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	<1.1	ug/l	1.1	3.5	1	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.9	1	8260B		8/19/2009	CJR	1
Vinyl Chloride	<0.2	ug/l	0.2	0.64	1	8260B		8/19/2009	CJR	1
m&p-Xylene	<1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
o-Xylene	<0.53	ug/l	0.53	1.7	1	8260B		8/19/2009	CJR	1

Lab Code 5019447F

Sample ID SMW-6

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromobenzene	<0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Bromodichloromethane	<0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
tert-Butylbenzene	<0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
sec-Butylbenzene	<0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
n-Butylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	<0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Chlorobenzene	<0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Chloroethane	<1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Chloroform	<0.48	ug/l	0.48	1.5	1	8260B		8/19/2009	CJR	1
Chloromethane	<0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
2-Chlorotoluene	<0.37	ug/l	0.37	1.2	1	8260B		8/19/2009	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	<2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447F  
 Sample ID SMW-6  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	8/19/2009	8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	8/19/2009	8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	8/19/2009	8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	8/19/2009	8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	8/19/2009	8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B	8/19/2009	8/19/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	8/19/2009	8/19/2009	CJR	1
Tetrachloroethene	1.94	ug/l	0.42	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	8/19/2009	8/19/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	8/19/2009	8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	8/19/2009	8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	8/19/2009	8/19/2009	CJR	1

Lab Code 5019447G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421	8/20/2009	8/20/2009	ESC	1
Organic										

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
VOC's										
Benzene	<20.5	ug/l	20.5	65	50	8260B		8/20/2009	CJR	1
Bromobenzene	<21.5	ug/l	21.5	70	50	8260B		8/20/2009	CJR	1
Bromodichloromethane	<20.5	ug/l	20.5	65	50	8260B		8/20/2009	CJR	1
Bromoform	<23	ug/l	23	75	50	8260B		8/20/2009	CJR	1
tert-Butylbenzene	<23	ug/l	23	75	50	8260B		8/20/2009	CJR	1
sec-Butylbenzene	<21.5	ug/l	21.5	70	50	8260B		8/20/2009	CJR	1
n-Butylbenzene	<75	ug/l	75	240	50	8260B		8/20/2009	CJR	1
Carbon Tetrachloride	<21.5	ug/l	21.5	70	50	8260B		8/20/2009	CJR	1
Chlorobenzene	<19.5	ug/l	19.5	60	50	8260B		8/20/2009	CJR	1
Chloroethane	<75	ug/l	75	240	50	8260B		8/20/2009	CJR	1
Chloroform	<24	ug/l	24	75	50	8260B		8/20/2009	CJR	1
Chloromethane	<25	ug/l	25	80	50	8260B		8/20/2009	CJR	1
2-Chlorotoluene	<18.5	ug/l	18.5	60	50	8260B		8/20/2009	CJR	1
4-Chlorotoluene	<31.5	ug/l	31.5	100	50	8260B		8/20/2009	CJR	1
1,2-Dibromo-3-chloropropane	<100	ug/l	100	315	50	8260B		8/20/2009	CJR	1
Dibromochloromethane	<38	ug/l	38	120	50	8260B		8/20/2009	CJR	1
1,4-Dichlorobenzene	<38.5	ug/l	38.5	125	50	8260B		8/20/2009	CJR	1
1,3-Dichlorobenzene	<17	ug/l	17	55	50	8260B		8/20/2009	CJR	1
1,2-Dichlorobenzene	<33	ug/l	33	105	50	8260B		8/20/2009	CJR	1
Dichlorodifluoromethane	<22.5	ug/l	22.5	70	50	8260B		8/20/2009	CJR	1
1,2-Dichloroethane	<21.5	ug/l	21.5	70	50	8260B		8/20/2009	CJR	1
1,1-Dichloroethane	<22	ug/l	22	70	50	8260B		8/20/2009	CJR	1
1,1-Dichloroethene	<23.5	ug/l	23.5	75	50	8260B		8/20/2009	CJR	1
cis-1,2-Dichloroethene	<34	ug/l	34	110	50	8260B		8/20/2009	CJR	1
trans-1,2-Dichloroethene	<30.5	ug/l	30.5	95	50	8260B		8/20/2009	CJR	1
1,2-Dichloropropane	<13	ug/l	13	41	50	8260B		8/20/2009	CJR	1
2,2-Dichloropropane	<44.5	ug/l	44.5	140	50	8260B		8/20/2009	CJR	1
1,3-Dichloropropane	<24.5	ug/l	24.5	80	50	8260B		8/20/2009	CJR	1
Di-isopropyl ether	<16	ug/l	16	50	50	8260B		8/20/2009	CJR	1
EDB (1,2-Dibromoethane)	<26	ug/l	26	80	50	8260B		8/20/2009	CJR	1
Ethylbenzene	2960	ug/l	43.5	140	50	8260B		8/20/2009	CJR	1
Hexachlorobutadiene	<75	ug/l	75	235	50	8260B		8/20/2009	CJR	1
Isopropylbenzene	75	ug/l	19.5	60	50	8260B		8/20/2009	CJR	1
p-Isopropyltoluene	<28.5	ug/l	28.5	90	50	8260B		8/20/2009	CJR	1
Methylene chloride	<75	ug/l	75	240	50	8260B		8/20/2009	CJR	1
Methyl tert-butyl ether (MTBE)	<25	ug/l	25	80	50	8260B		8/20/2009	CJR	1
Naphthalene	340	ug/l	85	270	50	8260B		8/20/2009	CJR	1
n-Propylbenzene	220	ug/l	16.5	50	50	8260B		8/20/2009	CJR	1
1,1,2,2-Tetrachloroethane	<27.5	ug/l	27.5	90	50	8260B		8/20/2009	CJR	1
1,1,1,2-Tetrachloroethane	<27	ug/l	27	85	50	8260B		8/20/2009	CJR	1
Tetrachloroethene	<21	ug/l	21	65	50	8260B		8/20/2009	CJR	1
Toluene	610	ug/l	25.5	80	50	8260B		8/20/2009	CJR	1
1,2,4-Trichlorobenzene	<105	ug/l	105	330	50	8260B		8/20/2009	CJR	1
1,2,3-Trichlorobenzene	<80	ug/l	80	255	50	8260B		8/20/2009	CJR	1
1,1,1-Trichloroethane	<23	ug/l	23	70	50	8260B		8/20/2009	CJR	1
1,1,2-Trichloroethane	<20.5	ug/l	20.5	65	50	8260B		8/20/2009	CJR	1
Trichloroethene (TCE)	<19.5	ug/l	19.5	60	50	8260B		8/20/2009	CJR	1
Trichlorofluoromethane	<36	ug/l	36	115	50	8260B		8/20/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trimethylbenzene	1360	ug/l	55	175	50	8260B		8/20/2009	CJR	1
1,3,5-Trimethylbenzene	304	ug/l	75	245	50	8260B		8/20/2009	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B		8/20/2009	CJR	1
m&p-Xylene	9300	ug/l	80	255	50	8260B		8/20/2009	CJR	1
o-Xylene	3500	ug/l	26.5	85	50	8260B		8/20/2009	CJR	1

Lab Code 5019447H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	141	ug/l	8.2	26	20	8260B		8/20/2009	CJR	1
Bromobenzene	< 8.6	ug/l	8.6	28	20	8260B		8/20/2009	CJR	1
Bromodichloromethane	< 8.2	ug/l	8.2	26	20	8260B		8/20/2009	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		8/20/2009	CJR	1
tert-Butylbenzene	< 9.2	ug/l	9.2	30	20	8260B		8/20/2009	CJR	1
sec-Butylbenzene	< 8.6	ug/l	8.6	28	20	8260B		8/20/2009	CJR	1
n-Butylbenzene	< 30	ug/l	30	96	20	8260B		8/20/2009	CJR	1
Carbon Tetrachloride	< 8.6	ug/l	8.6	28	20	8260B		8/20/2009	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/20/2009	CJR	1
Chloroethane	< 30	ug/l	30	96	20	8260B		8/20/2009	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B		8/20/2009	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		8/20/2009	CJR	1
2-Chlorotoluene	< 7.4	ug/l	7.4	24	20	8260B		8/20/2009	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		8/20/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 40	ug/l	40	126	20	8260B		8/20/2009	CJR	1
Dibromochloromethane	< 15.2	ug/l	15.2	48	20	8260B		8/20/2009	CJR	1
1,4-Dichlorobenzene	< 15.4	ug/l	15.4	50	20	8260B		8/20/2009	CJR	1
1,3-Dichlorobenzene	< 6.8	ug/l	6.8	22	20	8260B		8/20/2009	CJR	1
1,2-Dichlorobenzene	< 13.2	ug/l	13.2	42	20	8260B		8/20/2009	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/20/2009	CJR	1
1,2-Dichloroethane	< 8.6	ug/l	8.6	28	20	8260B		8/20/2009	CJR	1
1,1-Dichloroethane	< 8.8	ug/l	8.8	28	20	8260B		8/20/2009	CJR	1
1,1-Dichloroethene	< 9.4	ug/l	9.4	30	20	8260B		8/20/2009	CJR	1
cis-1,2-Dichloroethene	< 13.6	ug/l	13.6	44	20	8260B		8/20/2009	CJR	1
trans-1,2-Dichloroethene	< 12.2	ug/l	12.2	38	20	8260B		8/20/2009	CJR	1
1,2-Dichloropropane	< 5.2	ug/l	5.2	16.4	20	8260B		8/20/2009	CJR	1
2,2-Dichloropropane	< 17.8	ug/l	17.8	56	20	8260B		8/20/2009	CJR	1
1,3-Dichloropropane	< 9.8	ug/l	9.8	32	20	8260B		8/20/2009	CJR	1
Di-isopropyl ether	< 6.4	ug/l	6.4	20	20	8260B		8/20/2009	CJR	1
EDB (1,2-Dibromoethane)	< 10.4	ug/l	10.4	32	20	8260B		8/20/2009	CJR	1
Ethylbenzene	17.6 "J"	ug/l	17.4	56	20	8260B		8/20/2009	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	94	20	8260B		8/20/2009	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24	20	8260B		8/20/2009	CJR	1
p-Isopropyltoluene	< 11.4	ug/l	11.4	36	20	8260B		8/20/2009	CJR	1
Methylene chloride	< 30	ug/l	30	96	20	8260B		8/20/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 10	ug/l	10	32	20	8260B		8/20/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Naphthalene	54 "J"	ug/l	34	108	20	8260B	8/20/2009	8/20/2009	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	20	20	8260B	8/20/2009	8/20/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 11	ug/l	11	36	20	8260B	8/20/2009	8/20/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 10.8	ug/l	10.8	34	20	8260B	8/20/2009	8/20/2009	CJR	1
Tetrachloroethene	< 8.4	ug/l	8.4	26	20	8260B	8/20/2009	8/20/2009	CJR	1
Toluene	< 10.2	ug/l	10.2	32	20	8260B	8/20/2009	8/20/2009	CJR	1
1,2,4-Trichlorobenzene	< 42	ug/l	42	132	20	8260B	8/20/2009	8/20/2009	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	102	20	8260B	8/20/2009	8/20/2009	CJR	1
1,1,1-Trichloroethane	< 9.2	ug/l	9.2	28	20	8260B	8/20/2009	8/20/2009	CJR	1
1,1,2-Trichloroethane	< 8.2	ug/l	8.2	26	20	8260B	8/20/2009	8/20/2009	CJR	1
Trichloroethene (TCE)	< 7.8	ug/l	7.8	24	20	8260B	8/20/2009	8/20/2009	CJR	1
Trichlorofluoromethane	< 14.4	ug/l	14.4	46	20	8260B	8/20/2009	8/20/2009	CJR	1
1,2,4-Trimethylbenzene	39 "J"	ug/l	22	70	20	8260B	8/20/2009	8/20/2009	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	98	20	8260B	8/20/2009	8/20/2009	CJR	1
Vinyl Chloride	< 4	ug/l	4	12.8	20	8260B	8/20/2009	8/20/2009	CJR	1
m&p-Xylene	57 "J"	ug/l	32	102	20	8260B	8/20/2009	8/20/2009	CJR	1
o-Xylene	21.2 "J"	ug/l	10.6	34	20	8260B	8/20/2009	8/20/2009	CJR	1

Lab Code 5019447I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	3.0	ug/l	0.7	2.5	1	SW846 7421	8/20/2009	8/20/2009	ESC	1
Organic										
VOC's										
Benzene	< 82	ug/l	82	260	200	8260B	8/20/2009	8/20/2009	CJR	1
Bromobenzene	< 86	ug/l	86	280	200	8260B	8/20/2009	8/20/2009	CJR	1
Bromodichloromethane	< 82	ug/l	82	260	200	8260B	8/20/2009	8/20/2009	CJR	1
Bromoform	< 92	ug/l	92	300	200	8260B	8/20/2009	8/20/2009	CJR	1
tert-Butylbenzene	< 92	ug/l	92	300	200	8260B	8/20/2009	8/20/2009	CJR	1
sec-Butylbenzene	< 86	ug/l	86	280	200	8260B	8/20/2009	8/20/2009	CJR	1
n-Butylbenzene	< 300	ug/l	300	960	200	8260B	8/20/2009	8/20/2009	CJR	1
Carbon Tetrachloride	< 86	ug/l	86	280	200	8260B	8/20/2009	8/20/2009	CJR	1
Chlorobenzene	< 78	ug/l	78	240	200	8260B	8/20/2009	8/20/2009	CJR	1
Chloroethane	< 300	ug/l	300	960	200	8260B	8/20/2009	8/20/2009	CJR	1
Chloroform	< 96	ug/l	96	300	200	8260B	8/20/2009	8/20/2009	CJR	1
Chloromethane	< 100	ug/l	100	320	200	8260B	8/20/2009	8/20/2009	CJR	1
2-Chlorotoluene	< 74	ug/l	74	240	200	8260B	8/20/2009	8/20/2009	CJR	1
4-Chlorotoluene	< 126	ug/l	126	400	200	8260B	8/20/2009	8/20/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 400	ug/l	400	1260	200	8260B	8/20/2009	8/20/2009	CJR	1
Dibromochloromethane	< 152	ug/l	152	480	200	8260B	8/20/2009	8/20/2009	CJR	1
1,4-Dichlorobenzene	< 154	ug/l	154	500	200	8260B	8/20/2009	8/20/2009	CJR	1
1,3-Dichlorobenzene	< 68	ug/l	68	220	200	8260B	8/20/2009	8/20/2009	CJR	1
1,2-Dichlorobenzene	< 132	ug/l	132	420	200	8260B	8/20/2009	8/20/2009	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	280	200	8260B	8/20/2009	8/20/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloroethane	< 86	ug/l	86	280	200	8260B		8/20/2009	CJR	1
1,1-Dichloroethane	< 88	ug/l	88	280	200	8260B		8/20/2009	CJR	1
1,1-Dichloroethene	< 94	ug/l	94	300	200	8260B		8/20/2009	CJR	1
cis-1,2-Dichloroethene	7700	ug/l	136	440	200	8260B		8/20/2009	CJR	1
trans-1,2-Dichloroethene	218 "J"	ug/l	122	380	200	8260B		8/20/2009	CJR	1
1,2-Dichloropropane	< 52	ug/l	52	164	200	8260B		8/20/2009	CJR	1
2,2-Dichloropropane	< 178	ug/l	178	560	200	8260B		8/20/2009	CJR	1
1,3-Dichloropropane	< 98	ug/l	98	320	200	8260B		8/20/2009	CJR	1
Di-isopropyl ether	< 64	ug/l	64	200	200	8260B		8/20/2009	CJR	1
EDB (1,2-Dibromoethane)	< 104	ug/l	104	320	200	8260B		8/20/2009	CJR	1
Ethylbenzene	226 "J"	ug/l	174	560	200	8260B		8/20/2009	CJR	1
Hexachlorobutadiene	< 300	ug/l	300	940	200	8260B		8/20/2009	CJR	1
Isopropylbenzene	< 78	ug/l	78	240	200	8260B		8/20/2009	CJR	1
p-Isopropyltoluene	< 114	ug/l	114	360	200	8260B		8/20/2009	CJR	1
Methylene chloride	< 300	ug/l	300	960	200	8260B		8/20/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 100	ug/l	100	320	200	8260B		8/20/2009	CJR	1
Naphthalene	< 340	ug/l	340	1080	200	8260B		8/20/2009	CJR	1
n-Propylbenzene	132 "J"	ug/l	66	200	200	8260B		8/20/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 110	ug/l	110	360	200	8260B		8/20/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 108	ug/l	108	340	200	8260B		8/20/2009	CJR	1
Tetrachloroethene	162000	ug/l	840	2600	2000	8260B		8/21/2009	CJR	6
Toluene	< 102	ug/l	102	320	200	8260B		8/20/2009	CJR	1
1,2,4-Trichlorobenzene	< 420	ug/l	420	1320	200	8260B		8/20/2009	CJR	1
1,2,3-Trichlorobenzene	< 320	ug/l	320	1020	200	8260B		8/20/2009	CJR	1
1,1,1-Trichloroethane	< 92	ug/l	92	280	200	8260B		8/20/2009	CJR	1
1,1,2-Trichloroethane	< 82	ug/l	82	260	200	8260B		8/20/2009	CJR	1
Trichloroethene (TCE)	5000	ug/l	78	240	200	8260B		8/20/2009	CJR	1
Trichlorofluoromethane	< 144	ug/l	144	460	200	8260B		8/20/2009	CJR	1
1,2,4-Trimethylbenzene	< 220	ug/l	220	700	200	8260B		8/20/2009	CJR	1
1,3,5-Trimethylbenzene	< 300	ug/l	300	980	200	8260B		8/20/2009	CJR	1
Vinyl Chloride	258	ug/l	40	128	200	8260B		8/20/2009	CJR	1
m&p-Xylene	< 320	ug/l	320	1020	200	8260B		8/20/2009	CJR	1
o-Xylene	< 106	ug/l	106	340	200	8260B		8/20/2009	CJR	1

Lab Code 5019447J  
 Sample ID SMW-10  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	5.6	ug/l	0.7	2.5	1	SW846 7421		8/20/2009	ESC	1
Organic										
VOC's										
Benzene	< 20.5	ug/l	20.5	65	50	8260B		8/25/2009	CJR	1
Bromobenzene	< 21.5	ug/l	21.5	70	50	8260B		8/25/2009	CJR	1
Bromodichloromethane	< 20.5	ug/l	20.5	65	50	8260B		8/25/2009	CJR	1
Bromoform	< 23	ug/l	23	75	50	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447J  
 Sample ID SMW-10  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
tert-Butylbenzene	< 23	ug/l	23	75	50	8260B	8/25/2009	8/25/2009	CJR	1
sec-Butylbenzene	< 21.5	ug/l	21.5	70	50	8260B	8/25/2009	8/25/2009	CJR	1
n-Butylbenzene	< 75	ug/l	75	240	50	8260B	8/25/2009	8/25/2009	CJR	1
Carbon Tetrachloride	< 21.5	ug/l	21.5	70	50	8260B	8/25/2009	8/25/2009	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B	8/25/2009	8/25/2009	CJR	1
Chloroethane	< 75	ug/l	75	240	50	8260B	8/25/2009	8/25/2009	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	8/25/2009	8/25/2009	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B	8/25/2009	8/25/2009	CJR	1
2-Chlorotoluene	< 18.5	ug/l	18.5	60	50	8260B	8/25/2009	8/25/2009	CJR	1
4-Chlorotoluene	< 31.5	ug/l	31.5	100	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 100	ug/l	100	315	50	8260B	8/25/2009	8/25/2009	CJR	1
Dibromochloromethane	< 38	ug/l	38	120	50	8260B	8/25/2009	8/25/2009	CJR	1
1,4-Dichlorobenzene	< 38.5	ug/l	38.5	125	50	8260B	8/25/2009	8/25/2009	CJR	1
1,3-Dichlorobenzene	< 17	ug/l	17	55	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dichlorobenzene	< 33	ug/l	33	105	50	8260B	8/25/2009	8/25/2009	CJR	1
Dichlorodifluoromethane	< 22.5	ug/l	22.5	70	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dichloroethane	< 21.5	ug/l	21.5	70	50	8260B	8/25/2009	8/25/2009	CJR	1
1,1-Dichloroethane	< 22	ug/l	22	70	50	8260B	8/25/2009	8/25/2009	CJR	1
1,1-Dichloroethene	< 23.5	ug/l	23.5	75	50	8260B	8/25/2009	8/25/2009	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	8/25/2009	8/25/2009	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	95	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dichloropropane	< 13	ug/l	13	41	50	8260B	8/25/2009	8/25/2009	CJR	1
2,2-Dichloropropane	< 44.5	ug/l	44.5	140	50	8260B	8/25/2009	8/25/2009	CJR	1
1,3-Dichloropropane	< 24.5	ug/l	24.5	80	50	8260B	8/25/2009	8/25/2009	CJR	1
Di-isopropyl ether	< 16	ug/l	16	50	50	8260B	8/25/2009	8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	< 26	ug/l	26	80	50	8260B	8/25/2009	8/25/2009	CJR	1
Ethylbenzene	105 "J"	ug/l	43.5	140	50	8260B	8/25/2009	8/25/2009	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	235	50	8260B	8/25/2009	8/25/2009	CJR	1
Isopropylbenzene	20 "J"	ug/l	19.5	60	50	8260B	8/25/2009	8/25/2009	CJR	1
p-Isopropyltoluene	< 28.5	ug/l	28.5	90	50	8260B	8/25/2009	8/25/2009	CJR	1
Methylene chloride	< 75	ug/l	75	240	50	8260B	8/25/2009	8/25/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 25	ug/l	25	80	50	8260B	8/25/2009	8/25/2009	CJR	1
Naphthalene	< 85	ug/l	85	270	50	8260B	8/25/2009	8/25/2009	CJR	1
n-Propylbenzene	40 "J"	ug/l	16.5	50	50	8260B	8/25/2009	8/25/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 27.5	ug/l	27.5	90	50	8260B	8/25/2009	8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/l	27	85	50	8260B	8/25/2009	8/25/2009	CJR	1
Tetrachloroethene	440	ug/l	21	65	50	8260B	8/25/2009	8/25/2009	CJR	1
Toluene	53 "J"	ug/l	25.5	80	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2,4-Trichlorobenzene	< 105	ug/l	105	330	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	255	50	8260B	8/25/2009	8/25/2009	CJR	1
1,1,1-Trichloroethane	< 23	ug/l	23	70	50	8260B	8/25/2009	8/25/2009	CJR	1
1,1,2-Trichloroethane	< 20.5	ug/l	20.5	65	50	8260B	8/25/2009	8/25/2009	CJR	1
Trichloroethene (TCE)	< 19.5	ug/l	19.5	60	50	8260B	8/25/2009	8/25/2009	CJR	1
Trichlorofluoromethane	< 36	ug/l	36	115	50	8260B	8/25/2009	8/25/2009	CJR	1
1,2,4-Trimethylbenzene	270	ug/l	55	175	50	8260B	8/25/2009	8/25/2009	CJR	1
1,3,5-Trimethylbenzene	84 "J"	ug/l	75	245	50	8260B	8/25/2009	8/25/2009	CJR	1
Vinyl Chloride	< 10	ug/l	10	32	50	8260B	8/25/2009	8/25/2009	CJR	1
m&p-Xylene	500	ug/l	80	255	50	8260B	8/25/2009	8/25/2009	CJR	1
o-Xylene	199	ug/l	26.5	85	50	8260B	8/25/2009	8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447K  
 Sample ID SMW-11  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 8.2	ug/l	8.2	26	20	8260B		8/25/2009	CJR	1
Bromobenzene	< 8.6	ug/l	8.6	28	20	8260B		8/25/2009	CJR	1
Bromodichloromethane	< 8.2	ug/l	8.2	26	20	8260B		8/25/2009	CJR	1
Bromoform	< 9.2	ug/l	9.2	30	20	8260B		8/25/2009	CJR	1
tert-Butylbenzene	< 9.2	ug/l	9.2	30	20	8260B		8/25/2009	CJR	1
sec-Butylbenzene	< 8.6	ug/l	8.6	28	20	8260B		8/25/2009	CJR	1
n-Butylbenzene	< 30	ug/l	30	96	20	8260B		8/25/2009	CJR	1
Carbon Tetrachloride	< 8.6	ug/l	8.6	28	20	8260B		8/25/2009	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		8/25/2009	CJR	1
Chloroethane	< 30	ug/l	30	96	20	8260B		8/25/2009	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B		8/25/2009	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		8/25/2009	CJR	1
2-Chlorotoluene	< 7.4	ug/l	7.4	24	20	8260B		8/25/2009	CJR	1
4-Chlorotoluene	< 12.6	ug/l	12.6	40	20	8260B		8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 40	ug/l	40	126	20	8260B		8/25/2009	CJR	1
Dibromochloromethane	< 15.2	ug/l	15.2	48	20	8260B		8/25/2009	CJR	1
1,4-Dichlorobenzene	< 15.4	ug/l	15.4	50	20	8260B		8/25/2009	CJR	1
1,3-Dichlorobenzene	< 6.8	ug/l	6.8	22	20	8260B		8/25/2009	CJR	1
1,2-Dichlorobenzene	< 13.2	ug/l	13.2	42	20	8260B		8/25/2009	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	28	20	8260B		8/25/2009	CJR	1
1,2-Dichloroethane	< 8.6	ug/l	8.6	28	20	8260B		8/25/2009	CJR	1
1,1-Dichloroethane	< 8.8	ug/l	8.8	28	20	8260B		8/25/2009	CJR	1
1,1-Dichloroethene	< 9.4	ug/l	9.4	30	20	8260B		8/25/2009	CJR	1
cis-1,2-Dichloroethene	57	ug/l	13.6	44	20	8260B		8/25/2009	CJR	1
trans-1,2-Dichloroethene	< 12.2	ug/l	12.2	38	20	8260B		8/25/2009	CJR	1
1,2-Dichloropropane	< 5.2	ug/l	5.2	16.4	20	8260B		8/25/2009	CJR	1
2,2-Dichloropropane	< 17.8	ug/l	17.8	56	20	8260B		8/25/2009	CJR	1
1,3-Dichloropropane	< 9.8	ug/l	9.8	32	20	8260B		8/25/2009	CJR	1
Di-isopropyl ether	< 6.4	ug/l	6.4	20	20	8260B		8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	< 10.4	ug/l	10.4	32	20	8260B		8/25/2009	CJR	1
Ethylbenzene	< 17.4	ug/l	17.4	56	20	8260B		8/25/2009	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	94	20	8260B		8/25/2009	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24	20	8260B		8/25/2009	CJR	1
p-Isopropyltoluene	< 11.4	ug/l	11.4	36	20	8260B		8/25/2009	CJR	1
Methylene chloride	< 30	ug/l	30	96	20	8260B		8/25/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 10	ug/l	10	32	20	8260B		8/25/2009	CJR	1
Naphthalene	< 34	ug/l	34	108	20	8260B		8/25/2009	CJR	1
n-Propylbenzene	< 6.6	ug/l	6.6	20	20	8260B		8/25/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 11	ug/l	11	36	20	8260B		8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 10.8	ug/l	10.8	34	20	8260B		8/25/2009	CJR	1
Tetrachloroethene	205	ug/l	8.4	26	20	8260B		8/25/2009	CJR	1
Toluene	< 10.2	ug/l	10.2	32	20	8260B		8/25/2009	CJR	1
1,2,4-Trichlorobenzene	< 42	ug/l	42	132	20	8260B		8/25/2009	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	102	20	8260B		8/25/2009	CJR	1
1,1,1-Trichloroethane	< 9.2	ug/l	9.2	28	20	8260B		8/25/2009	CJR	1
1,1,2-Trichloroethane	< 8.2	ug/l	8.2	26	20	8260B		8/25/2009	CJR	1
Trichloroethene (TCE)	133	ug/l	7.8	24	20	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447K  
 Sample ID SMW-11  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 14.4	ug/l	14.4	46	20	8260B	8/25/2009	8/25/2009	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	70	20	8260B	8/25/2009	8/25/2009	CJR	1
1,3,5-Trimethylbenzene	< 30	ug/l	30	98	20	8260B	8/25/2009	8/25/2009	CJR	1
Vinyl Chloride	< 4	ug/l	4	12.8	20	8260B	8/25/2009	8/25/2009	CJR	1
m&p-Xylene	< 32	ug/l	32	102	20	8260B	8/25/2009	8/25/2009	CJR	1
o-Xylene	< 10.6	ug/l	10.6	34	20	8260B	8/25/2009	8/25/2009	CJR	1

Lab Code 5019447L  
 Sample ID SMW-12  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	8/25/2009	8/25/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/25/2009	8/25/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	8/25/2009	8/25/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	8/25/2009	8/25/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	8/25/2009	8/25/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/25/2009	8/25/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	8/25/2009	8/25/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	8/25/2009	8/25/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	8/25/2009	8/25/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	8/25/2009	8/25/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	8/25/2009	8/25/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	8/25/2009	8/25/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	8/25/2009	8/25/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	8/25/2009	8/25/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	8/25/2009	8/25/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	8/25/2009	8/25/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	8/25/2009	8/25/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	8/25/2009	8/25/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	8/25/2009	8/25/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	8/25/2009	8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	8/25/2009	8/25/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	8/25/2009	8/25/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	8/25/2009	8/25/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/25/2009	8/25/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	8/25/2009	8/25/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	8/25/2009	8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS

Invoice # E19447

Project # 9923/10221

Lab Code 5019447L

Sample ID SMW-12

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B	8/25/2009	8/25/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B	8/25/2009	8/25/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B	8/25/2009	8/25/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B	8/25/2009	8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B	8/25/2009	8/25/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B	8/25/2009	8/25/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B	8/25/2009	8/25/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B	8/25/2009	8/25/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/25/2009	8/25/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B	8/25/2009	8/25/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	8/25/2009	8/25/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	8/25/2009	8/25/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	8/25/2009	8/25/2009	CJR	1
Vinyl Chloride	1.2	ug/l	0.2	0.64	1	8260B	8/25/2009	8/25/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	8/25/2009	8/25/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	8/25/2009	8/25/2009	CJR	1

Lab Code 5019447M

Sample ID MW-1

Sample Matrix Water

Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	8/19/2009	8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447M  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	0.77 "J"	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethene	5.0	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	5.3	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		8/19/2009	CJR	1
Vinyl Chloride	0.80	ug/l	0.2	0.64	1	8260B		8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		8/19/2009	CJR	1

Lab Code 5019447N  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447N  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethene	2.03	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	1.58	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		8/19/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 50194470  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.1	ug/l	4.1	13	10	8260B		8/20/2009	CJR	1
Bromobenzene	< 4.3	ug/l	4.3	14	10	8260B		8/20/2009	CJR	1
Bromodichloromethane	< 4.1	ug/l	4.1	13	10	8260B		8/20/2009	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		8/20/2009	CJR	1
tert-Butylbenzene	< 4.6	ug/l	4.6	15	10	8260B		8/20/2009	CJR	1
sec-Butylbenzene	< 4.3	ug/l	4.3	14	10	8260B		8/20/2009	CJR	1
n-Butylbenzene	< 15	ug/l	15	48	10	8260B		8/20/2009	CJR	1
Carbon Tetrachloride	< 4.3	ug/l	4.3	14	10	8260B		8/20/2009	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		8/20/2009	CJR	1
Chloroethane	< 15	ug/l	15	48	10	8260B		8/20/2009	CJR	1
Chloroform	< 4.8	ug/l	4.8	15	10	8260B		8/20/2009	CJR	1
Chloromethane	< 5	ug/l	5	16	10	8260B		8/20/2009	CJR	1
2-Chlorotoluene	< 3.7	ug/l	3.7	12	10	8260B		8/20/2009	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		8/20/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 20	ug/l	20	63	10	8260B		8/20/2009	CJR	1
Dibromochloromethane	< 7.6	ug/l	7.6	24	10	8260B		8/20/2009	CJR	1
1,4-Dichlorobenzene	< 7.7	ug/l	7.7	25	10	8260B		8/20/2009	CJR	1
1,3-Dichlorobenzene	< 3.4	ug/l	3.4	11	10	8260B		8/20/2009	CJR	1
1,2-Dichlorobenzene	< 6.6	ug/l	6.6	21	10	8260B		8/20/2009	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		8/20/2009	CJR	1
1,2-Dichloroethane	< 4.3	ug/l	4.3	14	10	8260B		8/20/2009	CJR	1
1,1-Dichloroethane	< 4.4	ug/l	4.4	14	10	8260B		8/20/2009	CJR	1
1,1-Dichloroethene	< 4.7	ug/l	4.7	15	10	8260B		8/20/2009	CJR	1
cis-1,2-Dichloroethene	1790	ug/l	6.8	22	10	8260B		8/20/2009	CJR	1
trans-1,2-Dichloroethene	117	ug/l	6.1	19	10	8260B		8/20/2009	CJR	1
1,2-Dichloropropane	< 2.6	ug/l	2.6	8.2	10	8260B		8/20/2009	CJR	1
2,2-Dichloropropane	< 8.9	ug/l	8.9	28	10	8260B		8/20/2009	CJR	1
1,3-Dichloropropane	< 4.9	ug/l	4.9	16	10	8260B		8/20/2009	CJR	1
Di-isopropyl ether	< 3.2	ug/l	3.2	10	10	8260B		8/20/2009	CJR	1
EDB (1,2-Dibromoethane)	< 5.2	ug/l	5.2	16	10	8260B		8/20/2009	CJR	1
Ethylbenzene	< 8.7	ug/l	8.7	28	10	8260B		8/20/2009	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	47	10	8260B		8/20/2009	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12	10	8260B		8/20/2009	CJR	1
p-Isopropyltoluene	< 5.7	ug/l	5.7	18	10	8260B		8/20/2009	CJR	1
Methylene chloride	< 15	ug/l	15	48	10	8260B		8/20/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 5	ug/l	5	16	10	8260B		8/20/2009	CJR	1
Naphthalene	< 17	ug/l	17	54	10	8260B		8/20/2009	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	10	10	8260B		8/20/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 5.5	ug/l	5.5	18	10	8260B		8/20/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 5.4	ug/l	5.4	17	10	8260B		8/20/2009	CJR	1
Tetrachloroethene	158	ug/l	4.2	13	10	8260B		8/20/2009	CJR	1
Toluene	< 5.1	ug/l	5.1	16	10	8260B		8/20/2009	CJR	1
1,2,4-Trichlorobenzene	< 21	ug/l	21	66	10	8260B		8/20/2009	CJR	1
1,2,3-Trichlorobenzene	< 16	ug/l	16	51	10	8260B		8/20/2009	CJR	1
1,1,1-Trichloroethane	< 4.6	ug/l	4.6	14	10	8260B		8/20/2009	CJR	1
1,1,2-Trichloroethane	< 4.1	ug/l	4.1	13	10	8260B		8/20/2009	CJR	1
Trichloroethene (TCE)	690	ug/l	3.9	12	10	8260B		8/20/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447O  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 7.2	ug/l	7.2	23	10	8260B		8/20/2009	CJR	1
1,2,4-Trimethylbenzene	< 11	ug/l	11	35	10	8260B		8/20/2009	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	49	10	8260B		8/20/2009	CJR	1
Vinyl Chloride	55	ug/l	2	6.4	10	8260B		8/20/2009	CJR	1
m&p-Xylene	< 16	ug/l	16	51	10	8260B		8/20/2009	CJR	1
o-Xylene	< 5.3	ug/l	5.3	17	10	8260B		8/20/2009	CJR	1

Lab Code 5019447P  
 Sample ID PZ-1  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	7.7	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447P  
 Sample ID PZ-1  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	<0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	<1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	<0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	<0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	<0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethene	4.3	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	<0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	<2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	<0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	0.96 "J"	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	<0.72	ug/l	0.72	2.3	1	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	<1.1	ug/l	1.1	3.5	1	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.9	1	8260B		8/19/2009	CJR	1
Vinyl Chloride	<0.2	ug/l	0.2	0.64	1	8260B		8/19/2009	CJR	1
m&p-Xylene	<1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
o-Xylene	<0.53	ug/l	0.53	1.7	1	8260B		8/19/2009	CJR	1

Lab Code 5019447Q  
 Sample ID PZ-2  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<2.05	ug/l	2.05	6.5	5	8260B		8/25/2009	CJR	1
Bromobenzene	<2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
Bromodichloromethane	<2.05	ug/l	2.05	6.5	5	8260B		8/25/2009	CJR	1
Bromoform	<2.3	ug/l	2.3	7.5	5	8260B		8/25/2009	CJR	1
tert-Butylbenzene	<2.3	ug/l	2.3	7.5	5	8260B		8/25/2009	CJR	1
sec-Butylbenzene	<2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
n-Butylbenzene	<7.5	ug/l	7.5	24	5	8260B		8/25/2009	CJR	1
Carbon Tetrachloride	<2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
Chlorobenzene	<1.95	ug/l	1.95	6	5	8260B		8/25/2009	CJR	1
Chloroethane	<7.5	ug/l	7.5	24	5	8260B		8/25/2009	CJR	1
Chloroform	<2.4	ug/l	2.4	7.5	5	8260B		8/25/2009	CJR	1
Chloromethane	<2.5	ug/l	2.5	8	5	8260B		8/25/2009	CJR	1
2-Chlorotoluene	<1.85	ug/l	1.85	6	5	8260B		8/25/2009	CJR	1
4-Chlorotoluene	<3.15	ug/l	3.15	10	5	8260B		8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	<10	ug/l	10	31.5	5	8260B		8/25/2009	CJR	1
Dibromochloromethane	<3.8	ug/l	3.8	12	5	8260B		8/25/2009	CJR	1
1,4-Dichlorobenzene	<3.85	ug/l	3.85	12.5	5	8260B		8/25/2009	CJR	1
1,3-Dichlorobenzene	<1.7	ug/l	1.7	5.5	5	8260B		8/25/2009	CJR	1
1,2-Dichlorobenzene	<3.3	ug/l	3.3	10.5	5	8260B		8/25/2009	CJR	1
Dichlorodifluoromethane	<2.25	ug/l	2.25	7	5	8260B		8/25/2009	CJR	1
1,2-Dichloroethane	<2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
1,1-Dichloroethane	<2.2	ug/l	2.2	7	5	8260B		8/25/2009	CJR	1
1,1-Dichloroethene	<2.35	ug/l	2.35	7.5	5	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447Q  
 Sample ID PZ-2  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	79	ug/l	3.4	11	5	8260B		8/25/2009	CJR	1
trans-1,2-Dichloroethene	3.5 "J"	ug/l	3.05	9.5	5	8260B		8/25/2009	CJR	1
1,2-Dichloropropane	< 1.3	ug/l	1.3	4.1	5	8260B		8/25/2009	CJR	1
2,2-Dichloropropane	< 4.45	ug/l	4.45	14	5	8260B		8/25/2009	CJR	1
1,3-Dichloropropane	< 2.45	ug/l	2.45	8	5	8260B		8/25/2009	CJR	1
Di-isopropyl ether	< 1.6	ug/l	1.6	5	5	8260B		8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	< 2.6	ug/l	2.6	8	5	8260B		8/25/2009	CJR	1
Ethylbenzene	< 4.35	ug/l	4.35	14	5	8260B		8/25/2009	CJR	1
Hexachlorobutadiene	< 7.5	ug/l	7.5	23.5	5	8260B		8/25/2009	CJR	1
Isopropylbenzene	< 1.95	ug/l	1.95	6	5	8260B		8/25/2009	CJR	1
p-Isopropyltoluene	< 2.85	ug/l	2.85	9	5	8260B		8/25/2009	CJR	1
Methylene chloride	< 7.5	ug/l	7.5	24	5	8260B		8/25/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.5	ug/l	2.5	8	5	8260B		8/25/2009	CJR	1
Naphthalene	< 8.5	ug/l	8.5	27	5	8260B		8/25/2009	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5	5	8260B		8/25/2009	CJR	-1
1,1,2,2-Tetrachloroethane	< 2.75	ug/l	2.75	9	5	8260B		8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 2.7	ug/l	2.7	8.5	5	8260B		8/25/2009	CJR	1
Tetrachloroethene	< 2.1	ug/l	2.1	6.5	5	8260B		8/25/2009	CJR	1
Toluene	< 2.55	ug/l	2.55	8	5	8260B		8/25/2009	CJR	1
1,2,4-Trichlorobenzene	< 10.5	ug/l	10.5	33	5	8260B		8/25/2009	CJR	1
1,2,3-Trichlorobenzene	< 8	ug/l	8	25.5	5	8260B		8/25/2009	CJR	1
1,1,1-Trichloroethane	< 2.3	ug/l	2.3	7	5	8260B		8/25/2009	CJR	1
1,1,2-Trichloroethane	< 2.05	ug/l	2.05	6.5	5	8260B		8/25/2009	CJR	1
Trichloroethene (TCE)	< 1.95	ug/l	1.95	6	5	8260B		8/25/2009	CJR	1
Trichlorofluoromethane	< 3.6	ug/l	3.6	11.5	5	8260B		8/25/2009	CJR	1
1,2,4-Trimethylbenzene	< 5.5	ug/l	5.5	17.5	5	8260B		8/25/2009	CJR	1
1,3,5-Trimethylbenzene	< 7.5	ug/l	7.5	24.5	5	8260B		8/25/2009	CJR	1
Vinyl Chloride	15.5	ug/l	1	3.2	5	8260B		8/25/2009	CJR	1
m&p-Xylene	< 8	ug/l	8	25.5	5	8260B		8/25/2009	CJR	1
o-Xylene	< 2.65	ug/l	2.65	8.5	5	8260B		8/25/2009	CJR	1

Lab Code 5019447R  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 41	ug/l	41	130	100	8260B		8/25/2009	CJR	1
Bromobenzene	< 43	ug/l	43	140	100	8260B		8/25/2009	CJR	1
Bromodichloromethane	< 41	ug/l	41	130	100	8260B		8/25/2009	CJR	1
Bromoform	< 46	ug/l	46	150	100	8260B		8/25/2009	CJR	1
tert-Butylbenzene	< 46	ug/l	46	150	100	8260B		8/25/2009	CJR	1
sec-Butylbenzene	< 43	ug/l	43	140	100	8260B		8/25/2009	CJR	1
n-Butylbenzene	< 150	ug/l	150	480	100	8260B		8/25/2009	CJR	1
Carbon Tetrachloride	< 43	ug/l	43	140	100	8260B		8/25/2009	CJR	1
Chlorobenzene	< 39	ug/l	39	120	100	8260B		8/25/2009	CJR	1
Chloroethane	< 150	ug/l	150	480	100	8260B		8/25/2009	CJR	1
Chloroform	< 48	ug/l	48	150	100	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447R  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 50	ug/l	50	160	100	8260B		8/25/2009	CJR	1
2-Chlorotoluene	< 37	ug/l	37	120	100	8260B		8/25/2009	CJR	1
4-Chlorotoluene	< 63	ug/l	63	200	100	8260B		8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 200	ug/l	200	630	100	8260B		8/25/2009	CJR	1
Dibromochloromethane	< 76	ug/l	76	240	100	8260B		8/25/2009	CJR	1
1,4-Dichlorobenzene	< 77	ug/l	77	250	100	8260B		8/25/2009	CJR	1
1,3-Dichlorobenzene	< 34	ug/l	34	110	100	8260B		8/25/2009	CJR	1
1,2-Dichlorobenzene	< 66	ug/l	66	210	100	8260B		8/25/2009	CJR	1
Dichlorodifluoromethane	< 45	ug/l	45	140	100	8260B		8/25/2009	CJR	1
1,2-Dichloroethane	< 43	ug/l	43	140	100	8260B		8/25/2009	CJR	1
1,1-Dichloroethane	< 44	ug/l	44	140	100	8260B		8/25/2009	CJR	1
1,1-Dichloroethene	< 47	ug/l	47	150	100	8260B		8/25/2009	CJR	1
cis-1,2-Dichloroethene	< 68	ug/l	68	220	100	8260B		8/25/2009	CJR	1
trans-1,2-Dichloroethene	< 61	ug/l	61	190	100	8260B		8/25/2009	CJR	1
1,2-Dichloropropane	< 26	ug/l	26	82	100	8260B		8/25/2009	CJR	1
2,2-Dichloropropane	< 89	ug/l	89	280	100	8260B		8/25/2009	CJR	1
1,3-Dichloropropane	< 49	ug/l	49	160	100	8260B		8/25/2009	CJR	1
Di-isopropyl ether	< 32	ug/l	32	100	100	8260B		8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	< 52	ug/l	52	160	100	8260B		8/25/2009	CJR	1
Ethylbenzene	2900	ug/l	87	280	100	8260B		8/25/2009	CJR	1
Hexachlorobutadiene	< 150	ug/l	150	470	100	8260B		8/25/2009	CJR	1
Isopropylbenzene	79 "J"	ug/l	39	120	100	8260B		8/25/2009	CJR	1
p-Isopropyltoluene	< 57	ug/l	57	180	100	8260B		8/25/2009	CJR	1
Methylene chloride	< 150	ug/l	150	480	100	8260B		8/25/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 50	ug/l	50	160	100	8260B		8/25/2009	CJR	1
Naphthalene	350 "J"	ug/l	170	540	100	8260B		8/25/2009	CJR	1
n-Propylbenzene	232	ug/l	33	100	100	8260B		8/25/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 55	ug/l	55	180	100	8260B		8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 54	ug/l	54	170	100	8260B		8/25/2009	CJR	1
Tetrachloroethene	< 42	ug/l	42	130	100	8260B		8/25/2009	CJR	1
Toluene	580	ug/l	51	160	100	8260B		8/25/2009	CJR	1
1,2,4-Trichlorobenzene	< 210	ug/l	210	660	100	8260B		8/25/2009	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	510	100	8260B		8/25/2009	CJR	1
1,1,1-Trichloroethane	< 46	ug/l	46	140	100	8260B		8/25/2009	CJR	1
1,1,2-Trichloroethane	< 41	ug/l	41	130	100	8260B		8/25/2009	CJR	1
Trichloroethene (TCE)	< 39	ug/l	39	120	100	8260B		8/25/2009	CJR	1
Trichlorofluoromethane	< 72	ug/l	72	230	100	8260B		8/25/2009	CJR	1
1,2,4-Trimethylbenzene	1460	ug/l	110	350	100	8260B		8/25/2009	CJR	1
1,3,5-Trimethylbenzene	330 "J"	ug/l	150	490	100	8260B		8/25/2009	CJR	1
Vinyl Chloride	< 20	ug/l	20	64	100	8260B		8/25/2009	CJR	1
m&p-Xylene	9500	ug/l	160	510	100	8260B		8/25/2009	CJR	1
o-Xylene	3600	ug/l	53	170	100	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447S  
 Sample ID EQUIPMENT  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		8/19/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447S  
 Sample ID EQUIPMENT  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B	8/19/2009	8/19/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B	8/19/2009	8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B	8/19/2009	8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B	8/19/2009	8/19/2009	CJR	1

Lab Code 5019447T  
 Sample ID TRIP  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B	8/19/2009	8/19/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B	8/19/2009	8/19/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B	8/19/2009	8/19/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B	8/19/2009	8/19/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	8/19/2009	8/19/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B	8/19/2009	8/19/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B	8/19/2009	8/19/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B	8/19/2009	8/19/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B	8/19/2009	8/19/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B	8/19/2009	8/19/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B	8/19/2009	8/19/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B	8/19/2009	8/19/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B	8/19/2009	8/19/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B	8/19/2009	8/19/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447T  
 Sample ID TRIP  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		8/19/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		8/19/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/19/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		8/19/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		8/19/2009	CJR	1
Tetrachloroethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/19/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		8/19/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		8/19/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		8/19/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/19/2009	CJR	1
Trichloroethene (TCE)	0.43 "J"	ug/l	0.39	1.2	1	8260B		8/19/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		8/19/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		8/19/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		8/19/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		8/19/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		8/19/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		8/19/2009	CJR	1

Lab Code 5019447U  
 Sample ID MW-13  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Organic</b>										
<b>VOC's</b>										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		8/25/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/25/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/25/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		8/25/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		8/25/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		8/25/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		8/25/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		8/25/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/25/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		8/25/2009	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B		8/25/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/25/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		8/25/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		8/25/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/25/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		8/25/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		8/25/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		8/25/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/25/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		8/25/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		8/25/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447U  
 Sample ID MW-13  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		8/25/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		8/25/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		8/25/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		8/25/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		8/25/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		8/25/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		8/25/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		8/25/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/25/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		8/25/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		8/25/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		8/25/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		8/25/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		8/25/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		8/25/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		8/25/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		8/25/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		8/25/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		8/25/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		8/25/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/25/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		8/25/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		8/25/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		8/25/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		8/25/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		8/25/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		8/25/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		8/25/2009	CJR	1

Lab Code 5019447V  
 Sample ID MW-14  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.05	ug/l	2.05	6.5	5	8260B		8/25/2009	CJR	1
Bromobenzene	< 2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
Bromodichloromethane	< 2.05	ug/l	2.05	6.5	5	8260B		8/25/2009	CJR	1
Bromoform	< 2.3	ug/l	2.3	7.5	5	8260B		8/25/2009	CJR	1
tert-Butylbenzene	< 2.3	ug/l	2.3	7.5	5	8260B		8/25/2009	CJR	1
sec-Butylbenzene	< 2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
n-Butylbenzene	< 7.5	ug/l	7.5	24	5	8260B		8/25/2009	CJR	1
Carbon Tetrachloride	< 2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		8/25/2009	CJR	1
Chloroethane	< 7.5	ug/l	7.5	24	5	8260B		8/25/2009	CJR	1
Chloroform	< 2.4	ug/l	2.4	7.5	5	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E19447

Lab Code 5019447V  
 Sample ID MW-14  
 Sample Matrix Water  
 Sample Date 8/18/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	<2.5	ug/l	2.5	8	5	8260B		8/25/2009	CJR	1
2-Chlorotoluene	<1.85	ug/l	1.85	6	5	8260B		8/25/2009	CJR	1
4-Chlorotoluene	<3.15	ug/l	3.15	10	5	8260B		8/25/2009	CJR	1
1,2-Dibromo-3-chloropropane	<10	ug/l	10	31.5	5	8260B		8/25/2009	CJR	1
Dibromochloromethane	<3.8	ug/l	3.8	12	5	8260B		8/25/2009	CJR	1
1,4-Dichlorobenzene	<3.85	ug/l	3.85	12.5	5	8260B		8/25/2009	CJR	1
1,3-Dichlorobenzene	<1.7	ug/l	1.7	5.5	5	8260B		8/25/2009	CJR	1
1,2-Dichlorobenzene	<3.3	ug/l	3.3	10.5	5	8260B		8/25/2009	CJR	1
Dichlorodifluoromethane	<2.25	ug/l	2.25	7	5	8260B		8/25/2009	CJR	1
1,2-Dichloroethane	<2.15	ug/l	2.15	7	5	8260B		8/25/2009	CJR	1
1,1-Dichloroethane	<2.2	ug/l	2.2	7	5	8260B		8/25/2009	CJR	1
1,1-Dichloroethene	<2.35	ug/l	2.35	7.5	5	8260B		8/25/2009	CJR	1
cis-1,2-Dichloroethene	151	ug/l	3.4	11	5	8260B		8/25/2009	CJR	1
trans-1,2-Dichloroethene	15.5	ug/l	3.05	9.5	5	8260B		8/25/2009	CJR	1
1,2-Dichloropropane	<1.3	ug/l	1.3	4.1	5	8260B		8/25/2009	CJR	1
2,2-Dichloropropane	<4.45	ug/l	4.45	14	5	8260B		8/25/2009	CJR	1
1,3-Dichloropropane	<2.45	ug/l	2.45	8	5	8260B		8/25/2009	CJR	1
Di-isopropyl ether	<1.6	ug/l	1.6	5	5	8260B		8/25/2009	CJR	1
EDB (1,2-Dibromoethane)	<2.6	ug/l	2.6	8	5	8260B		8/25/2009	CJR	1
Ethylbenzene	<4.35	ug/l	4.35	14	5	8260B		8/25/2009	CJR	1
Hexachlorobutadiene	<7.5	ug/l	7.5	23.5	5	8260B		8/25/2009	CJR	1
Isopropylbenzene	<1.95	ug/l	1.95	6	5	8260B		8/25/2009	CJR	1
p-Isopropyltoluene	<2.85	ug/l	2.85	9	5	8260B		8/25/2009	CJR	1
Methylene chloride	<7.5	ug/l	7.5	24	5	8260B		8/25/2009	CJR	1
Methyl tert-butyl ether (MTBE)	<2.5	ug/l	2.5	8	5	8260B		8/25/2009	CJR	1
Naphthalene	<8.5	ug/l	8.5	27	5	8260B		8/25/2009	CJR	1
n-Propylbenzene	<1.65	ug/l	1.65	5	5	8260B		8/25/2009	CJR	1
1,1,2,2-Tetrachloroethane	<2.75	ug/l	2.75	9	5	8260B		8/25/2009	CJR	1
1,1,1,2-Tetrachloroethane	<2.7	ug/l	2.7	8.5	5	8260B		8/25/2009	CJR	1
Tetrachloroethene	<2.1	ug/l	2.1	6.5	5	8260B		8/25/2009	CJR	1
Toluene	<2.55	ug/l	2.55	8	5	8260B		8/25/2009	CJR	1
1,2,4-Trichlorobenzene	<10.5	ug/l	10.5	33	5	8260B		8/25/2009	CJR	1
1,2,3-Trichlorobenzene	<8	ug/l	8	25.5	5	8260B		8/25/2009	CJR	1
1,1,1-Trichloroethane	<2.3	ug/l	2.3	7	5	8260B		8/25/2009	CJR	1
1,1,2-Trichloroethane	<2.05	ug/l	2.05	6.5	5	8260B		8/25/2009	CJR	1
Trichloroethene (TCE)	<1.95	ug/l	1.95	6	5	8260B		8/25/2009	CJR	1
Trichlorofluoromethane	<3.6	ug/l	3.6	11.5	5	8260B		8/25/2009	CJR	1
1,2,4-Trimethylbenzene	<5.5	ug/l	5.5	17.5	5	8260B		8/25/2009	CJR	1
1,3,5-Trimethylbenzene	<7.5	ug/l	7.5	24.5	5	8260B		8/25/2009	CJR	1
Vinyl Chloride	32	ug/l	1	3.2	5	8260B		8/25/2009	CJR	1
m&p-Xylene	<8	ug/l	8	25.5	5	8260B		8/25/2009	CJR	1
o-Xylene	<2.65	ug/l	2.65	8.5	5	8260B		8/25/2009	CJR	1

Project Name MASTER DRY CLEANERS  
Project # 9923/10221

Invoice # E19447

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

*Code*      *Comment*


1      Laboratory QC within limits.

6      The surrogate recovery not within established limits.

ESC denotes sub contract lab - Certification #998093910

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature







CHAIN OF CUSTODY RECORD

# Synergy

## Environmental Lab, Inc.

Chain # No. 171

Page 3 of 3

Lab I.D. # \_\_\_\_\_  
 Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: 9923/1022  
 Sampler: (signature) *[Signature]*

1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required \_\_\_\_\_  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Project (Name / Location): MASTER Dry CLEANERS WAUKESHA WI | Analysis Requested \_\_\_\_\_ Other Analysis \_\_\_\_\_

Reports To: MARY TROTTA Invoice To: \_\_\_\_\_  
 Company SIGMA ENV. Company \_\_\_\_\_  
 Address 1300 W. CANAL ST Address SAME  
 City State Zip MILW WI 53233 City State Zip \_\_\_\_\_  
 Phone 414-643-4200 Phone \_\_\_\_\_  
 FAX 4210 FAX \_\_\_\_\_

DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	NITRATE / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID / FID
										X		
										X		

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
Sol 9447-14	MW-13	8-18			X	N	3	WATER	HCL
V	MW-14	8-18			X	N	3	WATER	HCL

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: Dry Ice  
 Temp. of Temp. Blank: C On Ice:   
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]* Time: 2:30 Date: 8-18  
 Received By: (sign) \_\_\_\_\_ Time: 8:45 Date: 8/19/07  
 Received In Laboratory By: *[Signature]* Time: \_\_\_\_\_ Date: \_\_\_\_\_

# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 26-Sep-08

Project Name MASTER DRY CLEANING  
Project # 9923/10221

Invoice # E17827

Lab Code 5017827A  
Sample ID SMW-1  
Sample Matrix Water  
Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.38 "J"	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	1.64 "J"	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	1.06 "J"	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827A  
 Sample ID SMW-1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	23.6	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	14.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	2.19 "J"	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	31.5	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	0.60 "J"	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	0.62 "J"	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	0.83 "J"	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	2.47 "J"	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Lab Code 5017827B  
 Sample ID SMW-2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827B  
 Sample ID SMW-2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	0.37 "J"	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	1.01 "J"	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Lab Code 5017827C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	292	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
VOC's										
Benzene	175	ug/l	4.8	15	20	8260B		9/16/2008	CJR	1
Bromobenzene	< 8.8	ug/l	8.8	28	20	8260B		9/16/2008	CJR	1
Bromodichloromethane	< 6	ug/l	6	18.8	20	8260B		9/16/2008	CJR	1
Bromoform	< 14	ug/l	14	44	20	8260B		9/16/2008	CJR	1
tert-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		9/16/2008	CJR	1
sec-Butylbenzene	< 14.6	ug/l	14.6	46	20	8260B		9/16/2008	CJR	1
n-Butylbenzene	< 11	ug/l	11	36	20	8260B		9/16/2008	CJR	1
Carbon Tetrachloride	< 6	ug/l	6	19.2	20	8260B		9/16/2008	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		9/16/2008	CJR	1
Chloroethane	< 19.4	ug/l	19.4	62	20	8260B		9/16/2008	CJR	1
Chloroform	< 9.4	ug/l	9.4	30	20	8260B		9/16/2008	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		9/16/2008	CJR	1
2-Chlorotoluene	< 8.2	ug/l	8.2	26	20	8260B		9/16/2008	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		9/16/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 34	ug/l	34	110	20	8260B		9/16/2008	CJR	1
Dibromochloromethane	< 8	ug/l	8	26	20	8260B		9/16/2008	CJR	1
1,4-Dichlorobenzene	< 14.8	ug/l	14.8	46	20	8260B		9/16/2008	CJR	1
1,3-Dichlorobenzene	< 13.4	ug/l	13.4	42	20	8260B		9/16/2008	CJR	1
1,2-Dichlorobenzene	< 17.6	ug/l	17.6	56	20	8260B		9/16/2008	CJR	1
Dichlorodifluoromethane	< 15.2	ug/l	15.2	48	20	8260B		9/16/2008	CJR	1
1,2-Dichloroethane	< 8.2	ug/l	8.2	26	20	8260B		9/16/2008	CJR	1
1,1-Dichloroethane	< 11.8	ug/l	11.8	38	20	8260B		9/16/2008	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		9/16/2008	CJR	1
cis-1,2-Dichloroethene	2040	ug/l	8.8	28	20	8260B		9/16/2008	CJR	1
trans-1,2-Dichloroethene	< 12.2	ug/l	12.2	40	20	8260B		9/16/2008	CJR	1
1,2-Dichloropropane	< 5.4	ug/l	5.4	17	20	8260B		9/16/2008	CJR	1
2,2-Dichloropropane	< 10.6	ug/l	10.6	34	20	8260B		9/16/2008	CJR	1
1,3-Dichloropropane	< 8	ug/l	8	26	20	8260B		9/16/2008	CJR	1
Di-isopropyl ether	< 7.4	ug/l	7.4	24	20	8260B		9/16/2008	CJR	1
EDB (1,2-Dibromoethane)	< 15.2	ug/l	15.2	48	20	8260B		9/16/2008	CJR	1
Ethylbenzene	148	ug/l	7	22	20	8260B		9/16/2008	CJR	1
Hexachlorobutadiene	< 34	ug/l	34	106	20	8260B		9/16/2008	CJR	1
Isopropylbenzene	< 12	ug/l	12	38	20	8260B		9/16/2008	CJR	1
p-Isopropyltoluene	< 15.4	ug/l	15.4	50	20	8260B		9/16/2008	CJR	1
Methylene chloride	< 19.8	ug/l	19.8	62	20	8260B		9/16/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44	20	8260B		9/16/2008	CJR	1
Naphthalene	< 36	ug/l	36	114	20	8260B		9/16/2008	CJR	1
n-Propylbenzene	14 "J"	ug/l	10.8	34	20	8260B		9/16/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 10	ug/l	10	32	20	8260B		9/16/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 6.4	ug/l	6.4	20	20	8260B		9/16/2008	CJR	1
Tetrachloroethene	81	ug/l	10	32	20	8260B		9/16/2008	CJR	1
Toluene	20.2 "J"	ug/l	7.8	24	20	8260B		9/16/2008	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	20	8260B		9/16/2008	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B		9/16/2008	CJR	1
1,1,1-Trichloroethane	< 5.6	ug/l	5.6	18	20	8260B		9/16/2008	CJR	1
1,1,2-Trichloroethane	< 7.8	ug/l	7.8	24	20	8260B		9/16/2008	CJR	1
Trichloroethene (TCE)	274	ug/l	9.4	30	20	8260B		9/16/2008	CJR	1
Trichlorofluoromethane	< 16.2	ug/l	16.2	52	20	8260B		9/16/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trimethylbenzene	42	ug/l	10.2	32	20	8260B		9/16/2008	CJR	1
1,3,5-Trimethylbenzene	11.4 "J"	ug/l	4.6	14.8	20	8260B		9/16/2008	CJR	1
Vinyl Chloride	227	ug/l	4	12.6	20	8260B		9/16/2008	CJR	1
m&p-Xylene	40 "J"	ug/l	20	64	20	8260B		9/16/2008	CJR	1
o-Xylene	14.6 "J"	ug/l	13.4	42	20	8260B		9/16/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	4.23	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827D  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 12	ug/l	12	37.5	50	8260B		9/15/2008	CJR	1
Bromobenzene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 15	ug/l	15	47	50	8260B		9/15/2008	CJR	1
Bromoform	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 36.5	ug/l	36.5	115	50	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 27.5	ug/l	27.5	90	50	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Chloroethane	< 48.5	ug/l	48.5	155	50	8260B		9/15/2008	CJR	1
Chloroform	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 85	ug/l	85	275	50	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 37	ug/l	37	115	50	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	140	50	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 29.5	ug/l	29.5	95	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	5600	ug/l	22	70	50	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	123	ug/l	30.5	100	50	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 13.5	ug/l	13.5	42.5	50	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 26.5	ug/l	26.5	85	50	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
Ethylbenzene	107	ug/l	17.5	55	50	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827D  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 30	ug/l	30	95	50	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B		9/15/2008	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
Naphthalene	< 90	ug/l	90	285	50	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 27	ug/l	27	85	50	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
Tetrachloroethene	560	ug/l	25	80	50	8260B		9/15/2008	CJR	1
Toluene	254	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	400	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	36 "J"	ug/l	25.5	80	50	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	13.5 "J"	ug/l	11.5	37	50	8260B		9/15/2008	CJR	1
Vinyl Chloride	44	ug/l	10	31.5	50	8260B		9/15/2008	CJR	1
m&p-Xylene	284	ug/l	50	160	50	8260B		9/15/2008	CJR	1
o-Xylene	127	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1

Lab Code 5017827E  
 Sample ID SMW-5  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
<b>Inorganic</b>										
<b>Metals</b>										
Manganese, Dissolved	< 4.8	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
<b>Organic</b>										
<b>GASES</b>										
Ethane	< 0.25	ug/l	0.25	0.78	1	8015		9/24/2008	MJR	1
Ethene	< 0.25	ug/l	0.25	0.78	1	8015		9/24/2008	MJR	1
Methane	2.3	ug/l	0.1	0.3	1	8015		9/24/2008	MJR	1
<b>VOC's</b>										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827E  
 Sample ID SMW-5  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	0.53 "J"	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	0.44 "J"	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	1.17	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	18.1	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Project Name MASTER DRY CLEANING

Invoice # E17827

Project # 9923/10221

Lab Code 5017827F

Sample ID SMW-6

Sample Matrix Water

Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	1.33 "J"	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827F  
 Sample ID SMW-6  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Lab Code 5017827G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	3.2	ug/l	0.7	2.5	1	SW846 7421		9/23/2008	CWT	1
Manganese, Dissolved	92.5	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
VOC's										
Benzene	18 "J"	ug/l	12	37.5	50	8260B		9/15/2008	CJR	1
Bromobenzene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 15	ug/l	15	47	50	8260B		9/15/2008	CJR	1
Bromoform	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 36.5	ug/l	36.5	115	50	8260B		9/15/2008	CJR	1
n-Butylbenzene	53 "J"	ug/l	27.5	90	50	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Chloroethane	< 48.5	ug/l	48.5	155	50	8260B		9/15/2008	CJR	1
Chloroform	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 85	ug/l	85	275	50	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 37	ug/l	37	115	50	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	140	50	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 29.5	ug/l	29.5	95	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	100	50	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 13.5	ug/l	13.5	42.5	50	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 26.5	ug/l	26.5	85	50	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Ethylbenzene	3500	ug/l	17.5	55	50	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B		9/15/2008	CJR	1
Isopropylbenzene	108	ug/l	30	95	50	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B		9/15/2008	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
Naphthalene	400	ug/l	90	285	50	8260B		9/15/2008	CJR	1
n-Propylbenzene	330	ug/l	27	85	50	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
Tetrachloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
Toluene	860	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	2090	ug/l	25.5	80	50	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	550	ug/l	11.5	37	50	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B		9/15/2008	CJR	1
m&p-Xylene	11200	ug/l	50	160	50	8260B		9/15/2008	CJR	1
o-Xylene	4700	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.10 "J"	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	4.34	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	116	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
VOC's										
Benzene	770	ug/l	12	37.5	50	8260B		9/15/2008	CJR	1
Bromobenzene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 15	ug/l	15	47	50	8260B		9/15/2008	CJR	1
Bromoform	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 36.5	ug/l	36.5	115	50	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 27.5	ug/l	27.5	90	50	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Chloroethane	< 48.5	ug/l	48.5	155	50	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloroform	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 85	ug/l	85	275	50	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 37	ug/l	37	115	50	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	140	50	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 29.5	ug/l	29.5	95	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	100	50	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 13.5	ug/l	13.5	42.5	50	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 26.5	ug/l	26.5	85	50	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
Ethylbenzene	68	ug/l	17.5	55	50	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 30	ug/l	30	95	50	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B		9/15/2008	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
Naphthalene	90 "J"	ug/l	90	285	50	8260B		9/15/2008	CJR	1
n-Propylbenzene	64 "J"	ug/l	27	85	50	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
Tetrachloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
Toluene	64	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	238	ug/l	25.5	80	50	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	81	ug/l	11.5	37	50	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B		9/15/2008	CJR	1
m&p-Xylene	149 "J"	ug/l	50	160	50	8260B		9/15/2008	CJR	1
o-Xylene	39 "J"	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	1.82 "J"	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	447	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
GASES										
Ethane	11	ug/l	0.25	0.78	1	8015		9/24/2008	MJR	1
Ethene	1.7	ug/l	0.25	0.78	1	8015		9/24/2008	MJR	1
Methane	28	ug/l	0.1	0.3	1	8015		9/24/2008	MJR	1
VOC's										
Benzene	< 120	ug/l	120	375	500	8260B		9/15/2008	CJR	1
Bromobenzene	< 220	ug/l	220	700	500	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 150	ug/l	150	470	500	8260B		9/15/2008	CJR	1
Bromoform	< 350	ug/l	350	1100	500	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 160	ug/l	160	500	500	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 365	ug/l	365	1150	500	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 275	ug/l	275	900	500	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 150	ug/l	150	480	500	8260B		9/15/2008	CJR	1
Chlorobenzene	< 195	ug/l	195	600	500	8260B		9/15/2008	CJR	1
Chloroethane	< 485	ug/l	485	1550	500	8260B		9/15/2008	CJR	1
Chloroform	< 235	ug/l	235	750	500	8260B		9/15/2008	CJR	1
Chloromethane	< 250	ug/l	250	800	500	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 205	ug/l	205	650	500	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 150	ug/l	150	480	500	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 850	ug/l	850	2750	500	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 200	ug/l	200	650	500	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 370	ug/l	370	1150	500	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 335	ug/l	335	1050	500	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 440	ug/l	440	1400	500	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 380	ug/l	380	1200	500	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 205	ug/l	205	650	500	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 295	ug/l	295	950	500	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 250	ug/l	250	800	500	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	6500	ug/l	220	700	500	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 305	ug/l	305	1000	500	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 135	ug/l	135	425	500	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 265	ug/l	265	850	500	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 200	ug/l	200	650	500	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 185	ug/l	185	600	500	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 380	ug/l	380	1200	500	8260B		9/15/2008	CJR	1
Ethylbenzene	< 175	ug/l	175	550	500	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 850	ug/l	850	2650	500	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 300	ug/l	300	950	500	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 385	ug/l	385	1250	500	8260B		9/15/2008	CJR	1
Methylene chloride	< 495	ug/l	495	1550	500	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 350	ug/l	350	1100	500	8260B		9/15/2008	CJR	1
Naphthalene	< 900	ug/l	900	2850	500	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 270	ug/l	270	850	500	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 250	ug/l	250	800	500	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 160	ug/l	160	500	500	8260B		9/15/2008	CJR	1
Tetrachloroethene	44000	ug/l	250	800	500	8260B		9/15/2008	CJR	1
Toluene	< 195	ug/l	195	600	500	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 550	ug/l	550	1750	500	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 800	ug/l	800	2500	500	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 140	ug/l	140	450	500	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 195	ug/l	195	600	500	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	4000	ug/l	235	750	500	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 405	ug/l	405	1300	500	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 255	ug/l	255	800	500	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 115	ug/l	115	370	500	8260B		9/15/2008	CJR	1
Vinyl Chloride	185 "J"	ug/l	100	315	500	8260B		9/15/2008	CJR	1
m&p-Xylene	< 500	ug/l	500	1600	500	8260B		9/15/2008	CJR	1
o-Xylene	< 335	ug/l	335	1050	500	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	1.22	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	38.6	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827J  
 Sample ID SMW-10  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	11.6	ug/l	0.7	2.5	1	SW846 7421		9/23/2008	CWT	1
Manganese, Dissolved	174	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
VOC's										
Benzene	24.5 "J"	ug/l	12	37.5	50	8260B		9/15/2008	CJR	1
Bromobenzene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 15	ug/l	15	47	50	8260B		9/15/2008	CJR	1
Bromoform	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 36.5	ug/l	36.5	115	50	8260B		9/15/2008	CJR	1
n-Butylbenzene	66 "J"	ug/l	27.5	90	50	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Chloroethane	< 48.5	ug/l	48.5	155	50	8260B		9/15/2008	CJR	1
Chloroform	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 85	ug/l	85	275	50	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 37	ug/l	37	115	50	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827J  
 Sample ID SMW-10  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichlorobenzene	< 44	ug/l	44	140	50	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 29.5	ug/l	29.5	95	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 30.5	ug/l	30.5	100	50	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 13.5	ug/l	13.5	42.5	50	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 26.5	ug/l	26.5	85	50	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
Ethylbenzene	2470	ug/l	17.5	55	50	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B		9/15/2008	CJR	1
Isopropylbenzene	130	ug/l	30	95	50	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B		9/15/2008	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
Naphthalene	312	ug/l	90	285	50	8260B		9/15/2008	CJR	1
n-Propylbenzene	360	ug/l	27	85	50	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
Tetrachloroethene	7700	ug/l	25	80	50	8260B		9/15/2008	CJR	1
Toluene	1140	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	139	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	1880	ug/l	25.5	80	50	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	480	ug/l	11.5	37	50	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B		9/15/2008	CJR	1
m&p-Xylene	5900	ug/l	50	160	50	8260B		9/15/2008	CJR	1
o-Xylene	2830	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	< 0.1	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	8.13	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827K  
 Sample ID SMW-11  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Lead, Dissolved	< 0.7	ug/l	0.7	2.5	1	SW846 7421		9/23/2008	CWT	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827K  
 Sample ID SMW-11  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Manganese, Dissolved	104	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
VOC's										
Benzene	< 4.8	ug/l	4.8	15	20	8260B		9/15/2008	CJR	1
Bromobenzene	< 8.8	ug/l	8.8	28	20	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 6	ug/l	6	18.8	20	8260B		9/15/2008	CJR	1
Bromoform	< 14	ug/l	14	44	20	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 6.4	ug/l	6.4	20	20	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 14.6	ug/l	14.6	46	20	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 11	ug/l	11	36	20	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 6	ug/l	6	19.2	20	8260B		9/15/2008	CJR	1
Chlorobenzene	< 7.8	ug/l	7.8	24	20	8260B		9/15/2008	CJR	1
Chloroethane	< 19.4	ug/l	19.4	62	20	8260B		9/15/2008	CJR	1
Chloroform	< 9.4	ug/l	9.4	30	20	8260B		9/15/2008	CJR	1
Chloromethane	< 10	ug/l	10	32	20	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 8.2	ug/l	8.2	26	20	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 6	ug/l	6	19.2	20	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 34	ug/l	34	110	20	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 8	ug/l	8	26	20	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 14.8	ug/l	14.8	46	20	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 13.4	ug/l	13.4	42	20	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 17.6	ug/l	17.6	56	20	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 15.2	ug/l	15.2	48	20	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 8.2	ug/l	8.2	26	20	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 11.8	ug/l	11.8	38	20	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 10	ug/l	10	32	20	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	90	ug/l	8.8	28	20	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 12.2	ug/l	12.2	40	20	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 5.4	ug/l	5.4	17	20	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 10.6	ug/l	10.6	34	20	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 8	ug/l	8	26	20	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 7.4	ug/l	7.4	24	20	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 15.2	ug/l	15.2	48	20	8260B		9/15/2008	CJR	1
Ethylbenzene	< 7	ug/l	7	22	20	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 34	ug/l	34	106	20	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 12	ug/l	12	38	20	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 15.4	ug/l	15.4	50	20	8260B		9/15/2008	CJR	1
Methylene chloride	< 19.8	ug/l	19.8	62	20	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44	20	8260B		9/15/2008	CJR	1
Naphthalene	< 36	ug/l	36	114	20	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 10.8	ug/l	10.8	34	20	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 10	ug/l	10	32	20	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 6.4	ug/l	6.4	20	20	8260B		9/15/2008	CJR	1
Tetrachloroethene	266	ug/l	10	32	20	8260B		9/15/2008	CJR	1
Toluene	< 7.8	ug/l	7.8	24	20	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 22	ug/l	22	70	20	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 5.6	ug/l	5.6	18	20	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 7.8	ug/l	7.8	24	20	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827K  
 Sample ID SMW-11  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichloroethene (TCE)	220	ug/l	9.4	30	20	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 16.2	ug/l	16.2	52	20	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	10.6 "J"	ug/l	10.2	32	20	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 4.6	ug/l	4.6	14.8	20	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 4	ug/l	4	12.6	20	8260B		9/15/2008	CJR	1
m&p-Xylene	< 20	ug/l	20	64	20	8260B		9/15/2008	CJR	1
o-Xylene	< 13.4	ug/l	13.4	42	20	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	5.11	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	92.8	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827L  
 Sample ID SMW-12  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	109	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827L  
 Sample ID SMW-12  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	0.75 "J"	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	0.59 "J"	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	8.10	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	77.5	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827M  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827M  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloroethane	<0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	<0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	<0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	<0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	<1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	<0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	<0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	<0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	<0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	<0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	<0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	2.08	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	<0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	<0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	<0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	<0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	<0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	<0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	<1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	<0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	<0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	<0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	<0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	<1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	<0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	<0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	22.1	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	<0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	<1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	<0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	<0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	9.8	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	<0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	<0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	1.03	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	<1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	<0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827N  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/16/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/16/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/16/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/16/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/16/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/16/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/16/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/16/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/16/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/16/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/16/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/16/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/16/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/16/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/16/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/16/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/16/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/16/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/16/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/16/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/16/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/16/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/16/2008	CJR	1
cis-1,2-Dichloroethene	0.46 "J"	ug/l	0.44	1.4	1	8260B		9/16/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/16/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/16/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/16/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/16/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/16/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/16/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/16/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/16/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/16/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/16/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/16/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/16/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/16/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		9/16/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/16/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/16/2008	CJR	1
Tetrachloroethene	15.1	ug/l	0.5	1.6	1	8260B		9/16/2008	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		9/16/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/16/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/16/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/16/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/16/2008	CJR	1
Trichloroethene (TCE)	1.62	ug/l	0.47	1.5	1	8260B		9/16/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827N  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	<0.81	ug/l	0.81	2.6	1	8260B		9/16/2008	CJR	1
1,2,4-Trimethylbenzene	<0.51	ug/l	0.51	1.6	1	8260B		9/16/2008	CJR	1
1,3,5-Trimethylbenzene	<0.23	ug/l	0.23	0.74	1	8260B		9/16/2008	CJR	1
Vinyl Chloride	<0.2	ug/l	0.2	0.63	1	8260B		9/16/2008	CJR	1
m&p-Xylene	<1	ug/l	1	3.2	1	8260B		9/16/2008	CJR	1
o-Xylene	<0.67	ug/l	0.67	2.1	1	8260B		9/16/2008	CJR	1

Lab Code 5017827O  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Inorganic										
Metals										
Manganese, Dissolved	678	ug/l	4.8	15.4	1	200.7		9/18/2008	CWT	1
Organic										
GASES										
Ethane	6.5	ug/l	0.25	0.78	1	8015		9/24/2008	MJR	1
Ethene	0.48	ug/l	0.25	0.78	1	8015		9/24/2008	MJR	1
Methane	5.0	ug/l	0.1	0.3	1	8015		9/24/2008	MJR	1
VOC's										
Benzene	<12	ug/l	12	37.5	50	8260B		9/15/2008	CJR	1
Bromobenzene	<22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
Bromodichloromethane	<15	ug/l	15	47	50	8260B		9/15/2008	CJR	1
Bromoform	<35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
tert-Butylbenzene	<16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
sec-Butylbenzene	<36.5	ug/l	36.5	115	50	8260B		9/15/2008	CJR	1
n-Butylbenzene	<27.5	ug/l	27.5	90	50	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	<15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
Chlorobenzene	<19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Chloroethane	<48.5	ug/l	48.5	155	50	8260B		9/15/2008	CJR	1
Chloroform	<23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Chloromethane	<25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
2-Chlorotoluene	<20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
4-Chlorotoluene	<15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	<85	ug/l	85	275	50	8260B		9/15/2008	CJR	1
Dibromochloromethane	<20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	<37	ug/l	37	115	50	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	<33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	<44	ug/l	44	140	50	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	<38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	<20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	<29.5	ug/l	29.5	95	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	<25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	2560	ug/l	22	70	50	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	69 "J"	ug/l	30.5	100	50	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	<13.5	ug/l	13.5	42.5	50	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	<26.5	ug/l	26.5	85	50	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 50178270  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
Ethylbenzene	< 17.5	ug/l	17.5	55	50	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 30	ug/l	30	95	50	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B		9/15/2008	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
Naphthalene	< 90	ug/l	90	285	50	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 27	ug/l	27	85	50	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
Tetrachloroethene	261	ug/l	25	80	50	8260B		9/15/2008	CJR	1
Toluene	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	1030	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 25.5	ug/l	25.5	80	50	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 11.5	ug/l	11.5	37	50	8260B		9/15/2008	CJR	1
Vinyl Chloride	117	ug/l	10	31.5	50	8260B		9/15/2008	CJR	1
m&p-Xylene	< 50	ug/l	50	160	50	8260B		9/15/2008	CJR	1
o-Xylene	< 33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.13 "J"	mg/l	0.1	0.31	1	4500F		9/12/2008	CWT	1
Sulfate, Dissolved	49.8	mg/l	1.7	5.3	1	300.0		9/11/2008	CWT	1

Lab Code 5017827P  
 Sample ID PZ-1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827P  
 Sample ID PZ-1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	9.5	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	0.55 "J"	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	37	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	1.81	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827Q  
 Sample ID PZ-2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	2.56	ug/l	0.24	0.75	1	8260B		9/15/2008	CJR	1
Bromobenzene	<0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
Bromodichloromethane	<0.3	ug/l	0.3	0.94	1	8260B		9/15/2008	CJR	1
Bromoform	<0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
tert-Butylbenzene	<0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
sec-Butylbenzene	<0.73	ug/l	0.73	2.3	1	8260B		9/15/2008	CJR	1
n-Butylbenzene	<0.55	ug/l	0.55	1.8	1	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	<0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
Chlorobenzene	<0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Chloroethane	<0.97	ug/l	0.97	3.1	1	8260B		9/15/2008	CJR	1
Chloroform	<0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Chloromethane	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	<0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	<0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	<1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	<0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	<0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	<0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	<0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	<0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	<0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	<0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	148	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	3.06	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	<0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	<0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	<0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	<0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	<0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	<0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	<1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	<0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	<0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	<0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	<0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	<1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	<0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	<0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	<0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	<0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	<1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	<0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	<0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827Q  
 Sample ID PZ-2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	116	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

Lab Code 5017827R  
 Sample ID DUPLICATE #1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 120	ug/l	120	375	500	8260B		9/16/2008	CJR	1
Bromobenzene	< 220	ug/l	220	700	500	8260B		9/16/2008	CJR	1
Bromodichloromethane	< 150	ug/l	150	470	500	8260B		9/16/2008	CJR	1
Bromoform	< 350	ug/l	350	1100	500	8260B		9/16/2008	CJR	1
tert-Butylbenzene	< 160	ug/l	160	500	500	8260B		9/16/2008	CJR	1
sec-Butylbenzene	< 365	ug/l	365	1150	500	8260B		9/16/2008	CJR	1
n-Butylbenzene	< 275	ug/l	275	900	500	8260B		9/16/2008	CJR	1
Carbon Tetrachloride	< 150	ug/l	150	480	500	8260B		9/16/2008	CJR	1
Chlorobenzene	< 195	ug/l	195	600	500	8260B		9/16/2008	CJR	1
Chloroethane	< 485	ug/l	485	1550	500	8260B		9/16/2008	CJR	1
Chloroform	< 235	ug/l	235	750	500	8260B		9/16/2008	CJR	1
Chloromethane	< 250	ug/l	250	800	500	8260B		9/16/2008	CJR	1
2-Chlorotoluene	< 205	ug/l	205	650	500	8260B		9/16/2008	CJR	1
4-Chlorotoluene	< 150	ug/l	150	480	500	8260B		9/16/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 850	ug/l	850	2750	500	8260B		9/16/2008	CJR	1
Dibromochloromethane	< 200	ug/l	200	650	500	8260B		9/16/2008	CJR	1
1,4-Dichlorobenzene	< 370	ug/l	370	1150	500	8260B		9/16/2008	CJR	1
1,3-Dichlorobenzene	< 335	ug/l	335	1050	500	8260B		9/16/2008	CJR	1
1,2-Dichlorobenzene	< 440	ug/l	440	1400	500	8260B		9/16/2008	CJR	1
Dichlorodifluoromethane	< 380	ug/l	380	1200	500	8260B		9/16/2008	CJR	1
1,2-Dichloroethane	< 205	ug/l	205	650	500	8260B		9/16/2008	CJR	1
1,1-Dichloroethane	< 295	ug/l	295	950	500	8260B		9/16/2008	CJR	1
1,1-Dichloroethene	< 250	ug/l	250	800	500	8260B		9/16/2008	CJR	1
cis-1,2-Dichloroethene	5600	ug/l	220	700	500	8260B		9/16/2008	CJR	1
trans-1,2-Dichloroethene	< 305	ug/l	305	1000	500	8260B		9/16/2008	CJR	1
1,2-Dichloropropane	< 135	ug/l	135	425	500	8260B		9/16/2008	CJR	1
2,2-Dichloropropane	< 265	ug/l	265	850	500	8260B		9/16/2008	CJR	1
1,3-Dichloropropane	< 200	ug/l	200	650	500	8260B		9/16/2008	CJR	1
Di-isopropyl ether	< 185	ug/l	185	600	500	8260B		9/16/2008	CJR	1
EDB (1,2-Dibromoethane)	< 380	ug/l	380	1200	500	8260B		9/16/2008	CJR	1
Ethylbenzene	< 175	ug/l	175	550	500	8260B		9/16/2008	CJR	1
Hexachlorobutadiene	< 850	ug/l	850	2650	500	8260B		9/16/2008	CJR	1
Isopropylbenzene	< 300	ug/l	300	950	500	8260B		9/16/2008	CJR	1
p-Isopropyltoluene	< 385	ug/l	385	1250	500	8260B		9/16/2008	CJR	1
Methylene chloride	< 495	ug/l	495	1550	500	8260B		9/16/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827R  
 Sample ID DUPLICATE #1  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 350	ug/l	350	1100	500	8260B		9/16/2008	CJR	1
Naphthalene	< 900	ug/l	900	2850	500	8260B		9/16/2008	CJR	1
n-Propylbenzene	< 270	ug/l	270	850	500	8260B		9/16/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 250	ug/l	250	800	500	8260B		9/16/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 160	ug/l	160	500	500	8260B		9/16/2008	CJR	1
Tetrachloroethene	60000	ug/l	250	800	500	8260B		9/16/2008	CJR	1
Toluene	< 195	ug/l	195	600	500	8260B		9/16/2008	CJR	1
1,2,4-Trichlorobenzene	< 550	ug/l	550	1750	500	8260B		9/16/2008	CJR	1
1,2,3-Trichlorobenzene	< 800	ug/l	800	2500	500	8260B		9/16/2008	CJR	1
1,1,1-Trichloroethane	< 140	ug/l	140	450	500	8260B		9/16/2008	CJR	1
1,1,2-Trichloroethane	< 195	ug/l	195	600	500	8260B		9/16/2008	CJR	1
Trichloroethene (TCE)	4200	ug/l	235	750	500	8260B		9/16/2008	CJR	1
Trichlorofluoromethane	< 405	ug/l	405	1300	500	8260B		9/16/2008	CJR	1
1,2,4-Trimethylbenzene	< 255	ug/l	255	800	500	8260B		9/16/2008	CJR	1
1,3,5-Trimethylbenzene	< 115	ug/l	115	370	500	8260B		9/16/2008	CJR	1
Vinyl Chloride	195 "J"	ug/l	100	315	500	8260B		9/16/2008	CJR	1
m&p-Xylene	< 500	ug/l	500	1600	500	8260B		9/16/2008	CJR	1
o-Xylene	< 335	ug/l	335	1050	500	8260B		9/16/2008	CJR	1

Lab Code 5017827S  
 Sample ID DUPLICATE #2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 12	ug/l	12	37.5	50	8260B		9/15/2008	CJR	1
Bromobenzene	< 22	ug/l	22	70	50	8260B		9/15/2008	CJR	1
Bromodichloromethane	< 15	ug/l	15	47	50	8260B		9/15/2008	CJR	1
Bromoform	< 35	ug/l	35	110	50	8260B		9/15/2008	CJR	1
tert-Butylbenzene	< 16	ug/l	16	50	50	8260B		9/15/2008	CJR	1
sec-Butylbenzene	< 36.5	ug/l	36.5	115	50	8260B		9/15/2008	CJR	1
n-Butylbenzene	< 27.5	ug/l	27.5	90	50	8260B		9/15/2008	CJR	1
Carbon Tetrachloride	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
Chlorobenzene	< 19.5	ug/l	19.5	60	50	8260B		9/15/2008	CJR	1
Chloroethane	< 48.5	ug/l	48.5	155	50	8260B		9/15/2008	CJR	1
Chloroform	< 23.5	ug/l	23.5	75	50	8260B		9/15/2008	CJR	1
Chloromethane	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 15	ug/l	15	48	50	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 85	ug/l	85	275	50	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 20	ug/l	20	65	50	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 37	ug/l	37	115	50	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 33.5	ug/l	33.5	105	50	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 44	ug/l	44	140	50	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 38	ug/l	38	120	50	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 20.5	ug/l	20.5	65	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 29.5	ug/l	29.5	95	50	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 25	ug/l	25	80	50	8260B		9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827S  
 Sample ID DUPLICATE #2  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	5500	ug/l	22	70	50	8260B	9/15/2008	9/15/2008	CJR	1
trans-1,2-Dichloroethene	108	ug/l	30.5	100	50	8260B	9/15/2008	9/15/2008	CJR	1
1,2-Dichloropropane	< 13.5	ug/l	13.5	42.5	50	8260B	9/15/2008	9/15/2008	CJR	1
2,2-Dichloropropane	< 26.5	ug/l	26.5	85	50	8260B	9/15/2008	9/15/2008	CJR	1
1,3-Dichloropropane	< 20	ug/l	20	65	50	8260B	9/15/2008	9/15/2008	CJR	1
Di-isopropyl ether	< 18.5	ug/l	18.5	60	50	8260B	9/15/2008	9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 38	ug/l	38	120	50	8260B	9/15/2008	9/15/2008	CJR	1
Ethylbenzene	103	ug/l	17.5	55	50	8260B	9/15/2008	9/15/2008	CJR	1
Hexachlorobutadiene	< 85	ug/l	85	265	50	8260B	9/15/2008	9/15/2008	CJR	1
Isopropylbenzene	< 30	ug/l	30	95	50	8260B	9/15/2008	9/15/2008	CJR	1
p-Isopropyltoluene	< 38.5	ug/l	38.5	125	50	8260B	9/15/2008	9/15/2008	CJR	1
Methylene chloride	< 49.5	ug/l	49.5	155	50	8260B	9/15/2008	9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 35	ug/l	35	110	50	8260B	9/15/2008	9/15/2008	CJR	1
Naphthalene	< 90	ug/l	90	285	50	8260B	9/15/2008	9/15/2008	CJR	1
n-Propylbenzene	< 27	ug/l	27	85	50	8260B	9/15/2008	9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/l	25	80	50	8260B	9/15/2008	9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 16	ug/l	16	50	50	8260B	9/15/2008	9/15/2008	CJR	1
Tetrachloroethene	630	ug/l	25	80	50	8260B	9/15/2008	9/15/2008	CJR	1
Toluene	242	ug/l	19.5	60	50	8260B	9/15/2008	9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 55	ug/l	55	175	50	8260B	9/15/2008	9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	9/15/2008	9/15/2008	CJR	1
1,1,1-Trichloroethane	< 14	ug/l	14	45	50	8260B	9/15/2008	9/15/2008	CJR	1
1,1,2-Trichloroethane	< 19.5	ug/l	19.5	60	50	8260B	9/15/2008	9/15/2008	CJR	1
Trichloroethene (TCE)	390	ug/l	23.5	75	50	8260B	9/15/2008	9/15/2008	CJR	1
Trichlorofluoromethane	< 40.5	ug/l	40.5	130	50	8260B	9/15/2008	9/15/2008	CJR	1
1,2,4-Trimethylbenzene	33 "J"	ug/l	25.5	80	50	8260B	9/15/2008	9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 11.5	ug/l	11.5	37	50	8260B	9/15/2008	9/15/2008	CJR	1
Vinyl Chloride	46	ug/l	10	31.5	50	8260B	9/15/2008	9/15/2008	CJR	1
m&p-Xylene	284	ug/l	50	160	50	8260B	9/15/2008	9/15/2008	CJR	1
o-Xylene	126	ug/l	33.5	105	50	8260B	9/15/2008	9/15/2008	CJR	1

Lab Code 5017827T  
 Sample ID TB  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B	9/15/2008	9/15/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B	9/15/2008	9/15/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B	9/15/2008	9/15/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B	9/15/2008	9/15/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B	9/15/2008	9/15/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B	9/15/2008	9/15/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	9/15/2008	9/15/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B	9/15/2008	9/15/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	9/15/2008	9/15/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B	9/15/2008	9/15/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B	9/15/2008	9/15/2008	CJR	1

Project Name MASTER DRY CLEANING  
 Project # 9923/10221

Invoice # E17827

Lab Code 5017827T  
 Sample ID TB  
 Sample Matrix Water  
 Sample Date 9/9/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/15/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		9/15/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		9/15/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		9/15/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		9/15/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		9/15/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		9/15/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		9/15/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		9/15/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		9/15/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		9/15/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		9/15/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		9/15/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		9/15/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		9/15/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		9/15/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		9/15/2008	CJR	4
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		9/15/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		9/15/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		9/15/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		9/15/2008	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/15/2008	CJR	1
Toluene	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		9/15/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		9/15/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		9/15/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		9/15/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/15/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		9/15/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		9/15/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		9/15/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		9/15/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		9/15/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		9/15/2008	CJR	1

**Project Name** MASTER DRY CLEANING  
**Project #** 9923/10221

**Invoice #** E17827

\*J\* Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code**      **Comment**

1      Laboratory QC within limits.

4      The continuing calibration standard not within established limits.

CWT denotes sub contract lab - Certification #445126660

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature



CHAIN OF CUSTODY RECORD



Chain # No. 088  
Page 1 of 2

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
 Rush Analysis Date Required  
 (Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. #  
 Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_  
 Project #: 9923 / 10221  
 Sampler: (signature) *[Signature]*

Project (Name / Location): MASTER DRYCLEANING WAUWATOSA, WI  
 Reports To: MARY TROTTA Invoice To: \_\_\_\_\_  
 Company: SIGMA ENVIRONMENTAL Company: \_\_\_\_\_  
 Address: 1300 WEST CANAL STREET Address: SAME  
 City State Zip: MILWAUKEE, WI 53233 City State Zip: \_\_\_\_\_  
 Phone: 414-643-4131 Phone: \_\_\_\_\_  
 FAX: 414-643-4210 FAX: \_\_\_\_\_

Analysis Requested										Other Analysis					PID/ FID	
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	IRON	LEAD	PERFUMES / NITRITE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	DISSOLVED MANGANESE	DISSOLVED LEAD	METHANE		ETHANE

Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
50787A	SMW-1	9/9/08 13:05			N	3	GW	HCL
B	SMW-2	9/9/08 13:15			N	3	GW	HCL
C	SMW-3	9/9/08 14:05			Y	5	GW	H <sub>2</sub> SO <sub>4</sub> /HCL
D	SMW-4	9/9/08 12:15			N	3	GW	HCL
E	SMW-5	9/9/08 12:55			Y	7	GW	H <sub>2</sub> SO <sub>4</sub> /HCL
F	SMW-6	9/9/08 13:30			N	3	GW	HCL
G	SMW-7	9/9/08 13:25			Y	6	GW	H <sub>2</sub> SO <sub>4</sub> /HCL
H	SMW-8	9/9/08 12:40			Y	6	GW	H <sub>2</sub> SO <sub>4</sub> /HCL
I	SMW-9	9/9/08 13:35			Y	7	GW	H <sub>2</sub> SO <sub>4</sub> /HCL
J	SMW-10	9/9/08 14:10			Y	6	GW	H <sub>2</sub> SO <sub>4</sub> /HCL

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
 SPECIFY DETECTION LEVELS: 0.25 ug/L FOR ETHENE/ETHANE  
 0.10 ug/L FOR METHANE

Sample Integrity - To be completed by receiving lab.  
 Method of Shipment: *[Signature]*  
 Temp. of Temp. Blank:  On Ice  
 Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]* Time: 10:10 Date: 9/10/08  
 Received By: (sign) \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_  
 Received in Laboratory By: *[Signature]* Time: 9:30 Date: 7/11/08



# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 19-Dec-07

Project Name MASTER DRY CLEANERS  
Project # 9923/10221

Invoice # E16469

Lab Code 5016469A  
Sample ID SMW-1  
Sample Matrix Water  
Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	0.59 "J"	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469A  
 Sample ID SMW-1  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
2,2-Dichloropropane	<0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	<0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	<1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	<0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	0.61 "J"	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	1.37 "J"	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	<0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	<0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	<1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	2.16	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	<0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	<0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	<0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	<0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	<1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	<0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	<0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	<1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	<0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	<0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	<0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	<0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469B  
 Sample ID SMW-2  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	<0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	<0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	<0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	<0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	<0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	<0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	<0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	<0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	<0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	<0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	<1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	<0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	<0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469B  
 Sample ID SMW-2  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	285.0	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # EI6469

Lab Code 5016469C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
VOC's									
Benzene	320	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/11/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	2250	ug/l	34	110	50	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/11/2007	CJR	1
Ethylbenzene	62	ug/l	19	60	50	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/11/2007	CJR	1
Tetrachloroethene	126	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Toluene	23 "J"	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	278	ug/l	22	70	50	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469C  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	12/11/2007	CJR	1
Vinyl Chloride	298	ug/l	10	31.5	50	8260B	12/11/2007	CJR	1
m&p-Xylene	< 33.5	ug/l	33.5	105	50	8260B	12/11/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.03 "J"	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	15.32	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469D  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 9.4	ug/l	9.4	30	20	8260B	12/11/2007	CJR	1
Bromobenzene	< 7.2	ug/l	7.2	22	20	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 10	ug/l	10	32	20	8260B	12/11/2007	CJR	1
Bromoform	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 6.8	ug/l	6.8	22	20	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 7.2	ug/l	7.2	24	20	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 10.4	ug/l	10.4	32	20	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 9.2	ug/l	9.2	30	20	8260B	12/11/2007	CJR	1
Chlorobenzene	< 6.2	ug/l	6.2	20	20	8260B	12/11/2007	CJR	1
Chloroethane	< 9.4	ug/l	9.4	30	20	8260B	12/11/2007	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B	12/11/2007	CJR	1
Chloromethane	< 20	ug/l	20	66	20	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 9.8	ug/l	9.8	32	20	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 6.4	ug/l	6.4	20	20	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 6.6	ug/l	6.6	22	20	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 6	ug/l	6	19	20	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 7	ug/l	7	22	20	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 9.2	ug/l	9.2	30	20	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 9	ug/l	9	28	20	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 11.2	ug/l	11.2	36	20	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 12.8	ug/l	12.8	40	20	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	1900	ug/l	13.6	44	20	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	89	ug/l	19	60	20	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 9.4	ug/l	9.4	30	20	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 19.6	ug/l	19.6	62	20	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 7.8	ug/l	7.8	26	20	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 26	ug/l	26	82	20	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 9.8	ug/l	9.8	30	20	8260B	12/11/2007	CJR	1
Ethylbenzene	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469D  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Hexachlorobutadiene	< 30	ug/l	30	98	20	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 9.6	ug/l	9.6	30	20	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 7	ug/l	7	22	20	8260B	12/11/2007	CJR	1
Methylene chloride	< 13.8	ug/l	13.8	44	20	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 10.4	ug/l	10.4	32	20	8260B	12/11/2007	CJR	1
Naphthalene	< 36	ug/l	36	112	20	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 7.6	ug/l	7.6	24	20	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48	20	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 13	ug/l	13	42	20	8260B	12/11/2007	CJR	1
Tetrachloroethene	560	ug/l	10.4	32	20	8260B	12/11/2007	CJR	1
Toluene	< 9.2	ug/l	9.2	30	20	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 30	ug/l	30	92	20	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 10	ug/l	10	32	20	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 10	ug/l	10	32	20	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	430	ug/l	8.8	28	20	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 12.2	ug/l	12.2	38	20	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 24	ug/l	24	76	20	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	20	8260B	12/11/2007	CJR	1
Vinyl Chloride	13.4	ug/l	4	12.6	20	8260B	12/11/2007	CJR	1
m&p-Xylene	< 13.4	ug/l	13.4	42	20	8260B	12/11/2007	CJR	1
o-Xylene	< 6.4	ug/l	6.4	20	20	8260B	12/11/2007	CJR	1

Lab Code 5016469E  
 Sample ID SMW-5  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
<b>Inorganic</b>									
<b>Metals</b>									
Manganese, Dissolved	15.1	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
<b>Organic</b>									
<b>GASES</b>									
Ethane	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
Ethene	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
Methane	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
<b>VOC's</b>									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469E  
 Sample ID SMW-5  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.78	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	23.54	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469F  
 Sample ID SMW-6  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	1.64 "J"	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	> 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469F  
 Sample ID SMW-6  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
<b>Inorganic</b>									
<b>Metals</b>									
Manganese, Dissolved	256.5	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
<b>Organic</b>									
<b>VOC's</b>									
Benzene	46 "J"	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/11/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/11/2007	CJR	1
Ethylbenzene	2070	ug/l	19	60	50	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469G  
 Sample ID SMW-7  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/11/2007	CJR	1
Isopropylbenzene	48 "J"	ug/l	24	75	50	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Naphthalene	109 "J"	ug/l	90	280	50	8260B	12/11/2007	CJR	1
n-Propylbenzene	110	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Toluene	1800	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	810	ug/l	60	190	50	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	234	ug/l	18.5	60	50	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	12/11/2007	CJR	1
m&p-Xylene	6300	ug/l	33.5	105	50	8260B	12/11/2007	CJR	1
o-Xylene	3500	ug/l	16	50	50	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	2.17	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	37.34	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	169.5	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									
VOC's									
Benzene	2050	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/11/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469H  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 50	ug/l	50	165	50	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/11/2007	CJR	1
Ethylbenzene	95	ug/l	19	60	50	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/11/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	12/11/2007	CJR	1
n-Propylbenzene	44 "J"	ug/l	19	60	50	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	12/11/2007	CJR	1
Toluene	52 "J"	ug/l	23	75	50	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	224	ug/l	60	190	50	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	70	ug/l	18.5	60	50	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	12/11/2007	CJR	1
m&p-Xylene	220	ug/l	33.5	105	50	8260B	12/11/2007	CJR	1
o-Xylene	60	ug/l	16	50	50	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.06 "J"	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	22.75	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Project Name MASTER DRY CLEANERS

Invoice # E16469

Project # 9923/10221

Lab Code 5016469I

Sample ID SMW-9

Sample Matrix Water

Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	496.5	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									
GASES									
Ethane	19	ug/l	1	3	1	8015	12/13/2007	MJR	1
Ethene	4.8	ug/l	1	3	1	8015	12/13/2007	MJR	1
Methane	76	ug/l	1	3	1	8015	12/13/2007	MJR	1
VOC's									
Benzene	< 235	ug/l	235	750	500	8260B	12/11/2007	CJR	1
Bromobenzene	< 180	ug/l	180	550	500	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 250	ug/l	250	800	500	8260B	12/11/2007	CJR	1
Bromoform	< 190	ug/l	190	600	500	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 170	ug/l	170	550	500	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 180	ug/l	180	600	500	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 260	ug/l	260	800	500	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 230	ug/l	230	750	500	8260B	12/11/2007	CJR	1
Chlorobenzene	< 155	ug/l	155	500	500	8260B	12/11/2007	CJR	1
Chloroethane	< 235	ug/l	235	750	500	8260B	12/11/2007	CJR	1
Chloroform	< 240	ug/l	240	750	500	8260B	12/11/2007	CJR	1
Chloromethane	< 500	ug/l	500	1650	500	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 245	ug/l	245	800	500	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 190	ug/l	190	600	500	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 700	ug/l	700	2250	500	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 160	ug/l	160	500	500	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 165	ug/l	165	550	500	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 150	ug/l	150	475	500	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 175	ug/l	175	550	500	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 230	ug/l	230	750	500	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 225	ug/l	225	700	500	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 280	ug/l	280	900	500	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 320	ug/l	320	1000	500	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	7900	ug/l	340	1100	500	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 475	ug/l	475	1500	500	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 235	ug/l	235	750	500	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 490	ug/l	490	1550	500	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 195	ug/l	195	650	500	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 650	ug/l	650	2050	500	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 245	ug/l	245	750	500	8260B	12/11/2007	CJR	1
Ethylbenzene	< 190	ug/l	190	600	500	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 750	ug/l	750	2450	500	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 240	ug/l	240	750	500	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 175	ug/l	175	550	500	8260B	12/11/2007	CJR	1
Methylene chloride	< 345	ug/l	345	1100	500	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 260	ug/l	260	800	500	8260B	12/11/2007	CJR	1
Naphthalene	< 900	ug/l	900	2800	500	8260B	12/11/2007	CJR	1
n-Propylbenzene	195 "J"	ug/l	190	600	500	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 375	ug/l	375	1200	500	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469I  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 325	ug/l	325	1050	500	8260B	12/11/2007	CJR	1
Tetrachloroethene	28800	ug/l	260	800	500	8260B	12/11/2007	CJR	1
Toluene	< 230	ug/l	230	750	500	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 750	ug/l	750	2300	500	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 800	ug/l	800	2500	500	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 250	ug/l	250	800	500	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 250	ug/l	250	800	500	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	6200	ug/l	220	700	500	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 305	ug/l	305	950	500	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 600	ug/l	600	1900	500	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 185	ug/l	185	600	500	8260B	12/11/2007	CJR	1
Vinyl Chloride	255 "J"	ug/l	100	315	500	8260B	12/11/2007	CJR	1
m&p-Xylene	< 335	ug/l	335	1050	500	8260B	12/11/2007	CJR	1
o-Xylene	< 160	ug/l	160	500	500	8260B	12/11/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	1.61	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	49.08	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469J  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469J  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	8.2	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/12/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1
Tetrachloroethene	27.2	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	32	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1
Vinyl Chloride	0.38 "J"	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1

Lab Code 5016469K  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469K  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/12/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1
Tetrachloroethene	2.75	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	1.71	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469L  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Inorganic									
Metals									
Manganese, Dissolved	519.6	ug/L	4.8	15.4	1	200.7	12/12/2007	CWT	1
Organic									
GASES									
Ethane	13	ug/l	1	3	1	8015	12/13/2007	MJR	1
Ethene	< 1	ug/l	1	3	1	8015	12/13/2007	MJR	1
Methane	14	ug/l	1	3	1	8015	12/13/2007	MJR	1
VOC's									
Benzene	< 23.5	ug/l	23.5	75	50	8260B	12/12/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	12/12/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	12/12/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	12/12/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	12/12/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	12/12/2007	CJR	1
Chloroform	< 24	ug/l	24	75	50	8260B	12/12/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	12/12/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	12/12/2007	CJR	4
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	12/12/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	12/12/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	3400	ug/l	34	110	50	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	74 "J"	ug/l	47.5	150	50	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	12/12/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	12/12/2007	CJR	1
Ethylbenzene	28.5 "J"	ug/l	19	60	50	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	12/12/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	12/12/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	12/12/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469L  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	12/12/2007	CJR	1
Tetrachloroethene	140	ug/l	26	80	50	8260B	12/12/2007	CJR	1
Toluene	< 23	ug/l	23	75	50	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	1720	ug/l	22	70	50	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	12/12/2007	CJR	1
Vinyl Chloride	152	ug/l	10	31.5	50	8260B	12/12/2007	CJR	1
m&p-Xylene	< 33.5	ug/l	33.5	105	50	8260B	12/12/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	12/12/2007	CJR	1

Wet Chemistry

General

Nitrite Plus Nitrate, Dissolved	0.09	mg/L	0.03	0.09	1	4500B/F	12/12/2007	CWT	1
Sulfate, Dissolved	49.80	mg/L	1.7	5.3	1	300.0	12/11/2007	CWT	1

Lab Code 5016469M  
 Sample ID PZ-1  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	3
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	3
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469M  
 Sample ID PZ-1  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	8.3	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/12/2007	CJR	3
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	3
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1
Tetrachloroethene	1.12 "J"	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	0.56 "J"	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1
Vinyl Chloride	2.09	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1

Lab Code 5016469N  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/12/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/12/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/12/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	3
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/12/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469N  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/12/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/12/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/12/2007	CJR	3
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/12/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/12/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/12/2007	CJR	3
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/12/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/12/2007	CJR	1
cis-1,2-Dichloroethene	6.0	ug/l	0.68	2.2	1	8260B	12/12/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/12/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/12/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/12/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/12/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/12/2007	CJR	3
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/12/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/12/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/12/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/12/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/12/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/12/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/12/2007	CJR	3
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/12/2007	CJR	3
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/12/2007	CJR	1
Tetrachloroethene	23.3	ug/l	0.52	1.6	1	8260B	12/12/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/12/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/12/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/12/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/12/2007	CJR	1
Trichloroethene (TCE)	30.5	ug/l	0.44	1.4	1	8260B	12/12/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/12/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/12/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/12/2007	CJR	1
Vinyl Chloride	0.56 "J"	ug/l	0.2	0.63	1	8260B	12/12/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/12/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/12/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 50164690  
 Sample ID EQUIP  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	<0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	<0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	<0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	<0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	<0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	<0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	<0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	<0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	<0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	<0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	<0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	<1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	<0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	<0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	<0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	<0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	<0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	<0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	<0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	<0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	<0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	<0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	<0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	<0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	<0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	<0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	<0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	<1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	<0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	<0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	<1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	<0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	<0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	<0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1
Methyl tert-butyl ether (MTBE)	<0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	<1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	<0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	<0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	<0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	<0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	<0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	<1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	<0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 50164690  
 Sample ID EQUIP  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

Lab Code 5016469P  
 Sample ID TRIP  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	12/11/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	12/11/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	12/11/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	12/11/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	12/11/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	12/11/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/11/2007	CJR	4
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	12/11/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	12/11/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	12/11/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	12/11/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	12/11/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	12/11/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	12/11/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	12/11/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	12/11/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	12/11/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	12/11/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	12/11/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/11/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	12/11/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	12/11/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923/10221

Invoice # E16469

Lab Code 5016469P  
 Sample ID TRIP  
 Sample Matrix Water  
 Sample Date 12/6/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	12/11/2007	CJR	1
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	12/11/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	12/11/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/11/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	12/11/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	12/11/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	12/11/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	12/11/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	12/11/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	12/11/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	12/11/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/11/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	12/11/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	12/11/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	12/11/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	12/11/2007	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.

Authorized Signature

*Michael J. Ricker*





# Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

MARY TROTTA  
SIGMA ENVIRONMMENTAL  
1300 W. CANAL STREET  
MILWAUKEE, WI 53233

Report Date 08-Oct-07

Project Name MASTER DRY CLEANERS  
Project # 9923  
Lab Code 5016115A  
Sample ID SMW-3  
Sample Matrix Water  
Sample Date 9/25/2007

Invoice # E16115

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	308	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Bromobenzene	< 7.2	ug/l	7.2	22	20	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Bromoform	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 6.8	ug/l	6.8	22	20	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 7.2	ug/l	7.2	24	20	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
Chlorobenzene	< 6.2	ug/l	6.2	20	20	8260B	10/4/2007	CJR	1
Chloroethane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
Chloromethane	< 20	ug/l	20	66	20	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 9.8	ug/l	9.8	32	20	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 6.4	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 6.6	ug/l	6.6	22	20	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 6	ug/l	6	19	20	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	31.4	ug/l	9	28	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 11.2	ug/l	11.2	36	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 12.8	ug/l	12.8	40	20	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	2400	ug/l	13.6	44	20	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	30 "J"	ug/l	19	60	20	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 19.6	ug/l	19.6	62	20	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 7.8	ug/l	7.8	26	20	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 26	ug/l	26	82	20	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115A  
 Sample ID SMW-3  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 9.8	ug/l	9.8	30	20	8260B	10/4/2007	CJR	1
Ethylbenzene	142	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	98	20	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Methylene chloride	< 13.8	ug/l	13.8	44	20	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Naphthalene	< 36	ug/l	36	112	20	8260B	10/4/2007	CJR	34
n-Propylbenzene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48	20	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 13	ug/l	13	42	20	8260B	10/4/2007	CJR	1
Tetrachloroethene	174	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Toluene	26.8 "J"	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 30	ug/l	30	92	20	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	313	ug/l	8.8	28	20	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 12.2	ug/l	12.2	38	20	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	39 "J"	ug/l	24	76	20	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	8.2 "J"	ug/l	7.4	24	20	8260B	10/4/2007	CJR	1
Vinyl Chloride	314	ug/l	4	12.6	20	8260B	10/4/2007	CJR	1
m&p-Xylene	69	ug/l	13.4	42	20	8260B	10/4/2007	CJR	1
o-Xylene	17.2 "J"	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1

Lab Code 5016115B  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Bromobenzene	< 7.2	ug/l	7.2	22	20	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Bromoform	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 6.8	ug/l	6.8	22	20	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 7.2	ug/l	7.2	24	20	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
Chlorobenzene	< 6.2	ug/l	6.2	20	20	8260B	10/4/2007	CJR	1
Chloroethane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
Chloroform	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
Chloromethane	< 20	ug/l	20	66	20	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 9.8	ug/l	9.8	32	20	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 28	ug/l	28	90	20	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 6.4	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 6.6	ug/l	6.6	22	20	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 6	ug/l	6	19	20	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115B  
 Sample ID SMW-4  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dichloroethane	< 9	ug/l	9	28	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 11.2	ug/l	11.2	36	20	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 12.8	ug/l	12.8	40	20	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	1730	ug/l	13.6	44	20	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	105	ug/l	19	60	20	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 9.4	ug/l	9.4	30	20	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 19.6	ug/l	19.6	62	20	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 7.8	ug/l	7.8	26	20	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 26	ug/l	26	82	20	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 9.8	ug/l	9.8	30	20	8260B	10/4/2007	CJR	1
Ethylbenzene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 30	ug/l	30	98	20	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 9.6	ug/l	9.6	30	20	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 7	ug/l	7	22	20	8260B	10/4/2007	CJR	1
Methylene chloride	< 13.8	ug/l	13.8	44	20	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 10.4	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Naphthalene	< 36	ug/l	36	112	20	8260B	10/4/2007	CJR	3 4
n-Propylbenzene	< 7.6	ug/l	7.6	24	20	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48	20	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 13	ug/l	13	42	20	8260B	10/4/2007	CJR	1
Tetrachloroethene	610	ug/l	10.4	32	20	8260B	10/4/2007	CJR	1
Toluene	< 9.2	ug/l	9.2	30	20	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 30	ug/l	30	92	20	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 32	ug/l	32	100	20	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 10	ug/l	10	32	20	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	540	ug/l	8.8	28	20	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 12.2	ug/l	12.2	38	20	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	< 24	ug/l	24	76	20	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	< 7.4	ug/l	7.4	24	20	8260B	10/4/2007	CJR	1
Vinyl Chloride	11.8 "J"	ug/l	4	12.6	20	8260B	10/4/2007	CJR	1
m&p-Xylene	< 13.4	ug/l	13.4	42	20	8260B	10/4/2007	CJR	1
o-Xylene	< 6.4	ug/l	6.4	20	20	8260B	10/4/2007	CJR	1

Lab Code 5016115D  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	2560	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/3/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	3 4
Chloroform	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115D  
 Sample ID SMW-8  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Chloromethane	< 50	ug/l	50	165	50	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 34	ug/l	34	110	50	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/3/2007	CJR	1
Ethylbenzene	112	ug/l	19	60	50	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/3/2007	CJR	1
Isopropylbenzene	60 "J"	ug/l	24	75	50	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/3/2007	CJR	4
n-Propylbenzene	94	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Toluene	193	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 22	ug/l	22	70	50	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	880	ug/l	60	190	50	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	262	ug/l	18.5	60	50	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 10	ug/l	10	31.5	50	8260B	10/3/2007	CJR	1
m&p-Xylene	1120	ug/l	33.5	105	50	8260B	10/3/2007	CJR	1
o-Xylene	274	ug/l	16	50	50	8260B	10/3/2007	CJR	1

Lab Code 5016115E  
 Sample ID SMW-9  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
Project # 9923

Invoice # E16115

Lab Code 5016115E  
Sample ID SMW-9  
Sample Matrix Water  
Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/3/2007	CJR	1
n-Butylbenzene	34 "J"	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/3/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	3 4
Chloroform	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	6000	ug/l	34	110	50	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	175	ug/l	47.5	150	50	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/3/2007	CJR	1
Ethylbenzene	279	ug/l	19	60	50	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/3/2007	CJR	1
Isopropylbenzene	100	ug/l	24	75	50	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/3/2007	CJR	4
n-Propylbenzene	306	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/3/2007	CJR	1
Tetrachloroethene	39800	ug/l	260	800	500	8260B	10/5/2007	CJR	1
Toluene	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	8100	ug/l	22	70	50	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	147 "J"	ug/l	60	190	50	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	256	ug/l	18.5	60	50	8260B	10/3/2007	CJR	1
Vinyl Chloride	58	ug/l	10	31.5	50	8260B	10/3/2007	CJR	1
m&p-Xylene	90 "J"	ug/l	33.5	105	50	8260B	10/3/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115F  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/4/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/4/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/4/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/4/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/4/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/4/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/4/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/4/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/4/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/4/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/4/2007	CJR	1
cis-1,2-Dichloroethene	9.7	ug/l	0.68	2.2	1	8260B	10/4/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/4/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/4/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/4/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/4/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/4/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/4/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/4/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/4/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/4/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/4/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/4/2007	CJR	34
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/4/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/4/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/4/2007	CJR	1
Tetrachloroethene	43	ug/l	0.52	1.6	1	8260B	10/4/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/4/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/4/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/4/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/4/2007	CJR	1
Trichloroethene (TCE)	52	ug/l	0.44	1.4	1	8260B	10/4/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/4/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/4/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/4/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115F  
 Sample ID MW-1  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Vinyl Chloride	0.79	ug/l	0.2	0.63	1	8260B	10/4/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/4/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/4/2007	CJR	1

Lab Code 5016115G  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	3 4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	1.38 "J"	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115G  
 Sample ID MW-2  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Toluene	<0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	<1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	<1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	<0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	<0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	<1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	<0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	<0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1
m&p-Xylene	<0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	<0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1

Lab Code 5016115H  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	<47	ug/l	47	150	100	8260B	10/3/2007	CJR	1
Bromobenzene	<36	ug/l	36	110	100	8260B	10/3/2007	CJR	1
Bromodichloromethane	<50	ug/l	50	160	100	8260B	10/3/2007	CJR	1
Bromoform	<38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
tert-Butylbenzene	<34	ug/l	34	110	100	8260B	10/3/2007	CJR	1
sec-Butylbenzene	<36	ug/l	36	120	100	8260B	10/3/2007	CJR	1
n-Butylbenzene	<52	ug/l	52	160	100	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	<46	ug/l	46	150	100	8260B	10/3/2007	CJR	1
Chlorobenzene	<31	ug/l	31	100	100	8260B	10/3/2007	CJR	1
Chloroethane	<47	ug/l	47	150	100	8260B	10/3/2007	CJR	3 4
Chloroform	<48	ug/l	48	150	100	8260B	10/3/2007	CJR	1
Chloromethane	<100	ug/l	100	330	100	8260B	10/3/2007	CJR	1
2-Chlorotoluene	<49	ug/l	49	160	100	8260B	10/3/2007	CJR	1
4-Chlorotoluene	<38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	<140	ug/l	140	450	100	8260B	10/3/2007	CJR	1
Dibromochloromethane	<32	ug/l	32	100	100	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	<33	ug/l	33	110	100	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	<30	ug/l	30	95	100	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	<35	ug/l	35	110	100	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	<46	ug/l	46	150	100	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	<45	ug/l	45	140	100	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	<56	ug/l	56	180	100	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	<64	ug/l	64	200	100	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	3700	ug/l	68	220	100	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	<95	ug/l	95	300	100	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	<47	ug/l	47	150	100	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	<98	ug/l	98	310	100	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	<39	ug/l	39	130	100	8260B	10/3/2007	CJR	1
Di-isopropyl ether	<130	ug/l	130	410	100	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	<49	ug/l	49	150	100	8260B	10/3/2007	CJR	1
Ethylbenzene	<38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	<150	ug/l	150	490	100	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115H  
 Sample ID MW-3  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Isopropylbenzene	< 48	ug/l	48	150	100	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 35	ug/l	35	110	100	8260B	10/3/2007	CJR	1
Methylene chloride	< 69	ug/l	69	220	100	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 52	ug/l	52	160	100	8260B	10/3/2007	CJR	1
Naphthalene	< 180	ug/l	180	560	100	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 38	ug/l	38	120	100	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 75	ug/l	75	240	100	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 65	ug/l	65	210	100	8260B	10/3/2007	CJR	1
Tetrachloroethene	198	ug/l	52	160	100	8260B	10/3/2007	CJR	1
Toluene	< 46	ug/l	46	150	100	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 150	ug/l	150	460	100	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 160	ug/l	160	500	100	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 50	ug/l	50	160	100	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 50	ug/l	50	160	100	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	2150	ug/l	44	140	100	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 61	ug/l	61	190	100	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 120	ug/l	120	380	100	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l	37	120	100	8260B	10/3/2007	CJR	1
Vinyl Chloride	320	ug/l	20	63	100	8260B	10/3/2007	CJR	1
m&p-Xylene	< 67	ug/l	67	210	100	8260B	10/3/2007	CJR	1
o-Xylene	< 32	ug/l	32	100	100	8260B	10/3/2007	CJR	1

Lab Code 5016115I  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	260	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
Bromobenzene	< 18	ug/l	18	55	50	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Bromoform	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 17	ug/l	17	55	50	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 18	ug/l	18	60	50	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
Chlorobenzene	< 15.5	ug/l	15.5	50	50	8260B	10/3/2007	CJR	1
Chloroethane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	3 4
Chloroform	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1
Chloromethane	< 50	ug/l	50	165	50	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 24.5	ug/l	24.5	80	50	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 70	ug/l	70	225	50	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 16.5	ug/l	16.5	55	50	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 15	ug/l	15	47.5	50	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 23	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 22.5	ug/l	22.5	70	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 28	ug/l	28	90	50	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 32	ug/l	32	100	50	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115I  
 Sample ID DUP  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
cis-1,2-Dichloroethene	2070	ug/l	34	110	50	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 47.5	ug/l	47.5	150	50	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 23.5	ug/l	23.5	75	50	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 49	ug/l	49	155	50	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 19.5	ug/l	19.5	65	50	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 65	ug/l	65	205	50	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 24.5	ug/l	24.5	75	50	8260B	10/3/2007	CJR	1
Ethylbenzene	138	ug/l	19	60	50	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 75	ug/l	75	245	50	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 24	ug/l	24	75	50	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 17.5	ug/l	17.5	55	50	8260B	10/3/2007	CJR	1
Methylene chloride	< 34.5	ug/l	34.5	110	50	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 26	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Naphthalene	< 90	ug/l	90	280	50	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 19	ug/l	19	60	50	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 37.5	ug/l	37.5	120	50	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 32.5	ug/l	32.5	105	50	8260B	10/3/2007	CJR	1
Tetrachloroethene	450	ug/l	26	80	50	8260B	10/3/2007	CJR	1
Toluene	25 "J"	ug/l	23	75	50	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 80	ug/l	80	250	50	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 25	ug/l	25	80	50	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	297	ug/l	22	70	50	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 30.5	ug/l	30.5	95	50	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 60	ug/l	60	190	50	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 18.5	ug/l	18.5	60	50	8260B	10/3/2007	CJR	1
Vinyl Chloride	370	ug/l	10	31.5	50	8260B	10/3/2007	CJR	1
m&p-Xylene	56 "J"	ug/l	33.5	105	50	8260B	10/3/2007	CJR	1
o-Xylene	< 16	ug/l	16	50	50	8260B	10/3/2007	CJR	1

Lab Code 5016115J  
 Sample ID EQUIP  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	34
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115J  
 Sample ID EQUIP  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1

Lab Code 5016115K  
 Sample ID TRIP  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
Organic									
VOC's									
Benzene	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
Bromobenzene	< 0.36	ug/l	0.36	1.1	1	8260B	10/3/2007	CJR	1
Bromodichloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Bromoform	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
tert-Butylbenzene	< 0.34	ug/l	0.34	1.1	1	8260B	10/3/2007	CJR	1

Project Name MASTER DRY CLEANERS  
 Project # 9923

Invoice # E16115

Lab Code 5016115K  
 Sample ID TRIP  
 Sample Matrix Water  
 Sample Date 9/25/2007

	Result	Unit	LOD	LOQ	Dil	Method	Run Date	Analyst	Code
sec-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B	10/3/2007	CJR	1
n-Butylbenzene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Carbon Tetrachloride	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
Chlorobenzene	< 0.31	ug/l	0.31	1	1	8260B	10/3/2007	CJR	1
Chloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	3 4
Chloroform	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
Chloromethane	< 1	ug/l	1	3.3	1	8260B	10/3/2007	CJR	1
2-Chlorotoluene	< 0.49	ug/l	0.49	1.6	1	8260B	10/3/2007	CJR	1
4-Chlorotoluene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	10/3/2007	CJR	1
Dibromochloromethane	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1
1,4-Dichlorobenzene	< 0.33	ug/l	0.33	1.1	1	8260B	10/3/2007	CJR	1
1,3-Dichlorobenzene	< 0.3	ug/l	0.3	0.95	1	8260B	10/3/2007	CJR	1
1,2-Dichlorobenzene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Dichlorodifluoromethane	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2-Dichloroethane	< 0.45	ug/l	0.45	1.4	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethane	< 0.56	ug/l	0.56	1.8	1	8260B	10/3/2007	CJR	1
1,1-Dichloroethene	< 0.64	ug/l	0.64	2	1	8260B	10/3/2007	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B	10/3/2007	CJR	1
trans-1,2-Dichloroethene	< 0.95	ug/l	0.95	3	1	8260B	10/3/2007	CJR	1
1,2-Dichloropropane	< 0.47	ug/l	0.47	1.5	1	8260B	10/3/2007	CJR	1
2,2-Dichloropropane	< 0.98	ug/l	0.98	3.1	1	8260B	10/3/2007	CJR	1
1,3-Dichloropropane	< 0.39	ug/l	0.39	1.3	1	8260B	10/3/2007	CJR	1
Di-isopropyl ether	< 1.3	ug/l	1.3	4.1	1	8260B	10/3/2007	CJR	1
EDB (1,2-Dibromoethane)	< 0.49	ug/l	0.49	1.5	1	8260B	10/3/2007	CJR	1
Ethylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.9	1	8260B	10/3/2007	CJR	1
Isopropylbenzene	< 0.48	ug/l	0.48	1.5	1	8260B	10/3/2007	CJR	1
p-Isopropyltoluene	< 0.35	ug/l	0.35	1.1	1	8260B	10/3/2007	CJR	1
Methylene chloride	< 0.69	ug/l	0.69	2.2	1	8260B	10/3/2007	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.6	1	8260B	10/3/2007	CJR	4
n-Propylbenzene	< 0.38	ug/l	0.38	1.2	1	8260B	10/3/2007	CJR	1
1,1,2,2-Tetrachloroethane	< 0.75	ug/l	0.75	2.4	1	8260B	10/3/2007	CJR	1
1,1,1,2-Tetrachloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	10/3/2007	CJR	1
Tetrachloroethene	< 0.52	ug/l	0.52	1.6	1	8260B	10/3/2007	CJR	1
Toluene	< 0.46	ug/l	0.46	1.5	1	8260B	10/3/2007	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B	10/3/2007	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	10/3/2007	CJR	1
1,1,1-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
1,1,2-Trichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	10/3/2007	CJR	1
Trichloroethene (TCE)	< 0.44	ug/l	0.44	1.4	1	8260B	10/3/2007	CJR	1
Trichlorofluoromethane	< 0.61	ug/l	0.61	1.9	1	8260B	10/3/2007	CJR	1
1,2,4-Trimethylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	10/3/2007	CJR	1
1,3,5-Trimethylbenzene	< 0.37	ug/l	0.37	1.2	1	8260B	10/3/2007	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	10/3/2007	CJR	1
m&p-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	10/3/2007	CJR	1
o-Xylene	< 0.32	ug/l	0.32	1	1	8260B	10/3/2007	CJR	1

**Project Name** MASTER DRY CLEANERS  
**Project #** 9923

**Invoice #** E16115

\*J\* Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
3	The matrix spike not within established limits.
4	The continuing calibration standard not within established limits.

**Authorized Signature**

*Michael J. Ricker*

**APPENDIX H**

**Air Analytical Reports**



Pace Analytical Services, Inc.  
1700 Elm Street - Suite 200  
Minneapolis, MN 55414  
(612)607-1700

February 22, 2012

Steve Meer  
Sigma Environmental Services  
1300 W. Canal St.  
Milwaukee, WI 53233

RE: Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

Dear Steve Meer:

Enclosed are the analytical results for sample(s) received by the laboratory on February 09, 2012. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

*Carolynne Trout*

Carolynne Trout

carolynne.trout@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

Page 1 of 10



### CERTIFICATIONS

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

#### Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414  
A2LA Certification #: 2926.01  
Alaska Certification #: UST-078  
Alaska Certification #MN00064  
Arizona Certification #: AZ-0014  
Arkansas Certification #: 88-0680  
California Certification #: 01155CA  
EPA Region 8 Certification #: Pace  
Florida/NELAP Certification #: E87605  
Georgia Certification #: 959  
Idaho Certification #: MN00064  
Illinois Certification #: 200011  
Iowa Certification #: 368  
Kansas Certification #: E-10167  
Louisiana Certification #: 03086  
Louisiana Certification #: LA080009  
Maine Certification #: 2007029  
Maryland Certification #: 322  
Michigan DEQ Certification #: 9909  
Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace  
Montana Certification #: MT CERT0092  
Nevada Certification #: MN\_00064  
Nebraska Certification #: Pace  
New Jersey Certification #: MN-002  
New Mexico Certification #: Pace  
New York Certification #: 11647  
North Carolina Certification #: 530  
North Dakota Certification #: R-036  
North Dakota Certification #: R-036A  
Ohio VAP Certification #: CL101  
Oklahoma Certification #: D9921  
Oklahoma Certification #: 9507  
Oregon Certification #: MN200001  
Pennsylvania Certification #: 68-00563  
Puerto Rico Certification  
Tennessee Certification #: 02818  
Texas Certification #: T104704192  
Washington Certification #: C754  
Wisconsin Certification #: 999407970

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



Pace Analytical Services, Inc.  
1700 Elm Street - Suite 200  
Minneapolis, MN 55414  
(612)607-1700

### SAMPLE SUMMARY

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10182611001	Amb - 1st Floor	Air	02/07/12 11:00	02/09/12 08:05
10182611002	Amb - Basement	Air	02/07/12 11:00	02/09/12 08:05
10182611003	Amb - Outdoor	Air	02/07/12 11:00	02/09/12 08:05

### REPORT OF LABORATORY ANALYSIS

Page 3 of 10

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

**SAMPLE ANALYTE COUNT**

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10182611001	Amb - 1st Floor	TO-15	RTP	5
10182611002	Amb - Basement	TO-15	RTP	5
10182611003	Amb - Outdoor	TO-15	RTP	5

**REPORT OF LABORATORY ANALYSIS**



Pace Analytical Services, Inc.  
1700 Elm Street - Suite 200  
Minneapolis, MN 55414  
(612)607-1700

### ANALYTICAL RESULTS

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		<b>Analytical Method: TO-15</b>						
cis-1,2-Dichloroethene	ND	ug/m3	1.1	1.34		02/16/12 10:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.1	1.34		02/16/12 10:01	156-60-5	
Tetrachloroethene	ND	ug/m3	0.92	1.34		02/16/12 10:01	127-18-4	
Trichloroethene	ND	ug/m3	0.74	1.34		02/16/12 10:01	79-01-6	
Vinyl chloride	ND	ug/m3	0.35	1.34		02/16/12 10:01	75-01-4	

**ANALYTICAL RESULTS**

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: Amb - Basement</b>		<b>Lab ID: 10182611002</b>		<b>Collected: 02/07/12 11:00</b>		<b>Received: 02/09/12 08:05</b>		<b>Matrix: Air</b>
<b>TO15 MSV AIR</b>		<b>Analytical Method: TO-15</b>						
cis-1,2-Dichloroethene	ND	ug/m3	1.2	1.44		02/16/12 11:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.2	1.44		02/16/12 11:04	156-60-5	
Tetrachloroethene	ND	ug/m3	0.99	1.44		02/16/12 11:04	127-18-4	
Trichloroethene	ND	ug/m3	0.79	1.44		02/16/12 11:04	79-01-6	
Vinyl chloride	ND	ug/m3	0.37	1.44		02/16/12 11:04	75-01-4	



**ANALYTICAL RESULTS**

Project: 9923 - Master Dry Cleaning  
 Pace Project No.: 10182611

Sample: Amb - Outdoor Lab ID: 10182611003 Collected: 02/07/12 11:00 Received: 02/09/12 08:05 Matrix: Air

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR		Analytical Method: TO-15						
cis-1,2-Dichloroethene	ND	ug/m3	1.1	1.34		02/16/12 11:34	156-59-2	
trans-1,2-Dichloroethene	ND	ug/m3	1.1	1.34		02/16/12 11:34	156-60-5	
Tetrachloroethene	ND	ug/m3	0.92	1.34		02/16/12 11:34	127-18-4	
Trichloroethene	ND	ug/m3	0.74	1.34		02/16/12 11:34	79-01-6	
Vinyl chloride	ND	ug/m3	0.35	1.34		02/16/12 11:34	75-01-4	

**QUALITY CONTROL DATA**

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

QC Batch: AIR14273 Analysis Method: TO-15  
QC Batch Method: TO-15 Analysis Description: TO15 MSV AIR Low Level  
Associated Lab Samples: 10182611001, 10182611002, 10182611003

METHOD BLANK: 1140625 Matrix: Air  
Associated Lab Samples: 10182611001, 10182611002, 10182611003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	ND	0.81	02/16/12 09:30	
Tetrachloroethene	ug/m3	ND	0.69	02/16/12 09:30	
trans-1,2-Dichloroethene	ug/m3	ND	0.81	02/16/12 09:30	
Trichloroethene	ug/m3	ND	0.55	02/16/12 09:30	
Vinyl chloride	ug/m3	ND	0.26	02/16/12 09:30	

LABORATORY CONTROL SAMPLE: 1140626

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	40.3	35.9	89	73-130	
Tetrachloroethene	ug/m3	69	69.2	100	70-130	
trans-1,2-Dichloroethene	ug/m3	40.3	36.8	91	72-128	
Trichloroethene	ug/m3	54.6	48.9	90	72-131	
Vinyl chloride	ug/m3	26	21.3	82	70-131	

SAMPLE DUPLICATE: 1140627

Parameter	Units	10182611001 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	ND	ND		25	
Tetrachloroethene	ug/m3	ND	ND		25	
trans-1,2-Dichloroethene	ug/m3	ND	ND		25	
Trichloroethene	ug/m3	ND	ND		25	
Vinyl chloride	ug/m3	ND	ND		25	



## QUALIFIERS

Project: 9923 - Master Dry Cleaning

Pace Project No.: 10182611

## DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.



**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 9923 - Master Dry Cleaning  
Pace Project No.: 10182611

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10182611001	Amb - 1st Floor	TO-15	AIR/14273		
10182611002	Amb - Basement	TO-15	AIR/14273		
10182611003	Amb - Outdoor	TO-15	AIR/14273		



# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

10182011

<b>Section A</b> Required Client Information:	<b>Section B</b> Required Project Information:	<b>Section C</b> Invoice Information:	05233	Page: / of /
Company: <u>Sigma Environmental</u>	Report To: <u>Mary Trotta</u>	Attention: <u>Sare</u>	Program	
Address: <u>300 W. Canal St.</u>	Copy To:	Company Name:	<input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other	
<u>Milw, WI 53233</u>		Address:	Location of Sampling by State <u>WI</u>	
Email To: <u>mtrotta@sigmagroup.com</u>	Purchase Order No.:	Pace Quote Reference:	Reporting Units ug/m <sup>3</sup> <input checked="" type="checkbox"/> mg/m <sup>3</sup> <input type="checkbox"/> PPMV <input type="checkbox"/> PPMV <input type="checkbox"/> Other <input type="checkbox"/>	
Phone: <u>414-643-4200</u> <u>414-643-4210</u>	Project Name: <u>Master Drycleaning</u>	Pace Project Manager/Sales Rep.:	Report Level <u>II</u> <input type="checkbox"/> <u>III</u> <input type="checkbox"/> <u>IV</u> <input type="checkbox"/> Other <input type="checkbox"/>	
Requested Due Date/TAT:	Project Number: <u>9923</u>	Pace Profile #:		

ITEM #	Section D Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE	Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PM10	MEDIA CODE	PID Reading (Client only)	COLLECTED				Canister Pressure (Initial Field - psig)	Canister Pressure (Final Field - psig)	Summa Can Number	Flow Control Number	Method:							Pace Lab ID			
					COMPOSITE START ENDIGRAM		COMPOSITE						PM10	3C- Fixed Gas (%)	TO-3	TO-3M (Methane)	TO-4 (PCBs)	TO-13 (PAH)	TO-14		TO-15	TO-15 Short List	
					DATE	TIME	DATE	TIME															
1	Amb-1st Floor		6LC	-	2/6/12	11:03	2/7/12	11:00	-29	-4	1707	0135									X	01	
2	Amb-Basement		6LC	-	2/6/12	11:08	2/7/12	11:00	26	-3	1539	0208										X	02
3	Amb-Outdoor		6LC		2/6/12	11:10	2/7/12	11:00	25	-3	1673	0233										X	03
4																							
5																							
6																							
7																							
8																							
9																							
10																							
11																							
12																							

Comments: Analyze for:  
PCE, TCE,  
vinyl chloride,  
cis-1,2-DCE +  
trans-1,2-DCE

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS				
			<u>Reg. M. [Signature]</u>	2-9-12	08:05	Amb	Y/N	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N
							Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE		Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
PRINT Name of SAMPLER: <u>Stephen Meer</u>					
SIGNATURE of SAMPLER: <u>[Signature]</u> DATE Signed (MM/DD/YY) <u>2/7/12</u>					

ORIGINAL

**AIR Sample Condition Upon Receipt**



Client Name: Sigma ENV. Project # 10192611

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Optional:  
 Proj. Due Date:  
 Proj. Name:

Tracking #: 0388360 00003429

Comments:

Date and Initials of person examining contents: 2-9-12 JK

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Media:	<u>AIR (CAN)</u>	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.

Samples Received: 3 CANS, 3 FCS

Canisters		Flow Controllers		Stand Alone G		Tedlar Bags	
Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID
<u>AMB-1st Floor</u>	<u>1707</u>		<u>FC0135</u>				
<u>" - Basement</u>	<u>1539</u>		<u>FC0208</u>				
<u>" - OUTDOOR</u>	<u>1673</u>		<u>FC0233</u>				

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_ Date: \_\_\_\_\_

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)  
 A106 Rev.01 (22May2009)



Pace Analytical Services, Inc.  
1700 Elm Street - Suite 200  
Minneapolis, MN 55414.  
(612)607-1700

April 23, 2010

Adam Roder  
Sigma Environmental Services  
1300 W. Canal St.  
Milwaukee, WI 53233

RE: Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

Dear Adam Roder:

Enclosed are the analytical results for sample(s) received by the laboratory on April 09, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Colin Schuft

colin.schuft@pacelabs.com  
Project Manager

Enclosures

**REPORT OF LABORATORY ANALYSIS**

Page 1 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



## CERTIFICATIONS

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

---

### Minnesota Certification IDs

1700 Elm Street SE, Suite 200 Minneapolis, MN 55414  
Alaska Certification #: UST-078  
Washington Certification #: C754  
Tennessee Certification #: 02818  
Pennsylvania Certification #: 68-00563  
Oregon Certification #: MN200001  
North Dakota Certification #: R-036  
North Carolina Certification #: 530  
New York Certification #: 11647  
New Jersey Certification #: MN-002  
Montana Certification #: MT CERT0092  
Minnesota Certification #: 027-053-137

Michigan DEQ Certification #: 9909  
Maine Certification #: 2007029  
Louisiana Certification #: LA080009  
Louisiana Certification #: 03086  
Kansas Certification #: E-10167  
Iowa Certification #: 368  
Illinois Certification #: 200011  
Florida/NELAP Certification #: E87605  
California Certification #: 01155CA  
Arizona Certification #: AZ-0014  
Wisconsin Certification #: 999407970

---

## REPORT OF LABORATORY ANALYSIS

Page 2 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### SAMPLE SUMMARY

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10126218001	VP-3R	Air	04/07/10 03:10	04/09/10 09:03

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



**SAMPLE ANALYTE COUNT**

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported
10126218001	VP-3R	TO-15	CJR	57

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



### ANALYTICAL RESULTS

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

Sample: VP-3R Lab ID: 10126218001 Collected: 04/07/10 03:10 Received: 04/09/10 09:03 Matrix: Air

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>		<b>Analytical Method: TO-15</b>						
Acetone	31.0	ppbv	0.81	1.48		04/15/10 14:18	67-64-1	
Benzene	ND	ppbv	0.77	1.48		04/15/10 14:18	71-43-2	
Bromodichloromethane	ND	ppbv	0.75	1.48		04/15/10 14:18	75-27-4	
Bromoform	ND	ppbv	0.77	1.48		04/15/10 14:18	75-25-2	
Bromomethane	ND	ppbv	0.75	1.48		04/15/10 14:18	74-83-9	
1,3-Butadiene	ND	ppbv	0.77	1.48		04/15/10 14:18	106-99-0	
2-Butanone (MEK)	2.9	ppbv	0.81	1.48		04/15/10 14:18	78-93-3	
Carbon disulfide	ND	ppbv	0.74	1.48		04/15/10 14:18	75-15-0	
Carbon tetrachloride	ND	ppbv	0.75	1.48		04/15/10 14:18	56-23-5	
Chlorobenzene	ND	ppbv	0.77	1.48		04/15/10 14:18	108-90-7	
Chloroethane	ND	ppbv	0.75	1.48		04/15/10 14:18	75-00-3	
Chloroform	ND	ppbv	0.75	1.48		04/15/10 14:18	67-66-3	
Chloromethane	ND	ppbv	0.74	1.48		04/15/10 14:18	74-87-3	
Cyclohexane	1.6	ppbv	0.77	1.48		04/15/10 14:18	110-82-7	
Dibromochloromethane	ND	ppbv	0.78	1.48		04/15/10 14:18	124-48-1	
1,2-Dibromoethane (EDB)	ND	ppbv	0.77	1.48		04/15/10 14:18	106-93-4	
1,2-Dichlorobenzene	ND	ppbv	0.75	1.48		04/15/10 14:18	95-50-1	
1,3-Dichlorobenzene	ND	ppbv	0.75	1.48		04/15/10 14:18	541-73-1	
1,4-Dichlorobenzene	0.95	ppbv	0.75	1.48		04/15/10 14:18	106-46-7	
Dichlorodifluoromethane	ND	ppbv	0.75	1.48		04/15/10 14:18	75-71-8	
1,1-Dichloroethane	ND	ppbv	0.77	1.48		04/15/10 14:18	75-34-3	
1,2-Dichloroethane	ND	ppbv	0.77	1.48		04/15/10 14:18	107-06-2	
1,1-Dichloroethene	ND	ppbv	0.77	1.48		04/15/10 14:18	75-35-4	
cis-1,2-Dichloroethene	ND	ppbv	0.77	1.48		04/15/10 14:18	156-59-2	
trans-1,2-Dichloroethene	ND	ppbv	1.5	1.48		04/15/10 14:18	156-60-5	
1,2-Dichloropropane	ND	ppbv	0.77	1.48		04/15/10 14:18	78-87-5	
cis-1,3-Dichloropropene	ND	ppbv	0.75	1.48		04/15/10 14:18	10061-01-5	
trans-1,3-Dichloropropene	ND	ppbv	0.77	1.48		04/15/10 14:18	10061-02-6	
Dichlorotetrafluoroethane	ND	ppbv	0.84	1.48		04/15/10 14:18	76-14-2	
Ethyl acetate	0.84	ppbv	0.75	1.48		04/15/10 14:18	141-78-6	
Ethylbenzene	0.85	ppbv	0.77	1.48		04/15/10 14:18	100-41-4	
4-Ethyltoluene	1.6	ppbv	0.78	1.48		04/15/10 14:18	622-96-8	
n-Heptane	ND	ppbv	0.77	1.48		04/15/10 14:18	142-82-5	
Hexachloro-1,3-butadiene	ND	ppbv	0.74	1.48		04/15/10 14:18	87-68-3	
n-Hexane	ND	ppbv	0.78	1.48		04/15/10 14:18	110-54-3	
2-Hexanone	2.9	ppbv	0.81	1.48		04/15/10 14:18	591-78-6	
Methylene Chloride	0.97	ppbv	0.77	1.48		04/15/10 14:18	75-09-2	
4-Methyl-2-pentanone (MIBK)	1.1	ppbv	0.81	1.48		04/15/10 14:18	108-10-1	
Methyl-tert-butyl ether	ND	ppbv	1.5	1.48		04/15/10 14:18	1634-04-4	
Propylene	ND	ppbv	3.0	1.48		04/15/10 14:18	115-07-1	
Styrene	ND	ppbv	0.81	1.48		04/15/10 14:18	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ppbv	0.77	1.48		04/15/10 14:18	79-34-5	
Tetrachloroethene	0.80	ppbv	0.77	1.48		04/15/10 14:18	127-18-4	
Tetrahydrofuran	ND	ppbv	0.77	1.48		04/15/10 14:18	109-99-9	
Toluene	2.2	ppbv	0.77	1.48		04/15/10 14:18	108-88-3	
1,2,4-Trichlorobenzene	ND	ppbv	0.77	1.48		04/15/10 14:18	120-82-1	
1,1,1-Trichloroethane	1.8	ppbv	0.77	1.48		04/15/10 14:18	71-55-6	

Date: 04/23/2010 09:29 AM

### REPORT OF LABORATORY ANALYSIS

Page 5 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



**ANALYTICAL RESULTS**

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: VP-3R</b>		<b>Lab ID: 10126218001</b>		<b>Collected: 04/07/10 03:10</b>		<b>Received: 04/09/10 09:03</b>		<b>Matrix: Air</b>
<b>TO15 MSV AIR</b>		<b>Analytical Method: TO-15</b>						
1,1,2-Trichloroethane	ND	ppbv	0.77	1.48		04/15/10 14:18	79-00-5	
Trichloroethene	82.2	ppbv	15.4	29.6		04/14/10 20:37	79-01-6	
Trichlorofluoromethane	ND	ppbv	0.74	1.48		04/15/10 14:18	75-69-4	
1,1,2-Trichlorotrifluoroethane	ND	ppbv	0.77	1.48		04/15/10 14:18	76-13-1	
1,2,4-Trimethylbenzene	3.6	ppbv	0.75	1.48		04/15/10 14:18	95-63-6	
1,3,5-Trimethylbenzene	0.82	ppbv	0.77	1.48		04/15/10 14:18	108-67-8	
Vinyl acetate	ND	ppbv	0.81	1.48		04/15/10 14:18	108-05-4	
Vinyl chloride	ND	ppbv	0.75	1.48		04/15/10 14:18	75-01-4	
m&p-Xylene	4.8	ppbv	1.5	1.48		04/15/10 14:18	1330-20-7	
o-Xylene	1.4	ppbv	0.77	1.48		04/15/10 14:18	95-47-6	

### QUALITY CONTROL DATA

Project: 9923 MASTER DRY CLEANING

Pace Project No.: 10126218

QC Batch: AIR/10085

Analysis Method: TO-15

QC Batch Method: TO-15

Analysis Description: TO15 MSV AIR

Associated Lab Samples: 10126218001

METHOD BLANK: 774015

Matrix: Air

Associated Lab Samples: 10126218001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ppbv	ND	0.52	04/15/10 11:17	
1,1,2,2-Tetrachloroethane	ppbv	ND	0.52	04/15/10 11:17	
1,1,2-Trichloroethane	ppbv	ND	0.52	04/15/10 11:17	
1,1,2-Trichlorotrifluoroethane	ppbv	ND	0.52	04/15/10 11:17	
1,1-Dichloroethane	ppbv	ND	0.52	04/15/10 11:17	
1,1-Dichloroethene	ppbv	ND	0.52	04/15/10 11:17	
1,2,4-Trichlorobenzene	ppbv	ND	0.52	04/15/10 11:17	
1,2,4-Trimethylbenzene	ppbv	ND	0.51	04/15/10 11:17	
1,2-Dibromoethane (EDB)	ppbv	ND	0.52	04/15/10 11:17	
1,2-Dichlorobenzene	ppbv	ND	0.51	04/15/10 11:17	
1,2-Dichloroethane	ppbv	ND	0.52	04/15/10 11:17	
1,2-Dichloropropane	ppbv	ND	0.52	04/15/10 11:17	
1,3,5-Trimethylbenzene	ppbv	ND	0.52	04/15/10 11:17	
1,3-Butadiene	ppbv	ND	0.52	04/15/10 11:17	
1,3-Dichlorobenzene	ppbv	ND	0.51	04/15/10 11:17	
1,4-Dichlorobenzene	ppbv	ND	0.51	04/15/10 11:17	
2-Butanone (MEK)	ppbv	ND	0.55	04/15/10 11:17	
2-Hexanone	ppbv	ND	0.55	04/15/10 11:17	
4-Ethyltoluene	ppbv	ND	0.53	04/15/10 11:17	
4-Methyl-2-pentanone (MIBK)	ppbv	ND	0.55	04/15/10 11:17	
Acetone	ppbv	ND	0.55	04/15/10 11:17	
Benzene	ppbv	ND	0.52	04/15/10 11:17	
Bromodichloromethane	ppbv	ND	0.51	04/15/10 11:17	
Bromoform	ppbv	ND	0.52	04/15/10 11:17	
Bromomethane	ppbv	ND	0.51	04/15/10 11:17	
Carbon disulfide	ppbv	ND	0.50	04/15/10 11:17	
Carbon tetrachloride	ppbv	ND	0.51	04/15/10 11:17	
Chlorobenzene	ppbv	ND	0.52	04/15/10 11:17	
Chloroethane	ppbv	ND	0.51	04/15/10 11:17	
Chloroform	ppbv	ND	0.51	04/15/10 11:17	
Chloromethane	ppbv	ND	0.50	04/15/10 11:17	
cis-1,2-Dichloroethene	ppbv	ND	0.52	04/15/10 11:17	
cis-1,3-Dichloropropene	ppbv	ND	0.51	04/15/10 11:17	
Cyclohexane	ppbv	ND	0.52	04/15/10 11:17	
Dibromochloromethane	ppbv	ND	0.53	04/15/10 11:17	
Dichlorodifluoromethane	ppbv	ND	0.51	04/15/10 11:17	
Dichlorotetrafluoroethane	ppbv	ND	0.57	04/15/10 11:17	
Ethyl acetate	ppbv	ND	0.51	04/15/10 11:17	
Ethylbenzene	ppbv	ND	0.52	04/15/10 11:17	
Hexachloro-1,3-butadiene	ppbv	ND	0.50	04/15/10 11:17	
m&p-Xylene	ppbv	ND	1.0	04/15/10 11:17	
Methyl-tert-butyl ether	ppbv	ND	1.0	04/15/10 11:17	
Methylene Chloride	ppbv	ND	0.52	04/15/10 11:17	

Date: 04/23/2010 09:29 AM

### REPORT OF LABORATORY ANALYSIS

Page 7 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



### QUALITY CONTROL DATA

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

METHOD BLANK: 774015

Matrix: Air

Associated Lab Samples: 10126218001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
n-Heptane	ppbv	ND	0.52	04/15/10 11:17	
n-Hexane	ppbv	ND	0.53	04/15/10 11:17	
o-Xylene	ppbv	ND	0.52	04/15/10 11:17	
Propylene	ppbv	ND	2.0	04/15/10 11:17	
Styrene	ppbv	ND	0.55	04/15/10 11:17	
Tetrachloroethene	ppbv	ND	0.52	04/15/10 11:17	
Tetrahydrofuran	ppbv	ND	0.52	04/15/10 11:17	
Toluene	ppbv	ND	0.52	04/15/10 11:17	
trans-1,2-Dichloroethene	ppbv	ND	1.0	04/15/10 11:17	
trans-1,3-Dichloropropene	ppbv	ND	0.52	04/15/10 11:17	
Trichloroethene	ppbv	ND	0.52	04/15/10 11:17	
Trichlorofluoromethane	ppbv	ND	0.50	04/15/10 11:17	
Vinyl acetate	ppbv	ND	0.55	04/15/10 11:17	
Vinyl chloride	ppbv	ND	0.51	04/15/10 11:17	

LABORATORY CONTROL SAMPLE: 774016

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ppbv	10	10.5	105	60-125	
1,1,2,2-Tetrachloroethane	ppbv	10	11.7	117	57-127	
1,1,2-Trichloroethane	ppbv	10	9.9	99	56-125	
1,1,2-Trichlorotrifluoroethane	ppbv	10	9.7	97	52-133	
1,1-Dichloroethane	ppbv	10	10.4	104	54-127	
1,1-Dichloroethene	ppbv	10	10.2	102	52-129	
1,2,4-Trichlorobenzene	ppbv	10	8.3	83	30-150	
1,2,4-Trimethylbenzene	ppbv	10	11.2	112	52-145	
1,2-Dibromoethane (EDB)	ppbv	10	12.5	125	59-133	
1,2-Dichlorobenzene	ppbv	10	11.1	111	67-135	
1,2-Dichloroethane	ppbv	10	10.2	102	54-125	
1,2-Dichloropropane	ppbv	10	10.1	101	64-125	
1,3,5-Trimethylbenzene	ppbv	10	12.7	127	56-135	
1,3-Butadiene	ppbv	10	9.7	97	55-125	
1,3-Dichlorobenzene	ppbv	10	11.9	119	61-142	
1,4-Dichlorobenzene	ppbv	10	11.5	115	55-142	
2-Butanone (MEK)	ppbv	10	10.3	103	47-141	
2-Hexanone	ppbv	10	9.4	94	41-138	
4-Ethyltoluene	ppbv	10	10	100	62-130	
4-Methyl-2-pentanone (MIBK)	ppbv	10	9.2	92	53-134	
Acetone	ppbv	10	8.3	83	44-149	
Benzene	ppbv	10	9.5	95	61-126	
Bromodichloromethane	ppbv	10	10.9	109	54-129	
Bromoform	ppbv	10	9.5	95	56-125	
Bromomethane	ppbv	10	9.5	95	56-128	
Carbon disulfide	ppbv	10	10.3	103	58-150	
Carbon tetrachloride	ppbv	10	10.3	103	55-125	

Date: 04/23/2010 09:29 AM

### REPORT OF LABORATORY ANALYSIS

Page 8 of 11

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.



### QUALITY CONTROL DATA

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

LABORATORY CONTROL SAMPLE: 774016

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chlorobenzene	ppbv	10	10.9	109	48-138	
Chloroethane	ppbv	10	9.8	98	56-128	
Chloroform	ppbv	10	10.7	107	55-125	
Chloromethane	ppbv	10	9.3	93	50-131	
cis-1,2-Dichloroethene	ppbv	10	10.4	104	64-125	
cis-1,3-Dichloropropene	ppbv	10	10.4	104	61-132	
Cyclohexane	ppbv	10	10.0	100	61-130	
Dibromochloromethane	ppbv	10	13.3	133	51-129 L3	
Dichlorodifluoromethane	ppbv	10	9.7	97	56-132	
Dichlorotetrafluoroethane	ppbv	10	9.3	93	48-125	
Ethyl acetate	ppbv	10	10.9	109	66-149	
Ethylbenzene	ppbv	10	11.8	118	56-137	
Hexachloro-1,3-butadiene	ppbv	10	8.8	88	30-150	
m&p-Xylene	ppbv	20	24.2	121	62-135	
Methyl-tert-butyl ether	ppbv	10	8.3	83	59-125	
Methylene Chloride	ppbv	10	10.6	106	46-143	
n-Heptane	ppbv	10	10.1	101	64-130	
n-Hexane	ppbv	10	10.2	102	61-134	
o-Xylene	ppbv	10	11.2	112	61-134	
Propylene	ppbv	10	9.8	98	62-146	
Styrene	ppbv	10	9.6	96	63-134	
Tetrachloroethene	ppbv	10	11.7	117	61-132	
Tetrahydrofuran	ppbv	10	10.7	107	62-137	
Toluene	ppbv	10	10.0	100	57-132	
trans-1,2-Dichloroethene	ppbv	10	10.3	103	52-130	
trans-1,3-Dichloropropene	ppbv	10	9.7	97	61-129	
Trichloroethene	ppbv	10	9.6	96	72-147	
Trichlorofluoromethane	ppbv	10	9.9	99	58-141	
Vinyl acetate	ppbv	10	11.7	117	56-131	
Vinyl chloride	ppbv	10	9.7	97	56-136	

## QUALIFIERS

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

U - Indicates the compound was analyzed for, but not detected.

### ANALYTE QUALIFIERS

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 9923 MASTER DRY CLEANING  
Pace Project No.: 10126218

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10126218001	VP-3R	TO-15	AIR/10085		



Pace Analytical Services, Inc.  
 1700 Elm Street - Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: Sigma Environmental Services  
 Phone: 414-643-4200

Lab Project Number: 10126218  
 Project Name: 9923 MASTER DRY CLEANING

Lab Sample No: 10126218001  
 Client Sample ID: VP-3R

ProjSampleNum: 10126218001  
 Matrix: Air

Date Collected: 04/07/10 3:10  
 Date Received: 04/09/10 9:03

Parameters	Report Limit ppbv	Results ppbv	Report Limit ug/m3	Results ug/m3	DF	Analyzed	CAS No.
<b>Air</b>							
<b>TO-15</b>							
1,1,1-Trichloroethane	0.77	1.8	4.3	9.98	1.48	04/15/10 14:18 CJR	71-55-6
1,1,1,2-Tetrachloroethane	0.77	ND	5.4	ND	1.48	04/15/10 14:18 CJR	79-34-5
1,1,2-Trichloroethane	0.77	ND	4.3	ND	1.48	04/15/10 14:18 CJR	79-00-5
1,1,2-Trichlorotrifluoroethane	0.77	ND	6	ND	1.48	04/15/10 14:18 CJR	76-13-1
1,1-Dichloroethane	0.77	ND	3.2	ND	1.48	04/15/10 14:18 CJR	75-34-3
1,1-Dichloroethene	0.77	ND	3.1	ND	1.48	04/15/10 14:18 CJR	75-35-4
1,2,4-Trichlorobenzene	0.77	ND	5.8	ND	1.48	04/15/10 14:18 CJR	120-82-1
1,2,4-Trimethylbenzene	0.75	3.6	3.7	18	1.48	04/15/10 14:18 CJR	95-63-6
1,2-Dibromoethane (EDB)	0.77	ND	6	ND	1.48	04/15/10 14:18 CJR	106-93-4
1,2-Dichlorobenzene	0.75	ND	4.6	ND	1.48	04/15/10 14:18 CJR	95-50-1
1,2-Dichloroethane	0.77	ND	3.2	ND	1.48	04/15/10 14:18 CJR	107-06-2
1,2-Dichloropropane	0.77	ND	3.6	ND	1.48	04/15/10 14:18 CJR	78-87-5
1,3,5-Trimethylbenzene	0.77	0.82	3.8	4.1	1.48	04/15/10 14:18 CJR	108-67-8
1,3-Butadiene	0.77	ND	1.7	ND	1.48	04/15/10 14:18 CJR	106-99-0
1,3-Dichlorobenzene	0.75	ND	4.6	ND	1.48	04/15/10 14:18 CJR	541-73-1
1,4-Dichlorobenzene	0.75	0.95	4.6	5.81	1.48	04/15/10 14:18 CJR	106-46-7
2-Butanone (MEK)	0.81	2.9	2.4	8.69	1.48	04/15/10 14:18 CJR	78-93-3
2-Hexanone	0.81	2.9	3.4	12.1	1.48	04/15/10 14:18 CJR	591-78-6
4-Ethyltoluene	0.78	1.6	3.9	8	1.48	04/15/10 14:18 CJR	622-96-8
4-Methyl-2-pentanone (MIBK)	0.81	1.1	3.4	4.58	1.48	04/15/10 14:18 CJR	108-10-1
Acetone	0.81	31.0	2	74.9	1.48	04/15/10 14:18 CJR	67-64-1
Benzene	0.77	ND	2.5	ND	1.48	04/15/10 14:18 CJR	71-43-2
Bromodichloromethane	0.75	ND	5.1	ND	1.48	04/15/10 14:18 CJR	75-27-4
Bromoform	0.77	ND	8.1	ND	1.48	04/15/10 14:18 CJR	75-25-2
Bromomethane	0.75	ND	3	ND	1.48	04/15/10 14:18 CJR	74-83-9
Carbon disulfide	0.74	ND	2.3	ND	1.48	04/15/10 14:18 CJR	75-15-0
Carbon tetrachloride	0.75	ND	4.8	ND	1.48	04/15/10 14:18 CJR	56-23-5
Chlorobenzene	0.77	ND	3.6	ND	1.48	04/15/10 14:18 CJR	108-90-7
Chloroethane	0.75	ND	2	ND	1.48	04/15/10 14:18 CJR	75-00-3
Chloroform	0.75	ND	3.7	ND	1.48	04/15/10 14:18 CJR	67-66-3
Chloromethane	0.74	ND	1.6	ND	1.48	04/15/10 14:18 CJR	74-87-3
cis-1,2-Dichloroethene	0.77	ND	3.1	ND	1.48	04/15/10 14:18 CJR	156-59-2
cis-1,3-Dichloropropene	0.75	ND	3.5	ND	1.48	04/15/10 14:18 CJR	10061-01-5
Cyclohexane	0.77	1.6	2.7	5.6	1.48	04/15/10 14:18 CJR	110-82-7
Dibromochloromethane	0.78	ND	6.8	ND	1.48	04/15/10 14:18 CJR	124-48-1
Dichlorodifluoromethane	0.75	ND	3.8	ND	1.48	04/15/10 14:18 CJR	75-71-8
Dichlorotetrafluoroethane	0.84	ND	6	ND	1.48	04/15/10 14:18 CJR	76-14-2
Ethyl acetate	0.75	0.84	2.7	3.08	1.48	04/15/10 14:18 CJR	141-78-6
Ethylbenzene	0.77	0.85	3.4	3.75	1.48	04/15/10 14:18 CJR	100-41-4
Hexachloro-1,3-butadiene	0.74	ND	8	ND	1.48	04/15/10 14:18 CJR	87-68-3
m&p-Xylene	1.5	4.8	6.6	21.2	1.48	04/15/10 14:18 CJR	1330-20-7

**SUPPLEMENTAL REPORT**

Units Conversion Request



Pace Analytical Services, Inc.  
 1700 Elm Street – Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: Sigma Environmental Services  
 Phone: 414-643-4200

Lab Project Number: 10126218  
 Project Name: 9923 MASTER DRY CLEANING

Methylene Chloride	0.77	0.97	2.7	3.43	1.48	04/15/10 14:18	CJR	75-09-2
Methyl-tert-butyl ether	1.5	ND	5.5	ND	1.48	04/15/10 14:18	CJR	1634-04-4
n-Heptane	0.77	ND	3.2	ND	1.48	04/15/10 14:18	CJR	142-82-5
n-Hexane	0.78	ND	2.8	ND	1.48	04/15/10 14:18	CJR	110-54-3
o-Xylene	0.77	1.4	3.4	6.18	1.48	04/15/10 14:18	CJR	95-47-6
Propylene	3	ND	5.2	ND	1.48	04/15/10 14:18	CJR	115-07-1
Styrene	0.81	ND	3.5	ND	1.48	04/15/10 14:18	CJR	100-42-5
Tetrachloroethene	0.77	0.80	5.3	5.52	1.48	04/15/10 14:18	CJR	127-18-4
Tetrahydrofuran	0.77	ND	2.3	ND	1.48	04/15/10 14:18	CJR	109-99-9
Toluene	0.77	2.2	2.9	8.43	1.48	04/15/10 14:18	CJR	108-88-3
trans-1,2-Dichloroethene	1.5	ND	6	ND	1.48	04/15/10 14:18	CJR	156-60-5
trans-1,3-Dichloropropene	0.77	ND	3.6	ND	1.48	04/15/10 14:18	CJR	10061-02-6
Trichloroethene	15.4	82.2	84	449	29.6	04/14/10 20:37	CJR	79-01-6
Trichlorofluoromethane	0.74	ND	4.2	ND	1.48	04/15/10 14:18	CJR	75-69-4
Vinyl acetate	0.81	ND	2.9	ND	1.48	04/15/10 14:18	CJR	108-05-4
Vinyl chloride	0.75	ND	1.9	ND	1.48	04/15/10 14:18	CJR	75-01-4

**SUPPLEMENTAL REPORT**

Units Conversion Request



**AIR Sample Condition Upon Receipt**

*Pace Analytical*

Client Name: SIGMA ENV. Project # 10126218

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Tracking #: 1Z 27W 444 035100 5164

Comments: \_\_\_\_\_

Date and Initials of person examining contents: 4-9-10 JK

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Media: <u>AIR (CAN)</u>		11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.

Samples Received: 1 CAN

Canisters		Flow Controllers		Stand Alone G		Tedlar Bags	
Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID	Sample Number	Can ID
<u>VP-3R</u>	<u>0103</u>		<u>124</u>				

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: [Signature] Date: 04/13/10

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e. out of hold, incorrect preservative, out of temp, incorrect containers)  
A106 Rev.01 (22May2009)