



- CONSULTANTS
- ENVIRONMENTAL
- GEOTECHNICAL
- MATERIALS
- FORENSICS

September 26, 2017

WDNR
1300 W. Clairemont Avenue
Eau Claire, WI 54701

Attn: Stacy Steinke
Submitted via Email: stacy.steinke@wisconsin.gov

Re: Laboratory results from the potable wells at the DairiConcepts site,
W888 Chili Road, Chili, Clark County, Wisconsin.
AET Project #03-05510. **WDNR BRRTS #03-10-545212.**
PECFA #54420-9999-88.

Dear Ms. Steinke:

Enclosed are the most recent laboratory results from the potable wells at the DairiConcepts site. Wells PW-1 (WI ID #IY805) and PW-5 (WI ID #XH461) are from the DairiConcepts facility. Potable well PW-4 (WI ID #TY722) is from the former residence at W887 Chili Road. The Strey well is from the residential property located at N5696 County Highway Y.

No volatile organic compounds (VOCs) were detected in any of the wells at concentrations exceeding drinking water standards.

If you have any questions, please give me a call.

Sincerely,

A handwritten signature in blue ink that reads 'Michael K. Neal'.

Michael K. Neal, Professional Hydrologist
Geomorphologist

Phone: 715-861-5045
Cell Phone: 715-894-6455
Email: mneal@amengtest.com



cc: Stacy Doing, DFA, sdoing@dfamilk.com
Travis Humphrey, DairiConcepts, thumphrey@dairiconcepts.com
Gina Keenan, WDNR, gina.keenan@wisconsin.gov
Eric Strey, P.O. Box 481, Spencer, WI 54479

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Chicago
2417 Bond Street
University Park, IL 60484
Tel: (708)534-5200

TestAmerica Job ID: 500-133876-1
Client Project/Site: Darri Concepts - 03-05510

For:
American Engineering Testing Inc.
1837 Cty Hwy OO
Chippewa Falls, Wisconsin 54729

Attn: Mr. Michael Neal



Authorized for release by:
9/21/2017 5:07:53 PM

Sandie Fredrick, Project Manager II
(920)261-1660
sandie.fredrick@testamericainc.com

REVIEWED

By mneal at 9:42 am, Sep 22, 2017

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: CMW-1

Date Collected: 09/08/17 12:20

Date Received: 09/12/17 10:15

Lab Sample ID: 500-133876-17

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		75 - 126		09/21/17 11:34	1
4-Bromofluorobenzene (Surr)	95		72 - 124		09/21/17 11:34	1
Dibromofluoromethane	98		75 - 120		09/21/17 11:34	1
Toluene-d8 (Surr)	101		75 - 120		09/21/17 11:34	1

Client Sample ID: PW-1

Date Collected: 09/08/17 15:15

Date Received: 09/12/17 10:15

Lab Sample ID: 500-133876-18

Matrix: Water

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.14		0.50	0.14	ug/L			09/13/17 17:52	1
1,1,1-Trichloroethane	<0.21		0.50	0.21	ug/L			09/13/17 17:52	1
1,1,2,2-Tetrachloroethane	<0.070		0.50	0.070	ug/L			09/13/17 17:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<0.17		0.50	0.17	ug/L			09/13/17 17:52	1
1,1,2-Trichloroethane	<0.17		0.50	0.17	ug/L			09/13/17 17:52	1
1,1-Dichloroethane	<0.18		0.50	0.18	ug/L			09/13/17 17:52	1
1,1-Dichloroethene	<0.16		0.50	0.16	ug/L			09/13/17 17:52	1
1,1-Dichloropropene	<0.063		0.50	0.063	ug/L			09/13/17 17:52	1
1,2,3-Trichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 17:52	1
1,2,3-Trichloropropane	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
1,2,4-Trichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
1,2,4-Trimethylbenzene	0.40	J	0.50	0.090	ug/L			09/13/17 17:52	1
1,2-Dichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 17:52	1
1,2-Dichloroethane	<0.14		0.50	0.14	ug/L			09/13/17 17:52	1
1,2-Dichloropropane	<0.11		0.50	0.11	ug/L			09/13/17 17:52	1
1,3,5-Trimethylbenzene	0.19	J	0.50	0.13	ug/L			09/13/17 17:52	1
1,3-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
1,3-Dichloropropane	<0.15		0.50	0.15	ug/L			09/13/17 17:52	1
1,4-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
2,2-Dichloropropane	<0.35		0.50	0.35	ug/L			09/13/17 17:52	1
2-Butanone (MEK)	<5.0		10	5.0	ug/L			09/13/17 17:52	1
2-Chlorotoluene	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
2-Hexanone	<5.0		10	5.0	ug/L			09/13/17 17:52	1
4-Chlorotoluene	<0.15		0.50	0.15	ug/L			09/13/17 17:52	1
4-Isopropyltoluene	<0.063		0.50	0.063	ug/L			09/13/17 17:52	1
4-Methyl-2-pentanone (MIBK)	<5.0		10	5.0	ug/L			09/13/17 17:52	1
Acetone	<5.0		10	5.0	ug/L			09/13/17 17:52	1
Acrylonitrile	<2.2		10	2.2	ug/L			09/13/17 17:52	1
Allyl chloride	<0.22		0.50	0.22	ug/L			09/13/17 17:52	1
Benzene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
Bromobenzene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
Bromochloromethane	<0.11		0.50	0.11	ug/L			09/13/17 17:52	1
Bromoform	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
Bromomethane	<0.23		0.50	0.23	ug/L			09/13/17 17:52	1
Carbon disulfide	<0.15		0.50	0.15	ug/L			09/13/17 17:52	1
Carbon tetrachloride	<0.21		0.50	0.21	ug/L			09/13/17 17:52	1
Chlorobenzene	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
Chlorodibromomethane	<0.16		0.50	0.16	ug/L			09/13/17 17:52	1
Chloroethane	<0.20		0.50	0.20	ug/L			09/13/17 17:52	1

TestAmerica Chicago

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: PW-1

Lab Sample ID: 500-133876-18

Date Collected: 09/08/17 15:15

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	<0.14		0.50	0.14	ug/L			09/13/17 17:52	1
Chloromethane	<0.17		0.50	0.17	ug/L			09/13/17 17:52	1
cis-1,2-Dichloroethene	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
cis-1,3-Dichloropropene	<0.080		0.50	0.080	ug/L			09/13/17 17:52	1
Dibromomethane	<0.17		0.50	0.17	ug/L			09/13/17 17:52	1
Dichlorobromomethane	<0.14		0.50	0.14	ug/L			09/13/17 17:52	1
Dichlorodifluoromethane	<0.15		0.50	0.15	ug/L			09/13/17 17:52	1
Dichlorofluoromethane	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
Ethyl ether	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
Ethylbenzene	<0.11		0.50	0.11	ug/L			09/13/17 17:52	1
Hexachlorobutadiene	<0.11		0.50	0.11	ug/L			09/13/17 17:52	1
Iodomethane	<0.15		0.50	0.15	ug/L			09/13/17 17:52	1
Isopropylbenzene	<0.16		0.50	0.16	ug/L			09/13/17 17:52	1
Methyl tert-butyl ether	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
Methylene Chloride	<0.99 *		2.5	0.99	ug/L			09/13/17 17:52	1
m-Xylene & p-Xylene	<0.30		1.0	0.30	ug/L			09/13/17 17:52	1
Naphthalene	<0.15		0.50	0.15	ug/L			09/13/17 17:52	1
n-Butylbenzene	<0.081		0.50	0.081	ug/L			09/13/17 17:52	1
N-Propylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
o-Xylene	<0.12		0.50	0.12	ug/L			09/13/17 17:52	1
sec-Butylbenzene	<0.068		0.50	0.068	ug/L			09/13/17 17:52	1
Styrene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
t-Butanol	<2.5		10	2.5	ug/L			09/13/17 17:52	1
tert-Butylbenzene	<0.060		0.50	0.060	ug/L			09/13/17 17:52	1
Tetrachloroethene	<0.20		0.50	0.20	ug/L			09/13/17 17:52	1
Toluene	<0.10		0.50	0.10	ug/L			09/13/17 17:52	1
trans-1,2-Dichloroethene	<0.13		0.50	0.13	ug/L			09/13/17 17:52	1
trans-1,3-Dichloropropene	<0.10		0.50	0.10	ug/L			09/13/17 17:52	1
trans-1,4-Dichloro-2-butene	<1.3		2.5	1.3	ug/L			09/13/17 17:52	1
Trichloroethene	<0.18		0.50	0.18	ug/L			09/13/17 17:52	1
Trichlorofluoromethane	<0.19		0.50	0.19	ug/L			09/13/17 17:52	1
Trihalomethanes, Total	<1.0		2.0	1.0	ug/L			09/13/17 17:52	1
Vinyl acetate	<0.45		2.5	0.45	ug/L			09/13/17 17:52	1
Vinyl chloride	<0.18		0.50	0.18	ug/L			09/13/17 17:52	1
Xylenes, Total	<0.12		1.0	0.12	ug/L			09/13/17 17:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene-d4	99		80 - 120					09/13/17 17:52	1
4-Bromofluorobenzene (Surr)	96		80 - 120					09/13/17 17:52	1

Client Sample ID: PW-4

Lab Sample ID: 500-133876-19

Date Collected: 09/08/17 15:30

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.14		0.50	0.14	ug/L			09/13/17 18:19	1
1,1,1-Trichloroethane	<0.21		0.50	0.21	ug/L			09/13/17 18:19	1
1,1,2,2-Tetrachloroethane	<0.070		0.50	0.070	ug/L			09/13/17 18:19	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<0.17		0.50	0.17	ug/L			09/13/17 18:19	1

TestAmerica Chicago

Client Sample Results

Client: American Engineering Testing Inc.
 Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: PW-4

Lab Sample ID: 500-133876-19

Date Collected: 09/08/17 15:30

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2-Trichloroethane	<0.17		0.50	0.17	ug/L			09/13/17 18:19	1
1,1-Dichloroethane	<0.18		0.50	0.18	ug/L			09/13/17 18:19	1
1,1-Dichloroethene	<0.16		0.50	0.16	ug/L			09/13/17 18:19	1
1,1-Dichloropropene	<0.063		0.50	0.063	ug/L			09/13/17 18:19	1
1,2,3-Trichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 18:19	1
1,2,3-Trichloropropane	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1
1,2,4-Trichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
1,2,4-Trimethylbenzene	<0.090		0.50	0.090	ug/L			09/13/17 18:19	1
1,2-Dichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 18:19	1
1,2-Dichloroethane	<0.14		0.50	0.14	ug/L			09/13/17 18:19	1
1,2-Dichloropropane	<0.11		0.50	0.11	ug/L			09/13/17 18:19	1
1,3,5-Trimethylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
1,3-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
1,3-Dichloropropane	<0.15		0.50	0.15	ug/L			09/13/17 18:19	1
1,4-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
2,2-Dichloropropane	<0.35		0.50	0.35	ug/L			09/13/17 18:19	1
2-Butanone (MEK)	<5.0	10		5.0	ug/L			09/13/17 18:19	1
2-Chlorotoluene	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1
2-Hexanone	<5.0	10		5.0	ug/L			09/13/17 18:19	1
4-Chlorotoluene	<0.15		0.50	0.15	ug/L			09/13/17 18:19	1
4-Isopropyltoluene	<0.063		0.50	0.063	ug/L			09/13/17 18:19	1
4-Methyl-2-pentanone (MIBK)	<5.0	10		5.0	ug/L			09/13/17 18:19	1
Acetone	<5.0	10		5.0	ug/L			09/13/17 18:19	1
Acrylonitrile	<2.2	10		2.2	ug/L			09/13/17 18:19	1
Allyl chloride	<0.22		0.50	0.22	ug/L			09/13/17 18:19	1
Benzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
Bromobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
Bromochloromethane	<0.11		0.50	0.11	ug/L			09/13/17 18:19	1
Bromoform	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
Bromomethane	<0.23		0.50	0.23	ug/L			09/13/17 18:19	1
Carbon disulfide	<0.15		0.50	0.15	ug/L			09/13/17 18:19	1
Carbon tetrachloride	<0.21		0.50	0.21	ug/L			09/13/17 18:19	1
Chlorobenzene	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1
Chlorodibromomethane	<0.16		0.50	0.16	ug/L			09/13/17 18:19	1
Chloroethane	<0.20		0.50	0.20	ug/L			09/13/17 18:19	1
Chloroform	<0.14		0.50	0.14	ug/L			09/13/17 18:19	1
Chloromethane	<0.17		0.50	0.17	ug/L			09/13/17 18:19	1
cis-1,2-Dichloroethene	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1
cis-1,3-Dichloropropene	<0.080		0.50	0.080	ug/L			09/13/17 18:19	1
Dibromomethane	<0.17		0.50	0.17	ug/L			09/13/17 18:19	1
Dichlorobromomethane	<0.14		0.50	0.14	ug/L			09/13/17 18:19	1
Dichlorodifluoromethane	<0.15		0.50	0.15	ug/L			09/13/17 18:19	1
Dichlorofluoromethane	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
Ethyl ether	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1
Ethylbenzene	<0.11		0.50	0.11	ug/L			09/13/17 18:19	1
Hexachlorobutadiene	<0.11		0.50	0.11	ug/L			09/13/17 18:19	1
Iodomethane	<0.15		0.50	0.15	ug/L			09/13/17 18:19	1
Isopropylbenzene	<0.16		0.50	0.16	ug/L			09/13/17 18:19	1
Methyl tert-butyl ether	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1

TestAmerica Chicago

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: PW-4

Lab Sample ID: 500-133876-19

Date Collected: 09/08/17 15:30

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	<0.99	*	2.5	0.99	ug/L			09/13/17 18:19	1
m-Xylene & p-Xylene	<0.30		1.0	0.30	ug/L			09/13/17 18:19	1
Naphthalene	<0.15		0.50	0.15	ug/L			09/13/17 18:19	1
n-Butylbenzene	<0.081		0.50	0.081	ug/L			09/13/17 18:19	1
N-Propylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
o-Xylene	<0.12		0.50	0.12	ug/L			09/13/17 18:19	1
sec-Butylbenzene	<0.068		0.50	0.068	ug/L			09/13/17 18:19	1
Styrene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
t-Butanol	<2.5		10	2.5	ug/L			09/13/17 18:19	1
tert-Butylbenzene	<0.060		0.50	0.060	ug/L			09/13/17 18:19	1
Tetrachloroethene	<0.20		0.50	0.20	ug/L			09/13/17 18:19	1
Toluene	<0.10		0.50	0.10	ug/L			09/13/17 18:19	1
trans-1,2-Dichloroethene	<0.13		0.50	0.13	ug/L			09/13/17 18:19	1
trans-1,3-Dichloropropene	<0.10		0.50	0.10	ug/L			09/13/17 18:19	1
trans-1,4-Dichloro-2-butene	<1.3		2.5	1.3	ug/L			09/13/17 18:19	1
Trichloroethene	<0.18		0.50	0.18	ug/L			09/13/17 18:19	1
Trichlorofluoromethane	<0.19		0.50	0.19	ug/L			09/13/17 18:19	1
Trihalomethanes, Total	<1.0		2.0	1.0	ug/L			09/13/17 18:19	1
Vinyl acetate	<0.45		2.5	0.45	ug/L			09/13/17 18:19	1
Vinyl chloride	<0.18		0.50	0.18	ug/L			09/13/17 18:19	1
Xylenes, Total	<0.12		1.0	0.12	ug/L			09/13/17 18:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene-d4	95		80 - 120					09/13/17 18:19	1
4-Bromofluorobenzene (Surr)	96		80 - 120					09/13/17 18:19	1

Client Sample ID: PW-5

Lab Sample ID: 500-133876-20

Date Collected: 09/08/17 15:00

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.14		0.50	0.14	ug/L			09/13/17 18:46	1
1,1,1-Trichloroethane	<0.21		0.50	0.21	ug/L			09/13/17 18:46	1
1,1,2,2-Tetrachloroethane	<0.070		0.50	0.070	ug/L			09/13/17 18:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<0.17		0.50	0.17	ug/L			09/13/17 18:46	1
1,1,2-Trichloroethane	<0.17		0.50	0.17	ug/L			09/13/17 18:46	1
1,1-Dichloroethane	<0.18		0.50	0.18	ug/L			09/13/17 18:46	1
1,1-Dichloroethene	<0.16		0.50	0.16	ug/L			09/13/17 18:46	1
1,1-Dichloropropene	<0.063		0.50	0.063	ug/L			09/13/17 18:46	1
1,2,3-Trichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 18:46	1
1,2,3-Trichloropropane	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
1,2,4-Trichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
1,2,4-Trimethylbenzene	<0.090		0.50	0.090	ug/L			09/13/17 18:46	1
1,2-Dichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 18:46	1
1,2-Dichloroethane	<0.14		0.50	0.14	ug/L			09/13/17 18:46	1
1,2-Dichloropropane	<0.11		0.50	0.11	ug/L			09/13/17 18:46	1
1,3,5-Trimethylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
1,3-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
1,3-Dichloropropane	<0.15		0.50	0.15	ug/L			09/13/17 18:46	1

TestAmerica Chicago

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: PW-5

Lab Sample ID: 500-133876-20

Date Collected: 09/08/17 15:00

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
2,2-Dichloropropane	<0.35		0.50	0.35	ug/L			09/13/17 18:46	1
2-Butanone (MEK)	<5.0		10	5.0	ug/L			09/13/17 18:46	1
2-Chlorotoluene	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
2-Hexanone	<5.0		10	5.0	ug/L			09/13/17 18:46	1
4-Chlorotoluene	<0.15		0.50	0.15	ug/L			09/13/17 18:46	1
4-Isopropyltoluene	<0.063		0.50	0.063	ug/L			09/13/17 18:46	1
4-Methyl-2-pentanone (MIBK)	<5.0		10	5.0	ug/L			09/13/17 18:46	1
Acetone	<5.0		10	5.0	ug/L			09/13/17 18:46	1
Acrylonitrile	<2.2		10	2.2	ug/L			09/13/17 18:46	1
Allyl chloride	<0.22		0.50	0.22	ug/L			09/13/17 18:46	1
Benzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
Bromobenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
Bromochloromethane	<0.11		0.50	0.11	ug/L			09/13/17 18:46	1
Bromoform	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
Bromomethane	<0.23		0.50	0.23	ug/L			09/13/17 18:46	1
Carbon disulfide	<0.15		0.50	0.15	ug/L			09/13/17 18:46	1
Carbon tetrachloride	<0.21		0.50	0.21	ug/L			09/13/17 18:46	1
Chlorobenzene	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
Chlorodibromomethane	<0.16		0.50	0.16	ug/L			09/13/17 18:46	1
Chloroethane	<0.20		0.50	0.20	ug/L			09/13/17 18:46	1
Chloroform	<0.14		0.50	0.14	ug/L			09/13/17 18:46	1
Chloromethane	<0.17		0.50	0.17	ug/L			09/13/17 18:46	1
cis-1,2-Dichloroethene	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
cis-1,3-Dichloropropene	<0.080		0.50	0.080	ug/L			09/13/17 18:46	1
Dibromomethane	<0.17		0.50	0.17	ug/L			09/13/17 18:46	1
Dichlorobromomethane	<0.14		0.50	0.14	ug/L			09/13/17 18:46	1
Dichlorodifluoromethane	<0.15		0.50	0.15	ug/L			09/13/17 18:46	1
Dichlorofluoromethane	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
Ethyl ether	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
Ethylbenzene	<0.11		0.50	0.11	ug/L			09/13/17 18:46	1
Hexachlorobutadiene	<0.11		0.50	0.11	ug/L			09/13/17 18:46	1
Iodomethane	<0.15		0.50	0.15	ug/L			09/13/17 18:46	1
Isopropylbenzene	<0.16		0.50	0.16	ug/L			09/13/17 18:46	1
Methyl tert-butyl ether	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
Methylene Chloride	<0.99 *		2.5	0.99	ug/L			09/13/17 18:46	1
m-Xylene & p-Xylene	<0.30		1.0	0.30	ug/L			09/13/17 18:46	1
Naphthalene	<0.15		0.50	0.15	ug/L			09/13/17 18:46	1
n-Butylbenzene	<0.081		0.50	0.081	ug/L			09/13/17 18:46	1
N-Propylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
o-Xylene	<0.12		0.50	0.12	ug/L			09/13/17 18:46	1
sec-Butylbenzene	<0.068		0.50	0.068	ug/L			09/13/17 18:46	1
Styrene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
t-Butanol	<2.5		10	2.5	ug/L			09/13/17 18:46	1
tert-Butylbenzene	<0.060		0.50	0.060	ug/L			09/13/17 18:46	1
Tetrachloroethene	<0.20		0.50	0.20	ug/L			09/13/17 18:46	1
Toluene	<0.10		0.50	0.10	ug/L			09/13/17 18:46	1
trans-1,2-Dichloroethene	<0.13		0.50	0.13	ug/L			09/13/17 18:46	1
trans-1,3-Dichloropropene	<0.10		0.50	0.10	ug/L			09/13/17 18:46	1

TestAmerica Chicago

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: PW-5

Lab Sample ID: 500-133876-20

Date Collected: 09/08/17 15:00

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,4-Dichloro-2-butene	<1.3		2.5	1.3	ug/L			09/13/17 18:46	1
Trichloroethene	<0.18		0.50	0.18	ug/L			09/13/17 18:46	1
Trichlorofluoromethane	<0.19		0.50	0.19	ug/L			09/13/17 18:46	1
Trihalomethanes, Total	<1.0		2.0	1.0	ug/L			09/13/17 18:46	1
Vinyl acetate	<0.45		2.5	0.45	ug/L			09/13/17 18:46	1
Vinyl chloride	<0.18		0.50	0.18	ug/L			09/13/17 18:46	1
Xylenes, Total	<0.12		1.0	0.12	ug/L			09/13/17 18:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene-d4	97		80 - 120		09/13/17 18:46	1
4-Bromofluorobenzene (Surr)	97		80 - 120		09/13/17 18:46	1

Client Sample ID: Strey Well

Lab Sample ID: 500-133876-21

Date Collected: 09/08/17 15:45

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	<0.14		0.50	0.14	ug/L			09/13/17 19:12	1
1,1,1-Trichloroethane	<0.21		0.50	0.21	ug/L			09/13/17 19:12	1
1,1,2,2-Tetrachloroethane	<0.070		0.50	0.070	ug/L			09/13/17 19:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	<0.17		0.50	0.17	ug/L			09/13/17 19:12	1
1,1,2-Trichloroethane	<0.17		0.50	0.17	ug/L			09/13/17 19:12	1
1,1-Dichloroethane	<0.18		0.50	0.18	ug/L			09/13/17 19:12	1
1,1-Dichloroethene	<0.16		0.50	0.16	ug/L			09/13/17 19:12	1
1,1-Dichloropropene	<0.063		0.50	0.063	ug/L			09/13/17 19:12	1
1,2,3-Trichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 19:12	1
1,2,3-Trichloropropane	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
1,2,4-Trichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
1,2,4-Trimethylbenzene	<0.090		0.50	0.090	ug/L			09/13/17 19:12	1
1,2-Dichlorobenzene	<0.16		0.50	0.16	ug/L			09/13/17 19:12	1
1,2-Dichloroethane	<0.14		0.50	0.14	ug/L			09/13/17 19:12	1
1,2-Dichloropropane	<0.11		0.50	0.11	ug/L			09/13/17 19:12	1
1,3,5-Trimethylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
1,3-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
1,3-Dichloropropane	<0.15		0.50	0.15	ug/L			09/13/17 19:12	1
1,4-Dichlorobenzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
2,2-Dichloropropane	<0.35		0.50	0.35	ug/L			09/13/17 19:12	1
2-Butanone (MEK)	<5.0		10	5.0	ug/L			09/13/17 19:12	1
2-Chlorotoluene	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
2-Hexanone	<5.0		10	5.0	ug/L			09/13/17 19:12	1
4-Chlorotoluene	<0.15		0.50	0.15	ug/L			09/13/17 19:12	1
4-Isopropyltoluene	<0.063		0.50	0.063	ug/L			09/13/17 19:12	1
4-Methyl-2-pentanone (MIBK)	<5.0		10	5.0	ug/L			09/13/17 19:12	1
Acetone	<5.0		10	5.0	ug/L			09/13/17 19:12	1
Acrylonitrile	<2.2		10	2.2	ug/L			09/13/17 19:12	1
Allyl chloride	<0.22		0.50	0.22	ug/L			09/13/17 19:12	1
Benzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
Bromobenzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
Bromochloromethane	<0.11		0.50	0.11	ug/L			09/13/17 19:12	1

TestAmerica Chicago

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: Strey Well

Lab Sample ID: 500-133876-21

Date Collected: 09/08/17 15:45

Matrix: Water

Date Received: 09/12/17 10:15

Method: 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromoform	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
Bromomethane	<0.23		0.50	0.23	ug/L			09/13/17 19:12	1
Carbon disulfide	<0.15		0.50	0.15	ug/L			09/13/17 19:12	1
Carbon tetrachloride	<0.21		0.50	0.21	ug/L			09/13/17 19:12	1
Chlorobenzene	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
Chlorodibromomethane	<0.16		0.50	0.16	ug/L			09/13/17 19:12	1
Chloroethane	<0.20		0.50	0.20	ug/L			09/13/17 19:12	1
Chloroform	<0.14		0.50	0.14	ug/L			09/13/17 19:12	1
Chloromethane	<0.17		0.50	0.17	ug/L			09/13/17 19:12	1
cis-1,2-Dichloroethene	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
cis-1,3-Dichloropropene	<0.080		0.50	0.080	ug/L			09/13/17 19:12	1
Dibromomethane	<0.17		0.50	0.17	ug/L			09/13/17 19:12	1
Dichlorobromomethane	<0.14		0.50	0.14	ug/L			09/13/17 19:12	1
Dichlorodifluoromethane	<0.15		0.50	0.15	ug/L			09/13/17 19:12	1
Dichlorofluoromethane	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
Ethyl ether	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
Ethylbenzene	<0.11		0.50	0.11	ug/L			09/13/17 19:12	1
Hexachlorobutadiene	<0.11		0.50	0.11	ug/L			09/13/17 19:12	1
Iodomethane	<0.15		0.50	0.15	ug/L			09/13/17 19:12	1
Isopropylbenzene	<0.16		0.50	0.16	ug/L			09/13/17 19:12	1
Methyl tert-butyl ether	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
Methylene Chloride	<0.99 *		2.5	0.99	ug/L			09/13/17 19:12	1
m-Xylene & p-Xylene	<0.30		1.0	0.30	ug/L			09/13/17 19:12	1
Naphthalene	<0.15		0.50	0.15	ug/L			09/13/17 19:12	1
n-Butylbenzene	<0.081		0.50	0.081	ug/L			09/13/17 19:12	1
N-Propylbenzene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
o-Xylene	<0.12		0.50	0.12	ug/L			09/13/17 19:12	1
sec-Butylbenzene	<0.068		0.50	0.068	ug/L			09/13/17 19:12	1
Styrene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
t-Butanol	<2.5		10	2.5	ug/L			09/13/17 19:12	1
tert-Butylbenzene	<0.060		0.50	0.060	ug/L			09/13/17 19:12	1
Tetrachloroethene	<0.20		0.50	0.20	ug/L			09/13/17 19:12	1
Toluene	<0.10		0.50	0.10	ug/L			09/13/17 19:12	1
trans-1,2-Dichloroethene	<0.13		0.50	0.13	ug/L			09/13/17 19:12	1
trans-1,3-Dichloropropene	<0.10		0.50	0.10	ug/L			09/13/17 19:12	1
trans-1,4-Dichloro-2-butene	<1.3		2.5	1.3	ug/L			09/13/17 19:12	1
Trichloroethene	<0.18		0.50	0.18	ug/L			09/13/17 19:12	1
Trichlorofluoromethane	<0.19		0.50	0.19	ug/L			09/13/17 19:12	1
Trihalomethanes, Total	<1.0		2.0	1.0	ug/L			09/13/17 19:12	1
Vinyl acetate	<0.45		2.5	0.45	ug/L			09/13/17 19:12	1
Vinyl chloride	<0.18		0.50	0.18	ug/L			09/13/17 19:12	1
Xylenes, Total	<0.12		1.0	0.12	ug/L			09/13/17 19:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene-d4	96		80 - 120		09/13/17 19:12	1
4-Bromofluorobenzene (Surr)	97		80 - 120		09/13/17 19:12	1

Client Sample Results

Client: American Engineering Testing Inc.
Project/Site: Darri Concepts - 03-05510

TestAmerica Job ID: 500-133876-1

Client Sample ID: Trip Blank

Lab Sample ID: 500-133876-22

Date Collected: 09/08/17 00:00

Matrix: Water

Date Received: 09/12/17 10:15

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trimethylbenzene	<0.36		1.0	0.36	ug/L			09/21/17 11:07	1
1,2-Dibromoethane (EDB)	<0.39		1.0	0.39	ug/L			09/21/17 11:07	1
1,2-Dichloroethane	<0.39		1.0	0.39	ug/L			09/21/17 11:07	1
1,3,5-Trimethylbenzene	<0.25		1.0	0.25	ug/L			09/21/17 11:07	1
Benzene	<0.15		0.50	0.15	ug/L			09/21/17 11:07	1
Ethylbenzene	<0.18		0.50	0.18	ug/L			09/21/17 11:07	1
Methyl tert-butyl ether	<0.39		1.0	0.39	ug/L			09/21/17 11:07	1
Naphthalene	<0.34		1.0	0.34	ug/L			09/21/17 11:07	1
Toluene	<0.15		0.50	0.15	ug/L			09/21/17 11:07	1
Xylenes, Total	<0.22		1.0	0.22	ug/L			09/21/17 11:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		75 - 126		09/21/17 11:07	1
4-Bromofluorobenzene (Surr)	95		72 - 124		09/21/17 11:07	1
Dibromofluoromethane	97		75 - 120		09/21/17 11:07	1
Toluene-d8 (Surr)	101		75 - 120		09/21/17 11:07	1

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
Phone: 708.534.5200 Fax: 708.534.5211

Report To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
E-Mail: _____

Bill To (optional)
Contact: _____
Company: _____
Address: _____
Address: _____
Phone: _____
Fax: _____
PO#/Reference# 18174003

Chain of Custody Record

Lab Job #: 500-133876

Chain of Custody Number: _____

Page 1 of 34

Temperature °C of Cooler: 5.4


Client		Client Project #		Preservative		Parameter														Preservative Key		
<u>AET</u>		<u>03-05510</u>		<u>1</u>		<u>1</u>														1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other		
Project Name		Project Location/State		Lab Project #		Sampler		Lab PM												Comments		
<u>Darri Concepts</u>		<u>Chili, WI</u>				<u>Michael K. Neal</u>		<u>Sandrie F.</u>														
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix																
			Date	Time																		
<u>1</u>		<u>MW-1A</u>	<u>9-8-17</u>	<u>12:00</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>2</u>		<u>MW-3</u>		<u>10:45</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>3</u>		<u>MW-3A</u>		<u>16:15</u>	<u>3</u>	<u>W</u>		<u>X</u>														
<u>4</u>		<u>MW-4A</u>		<u>14:30</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>5</u>		<u>MW-4R</u>		<u>16:00</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>6</u>		<u>MW-5</u>		<u>14:00</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>7</u>		<u>MW-5A</u>		<u>14:15</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>8</u>		<u>MW-6</u>		<u>11:45</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>9</u>		<u>MW-6A</u>		<u>12:45</u>	<u>3</u>	<u>W</u>	<u>X</u>															
<u>10</u>		<u>MW-7</u>		<u>11:00</u>	<u>3</u>	<u>W</u>	<u>X</u>															

Turnaround Time Required (Business Days) 1 Day 2 Days 5 Days 7 Days 10 Days X 15 Days Other
 Requested Due Date: _____
 Sample Disposal: Return to Client Disposal by Lab Archive for _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By <u>[Signature]</u> Company <u>AET</u> Date <u>9-11-17</u> Time <u>14:30</u>	Received By <u>Fed +</u> Company _____ Date _____ Time _____	Lab Courier _____
Relinquished By _____ Company _____ Date _____ Time _____	Received By <u>[Signature]</u> Company <u>TA</u> Date <u>09/12/17</u> Time <u>1015</u>	Shipped _____
Relinquished By _____ Company _____ Date _____ Time _____	Received By _____ Company _____ Date _____ Time _____	Hand Delivered _____

Matrix Key
 WW - Wastewater SE - Sediment
 W - Water SO - Soil
 S - Soil L - Leachate
 SL - Sludge WI - Wipe
 MS - Miscellaneous DW - Drinking Water
 OL - Oil O - Other
 A - Air

Client Comments
PELFA

Lab Comments:

 500-133876 COC

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 E-Mail: _____

Bill To _____ (optional)
 Contact: _____
 Company: _____
 Address: _____
 Address: _____
 Phone: _____
 Fax: _____
 PO#/Reference# 18174003

Chain of Custody Record

Lab Job #: 500-133876

Chain of Custody Number: _____

Page 2 of 3

Temperature °C of Cooler: 5.4

Client		Client Project #		Preservative		Parameter		Matrix		Comments	
AET		03-05510		1		PVC + 12 DCA + Naphthalene		VOLS 5221.2			
Project Name		Project Location/State		Lab Project #		Sampler		Lab PM		Preservative Key	
Darrri Concepts		Chili, WI				Michael K. Neal		Sandra F.		1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other	
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix	Date	Time	Matrix	Date	Time
			Date	Time							
11		MW-7A	9-8-17	13:00	3	W					
12		P2-7		11:30	3	W					
13		MW-9		10:30	3	W					
14		MW-10		16:30	3	W					
15		MW-E		13:30	3	W					
16		MW-W		13:45	3	W					
17		CMW-1		12:20	3	W					
18		PW-1		15:15	3	DW					X
19		PW-4		15:30	3	DW					X

Turnaround Time Required (Business Days)

___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days 15 Days ___ Other

Requested Due Date

Sample Disposal

Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u> Company: AET Date: 9-11-17 Time: 14:30	Received By: <u>[Signature]</u> Company: Fed X Date: _____ Time: _____	Lab Courier: _____
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: <u>[Signature]</u> Company: TA Date: 09/12/17 Time: 1015	Shipped: _____
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: _____ Company: _____ Date: _____ Time: _____	Hand Delivered: _____

Matrix Key

- WW - Wastewater
- W - Water
- S - Soil
- SL - Sludge
- MS - Miscellaneous
- OL - Oil
- A - Air
- SE - Sediment
- SO - Soil
- L - Leachate
- WI - Wipe
- DW - Drinking Water
- O - Other

Client Comments

PECTFA

Lab Comments:

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

2417 Bond Street, University Park, IL 60484
 Phone: 708.534.5200 Fax: 708.534.5211

Report To _____ (optional)	Bill To _____ (optional)
Contact: _____	Contact: _____
Company: _____	Company: _____
Address: _____	Address: _____
Address: _____	Address: _____
Phone: _____	Phone: _____
Fax: _____	Fax: _____
E-Mail: _____	PO#/Reference# <u>18174003</u>

Chain of Custody Record

Lab Job #: 500-133876
 Chain of Custody Number: _____
 Page 3 of 3
 Temperature °C of Cooler: 5.4

Client		Client Project #		Preservative		Parameter		Comments	
<u>AET</u>		<u>03-05510</u>		<u>1</u>				Preservative Key 1. HCL, Cool to 4° 2. H2SO4, Cool to 4° 3. HNO3, Cool to 4° 4. NaOH, Cool to 4° 5. NaOH/Zn, Cool to 4° 6. NaHSO4 7. Cool to 4° 8. None 9. Other	
Project Name		Project Location/State		Lab Project #		Sampler		Lab PM	
<u>Dani Concepts</u>		<u>Chili, WI</u>				<u>Michael K. Neal</u>		<u>Sandre F.</u>	
Lab ID	MS/MSD	Sample ID	Sampling		# of Containers	Matrix	VOCs	524.2	Proc + NIGHT BY LOG
			Date	Time					
<u>20</u>		<u>PW-5</u>	<u>9-8-17</u>	<u>15:00</u>	<u>3</u>	<u>DW</u>	<u>X</u>		
<u>21</u>		<u>Strey Well</u>	<u>1</u>	<u>15:45</u>	<u>3</u>	<u>DW</u>	<u>X</u>		
<u>22</u>		<u>Trip Blnk</u>	<u>1</u>	<u>-</u>	<u>1</u>	<u>W</u>		<u>X</u>	

Turnaround Time Required (Business Days)
 ___ 1 Day ___ 2 Days ___ 5 Days ___ 7 Days ___ 10 Days 15 Days ___ Other

Requested Due Date _____

Sample Disposal
 Return to Client Disposal by Lab Archive for ___ Months (A fee may be assessed if samples are retained longer than 1 month)

Relinquished By: <u>[Signature]</u> Company: <u>AET</u> Date: <u>9-11-17</u> Time: <u>17:30</u>	Received By: <u>[Signature]</u> Company: _____ Date: _____ Time: _____	Lab Courier: _____
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: <u>[Signature]</u> Company: <u>TA</u> Date: <u>09/12/17</u> Time: <u>1015</u>	Shipped: _____
Relinquished By: _____ Company: _____ Date: _____ Time: _____	Received By: _____ Company: _____ Date: _____ Time: _____	Hand Delivered: _____

- Matrix Key
- WW - Wastewater
 - W - Water
 - S - Soil
 - SL - Sludge
 - MS - Miscellaneous
 - OL - Oil
 - A - Air
 - SE - Sediment
 - SO - Soil
 - L - Leachate
 - WI - Wipe
 - DW - Drinking Water
 - O - Other

Client Comments
PELFA

Lab Comments: