






Conceptual Site Model

Adjacent Land Uses

Proximity to Potable Wells

Well 1 is on adjacent property



2018.05.16 Notes

Wednesday, May 16, 2018 5:29 PM

Cedarburg Light & Water

Notification in 1993 due to tank removals. No Phase I or II completed. No SIWP submitted.

Site Investigation Activities &/or Sampling Results

April 1994 - SI

DRO sampled at B1 (590 ppm) & B2 (110 ppm).

GW sampled for VOCs & detected PCE & TCE above ES, Benzene > PAL.

Oct 1995 - SI

Stream bank excavations identified DRO, with minimal PVOC detections.

Source of DRO along the stream bank, specifically under the southern cooling tower?

Highest PID (251 at S11) was NOT analyzed. (Nearby S03 had DRO of 6100 ppm.)

March 1996 - Work Plan & PECFA Cost Request

July 1996 - GW sampling data

Aug 1996 - GW sampling data

Oct 1996 - GW sampling data

April 1997 - GW data & closure request.

DNR did not approve closure in June 1997.

Need further soil assessment below cooling towers & GW sampling due to CVOCs > ES.

1996 sampling results for municipal well (100-200 feet from property) show TCE > PAL.

Jan 2018 - GW data (from 12/1997, 1999 and 2012 not previously submitted) & justification for case closure.

What is DNR requiring?

Submittal of a SIWP to address:

1. History of the site, previous discharges, and uses of the contaminants on the site

Site Investigation Scoping (Wis. Admin. § NR 716.07) and the Site Investigation Work Plan (Wis. Admin. § NR 716.09) require an evaluation of the history of the facility, previous discharges, and uses on the site that may be associated with discharges. A Site Investigation Work Plan is required, however this report was not submitted to the DNR for review and comment. The DNR understands that on-site USTs are a likely source of petroleum-related impacts. Solvents were used on-site in a parts washing area and stored in drums on the south end of the building. Waste solvents were also discharged on the ground surface to control weeds between the former cooling towers and the building.

The scoping and work plan at this site should identify and consider the source locations of the reported contaminants. This includes their use within the building, delivery and storage areas, and waste storage areas. No sampling has been conducted within the building or on the south end.

2. Evaluation of environmental media affected or potentially affected by the contamination

Per Wis. Admin. § NR 716.07(4), all environmental media affected or potentially affected by the contamination must be evaluated. Additional sampling closer to the sources must be completed to evaluate potential soil and groundwater impacts.

GW flow direction shows variability

Sample for regulated constituents, not DRO.

Use DRO data to consider add'I field work.

Current GW data is needed.

Use soil & GW data to perform vapor screening analysis, as provided in RR-800.

If needed, collect vapor samples at CVOC source areas &/or within GW plume with highest PCE/TCE

concentrations.

3. Potential or known impacts to receptors

Per Wis. Admin. § NR 716.07(7), potential or known impacts to receptors must be evaluated, including on-site and nearby wells, buildings, and utilities.

Property lines are needed to understand and evaluate possible off-site impacts. The nearby municipal well needs further investigation regarding the TCE impacts. Underground utilities, which may be acting as receptors, are unknown.

Schedule

Prepare a SIWP w/ Scope of Work & Cost Request for PECFA Complete add'! field investigation Submit comprehensive SIR

April 23, 2018

Meeting is May 17, 2-3, Room 209, HQ. Pre-meeting with Michele only at 1:30 to 2:00.

April 23, 2018

Okay. See you then Nick. Here is our proposed agenda:

- 1. Introductions
- 2. Review the site's history & current use (City)
- 3. Review the 2 open BRRTS cases (ERP & LUST) on the site (DNR)
- 4. Discuss site investigation activities completed to-date (City)
 - a. Source areas
 - b. Current delineation of the contamination
 - c. Evaluation of all environmental media (including vapor) and migration pathways
 - d. Plans to submit sitewide comprehensive Site Investigation Report, per NR 716
- 5. PECFA availability (DNR)
- 6. Next steps (City & DNR)
 - a. Site investigation work plan
 - b.Cost requests for pre-approval of PECFA funding

Site Information: Cedarburg Light And Water Power Plant

W61n617 Mequon Ave

Cedarburg

PECFA #: 53012-2017-17

Reviewer: RRH



Petroleum Cleanup Fund

Claim Number: 1	Od	cc. No: A		PE	etroieu	m Clear	iup ru	ma		
Vendor Name	Invoice Date	Invoice Number	Chec Number(s		Si Rap Amount	Remedial Amount	O and M Amount	Other Amount	Non Elig Amount	Non Elig Reason
Migrated Data from CostSumm Spreadsheet	08/01/1987	Unknown	Unknow	n \$18,293.57	\$17,512.88	\$780.69	\$0.00	\$0.00	\$0.00	
Consultant Costs Lab Analysis Non-Eligible Amt Remedial Equipment Soil Boring Well Drilling Thermal Landfill	\$71 \$1,20	5.15 0.00 7.36								
			Grand Totals:	\$43,655.15	\$41,792.15	\$1,863.00	\$0.00	\$0.00	\$0.00	
Claim Amount Categor	y		Total D	eductible paid to	date:	\$4,557.76			\$43,655.15	Total Amount Submitted
\$33,902.10 Consulta	ant Costs			eimbursement to e est Paid Through I		\$39,097.39			\$0.00 \$43,655.15	Non-Eligible Amount Subtotal
\$180.00 Thermal \$1,711.88 Remedia \$2,885.25 Soil Bori \$4,975.93 Lab Anal	al Equipment ng Well Drillin	g							\$2,500.00 \$2,057.76 \$39,097.39	Base Deductible Additional Deductible Total Payment

APPEALS: An owner or an operator, an approved agent or an attorney representing the owner or the operator, (but not a consultant or claim preparer unless approved as an agent), may request an administrative hearing to review this action by delivering, mailing or faxing a written request for a hearing to:

Wisconsin Department of Natural Resources - PECFA Appeals, PO Box 7921 Madison, WI 53707-7921 FAX: (608) 267-7646

Section 101.02(6)(e)-(i), Stats, requires an appeal to list every reason the department's decision is unreasonable and identify every issue to be considered in the hearing. Issues not raised in the appeal are considered to be waived.

A request for a hearing will be denied if the appeal is RECEIVED by the department more than 30 calendar days after the DATE OF DECISION indicated on the face of the PECFA award summary, titled

"Breakdown of PECFA Costs". The appeal must meet the time limit. Faxed appeals received after 4:30 p.m. will be filed on the next business day.

Notes To Claimant:

Site Information: Cedarburg Light And Water Power Plant

W61n617 Mequon Ave

Occ. No: A

Cedarburg

PECFA #: 53012-2017-17

Reviewer: RRH

Claim Number: 1



Petroleum Cleanup Fund

Vendor Name	Invoice Invoice Date Number	Check Number(s)	Check Amount(s)	Si Rap Amount	Remedial Amount	O and M Amount	Other Amount	Non Elig Amount	Non Elig Reason
Migrated Data from CostSumm Spreadsheet	08/01/1987 Unknown	Unknown	\$16,023.60	\$15,339.79	\$683.81	\$0.00	\$0.00	\$0.00	
Consultant Costs Lab Analysis Non-Eligible Amt Remedial Equipment Soil Boring Well Drilling Thermal Landfill Migrated Data from CostSumm Spreadsheet	\$12,443.75 \$1,826.41 \$0.00 \$628.34 \$1,059.03 \$66.07 08/01/1987 Unknown	Unknown	\$9,337.98	\$8,939.48	\$398.50	\$0.00	\$0.00	\$0.00	
Consultant Costs Lab Analysis Non-Eligible Amt Remedial Equipment Soil Boring Well Drilling Thermal Landfill	\$7,251.77 \$1,064.37 \$0.00 \$366.18 \$617.16 \$38.50								

PECFA Payment History

Commerce #: 53012201717

Site Name: Cedarburg Light And Water Power Plant

Address: W61n617 Mequon Ave

City: Cedarburg

Occurrence Name: Cedarburg Light And Water Power Plant

Tank Type: USTNM

rank Type.	OSTINIVI					
Claim Type	Audit Line Date	Submitted Amount	Reviewer Id	Date Paid	Amount Paid	
Claim	07/16/1996	\$43,655.15	RRH	09/24/1997	\$39,097.39	
Totals:						
Claims:	1					
Submitted						
Amount:	\$43,655.15					
Deductible:	\$4,557.76	total	Do. Out 61	e = \$175	00	
Paid Amount:	\$39,097.39	RAP	Can = 6	000 08 1e	in 1996	
		1011	-d.			

Max cap: \$1500,000

Heed preapproud for costs going forward.
Use the UCCS Go costs.


April 23, 2018

Meeting is May 17, 2-3, Room 209, HQ. Pre-meeting with Michele only at 1:30 to 2:00.

April 23, 2018

Okay. See you then Nick. Here is our proposed agenda:

- 1. Introductions
- 2. Review the site's history & current use (City)
- 3. Review the 2 open BRRTS cases (ERP & LUST) on the site (DNR)
- 4. Discuss site investigation activities completed to-date (City)
 - a. Source areas
 - b. Current delineation of the contamination
 - c. Evaluation of all environmental media (including vapor) and migration pathways
 - d. Plans to submit sitewide comprehensive Site Investigation Report, per NR 716
- 5. PECFA availability (DNR)
- 6. Next steps (City & DNR)
 - a. Site investigation work plan
 - b.Cost requests for pre-approval of PECFA funding



The same

FID#: 246100800 SIDEWALK MEQUON AVENUE -APPROXIMATE LOCATION OF FIRE HYDRANT (SITE DATUM) CONCRETE 0 UNDERGROUND BRICK-WALL BUNKER FORMER POWER PLANT 3/29/18 Closure Committee Reprendations

Theed add time Soil Sampling ound

Herd correct Helleval + god Sampling round

(Table top) VI analysis

SHOW SINP Within 60 days

MW400
(B4) CONCRETE MW300 WALL (B3) ∠APPROXIMATE -COOLING LOCATION OF **TOWERS** BOTTOM OF SLOPE STAIRS-METAL **OVERHANG** CONCRETE -DAM **EXPLANATION** APPROXIMATE STREAM BANK LOCATION UNDERGROUND ELECTRICAL POWER LINES CEDAR CREEK UNDERGROUND PIPE (RUCK POND) ELECTRICAL POWER POLE ELECTRICAL POWER BOX CEDAR CREEK WATER MAIN (ABOVE GROUND) (RUCK POND) APPROXIMATE AREA OF UNDERGROUND CIVIL DEFENSE BUNKER ABOVE GROUND ELECTRICAL LINES MW300 → APPROXIMATE LOCATION AND IDENTIFICATION OF BOREHOLE AND GROUND-WATER MONITORING WELL **FENCE** SITE LAYOUT \boxtimes **TRANSFORMER** OIL CIRCUT BREAKERS AND SCAFFOLDING MEQUON, WISCONSIN 53092 P: 800-776-7140 F: 262-241-4901 SCALE IN FE FORMER LOCATION OF UST FORMER CEDARBURG POWER PLANT This drawing and all information contained thereon is the property of Stantec. Stantec will not be held liable for improper or CEDARBURG, WISCONSIN HB1 -HAND AUGER LOCATION AND IDENTIFICATION incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files. 2013-1-23 DRAWN BY: AJS **FIGURE** PATH: V:\1937\active\193701814\CAD\Dwg\193701814_FIG2.dwg

LETTER OF TRANSMITTAL

Northern Environmental Hydrologists • Engineers • Geologists 1214 West Venture Court Mequon Wisconsin 53092 Toll Free 1-800-776-7140 Fax 1-414-241-8222 TO: John Feeny WONR	WE ARE SENDING YOU Attached Under separate cover
	Shop Drawings Specifications Plans Copy of letter Samples Change order
	Water Power Plant nonitaring Report
	eptions Taken J. Resubmit Copies for Review oted Corrections K. Submit Copies for Distribution
E For Ride Due	& Resubmit L. Return Corrected Prints M. Review and Sign
	WDNR FID# 246106800 ERR-LUST
COPY TO:	

(list additional on separate list and attach.)

	3.91
Sim Name Cedarburg Light + Water	District: County: Ozaukee
	Address: W61 N617 Megyon arence
PMN:FID: 246100800	Cedarburg, WI 53012
Toj Mgr. J. Feeney	Legal Municipality:
upport Person:	
ace of Initial Contact: 6 1 9 193 Date of Letter: 11	103 1 93 Date Site Closure Approved: / /
Funding Source	PECFA Review Requested
1 = State Lead1 = RP2 = LTF	. (v) Yes No
	Date PECFA Request Received (mm/dd/yy)//
1 = High 5 = None	
3 = Low 7 = EPA (Emerge	
4 = Unknown	2 = Non-Federal
ore: 14 GK- 5-28-96 CAS	E STATUS
As Appropriate Date Initiated	Date Completed
Mo Action Taken (N)	(mm/dd/yy) Comments
Emergency (E) / /	
Emergency Response (R)	
Field Investigation (I)	
Remedial Action (C)	
Long Term Monitoring (L) / / / / / / / / / / / / / / / / / / /	(v) Substances (v)
Fire/Explosion Threat (1) Contaminated Private Well (2) Contaminated Public Well (3) Groundwater Contamination (4) Soil Contamination (5) Other: (6)	Unleadec lis (2) Diesel 3 1,000 gals Fuel Oil 1 Unknown Hydrocarbons (5) Other (8)
	Quantity Discharged
esponsible party Glenn trank	Consultant: Ylorthern Environmental
Isme: (Same as above)	Contact: John Mund
ddress:	_ Address: 1214 West Venture Court
	Migron W1 53093
elephone:/	
st additional on separate list and attach.)	Amount Committed: \$
	Amount Spenis S
	(list additional on separate list and attach.)
ENFORCEME	ENT ACTION TAKEN
1 = Inf. Contact, Resp Initiated 08 = Adequate Response	15 = Formal Enf Conf 22 = Draft Referral
2 = RP Letter, Resp Initiated 09 = Progress Being Made 3 = NTC of Non Compliance 10 = Defer Enforcement	16 = Enf Conf. Letter 23 = Referrat to DOJ 17 = Admin. Order Proposed 24 = Referrat to DA
4 = Inf. Enf. Conf. Resp initiated 11 = Close Out	18 = Admin. Order Final 25 = Referral to EPA
5 = Follow-up Enf. Conf. Resp Initated 12 = Recommend NFA 6 = Inspection Letter 13 = FWD to Secondary Enf	19 = Admin. Order Modified 20 = Admin. Order Cancelled 26 = Continuing Violation 27 = See Next Violation
7 = Response Received 14 = Notice of Violation	21 = Contest Case Hearing 28 = Site Inspection ser Action:
•	COMMENT
code from above) (mm/dd/yy)	
0 6,9,93	Initial (mact pate

	ા ફાય છે. જે તે પાતા કાર્યું હાથ મોલી પાતા કોઈને જે જો છે.
TIGH FACTORS: (DEFINITION: Any case which presents an actu	al threat to human health, or has a high potential of causing a threat to human ner
the property; and/or any case which has caused or has a high potentia	if of causing substantial impacts to the soil waters and air of the State of Wiscons
The state of the state of	HIGH OR MEDIUM FACTORS: (write in choice of high or medium)
Contaminated private or public well >NR140 enf. std.	ricating product (medium if no receptors within 1 mile)
Explosive or toxic vispors in structures	Known gw contamination (private or public weil <140 enf. std.)
Tires of fire	impacted surface waterwetland, trout stream, etc. impacted
	Saturated soil contamination
IEDIUM FACTORS: (DEFINTION: Any case which does not appoint it is not contamination that may cause substantial environment	pear to be an immediate threat to human health or vital natural resources but whic ital impacts if left unaddressed.)
Moderate (e.g. 100 - 500 ppm TPH) soil contamination with mo Impacted surface water no critical habitat threats.	derate potential for impacting groundwater.
OW FACTORS: DEFINITION: Any case where contamination has uman neath and vital natural resources.)	s been documented, but which presents limited potential for any immediate threat
Soil contamination (e.g. less than 100 ppm TPH) which appears Initial remedial action has substantially reduced environmental th	to have a limited potential for impacting groundwater, west.
NKNOWN FACTOR: (DEFINITION: Any case where some indicate level of threat to human health or the environment can not be asset	ation of contamination is present, but due to incomplete or inaccurate information ssed at this (time.)
Inadequate information to assign a high, medium, or low ranking	
WED ALL DANIFING. The comming and for the site along with the	e date of ranking. This may be updated when additional information is received.
pecial circumstances for a particular case may be taken into account	in the comment section. The District LUST coordinator may independently set
ne ranking of a site based upon "special circumstances."	,,,,,,,, .
tarta ana findress indicasa in minima amanina han amanina sida	HIGH MEDIUM LOW UN
ricis que se garer moncare nu butquià actecunis pox obboares and	MEDIOM ON
verall Site Comment:	•
·	
/ . •••	
, NUMERICAL LUST SCORING WO	ORKSHEET (Complete for LUST cases ranked HIGH)
. GROUNDWATER & SOILS: (circle one)	
POINTS	POINTS AND A SECOND REPORTS
20 Municipal Well	5 Soil & gw within 1200' of a public well
18 >5 private wells	6 Soil & gw within 1200 of one or more private wells
16 4 - 6 private wells	4 GW contamination, no wells within 1200
14 2-3 private wells	2 Soil contamination
12 1 private well SCORE	
SCORE 2	•
*For purposes of this scoring, private well includes any non-mu	
	inicipal water supply system.
	nicipal water supply system.
EXPLOSIVE OR TOXIC VAPORS: (circle one)	inicipal water supply system.
POINTS CONFIRMED POTENTIAL	
POINTS CONFIRMED POTENTIAL 20 IU Explosive levels in a resider	nce or building
POINTS CONFIRMED POTENTIAL 20 IU Explosive levels in a resider 8 Explosive levels in a sewer	nce or building or structure
POINTS CONFIRMED POTENTIAL 20 IU Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of	nce or building. or structure or building
POINTS CONFIRMED POTENTIAL 20 IU Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det	nce or building. or structure or building tenmined to be >20% LEL as per an explosivity meter; toxicity levels are pased
POINTS CONFIRMED POTENTIAL 20 IU Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det SCORE on OSHA permissib	nce or building. or structure or building
POINTS CONFIRMED POTENTIAL 20 IU Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels determined on OSHA permissib HYDROGEOLOGIC SETTING: (circle one)	nce or building. or structure or building tenmined to be >20% LEL as per an explosivity meter; toxicity levels are pased
POINTS CONFIRMED POTENTIAL 20 III Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence o NOTE: Explosive levels det on OSHA permissib HYDROGEOLOGIC SETTING: (circle one) POINTS	nce or building or structure or building termined to be >20% LEL as per an explosivity meter, toxicity levels are pased lie exposure limits (PEL)
POINTS CONFIRMED POTENTIAL 20 10 Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence o NOTE: Explosive levels det on OSHA permissib HYDROGEOLOGIC SETTING: (circle one) PCINTS Permeable stratigraphy (gravel, sand, fractured bedrock on	nce or building or structure or building termined to be >20% LEL as per an explosivity meter, toxicity levels are pased lie exposure limits (PEL)
POINTS CONFIRMED POTENTIAL 20 10 Explosive levels in a residence of NOTE: Explosive levels deton on OSHA permissib HYDROGEOLOGIC SETTING: (circle one) POINTS Permeable stratigraphy (gravel, sand, fractured bedrock of the ground surface. 16 Permeable stratigraphy and groundwater greater than 25 for the ground surface.	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based alle exposure limits (PEL) or utilities capable of intercepting and directing flow) and groundwater within 25 for each below ground surface.
POINTS CONFIRMED POTENTIAL 20 III Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det on OSHA permissib HYDROGEOLOGIC SETTING: (circle one) PCINTS Permeable stratigraphy (gravel, sand, fractured bedrock of the ground surface. 16 Permeable stratigraphy and groundwater greater than 25 for 8 Moderately permeable stratigraphy (silty sands, silty gravel).	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based alle exposure limits (PEL) or utilities capable of intercepting and directing flow) and groundwater within 25 for the low ground surface. The second surface is the second surface of the second surface is the second surface.
POINTS CONFIRMED POTENTIAL 20 III Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det on OSHA permissible on OSHA permissible on OSHA permissible processor on OSHA permissible permissible processor on OSHA permissible processor on O	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based alle exposure limits (PEL) or utilities capable of intercepting and directing flow) and groundwater within 25 for the low ground surface. The second surface is the second surface of the second surface is the second surface.
POINTS CONFIRMED POTENTIAL 20 10 Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det on OSHA permissible on OSHA	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based alle exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 for the below ground surface, well clayev sands) and groundwater within 25 feet of ground surface, as groundwater within 25 feet of ground surface, as groundwater within 25 feet of groundwater within 25 feet of ground surface.
POINTS CONFIRMED POTENTIAL 20 ID Explosive levels in a resider 8 Explosive levels in a sewer of Toxic levels in a residence of NOTE: Explosive levels detected on OSHA permissible on OS	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based alle exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 for the below ground surface, well clayev sands) and groundwater within 25 feet of ground surface, as groundwater within 25 feet of ground surface, as groundwater within 25 feet of groundwater within 25 feet of ground surface.
POINTS CONFIRMED POTENTIAL 20 10 Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det on OSHA permissible on OSHA permissible SCORE POINTS 10 Permeable stratigraphy (gravel, sand, fractured bedrock on the ground surface. 11 Permeable stratigraphy and groundwater greater than 25 for a Moderately permeable stratigraphy (silty sands, silty gravel) 12 Moderately permeable stratigraphy (silty sands, silty gravel) 13 Moderately permeable stratigraphy (silt, clayey silt, sand clays) and companies of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and companies stratigraphy (silt, clayey silt, sand clays) and companies stratigraphy and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clays and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clays and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clays and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clays and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clayey silt,	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are pased life exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 feet below ground surface, well clayer sands) and groundwater within 25 feet of ground surface ler than 25 feet below ground surface. d groundwater within 25 feet of ground surface.
POINTS CONFIBMED POTENTIAL 20 10 Explosive levels in a residence of NOTE: Explosive levels deton on OSHA permissible service on OSHA permis	nce or building, or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based alle exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 for the below ground surface, well clayev sands) and groundwater within 25 feet of ground surface, as groundwater within 25 feet of ground surface, as groundwater within 25 feet of groundwater within 25 feet of ground surface.
POINTS CONFIBMED POTENTIAL 20 III Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det on OSHA permissib HYDROGEOLOGIC SETTING: (circle one) PCINTS Permeable stratigraphy (gravel, sand, fractured bedrock of the ground surface. 16 Permeable stratigraphy and groundwater greater than 25 for 8 Moderately permeable stratigraphy (silty sands, silty gravel) 6 Moderately permeable stratigraphy and groundwater greater than 25 for 8 Moderately permeable stratigraphy (silt, clayey silt, sand clays) and 2 Impermeable stratigraphy (silt, clayey silt, sand clays) and 2 Impermeable stratigraphy and groundwater greater than 25 SCORE TYPE OF PRODUCT: (circle one)	or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are based lie exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 for below ground surface, well clayer sands) and groundwater within 25 foet of ground surface, are than 25 feet below ground surface. der than 25 feet below ground surface. der than 25 feet below ground surface. Si feet below ground surface.
POINTS CONFIRMED POTENTIAL 20 10 Explosive levels in a resider 8 Explosive levels in a sewer 12 6 Toxic levels in a residence of NOTE: Explosive levels det on OSHA permissib EXPROGEOLOGIC SETTING: (circle one) POINTS 10 Permeable stratigraphy (gravel, sand, fractured bedrock on the ground surface. 11 Permeable stratigraphy and groundwater greater than 25 for a Moderately permeable stratigraphy (silty sands, silty gravel) 12 Impermeable stratigraphy (silt, clayey silt, sand clays) and companies of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and companies of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and companies of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and companies of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and companies of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clayer silt of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clayer silt of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clayer silt of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clayer silt of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt, clayey silt, sand clays) and clayer silt of the groundwater greater than 25 for a Moderately permeable stratigraphy (silt clayer) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt clayer) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt clayer) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt clayer) and groundwater greater than 25 for a Moderately permeable stratigraphy (silt clayer) and gr	or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are pased lie exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 feet below ground surface, well clayer sands) and groundwater within 25 feet of ground surface are than 25 feet below ground surface. d groundwater within 25 feet of ground surface. 5 feet below ground surface.
POINTS CONFIRMED POTENTIAL 20 10 Explosive levels in a residence of NOTE: Explosive levels detence of NOTE: Standard detence of NOTE: Explosive levels in a residence of NOTE: Explosive levels detence of NOTE: Explosive levels deten	or structure or building termined to be >20% LEL as per an explosivity meter; toxicity levels are pased lie exposure limits (PEL) r utilities capable of intercepting and directing flow) and groundwater within 25 feet below ground surface, well clayer sands) and groundwater within 25 feet of ground surface are than 25 feet below ground surface. d groundwater within 25 feet of ground surface. 5 feet below ground surface.

		Responsible Party Name:	
Address:		Address:	
Phone:	1	Phone:	1
Address:		Address:	
Phone:	/	. Phone:	1
Additional Consultants H	lere:		
suitant			
Contact			
Address:		Address:	•
Phone: /		Phone:/	
st Additional Enforcement from Code Date (mo/date)	Actions Here: Comment		
at Additional Enforcement	Actions Here: Comment YMM D	UST removed in	1986 - 87
at Additional Enforcement from Code Date (mo/date)	Actions Here: Comment YMM D	UST removed in boring put in 15 ft - hit	1986 - 87
t Additional Enforcement (mo/da	Actions Here: Comment ()	UST removed in boring put in 15 ft - hit diesel fue	1986-87 ground contamination
at Additional Enforcement (morda)	Actions Here: Comment Y/YT) (1) (1) (2) (3) (4) (4) (5) (6) (7) (7) (7) (8) (8) (9) (9) (9) (9) (9) (9	UST removed in boring put in 15 ft - hit disel fue	1986-87 ground contamination l n tank
at Additional Enforcement (mo/da	Actions Here: Comment () () () () () () () () () () () () ()	UST removed in boring put in 15 ft - hit diesel fue 1,000 gallo 2 other tanks ar	1986-87 ground contamination l n tank
t Additional Enforcement from Code Date (mo/date)	Actions Here: c	UST removed in boring put in 15 ft - hit diesel fue 1,000 gallor 2 other tanks ar	1986-87 ground contamination I n tank a abandoned on the
t Additional Enforcement from Code Dat (mo/dat	Actions Here: Comment () () () () () () () () () () () () () (UST removed in boring put in 15 ft - hit diesel fue 1,000 gallo 2 other tanks ar	1986-87 ground contamination l n tank a bandoned on the
st Additional Enforcement mon Code Date (mo/date)	Actions Here: Comment (I) (I) (I) (I) (I) (I) (I) (I	UST removed in boring put in 15 ft - hit diesel fue 1,000 gallor 2 other tanks ar	1986-87 ground contamination l n tank a abandoned on the
st Additional Enforcement mon Code Date (mo/date)	Actions Here: Comment () () () () () () () () () () () () ()	UST removed in boring put in 15 ft - hit disel fue 1,000 gallo 2 other tanks ar site basically top after 15 ft. be	1986-87 ground contamination l n tank a abandoned on the soil is fill comes black organic
st Additional Enforcement mon Code Date (mo/date)	Actions Here: 2	UST removed in boring put in 15 ft - hit disel fue 1,000 gallo 2 other tanks ar site basically top after 15 ft. be	1986-87 ground contamination l n tank a abandoned on the
at Additional Enforcement (mo/da)	Actions Here: 2	UST removed in boring put in 15 ft - hit disel fue 1,000 gallo 2 other tanks ar site basically top after 15 ft. be	1986-87 ground contamination l n tank a abandoned on the soil is fill comes black organic
st Additional Enforcement mon Code Date (mo/date)	Actions Here: 2	UST removed in boring put in 15 ft - hit disel fue 1,000 gallo 2 other tanks ar site basically top after 15 ft. be	1986-87 ground contamination l n tank a bandoned on the soil is fiel comes black organic
st Additional Enforcement (mo/da)	Actions Here: 2	UST removed in boring put in 15 ft - hit disel fue 1,000 gallo 2 other tanks ar site basically top after 15 ft. be	ground contamination I m tank e abandoned on the soil is fiel comes black organic
st Additional Enforcement mon Code Dar (mo/da	Actions Here: 2	UST removed in boring put in 15 ft - hit disel fue 1,000 gallo 2 other tanks ar site basically top after 15 ft. be	1986-87 ground contamination l n tank a abandoned on the soil is fill comes black organic

1.1.1.5 1 1 (4) -	1 44 6 '	215-7450	3		Gary Graham
Dale Lythjo			w Wor	ksheet	Consultant Northern Environmental
RP GlemFrank		Site			Consultant Northern Environmental
Cedarburg Light	+ Water	San	20		John Lond (241-3133) 1214 W. Venture Court
W61 N617 Mequoi	n Auê	0.11 1	-(
Cedarburg, Wi	53012				Meroon W. 5309Z
FID# 246 100800				racked	Recom: Propose no further action be
UID# <u>330\</u> PECFA#		11\3\93		<pre> P letter request </pre>	required.
TEOPR _I			TEVIE	· request	
Tanks (#; size; o	content)) st 07		emoved (§	(82 ×t) 4\29\93 site investig.40/4/93
losed in place >2 x 20 K gali >	- Lue wil (clean	n) <u>41 16186</u>	date 1		4\24\13 site investig. 10/14/93
remo ved > 1 x 1000 pl gas	<u> </u>	Tanks dis	sposea e:	Siltacla	y (Oak Creek Fm)
		Depth to	gw, gr	adient:	
			o, o-		
Site Activities, R	leports 0	w to	. 1	,	-/ / //
"S. te Invest	gation Rosu	1+5" (4/12	5/94)	rec'd 3	5/27/94 by Northern.
				· · ·	<u> </u>

					•
					
Soil Contamination Remedial Method Vol. Treated Amt. remaining location levels	BI, BZ See -	—⇒	Notes	Semple	7. impacted 5106 - 590120; 48060 13205 - 7110 020
GW Contamination Remedial Method Estim. Amount location levels	limited Mwzco, mw see		Notes	mw 30	0 > 6RD 10 0 ph, DRD 720 pph Tetrachlorsethene @ 7.6 pph Tetrachlorsethene @ 75.4pph (approx.) D > hense @ 1,2 pph tetrachlorsethene@ 3.9pph (approx) D > some DAHS (table 4)
The state of the s					
According to	o consultant	5 recommer	ndations	5 }	
<i>"</i>	1-1-1	6 = 10	0.001	-c.f., lon 1	1.1. die odent
	parted 5011.	+qwe Site	trad o	ortine to	mited in magnitude + extent,
* < L	a anaditi -				and the time of according to the W. W. COXTOR
*5.4	lencel disc	ession +di	Jution	1999	mediation Coxcaution for reportation
* Site	honical disp	ression +di	<u>lution</u>	1999	wedication (oxcaution for vaporextrae slong w/ natural biodeg. The release over time.
* Site	honoul disp	to reduce	lution the ef	facts of	the release over time.
* Sit A Mec	honoul disp hould act to don lack o	ession + di to reduce	the ef	facts of	the release over time.
* Sut of Merchant Substitute of Merchant Subs	honal disp hould act to don lack of THERM, av	assion + di to reduce of receptor ad logistic	the ef	facts of tod poten	the release over time. That threat to human healthfenvironmenticulties w/active
* Sut of Merchant Substitute of Merchant Subs	honal disp hould act to don lack of THERM, av	assion + di to reduce of receptor ad logistic	the ef	facts of tod poten	the release over time.
* Sut of Merchant Substitute of Merchant Subs	honal disp hould act to don lack of THERM, av	assion + di to reduce of receptor ad logistic	the ef	facts of tod poten	the release over time. That threat to human healthfenvironmenticulties w/active
* Sut of Merchant Substitute of Merchant Subs	honal disp hould act to don lack a mediation	ession + di to reduce of receptor nd logistic program,	the ef	ted poten chnicald	the release over time. tial threat to human healthfenvironmenticulties w/active no Further action be required.
* Sut of Mercons Substitute of Marcons Subst	honal disp hould act to don lack a mediation	ession + di to reduce of receptor nd logistic program,	the ef	ted poten chnicald	the release over time. That threat to human healthrenvironm it iculties w/active

•

LETTER OF TRANSMITTAL

1214 Wes Mequon W	Visconsin 53092 Toll Free	s • Geologists 1-414-241-3133 1-800-776-7140 1-414-241-8222	ATTENTION RE 5	SENDING d	Feeney 11/4ATION	cover
COPIES		DES	SCRIPTION			
	SHE INVESTIBLE COPY OF APRIL			from yo	APR	EIVED 2 4 1995 SED Hatrs. raukee, WI
A. B. C. D.	As Requested For Review and Comment	F. No Exception G. Make Noted H. Amend & Re	Corrections esubmit	K. Submi L. Return M. Reviev	tCop ICor v and Sign	pies for Distribution rected Prints
СОРҮ ТО):		SIGNED	: Ch] Harf	5

	10/17/94 Phone Conversation W/
	Gary Graham From Northern Environ.
	re: Cedarburg Light + Water
	Passive Biodegradation may be assessed for use
	W/ contam. a.w.
	 Must betine extent + prove migration is minimal. Must assess physic chemical conditions of site. (Oz + [contains]
0.00	3 Conduct another round of MW sampling.
	4) Contact Mike Barden (DNR-Madison) re: Passive Bio.
	Te: tassive Bio.

246 100800 EARLUST

Wisconsin Department of Industry, Labor and Human Relations Safety and Buildings Division

FORM 4

DNR SITE INVESTIGATION AND REMEDIAL ACTION PLAN REVIEW

Bureau of Petroleum Inspection and Fire Protection P.O. Box 7969 Madison, WI 53707 (608) 267-4545 (608) 267-7538 (608) 266-9420

Section 101.143 (3) (c) 4, Wis. Stats., requires that a claimant obtain written approval from the Department of Natural Resources (DNR) when requesting reimbursement for activities in response to a discharge from a commercial petroleum product storage system or home oil tank. The DNR approval must indicate that the site investigation and remedial action plan is adequate to meet requirements of s. 144.76, Wis. Stats. The DNR approval is created for the purpose of meeting the requirements of s. 101.143 (3), Wis. Stats., only and does not bar the DNR from requiring that additional investigation and/or remediation activities be performed by persons responsible under s. 144.76, Wis. Stats.

ana/or remediation activities be performed by persons responsi			
DNR Use Only			
Any DNR / DOJ Enforcement Action(s) or DNR LUST T	rust Expenditures on this site	? Yes No	
If answer is yes, please provide pertinent details on a	ttached sheet.		
,,,,,			
Claimant's Name	Remedial Action Site Name (if business)		
C'edar burg Light and Water Commission	Remedial Action Site Address	ent	
Street Address N3D W5926 Lincoln Blvd. P.O. W61 N617 Mequon Avenue Box 767	W61 N617 Meque	on Avenue	
City, State, Zip Code	City, State, Zip Code	N AVENOC	
Cedarburg WI 53012		53012	
Claimant's Telephone Number (414) 375 - 7650	Telephone Number of Site () ()		
Claimantis Owner Operator Other - please spec	tify:		
Approval requested for: Petroleum Product Storage Sy	stem	☐ Aboveground	
FOR DNR USE ONLY (Indicate Whether Completed	d Remedial Action or Other A	action(s))	
A copy of this completed document must be submitted to DNR f			
investigation and remediation) in accordance with s. 101.143 (3			
☐ Completed Remedial Action (complete cleanup and sing	gle claim for reimbursement) (Steps	1 through 3)	
Progress Payments For:			
☐ Emergency Action (Step 1 - check only if emergency acti	on was performed)		
☐ Completion of Site Investigation (Step 1) and Proposed	Remedial Action Plan (Step 2)		
☐ Remedial Action (Step 3)		Check Appropriate	
☐ Operation/Maintenance and Environmental Monitoring (annual claim for remedial action activities) (Step 4) Box(es)			
Site Investigation By Order of DNR And/Or DILHR - No R	emedial Action		
The DNR received a request for approval of the above identified		document on the	
following date			
The DNR response for purposes of s. 101.143 (3), Wis. Stats., is at	tached.		
Remedial action activities conducted by owners/operators are Funding). (See s. 101.143 (3) (a) 2., Wis. Stats.)	e not eligible for funding unde	r 42 USC 6991 (L.U.S.T.	
Send one copy of this completed form to the address shown in	the upper right corner and one cop	y to the claimant.	
Reviewer's Signature	Date Signed		
Reviewer's Title			

Copy Distribution: White - DILHR S & B; Green - Claimant/Agent; Pink - DNR


Wisconsin Department of Industry, Labor and Human Relations Safety and Buildings Division


FORM 4 DNR SITE INVESTIGATION AND REMEDIAL ACTION PLAN REVIEW


Bureau of Petroleum Inspection and Fire Protection P.O. Box 7969 Madison, WI 53707 (608) 267-3753 (608) 266-2424

The information you provide may be used by other government agency programs [Privacy Act, s. 15.04(1)(m)]. SEE INSTRUCTIONS ON THE BACK OF THIS PAGE.

a. DILHR PECFA Claim Number: 5 3 0	12201717				
Section 101.143 (3) (c) 4, Wis. Stats., requires that a claimant Resources (DNR) when requesting reimbursement for activitie product storage system or home oil tank. The DNR approval melan is adequate to meet requirements of s. 144.76, Wis. Stats. the requirements of s. 101.143 (3), Wis. Stats., only and does not and/or remediation activities be performed by persons responsi	s in response to a discharge from a commercial petroleum nust indicate that the site investigation and remedial action The DNR approval is created for the purpose of meeting of bar the DNR from requiring that additional investigation				
DNR Use Only					
Any DNR / DOJ Enforcement Action(s) or DNR LUST T If answer is yes, please provide pertinent details on a					
B. Claimant's Name	F. Remedial Action Site Name (if business)				
C. Street Address P. O.	G. Remedial Action Site Address				
D. City, State, Zip Code	H. City, State, Zip Code				
Cedarbura WI 53012	Cedarburg WE 53012				
E. Claimant's Telephone Number (414) 375 - 7650	I. Telephone Number of Site ()				
J. Claimant is Operator Other - please spec	cify:				
K. Approval Requested For: Underground Petroleum Product Sto	orage System				
L. Total Dollar Expenses Being Claimed (Same as on DILHR's For	m 1): \$ 40,000.00				
FOR DNR USE ONLY (Indicate Whether Completed	Remedial Action or Other Action(s))				
A copy of this completed document must be submitted to DNR for investigation and remediation) in accordance with s. 101.143 (3)					
☐ Completed Remedial Action (phase 1 and phase 2)					
Progress Payments For: check appropriate box(es)					
☐ DILHR Approved Emergency Action (check only if emergency	gency action is completed)				
☐ Completion of Site Investigation and proposed Remedia	Action Plan (phase 1)				
Remedial Action (phase 2)					
Operation/Maintenance and Environmental Monitoring (annual claim for remedial action activities) (phase 3)					
☐ Check if claim submitted is for a \$100,000 incurred cost p	progress payment where a milestone is <u>not</u> completed				
☐ Site Investigation By Order of DNR And/Or DILHR - No Remedial Action					
The DNR received a request for approval of the above identified activities for the site listed on this document on the					
following date					
The DNR response for purposes of s. 101.143 (3), Wis. Stats., is att	ached.				
Remedial action activities conducted by owners/operators are Funding). (See s. 101.143 (3) (a) 2., Wis. Stats.)	e not eligible for funding under 42 USC 6991 (L.U.S.T.				
Send one copy of this completed form to the address shown in t	he upper right corner and one copy to the claimant.				
DNR Reviewer's Signature Eric Amali	Date Signed				
ONR Reviewer's Title Hidrogen 10915+					







The same