



June 10, 2009

VIA U.S. MAIL

Ms. Nancy Ryan
c/o Victoria Stovall
Wisconsin Dept. of Natural Resources
Southeast Region Headquarters
2300 N. Dr. Martin Luther King, Jr. Drive
Milwaukee, WI 53212-3128

Re: Express Dry Cleaners, Inc. Site, 3941 N. Main Street, Racine, WI
BRRTS #02-52-547631
Additional Investigations on S.C. Johnson & Son, Inc. Property

Dear Nancy:

On March 11, 2009, Wisconsin Department of Natural Resources ("WDNR") requested a postponement in the remedial action bid process to allow for additional investigations, including installation of three additional monitoring wells, on the property owned by S.C. Johnson & Son, Inc. at the above-reference site (the "S.C. Johnson Property"). Northern Environmental prepared a proposed work plan and cost estimate (the "Workplan") for the requested investigations, which was approved by WDNR on April 8, 2009. In accordance with the Workplan, enclosed is Northern Environmental's report of the additional investigation activities at the S.C. Johnson Property, dated June 9, 2009 (the "Report").

As stated in the Report, based on the site investigation results, Northern Environmental concludes the extent of soil and groundwater contamination has been adequately defined to allow for evaluation of remedial action options and development of a remedial action plan.

Please confirm that the Report satisfies WDNR's request dated March 11, 2009. Upon receipt of your confirmation and approval to proceed, we will establish a new deadline for submission of remedial action bids and provide copies of the Report to potential bidders.

GONZALEZ SAGGIO & HARLAN LLP
Attorneys at Law

www.gshllp.com

Milwaukee
225 East Michigan St.
Fourth Floor
Milwaukee, WI 53202
Tel (414) 277-8500
Fax (414) 277-8521

Chicago	Los Angeles
Cincinnati	New York
Cleveland	Phoenix
Indianapolis	Washington D.C.
Las Vegas	West Des Moines

Ms. Nancy Ryan
June 10, 2009
Page 2

Please feel free to contact me if you have any questions.

Very truly yours,



William P. Scott

WPS/mkr
Enclosures

cc: Linda E. Benfield, Esq., Foley & Lardner LLP (via email)
Chris Hatfield, Northern Environmental (via email)



Northern Environmental

12075 Corporate Pkwy, Suite 200 TEL 262-241-3133
Mequon, WI 53092 FAX 262-241-8222

June 9, 2009

Mr. William P. Scott
Gonzales, Saggio, & Harlan LLP
225 East Michigan Street, Fourth Floor
Milwaukee, Wisconsin 53202

Re: Additional Investigation Activities
Express Cleaners, 3941 North Main Street, Racine, Wisconsin
BRRTS #02-52-547631
Bonestroo File No.: 003592-09001-0

Dear Mr. Scott:

Bonestroo/Northern Environmental (Bonestroo) prepared this letter to document the results of the additional investigation activities completed at 3941 North Main Street, Racine, Wisconsin (the Site). On March 11, 2009, the Wisconsin Department of Natural Resources (WDNR) requested three additional groundwater monitoring wells to determine groundwater quality on the S.C. Johnson & Son, Inc. ("S.C. Johnson") property and to provide additional information to evaluate contaminant migration in shallow soil and groundwater. The S.C. Johnson property is located east of the Ehrlich Family Ltd Partnership (Ehrlich Family) property, currently leased by Express Dry Cleaning, Inc. On March 20, 2009, Bonestroo submitted a proposed workplan and cost estimate to the WDNR. During April 2009, the WDNR approved the scope of work and cost estimate.

INVESTIGATION METHODS

On May 19, 2009, Bonestroo/Northern Environmental completed three soil boreholes (MW11 through MW13) at the Site using hollow-stem auger drilling and split-spoon sampling techniques. The borehole/monitoring well locations are shown in Figure 1.

Bonestroo/Northern Environmental personnel described each soil sample in the field. Field soil boring logs were prepared and included information on soil type, structural characteristics, color, moisture content, consistency, odor, and photoionizable constituents. Copies of borehole logs are included in Attachment A. All down-hole drilling and sampling equipment was cleaned before on-site use and between each borehole.

A Bonestroo/Northern Environmental geologist prepared borehole logs; examined and described the soil field screened samples, and collected samples for laboratory analysis. In addition, soil samples from each borehole were field screened for volatile organic compounds (VOCs) using a photoionization detector (PID). These samples were placed in a 1-quart plastic bag and sealed. Care was taken to maintain a relatively constant soil volume to headspace volume ratio for all

samples. The sealed headspace sample was agitated to break up soil clods before being left in a warm environment for at least 15 minutes to allow volatilization to occur. The PID probe was then carefully inserted into the plastic bag and the highest stable response was recorded. The PID used was a Thermo Environmental Instruments Model 580A Organic Vapor Meter equipped with a 10.6 eV lamp. Based on field screening results, one unsaturated soil sample from borehole MW12 located near the northwest corner of the S.C. Johnson property was laboratory analyzed for VOCs using Environmental Protection Agency (EPA) Method 8260B by Synergy Environmental Lab, LLC. Soil samples from the remaining two boreholes were not laboratory analyzed since soil samples were laboratory analyzed from boreholes previously completed near the location of these boreholes. In addition, field screening did not indicate significant contamination at any soil sample intervals collected from boreholes MW11 and MW13.

After soil sample collection, 2-inch diameter polyvinyl chloride (PVC) groundwater monitoring wells were constructed in the boreholes. The monitoring wells were completed to 13 feet below grade (fbg) with 10 feet of 0.01 mill-slot screened interval. Before sampling, the monitoring wells were surveyed and developed. Monitoring well construction and development forms are included in Attachment A.

On May 19, 2009, groundwater samples were collected from the three new wells. Before sampling, groundwater elevations were measured in all groundwater monitoring wells and the piezometer to evaluate groundwater flow. Groundwater elevation data is presented in Table 1. The groundwater samples were laboratory analyzed for VOCs using EPA Method 8260B.

FINDINGS

Sediments encountered in the boreholes were consistent with previous boreholes and contained approximately 1 foot of topsoil underlain by fine silty sand to depths of up to 7.5 fbg. Underlying the silty sand was silty clay till. No solvent odors or elevated PID responses were observed in the collected soil samples. VOCs were not detected in the laboratory-analyzed soil sample collected from MW12. Soil sample field screening and laboratory analytical results are presented in Table 2. The extent of tetrachloroethene (PCE)-contaminated soil in unsaturated soil is shown in Figure 2.

Groundwater was encountered at approximately 3 fbg. Groundwater flows generally to the southwest across the Site and to the east to southeast across the S.C. Johnson property. The groundwater elevation on May 19, 2009 is depicted in Figure 2. Groundwater collected from monitoring well MW12 contained PCE (22.6 milligrams per liter [mg/L]) exceeding the Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) enforcement standard (ES) and cis-1,2-dichloroethene and trichloroethene exceeding the preventive action limit. No VOC compounds were detected in monitoring wells MW11 and MW13. The extent of groundwater containing PCE concentrations exceeding the NR 140, Wisconsin Administrative Code ES is shown in Figure 3. Groundwater quality analytical results are presented in Table 3. Laboratory reports and chain-of-custody records are provided in Attachment B.

CONCLUSIONS AND RECOMMENDATIONS

Based on the site investigation results, the extent of soil and groundwater contamination has been adequately defined to allow for completion of a comprehensive remedial action plan. Bonestroo/Northern Environmental recommends that an evaluation of remedial action options be completed and a remedial action plan be developed, using the results of this site investigation

and previous site investigations, to address soil and groundwater contamination at the Express Cleaners site. .


DISCLAIMER

Bonestroo/Northern Environmental completed this work in general conformance with federal, state, and local requirements and made all appropriate inquiry consistent with good commercial or customary practice. The results provided in the report are based upon professional interpretation of the information available to Bonestroo/Northern Environmental given the time and budget constraints of this project. Bonestroo/Northern Environmental has assumed the information provided by the client and property owner and included in the report is factual, complete, and correct. Bonestroo/Northern Environmental does not warrant that this report represents an exhaustive study of all possible environmental concerns associated with the Property. However, the items included in this report are believed to adequately address soil and groundwater quality at the Site and WDNR's request for additional investigations, dated May 11, 2009..


Thank you again for the opportunity to assist you with this important project. Please contact us at (262) 241-3133 if you have any questions or concerns.

Sincerely,

BONESTROO




John J. Timm
Geologist



Christopher C. Hatfield, PG
Senior Geologist

JJT/lmh
Attachments




LEGEND

- | | |
|-------|--------------------------------------|
| — - - | SUBJECT PROPERTY BOUNDARY |
| — - - | ADJACENT PROPERTY BOUNDARIES |
| — — | OVERHEAD ELECTRIC LINE |
| - x - | FENCE |
| — g — | UNDERGROUND GAS LINE |
| — w — | WATERMAIN |
| — e — | BURIED ELECTRIC LINE |
| — s — | BURIED SANITARY SEWER |
| — t — | BURIED TELEPHONE LINE |
| Ø | UTILITY POLE |
| [] | FORMER DRY CLEANING MACHINE LOCATION |
| ☒ | EXISTING DRY CLEANING MACHINE |

MW1 Ø 2nd MONITORING WELL LOCATION AND IDENTIFICATION

PZ1 ☐ PIEZOMETER LOCATION AND IDENTIFICATION

TW2 6000 Ø 1st TEMPORARY MONITORING WELL LOCATION AND IDENTIFICATION



Northern Environmental			
Hydrologists • Engineers • Surveyors • Scientists			
330 South 4th Avenue, Park Falls, Wisconsin 54552			
Phone: 800-498-3913 Fax: 715-762-1844			
WISCONSIN ▲ MINNESOTA ▲ ILLINOIS ▲ IOWA			
<small>This drawing and all information contained therein is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes full responsibility and risk for the accuracy and verification of all information contained in electronic files.</small>			


SITE LAYOUT

EXPRESS CLEANERS, INCORPORATED
3941 N. MAIN STREET
RACINE, WISCONSIN

DATE: 04/15/08 DRAWN BY: BMP REVISED: 05/22/09 MSM

PROJECT NUMBER: 003592-09001-0

FIGURE 1



LEGEND

— — — — —	SUBJECT PROPERTY BOUNDARY
— — — — —	ADJACENT PROPERTY BOUNDARIES
OE	OVERHEAD ELECTRIC LINE
X	FENCE
G	UNDERGROUND GAS LINE
W	WATERMAIN
E	BURIED ELECTRIC LINE
S	BURIED SANITARY SEWER
T	BURIED TELEPHONE LINE
Ø	UTILITY POLE
[]	FORMER DRY CLEANING MACHINE LOCATION
[]	EXISTING DRY CLEANING MACHINE
VP1	SOIL VAPOR SAMPLING POINT LOCATION AND IDENTIFICATION
BA1	HAND AUGER NEAR SURFACE SAMPLE LOCATION AND IDENTIFICATION
B5	BOREHOLE LOCATION AND IDENTIFICATION
B3	GABRIEL ENVIRONMENTAL BOREHOLE LOCATION AND IDENTIFICATION
MW1	2 nd MONITORING WELL LOCATION AND IDENTIFICATION
PZ1	PIEZOMETER LOCATION AND IDENTIFICATION
TW2	1 st TEMPORARY MONITORING WELL LOCATION
1000	SOIL PCE ISOCONCENTRATION LINE IN MICROGRAMS PER KILOGRAM

Sample Location	Sample Depth (feet)	Soil PCE Concentration ($\mu\text{g}/\text{kg}$)	Sample Location	Sample Depth (feet)	Soil PCE Concentration ($\mu\text{g}/\text{kg}$)
PZ1	1-3	370	B17	2-4	<25
MW1	3.5-5.5	430	B18	2-4	<25
MW2	1-3	1740	B19	2-4	<25
MW3	1-3	8400	B20	2-4	104
MW4	1-3	<25	B21	2-4	<25
MW6	2-4	48	B22	2-4	670
MW8	1-3	330	B23	2-4	<25
MW12	1-3	<18	B24	2-4	<25
B1	4	121,000	B25	2-4	<25
B2	2	9500	B26	2-4	<25
B2	12	465	B27	2-4	<25
B3	4	21,100	B28	2-4	<25
B4	2-4	270,000	B29	2-4	<25
B4	4-6	1,380	B30	2-4	<25
B4	14-16	270	B31	2-4	<25
B5	2-4	66,000	B32	2-4	<25
B5	10-12	305	B33	2-4	<25
B6	2-4	136,000	MW6	2-4	48
B6	12-14	174	MW8	1-3	330
B7	3-4	10,200	B41	2	130
B7	6-8	77,000	B42	0.5	650
B8	2-4	62	B43	2	740
B9	0-2	92,000	B43	0.5	1200
B9	8-10	770,000	B43	2	1300
B10	2-4	14,000	B44	0.5	690
B10	8-10	28	B44	2	100
B11	2-4	63,000	B45	30	43
B11	6-8	590,000	B46	0.5	56
B12	2-4	1370	B46	2	74
B13	2-4	112	B47	0.5	84
B13	6-8	68,000	B47	2	380
B14	2-4	131	B48	1.5	<25
B15	2-4	<25	B49	0.5	33
B15	4-6	<25	B49	2	1200
B16	2-4	<25			

Northern Environmental

Hydrologists • Engineers • Surveyors • Scientists
330 South 4th Avenue, Park Falls, Wisconsin 54552
Phone: 800-498-5913 Fax: 715-762-1844

ISOCONCENTRATION MAP OF PCE CONCENTRATIONS IN UNSATURATED SOIL

EXPRESS CLEANERS, INCORPORATED
3941 N. MAIN STREET
RACINE, WISCONSIN

SCALE IN FEET
20 0 20 40



DATE: 04/15/08 DRAWN BY: BMP REVISED: 06/02/09 MSM

PROJECT NUMBER: 003592-09001-0 FIGURE 2




Table 1 Groundwater Elevation Data, Express Cleaners, Racine, Wisconsin

Well ID	Ground Surface Elevation (feet)	Reference Point Elevation * (feet)	Date	Depth to Water (Feet Below Reference Point)	Water Table Elevation (feet)
MW1	615.00	614.51	04/05/07 04/27/07 01/15/08 05/19/09	3.02 2.72 3.69 3.92	611.49 611.79 610.82 610.59
MW2	614.44	613.79	04/05/07 04/27/07 01/15/08 05/19/09	1.90 1.88 2.49 3.14	611.89 611.91 611.30 610.65
MW3	614.90	614.33	04/05/07 04/27/07 01/15/08 05/19/09	2.49 2.07 3.15 3.70	611.84 612.26 611.18 610.63
MW4	614.69	614.28	04/05/07 04/27/07 01/15/08 05/19/09	2.31 1.90 2.97 3.84	611.97 612.38 611.31 610.44
MW5	612.35	615.62	01/04/08 01/15/08 05/19/09	12.01 5.13 6.47	603.61 610.49 609.15
MW6	613.25	616.14	01/04/08 01/15/08 05/19/09	7.04 5.86 6.65	609.10 610.28 609.49
MW7	612.13	615.03	01/04/08 01/15/08 05/19/09	5.27 3.76 4.92	609.76 611.27 610.11
MW8	614.51	614.12	01/04/08 01/15/08 05/19/09	5.26 5.46 5.65	608.86 608.66 608.47

Table 1 Groundwater Elevation Data, Express Cleaners, Racine, Wisconsin

Well ID	Ground Surface Elevation (feet)	Reference Point Elevation * (feet)	Date	Depth to Water (Feet Below Reference Point)	Water Table Elevation (feet)
MW9	614.09	613.73	01/04/08 01/15/08 05/19/09	8.78 4.56 4.71	604.95 609.17 609.02
MW10	614.01	613.53	01/04/08 01/15/08 05/19/09	5.67 2.76 3.04	607.86 610.77 610.49
MW11	612.88	615.74	05/19/09	5.08	610.66
MW12	612.82	615.81	05/19/09	5.29	610.52
MW13	612.44	615.28	05/19/09	5.06	610.22
TW1	615.60	615.48	04/05/07 04/27/07	4.00 3.81	611.48 611.67
TW2	615.60	615.49	04/05/07 04/27/07	4.22 4.19	611.27 611.30
PZ1	615.01	614.23	04/05/07 04/27/07 01/15/08 05/19/09	27.66 14.70 7.58 7.60	586.57 599.53 606.65 606.63

Note:

Benchmark is south coupling of fire hydrant located on northeast corner of North Main Street and 3-Mile Rd

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (ppb)		Description	Detected Volatile Organic Compounds (µg/kg)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic foot)				
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		det-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene (TCE)						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater							60	110	4.1	3.7						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion							156,000	313,000	110,000	143,000						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust							7.74x10 ¹¹	7.74x10 ¹¹	3.25x10 ⁵	1.71x10 ⁶						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles							NE	NE	2100	14						
PZ1	PZ1-1	03/27/07	1-3	6703	1	Silty sand, Eolian deposits	<25	<25	370	<25	-	-				
	PZ1-2	03/27/07	3.5-5.5	4831	1	Silty sand, Eolian deposits	-	-	-	-	-	-				
	PZ1-3	03/27/07	6-8	5648	1	Silty clay, till	-	-	-	-	-	-				
	PZ1-4	03/27/07	8.5-10.5	5123	1	Silty clay, till	-	-	-	-	-	-				
	PZ1-5	03/27/07	11-13	3958	0	Silty clay, till	-	-	-	-	-	-				
	PZ1-6	03/27/07	13.5-15.5	3869	1	Silty clay, till	-	-	-	-	-	-				
	PZ1-7	03/27/07	16-18	4326	0	Silty clay, till	-	-	-	-	-	-				
	PZ1-8	03/27/07	18.5-20.5	5260	0	Silty clay, till	-	-	-	-	-	-				
	PZ1-9	03/27/07	21-23	1846	0	Silty clay, till	<25	<25	<25	<25	-	-				
	PZ1-10	03/27/07	23.5-25.5	1891	0	Silty clay, till	-	-	-	-	-	-				
	PZ1-11	03/27/07	26-28	1935	0	Silty clay, till	-	-	-	-	-	-				
	PZ1-12	03/27/07	28-30	1897	0	Silty clay, till	-	-	-	-	-	-				
MW1	MW1-1	03/27/07	1-3	2925	1.5	Silty sand, Eolian deposits	-	-	-	-	-	-				
	MW1-2	03/27/07	3.5-5.5	1748	3	Silty sand, Eolian deposits	<25	<25	430	<25	-	-				
	MW1-3	03/27/07	6-8	1369	0	Silty clay, till	-	-	-	-	-	-				
	MW1-4	03/27/07	8.5-10.5	2193	0	Silty clay, till	-	-	-	-	-	-				
	MW1-5	03/27/07	11-13	1989	0	Silty clay, till	-	-	-	-	-	-				
	MW1-6	03/27/07	13.5-15.5	1884	0	Silty clay, till	<25	<25	<25	<25	-	-				
MW2	MW2-1	03/27/07	1-3	9989	4	Silty sand, Eolian deposits	38 "J"	<25	1740	58 "J"	-	-				
	MW2-2	03/27/07	3.5-5.5	1709	1	Silty sand, Eolian deposits	-	-	-	-	-	-				
	MW2-3	03/27/07	6-8	2401	2	Silty clay, till	-	-	-	-	-	-				
	MW2-4	03/27/07	8.5-10.5	1492	1	Silty clay, till	-	-	-	-	-	-				
	MW2-5	03/27/07	11-13	2317	2	Silty clay, till	-	-	-	-	-	-				
	MW2-6	03/27/07	13.5-15.5	2147	1	Silty clay, till	<25	<25	<25	<25	-	-				
MW3	MW3-1	03/27/07	1-3	32,000	10	Silty sand, Eolian deposits	124	<25	8400	113	-	-				
	MW3-2	03/27/07	3.5-5.5	27,000	5	Silty sand, Eolian deposits	-	-	-	-	-	-				
	MW3-3	03/27/07	6-8	2713	2	Silty clay, till	-	-	-	-	-	-				
	MW3-4	03/27/07	8.5-10.5	2221	1	Silty clay, till	-	-	-	-	-	-				
	MW3-5	03/27/07	11-13	1436	0	Silty clay, till	-	-	-	-	-	-				
	MW3-6	03/27/07	13.5-15.5	1605	1	Silty clay, till	<25	<25	41 "J"	<25	-	-				
MW4	MW4-1	03/27/07	1-3	1955	3	Silty sand, Eolian deposits	<25	<25	<25	<25	-	-				
	MW4-2	03/27/07	3.5-5.5	1424	2	Silty sand, Eolian deposits	-	-	-	-	-	-				
	MW4-3	03/27/07	6-8	1087	3	Silty clay, till	-	-	-	-	-	-				
	MW4-4	03/27/07	8.5-10.5	1102	2	Silty clay, till	<25	<25	<25	<25	-	-				
	MW4-5	03/27/07	11-13	1677	3	Silty clay, till	-	-	-	-	-	-				
	MW4-6	03/27/07	13.5-15.5	1097	2	Silty clay, till	-	-	-	-	-	-				
B1*	B1-2	04/12/06	4	-	0	Clay	461	<5	121,000	610	-	-				
	B1-6	04/12/06	12	-	0	Clay	<5	<5	<25	<5	-	-				
B2*	B2-2	04/12/06	2	-	0	Sand	<5	<5	9900	<250	-	-				
	B2-6	04/12/06	12	-	0	Clay	26	<5	465	<5	-	-				
B3*	B3-2	04/12/06	4	-	0	Clay	6	<5	21,100	346	-	-				
B4	B4-1	03/28/07	0-2	144,000	146	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B4-2	03/28/07	2-4	199,000	451	Silty sand, Eolian deposits	<2500	<2500	270,000	<2500	-	-				
	B4-3	03/28/07	4-6	164,000	110	Silty sand, Eolian deposits	<2500	<2500	138,000	<2500	-	-				
	B4-4	03/28/07	6-8	147,000	126	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B4-5	03/28/07	8-10	3159	1	Silty clay, till	-	-	-	-	-	-				
	B4-6	03/28/07	10-12	9086	13	Silty clay, till	-	-	-	-	-	-				
	B4-7	03/28/07	12-14	4266	1	Silty clay, till	-	-	-	-	-	-				
	B4-8	03/28/07	14-16	9877	5	Silty clay, till	<25	<25	270	<25	-	-				
B5/TW1	B5-1	03/28/07	0-2	103,000	71	Silty sand, Fill	-	-	-	-	-	-				
	B5-2	03/28/07	2-4	185,000	88	Silty sand, Fill	<2500	<2500	66,000	<2500	-	-				
	B5-3	03/28/07	4-6	22,000	14	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B5-4	03/28/07	6-8	79,000	47	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B5-5	03/28/07	8-10	2919	1	Silty clay, till	-	-	-	-	-	-				
	B5-6	03/28/07	10-12	7106	4	Silty clay, till	1390	27.2 "J"	305	33 "J"	-	-				
	B5-7	03/28/07	12-14	4607	3	Silty clay, till	-	-	-	-	-	-				
	B5-8	03/28/07	14-16	4560	2	Silty clay, till	-	-	-	-	-	-				
B6	B6-1	03/28/07	0-2	109,000	71	Silty sand, Fill	-	-	-	-	-	-				
	B6-2	03/28/07	2-4	199,000	338	Silty sand, Fill	<2500	<2500	136,000	<2500	-	-				
	B6-3	03/28/07	4-6	40,000	32	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B6-4	03/28/07	6-8	45,000	103	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B6-5	03/28/07	8-10	4316	5	Silty clay, till	-	-	-	-	-	-				
	B6-6	03/28/07	10-12	5539	5	Silty clay, till	-	-	-	-	-	-				
	B6-7	03/28/07	12-14	6324	6	Silty clay, till	<25	<25	174	<25	-	-				
	B6-8	03/28/07	14-16	4915	5	Silty clay, till	-	-	-	-	-	-				
B7/TW2	B7-1	03/28/07	0-2	4925	16	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B7-2	03/28/07	2-4	37,800	55	Silty sand, Eolian deposits	108	<25	10,200	87	-	-				
	B7-3	03/28/07	4-6	6168	13	Silty sand, Eolian deposits	-	-	-	-	-	-				
	B7-4	03/28/07	6-8	28,000	45	Silty sand, Eolian deposits	870	<25	77,000	650	-	-				
	B7-5	03/28/07	8-10	4704	9	Silty clay, till	-	-	-	-	-	-				
	B7-6	03/28/07	10-12	4311	4	Silty clay, till	-	-	-	-	-	-				
	B7-7	03/28/07	12-14	2647	5	Silty clay, till	-	-	-	-	-	-				
	B7-8	03/28/07	14-16	4350	4	Silty clay, till	<25	<25	<25	<25	-	-				

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (lui)		Description	Detected Volatile Organic Compounds ($\mu\text{g}/\text{kg}$)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethylene	Trichloroethylene (TCE)						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater							60	110	4.1	3.7						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion							156,000	313,000	110,000	143,000						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust							7.74×10^{11}	7.74×10^{11}	3.25×10^7	1.71×10^6						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles							NE	NE	2100	14						
B8	B8-1	03/28/07	0-2	2045	1	Silty sand, fill	-	-	-	-						
	B8-2	03/28/07	2-4	3083	1	Silty sand, fill	<25	<25	67	<25	4200	147				
	B8-3	03/28/07	4-6	3248	0	Silty sand, Eolian deposits	<25	<25	<25	<25						
	B8-4	03/28/07	6-8	3239	1	Silty sand, Eolian deposits	-	-	-	-						
	B8-5	03/28/07	8-10	2941	0	Silty sand, silty clay, till	-	-	-	-						
	B8-6	03/28/07	10-12	3152	1	Silty sand, silty clay, till	-	-	-	-						
	B8-7	03/28/07	12-14	2633	2	Silty clay, till	-	-	-	-						
	B8-8	03/28/07	14-16	4112	2	Silty clay, till	<25	<25	<25	<25						
B9	B9-1	03/29/07	0-2	199,000	170	Silty sand, fill	17,400	<2500	92,000	11,500						
	B9-2	03/29/07	2-4	199,000	202	Silty sand, Eolian deposits	-	-	-	-						
	B9-3	03/29/07	4-6	20,000	25	Silty sand, Eolian deposits	-	-	-	-						
	B9-4	03/29/07	6-8	159,000	167	Silty clay, till	-	-	-	-						
	B9-5	03/29/07	8-10	199,000	323	Silty clay, till	<5000	<5000	770,000	<5000						
	B9-6	03/29/07	10-12	5014	3	Silty clay, till	-	-	-	-						
	B9-7	03/29/07	12-14	3516	1	Silty clay, till	-	-	-	-						
	B9-8	03/29/07	14-16	3311	1	Silty clay, till	<25	<25	<25	<25						
B10	B10-1	03/29/07	0-2	8315	7	Silty sand, fill	-	-	-	-						
	B10-2	03/29/07	2-4	9214	8	Silty sand, fill	<2500	<2500	14,000	<2500						
	B10-3	03/29/07	4-6	4275	1	Silty sand, Eolian deposits	-	-	-	-						
	B10-4	03/29/07	6-8	3250	1	Silty clay, till	-	-	-	-						
	B10-5	03/29/07	8-10	3074	1	Silty clay, till	<25	<25	27.5 "J"	<25						
	B10-6	03/29/07	10-12	2343	1	Silty clay, till	-	-	-	-						
	B10-7	03/29/07	12-14	1256	2	Silty clay, till	-	-	-	-						
	B10-8	03/29/07	14-16	2543	1	Silty clay, till	-	-	-	-						
B11	B11-1	03/29/07	0-2	82,000	68	Silty sand, fill	-	-	-	-						
	B11-2	03/29/07	2-4	115,000	156	Silty sand, Eolian deposits	<1250	<1250	63,000	<1250						
	B11-3	03/29/07	4-6	9217	8	Silty sand, Eolian deposits	-	-	-	-						
	B11-4	03/29/07	6-8	199,000	350	Silty clay, till	<1250	<1250	590,000	2760 "J"						
	B11-5	03/29/07	8-10	27,000	17	Silty clay, till	-	-	-	-						
	B11-6	03/29/07	10-12	7464	4	Silty clay, till	-	-	-	-						
	B11-7	03/29/07	12-14	4075	3	Silty clay, till	-	-	-	-						
	B11-8	03/29/07	14-16	3000	3	Silty clay, till	-	-	-	-						
B12	B12-1	03/29/07	0-2	2577	1	Silty sand, fill	-	-	-	-						
	B12-2	03/29/07	2-4	5615	3	Silty sand, Eolian deposits	<25	<25	1370	<25	3700	161.7				
	B12-3	03/29/07	4-6	1751	1	Silty sand, Eolian deposits	-	-	-	-						
	B12-4	03/29/07	6-8	1479	1	Silty clay, till	-	-	-	-						
	B12-5	03/29/07	8-10	1692	1	Silty clay, till	<25	<25	<25	<25						
	B12-6	03/29/07	10-12	1096	0	Silty clay, till	-	-	-	-						
	B12-7	03/29/07	12-14	1089	0	Silty clay, till	-	-	-	-						
	B12-8	03/29/07	14-16	459	0	Silty clay, till	-	-	-	-						
B13	B13-1	11/14/07	0-2	1673	0	Asphalt, silty sand, fill	-	-	-	-						
	B13-2	11/14/07	2-4	2667	12.5	Silty sand, eolian deposits	<25	<25	112	<25						
	B13-3	11/14/07	4-6	978	21.9	Silty sand, eolian deposits	-	-	-	-						
	B13-4	11/14/07	6-8	35,900	316.0	Silty clay, eolian deposits	330	<25	68,000	390						
B14	B14-1	11/14/07	0-2	3263	6	Asphalt, silty sand, fill	-	-	-	-						
	B14-2	11/14/07	2-4	3478	12	Silty sand, eolian deposits	<25	<25	131	<25						
	B14-3	11/14/07	4-6	916	3	Silty sand, eolian deposits	-	-	-	-						
	B14-4	11/14/07	6-8	395	0	Silty sand, eolian deposits	-	-	-	-						
B15	B15-1	11/14/07	0-2	186	0	Silty sand, eolian deposits	-	-	-	-						
	B15-2	11/14/07	2-4	249	0	Silty sand, eolian deposits	<25	<25	<25	<25						
	B15-3	11/14/07	4-6	2462	12	Silty sand, eolian deposits	<25	<25	<25	<25						
	B15-4	11/14/07	6-8	1190	6	Silty sand, eolian deposits	-	-	-	-						
B16	B16-1	11/14/07	0-2	226	0	Asphalt, silty sand, fill	-	-	-	-						
	B16-2	11/14/07	2-4	446	0	Silty sand, eolian deposits	<25	<25	<25	<25						
	B16-3	11/14/07	4-6	71	0	Silty sand, eolian deposits	-	-	-	-						
	B16-4	11/14/07	6-8	119	0	Silty sand, eolian deposits	-	-	-	-						
B17	B17-1	11/14/07	0-2	182	3	Topsoil, silty sand, eolian deposit	-	-	-	-						
	B17-2	11/14/07	2-4	532	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B17-3	11/14/07	4-6	229	0	Silty sand, eolian deposits	-	-	-	-						
	B17-4	11/14/07	6-8	769	0	Silty clay, till	-	-	-	-						
B18	B18-1	11/14/07	0-2	0	0	Topsoil, silty sand, eolian deposit	-	-	-	-						
	B18-2	11/14/07	2-4	870	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B18-3	11/14/07	4-6	1135	9	Silty clay, till	<25	<25	<25	<25						
	B18-4	11/14/07	6-8	1185	9	Silty clay, till	<25	<25	<25	<25						
B19	B19-1	11/14/07	0-2	1572	12.0	Topsoil, silty sand, eolian deposit	-	-	-	-						
	B19-2	11/14/07	2-4	1730	12.5	Silty sand, eolian deposits	<25	<25	<25	<25						
	B19-3	11/14/07	4-6	1520	9	Silty clay, till	-	-	-	-						
	B19-4	11/14/07	6-8	1399	9	Silty clay, till	-	-	-	-						
B20	B20-1	11/14/07	0-2	1175	6	Topsoil, silty sand, eolian deposit	-	-	-	-						
	B20-2	11/14/07	2-4	1279	9	Silty sand, eolian deposits	<25	<25	104	<25						
	B20-3	11/14/07	4-6	1242	9	Silty clay, till	-	-	-	-						
	B20-4	11/14/07	6-8	1389	9	Silty clay, till	-	-	-	-						

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (lul)		Description	Detected Volatile Organic Compounds ($\mu\text{g}/\text{kg}$)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)			
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene (TCE)					
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater				60	110	4.1	3.7								
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion				156,000	313,000	110,000	143,000								
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust				7.74×10^{11}	7.74×10^{11}	3.25×10^8	1.71×10^6								
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles				NE	NE	2100	14								
B21	B21-1 B21-2 B21-3 B21-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1304 1600 1126 1525	9.0 9.4 9.4 9.4	Topsoil, silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till Silty clay, till	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B22	B22-1 B22-2 B22-3 B22-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1271 1731 1523 1390	9 12 9 9	Topsoil, silty sand, eolian deposits Silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till	- <25 - -	- <25 - -	- - - -	- - - -	670	- - - -			
B23	B23-1 B23-2 B23-3 B23-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	937 1059 788 1194	6 6 6 6	Topsoil, silty sand, eolian deposits Silty sand, eolian deposits Silty sand, eolian deposits Silty sand, eolian deposits	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B24	B24-1 B24-2 B24-3 B24-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	706 1087 645 631	3 6 3 3	Topsoil, silty sand, fill Silty sand, eolian deposits Silty clay, till Silty clay, till	- <25 <25 -	- <25 <25 -	- <25 <25 -	- <25 <25 -	- - - -	- - - -			
B25	B25-1 B25-2 B25-3 B25-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1160 1248 1121 1200	3 6 6 6	Topsoil, silty sand, fill Silty sand, eolian deposits Silty clay, till Silty clay, till	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B26	B26-1 B26-2 B26-3 B26-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1082 1189 783 714	3 6 3 6	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty sand, eolian deposits	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B27	B27-1 B27-2 B27-3 B27-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1387 1427 1443 1399	6 6 3 6	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty sand, eolian deposits	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B28	B28-1 B28-2 B28-3 B28-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1361 1373 1671 1253	6 6 6 3	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B29	B29-1 B29-2 B29-3 B29-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1267 1265 10,500 2005	6 6 56 9	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B30	B30-1 B30-2 B30-3 B30-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1002 1366 1107 912	3 6 3 3	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B31	B31-1 B31-2 B31-3 B31-4	11/15/07 11/15/07 11/15/07 11/15/07	0-2 2-4 4-6 6-8	2025 2384 1825 1769	6 6 6 6	Silty sand, fill Silty sand, fill Silty sand, eolian deposits Silty clay, till	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B32	B32-1 B32-2 B32-3 B32-4	11/15/07 11/15/07 11/15/07 11/15/07	0-2 2-4 4-6 6-8	1515 1579 1529 1186	3 6 3 3	Silty sand, fill Silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
B33	B33-1 B33-2 B33-3 B33-4	11/15/07 11/15/07 11/15/07 11/15/07	0-2 2-4 4-6 6-8	609 685 49 148	3 3 3 3	Silty sand, fill Silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits	- <25 - -	- <25 - -	- <25 - -	- <25 - -	- - - -	- - - -			
MW5		01/04/08	Blind drilled to 13 feet below grade												
MW6	MW6-1 MW6-2 MW6-3	01/04/08 01/04/08 01/04/08	0-2 2-4 4-6	- 6 6	3 6 6	Silty sand, some clay, topsoil, fill Silty sand, Eolian Silty clay, till	- <25 -	- <25 -	- -	48 "J"	- - -	- - -			
MW7		01/04/08	Blind drilled to 13 feet below grade												
MW8	MW8-1 MW8-2 MW8-3 MW8-4 MW8-5	01/04/08 01/04/08 01/04/08 01/04/08 01/04/08	1-3 3-5 5-7 7-9 9-11	- - - - -	18 21 34 43 21	Silty sand, Eolian Silty sand, Eolian Silty sand, Eolian Silty sand, Eolian Silty clay, till	<25 - - - -	<25 - - - -	330	<25 - - - -	- - - - -	- - - - -			
MW9		01/04/08	Blind drilled to 12.5 feet below grade												

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (lul)		Description	Detected Volatile Organic Compounds (µg/kg)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
				Res Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethylene	Trichloroethylene (TCE)						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater							60	110	4.1	3.7						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion							156,000	313,000	110,000	143,000						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust							7.74x10 ⁻¹	7.74x10 ⁻¹	3.25x10 ⁰	1.71x10 ⁰						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles							NE	NE	2100	14						
MW10		01/04/08	Blind drilled to 12.5 feet below grade													
MW11	MW11-1 MW11-2 MW11-3 MW11-4 MW11-5	05/14/09 05/14/09 05/14/09 05/14/09 05/14/09	1-3 3.5-5.5 6-8 8.5-10.5 11-13	- - - - -	0 0 1 0.8 0.8	Topsoil, silty sand, Eolian Silty sand, Eolian Silty clay, till Silty clay, till Silty clay, till	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -					
MW12	MW12-1 MW12-2 MW12-3 MW12-4 MW12-5	05/14/09 05/14/09 05/14/09 05/14/09 05/14/09	1-3 3.5-5.5 6-8 8.5-10.5 11-13	- - - - -	1 0.6 2 2 1	Topsoil, silty sand, Eolian Silty sand, Eolian Silty clay, till Silty clay, till Silty clay, till	<24 - - - -	<29 - - - -	<18 - - - -	<20 - - - -	- - - - -					
MW13	MW13-1 MW13-2 MW13-3 MW13-4 MW13-5	05/14/09 05/14/09 05/14/09 05/14/09 05/14/09	1-3 3.5-5.5 6-8 8.5-10.5 11-13	- - - - -	0 0 0 0 0	Topsoil, silty sand, Eolian Silty sand, Eolian Silty sand, Eolian Silty clay, till Silty clay, till	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -					
BA1	BA1-1	07/19/07	2	-	500	Native silty sand, eolian	<25	<25	130,000	<25	-	-				
BA2	BA2-1 BA2-2	07/19/07 07/19/07	0.5 2	-	3 4	Silty sand, clay, topsoil Native silty sand	<25 <25	<25 <25	650 700	<25 <25	-	-				
BA3	BA3-1 BA3-2	07/19/07 07/19/07	0.5 2	-	5 8	Silty sand, some clay, topsoil Native silty sand	<25 <25	<25 <25	1200 1300	<25 <25	-	-				
BA4	BA4-1 BA4-2	07/19/07 07/19/07	0.5 2	-	5 6	Silty sand, clay, topsoil Native silty sand	<25 <25	<25 <25	690 1000	<25 <25	-	-				
BA5	BA5-1 BA5-2	07/19/07 07/19/07	0.5 2	-	4 5	Silty sand, clay, fill Native silty sand	<25 <25	<25 <25	43	<25 <25	-	-				
BA6	BA6-1 BA6-2	07/19/07 07/19/07	0.5 2	-	4 3	Silty sand, fill Native silty sand	<25 <25	<25 <25	56 74	<25 <25	-	-				
BA7	BA7-1 BA7-2	07/19/07 07/19/07	0.5 2	-	3 4	Silty sand, fill Native silty sand	<25 <25	<25 <25	84 380	<25 <25	-	-				
BA8	BA8-1 BA8-2	07/19/07 07/19/07	0.5 2	-	4 4	Silty sand, clay Native silty sand	<25 <25	<25 <25	<25 <25	<25 <25	-	-				
BA9	BA9-1 BA9-2	07/19/07 07/19/07	0.5 2	-	4 5	Silty sand, clay, fill Native silty sand	<25 <25	<25 <25	33 1200 ^{**}	<25 <25	-	-				

Note:

PID = photoionization detector

lul = instrument units as Isobutylene

µg/kg = micrograms per kilogram

NE = not established by U.S. Environmental Protection Agency

<x = compound not detected to a detection limit of x

- = not analyzed

J = analyte detected between the limit of detection and the limit of quantitation

* = borehole completed by Gabriel Environmental Services

XXX = compound concentration exceeds Environmental Protection Agency site-specific soil screening levels for soil to groundwater

Table 3 Groundwater Quality Analytical Results, Express Cleaners, Racine, Wisconsin

Well ID	Date Sampled	Water Table Elevation (feet above mean sea level)	Detected Volatile Organic Compounds (micrograms per liter)					
			Chloroform	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetra-chloroethene	Trichloroethene (TCE)	Vinyl Chloride
	NR 140, Wis. Adm. Code Preventive Action Limit		1	7	20	1	0.5	0.02
	NR 140, Wis. Adm. Code Enforcement Standard		6	70	100	10	5	0.2
MW1	04/27/07	611.79	<4.8	13.6 "J"	<9.5	330	<4.4	<2
	01/15/08	610.82	<4.8	13.9 "J"	<9.5	179	<4.4	<2
MW2	04/27/07	611.91	<4.8	<6.8	<9.5	370	16.2	<2
	01/15/08	611.30	<4.8	21.1 "J"	<9.5	223	14.7	<2
MW3	04/27/07	612.26	<24	1100	<47.5	2520	279	<10
*	04/27/07		<24	1090	<47.5	2410	284	<10
	01/15/08	611.18	<9.6	3800	54 "J"	2380	410	5.6 "J"
*	01/15/08		<9.6	3600	42 "J"	1990	340	<4
MW4	04/27/07	612.38	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
	01/15/08	611.31	<4.8	<0.68	<0.95	<0.52	<0.44	<0.2
MW5	01/15/08	610.49	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
MW6	01/15/08	610.28	<0.48	<0.68	<0.95	2.42	1.67	<0.2
MW7	01/15/08	611.27	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
MW8	01/15/08	608.66	0.55 "J"	220	8.6	826	36	<0.2
MW9	01/15/08	609.17	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
MW10	01/15/08	610.77	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
MW11	05/19/09	610.66	<1.48	<0.68	<0.61	<0.42	<0.39	<0.2
MW12	05/19/09	610.52	<1.48	7.3	<0.61	22.6	0.62 "J"	<0.2
MW13	05/19/09	610.22	<1.48	<0.68	<0.61	<0.42	<0.39	<0.2
PZ1	04/27/07	596.53	<4.8	<0.68	<9.5	<0.52	<0.44	<2
	01/15/08	606.65	<0.48	<0.68	<0.95	1.16 "J"	<0.44	<0.2
TW1	04/27/07	611.67	<24	310	<47.5	6000	92	<10
TW2	04/27/07	611.30	<24	1250	<47.5	5900	162	<10

Note:

- <x = not detected above laboratory Limit of Detection of X
- "J" = analyte detected between limit of detection and limit of quantitation
- * = duplicate sample

XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) preventive action limit










XXX = exceeds NR 140, Wis. Adm. Code enforcement standard

PROJECT TITLE - PROJECT NAME


Attachment A – Boreholes Logs

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Express Cleaners, Incorporated			License/Permit/Monitoring Number -		Boring Number MW11									
Boring Drilled By: Name of crew chief (first, last) and Firm Mike Warm Wisconsin Soil Testing			Date Drilling Started 5/14/2009	Date Drilling Completed 5/14/2009	Drilling Method hollow stem auger									
WI Unique Well No.	DNR Well ID No.	Common Well Name MW11	Final Static Water Level 605.6 Feet MSL	Surface Elevation 610.7 Feet MSL	Borehole Diameter 2.0 inches									
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location											
State Plane N, E S/C/N NE 1/4 of NE 1/4 of Section 33, T 4 N, R 23 E			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	N <input checked="" type="checkbox"/> E <input type="checkbox"/> 76 Feet <input type="checkbox"/> S 80 Feet <input type="checkbox"/> W									
Facility ID		County Racine	County Code 52	Civil Town/City/ or Village Racine										
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil Properties			RQD/Comments							
				USCS	Graphic Log	Well Diagram		PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
MW11-1 SS	24 12	5 4 3 4	1 2 3	SM			0	0						
MW11-2 SS	24 20	2 7 11 13	4 5	SM			0	0						
MW11-3 SS	24 24	5 13 15 17	6 7 8	CL-ML			1	4.5						
MW11-4 SS	24 20	3 12 17 18	9 10	CL-ML			0.8	4.5						
MW11-5 SS	24 24	4 5 9	11 12	CL-ML			0.8	4.5						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Finn Northern Environmental Technologies
12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092 Tel: 262-241-3133
Fax: 262-241-8222

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.



Boring Number MW11

Use only as an attachment to Form 4400-122.

Page 2 of 2


Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Express Cleaners, Incorporated			License/Permit/Monitoring Number -		Boring Number MW12								
Boring Drilled By: Name of crew chief (first, last) and Firm Mike Warm Wisconsin Soil Testing			Date Drilling Started 5/14/2009	Date Drilling Completed 5/14/2009	Drilling Method hollow stem auger								
WI Unique Well No.	DNR Well ID No.	Common Well Name MW12	Final Static Water Level 605.2 Feet MSL	Surface Elevation 610.5 Feet MSL	Borehole Diameter 2.0 inches								
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location										
State Plane NE 1/4 of NE 1/4 of Section 33, T 4 N, R 23 E			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	N <input checked="" type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W <input type="checkbox"/>								
Facility ID		County Racine	County Code 52	Civil Town/City/ or Village Racine									
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil Properties				RQD/Comments					
				Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram		PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index
MW12-1 SS	24	4 5 5 8	1 2	SILTY SAND/TOP SOIL (SM), some clay, some gravel, dark brown (10YR 3/3), moist, loose. (Fill/Topsoil) SILTY SAND (SM), very silty, dark brown (10YR 3/3) to brown (10YR 4/3), wet at 2 feet, loose. (Eolian Deposits)	SM			1	0				
MW12-2 SS	24	2 7 6 7	3 4 5		SM			0.6	0				
MW12-3 SS	24	7 13 13 14	6 13 7	SILTY CLAY (CL-ML), very silty, some gravel, brown (10YR 4/3 to dark gray (10YR 4/1), moist, very hard, mottled. (Till of the Oak Creek Formation)	CL-ML			2	4.5				
MW12-4 SS	24	5 5 11 13	9 10		CL-ML			2	4.5				
MW12-5 SS	24	5 8 11	11 12					1	4.5				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature



Firm

Northern Environmental Technologies

12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092

Tel: 262-241-3133

Fax: 262-241-8222

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number MW12

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 2

Facility/Project Name Express Cleaners, Incorporated			License/Permit/Monitoring Number -		Boring Number MW13										
Boring Drilled By: Name of crew chief (first, last) and Firm Mike Warm Wisconsin Soil Testing			Date Drilling Started 5/14/2009	Date Drilling Completed 5/14/2009	Drilling Method hollow stem auger										
WI Unique Well No.	DNR Well ID No.	Common Well Name MW13	Final Static Water Level 605.2 Feet MSL	Surface Elevation 610.2 Feet MSL	Borehole Diameter 2.0 inches										
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location												
State Plane NE 1/4 of NE 1/4 of Section 33, T 4 N, R 23 E			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	N <input checked="" type="checkbox"/> S <input type="checkbox"/> E <input type="checkbox"/> W										
Facility ID		County Racine	County Code 52	Civil Town/City/ or Village Racine											
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit				U S C S	Graphic Log	Well Diagram	Soil Properties				RQD/Comments
				PID/FID	Compressive Strength	Moisture Content	Liquid Limit				Plasticity Index	P 200			
MW13-1 SS	24	24	1	SILTY SAND/TOP SOIL (SM), some clay, some gravel, dark brown (10YR 3/3), moist, loose. (Fill/Topsoil)	SM	0	0								
	2	2	2	SILTY SAND (SM), very silty, dark brown (10YR 3/3) to brown (10YR 4/3), wet, loose. (Eolian Deposits)	SM	0	0								
MW13-2 SS	24	24	3												
	4	4	4												
	5	5	5												
MW13-3 SS	24	24	6												
	10	10	11												
	12	12	14												
MW13-4 SS	24	24	8	SILTY CLAY (CL-ML), very silty, some gravel, brown (10YR 4/3 to dark gray (10YR 4/1), moist, very hard, mottled. (Till of the Oak Creek Formation)	CL-ML	0	4.5								
	10	10	9												
	15	15	10												
MW13-5 SS	24	24	11												
	12	12	13												
	14	14	12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **Northern Environmental Technologies**

12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092

Tel: 262-241-3133

Fax: 262-241-8222

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number MW13

Use only as an attachment to Form 4400-122.

Page 2 of 2

Facility/Project Name Express Cleaners, Incorporated		Local Grid Location of Well 76 <input checked="" type="checkbox"/> N. <input type="checkbox"/> S. 80 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW11
Facility License, Permit or Monitoring No.		Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. <input type="checkbox"/> <input type="checkbox"/> Long. <input type="checkbox"/> <input type="checkbox"/>	Wis. Unique Well No. <input type="checkbox"/> DNR Well Number <input type="checkbox"/>
Facility ID		St. Plan <input type="checkbox"/> ft. N. <input type="checkbox"/> ft. E. S/C/N	Date Well Installed 05/14/2009
Type of Well Well Code 11/mw		Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 33, T. 4 N, R. 23 <input checked="" type="checkbox"/> E	Well Installed By: (Person's Name and Firm) Tim Warm
Distance from Waste/ Source	Enf. Stds. 80 ft. <input type="checkbox"/> Apply	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number <input type="checkbox"/>
A. Protective pipe, top elevation 612.88 ft. MSL		1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation 615.74 ft. MSL		2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> --	
C. Land surface elevation 610.7 ft. MSL		d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____	
D. Surface seal, bottom 608.7 ft. MSL or 2.0 ft.		3. Surface seal: Bentonite <input checked="" type="checkbox"/> 3.0 Concrete <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/> --	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. ____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. ____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. ____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. ____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8	
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> --		6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> --	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		7. Fine sand material: Manufacturer, product name & mesh size a. Badger Mining 65-75	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint #30	
17. Source of water (attach analysis, if required):		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> --	
E. Bentonite seal, top 610.7 ft. MSL or 0.0 ft.		10. Screen material: Schedule 40 PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --	
F. Fine sand, top 608.7 ft. MSL or 2.0 ft.		b. Manufacturer bedrock Industries <input type="checkbox"/> 0.010 in. c. Slot size: 10.0 ft. d. Slotted length:	
G. Filter pack, top 608.2 ft. MSL or 2.5 ft.		11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> --	
H. Screen joint, top 607.7 ft. MSL or 3.0 ft.			
I. Well bottom 597.7 ft. MSL or 13.0 ft.			
J. Filter pack, bottom 597.7 ft. MSL or 13.0 ft.			
K. Borehole, bottom 597.7 ft. MSL or 13.0 ft.			
L. Borehole, diameter 2.0 in.			
M. O.D. well casing 2.10 in.			
N. I.D. well casing 2.00 in.			

The diagram illustrates the cross-section of a monitoring well. It shows a vertical well bore with several distinct layers. From top to bottom, the layers are: 1. Protective pipe (top elevation 612.88 ft. MSL), 2. Protective cover pipe (top elevation 615.74 ft. MSL), 3. Surface seal (bottom elevation 608.7 ft. MSL or 2.0 ft.), 4. Material between well casing and protective pipe (bottom elevation 610.7 ft. MSL), 5. Annular space seal (bottom elevation 608.2 ft. MSL or 2.5 ft.), 6. Bentonite seal (bottom elevation 607.7 ft. MSL or 3.0 ft.), 7. Fine sand material (bottom elevation 597.7 ft. MSL or 13.0 ft.), 8. Filter pack material (bottom elevation 597.7 ft. MSL or 13.0 ft.), 9. Well casing (bottom elevation 597.7 ft. MSL or 13.0 ft.), 10. Screen material (bottom elevation 597.7 ft. MSL or 13.0 ft.), and 11. Backfill material (below filter pack). The borehole has a diameter of 2.0 inches and an outside diameter of 2.10 inches. The well bottom is at 13.0 feet below MSL.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

Northern Environmental Technologies
12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092

Tel: 262-241-3133


Fax: 262-241-8222

Please complete both forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 298, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Express Cleaners, Incorporated	Local Grid Location of Well 20 ft. N. <input checked="" type="checkbox"/> S. <input type="checkbox"/> E. 70 ft. N. <input checked="" type="checkbox"/> W.	Well Name MW12
Facility License, Permit or Monitoring No.	Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ ° _____ ' Long. _____ ° _____ '	Wis. Unique Well No. <input type="checkbox"/> DNR Well Number
Facility ID	St. Plane _____ ft. N. _____ ft. E. S/C/N	Date Well Installed 05/14/2009
Type of Well Well Code I1/mw	Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 33 T. 4 N. R. 23 <input checked="" type="checkbox"/> E	Well Installed By: (Person's Name and Firm) Tim Warm
Distance from Waste/ Source 70 ft.	Enf. Stds. Apply <input type="checkbox"/>	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known Gov. Lot Number

A. Protective pipe, top elevation 612.82 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation 615.81 ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> ---
C. Land surface elevation 610.5 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____
D. Surface seal, bottom 608.5 ft. MSL or 2.0 ft.	3. Surface seal: Bentonite <input checked="" type="checkbox"/> 3.0 Concrete <input type="checkbox"/> 0.1 Other <input type="checkbox"/> ---
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/> ---
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. ____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. ____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. ____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. ____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> ---	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> ---
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9	7. Fine sand material: Manufacturer, product name & mesh size a. Badger Mining 65-75
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	b. Volume added 0.25 ft ³
17. Source of water (attach analysis, if required): _____	8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint #30
E. Bentonite seal, top 610.5 ft. MSL or 0.0 ft.	b. Volume added 0.7 ft ³
F. Fine sand, top 608.5 ft. MSL or 2.0 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> ---
G. Filter pack, top 608.0 ft. MSL or 2.5 ft.	10. Screen material: Schedule 40 PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> ---
H. Screen joint, top 607.5 ft. MSL or 3.0 ft.	b. Manufacturer bedrock Industries c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.
I. Well bottom 597.5 ft. MSL or 13.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> ---
J. Filter pack, bottom 597.5 ft. MSL or 13.0 ft.	
K. Borehole, bottom 597.5 ft. MSL or 13.0 ft.	
L. Borehole, diameter 2.0 in.	
M. O.D. well casing 2.10 in.	
N. I.D. well casing 2.00 in.	

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Northern Environmental Technologies 12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092	Tel: 262-241-3133 Fax: 262-241-8222
---	--	--

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Facility/Project Name Express Cleaners, Incorporated		Local Grid Location of Well 20 ft. <input checked="" type="checkbox"/> N. <input type="checkbox"/> S. 40 ft. <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Well Name MW13
Facility License, Permit or Monitoring No.		Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. _____ ° _____ ' _____ " Long. _____ ° _____ ' _____ " or St. Plane _____ ft. N, _____ ft. E. S/C/N	Wis. Unique Well No. _____ DNR Well Number _____
Facility ID		Date Well Installed 05/14/2009	
Type of Well Well Code 11/mw		Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 33, T. 4 N, R. 23 <input checked="" type="checkbox"/> E <input type="checkbox"/> W	Well Installed By: (Person's Name and Firm) Tim Warm Wisconsin Soil Testing
Distance from Waste/ Source	Enf. Stds. 150 ft. <input type="checkbox"/> Apply	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number _____
A. Protective pipe, top elevation 612.44 ft. MSL		1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
B. Well casing, top elevation 615.28 ft. MSL		2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> ---	
C. Land surface elevation 610.2 ft. MSL		d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: _____ Bentonite <input checked="" type="checkbox"/> 3.0 Concrete <input type="checkbox"/> 0.1 Other <input type="checkbox"/> ---	
D. Surface seal, bottom 608.2 ft. MSL or 2.0 ft.		3. Surface seal: _____	
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>		4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/> ---	
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. _____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. _____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. _____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ Ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8	
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> ---		6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> ---	
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9		7. Fine sand material: Manufacturer, product name & mesh size a. Badger Mining 65-75	
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____		b. Volume added 0.25 ft ³	
17. Source of water (attach analysis, if required):		8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint #30	
E. Bentonite seal, top 610.2 ft. MSL or 0.0 ft.		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> ---	
F. Fine sand, top 608.2 ft. MSL or 2.0 ft.		10. Screen material: Schedule 40 PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> ---	
G. Filter pack, top 607.7 ft. MSL or 2.5 ft.		b. Manufacturer bedrock Industries c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.	
H. Screen joint, top 607.2 ft. MSL or 3.0 ft.		11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> ---	
I. Well bottom 597.2 ft. MSL or 13.0 ft.			
J. Filter pack, bottom 597.2 ft. MSL or 13.0 ft.			
K. Borehole, bottom 597.2 ft. MSL or 13.0 ft.			
L. Borehole, diameter 2.0 in.			
M. O.D. well casing 2.10 in.			
N. I.D. well casing 2.00 in.			

The diagram illustrates the cross-section of a monitoring well. It shows a vertical borehole with several distinct layers. From top to bottom, the layers are:

- A:** Protective pipe (top elevation 612.44 ft. MSL)
- B:** Well casing (top elevation 615.28 ft. MSL)
- C:** Land surface elevation (610.2 ft. MSL)
- D:** Surface seal (bottom elevation 608.2 ft. MSL or 2.0 ft.)
- E:** Bentonite seal, top (610.2 ft. MSL or 0.0 ft.)
- F:** Fine sand, top (608.2 ft. MSL or 2.0 ft.)
- G:** Filter pack, top (607.7 ft. MSL or 2.5 ft.)
- H:** Screen joint, top (607.2 ft. MSL or 3.0 ft.)
- I:** Well bottom (597.2 ft. MSL or 13.0 ft.)
- J:** Filter pack, bottom (597.2 ft. MSL or 13.0 ft.)
- K:** Borehole, bottom (597.2 ft. MSL or 13.0 ft.)
- L:** Borehole, diameter (2.0 in.)
- M:** O.D. well casing (2.10 in.)
- N:** I.D. well casing (2.00 in.)

 The diagram also shows a protective cover pipe at the top, a surface seal at the bottom of the well casing, and various layers of soil and gravel (fine sand, filter pack) within the borehole. Labels A through N correspond to the numbered items in the 'Drill Log' section of the form.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm Northern Environmental Technologies

12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092

Tel: 262-241-3133

Fax: 262-241-8222


Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

<u>Route To:</u>	<input type="checkbox"/> Watershed/Wastewater <input type="checkbox"/> Remediation/Redevelopment	<input type="checkbox"/> Waste Management <input type="checkbox"/> Other
Facility/Project Name Express Cleaners, Incorporated	County Racine	Well Name MW11
Facility License, Permit or Monitoring Number -	County Code 52	Wis. Unique Well Number DNR Well Number
1. Can this well be purged dry? 2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> 41 <input checked="" type="checkbox"/> 61 <input type="checkbox"/> 42 <input type="checkbox"/> 62 <input type="checkbox"/> 70 <input type="checkbox"/> 20 <input type="checkbox"/> 10 <input type="checkbox"/> 51 <input type="checkbox"/> 50 <input type="checkbox"/> 70	Before Development After Development 11. Depth to Water (from top of well casing) Date Time a. b. c. 3.68 ft. 3.97 ft. 5/14/2009 5/14/2009 12:10 <input checked="" type="checkbox"/> a.m. 01:50 <input checked="" type="checkbox"/> p.m. 12. Sediment in well bottom 13. Water clarity Clear <input checked="" type="checkbox"/> 10 Clear <input checked="" type="checkbox"/> 20 Turbid <input type="checkbox"/> 15 Turbid <input type="checkbox"/> 25 (Describe) (Describe)
3. Time spent developing well	40 min.	
4. Depth of well (from top of well casing)	16.1 ft.	
5. Inside diameter of well	2.00 in.	
6. Volume of water in filter pack and well casing	gal.	
7. Volume of water removed from well	25.0 gal.	
8. Volume of water added (if any)	0.0 gal.	
9. Source of water added	_____	
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Fill in if drilling fluids were used and well is at solid waste facility: 14. Total suspended solids mg/l 15. COD mg/l 16. Well developed by: Person's Name and Firm John Timm Northern Environmental
17. Additional comments on development:		

Facility Address or Owner/Responsible Party Address Name: <u>James Small</u> Firm: <u>Erhlich Family Limited Partnership</u> Street: <u>PO Box 081007</u> City/State/Zip: <u>Racine, WI 53408</u>	I hereby certify that the above information is true and correct to the best of my knowledge. Signature: <u>John Timm</u> Print Name: <u>John Timm</u> Firm: <u>Northern Environmental Technologies</u>
---	---


NOTE: See instructions for more information including a list of county codes and well type codes.

Route To:	Watershed/Wastewater <input type="checkbox"/>	Remediation/Redevelopment <input type="checkbox"/>	Waste Management <input type="checkbox"/>	Other <input type="checkbox"/>	
Facility/Project Name Express Cleaners, Incorporated	County Racine	Well Name MW12			
Facility License, Permit or Monitoring Number -	County Code 52	Wis. Unique Well Number	DNR Well Number		
1. Can this well be purged dry? 2. Well development method: surged with bailer and bailed surged with bailer and pumped surged with block and bailed surged with block and pumped surged with block, bailed, and pumped compressed air bailed only pumped only pumped slowly other _____	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Depth to Water (from top of well casing) Date Time	a. 5/14/2009 c. 01:50 <input checked="" type="checkbox"/> p.m.	Before Development 4.79 ft. b. 5/14/2009 d. 02:30 <input checked="" type="checkbox"/> p.m.	After Development 3.97 ft. e. a.m. f. a.m.
3. Time spent developing well	40 min.	12. Sediment in well bottom	0.0 inches	inches	
4. Depth of well (from top of well casing)	15.5 ft.	13. Water clarity (Describe)	Clear <input checked="" type="checkbox"/> 10 Turbid <input type="checkbox"/> 15	Clear <input checked="" type="checkbox"/> 20 Turbid <input type="checkbox"/> 25 (Describe)	
5. Inside diameter of well	2.00 in.	<hr/> <hr/> <hr/> <hr/>			
6. Volume of water in filter pack and well casing	gal.	<hr/> <hr/> <hr/> <hr/>			
7. Volume of water removed from well	20.0 gal.	Fill in if drilling fluids were used and well is at solid waste facility:			
8. Volume of water added (if any)	0.0 gal.	14. Total suspended solids	mg/l	mg/l	
9. Source of water added	_____	15. COD	mg/l	mg/l	
10. Analysis performed on water added? (If yes, attach results)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	16. Well developed by: Person's Name and Firm John Timm Northern Environmental			
17. Additional comments on development:					

Facility Address or Owner/Responsible Party Address	I hereby certify that the above information is true and correct to the best of my knowledge.
Name: <u>James Small</u>	Signature: 
Firm: <u>Erhlich Family Limited Partnership</u>	Print Name: <u>John Timm</u>
Street: <u>PO Box 081007</u>	Firm: <u>Northern Environmental Technologies</u>
City/State/Zip: <u>Racine, WI 53408</u>	

NOTE: See instructions for more information including a list of county codes and well type codes.

Route To:	<input type="checkbox"/> Watershed/Wastewater <input type="checkbox"/> Remediation/Redevelopment	<input type="checkbox"/> Waste Management <input type="checkbox"/> Other
Facility/Project Name	County	Well Name
Express Cleaners, Incorporated	Racine	MW13
Facility License, Permit or Monitoring Number	County Code	Wis. Unique Well Number
	52	DNR Well Number
1. Can this well be purged dry?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Before Development After Development
2. Well development method:		11. Depth to Water (from top of well casing)
surged with bailer and bailed	<input type="checkbox"/> 4 1	a. 4.07 ft. 3.97 ft.
surged with bailer and pumped	<input checked="" type="checkbox"/> 6 1	
surged with block and bailed	<input type="checkbox"/> 4 2	Date b. 5/14/2009 5/14/2009
surged with block and pumped	<input type="checkbox"/> 6 2	
surged with block, bailed, and pumped	<input type="checkbox"/> 7 0	Time c. 02:40 <input checked="" type="checkbox"/> p.m. <input type="checkbox"/> a.m. 03:20 <input checked="" type="checkbox"/> p.m.
compressed air	<input type="checkbox"/> 2 0	
bailed only	<input type="checkbox"/> 1 0	
pumped only	<input type="checkbox"/> 5 1	12. Sediment in well bottom 0.0 inches inches
pumped slowly	<input type="checkbox"/> 5 0	
other _____	<input type="checkbox"/> _____	13. Water clarity Clear <input checked="" type="checkbox"/> 1 0 Turbid <input type="checkbox"/> 1 5 Clear <input checked="" type="checkbox"/> 2 0 Turbid <input type="checkbox"/> 2 5 (Describe) (Describe)
3. Time spent developing well	40 min.	
4. Depth of well (from top of well casing)	15.9 ft.	
5. Inside diameter of well	2.00 in.	
6. Volume of water in filter pack and well casing	gal.	
7. Volume of water removed from well	20.0 gal.	Fill in if drilling fluids were used and well is at solid waste facility:
8. Volume of water added (if any)	0.0 gal.	14. Total suspended solids mg/l mg/l
9. Source of water added	_____	15. COD mg/l mg/l
10. Analysis performed on water added?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (If yes, attach results)	16. Well developed by: Person's Name and Firm John Timm Northern Environmental
17. Additional comments on development:		

Facility Address or Owner/Responsible Party Address	I hereby certify that the above information is true and correct to the best of my knowledge.
Name: James Small	
Firm: Erhlich Family Limited Partnership	Signature: 
Street: PO Box 081007	Print Name: John Timm
City/State/Zip: Racine, WI 53408	Firm: Northern Environmental Technologies

NOTE: See instructions for more information including a list of county codes and well type codes.

PROJECT TITLE - PROJECT NAME

Attachment B – Laboratory Results and Chain-of-Custody Documentation

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JOHN TIMM
NORTHERN ENVIRONMENTAL
12075 N. CORPORATE PARKWAY
MEQUON WI 53092

Report Date 21-May-09

Project Name	RACINE							Invoice #	E18975	
Project #	003592-09001-0									
Lab Code	5018975A									
Sample ID	MW12-1									
Sample Matrix	soil									
Sample Date	5/14/2009									
	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	84.2	%			1	5021		5/18/2009	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		5/20/2009	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		5/20/2009	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		5/20/2009	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		5/20/2009	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		5/20/2009	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		5/20/2009	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		5/20/2009	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		5/20/2009	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		5/20/2009	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		5/20/2009	CJR	4.8
Chloroform	< 50	ug/kg	50	160	1	8260B		5/20/2009	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		5/20/2009	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		5/20/2009	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		5/20/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		5/20/2009	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		5/20/2009	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		5/20/2009	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		5/20/2009	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		5/20/2009	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		5/20/2009	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		5/20/2009	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		5/20/2009	CJR	1

Project Name RACINE
Project # 003592-09001-0

Invoice # E18975

Lab Code 5018975A
Sample ID MW12-1
Sample Matrix soil
Sample Date 5/14/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		5/20/2009	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		5/20/2009	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		5/20/2009	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		5/20/2009	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		5/20/2009	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		5/20/2009	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		5/20/2009	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		5/20/2009	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		5/20/2009	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		5/20/2009	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		5/20/2009	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		5/20/2009	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		5/20/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		5/20/2009	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		5/20/2009	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		5/20/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		5/20/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		5/20/2009	CJR	1
Tetrachloroethene	< 18	ug/kg	18	57	1	8260B		5/20/2009	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		5/20/2009	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		5/20/2009	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		5/20/2009	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		5/20/2009	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		5/20/2009	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		5/20/2009	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		5/20/2009	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		5/20/2009	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		5/20/2009	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		5/20/2009	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		5/20/2009	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		5/20/2009	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
4 The continuing calibration standard not within established limits.
8 Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature




CHAIN OF CUSTODY / REQUEST FOR ANALYSIS

Pay 1 of 1
No. £3210

Check office originating request

- | | | | |
|--|---|--|--|
| <input type="checkbox"/> 954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444 | <input type="checkbox"/> 330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844 | <input type="checkbox"/> 647 Academy Drive
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552 | <input type="checkbox"/> 3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464 |
| <input checked="" type="checkbox"/> 12075 N. Corporate Pkwy, Ste 210
Mequon, WI 53022
262-241-3133
FAX 262-241-8222 | <input type="checkbox"/> 1203 Starbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3023 | <input type="checkbox"/> 203 West Union Street
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313 | <input type="checkbox"/> 15851 S. U.S. 27 - Bldg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0472 |

Project No:	Task No:	063592-09061-0		Laboratory:	Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> yes <input type="checkbox"/> no Method of shipment <input checked="" type="checkbox"/> DHL Air Export Contents Temperature <input checked="" type="checkbox"/> 16°C °C Refrigerator No.												
Project Location: (City)	Racine, WI		Wisconsin DNR Certification #:														
Project Manager:	CCH		Laboratory Contact:														
Sampler (Name):	John Timm		Price Quote:		ANALYSES REQUESTED												
Sampler (Signature):			Sampling Date(s):		S/14/09												
Reports to be Sent to:	JOHN TIMM		TURNAROUND TIME REQUIRED														
Lab ID No.	Sample No.	Collection Date	Time	No. of Containers Size & Type	Water	Description	Soil	Other	Preservative	DRO (100% Modified Method)	GFO (VII Modified Method)	BTEX (EPA Method 6020)	PvOC (EPA Method 6020)	VOC (EPA Method 6021)	PAH (EPA Method)	Po (EPA Method)	
	MW12-1	5/14	1130	2x40ml		X			Ice, MeOH					X			
Comments:																	
Packed for Shipping by:				John Timm													
Shipment Date:				5/15/09													
Held/released By:		JJT		Date:	5/15/09	Relinquished By:				Date:		Relinquished By:				Date:	
Company:		NETI		Date:	935	Company:				Date:		Company:				Date:	
Received By:		Hassan Gogola		Date:	5/15/09	Received By:		J. Wilson		Date:	5/16/09	Received By:				Date:	
Company:		Dunham Ex		Date:	11:30	Company:		34551		Date:	11:30 AM	Company:				Date:	

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

JOHN TIMM
NORTHERN ENVIRONMENTAL
12075 N. CORPORATE PARKWAY
MEQUON WI 53092

Report Date 28-May-09

Project Name EXPRESS CLEANERS

Invoice # E18997

Project # 100-1157

Lab Code 5018997A

Sample ID MW 11

Sample Matrix Water

Sample Date 5/19/2009

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's									
Benzene									
< 0.41	ug/l	0.41	1.3	1	8260B	5/27/2009	CJR	1	
Bromobenzene	ug/l	0.43	1.4	1	8260B	5/27/2009	CJR	1	
Bromodichloromethane	ug/l	0.41	1.3	1	8260B	5/27/2009	CJR	1	
Bromoform	ug/l	0.46	1.5	1	8260B	5/27/2009	CJR	1	
tert-Butylbenzene	ug/l	0.46	1.5	1	8260B	5/27/2009	CJR	1	
sec-Butylbenzene	ug/l	0.43	1.4	1	8260B	5/27/2009	CJR	1	
n-Butylbenzene	ug/l	1.5	4.8	1	8260B	5/27/2009	CJR	1	
Carbon Tetrachloride	ug/l	0.43	1.4	1	8260B	5/27/2009	CJR	1	
Chlorobenzene	ug/l	0.39	1.2	1	8260B	5/27/2009	CJR	1	
Chloroethane	ug/l	1.5	4.8	1	8260B	5/27/2009	CJR	1	
Chloroform	ug/l	1.48	0.48	1	8260B	5/27/2009	CJR	1	
Chloromethane	ug/l	0.5	1.6	1	8260B	5/27/2009	CJR	1	
2-Chlorotoluene	ug/l	0.37	1.2	1	8260B	5/27/2009	CJR	1	
4-Chlorotoluene	ug/l	0.63	2	1	8260B	5/27/2009	CJR	1	
1,2-Dibromo-3-chloropropane	ug/l	2	6.3	1	8260B	5/27/2009	CJR	1	
Dibromochloromethane	ug/l	0.76	2.4	1	8260B	5/27/2009	CJR	1	
1,4-Dichlorobenzene	ug/l	0.77	2.5	1	8260B	5/27/2009	CJR	1	
1,3-Dichlorobenzene	ug/l	0.34	1.1	1	8260B	5/27/2009	CJR	1	
1,2-Dichlorobenzene	ug/l	0.66	2.1	1	8260B	5/27/2009	CJR	1	
Dichlorodifluoromethane	ug/l	0.45	1.4	1	8260B	5/27/2009	CJR	1	
1,2-Dichloroethane	ug/l	0.43	1.4	1	8260B	5/27/2009	CJR	1	
1,1-Dichloroethane	ug/l	0.44	1.4	1	8260B	5/27/2009	CJR	1	
1,1-Dichloroethene	ug/l	0.47	1.5	1	8260B	5/27/2009	CJR	1	
cis-1,2-Dichloroethene	ug/l	0.68	2.2	1	8260B	5/27/2009	CJR	1	
trans-1,2-Dichloroethene	ug/l	0.61	1.9	1	8260B	5/27/2009	CJR	1	
1,2-Dichloropropane	ug/l	0.26	0.82	1	8260B	5/27/2009	CJR	1	

Project Name EXPRESS CLEANERS
Project # 100-1157

Invoice # E18997

Lab Code 5018997A
Sample ID MW 11
Sample Matrix Water
Sample Date 5/19/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		5/27/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		5/27/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		5/27/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		5/27/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		5/27/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		5/27/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		5/27/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		5/27/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		5/27/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		5/27/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		5/27/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		5/27/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		5/27/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		5/27/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		5/27/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		5/27/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		5/27/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		5/27/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		5/27/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		5/27/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		5/27/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		5/27/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		5/27/2009	CJR	1

Lab Code 5018997B
Sample ID MW 12
Sample Matrix Water
Sample Date 5/19/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		5/27/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		5/27/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Chloroform	< 1.48	ug/l	0.48	1.5	1	8260B		5/27/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		5/27/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		5/27/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		5/27/2009	CJR	1

Project Name EXPRESS CLEANERS
Project # 100-1157

Invoice # E18997

Lab Code 5018997B
Sample ID MW 12
Sample Matrix Water
Sample Date 5/19/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		5/27/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		5/27/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		5/27/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		5/27/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		5/27/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/27/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		5/27/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		5/27/2009	CJR	1
cis-1,2-Dichloroethene	7.3	ug/l	0.68	2.2	1	8260B		5/27/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		5/27/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		5/27/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		5/27/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		5/27/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		5/27/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		5/27/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		5/27/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		5/27/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		5/27/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		5/27/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		5/27/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		5/27/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		5/27/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		5/27/2009	CJR	1
Tetrachloroethene	22.6	ug/l	0.42	1.3	1	8260B		5/27/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		5/27/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		5/27/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		5/27/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		5/27/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Trichloroethene (TCE)	0.62 "J"	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		5/27/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		5/27/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		5/27/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		5/27/2009	CJR	1
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		5/27/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		5/27/2009	CJR	1

Lab Code 5018997C
Sample ID MW 13
Sample Matrix Water
Sample Date 5/19/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Bromobenzene	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1

Project Name EXPRESS CLEANERS
Project # 100-1157

Invoice # E18997

Lab Code 5018997C
Sample ID MW 13
Sample Matrix Water
Sample Date 5/19/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromodichloromethane	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		5/27/2009	CJR	1
tert-Butylbenzene	< 0.46	ug/l	0.46	1.5	1	8260B		5/27/2009	CJR	1
sec-Butylbenzene	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
n-Butylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Carbon Tetrachloride	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
Chloroethane	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Chloroform	< 1.48	ug/l	0.48	1.5	1	8260B		5/27/2009	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		5/27/2009	CJR	1
2-Chlorotoluene	< 0.37	ug/l	0.37	1.2	1	8260B		5/27/2009	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		5/27/2009	CJR	1
1,2-Dibromo-3-chloropropane	< 2	ug/l	2	6.3	1	8260B		5/27/2009	CJR	1
Dibromochloromethane	< 0.76	ug/l	0.76	2.4	1	8260B		5/27/2009	CJR	1
1,4-Dichlorobenzene	< 0.77	ug/l	0.77	2.5	1	8260B		5/27/2009	CJR	1
1,3-Dichlorobenzene	< 0.34	ug/l	0.34	1.1	1	8260B		5/27/2009	CJR	1
1,2-Dichlorobenzene	< 0.66	ug/l	0.66	2.1	1	8260B		5/27/2009	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/27/2009	CJR	1
1,2-Dichloroethane	< 0.43	ug/l	0.43	1.4	1	8260B		5/27/2009	CJR	1
1,1-Dichloroethane	< 0.44	ug/l	0.44	1.4	1	8260B		5/27/2009	CJR	1
1,1-Dichloroethene	< 0.47	ug/l	0.47	1.5	1	8260B		5/27/2009	CJR	1
cis-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.2	1	8260B		5/27/2009	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	1.9	1	8260B		5/27/2009	CJR	1
1,2-Dichloropropane	< 0.26	ug/l	0.26	0.82	1	8260B		5/27/2009	CJR	1
2,2-Dichloropropane	< 0.89	ug/l	0.89	2.8	1	8260B		5/27/2009	CJR	1
1,3-Dichloropropane	< 0.49	ug/l	0.49	1.6	1	8260B		5/27/2009	CJR	1
Di-isopropyl ether	< 0.32	ug/l	0.32	1	1	8260B		5/27/2009	CJR	1
EDB (1,2-Dibromoethane)	< 0.52	ug/l	0.52	1.6	1	8260B		5/27/2009	CJR	1
Ethylbenzene	< 0.87	ug/l	0.87	2.8	1	8260B		5/27/2009	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.7	1	8260B		5/27/2009	CJR	1
Isopropylbenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
p-Isopropyltoluene	< 0.57	ug/l	0.57	1.8	1	8260B		5/27/2009	CJR	1
Methylene chloride	< 1.5	ug/l	1.5	4.8	1	8260B		5/27/2009	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.5	ug/l	0.5	1.6	1	8260B		5/27/2009	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.4	1	8260B		5/27/2009	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1	1	8260B		5/27/2009	CJR	1
1,1,2,2-Tetrachloroethane	< 0.55	ug/l	0.55	1.8	1	8260B		5/27/2009	CJR	1
1,1,1,2-Tetrachloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		5/27/2009	CJR	1
Tetrachloroethene	< 0.42	ug/l	0.42	1.3	1	8260B		5/27/2009	CJR	1
Toluene	< 0.51	ug/l	0.51	1.6	1	8260B		5/27/2009	CJR	1
1,2,4-Trichlorobenzene	< 2.1	ug/l	2.1	6.6	1	8260B		5/27/2009	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5.1	1	8260B		5/27/2009	CJR	1
1,1,1-Trichloroethane	< 0.46	ug/l	0.46	1.4	1	8260B		5/27/2009	CJR	1
1,1,2-Trichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		5/27/2009	CJR	1
Trichloroethene (TCE)	< 0.39	ug/l	0.39	1.2	1	8260B		5/27/2009	CJR	1
Trichlorofluoromethane	< 0.72	ug/l	0.72	2.3	1	8260B		5/27/2009	CJR	1
1,2,4-Trimethylbenzene	< 1.1	ug/l	1.1	3.5	1	8260B		5/27/2009	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.9	1	8260B		5/27/2009	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.64	1	8260B		5/27/2009	CJR	1

Project Name EXPRESS CLEANERS
Project # 100-1157

Invoice # E18997

Lab Code 5018997C
Sample ID MW 13
Sample Matrix Water
Sample Date 5/19/2009

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
m&p-Xylene	< 1.6	ug/l	1.6	5.1	1	8260B		5/27/2009	CJR	1
o-Xylene	< 0.53	ug/l	0.53	1.7	1	8260B		5/27/2009	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature



▲ North...n Environmental™

Hycalogists • Framers • Surveyors • Scientists

CHAIN OF CUSTODY / CORD REQUEST FOR ANALYSIS

Check other countries' policies

<input type="checkbox"/> 954 Circle Drive Green Bay, WI 54304 920-592-8400 FAX 920-592-8444	<input type="checkbox"/> 330 South 4th Avenue Park Falls, WI 54552 715-762-1544 Fax 715-762-1844	<input type="checkbox"/> 647 Academy Drive Northbrook, IL 60062 847-562-8577 FAX 847-562-8552	<input type="checkbox"/> 3349 Southgate Court SW #102 Cedar Rapids, IA 52404 319-365-0466 FAX 319-365-0164
<input checked="" type="checkbox"/> 12075 N Corporate Pkwy, Ste 210 Mequon, WI 53092 262-241-3133 FAX 262-241-8222	<input type="checkbox"/> 1203 Storbeck Drive Waupun, WI 53363 920-324-6600 FAX 920-324-3023	<input type="checkbox"/> 203 West Upham Street Marshfield, WI 54449 715-486-1300 FAX 715-486-1313	<input type="checkbox"/> 15851 S U.S. 27 • Bldg. 30, Suite 318 Lansing, MI 48906 517-702-0470 FAX 517-702-0477

Express Cleaners

Packed for Shipping by:

John Timm

Comments

Shipment Date

5/20/09

Relinquished By: <u>JST</u>	Date:	Relinquished By:	Date:	Relinquished By:	Date:
Company: <u>NETI</u>	Time:	Company:	Time:	Company:	Time:
Received By: <u>Hassan</u>	Date: <u>5/20/09</u>	Received By: <u>Mukthar</u>	Date: <u>5/21/09</u>	Received By:	Date:
Company: <u>Durham</u>	Time: <u>10:10</u>	Company: <u>SEL</u>	Time: <u>8:15</u>	Company:	Time: