


May 2, 2011



Ms. Nancy Ryan
Wisconsin Department of Natural Resources
2300 North Dr. Martin Luther King, Jr. Drive
Milwaukee, Wisconsin 53212-3128

Re: Additional Investigation Activities
Express Cleaners, 3941 North Main Street, Racine, Wisconsin
BRRTS #02-52-547631
Bonestroo File No.: 003592-09001-0

Dear Ms. Ryan:

Bonestroo (Bonestroo) prepared this letter to document the results of additional investigation activities completed at 3941 North Main Street, Racine, Wisconsin (the Site). During June 2009, the Wisconsin Department of Natural Resources (WDNR) requested additional work in response to a June 9, 2009 report. Specifically, the WDNR requested the collection of soil samples south of B13/MW8, installation two additional groundwater monitoring wells to determine the extent of soil and groundwater contamination, and collection of groundwater samples from the entire monitoring well network. During December 2010, Bonestroo submitted a revised workplan and cost estimate to complete the additional investigation and groundwater monitoring. During February 2011, the WDNR approved the scope of work and cost estimate.

INVESTIGATION METHODS

On April 1, 2011, Bonestroo oversaw the completion of three soil boreholes (MW14, MW15, and B34) at the Site by Anhalt Well Drilling and Pumps, Incorporated (Anhalt) using hollow-stem auger drilling and split-spoon sampling techniques. The borehole/monitoring well locations are shown in Figure 1.

Bonestroo personnel described each soil sample in the field. Field soil borehole logs were prepared and included information on soil type, structural characteristics, color, moisture content, consistency, odor, and photoionizable constituents. Copies of these logs are included in Attachment A. All down-hole drilling and sampling equipment was cleaned before on-site use and between each borehole.

A Bonestroo geologist prepared borehole logs; and collected samples for laboratory analysis. In addition, soil samples from each borehole were field screened for volatile organic compounds (VOCs) using a photoionization detector (PID). These samples were placed in a 1-quart plastic bag and sealed. Care was taken to maintain a relatively constant soil volume to headspace volume ratio for all samples. The sealed headspace sample was agitated to break up soil clods before being left in a warm environment for at least 15 minutes to allow volatilization to occur. The PID probe was then carefully inserted into the plastic bag and the highest stable response was recorded. The PID used was a Thermo Environmental Instruments Model 580A Organic Vapor Meter equipped with a 10.6 eV lamp. Since no elevated PID readings were observed and

as requested by the WDNR, soil samples collected from the 2 to 4 foot interval and the 6 to 8 foot interval of each borehole were laboratory analyzed by Synergy Environmental Lab, LLC for VOCs using Environmental Protection Agency (EPA) Method 8260B.

After soil sample collection, 2-inch diameter polyvinyl chloride (PVC) groundwater monitoring wells were constructed in the MW14 and MW15. The monitoring wells were completed to 14 feet below grade (fbg) with 10 feet of 0.01 mill-slot screened interval. On the same day as installation, the monitoring wells were surveyed and developed in accordance with WDNR guidance. Monitoring well construction and development forms are included in Attachment A.

April 7, 2011, Bonestroo collected groundwater samples from monitoring wells MW1 through MW15 and piezometer PZ1. Before sampling, Bonestroo measured groundwater elevations in the monitoring wells and the piezometer to evaluate groundwater flow. Groundwater elevation data is presented in Table 1. The groundwater samples were laboratory analyzed for VOCs using EPA Method 8260B.

FINDINGS

Sediments encountered in the boreholes were consistent with previous boreholes and contained approximately 1 foot of topsoil underlain by fine silty sand to depths between 5 and 8 fbg. Underlying the silty sand was silty clay till. No solvent odors or elevated PID responses were observed in the collected soil samples. VOCs were not detected in the laboratory-analyzed soil samples collected from the boreholes. Soil sample field screening and laboratory analytical results are presented in Table 2. The approximate extent of VOC-contaminated unsaturated soil is shown in Figure 1.

Groundwater was encountered at approximately 3 to 6 fbg. Groundwater flows generally to the west-southwest across the Site and to the east across the adjacent S.C. Johnson property. The groundwater elevation on April 7, 2011 is depicted in Figure 2. Groundwater collected from the newly installed monitoring wells (MW14 and MW15) did not contain VOC concentrations above laboratory analytical detection limits. VOC concentrations in the remainder of the monitoring wells were generally consistent with past results. The extent of groundwater containing PCE concentrations above the NR 140, Wisconsin Administrative Code ES is shown in Figure 3. Groundwater quality analytical results are presented in Table 3. Laboratory reports and chain-of-custody records are provided in Attachment B.

CONCLUSIONS AND RECOMMENDATIONS

Based on the additional investigation results, the extent of soil and groundwater contamination has been defined. Bonestroo recommends that an evaluation of remedial action options be completed and a remedial action plan be developed to address soil and groundwater contamination at the Express Cleaners site.

DISCLAIMER

Bonestroo completed this work in general conformance with federal, state, and local requirements and made all appropriate inquiry consistent with good commercial or customary practice. The results provided in the report are based upon professional interpretation of the information available to Bonestroo given the time and budget constraints of this project. Bonestroo has assumed the information provided by the client and property owner and included in the report is factual, complete, and correct. Bonestroo does not warrant that this report represents an exhaustive study of all possible environmental concerns associated with the Site. However, the items included in this report are believed to adequately address soil and groundwater quality at the Site.


We trust this information meets your needs. Please contact us at (262) 241-3133 if you have any questions or concerns.

Sincerely,

BONESTROO




Andrew J. Swaim
Geologist



Christopher C. Hatfield, PG
Senior Geologist

CCH/elr
Attachments

c: William P. Scott - Gonzales, Saggio, & Harlan LLP
James Small – Ehrlich Family Limited Partnership



LEGEND

- SUBJECT PROPERTY BOUNDARY
- ADJACENT PROPERTY BOUNDARIES
- OVERHEAD ELECTRIC LINE
- UNDERGROUND GAS LINE
- WATERMAIN
- BURIED ELECTRIC LINE
- BURIED SANITARY SEWER
- BURIED TELEPHONE LINE
- UTILITY POLE
- FORMER DRY CLEANING MACHINE LOCATION
- EXISTING DRY CLEANING MACHINE
- 2" MONITORING WELL LOCATION AND IDENTIFICATION
- BOREHOLE LOCATION AND IDENTIFICATION
- HAND AUGER NEAR SURFACE SAMPLE LOCATION AND IDENTIFICATION
- PIEZOMETER LOCATION AND IDENTIFICATION
- 1" TEMPORARY MONITORING WELL LOCATION AND IDENTIFICATION
- UNSATURATED SOIL PCE ISOCONCENTRATION LINE IN MICROGRAMS PER KILOGRAM (DASHED WHERE INFERRED)

Sample Location	Sample Depth (feet)	Soil PCE Concentration (ug/kg)	Sample Location	Sample Depth (feet)	Soil PCE Concentration (ug/kg)
PZ1	1-3	370	B15	4-6	<25
MW1	3.5-5.5	430	B16	2-4	<25
MW2	1-3	1740	B17	2-4	<25
MW3	1-3	8400	B18	2-4	<25
MW4	1-3	<25	B19	2-4	<25
MW6	2-4	48	B20	2-4	104
MW8	1-3	330	B21	2-4	<25
MW12	1-3	<18	B22	2-4	670
MW14	3-5	<24	B23	2-4	<25
MW15	2-4	<24	B24	2-4	<25
B1	4	121,000	B25	2-4	<25
B2	2	9900	B26	2-4	<25
B2	12	465	B27	2-4	<25
B3	4	21,100	B28	2-4	<25
B4	2-4	270,000	B29	2-4	<25
B4	4-6	1,380	B30	2-4	<25
B4	14-16	270	B31	2-4	<25
B5	2-4	66,000	B32	2-4	<25
B5	10-12	305	B33	2-4	<25
B6	2-4	136,000	B34	3-5	<24
B6	12-14	174	B1	2	130
B7	2-4	10,200	BA2	0.5	650
B7	6-8	77,000	BA2	2	700
B8	2-4	67	BA3	0.5	1200
B9	0-2	92,000	BA3	2	1300
B9	8-10	770,000	BA4	0.5	690
B10	2-4	14,000	BA4	2	100
B10	8-10	28	BA5	3	43
B11	2-4	63,000	BA6	0.5	56
B11	6-8	590,000	BA6	2	74
B12	2-4	1370	BA7	0.5	84
B13	2-4	112	BA7	2	380
B13	6-8	68,000	BA8	1.5	<25
B14	2-4	131	BA9	0.5	33
B15	2-4	<25	BA9	2	1200



12075 N CORPORATE PKWY, STE 200
MEQUON, WISCONSIN 53092
P: 262-241-4466 F: 262-241-4901

SITE LAYOUT

EXPRESS CLEANERS, INCORPORATED
3941 N. MAIN STREET
RACINE, WISCONSIN

SCALE IN FEET
20 0 20 40


N:\3592\3592090010\Figures\003592090010 FIG 1_RACINE.dwg

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF BONESTROO AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT EXPRESSLY FURNISHED.

DATE: 04/15/08 DRAWN BY: BMP REVISED: 2011-04-21 AJS

PROJECT NUMBER: 003592-09001-0

FIGURE 1

LEGEND

	SUBJECT PROPERTY BOUNDARY
	ADJACENT PROPERTY BOUNDARIES
	OVERHEAD ELECTRIC LINE
	FENCE
	UNDERGROUND GAS LINE
	WATERMAIN
	BURIED ELECTRIC LINE
	BURIED SANITARY SEWER
	BURIED TELEPHONE LINE
	UTILITY POLE
	FORMER DRY CLEANING MACHINE LOCATION
	EXISTING DRY CLEANING MACHINE
	GROUNDWATER ELEVATION CONTOUR
	ESTIMATED EXTENT OF GROUNDWATER WITH PCE CONCENTRATIONS EXCEEDING NR140 ES (DASHED WHERE INFERRED)

SCALE IN FEET
20 0 20 40



12075 N CORPORATE PKWY, STE 200
MEQUON, WISCONSIN 53092
P: 262-241-4466 F: 262-241-4901
N:\3592\3592090010\Figures\003592090010 FIG 1.RACINE.dwg

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF BONESTROO AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

DATE: 04/15/08 DRAWN BY: BMP REVISED: 2011-04-21 AJS

GROUNDWATER ELEVATION CONTOUR MAP AND EXTENT OF GROUNDWATER CONTAMINATION APRIL 7, 2011

EXPRESS CLEANERS, INCORPORATED
3941 N. MAIN STREET
RACINE, WISCONSIN

PROJECT NUMBER: 003592-09001-0

FIGURE 2

Table 1 Groundwater Elevation Data, Express Cleaners, Racine, Wisconsin

Well ID	Ground Surface Elevation (feet)	Reference Point Elevation * (feet)	Date	Depth to Water (Feet Below Reference Point)	Water Table Elevation (feet)
MW1	615.00	614.51	04/05/07 04/27/07 01/15/08 05/19/09 04/07/11	3.02 2.72 3.69 3.92 3.69	611.49 611.79 610.82 610.59 610.82
MW2	614.44	613.79	04/05/07 04/27/07 01/15/08 05/19/09 04/07/11	1.90 1.88 2.49 3.14 3.75	611.89 611.91 611.30 610.65 610.04
MW3	614.90	614.33	04/05/07 04/27/07 01/15/08 05/19/09 04/07/11	2.49 2.07 3.15 3.70 3.36	611.84 612.26 611.18 610.63 610.97
MW4	614.69	614.28	04/05/07 04/27/07 01/15/08 05/19/09 04/11/11	2.31 1.90 2.97 3.84 3.45	611.97 612.38 611.31 610.44 610.83
MW5	612.35	615.62	01/04/08 01/15/08 05/19/09 04/07/11	12.01 5.13 6.47 5.60	603.61 610.49 609.15 610.02
MW6	613.25	616.14	01/04/08 01/15/08 05/19/09 04/07/11	7.04 5.86 6.65 6.12	609.10 610.28 609.49 610.02
MW7	612.13	615.03	01/04/08 01/15/08 05/19/09 04/07/11	5.27 3.76 4.92 3.99	609.76 611.27 610.11 611.04

Table 1 Groundwater Elevation Data, Express Cleaners, Racine, Wisconsin

Well ID	Ground Surface Elevation (feet)	Reference Point Elevation * (feet)	Date	Depth to Water (Feet Below Reference Point)	Water Table Elevation (feet)
MW8	614.51	614.12	01/04/08	5.26	608.86
			01/15/08	5.46	608.66
			05/19/09	5.65	608.47
			04/07/11	5.93	608.19
MW9	614.09	613.73	01/04/08	8.78	604.95
			01/15/08	4.56	609.17
			05/19/09	4.71	609.02
			04/07/11	4.74	608.99
MW10	614.01	613.53	01/04/08	5.67	607.86
			01/15/08	2.76	610.77
			05/19/09	3.04	610.49
			04/07/11	2.85	610.68
MW11	612.88	615.74	05/19/09	5.08	610.66
			04/07/11	4.54	611.20
MW12	612.82	615.81	05/19/09	5.29	610.52
			04/07/11	4.71	611.10
MW13	612.44	615.28	05/19/09	5.06	610.22
			04/07/11	4.45	610.83
MW14	614.67	614.42	04/07/11	5.14	609.28
MW15	613.79	613.65	04/07/11	4.13	609.52
TW1	615.60	615.48	04/05/07	4.00	611.48
			04/27/07	3.81	611.67
TW2	615.60	615.49	04/05/07	4.22	611.27
			04/27/07	4.19	611.30

Table 1 Groundwater Elevation Data, Express Cleaners, Racine, Wisconsin

Well ID	Ground Surface Elevation (feet)	Reference Point Elevation * (feet)	Date	Depth to Water (Feet Below Reference Point)	Water Table Elevation (feet)
PZ1	615.01	614.23	04/05/07	27.66	586.57
			04/27/07	14.70	599.53
			01/15/08	7.58	606.65
			05/19/09	7.60	606.63
			04/07/11	7.56	606.67

Note:

Benchmark is south coupling of fire hydrant located on northeast corner of North Main Street and 3-Mile Road.

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (iui)		Description	Detected Volatile Organic Compounds ($\mu\text{g}/\text{kg}$)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene (TCE)						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater								60	110	4.1	3.7					
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion								156,000	313,000	1,230	160					
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust								7.74×10^{11}	7.74×10^{11}	3.25×10^8	1.71×10^6					
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles								NE	NE	2100	14					
PZ1	PZ1-1	03/27/07	1-3	6703	1	Silty sand, Eolian deposits	<25	<25	370	<25						
	PZ1-2	03/27/07	3.5-5.5	4831	1	Silty sand, Eolian deposits	-	-								
	PZ1-3	03/27/07	6-8	5648	1	Silty clay, till	-	-								
	PZ1-4	03/27/07	8.5-10.5	5123	1	Silty clay, till	-	-								
	PZ1-5	03/27/07	11-13	3958	0	Silty clay, till	-	-								
	PZ1-6	03/27/07	13.5-15.5	3869	1	Silty clay, till	-	-								
	PZ1-7	03/27/07	16-18	4326	0	Silty clay, till	-	-								
	PZ1-8	03/27/07	18.5-20.5	5260	0	Silty clay, till	-	-								
	PZ1-9	03/27/07	21-23	1846	0	Silty clay, till	<25	<25	<25	<25						
	PZ1-10	03/27/07	23.5-25.5	1891	0	Silty clay, till	-	-								
	PZ1-11	03/27/07	26-28	1935	0	Silty clay, till	-	-								
	PZ1-12	03/27/07	28-30	1897	0	Silty clay, till	-	-								
MW1	MW1-1	03/27/07	1-3	2925	1.5	Silty sand, Eolian deposits	-	-	430	<25						
	MW1-2	03/27/07	3.5-5.5	1748	3	Silty sand, Eolian deposits	<25	<25								
	MW1-3	03/27/07	6-8	1369	0	Silty clay, till	-	-								
	MW1-4	03/27/07	8.5-10.5	2193	0	Silty clay, till	-	-								
	MW1-5	03/27/07	11-13	1989	0	Silty clay, till	-	-								
	MW1-6	03/27/07	13.5-15.5	1884	0	Silty clay, till	<25	<25	<25	<25						
MW2	MW2-1	03/27/07	1-3	9989	4	Silty sand, Eolian deposits	38 "J"	<25	1740	58 "J"						
	MW2-2	03/27/07	3.5-5.5	1709	1	Silty sand, Eolian deposits	-	-								
	MW2-3	03/27/07	6-8	2401	2	Silty clay, till	-	-								
	MW2-4	03/27/07	8.5-10.5	1492	1	Silty clay, till	-	-								
	MW2-5	03/27/07	11-13	2317	2	Silty clay, till	-	-								
	MW2-6	03/27/07	13.5-15.5	2147	1	Silty clay, till	<25	<25	<25	<25						
MW3	MW3-1	03/27/07	1-3	32,000	10	Silty sand, Eolian deposits	124	<25	8400	113						
	MW3-2	03/27/07	3.5-5.5	27,000	5	Silty sand, Eolian deposits	-	-								
	MW3-3	03/27/07	6-8	2713	2	Silty day, till	-	-								
	MW3-4	03/27/07	8.5-10.5	2221	1	Silty day, till	-	-								
	MW3-5	03/27/07	11-13	1436	0	Silty clay, till	-	-								
	MW3-6	03/27/07	13.5-15.5	1605	1	Silty clay, till	<25	<25	41 "J"	<25						
MW4	MW4-1	03/27/07	1-3	1955	3	Silty sand, Eolian deposits	<25	<25	<25	<25						
	MW4-2	03/27/07	3.5-5.5	1424	2	Silty sand, Eolian deposits	-	-								
	MW4-3	03/27/07	6-8	1087	3	Silty clay, till	-	-								
	MW4-4	03/27/07	8.5-10.5	1102	2	Silty clay, till	<25	<25	<25	<25						
	MW4-5	03/27/07	11-13	1677	3	Silty clay, till	-	-								
	MW4-6	03/27/07	13.5-15.5	1097	2	Silty clay, till	-	-								
MW5		01/04/08	Blind drilled to 13 feet below grade													
MW6	MW6-1	01/04/08	0-2	-	3	Silty sand, some clay, topsoil, fill Silty sand, Eolian Silty clay, till	-	-	48 "J"	<25						
	MW6-2	01/04/08	2-4	-	6		<25	<25								
	MW6-3	01/04/08	4-6	-	6		-	-								
MW7		01/04/08	Blind drilled to 13 feet below grade													
MW8	MW8-1	01/04/08	1-3	-	18	Silty sand, Eolian Silty sand, Eolian Silty sand, Eolian Silty sand, Eolian Silty clay, till	<25	<25	330	<25						
	MW8-2	01/04/08	3-5	-	21		-	-								
	MW8-3	01/04/08	5-7	-	34		-	-								
	MW8-4	01/04/08	7-9	-	43		-	-								
	MW8-5	01/04/08	9-11	-	21		-	-								
			Blind drilled to 12.5 feet below grade													
MW9		01/04/08	Blind drilled to 12.5 feet below grade													
MW10		01/04/08	Blind drilled to 12.5 feet below grade													
MW11	MW11-1	05/14/09	1-3	-	0	Topsoil, silty sand, Eolian Silty sand, Eolian Silty clay, till Silty clay, till Silty clay, till	-	-	-	-						
	MW11-2	05/14/09	3.5-5.5	-	0		-	-	-	-						
	MW11-3	05/14/09	6-8	-	1		-	-	-	-						
	MW11-4	05/14/09	8.5-10.5	-	0.8		-</td									

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (iui)		Description	Detected Volatile Organic Compounds (µg/kg)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)					
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene (TCE)							
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater								60	110	4.1	3.7	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion								156,000	313,000	1,230	160						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust								7.74x10 ¹¹	7.74x10 ¹¹	3.25x10 ⁸	1.71x10 ⁶						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles								NE	NE	2100	14						
MW15	MW15-1	04/01/11	0-2	-	1.4	Sand	-	-	-	-	-	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
MW15	MW15-2	04/01/11	2-4	-	1.7	Sand	<14	<22	<24	<17	-						
MW15	MW15-3	04/01/11	4-6	-	2.5	Sand	-	-	-	-	-						
MW15	MW15-4	04/01/11	6-8	-	1.6	Sand, Silty Clay	<14	<22	<24	<17	-						
MW15	MW15-5	04/01/11	8-10	-	1.7	Silty Clay, till	-	-	-	-	-						
MW15	MW15-6	04/01/11	10-12	-	1.8	Silty Clay, till	-	-	-	-	-						
MW15	MW15-7	04/01/11	12-14	-	0	Silty Clay, till	-	-	-	-	-						
B1*	B1-2	04/12/06	4	-	0	Clay	461	<5	121,000	610	-						
	B1-6	04/12/06	12	-	0	Clay	<5	<5	<25	<5	-						
B2*	B2-2	04/12/06	2	-	0	Sand	<5	<5	9900	<250	-	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
	B2-6	04/12/06	12	-	0	Clay	26	<5	465	<5	-						
B3*	B3-2	04/12/06	4	-	0	Clay	6	<5	21,100	346	-						
B4	B4-1	03/28/07	0-2	144,000	146	Silty sand, Eolian deposits	-	-	-	-	-						
	B4-2	03/28/07	2-4	199,000	451	Silty sand, Eolian deposits	<2500	<2500	270,000	<2500	-	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
	B4-3	03/28/07	4-6	164,000	110	Silty sand, Eolian deposits	<2500	<2500	138,000	<2500	-						
	B4-4	03/28/07	6-8	147,000	126	Silty sand, Eolian deposits	-	-	-	-	-						
	B4-5	03/28/07	8-10	3159	1	Silty clay, till	-	-	-	-	-						
	B4-6	03/28/07	10-12	9086	13	Silty clay, till	-	-	-	-	-						
	B4-7	03/28/07	12-14	4266	1	Silty clay, till	-	-	-	-	-						
	B4-8	03/28/07	14-16	9877	5	Silty clay, till	<25	<25	270	<25	-						
B5/TW1	B5-1	03/28/07	0-2	103,000	71	Silty sand, Fill	-	-	-	-	-						
	B5-2	03/28/07	2-4	185,000	88	Silty sand, Fill	<2500	<2500	66,000	<2500	-	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
	B5-3	03/28/07	4-6	22,000	14	Silty sand, Eolian deposits	-	-	-	-	-						
	B5-4	03/28/07	6-8	79,000	47	Silty sand, Eolian deposits	-	-	-	-	-						
	B5-5	03/28/07	8-10	2919	1	Silty clay, till	-	-	-	-	-						
	B5-6	03/28/07	10-12	7106	4	Silty clay, till	1390	27.2 "J"	305	33 "J"	-						
	B5-7	03/28/07	12-14	4607	3	Silty clay, till	-	-	-	-	-						
	B5-8	03/28/07	14-16	4560	2	Silty clay, till	-	-	-	-	-						
B6	B6-1	03/28/07	0-2	109,000	71	Silty sand, Fill	-	-	-	-	-						
	B6-2	03/28/07	2-4	199,000	338	Silty sand, Fill	<2500	<2500	136,000	<2500	-	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
	B6-3	03/28/07	4-6	40,000	32	Silty sand, Eolian deposits	-	-	-	-	-						
	B6-4	03/28/07	6-8	45,000	103	Silty sand, Eolian deposits	-	-	-	-	-						
	B6-5	03/28/07	8-10	4316	5	Silty clay, till	-	-	-	-	-						
	B6-6	03/28/07	10-12	5539	5	Silty clay, till	-	-	-	-	-						
	B6-7	03/28/07	12-14	6324	6	Silty clay, till	<25	<25	174	<25	-						
	B6-8	03/28/07	14-16	4915	5	Silty clay, till	-	-	-	-	-						
B7/TW2	B7-1	03/28/07	0-2	4925	16	Silty sand, Eolian deposits	-	-	-	-	-						
	B7-2	03/28/07	2-4	37,800	55	Silty sand, Eolian deposits	108	<25	10,200	87	-	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
	B7-3	03/28/07	4-6	6168	13	Silty sand, Eolian deposits	-	-	-	-	-						
	B7-4	03/28/07	6-8	28,000	45	Silty sand, Eolian deposits	870	<25	77,000	650	-						
	B7-5	03/28/07	8-10	4704	9	Silty clay, till	-	-	-	-	-						
	B7-6	03/28/07	10-12	4311	4	Silty clay, till	-	-	-	-	-						
	B7-7	03/28/07	12-14	2647	5	Silty clay, till	-	-	-	-	-						
	B7-8	03/28/07	14-16	4350	4	Silty clay, till	<25	<25	<25	<25	-						
B8	B8-1	03/28/07	0-2	2045	1	Silty sand, fill	-	-	-	-	-						
	B8-2	03/28/07	2-4	3083	1	Silty sand, fill	<25	<25	67	<25	4200	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
	B8-3	03/28/07	4-6	3248	0	Silty sand, Eolian deposits	<25	<25	67	<25	147						
	B8-4	03/28/07	6-8	3239	1	Silty sand, Eolian deposits	-	-	-	-	-						
	B8-5	03/28/07	8-10	2941	0	Silty sand, silty clay, till	-	-	-	-	-						
	B8-6	03/28/07	10-12	3152	1	Silty sand, silty clay, till	-	-	-	-	-						
	B8-7	03/28/07	12-14	2633	2	Silty clay, till	-	-	-	-	-						
	B8-8	03/28/07	14-16	4112	2	Silty clay, till	<25	<25	<25	<25	-						
B9	B9-1	03/29/07	0-2	199,000	170	Silty sand, fill	17,400	<2500	92,000	11,500	-						
	B9-2	03/29/07	2-														

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (iui)		Description	Detected Volatile Organic Compounds ($\mu\text{g}/\text{kg}$)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene (TCE)						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater							60	110	4.1	3.7						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion							156,000	313,000	1,230	160						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust							7.74×10^{11}	7.74×10^{11}	3.25×10^8	1.71×10^6						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles							NE	NE	2100	14						
B12	B12-1	03/29/07	0-2	2577	1	Silty sand, fill	-	-	-	-						
	B12-2	03/29/07	2-4	5615	3	Silty sand, Eolian deposits	<25	<25			3700	161.7				
	B12-3	03/29/07	4-6	1751	1	Silty sand, Eolian deposits	-	-	-	-						
	B12-4	03/29/07	6-8	1479	1	Silty clay, till	-	-	-	-						
	B12-5	03/29/07	8-10	1692	1	Silty clay, till	-	-	-	-						
	B12-6	03/29/07	10-12	1096	0	Silty clay, till	<25	<25	<25	<25						
	B12-7	03/29/07	12-14	1089	0	Silty clay, till	-	-	-	-						
	B12-8	03/29/07	14-16	459	0	Silty clay, till	-	-	-	-						
B13	B13-1	11/14/07	0-2	1673	0	Asphalt, silty sand, fill	-	-	-	-						
	B13-2	11/14/07	2-4	2667	12.5	Silty sand, eolian deposits	<25	<25								
	B13-3	11/14/07	4-6	978	21.9	Silty sand, eolian deposits	-	-	-	-						
	B13-4	11/14/07	6-8	35,900	316.0	Silty clay, eolian deposits	330	<25	68,000	390						
B14	B14-1	11/14/07	0-2	3263	6	Asphalt, silty sand, fill	-	-	-	-						
	B14-2	11/14/07	2-4	3478	12	Silty sand, eolian deposits	<25	<25								
	B14-3	11/14/07	4-6	916	3	Silty sand, eolian deposits	-	-	-	-						
	B14-4	11/14/07	6-8	395	0	Silty sand, eolian deposits	-	-	-	-						
B15	B15-1	11/14/07	0-2	186	0	Silty sand, eolian deposits	-	-	-	-						
	B15-2	11/14/07	2-4	249	0	Silty sand, eolian deposits	<25	<25	<25	<25						
	B15-3	11/14/07	4-6	2462	12	Silty sand, eolian deposits	<25	<25	<25	<25						
	B15-4	11/14/07	6-8	1190	6	Silty sand, eolian deposits	-	-	-	-						
B16	B16-1	11/14/07	0-2	226	0	Asphalt, silty sand, fill	-	-	-	-						
	B16-2	11/14/07	2-4	446	0	Silty sand, eolian deposits	<25	<25	<25	<25						
	B16-3	11/14/07	4-6	71	0	Silty sand, eolian deposits	-	-	-	-						
	B16-4	11/14/07	6-8	119	0	Silty sand, eolian deposits	-	-	-	-						
B17	B17-1	11/14/07	0-2	182	3	Topsoil, silty sand, eolian deposits	-	-	-	-						
	B17-2	11/14/07	2-4	532	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B17-3	11/14/07	4-6	229	0	Silty sand, eolian deposits	-	-	-	-						
	B17-4	11/14/07	6-8	769	0	Silty clay, till	-	-	-	-						
B18	B18-1	11/14/07	0-2	0	0	Topsoil, silty sand, eolian deposits	-	-	-	-						
	B18-2	11/14/07	2-4	870	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B18-3	11/14/07	4-6	1135	9	Silty clay, till	-	-	-	-						
	B18-4	11/14/07	6-8	1185	9	Silty clay, till	<25	<25	<25	<25						
B19	B19-1	11/14/07	0-2	1572	12.0	Topsoil, silty sand, eolian deposits	-	-	-	-						
	B19-2	11/14/07	2-4	1730	12.5	Silty sand, eolian deposits	<25	<25	<25	<25						
	B19-3	11/14/07	4-6	1520	9	Silty clay, till	-	-	-	-						
	B19-4	11/14/07	6-8	1399	9	Silty clay, till	-	-	-	-						
B20	B20-1	11/14/07	0-2	1175	6	Topsoil, silty sand, eolian deposits	-	-								
	B20-2	11/14/07	2-4	1279	9	Silty sand, eolian deposits	<25	<25	104	<25						
	B20-3	11/14/07	4-6	1242	9	Silty clay, till	-	-	-	-						
	B20-4	11/14/07	6-8	1389	9	Silty clay, till	-	-	-	-						
B21	B21-1	11/14/07	0-2	1304	9.0	Topsoil, silty sand, eolian deposits	-	-	-	-						
	B21-2	11/14/07	2-4	1600	9.4	Silty sand, eolian deposits	<25	<25	<25	<25						
	B21-3	11/14/07	4-6	1126	9.4	Silty clay, till	-	-	-	-						
	B21-4	11/14/07	6-8	1525	9.4	Silty clay, till	-	-	-	-						
B22	B22-1	11/14/07	0-2	1271	9	Topsoil, silty sand, eolian deposits	-	-								
	B22-2	11/14/07	2-4	1731	12	Silty sand, eolian deposits	<25	<25	670	<25						
	B22-3	11/14/07	4-6	1523	9	Silty sand, eolian deposits	-	-	-	-						
	B22-4	11/14/07	6-8	1390	9	Silty clay, till	-	-	-	-						
B23	B23-1	11/14/07	0-2	937	6	Topsoil, silty sand, eolian deposits	-	-	-	-						
	B23-2	11/14/07	2-4	1059	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B23-3	11/14/07	4-6	788	6	Silty sand, eolian deposits	-	-	-	-						
	B23-4	11/14/07	6-8	1194	6	Silty sand, eolian deposits	-	-	-	-						
B24	B24-1	11/14/07	0-2	706	3	Topsoil, silty sand, fill	-	-								
	B24-2	11/14/07	2-4	1087	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B24-3	11/14/07	4-6	645	3	Silty clay, till	<25	<25	<25	<25						
	B24-4	11/14/07	6-8	631	3	Silty clay, till	-	-	-	-						
B25	B25-1	11/14/07	0-2	1160	3	Topsoil, silty sand, fill	-	-								
	B25-2	11/14/07	2-4	1248	6	Silty sand, eolian deposits	<25	<25	<25	<25						
	B25-3	11/14/07	4-6	1121	6	Silty clay, till	-	-	-	-						
	B25-4	11/14/07	6-8	1200	6	Silty clay, till	-	-	-	-						
B26	B26-1	11/14/07	0-2	1082	3	Topsoil, silty sand, fill	-	-								
	B26-2	11/14														

Table 2 Soil Sample Field Screening and Laboratory Analytical Results, Express Cleaners, Racine, Wisconsin

Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (iui)		Description	Detected Volatile Organic Compounds (µg/kg)				Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
				Rae Systems Meter (Parts Per Billion)	Thermo Instruments Meter (Parts Per Million)		cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Tetrachloroethene	Trichloroethene (TCE)						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Soil to Groundwater							60	110	4.1	3.7	Total Organic Carbon (milligrams per kilogram)	Bulk Density (pounds per cubic feet)				
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Ingestion							156,000	313,000	1,230	160						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Fugitive Dust							7.74x10 ¹¹	7.74x10 ¹¹	3.25x10 ⁸	1.71x10 ⁶						
U.S. Environmental Protection Agency Site-Specific Soil Screening Levels for Inhalation of Volatiles							NE	NE	2100	14						
B29	B29-1 B29-2 B29-3 B29-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1267 1265 10,500 2005	6 6 56 9	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till	<25 - - -	<25 - - -	<25 - - -	<25 - - -	-	-				
B30	B30-1 B30-2 B30-3 B30-4	11/14/07 11/14/07 11/14/07 11/14/07	0-2 2-4 4-6 6-8	1002 1366 1107 912	3 6 3 3	Topsoil, silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits Silty clay, till	<25 - - -	<25 - - -	<25 - - -	<25 - - -	-	-				
B31	B31-1 B31-2 B31-3 B31-4	11/15/07 11/15/07 11/15/07 11/15/07	0-2 2-4 4-6 6-8	2025 2384 1825 1769	6 6 6 6	Silty sand, fill Silty sand, fill Silty sand, eolian deposits Silty clay, till	<25 - - -	<25 - - -	<25 - - -	<25 - - -	-	-				
B32	B32-1 B32-2 B32-3 B32-4	11/15/07 11/15/07 11/15/07 11/15/07	0-2 2-4 4-6 6-8	1515 1579 1529 1186	3 6 3 3	Silty sand, fill Silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits	<25 - - -	<25 - - -	<25 - - -	<25 - - -	-	-				
B33	B33-1 B33-2 B33-3 B33-4	11/15/07 11/15/07 11/15/07 11/15/07	0-2 2-4 4-6 6-8	609 685 49 148	3 3 3 3	Silty sand, fill Silty sand, fill Silty sand, eolian deposits Silty sand, eolian deposits	<25 - - -	<25 - - -	<25 - - -	<25 - - -	-	-				
B34	S3401 S3402 S3403 S3404	04/01/11 04/01/11 04/01/11 04/01/11	1-3 3-5 5-7 7-9	- - - -	2.1 2 3 3.7	Silty Clay Silty Sand, till Silty Clay, till Silty Sand, till	<14 - - <14	<22 - - <22	<24 - - <24	<17 - - <17	-	-				
BA1	BA1-1	07/19/07	2	-	500	Native silty sand, eolian	<25	<25	130,000		<25	-				
BA2	BA2-1 BA2-2	07/19/07 07/19/07	0.5 2	- -	3 4	Silty sand, clay, topsoil Native silty sand	<25 <25	<25 <25	650 700		<25 <25	-				
BA3	BA3-1 BA3-2	07/19/07 07/19/07	0.5 2	- -	5 8	Silty sand, some clay, topsoil Native silty sand	<25 <25	<25 <25	1200 1300		<25 <25	-				
BA4	BA4-1 BA4-2	07/19/07 07/19/07	0.5 2	- -	5 6	Silty sand, clay, topsoil Native silty sand	<25 <25	<25 <25	690 1000		<25 <25	-				
BA5	BA5-1 BA5-2	07/19/07 07/19/07	0.5 2	- -	4 5	Silty sand, clay, fill Native silty sand	<25 <25	<25 <25	<25 43		<25 <25	-				
BA6	BA6-1 BA6-2	07/19/07 07/19/07	0.5 2	- -	4 3	Silty sand, fill Native silty sand	<25 <25	<25 <25	56 74		<25 <25	-				
BA7	BA7-1 BA7-2	07/19/07 07/19/07	0.5 2	- -	3 4	Silty sand, fill Native silty sand	<25 <25	<25 <25	84 380		<25 <25	-				
BA8	BA8-1 BA8-2	07/19/07 07/19/07	0.5 2	- -	4 4	Silty sand, clay Native silty sand	<25 <25	<25 <25	<25 <25		<25 <25	-				
BA9	BA9-1 BA9-2	07/19/07 07/19/07	0.5 2	- -	4 5	Silty sand, clay, fill Native silty sand	<25 <25	<25 <25	33 1200"J"		<25 <25	-				

Note:

PID = photoionization detector
iui = instrument units as isobutylene
µg/kg = micrograms per kilogram
NE = not established by U.S. Environmental Protection Agency
<x = compound not detected to a detection limit of x
- = not analyzed
J = analyte detected between the limit of detection and the limit of quantitation
* = borehole completed by Gabriel Environmental Services

XXX = compound concentration exceeds Environmental Protection Agency site-specific soil screening levels for soil to groundwater

Table 3 Groundwater Quality Analytical Results, Express Cleaners, Racine, Wisconsin

Well ID	Date Sampled	Water Table Elevation (feet above mean sea level)	Detected Volatile Organic Compounds (micrograms per liter)					
			Chloroform	cis-1,2-Dichloroethene (cis-1,2-DCE)	trans-1,2-Dichloroethene	Tetra-chloroethene (PCE)	Trichloroethene (TCE)	Vinyl Chloride (VC)
	NR 140, Wis. Adm. Code Preventive Action Limit		0.6	7	20	0.5	0.5	0.02
	NR 140, Wis. Adm. Code Enforcement Standard		6	70	100	5	5	0.2
MW1	04/27/07	611.79	<4.8	13.6 "J"	<9.5	330	<4.4	<2
	01/15/08	610.82	<4.8	13.9 "J"	<9.5	179	<4.4	<2
	04/07/11	610.82	<0.49	15.3	<0.79	173	4.9	<0.18
MW2	04/27/07	611.91	<4.8	<6.8	<9.5	370	16.2	<2
	01/15/08	611.30	<4.8	21.1 "J"	<9.5	223	14.7	<2
	04/07/11	610.04	<0.49	22.7	0.86 "J"	94	9	<0.18
	* 04/07/11		<2.45	17.8	<3.95	58	6.5 "J"	<0.9
MW3	04/27/07	612.26	<24	1100	<47.5	2520	279	<10
	* 04/27/07		<24	1090	<47.5	2410	284	<10
	01/15/08	611.18	<9.6	3800	54 "J"	2380	410	5.6 "J"
	* 01/15/08		<9.6	3600	42 "J"	1990	340	<4
	04/07/11	610.97	<24.5	600	<39.5	770	82	<9
MW4	04/27/07	612.38	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
	01/15/08	611.31	<4.8	<0.68	<0.95	<0.52	<0.44	<0.2
	04/07/11	610.83	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18
MW5	01/15/08	610.49	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
	04/07/11	610.02	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18
MW6	01/15/08	610.28	<0.48	<0.68	<0.95	2.42	1.67	<0.2
	04/07/11	610.02	<0.49	19.1	<0.79	6.5	3.03	<0.18
MW7	01/15/08	611.27	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
	04/07/11	611.04	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18
MW8	01/15/08	608.66	0.55 "J"	220	8.6	826	36	<0.2
	04/07/11	608.19	<24.5	99 "J"	<39.5	810	<23.5	<9
MW9	01/15/08	609.17	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
	04/07/11	608.99	<0.49	<0.74	<0.79	1.52	<0.47	<0.18
MW10	01/15/08	610.77	<0.48	<0.68	<0.95	<0.52	<0.44	<0.2
	04/07/11	610.68	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18
MW11	05/19/09	610.66	<1.48	<0.68	<0.61	<0.42	<0.39	<0.2
	04/07/11	611.20	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18

Table 3 Groundwater Quality Analytical Results, Express Cleaners, Racine, Wisconsin

Well ID	Date Sampled	Water Table Elevation (feet above mean sea level)	Detected Volatile Organic Compounds (micrograms per liter)					
			Chloroform	cis-1,2-Dichloroethene (cis-1,2-DCE)	trans-1,2-Dichloroethene	Tetrachloroethylene (PCE)	Trichloroethylene (TCE)	Vinyl Chloride (VC)
	NR 140, Wis. Adm. Code Preventive Action Limit		0.6	7	20	0.5	0.5	0.02
	NR 140, Wis. Adm. Code Enforcement Standard		6	70	100	5	5	0.2
MW12	05/19/09 04/07/11	610.52 611.10	<1.48 <0.49	7.3 1.91 "J"	<0.61 <0.79	22.6 5.4	0.62 "J"	<0.2 <0.18
MW13	05/19/09 04/07/11	610.22 610.83	<1.48 <0.49	<0.68 <0.74	<0.61 <0.79	<0.42 <0.44	<0.39 <0.47	<0.2 <0.18
MW14	04/07/11	609.28	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18
MW15	04/07/11	609.52	<0.49	<0.74	<0.79	<0.44	<0.47	<0.18
PZ1	04/27/07 01/15/08 04/07/11	596.53 606.65 606.67	<4.8 <0.48 <0.49	<0.68 <0.68 <0.74	<9.5 <0.95 <0.79	<0.52 1.16 "J" 2.34	<0.44 <0.44 <0.47	<2 <0.2 <0.18
TW1	04/27/07	611.67	<24	310	<47.5	6000	92	<10
TW2	04/27/07	611.30	<24	1250	<47.5	5900	162	<10

Note:

<x = not detected above laboratory Limit of Detection of X

* = duplicate sample

XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis. Adm. Code) preventive action limit

XXX = exceeds NR 140, Wis. Adm. Code enforcement standard

APPENDIX A – WDNR FORMS

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 1

Facility/Project Name Express Cleaners, Incorporated			License/Permit/Monitoring Number -			Boring Number B34						
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Guenther Wisconsin Soil Testing			Date Drilling Started 4/1/2011		Date Drilling Completed 4/1/2011		Drilling Method hollow stem auger					
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL		Surface Elevation Feet MSL		Borehole Diameter 4.5 inches					
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Lat ° ' "			Local Grid Location						
State Plane NE 1/4 of NE 1/4 of Section 33, T 4 N, R 23 E			Long ° ' "			<input type="checkbox"/> N <input type="checkbox"/> E 80 Feet <input checked="" type="checkbox"/> S 87 Feet <input checked="" type="checkbox"/> W						
Facility ID		County Racine	County Code 52		Civil Town/City/ or Village Racine							
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		USCS	Graphic Log	Well Diagram	Soil Properties			RQD/ Comments
Number and Type	Length Att. & Recovered (in)								PII/FID	Compressive Strength	Moisture Content	
S3401 SS	24 22	8 10	1.5	SILTY SAND, some clay, some gravel, dark brown (10YR 3/3), moist, loose. (Fill)		SM			2.1	1		
S3402 SS	24 15	10 9	3.0	SILTY SAND, some gravel, yellowish brown (10YR 5/6), wet, loose. (Eolian Deposits)		SM			2.0	0		
S3403 SS	24 22	8 15	4.5			SM			3.0	0		
S3404 SS	24 22	17 20	6.0						3.7	1.5		
		8 22	7.5	SILTY CLAY, trace gravel, grayish brown (10YR 5/2), moist, mottled gray, very hard. (Till of the Oak Creek Formation) End of Borehole @ 9 feet below grade		CL-MH						
		24	9.0									

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm Bonestroo

12075 N. Corporate Parkway, Suite 200 Mequon, Wisconsin, 53092 Tel: 262-241-4466

Fax: 262-241-4901

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

Page 1 of 1

Facility/Project Name Express Cleaners, Incorporated			License/Permit/Monitoring Number -		Boring Number MW14						
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Guenther Wisconsin Soil Testing			Date Drilling Started 4/1/2011	Date Drilling Completed 4/1/2011	Drilling Method hollow stem auger						
WI Unique Well No.	DNR Well ID No.	Common Well Name MW14	Final Static Water Level 609.3 Feet MSL	Surface Elevation 614.4 Feet MSL	Borehole Diameter 8.5 inches						
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox" value="1"/>) or Boring Location <input type="checkbox"/>			Local Grid Location								
State Plane	N. E S/C/N	Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	<input type="checkbox"/> N	<input type="checkbox"/> E						
NE 1/4 of NE	1/4 of Section 33, T 4 N, R 23 E			110 Feet <input checked="" type="checkbox"/> S	110 Feet <input checked="" type="checkbox"/> W						
Facility ID		County Racine	County Code 52	Civil Town/City/ or Village Racine							
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit		U S C'S	Graphic Log	Well Diagram	Soil Properties				
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments	
MW14-1 SS	24 6	2 4	1.5	SILTY SAND, some clay, some gravel, dark brown (10YR 3/3), moist, loose. (Fill)	SM		0.6	0			
MW14-2 SS	24 18	2 2	3.0	SILTY SAND, some gravel, yellowish brown (10YR 5/6), moist becoming wet at 5fbg, loose. (Eolian Deposits)	SM		2.1	0			
MW14-3 SS	24 18	2 4	4.5			▼	1.2	1.25			
MW14-3 SS	24 5	2 5	6.0				1.4				
MW14-4 SS	24 18	2 5	7.5	SILTY CLAY, trace gravel, gray (10YR 5/1), moist, mottled gray, very hard. (Till of the Oak Creek Formation)			1.5	3			
MW14-5 SS	24 10	7 3	9.0		CL-ML		0.8	0			
MW14-6 SS	24 12	4 5	10.5				0.4	3.2			
MW14-7 SS	24 22	4 5	12.0				1.0	3.5			
		5	13.5	End of Borehole @ 14 feet below grade							
		7	15.0								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 


Firm **Bonestroo**
12075 N. Corporate Parkway, Suite 200 Mequon, Wisconsin 53092 Tel: 262-241-4466
Fax: 262-241-4901

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other

Page 1 of 1

Facility/Project Name Express Cleaners, Incorporated			License/Permit/Monitoring Number -		Boring Number MW15									
Boring Drilled By: Name of crew chief (first, last) and Firm Chuck Guenther Wisconsin Soil Testing			Date Drilling Started 4/1/2011	Date Drilling Completed 4/1/2011	Drilling Method hollow stem auger									
WT Unique Well No.	DNR Well ID No.	Common Well Name MW15	Final Static Water Level 609.5 Feet MSL	Surface Elevation 613.7 Feet MSL	Borehole Diameter 8.5 inches									
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/>			Local Grid Location											
State Plane NE 1/4 of NE 1/4 of Section 33, T 4 N. R 23 E			Lat <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	<input type="checkbox"/> N	<input type="checkbox"/> E									
County Racine			Long <input type="checkbox"/> ° <input type="checkbox"/> ' <input type="checkbox"/> "	80 Feet <input checked="" type="checkbox"/> S	195 Feet <input checked="" type="checkbox"/> W									
Facility ID		County Code 52	Civil Town/City/ or Village Racine											
Sample		Soil/Rock Description And Geologic Origin For Each Major Unit			Soil Properties				RQD/ Comments					
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In feet		T S C S	Graphic Log	Well Diagram	PID/FID		Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200
MW15-1 SS	24	1		SILTY SAND/TOP SOIL, some clay, some gravel, dark brown (10YR 3/3), moist, loose. (Fill/Topsoil)	SM			1.4	1.5					
MW15-2 SS	24	1		SILTY SAND, some gravel, yellowish brown (10YR 5/6), moist, loose. (Eolian Deposits)	SM			1.7	0					
MW15-3 SS	24	2		SILTY CLAY, trace gravel, gray (10YR 5/1), moist, mottled gray, very hard. (Till of the Oak Creek Formation)	CL-MI		▼	2.5	2.75					
MW15-4 SS	24	4						1.6	3					
MW15-5 SS	24	5						1.7	3					
MW15-6 SS	24	5						1.8	2.75					
MW15-7 SS	24	5		ROCK PUSH										Rock Push
				End of Borehole @ 14 feet below grade										
I hereby certify that the information on this form is true and correct to the best of my knowledge.														

Signature  Firm **Bonestroo**
12075 N. Corporate Parkway, Suite 200 Mequon, Wisconsin 53092 Tel: 262-241-4466
Fax: 262-241-4901

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Remediation/Redevelopment Waste Management Other

MONITORING WELL CONSTRUCTION
Form 4400-113A Rev. 7-98

Facility/Project Name Express Cleaners, Incorporated	Local Grid Location of Well 110 ft. <input type="checkbox"/> N. <input checked="" type="checkbox"/> S. 110 ft. <input type="checkbox"/> E. <input checked="" type="checkbox"/> W.	Well Name MW14
Facility License, Permit or Monitoring No.	Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/>	Wis. Unique Well No. <input type="checkbox"/> DNR Well Number <input type="checkbox"/>
Facility ID	Lat. <input type="checkbox"/> ° <input type="checkbox"/> ' Long. <input type="checkbox"/> ° <input type="checkbox"/> ' or St. Plane <input type="checkbox"/> ft. N. <input type="checkbox"/> ft. E. S/C/N	Date Well Installed 04/01/2011
Type of Well	Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 33 T. 4 N. R. 23 <input checked="" type="checkbox"/> E. <input type="checkbox"/> W.	Well Installed By: (Person's Name and Firm) Chuck Guenther
Well Code 11/mw	Location of Well Relative to Waste/Source u <input type="checkbox"/> Upgradient s <input type="checkbox"/> Sidegradient d <input type="checkbox"/> Downgradient n <input type="checkbox"/> Not Known	Gov. Lot Number <input type="checkbox"/>
Distance from Waste/ Source 150 ft.	Env. Stds. Apply <input type="checkbox"/>	

A. Protective pipe, top elevation 614.67 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation 614.42 ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> --
C. Land surface elevation 614.4 ft. MSL	d. Additional protection? If yes, describe: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
D. Surface seal, bottom 613.9 ft. MSL or 0.5 ft.	3. Surface seal: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> --
12. USCS classification of soil near screen: GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/> --
13. Sieve analysis attached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. ____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. ____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. ____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. _____ ft ³ volume added for any of the above
14. Drilling method used: Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> --	f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> --
16. Drilling additives used? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7. Fine sand material: Manufacturer, product name & mesh size a. Badger Mining 65-75
Describe _____	b. Volume added 0.25 ft³
17. Source of water (attach analysis, if required):	8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint #30
E. Bentonite seal, top 613.9 ft. MSL or 0.5 ft.	b. Volume added 0.7 ft³
F. Fine sand, top 611.9 ft. MSL or 2.5 ft.	9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> --
G. Filter pack, top 611.4 ft. MSL or 3.0 ft.	10. Screen material: a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --
H. Screen joint, top 610.4 ft. MSL or 4.0 ft.	b. Manufacturer _____
I. Well bottom 600.4 ft. MSL or 14.0 ft.	c. Slot size: 0.010 in.
J. Filter pack, bottom 600.4 ft. MSL or 14.0 ft.	d. Slotted length: 10.0 ft.
K. Borehole, bottom 599.4 ft. MSL or 15.0 ft.	11. Backfill material (below filter pack): None <input type="checkbox"/> 1.4 Other <input checked="" type="checkbox"/> --
L. Borehole, diameter 8.5 in.	
M. O.D. well casing 2.10 in.	
N. I.D. well casing 2.00 in.	

The diagram illustrates the cross-section of a monitoring well. It shows a vertical borehole with several distinct layers and components. At the top is a protective pipe (labeled A). Below it is a well casing (labeled B) with a screen joint (labeled H) and a borehole bottom (labeled K). The borehole contains a filter pack (labeled G) and a borehole diameter (labeled L). The well casing has a top (labeled E) and a bottom (labeled M). A fine sand seal (labeled F) is at the top of the well casing. A bentonite seal (labeled E) is at the very top of the borehole. The borehole itself is shown with a borehole bottom (labeled K) and a borehole diameter (labeled L).

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 	Firm Bonestroo 12075 N. Corporate Parkway, Suite 200 Mequon, Wisconsin, 53092	Tel: 262-241-4466 Fax: 262-241-4901
---------------	--	--

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

Route To:

Watershed/Wastewater

Waste Management

Remediation/Redevelopment

Other

MONITORING WELL CONSTRUCTION

Form 4400-113A

Rev. 7-98

Facility/Project Name Express Cleaners, Incorporated	Local Grid Location of Well 80 ft. <input type="checkbox"/> N. 195 ft. <input type="checkbox"/> E. <input checked="" type="checkbox"/> S. <input type="checkbox"/> W.	Well Name MW15
Facility License, Permit or Monitoring No.	Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input type="checkbox"/>) or Well Location <input type="checkbox"/> Lat. ____ ° ____ ' ____ " Long. ____ ° ____ ' ____ " or St. Plane _____ ft. N. _____ ft. E. S/C/N	Wis. Unique Well No. DNR Well Number
Facility ID	Section Location of Waste/Source NE 1/4 of NE 1/4 of Sec. 33 T. 4 N. R. 23 <input type="checkbox"/> E. <input type="checkbox"/> W.	Date Well Installed 04/01/2011
Type of Well	Well Code 11/mw Distance from Waste/ Source 220 ft. Enf. Stds. Apply <input type="checkbox"/>	Well Installed By: (Person's Name and Firm) Chuck Guenther Wisconsin Soil Testing

A. Protective pipe, top elevation	613.79 ft. MSL	1. Cap and lock? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B. Well casing, top elevation	613.65 ft. MSL	2. Protective cover pipe: a. Inside diameter: 10.0 in. b. Length: 1.0 ft. c. Material: Steel <input checked="" type="checkbox"/> 0.4 Other <input type="checkbox"/> --
C. Land surface elevation	613.7 ft. MSL	d. Additional protection? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, describe: Bentonite <input type="checkbox"/> 3.0 Concrete <input checked="" type="checkbox"/> 0.1 Other <input type="checkbox"/> --
D. Surface seal, bottom	613.2 ft. MSL or 0.5 ft.	3. Surface seal: _____
12. USCS classification of soil near screen:	GP <input type="checkbox"/> GM <input type="checkbox"/> GC <input type="checkbox"/> GW <input type="checkbox"/> SW <input type="checkbox"/> SP <input type="checkbox"/> SM <input checked="" type="checkbox"/> SC <input type="checkbox"/> ML <input checked="" type="checkbox"/> MH <input type="checkbox"/> CL <input checked="" type="checkbox"/> CH <input type="checkbox"/> Bedrock <input type="checkbox"/>	4. Material between well casing and protective pipe: Bentonite <input checked="" type="checkbox"/> 3.0 Other <input type="checkbox"/> --
13. Sieve analysis attached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. Annular space seal: a. Granular/Chipped Bentonite <input checked="" type="checkbox"/> 3.3 b. ____ Lbs/gal mud weight ... Bentonite-sand slurry <input type="checkbox"/> 3.5 c. ____ Lbs/gal mud weight ... Bentonite slurry <input type="checkbox"/> 3.1 d. ____ % Bentonite ... Bentonite-cement grout <input type="checkbox"/> 5.0 e. ____ ft ³ volume added for any of the above f. How installed: Tremie <input type="checkbox"/> 0.1 Tremie pumped <input type="checkbox"/> 0.2 Gravity <input checked="" type="checkbox"/> 0.8
14. Drilling method used:	Rotary <input type="checkbox"/> 5.0 Hollow Stem Auger <input checked="" type="checkbox"/> 4.1 Other <input type="checkbox"/> --	6. Bentonite seal: a. Bentonite granules <input checked="" type="checkbox"/> 3.3 b. <input type="checkbox"/> 1/4 in. <input type="checkbox"/> 3/8 in. <input type="checkbox"/> 1/2 in. Bentonite chips <input type="checkbox"/> 3.2 c. _____ Other <input type="checkbox"/> --
15. Drilling fluid used: Water <input type="checkbox"/> 0.2 Air <input type="checkbox"/> 0.1 Drilling Mud <input type="checkbox"/> 0.3 None <input checked="" type="checkbox"/> 9.9	7. Fine sand material: Manufacturer, product name & mesh size a. Badger Mining 65-75 b. Volume added 0.25 ft ³	
16. Drilling additives used?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Describe _____	8. Filter pack material: Manufacturer, product name & mesh size a. Red Flint #30 b. Volume added 0.7 ft ³
17. Source of water (attach analysis, if required):		9. Well casing: Flush threaded PVC schedule 40 <input checked="" type="checkbox"/> 2.3 Flush threaded PVC schedule 80 <input type="checkbox"/> 2.4 Other <input type="checkbox"/> --
E. Bentonite seal, top	613.2 ft. MSL or 0.5 ft.	10. Screen material: Schedule 40 PVC a. Screen Type: Factory cut <input checked="" type="checkbox"/> 1.1 Continuous slot <input type="checkbox"/> 0.1 Other <input type="checkbox"/> --
F. Fine sand, top	611.2 ft. MSL or 2.5 ft.	b. Manufacturer _____ c. Slot size: 0.010 in. d. Slotted length: 10.0 ft.
G. Filter pack, top	610.7 ft. MSL or 3.0 ft.	
H. Screen joint, top	609.7 ft. MSL or 4.0 ft.	
I. Well bottom	599.7 ft. MSL or 14.0 ft.	
J. Filter pack, bottom	599.7 ft. MSL or 14.0 ft.	
K. Borehole, bottom	598.7 ft. MSL or 15.0 ft.	
L. Borehole, diameter	8.5 in.	
M. O.D. well casing	2.10 in.	
N. I.D. well casing	2.00 in.	

The diagram illustrates a vertical monitoring well borehole. It shows the following layers from top to bottom:

- A:** Protective pipe (top elevation 613.79 ft MSL).
- B:** Well casing (top elevation 613.65 ft MSL).
- C:** Land surface elevation (613.7 ft MSL).
- D:** Surface seal, bottom (613.2 ft MSL or 0.5 ft).
- E:** Bentonite seal, top (613.2 ft MSL or 0.5 ft).
- F:** Fine sand, top (611.2 ft MSL or 2.5 ft).
- G:** Filter pack, top (610.7 ft MSL or 3.0 ft).
- H:** Screen joint, top (609.7 ft MSL or 4.0 ft).
- I:** Well bottom (599.7 ft MSL or 14.0 ft).
- J:** Filter pack, bottom (599.7 ft MSL or 14.0 ft).
- K:** Borehole, bottom (598.7 ft MSL or 15.0 ft).
- L:** Borehole, diameter (8.5 in.).
- M:** O.D. well casing (2.10 in.).
- N:** I.D. well casing (2.00 in.).

 The borehole is surrounded by soil layers, and the well components are shown as concentric cylinders with various textures representing different materials like bentonite, sand, and filter pack.

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature	Firm Bonestroo 12075 N. Corporate Parkway, Suite 200 Mequon, Wisconsin 53092	Tel: 262-241-4466 Fax: 262-241-4901
-----------	---	--

Please complete both Forms 4400-113A and 4400-113B and return them to the appropriate DNR office and bureau. Completion of these reports is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file these forms may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on these forms is not intended to be used for any other purpose. NOTE: See the instructions for more information, including where the completed forms should be sent.

APPENDIX B – LABORATORY ANALYTICAL REPORT AND CHAIN-OF-CUSTODY RECORD

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
12075 N. CORPORATE PARKWAY
MEQUON WI 53092

Report Date 14-Apr-11

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065A
Sample ID MW1
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B			CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B			CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B			CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	1
sec-Butylbenzene	< 1	ug/l		3.3	1	8260B			CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B			CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B			CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B			CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B			CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B			CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B			CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B			CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B			CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B			CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B			CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B			CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B			CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B			CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B			CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B			CJR	1
cis-1,2-Dichloroethene	15.3	ug/l	0.74	2.4	1	8260B			CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B			CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B			CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B			CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B			CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B			CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065A
Sample ID MW1
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	173	ug/l	2.2	7	5	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethene (TCE)	4.9	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065B
Sample ID MW2
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065B
Sample ID MW2
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	22.7	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	0.86 "J"	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	94	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	9.0	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065C
Sample ID MW3
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 25	ug/l	25	80	50	8260B		4/13/2011	CJR	1
Bromobenzene	< 37	ug/l	37	120	50	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 34	ug/l	34	110	50	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065C
Sample ID MW3
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 21.5	ug/l	21.5	70	50	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 35.5	ug/l	35.5	115	50	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 50	ug/l	50	165	50	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 45	ug/l	45	145	50	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 23.5	ug/l	23.5	75	50	8260B		4/13/2011	CJR	1
Chlorobenzene	< 25.5	ug/l	25.5	80	50	8260B		4/13/2011	CJR	1
Chloroethane	< 70	ug/l	70	225	50	8260B		4/13/2011	CJR	1
Chloroform	< 24.5	ug/l	24.5	75	50	8260B		4/13/2011	CJR	1
Chloromethane	< 95	ug/l	95	305	50	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 35	ug/l	35	110	50	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 22	ug/l	22	70	50	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	445	50	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 27.5	ug/l	27.5	90	50	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	155	50	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 43.5	ug/l	43.5	140	50	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 38	ug/l	38	120	50	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	295	50	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 25	ug/l	25	80	50	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 49	ug/l	49	155	50	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 30	ug/l	30	95	50	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	600	ug/l	37	120	50	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 39.5	ug/l	39.5	125	50	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 20	ug/l	20	65	50	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 95	ug/l	95	295	50	8260B		4/13/2011	CJR	4
1,3-Dichloropropane	< 35.5	ug/l	35.5	115	50	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 34.5	ug/l	34.5	110	50	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		4/13/2011	CJR	1
Ethylbenzene	< 39	ug/l	39	125	50	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	340	50	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 46	ug/l	46	145	50	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 46	ug/l	46	145	50	8260B		4/13/2011	CJR	1
Methylene chloride	< 55	ug/l	55	170	50	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 40	ug/l	40	125	50	8260B		4/13/2011	CJR	1
Naphthalene	< 105	ug/l	105	340	50	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 29.5	ug/l	29.5	95	50	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 26.5	ug/l	26.5	85	50	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 50	ug/l	50	160	50	8260B		4/13/2011	CJR	1
Tetrachloroethene	770	ug/l	22	70	50	8260B		4/13/2011	CJR	1
Toluene	< 26.5	ug/l	26.5	85	50	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 65	ug/l	65	210	50	8260B		4/13/2011	CJR	2
I,1,I-Trichloroethane	< 42.5	ug/l	42.5	135	50	8260B		4/13/2011	CJR	1
I,1,2-Trichloroethane	< 23.5	ug/l	23.5	75	50	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	82	ug/l	23.5	75	50	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 85	ug/l	85	265	50	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	125	50	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l	37	120	50	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 9	ug/l	9	28	50	8260B		4/13/2011	CJR	1
m&p-Xylene	< 55	ug/l	55	175	50	8260B		4/13/2011	CJR	1
o-Xylene	< 40	ug/l	40	130	50	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			50	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	100	REC %			50	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065C
Sample ID MW3
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	102	REC %			50	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			50	8260B		4/13/2011	CJR	1

Lab Code 5022065D
Sample ID MW4
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l		3.3	1	8260B		4/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/12/2011	CJR	1
Chloroethane	< 1.4	ug/l		4.5	1	8260B		4/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/12/2011	CJR	1
Chloromethane	< 1.9	ug/l		6.1	1	8260B		4/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		8.9	1	8260B		4/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l		5.9	1	8260B		4/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l		5.9	1	8260B		4/12/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l		6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l		3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065D
Sample ID MW4
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065E
Sample ID MW5
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/12/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/12/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065E
Sample ID MW5
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	94	' REC %			1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	108	' REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	99	' REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	104	' REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065F
Sample ID MW6
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/12/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065F
Sample ID MW6
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/12/2011	CJR	1
cis-1,2-Dichloroethene	19.1	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/12/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	6.5	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethene (TCE)	3.03	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065G
Sample ID MW7
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065G
Sample ID MW7
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l		1.9	5.9	1	8260B		4/13/2011	CJR	4.8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l		2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
Methylene chloride	< 1.1	ug/l		1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
Naphthalene	< 2.1	ug/l		2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l		1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l		1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		4/13/2011	CJR	1	
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065G
Sample ID MW7
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065H
Sample ID MW8
Sample Matrix Water
Sample Date 4/7/2011

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 25	ug/l	25	80	50	8260B		4/14/2011	CJR	1
Bromobenzene	< 37	ug/l	37	120	50	8260B		4/14/2011	CJR	1
Bromodichloromethane	< 34	ug/l	34	110	50	8260B		4/14/2011	CJR	1
Bromoform	< 21.5	ug/l	21.5	70	50	8260B		4/14/2011	CJR	1
tert-Butylbenzene	< 35.5	ug/l	35.5	115	50	8260B		4/14/2011	CJR	1
sec-Butylbenzene	< 50	ug/l	50	165	50	8260B		4/14/2011	CJR	1
n-Butylbenzene	< 45	ug/l	45	145	50	8260B		4/14/2011	CJR	1
Carbon Tetrachloride	< 23.5	ug/l	23.5	75	50	8260B		4/14/2011	CJR	1
Chlorobenzene	< 25.5	ug/l	25.5	80	50	8260B		4/14/2011	CJR	1
Chloroethane	< 70	ug/l	70	225	50	8260B		4/14/2011	CJR	1
Chloroform	< 24.5	ug/l	24.5	75	50	8260B		4/14/2011	CJR	1
Chloromethane	< 95	ug/l	95	305	50	8260B		4/14/2011	CJR	1
2-Chlorotoluene	< 35	ug/l	35	110	50	8260B		4/14/2011	CJR	1
4-Chlorotoluene	< 22	ug/l	22	70	50	8260B		4/14/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	445	50	8260B		4/14/2011	CJR	1
Dibromochloromethane	< 27.5	ug/l	27.5	90	50	8260B		4/14/2011	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	155	50	8260B		4/14/2011	CJR	1
1,3-Dichlorobenzene	< 43.5	ug/l	43.5	140	50	8260B		4/14/2011	CJR	1
1,2-Dichlorobenzene	< 38	ug/l	38	120	50	8260B		4/14/2011	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	295	50	8260B		4/14/2011	CJR	1
1,2-Dichloroethane	< 25	ug/l	25	80	50	8260B		4/14/2011	CJR	1
1,1-Dichloroethane	< 49	ug/l	49	155	50	8260B		4/14/2011	CJR	1
1,1-Dichloroethene	< 30	ug/l	30	95	50	8260B		4/14/2011	CJR	1
cis-1,2-Dichloroethene	99 "J"	ug/l	37	120	50	8260B		4/14/2011	CJR	1
trans-1,2-Dichloroethene	< 39.5	ug/l	39.5	125	50	8260B		4/14/2011	CJR	1
1,2-Dichloropropane	< 20	ug/l	20	65	50	8260B		4/14/2011	CJR	1
2,2-Dichloropropane	< 95	ug/l	95	295	50	8260B		4/14/2011	CJR	4.8
1,3-Dichloropropane	< 35.5	ug/l	35.5	115	50	8260B		4/14/2011	CJR	1
Di-isopropyl ether	< 34.5	ug/l	34.5	110	50	8260B		4/14/2011	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		4/14/2011	CJR	1
Ethylbenzene	< 39	ug/l	39	125	50	8260B		4/14/2011	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	340	50	8260B		4/14/2011	CJR	1
Isopropylbenzene	< 46	ug/l	46	145	50	8260B		4/14/2011	CJR	1
p-Isopropyltoluene	< 46	ug/l	46	145	50	8260B		4/14/2011	CJR	1
Methylene chloride	< 55	ug/l	55	170	50	8260B		4/14/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 40	ug/l	40	125	50	8260B		4/14/2011	CJR	1
Naphthalene	< 105	ug/l	105	340	50	8260B		4/14/2011	CJR	1
n-Propylbenzene	< 29.5	ug/l	29.5	95	50	8260B		4/14/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 26.5	ug/l	26.5	85	50	8260B		4/14/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 50	ug/l	50	160	50	8260B		4/14/2011	CJR	1
Tetrachloroethene	810	ug/l	22	70	50	8260B		4/14/2011	CJR	1
Toluene	< 26.5	ug/l	26.5	85	50	8260B		4/14/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065H
Sample ID MW8
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B		4/14/2011	CJR	1	
1,2,3-Trichlorobenzene	< 65	ug/l		65	210	50	8260B		4/14/2011	CJR	1
1,1,1-Trichloroethane	< 42.5	ug/l		42.5	135	50	8260B		4/14/2011	CJR	1
1,1,2-Trichloroethane	< 23.5	ug/l		23.5	75	50	8260B		4/14/2011	CJR	1
Trichloroethylene (TCE)	< 23.5	ug/l		23.5	75	50	8260B		4/14/2011	CJR	1
Trichlorofluoromethane	< 85	ug/l		85	265	50	8260B		4/14/2011	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l		40	125	50	8260B		4/14/2011	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l		37	120	50	8260B		4/14/2011	CJR	1
Vinyl Chloride	< 9	ug/l		9	28	50	8260B		4/14/2011	CJR	1
m&p-Xylene	< 55	ug/l		55	175	50	8260B		4/14/2011	CJR	1
o-Xylene	< 40	ug/l		40	130	50	8260B		4/14/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %				50	8260B		4/14/2011	CJR	1
SUR - Toluene-d8	104	REC %				50	8260B		4/14/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %				50	8260B		4/14/2011	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				50	8260B		4/14/2011	CJR	1

Lab Code 5022065I
Sample ID MW9
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic											
VOC's											
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1	
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1	
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1	
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1	
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4.8	
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0
Lab Code 50220651
Sample ID MW9
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	1.52	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 50220651
Sample ID MW10
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065J
Sample ID MW10
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065K
Sample ID MW11
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065K
Sample ID MW11
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l		1.9	5.9	1	8260B		4/13/2011	CJR	4.8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l		2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
Methylene chloride	< 1.1	ug/l		1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
Naphthalene	< 2.1	ug/l		2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l		1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l		1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/13/2011	CJR	1	
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065K
Sample ID MW11
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065L
Sample ID MW12
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	1.91 "J"	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4.8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	5.4	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065L
Sample ID MW12
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065M
Sample ID MW13
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065M
Sample ID MW13
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065N
Sample ID MW14
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065N
Sample ID MW14
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	89	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065O
Sample ID MW15
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065O
Sample ID MW15
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropene	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropene	< 1.9	ug/l		1.9	5.9	1	8260B		4/13/2011	CJR	4.8
1,3-Dichloropropene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l		2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
Methylene chloride	< 1.1	ug/l		1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1	
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1	
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l		1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		4/13/2011	CJR	1	
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065O
Sample ID MW15
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065P
Sample ID PZ1
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4.8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	2.34	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065P
Sample ID PZ1
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065Q
Sample ID DUP
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.5	ug/l	2.5	8	5	8260B		4/14/2011	CJR	1
Bromobenzene	< 3.7	ug/l	3.7	12	5	8260B		4/14/2011	CJR	1
Bromodichloromethane	< 3.4	ug/l	3.4	11	5	8260B		4/14/2011	CJR	1
Bromoform	< 2.15	ug/l	2.15	7	5	8260B		4/14/2011	CJR	1
tert-Butylbenzene	< 3.55	ug/l	3.55	11.5	5	8260B		4/14/2011	CJR	1
sec-Butylbenzene	< 5	ug/l	5	16.5	5	8260B		4/14/2011	CJR	1
n-Butylbenzene	< 4.5	ug/l	4.5	14.5	5	8260B		4/14/2011	CJR	1
Carbon Tetrachloride	< 2.35	ug/l	2.35	7.5	5	8260B		4/14/2011	CJR	1
Chlorobenzene	< 2.55	ug/l	2.55	8	5	8260B		4/14/2011	CJR	1
Chloroethane	< 7	ug/l	7	22.5	5	8260B		4/14/2011	CJR	1
Chloroform	< 2.45	ug/l	2.45	7.5	5	8260B		4/14/2011	CJR	1
Chloromethane	< 9.5	ug/l	9.5	30.5	5	8260B		4/14/2011	CJR	1
2-Chlorotoluene	< 3.5	ug/l	3.5	11	5	8260B		4/14/2011	CJR	1
4-Chlorotoluene	< 2.2	ug/l	2.2	7	5	8260B		4/14/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	44.5	5	8260B		4/14/2011	CJR	1
Dibromochloromethane	< 2.75	ug/l	2.75	9	5	8260B		4/14/2011	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	15.5	5	8260B		4/14/2011	CJR	1
1,3-Dichlorobenzene	< 4.35	ug/l	4.35	14	5	8260B		4/14/2011	CJR	1
1,2-Dichlorobenzene	< 3.8	ug/l	3.8	12	5	8260B		4/14/2011	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	29.5	5	8260B		4/14/2011	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	8	5	8260B		4/14/2011	CJR	1
1,1-Dichloroethane	< 4.9	ug/l	4.9	15.5	5	8260B		4/14/2011	CJR	1
1,1-Dichloroethylene	< 3	ug/l	3	9.5	5	8260B		4/14/2011	CJR	1
cis-1,2-Dichloroethene	17.8	ug/l	3.7	12	5	8260B		4/14/2011	CJR	1
trans-1,2-Dichloroethene	< 3.95	ug/l	3.95	12.5	5	8260B		4/14/2011	CJR	1
1,2-Dichloropropane	< 2	ug/l	2	6.5	5	8260B		4/14/2011	CJR	1
2,2-Dichloropropane	< 9.5	ug/l	9.5	29.5	5	8260B		4/14/2011	CJR	4.8
1,3-Dichloropropane	< 3.55	ug/l	3.55	11.5	5	8260B		4/14/2011	CJR	1
Di-isopropyl ether	< 3.45	ug/l	3.45	11	5	8260B		4/14/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065Q
Sample ID DUP
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 3.15	ug/l	3.15	10	5	8260B		4/14/2011	CJR	1
Ethylbenzene	< 3.9	ug/l	3.9	12.5	5	8260B		4/14/2011	CJR	1
Hexachlorobutadiene	< 11	ug/l	11	34	5	8260B		4/14/2011	CJR	1
Isopropylbenzene	< 4.6	ug/l	4.6	14.5	5	8260B		4/14/2011	CJR	1
p-Isopropyltoluene	< 4.6	ug/l	4.6	14.5	5	8260B		4/14/2011	CJR	1
Methylene chloride	< 5.5	ug/l	5.5	17	5	8260B		4/14/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 4	ug/l	4	12.5	5	8260B		4/14/2011	CJR	1
Naphthalene	< 10.5	ug/l	10.5	34	5	8260B		4/14/2011	CJR	1
n-Propylbenzene	< 2.95	ug/l	2.95	9.5	5	8260B		4/14/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 2.65	ug/l	2.65	8.5	5	8260B		4/14/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 5	ug/l	5	16	5	8260B		4/14/2011	CJR	1
Tetrachloroethene	58	ug/l	2.2	7	5	8260B		4/14/2011	CJR	1
Toluene	< 2.65	ug/l	2.65	8.5	5	8260B		4/14/2011	CJR	1
1,2,4-Trichlorobenzene	< 7.5	ug/l	7.5	23	5	8260B		4/14/2011	CJR	1
1,2,3-Trichlorobenzene	< 6.5	ug/l	6.5	21	5	8260B		4/14/2011	CJR	1
1,1,1-Trichloroethane	< 4.25	ug/l	4.25	13.5	5	8260B		4/14/2011	CJR	1
1,1,2-Trichloroethane	< 2.35	ug/l	2.35	7.5	5	8260B		4/14/2011	CJR	1
Trichloroethene (TCE)	6.5 "J"	ug/l	2.35	7.5	5	8260B		4/14/2011	CJR	1
Trichlorofluoromethane	< 8.5	ug/l	8.5	26.5	5	8260B		4/14/2011	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.5	5	8260B		4/14/2011	CJR	1
1,3,5-Trimethylbenzene	< 3.7	ug/l	3.7	12	5	8260B		4/14/2011	CJR	1
Vinyl Chloride	< 0.9	ug/l	0.9	2.8	5	8260B		4/14/2011	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	17.5	5	8260B		4/14/2011	CJR	1
o-Xylene	< 4	ug/l	4	13	5	8260B		4/14/2011	CJR	1
SUR - Toluene-d8	101	REC %			5	8260B		4/14/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			5	8260B		4/14/2011	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			5	8260B		4/14/2011	CJR	1
SUR - Dibromofluoromethane	97	REC %			5	8260B		4/14/2011	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 2 Relative percent difference failed for laboratory spiked samples.
- 4 The continuing calibration standard not within established limits.
- 8 Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Chain of Custody Record Request for Analysis

Bones Co

lot 2

Check office originating request

12075 Corporate Pkwy, Suite 200
Mequon, WI 53092
262-241-4466

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600

954 Circle Drive
Green Bay, WI 54304
920-592-8400

330 4th Avenue S
Park Falls, WI 54552
715-762-1544

Project No.: <u>3592-09001-0</u>			Project Location: (City) <u>Racine, WI</u>		Sample Integrity - To be completed by the receiving lab. Seal intact upon receipt?											
Project Manager: <u>Chris Haffield</u>			Laboratory: <u>Synergy</u>		Method of Shipment: <u>Ground</u>		ANALYSIS REQUESTED									
Sampler: (Name) <u>Andy Savan</u>			Laboratory Contact:		Contents Temperature: <u>ICE</u> °C											
Sampler: (Signature) <u>AS</u>			Price Quote:		Refrigerator No.:											
Sampling Dates: <u>4/7/2011</u>			Turnaround Time Required <u>5 day turn</u>		Date Needed: <u>4/15/2011</u>											
Report to be Sent to: <u>Chris Haffield</u>			<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush													
Lab ID No.	Sample No.	Collection		Comp	Grab	Filtered y/n	No. of Containers Size & Type	Description			Preservative	BTEX (EPA Method 8020)	(PVOOC (EPA Method 8020))	VOC (EPA Method 8020)	PAH (EPA Method 8020)	Pb (EPA Method 8020)
		Date	Time					Water	Soil	Other						
A	MW1	4/7			X	N	3x 40mL	X			HCl		X			
B	MW2				X	1		X					X			
C	MW3				X			X					X			
D	MW4				X			X					X			
E	MW5				X			X					X			
F	MW6				X			X					X			
G	MW7				X			X					X			
H	MW8				X			X					X			
I	MW9	✓			X	N	4	X		✓			X			
Packed for Shipping by: <u>AS</u>			Comments: _____													
Shipment Date: <u>4/8/2011</u>																
Relinquished By: <u>AS</u>			Date: <u>4/8/11</u>			Relinquished By: _____			Date: _____			Relinquished By: _____			Date: _____	
Company: <u>BoneCo</u>			Time: <u>5:25</u>			Company: _____			Time: _____			Company: _____			Time: _____	
Received By: <u>AS</u>			Date: <u>4/8/11</u>			Received By: <u>AS</u>			Date: <u>4/9/11</u>			Received By: _____			Date: _____	
Company: <u>DUN</u>			Time: <u>2:25</u>			Company: <u>See</u>			Time: <u>10:00</u>			Company: _____			Time: _____	

Chain of Custody Record Request for Analysis

Bones 00
2 of 2

Check office originating request

12075 Corporate Pkwy, Suite 200
Mequon, WI 53092
262-241-4466

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600

954 Circle Drive
Green Bay, WI 54304
920-592-8400

330 4th Avenue S
Park Falls, WI 54552
715-762-1544

Project No.: 3592-09001-C		Project Location: (City) Racine, WI		Sample Integrity - To be completed by the receiving lab. Seal intact upon receipt? <input type="checkbox"/> Yes <input type="checkbox"/> No													
Project Manager: Chris Hatfield		Laboratory: Synergy		Method of Shipment:		ANALYSIS REQUESTED											
Sampler: (Name) Andy Swain		Laboratory Contact: Andy Swain		Contents Temperature: °C													
Sampler: (Signature) Andy Swain		Price Quote:		Refrigerator No.:													
Sampling Dates: 4/7/2011		Turnaround Time Required: 5 Day Turn		Date Needed: 4/15/2011													
Report to be Sent to: Chris Hatfield		<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush															
Lab ID No.	Sample No.	Collection		Comp	Grab	Filtered y/n	No. of Containers	Description			Preservative	BTEX (EPA Method 8020)	(PVCOC (EPA Method 8020))	VOC (EPA Method 8020)	PAH (EPA Method 8020)	Pb (EPA Method 8020)	
		Date	Time					Size & Type	Water	Soil							Other
220653	MW10	4/7		X	N	3x 40mL	X			HCl	X	X	X	X			
E	MW11			X			X				X						
L	MW12			X			X				X						
M	MW13			X			X				X						
N	MW14			X			X				X						
O	MW15			X			X				X						
P	PZ1			X			X				X						
Q	Pyp			X		✓	X				X						
				X	✓		X										
Packed for Shipping by: AS				Comments													
Shipment Date: 4/8/2011																	
Relinquished By: AS		Date: 4/8/11		Relinquished By:				Date:			Relinquished By:				Date:		
Company: Bones Bros		Time: 2:25															
Received By: AS		Date: 4/8/11		Received By: Chris Swain				Date: 4/8/11			Received By:				Date:		
Company: DCH-2		Time: 2:25															
Company:		Date:	Company:				Date:			Company:				Date:			
Company:		Date:	Company:				Date:			Company:				Date:			
Company:		Date:	Company:				Date:			Company:				Date:			

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

CHRIS HATFIELD
BONESTROO
12075 N. CORPORATE PARKWAY
MEQUON WI 53092

Report Date 14-Apr-11

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065A
Sample ID MW1
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic VOC's											
VOC's											
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B			CJR	1	
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B	4/12/2011		CJR	1	
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B	4/12/2011		CJR	1	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B	4/12/2011		CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	4/12/2011		CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B	4/12/2011		CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B	4/12/2011		CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B	4/12/2011		CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B	4/12/2011		CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B	4/12/2011		CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B	4/12/2011		CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B	4/12/2011		CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B	4/12/2011		CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B	4/12/2011		CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B	4/12/2011		CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B	4/12/2011		CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	4/12/2011		CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B	4/12/2011		CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B	4/12/2011		CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B	4/12/2011		CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	4/12/2011		CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B	4/12/2011		CJR	1	
1,1-Dichloroethene	< 0.6	ug/l		0.6	1.9	1	8260B	4/12/2011		CJR	1
cis-1,2-Dichloroethene	15.3	ug/l	0.74	2.4	1	8260B	4/12/2011		CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B	4/12/2011		CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	4/12/2011		CJR	1	
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B	4/12/2011		CJR	4	
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B	4/12/2011		CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B	4/12/2011		CJR	1	

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065A
Sample ID MW1
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	173	ug/l	2.2	7	5	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethylene (TCE)	4.9	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065B
Sample ID MW2
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065B
Sample ID MW2
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	22.7	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	0.86 "J"	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l		3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethylene	94	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethylene (TCE)	9.0	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	91	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065C
Sample ID MW3
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 25	ug/l	25	80	50	8260B		4/13/2011	CJR	1
Bromobenzene	< 37	ug/l	37	120	50	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 34	ug/l	34	110	50	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065C
Sample ID MW3
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 21.5	ug/l	21.5	70	50	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 35.5	ug/l	35.5	115	50	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 50	ug/l	50	165	50	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 45	ug/l	45	145	50	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 23.5	ug/l	23.5	75	50	8260B		4/13/2011	CJR	1
Chlorobenzene	< 25.5	ug/l	25.5	80	50	8260B		4/13/2011	CJR	1
Chloroethane	< 70	ug/l	70	225	50	8260B		4/13/2011	CJR	1
Chloroform	< 24.5	ug/l	24.5	75	50	8260B		4/13/2011	CJR	1
Chloromethane	< 95	ug/l	95	305	50	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 35	ug/l	35	110	50	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 22	ug/l	22	70	50	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	445	50	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 27.5	ug/l	27.5	90	50	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	155	50	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 43.5	ug/l	43.5	140	50	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 38	ug/l	38	120	50	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	295	50	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 25	ug/l	25	80	50	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 49	ug/l	49	155	50	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 30	ug/l	30	95	50	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	600	ug/l	37	120	50	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 39.5	ug/l	39.5	125	50	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 20	ug/l	20	65	50	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 95	ug/l	95	295	50	8260B		4/13/2011	CJR	4
1,3-Dichloropropane	< 35.5	ug/l	35.5	115	50	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 34.5	ug/l	34.5	110	50	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		4/13/2011	CJR	1
Ethylbenzene	< 39	ug/l	39	125	50	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	340	50	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 46	ug/l	46	145	50	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 46	ug/l	46	145	50	8260B		4/13/2011	CJR	1
Methylene chloride	< 55	ug/l	55	170	50	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 40	ug/l	40	125	50	8260B		4/13/2011	CJR	1
Naphthalene	< 105	ug/l	105	340	50	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 29.5	ug/l	29.5	95	50	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 26.5	ug/l	26.5	85	50	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 50	ug/l	50	160	50	8260B		4/13/2011	CJR	1
Tetrachloroethene	770	ug/l	22	70	50	8260B		4/13/2011	CJR	1
Toluene	< 26.5	ug/l	26.5	85	50	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 65	ug/l	65	210	50	8260B		4/13/2011	CJR	2
1,1,1-Trichloroethane	< 42.5	ug/l	42.5	135	50	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 23.5	ug/l	23.5	75	50	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	82	ug/l	23.5	75	50	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 85	ug/l	85	265	50	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	125	50	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l	37	120	50	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 9	ug/l	9	28	50	8260B		4/13/2011	CJR	1
m&p-Xylene	< 55	ug/l	55	175	50	8260B		4/13/2011	CJR	1
o-Xylene	< 40	ug/l	40	130	50	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			50	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	100	REC %			50	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065C
Sample ID MW3
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	102	REC %			50	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			50	8260B		4/13/2011	CJR	1

Lab Code 5022065D
Sample ID MW4
Sample Matrix Water
Sample Date 4/7/2011

Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/12/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065D
Sample ID MW4
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065E
Sample ID MW5
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/12/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/12/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/12/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/12/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065E
Sample ID MW5
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l		3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065F
Sample ID MW6
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/12/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/12/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
sec-Butylbenzene	< 1	ug/l		3.3	1	8260B		4/12/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/12/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/12/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/12/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/12/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/12/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/12/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/12/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/12/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065F
Sample ID MW6
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/12/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/12/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/12/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/12/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/12/2011	CJR	1
cis-1,2-Dichloroethene	19.1	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/12/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/12/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/12/2011	CJR	4
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/12/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/12/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/12/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/12/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/12/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/12/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/12/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/12/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/12/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/12/2011	CJR	1
Tetrachloroethene	6.5	ug/l	0.44	1.4	1	8260B		4/12/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/12/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/12/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/12/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/12/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichloroethene (TCE)	3.03	ug/l	0.47	1.5	1	8260B		4/12/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/12/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/12/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/12/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/12/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/12/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/12/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/12/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/12/2011	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		4/12/2011	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/12/2011	CJR	1

Lab Code 5022065G
Sample ID MW7
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065G
Sample ID MW7
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B	4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B	4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B	4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B	4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B	4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B	4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B	4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B	4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B	4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B	4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B	4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B	4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B	4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B	4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B	4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B	4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B	4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l		0.6	1.9	1	8260B	4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B	4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B	4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l		1.9	5.9	1	8260B	4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B	4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B	4/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	4/13/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B	4/13/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l		2.2	6.8	1	8260B	4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B	4/13/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B	4/13/2011	CJR	1	
Methylene chloride	< 1.1	ug/l		1.1	3.4	1	8260B	4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B	4/13/2011	CJR	1	
Naphthalene	< 2.1	ug/l		2.1	6.8	1	8260B	4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B	4/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B	4/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B	4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B	4/13/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B	4/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B	4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l		1.3	4.2	1	8260B	4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B	4/13/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B	4/13/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	4/13/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l		1.7	5.3	1	8260B	4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B	4/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B	4/13/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B	4/13/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.5	1	8260B	4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B	4/13/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B	4/13/2011	CJR	1	
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B	4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065G
Sample ID MW7
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065H
Sample ID MW8
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 25	ug/l	25	80	50	8260B		4/14/2011	CJR	1
Bromobenzene	< 37	ug/l	37	120	50	8260B		4/14/2011	CJR	1
Bromodichloromethane	< 34	ug/l	34	110	50	8260B		4/14/2011	CJR	1
Bromoform	< 21.5	ug/l	21.5	70	50	8260B		4/14/2011	CJR	1
tert-Butylbenzene	< 35.5	ug/l	35.5	115	50	8260B		4/14/2011	CJR	1
sec-Butylbenzene	< 50	ug/l	50	165	50	8260B		4/14/2011	CJR	1
n-Butylbenzene	< 45	ug/l	45	145	50	8260B		4/14/2011	CJR	1
Carbon Tetrachloride	< 23.5	ug/l	23.5	75	50	8260B		4/14/2011	CJR	1
Chlorobenzene	< 25.5	ug/l	25.5	80	50	8260B		4/14/2011	CJR	1
Chloroethane	< 70	ug/l	70	225	50	8260B		4/14/2011	CJR	1
Chloroform	< 24.5	ug/l	24.5	75	50	8260B		4/14/2011	CJR	1
Chloromethane	< 95	ug/l	95	305	50	8260B		4/14/2011	CJR	1
2-Chlorotoluene	< 35	ug/l	35	110	50	8260B		4/14/2011	CJR	1
4-Chlorotoluene	< 22	ug/l	22	70	50	8260B		4/14/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 140	ug/l	140	445	50	8260B		4/14/2011	CJR	1
Dibromochloromethane	< 27.5	ug/l	27.5	90	50	8260B		4/14/2011	CJR	1
1,4-Dichlorobenzene	< 49	ug/l	49	155	50	8260B		4/14/2011	CJR	1
1,3-Dichlorobenzene	< 43.5	ug/l	43.5	140	50	8260B		4/14/2011	CJR	1
1,2-Dichlorobenzene	< 38	ug/l	38	120	50	8260B		4/14/2011	CJR	1
Dichlorodifluoromethane	< 90	ug/l	90	295	50	8260B		4/14/2011	CJR	1
1,2-Dichloroethane	< 25	ug/l	25	80	50	8260B		4/14/2011	CJR	1
1,1-Dichloroethane	< 49	ug/l	49	155	50	8260B		4/14/2011	CJR	1
1,1-Dichloroethene	< 30	ug/l	30	95	50	8260B		4/14/2011	CJR	1
cis-1,2-Dichloroethene	99 "J"	ug/l	37	120	50	8260B		4/14/2011	CJR	1
trans-1,2-Dichloroethene	< 39.5	ug/l	39.5	125	50	8260B		4/14/2011	CJR	1
1,2-Dichloropropane	< 20	ug/l	20	65	50	8260B		4/14/2011	CJR	1
2,2-Dichloropropane	< 95	ug/l	95	295	50	8260B		4/14/2011	CJR	4.8
1,3-Dichloropropane	< 35.5	ug/l	35.5	115	50	8260B		4/14/2011	CJR	1
Di-isopropyl ether	< 34.5	ug/l	34.5	110	50	8260B		4/14/2011	CJR	1
EDB (1,2-Dibromoethane)	< 31.5	ug/l	31.5	100	50	8260B		4/14/2011	CJR	1
Ethylbenzene	< 39	ug/l	39	125	50	8260B		4/14/2011	CJR	1
Hexachlorobutadiene	< 110	ug/l	110	340	50	8260B		4/14/2011	CJR	1
Isopropylbenzene	< 46	ug/l	46	145	50	8260B		4/14/2011	CJR	1
p-Isopropyltoluene	< 46	ug/l	46	145	50	8260B		4/14/2011	CJR	1
Methylene chloride	< 55	ug/l	55	170	50	8260B		4/14/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 40	ug/l	40	125	50	8260B		4/14/2011	CJR	1
Naphthalene	< 105	ug/l	105	340	50	8260B		4/14/2011	CJR	1
n-Propylbenzene	< 29.5	ug/l	29.5	95	50	8260B		4/14/2011	CJR	1
I,1,2,2-Tetrachloroethane	< 26.5	ug/l	26.5	85	50	8260B		4/14/2011	CJR	1
I,1,1,2-Tetrachloroethane	< 50	ug/l	50	160	50	8260B		4/14/2011	CJR	1
Tetrachloroethene	810	ug/l	22	70	50	8260B		4/14/2011	CJR	1
Toluene	< 26.5	ug/l	26.5	85	50	8260B		4/14/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065H
Sample ID MW8
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
1,2,4-Trichlorobenzene	< 75	ug/l	75	230	50	8260B		4/14/2011	CJR	1	
1,2,3-Trichlorobenzene	< 65	ug/l		65	210	50	8260B		4/14/2011	CJR	1
1,1,1-Trichloroethane	< 42.5	ug/l		42.5	135	50	8260B		4/14/2011	CJR	1
1,1,2-Trichloroethane	< 23.5	ug/l		23.5	75	50	8260B		4/14/2011	CJR	1
Trichloroethylene (TCE)	< 23.5	ug/l		23.5	75	50	8260B		4/14/2011	CJR	1
Trichlorofluoromethane	< 85	ug/l		85	265	50	8260B		4/14/2011	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l		40	125	50	8260B		4/14/2011	CJR	1
1,3,5-Trimethylbenzene	< 37	ug/l		37	120	50	8260B		4/14/2011	CJR	1
Vinyl Chloride	< 9	ug/l		9	28	50	8260B		4/14/2011	CJR	1
m&p-Xylene	< 55	ug/l		55	175	50	8260B		4/14/2011	CJR	1
o-Xylene	< 40	ug/l		40	130	50	8260B		4/14/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %				50	8260B		4/14/2011	CJR	1
SUR - Toluene-d8	104	REC %				50	8260B		4/14/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %				50	8260B		4/14/2011	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				50	8260B		4/14/2011	CJR	1

Lab Code 5022065I
Sample ID MW9
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic VOC's											
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1	
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1	
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1	
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1	
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4.8	
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 50220651
Sample ID MW9
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l		3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	1.52	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065J
Sample ID MW10
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l		3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065J
Sample ID MW10
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065K
Sample ID MW11
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065K
Sample ID MW11
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l		1.9	5.9	1	8260B		4/13/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l		2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
Methylene chloride	< 1.1	ug/l		1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
Naphthalene	< 2.1	ug/l		2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l		1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l		1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/13/2011	CJR	1	
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0

Invoice # E22065

Lab Code 5022065K
Sample ID MW11
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065L
Sample ID MW12
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
--	---------------	-------------	------------	------------	------------	---------------	-----------------	-----------------	----------------	-------------

Organic

VOC's

Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l		3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l		4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l		6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l		1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l		1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	1.91 "J"	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l		1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4.8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l		6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l		3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,2,3-Tetrachloroethane	< 1	ug/l		3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	5.4	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065L
Sample ID MW12
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065M
Sample ID MW13
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065M
Sample ID MW13
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065N
Sample ID MW14
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065N
Sample ID MW14
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	89	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065O
Sample ID MW15
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065O
Sample ID MW15
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1	
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
sec-Butylbenzene	< 1	ug/l		1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1	
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1	
Chloroethane	< 1.4	ug/l		1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1	
Chloromethane	< 1.9	ug/l		1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1	
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
1,2-Dibromo-3-chloropropane	< 2.8	ug/l		2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1	
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1	
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1	
Dichlorodifluoromethane	< 1.8	ug/l		1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1	
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1	
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1	
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1	
2,2-Dichloropropane	< 1.9	ug/l		1.9	5.9	1	8260B		4/13/2011	CJR	48
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1	
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1	
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1	
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1	
Hexachlorobutadiene	< 2.2	ug/l		2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1	
Methylene chloride	< 1.1	ug/l		1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
Naphthalene	< 2.1	ug/l		2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 1	ug/l		1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1	
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1	
1,2,4-Trichlorobenzene	< 1.5	ug/l		1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l		1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1	
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1	
Trichlorofluoromethane	< 1.7	ug/l		1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1	
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1	
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1	
m&p-Xylene	< 1.1	ug/l		1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		4/13/2011	CJR	1	
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		4/13/2011	CJR	1	

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065O
Sample ID MW15
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Dibromofluoromethane	98	REC %			1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1
Lab Code	5022065P									
Sample ID	PZ1									
Sample Matrix	Water									
Sample Date	4/7/2011									
Organic VOC's	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Benzene	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
Bromobenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Bromodichloromethane	< 0.68	ug/l	0.68	2.2	1	8260B		4/13/2011	CJR	1
Bromoform	< 0.43	ug/l	0.43	1.4	1	8260B		4/13/2011	CJR	1
tert-Butylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
sec-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		4/13/2011	CJR	1
n-Butylbenzene	< 0.9	ug/l	0.9	2.9	1	8260B		4/13/2011	CJR	1
Carbon Tetrachloride	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Chlorobenzene	< 0.51	ug/l	0.51	1.6	1	8260B		4/13/2011	CJR	1
Chloroethane	< 1.4	ug/l	1.4	4.5	1	8260B		4/13/2011	CJR	1
Chloroform	< 0.49	ug/l	0.49	1.5	1	8260B		4/13/2011	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6.1	1	8260B		4/13/2011	CJR	1
2-Chlorotoluene	< 0.7	ug/l	0.7	2.2	1	8260B		4/13/2011	CJR	1
4-Chlorotoluene	< 0.44	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 2.8	ug/l	2.8	8.9	1	8260B		4/13/2011	CJR	1
Dibromochloromethane	< 0.55	ug/l	0.55	1.8	1	8260B		4/13/2011	CJR	1
1,4-Dichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,3-Dichlorobenzene	< 0.87	ug/l	0.87	2.8	1	8260B		4/13/2011	CJR	1
1,2-Dichlorobenzene	< 0.76	ug/l	0.76	2.4	1	8260B		4/13/2011	CJR	1
Dichlorodifluoromethane	< 1.8	ug/l	1.8	5.9	1	8260B		4/13/2011	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethane	< 0.98	ug/l	0.98	3.1	1	8260B		4/13/2011	CJR	1
1,1-Dichloroethene	< 0.6	ug/l	0.6	1.9	1	8260B		4/13/2011	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
trans-1,2-Dichloroethene	< 0.79	ug/l	0.79	2.5	1	8260B		4/13/2011	CJR	1
1,2-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		4/13/2011	CJR	1
2,2-Dichloropropane	< 1.9	ug/l	1.9	5.9	1	8260B		4/13/2011	CJR	4 8
1,3-Dichloropropane	< 0.71	ug/l	0.71	2.3	1	8260B		4/13/2011	CJR	1
Di-isopropyl ether	< 0.69	ug/l	0.69	2.2	1	8260B		4/13/2011	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		4/13/2011	CJR	1
Ethylbenzene	< 0.78	ug/l	0.78	2.5	1	8260B		4/13/2011	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	6.8	1	8260B		4/13/2011	CJR	1
Isopropylbenzene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
p-Isopropyltoluene	< 0.92	ug/l	0.92	2.9	1	8260B		4/13/2011	CJR	1
Methylene chloride	< 1.1	ug/l	1.1	3.4	1	8260B		4/13/2011	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.8	1	8260B		4/13/2011	CJR	1
n-Propylbenzene	< 0.59	ug/l	0.59	1.9	1	8260B		4/13/2011	CJR	1
1,1,2,2-Tetrachloroethane	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1
1,1,1,2-Tetrachloroethane	< 1	ug/l	1	3.2	1	8260B		4/13/2011	CJR	1
Tetrachloroethene	2.34	ug/l	0.44	1.4	1	8260B		4/13/2011	CJR	1
Toluene	< 0.53	ug/l	0.53	1.7	1	8260B		4/13/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065P
Sample ID PZ1
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,4-Trichlorobenzene	< 1.5	ug/l	1.5	4.6	1	8260B		4/13/2011	CJR	1
1,2,3-Trichlorobenzene	< 1.3	ug/l	1.3	4.2	1	8260B		4/13/2011	CJR	1
1,1,1-Trichloroethane	< 0.85	ug/l	0.85	2.7	1	8260B		4/13/2011	CJR	1
1,1,2-Trichloroethane	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/13/2011	CJR	1
Trichlorofluoromethane	< 1.7	ug/l	1.7	5.3	1	8260B		4/13/2011	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.5	1	8260B		4/13/2011	CJR	1
1,3,5-Trimethylbenzene	< 0.74	ug/l	0.74	2.4	1	8260B		4/13/2011	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.56	1	8260B		4/13/2011	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.5	1	8260B		4/13/2011	CJR	1
o-Xylene	< 0.8	ug/l	0.8	2.6	1	8260B		4/13/2011	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/13/2011	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/13/2011	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %			1	8260B		4/13/2011	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/13/2011	CJR	1

Lab Code 5022065Q
Sample ID DUP
Sample Matrix Water
Sample Date 4/7/2011

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.5	ug/l	2.5	8	5	8260B		4/14/2011	CJR	1
Bromobenzene	< 3.7	ug/l	3.7	12	5	8260B		4/14/2011	CJR	1
Bromodichloromethane	< 3.4	ug/l	3.4	11	5	8260B		4/14/2011	CJR	1
Bromoform	< 2.15	ug/l	2.15	7	5	8260B		4/14/2011	CJR	1
tert-Butylbenzene	< 3.55	ug/l	3.55	11.5	5	8260B		4/14/2011	CJR	1
sec-Butylbenzene	< 5	ug/l	5	16.5	5	8260B		4/14/2011	CJR	1
n-Butylbenzene	< 4.5	ug/l	4.5	14.5	5	8260B		4/14/2011	CJR	1
Carbon Tetrachloride	< 2.35	ug/l	2.35	7.5	5	8260B		4/14/2011	CJR	1
Chlorobenzene	< 2.55	ug/l	2.55	8	5	8260B		4/14/2011	CJR	1
Chloroethane	< 7	ug/l	7	22.5	5	8260B		4/14/2011	CJR	1
Chloroform	< 2.45	ug/l	2.45	7.5	5	8260B		4/14/2011	CJR	1
Chloromethane	< 9.5	ug/l	9.5	30.5	5	8260B		4/14/2011	CJR	1
2-Chlorotoluene	< 3.5	ug/l	3.5	11	5	8260B		4/14/2011	CJR	1
4-Chlorotoluene	< 2.2	ug/l	2.2	7	5	8260B		4/14/2011	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	44.5	5	8260B		4/14/2011	CJR	1
Dibromochloromethane	< 2.75	ug/l	2.75	9	5	8260B		4/14/2011	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	15.5	5	8260B		4/14/2011	CJR	1
1,3-Dichlorobenzene	< 4.35	ug/l	4.35	14	5	8260B		4/14/2011	CJR	1
1,2-Dichlorobenzene	< 3.8	ug/l	3.8	12	5	8260B		4/14/2011	CJR	1
Dichlorodifluoromethane	< 9	ug/l	9	29.5	5	8260B		4/14/2011	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	8	5	8260B		4/14/2011	CJR	1
1,1-Dichloroethane	< 4.9	ug/l	4.9	15.5	5	8260B		4/14/2011	CJR	1
1,1-Dichloroethene	< 3	ug/l	3	9.5	5	8260B		4/14/2011	CJR	1
cis-1,2-Dichloroethene	17.8	ug/l	3.7	12	5	8260B		4/14/2011	CJR	1
trans-1,2-Dichloroethene	< 3.95	ug/l	3.95	12.5	5	8260B		4/14/2011	CJR	1
1,2-Dichloropropane	< 2	ug/l	2	6.5	5	8260B		4/14/2011	CJR	1
2,2-Dichloropropane	< 9.5	ug/l	9.5	29.5	5	8260B		4/14/2011	CJR	48
1,3-Dichloropropane	< 3.55	ug/l	3.55	11.5	5	8260B		4/14/2011	CJR	1
Di-isopropyl ether	< 3.45	ug/l	3.45	11	5	8260B		4/14/2011	CJR	1

Project Name RACINE
Project # 3592-09001-0
Lab Code 5022065Q
Sample ID DUP
Sample Matrix Water
Sample Date 4/7/2011

Invoice # E22065

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
EDB (1,2-Dibromoethane)	< 3.15	ug/l	3.15	10	5	8260B		4/14/2011	CJR	1	
Ethylbenzene	< 3.9	ug/l	3.9	12.5	5	8260B		4/14/2011	CJR	1	
Hexachlorobutadiene	< 11	ug/l	11	34	5	8260B		4/14/2011	CJR	1	
Isopropylbenzene	< 4.6	ug/l	4.6	14.5	5	8260B		4/14/2011	CJR	1	
p-Isopropyltoluene	< 4.6	ug/l	4.6	14.5	5	8260B		4/14/2011	CJR	1	
Methylene chloride	< 5.5	ug/l	5.5	17	5	8260B		4/14/2011	CJR	1	
Methyl tert-butyl ether (MTBE)	< 4	ug/l		4	12.5	5	8260B		4/14/2011	CJR	1
Naphthalene	< 10.5	ug/l	10.5	34	5	8260B		4/14/2011	CJR	1	
n-Propylbenzene	< 2.95	ug/l	2.95	9.5	5	8260B		4/14/2011	CJR	1	
1,1,2,2-Tetrachloroethane	< 2.65	ug/l	2.65	8.5	5	8260B		4/14/2011	CJR	1	
1,1,1,2-Tetrachloroethane	< 5	ug/l		5	16	5	8260B		4/14/2011	CJR	1
Tetrachloroethene	58	ug/l	2.2	7	5	8260B		4/14/2011	CJR	1	
Toluene	< 2.65	ug/l	2.65	8.5	5	8260B		4/14/2011	CJR	1	
1,2,4-Trichlorobenzene	< 7.5	ug/l	7.5	23	5	8260B		4/14/2011	CJR	1	
1,2,3-Trichlorobenzene	< 6.5	ug/l	6.5	21	5	8260B		4/14/2011	CJR	1	
1,1,1-Trichloroethane	< 4.25	ug/l	4.25	13.5	5	8260B		4/14/2011	CJR	1	
1,1,2-Trichloroethane	< 2.35	ug/l	2.35	7.5	5	8260B		4/14/2011	CJR	1	
Trichloroethene (TCE)	6.5 "J"	ug/l	2.35	7.5	5	8260B		4/14/2011	CJR	1	
Trichlorofluoromethane	< 8.5	ug/l	8.5	26.5	5	8260B		4/14/2011	CJR	1	
1,2,4-Trimethylbenzene	< 4	ug/l		4	12.5	5	8260B		4/14/2011	CJR	1
1,3,5-Trimethylbenzene	< 3.7	ug/l	3.7	12	5	8260B		4/14/2011	CJR	1	
Vinyl Chloride	< 0.9	ug/l	0.9	2.8	5	8260B		4/14/2011	CJR	1	
m&p-Xylene	< 5.5	ug/l	5.5	17.5	5	8260B		4/14/2011	CJR	1	
o-Xylene	< 4	ug/l		4	13	5	8260B		4/14/2011	CJR	1
SUR - Toluene-d8	101	REC %			5	8260B		4/14/2011	CJR	1	
SUR - 1,2-Dichloroethane-d4	90	REC %			5	8260B		4/14/2011	CJR	1	
SUR - 4-Bromofluorobenzene	106	REC %			5	8260B		4/14/2011	CJR	1	
SUR - Dibromofluoromethane	97	REC %			5	8260B		4/14/2011	CJR	1	

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 2 Relative percent difference failed for laboratory spiked samples.
- 4 The continuing calibration standard not within established limits.
- 8 Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael J. Ricker

Chain of Custody Record Request for Analysis

Bones 30
lot 2

Check office originating request

12075 Corporate Pkwy, Suite 200
Mequon, WI 53092
262-241-4466

1203 Starbeck Drive
Waupun, WI 53963
920-324-8600

954 Circle Drive
Green Bay, WI 54304
920-592-8400

330 4th Avenue S
Park Falls, WI 54552
715-762-1544

Project No.: 3592-09001-0			Project Location: Racine, WI		Sample Integrity - To be completed by the receiving lab. Seal intact upon receipt? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No							
Project Manager: Chris Haffield			Laboratory: Synergy		Method of Shipment: <i>Refrigerated</i>		ANALYSIS REQUESTED					
Sampler: (Name) Andy Savan			Laboratory Contact:		Contents Temperature: ICE °C							
Sampler: (Signature)			Price Quote:		Refrigerator No.:							
Sampling Dates: 4/7/2011			Turnaround Time Required <i>5 day turn</i>		Date Needed: 4/15/2011							
Report to be Sent to: Chris Haffield			<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush									
Lab ID No.	Sample No.	Collection		Comp	Grab	Filtered y/n	No. of Containers Size & Type	Description			Preservative	
		Date	Time					Water	Soil	Other		
A	MW1	4/7			X	N	3x40mL	X			HCl	X
B	MW2				X			X				X
C	MW3				X			X				X
D	MW4				X			X				X
E	MW5				X			X				X
F	MW6				X			X				X
G	MW7				X			X				X
H	MW8				X			X				X
I	MW9	✓			X	N	4	X	✓			X
Packed for Shipping by: 4/8/2011			Comments:									
Shipment Date: AS												
Relinquished By: AS		Date: 4/8/11		Relinquished By:			Date:	Relinquished By:			Date:	
Company: Synergy		Time: 5:25										
Received By: AS		Date: 4/8/11		Received By: AS			Date: 4/9/11	Received By:			Date:	
Company: DUN		Time: 2:25		Company: AS			Time: 10:00	Company:			Time:	

Chain of Custody Record Request for Analysis

Check office originating request

12075 Corporate Pkwy, Suite 200
Mequon, WI 53092
262 741-4466

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600

954 Circle Drive
Green Bay, WI 54304
920-592-8400

330 4th Avenue S
Park Falls, WI 54552
715-762-1544

2 of 2

Project No.: 3592-09001-C		Project Location: (City) Racine, WI		Sample Integrity - To be completed by the receiving lab. Seal intact upon receipt? <input type="checkbox"/> Yes <input type="checkbox"/> No																	
Project Manager: Chris Hatfield		Laboratory: Synergy		Method of Shipment:		ANALYSIS REQUESTED															
Sampler: (Name) Andy Swain		Laboratory Contact:		Contents Temperature: °C																	
Sampler: (Signature) Andy Swain		Price Quote		Refrigerator No.:																	
Sampling Dates: 4/7/2011		Turnaround Time Required 5 Day Turn		Date Needed: 4/15/2011																	
Report to be Sent to: Chris Hatfield		<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush																			
Lab ID No.	Sample No.	Collection		Comp	Grab	Filtered y/n	No. of Containers Size & Type	Description			Preservative	BTEX (EPA Method 8020)		(PVOH (EPA Method 8020))		VOC (EPA Method 8021)		PAH (EPA Method 8021)		Pb (EPA Method 8021)	
		Date	Time					Water	Soil	Other											
1220653	MW10	4/7		X	N	3x 40mL	X			HCl	X	X	X	X	X						
k	MW11			X			X				X	X	X	X	X						
L	MW12			X			X					X									
M	MW13			X			X					X									
N	MW14			X			X					X									
O	MW15			X			X					X									
P	PZ1			X			X					X									
Q	Pyp			X			X					X									
				X		✓															
Packed for Shipping by: AS						Comments:															
Shipment Date: 4/8/2011																					
Relinquished By: AS		Date: 4/6/11		Relinquished By: _____		Date: _____		Relinquished By: _____		Date: _____											
Company: Bones Inc.		Time: 5:25		Company: _____		Time: _____		Company: _____		Time: _____											
Received By: AS		Date: 4/8/11		Received By: Chris Swain		Date: 4/8/11		Received By: _____		Date: _____											
Company: DCH-2		Time: 2:25		Company: See		Time: 10 a		Company: _____		Time: _____											