

Sent via E-Mail: shanna.laubeanderson@wisconsin.gov

Ms. Shanna Laube-Anderson
Wisconsin Department of Natural Resources
141 NW Barstow Street, Room 180
Waukesha, WI 53188

**NOTIFICATION OF INVESTIGATION DERIVED WASTE MATTER
FORMER EXPRESS CLEANERS SITE LOCATED AT
3921-3941 N. MAIN STREET IN RACINE, WISCONSIN
BRRTS NO. 02-52-547631**

Dear Ms. Laube-Anderson:

Ehrlich Family Limited Partnership (Ehrlich) owns the former Express Cleaners site located at 3921-3941 N. Main Street in Racine, Wisconsin (the Site). The Site is listed as an open case with the Wisconsin Department of Natural Resources (WDNR) Bureau of Remediation and Redevelopment Tracking System (BRRTS) No. 02-52-547631. Ramboll US Consulting, Inc. (Ramboll) provides environmental remediation consulting services to Ehrlich in relation to the Site. In that capacity, and at the request and on behalf of Ehrlich, Ramboll submits this written notification to inform you of a matter involving a temporary waste storage drum containing investigation derived waste (monitoring well purge water) that was staged at the Site.

May 27, 2021

Ramboll
234 W. Florida Street
Fifth Floor
Milwaukee, WI 53204
USA

T +1 414 837 3607
F +1 414 837 3608
www.ramboll.com

On May 14, 2021, while conducting vapor intrusion sampling at the northern adjacent property to the Site, Ramboll field personnel also inspected the condition of the Site generally and observed that one drum of purge water that had been temporarily staged at the Site was tipped over on its side at the staging area. Neither Ramboll nor Ehrlich know who tipped the drum and, therefore, assume that the drum was tipped by vandals. The drum had been staged upright in the northeastern corner of the Site on a compacted, crushed stone surface, which is vegetated and located near the former source area at the Site where a soil remedial action was completed in 2016. A photograph of the drum, as discovered, is attached. The staging area is within the area of the Site where ongoing reductive dechlorination of chlorinated volatile organic compounds in groundwater has been documented, and sampling results from a nearby monitoring well (MW-3R) demonstrate favorable conditions to maintain a reducing environment, resulting in continued natural attenuation.

Ref. 1690004905

Upon inspection, the 55-gallon drum was found to be intact with the top still secured but was empty of its prior contents. The drum was secured and was in good condition when it was last used and observed at the Site during an October 2020 groundwater sampling event. This drum was documented in October 2020 to have contained approximately 25 gallons of purge water generated from natural attenuation groundwater monitoring activities conducted in April 2020 and October

2020. There was no evidence of any stressed vegetation or spilled liquid on the ground surface at the time of this discovery.

A composite groundwater sample, COMP-2020-10-22, was collected from this drum in October 2020 to facilitate eventual pickup and disposal by Waste Management, Inc. In this composite sample, cis-1,2-dichloroethene (cDCE) was detected at a concentration of 76.1 micrograms per liter ($\mu\text{g/L}$), vinyl chloride was detected at a concentration of 34.4 $\mu\text{g/L}$, and trans-1,2-dichloroethene (tDCE) was detected at an estimated concentration (i.e. "J-flagged") of 1.0 $\mu\text{g/L}$. The laboratory analytical results are attached for your reference.

Please advise if any further action or documentation is needed with regard to this matter. If you have any questions, please do not hesitate to contact us. We appreciate your assistance in properly addressing this matter.


Yours sincerely,



Scott Tarmann, PE

Principal

D +1 262 901 0093
starmann@ramboll.com



Jeanne Tarvin, PG, CPG

Managing Principal

D +1 262 901 0085
jtarvin@ramboll.com

cc: Bill Scott, William P. Scott, Attorney at Law, Inc.

Attachments: Photograph
Laboratory Analytical Report (October 2020)

ATTACHMENT A
PHOTOGRAPH

PHOTOGRAPH OF DRUM
(as discovered on May 14, 2021)





ATTACHMENT B
LABORATORY ANALYTICAL REPORT
(OCTOBER 2020)

November 09, 2020

Scott Tarmann
Ramboll Environ
175 North Corporate Dr
Suite 160
Brookfield, WI 53045

RE: Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Dear Scott Tarmann:

Enclosed are the analytical results for sample(s) received by the laboratory on October 24, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace National - Mt. Juliet
- Pace Analytical Services - Green Bay

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Steven Mieczko
steve.mieczko@pacelabs.com
(920)469-2436
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Pace Analytical Services Green Bay

1241 Bellevue Street, Green Bay, WI 54302
Florida/NELAP Certification #: E87948
Illinois Certification #: 200050
Kentucky UST Certification #: 82
Louisiana Certification #: 04168
Minnesota Certification #: 055-999-334
New York Certification #: 12064
North Dakota Certification #: R-150

Virginia VELAP ID: 460263
South Carolina Certification #: 83006001
Texas Certification #: T104704529-14-1
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
USDA Soil Permit #: P330-16-00157
Federal Fish & Wildlife Permit #: LE51774A-0

Pace Analytical Services National

12065 Lebanon Road, Mt. Juliet, TN 37122
Alabama Certification #: 40660
Alaska Certification 17-026
Arizona Certification #: AZ0612
Arkansas Certification #: 88-0469
California Certification #: 2932
Canada Certification #: 1461.01
Colorado Certification #: TN00003
Connecticut Certification #: PH-0197
DOD Certification: #1461.01
EPA# TN00003
Florida Certification #: E87487
Georgia DW Certification #: 923
Georgia Certification: NELAP
Idaho Certification #: TN00003
Illinois Certification #: 200008
Indiana Certification #: C-TN-01
Iowa Certification #: 364
Kansas Certification #: E-10277
Kentucky UST Certification #: 16
Kentucky Certification #: 90010
Louisiana Certification #: AI30792
Louisiana DW Certification #: LA180010
Maine Certification #: TN0002
Maryland Certification #: 324
Massachusetts Certification #: M-TN003
Michigan Certification #: 9958
Minnesota Certification #: 047-999-395
Mississippi Certification #: TN00003
Missouri Certification #: 340
Montana Certification #: CERT0086
Nebraska Certification #: NE-OS-15-05

Nevada Certification #: TN-03-2002-34
New Hampshire Certification #: 2975
New Jersey Certification #: TN002
New Mexico DW Certification
New York Certification #: 11742
North Carolina Aquatic Toxicity Certification #: 41
North Carolina Drinking Water Certification #: 21704
North Carolina Environmental Certificate #: 375
North Dakota Certification #: R-140
Ohio VAP Certification #: CL0069
Oklahoma Certification #: 9915
Oregon Certification #: TN200002
Pennsylvania Certification #: 68-02979
Rhode Island Certification #: LAO00356
South Carolina Certification #: 84004
South Dakota Certification
Tennessee DW/Chem/Micro Certification #: 2006
Texas Mold Certification #: LAB0152
Texas Certification #: T 104704245-17-14
USDA Soil Permit #: P330-15-00234
Utah Certification #: TN00003
Virginia Certification #: VT2006
Vermont Dept. of Health: ID# VT-2006
Virginia Certification #: 460132
Washington Certification #: C847
West Virginia Certification #: 233
Wisconsin Certification #: 998093910
Wyoming UST Certification #: via A2LA 2926.01
A2LA-ISO 17025 Certification #: 1461.01
A2LA-ISO 17025 Certification #: 1461.02
AIHA-LAP/LLC EMLAP Certification #:100789

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Lab ID	Sample ID	Matrix	Date Collected	Date Received
40217163001	MW-15	Water	10/22/20 08:53	10/24/20 08:55
40217163002	MW-6	Water	10/22/20 09:33	10/24/20 08:55
40217163003	MW-16	Water	10/22/20 10:22	10/24/20 08:55
40217163004	MW-13	Water	10/22/20 11:08	10/24/20 08:55
40217163005	MW-12	Water	10/22/20 11:48	10/24/20 08:55
40217163006	MW-9	Water	10/22/20 12:33	10/24/20 08:55
40217163007	MW-9 DUP	Water	10/22/20 12:33	10/24/20 08:55
40217163008	MW-1	Water	10/22/20 13:18	10/24/20 08:55
40217163009	PZ-1	Water	10/22/20 13:51	10/24/20 08:55
40217163010	MW-3R	Water	10/22/20 14:38	10/24/20 08:55
40217163011	MW-8	Water	10/22/20 15:40	10/24/20 08:55
40217163012	TRIP BLANK	Water	10/22/20 00:00	10/24/20 08:55
40217163013	COMP-2020-10-22	Water	10/22/20 16:30	10/24/20 08:55

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory		
40217163001	MW-15	EPA 8260	HNW	65	PASI-G		
40217163002	MW-6	EPA 8260	HNW	65	PASI-G		
40217163003	MW-16	EPA 8260	HNW	65	PASI-G		
40217163004	MW-13	EPA 8260	HNW	65	PASI-G		
40217163005	MW-12	EPA 8260	HNW	65	PASI-G		
40217163006	MW-9	EPA 8260	HNW	65	PASI-G		
40217163007	MW-9 DUP	EPA 8260	HNW	65	PASI-G		
40217163008	MW-1	EPA 8260	HNW	65	PASI-G		
40217163009	PZ-1	EPA 8260	HNW	65	PASI-G		
40217163010	MW-3R	EPA 8015B Modified	ALD	3	PASI-G		
		EPA 6020	LAT	1	PAN		
		EPA 8260	HNW	65	PASI-G		
		SM 3500-Fe B	KLS	1	PAN		
		Calculated	LAT	1	PAN		
		EPA 300.0	HMB	1	PASI-G		
		EPA 353.2	TMK	1	PASI-G		
		SM 5310C	TJJ	1	PASI-G		
		40217163011	MW-8	EPA 8015B Modified	ALD	3	PASI-G
				EPA 6020	LAT	1	PAN
EPA 8260	HNW			65	PASI-G		
SM 3500-Fe B	KLS			1	PAN		
Calculated	LAT			1	PAN		
EPA 300.0	HMB			1	PASI-G		
EPA 353.2	TMK			1	PASI-G		
SM 5310C	TJJ			1	PASI-G		
40217163012	TRIP BLANK			EPA 8260	LAP	65	PASI-G
40217163013	COMP-2020-10-22			EPA 8260	LAP	65	PASI-G

PAN = Pace National - Mt. Juliet

PASI-G = Pace Analytical Services - Green Bay

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40217163002	MW-6					
EPA 8260	cis-1,2-Dichloroethene	11.1	ug/L	1.0	11/04/20 14:15	
EPA 8260	trans-1,2-Dichloroethene	0.67J	ug/L	1.5	11/04/20 14:15	
EPA 8260	Tetrachloroethene	7.6	ug/L	1.1	11/04/20 14:15	
EPA 8260	Trichloroethene	3.6	ug/L	1.0	11/04/20 14:15	
40217163004	MW-13					
EPA 8260	cis-1,2-Dichloroethene	26.3	ug/L	1.0	11/04/20 20:06	
EPA 8260	trans-1,2-Dichloroethene	2.3	ug/L	1.5	11/04/20 20:06	
EPA 8260	Vinyl chloride	0.79J	ug/L	1.0	11/04/20 20:06	
40217163005	MW-12					
EPA 8260	cis-1,2-Dichloroethene	34.9	ug/L	1.0	11/04/20 20:28	
EPA 8260	trans-1,2-Dichloroethene	1.4J	ug/L	1.5	11/04/20 20:28	
EPA 8260	Tetrachloroethene	14.2	ug/L	1.1	11/04/20 20:28	
EPA 8260	Trichloroethene	1.9	ug/L	1.0	11/04/20 20:28	
40217163006	MW-9					
EPA 8260	cis-1,2-Dichloroethene	46.2	ug/L	1.0	11/04/20 20:51	
EPA 8260	trans-1,2-Dichloroethene	1.2J	ug/L	1.5	11/04/20 20:51	
EPA 8260	Tetrachloroethene	3.3	ug/L	1.1	11/04/20 20:51	
EPA 8260	Trichloroethene	1.1	ug/L	1.0	11/04/20 20:51	
40217163007	MW-9 DUP					
EPA 8260	cis-1,2-Dichloroethene	44.7	ug/L	1.0	11/04/20 12:23	
EPA 8260	trans-1,2-Dichloroethene	1.2J	ug/L	1.5	11/04/20 12:23	
EPA 8260	Tetrachloroethene	3.2	ug/L	1.1	11/04/20 12:23	
EPA 8260	Trichloroethene	1.1	ug/L	1.0	11/04/20 12:23	
40217163008	MW-1					
EPA 8260	cis-1,2-Dichloroethene	1050	ug/L	5.0	11/04/20 12:46	
EPA 8260	trans-1,2-Dichloroethene	47.9	ug/L	7.7	11/04/20 12:46	
EPA 8260	Tetrachloroethene	3.6J	ug/L	5.4	11/04/20 12:46	
EPA 8260	Trichloroethene	8.4	ug/L	5.0	11/04/20 12:46	
EPA 8260	Vinyl chloride	1520	ug/L	20.0	11/04/20 15:00	
40217163009	PZ-1					
EPA 8260	cis-1,2-Dichloroethene	7.5	ug/L	1.0	11/04/20 17:06	
EPA 8260	trans-1,2-Dichloroethene	0.56J	ug/L	1.5	11/04/20 17:06	
EPA 8260	Tetrachloroethene	0.89J	ug/L	1.1	11/04/20 17:06	
EPA 8260	Trichloroethene	0.33J	ug/L	1.0	11/04/20 17:06	
40217163010	MW-3R					
EPA 8015B Modified	Ethane	36.0	ug/L	5.6	10/29/20 11:06	
EPA 8015B Modified	Ethene	37.3	ug/L	5.0	10/29/20 11:06	
EPA 8015B Modified	Methane	9760	ug/L	140	10/29/20 13:20	
EPA 6020	Iron	4010	ug/L	93.7	11/05/20 14:14	
EPA 8260	cis-1,2-Dichloroethene	1500	ug/L	10.0	11/04/20 13:08	
EPA 8260	Vinyl chloride	15.5	ug/L	10.0	11/04/20 13:08	
SM 3500-Fe B	Iron, Ferrous	3860	ug/L	250	11/05/20 10:04	C4,H3
Calculated	Iron, Ferric	154	ug/L	93.7	11/05/20 14:14	H3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SUMMARY OF DETECTION

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
40217163010	MW-3R					
SM 5310C	Total Organic Carbon	17.5	mg/L	5.0	11/02/20 16:49	
40217163011	MW-8					
EPA 8015B Modified	Ethane	15.4	ug/L	5.6	10/29/20 11:13	
EPA 8015B Modified	Ethene	6.3	ug/L	5.0	10/29/20 11:13	
EPA 8015B Modified	Methane	7320	ug/L	112	10/29/20 13:27	
EPA 6020	Iron	4450	ug/L	93.7	11/05/20 14:19	
EPA 8260	cis-1,2-Dichloroethene	930	ug/L	10.0	11/04/20 13:30	
EPA 8260	trans-1,2-Dichloroethene	24.5	ug/L	15.5	11/04/20 13:30	
EPA 8260	Vinyl chloride	3.5J	ug/L	10.0	11/04/20 13:30	
SM 3500-Fe B	Iron, Ferrous	4690	ug/L	250	11/05/20 10:05	C4,H3
EPA 300.0	Sulfate	34.1	mg/L	10.0	11/07/20 17:30	
SM 5310C	Total Organic Carbon	4.6	mg/L	0.50	11/02/20 00:06	
40217163012	TRIP BLANK					
EPA 8260	Methylene Chloride	0.67J	ug/L	5.0	11/04/20 10:09	
40217163013	COMP-2020-10-22					
EPA 8260	cis-1,2-Dichloroethene	76.1	ug/L	1.0	11/04/20 14:00	
EPA 8260	trans-1,2-Dichloroethene	1.0J	ug/L	1.5	11/04/20 14:00	
EPA 8260	Vinyl chloride	34.4	ug/L	1.0	11/04/20 14:00	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-15 **Lab ID: 40217163001** Collected: 10/22/20 08:53 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 13:52	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 13:52	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 13:52	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 13:52	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 13:52	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 13:52	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 13:52	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 13:52	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 13:52	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 13:52	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 13:52	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 13:52	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 13:52	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 13:52	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 13:52	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 13:52	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 13:52	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 13:52	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 13:52	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 13:52	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 13:52	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 13:52	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 13:52	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 13:52	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 13:52	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 13:52	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 13:52	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/04/20 13:52	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/04/20 13:52	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 13:52	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 13:52	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 13:52	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 13:52	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 13:52	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 13:52	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 13:52	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 13:52	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 13:52	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 13:52	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 13:52	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 13:52	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 13:52	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 13:52	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 13:52	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 13:52	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-15 **Lab ID: 40217163001** Collected: 10/22/20 08:53 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 13:52	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 13:52	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/04/20 13:52	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 13:52	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 13:52	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 13:52	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 13:52	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 13:52	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/04/20 13:52	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 13:52	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 13:52	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 13:52	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 13:52	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 13:52	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 13:52	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 13:52	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 13:52	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		11/04/20 13:52	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		1		11/04/20 13:52	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 13:52	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-6 **Lab ID: 40217163002** Collected: 10/22/20 09:33 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 14:15	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 14:15	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 14:15	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 14:15	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 14:15	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 14:15	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:15	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 14:15	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 14:15	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 14:15	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:15	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 14:15	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 14:15	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 14:15	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 14:15	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 14:15	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 14:15	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 14:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 14:15	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 14:15	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:15	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 14:15	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 14:15	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 14:15	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 14:15	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:15	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 14:15	75-35-4	
cis-1,2-Dichloroethene	11.1	ug/L	1.0	0.27	1		11/04/20 14:15	156-59-2	
trans-1,2-Dichloroethene	0.67J	ug/L	1.5	0.46	1		11/04/20 14:15	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:15	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 14:15	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 14:15	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 14:15	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 14:15	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 14:15	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 14:15	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 14:15	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 14:15	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 14:15	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 14:15	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 14:15	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 14:15	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 14:15	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 14:15	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 14:15	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-6 **Lab ID: 40217163002** Collected: 10/22/20 09:33 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 14:15	630-20-6	
1,1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:15	79-34-5	
Tetrachloroethene	7.6	ug/L	1.1	0.33	1		11/04/20 14:15	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 14:15	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 14:15	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 14:15	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 14:15	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 14:15	79-00-5	
Trichloroethene	3.6	ug/L	1.0	0.26	1		11/04/20 14:15	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 14:15	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 14:15	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 14:15	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 14:15	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 14:15	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 14:15	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 14:15	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 14:15	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		11/04/20 14:15	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/04/20 14:15	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 14:15	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-16 **Lab ID: 40217163003** Collected: 10/22/20 10:22 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 14:37	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 14:37	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 14:37	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 14:37	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 14:37	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 14:37	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:37	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 14:37	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 14:37	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 14:37	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:37	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 14:37	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 14:37	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 14:37	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 14:37	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 14:37	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 14:37	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 14:37	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 14:37	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 14:37	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:37	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 14:37	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 14:37	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 14:37	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 14:37	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:37	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 14:37	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/04/20 14:37	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/04/20 14:37	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:37	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 14:37	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 14:37	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 14:37	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 14:37	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 14:37	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 14:37	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 14:37	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 14:37	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 14:37	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 14:37	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 14:37	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 14:37	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 14:37	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 14:37	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 14:37	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-16 **Lab ID: 40217163003** Collected: 10/22/20 10:22 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 14:37	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:37	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/04/20 14:37	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 14:37	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 14:37	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 14:37	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 14:37	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 14:37	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/04/20 14:37	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 14:37	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 14:37	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 14:37	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 14:37	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 14:37	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 14:37	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 14:37	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 14:37	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	100	%	70-130		1		11/04/20 14:37	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/04/20 14:37	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/04/20 14:37	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-13 **Lab ID: 40217163004** Collected: 10/22/20 11:08 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 20:06	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 20:06	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 20:06	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 20:06	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 20:06	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:06	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 20:06	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 20:06	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 20:06	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:06	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 20:06	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 20:06	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 20:06	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 20:06	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 20:06	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 20:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 20:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 20:06	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 20:06	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:06	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 20:06	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 20:06	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 20:06	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:06	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:06	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:06	75-35-4	
cis-1,2-Dichloroethene	26.3	ug/L	1.0	0.27	1		11/04/20 20:06	156-59-2	
trans-1,2-Dichloroethene	2.3	ug/L	1.5	0.46	1		11/04/20 20:06	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:06	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 20:06	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 20:06	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 20:06	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 20:06	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 20:06	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 20:06	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 20:06	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 20:06	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 20:06	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 20:06	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 20:06	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 20:06	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 20:06	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 20:06	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 20:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-13 **Lab ID: 40217163004** Collected: 10/22/20 11:08 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:06	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:06	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/04/20 20:06	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 20:06	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 20:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 20:06	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 20:06	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 20:06	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/04/20 20:06	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 20:06	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 20:06	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 20:06	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 20:06	108-67-8	
Vinyl chloride	0.79J	ug/L	1.0	0.17	1		11/04/20 20:06	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 20:06	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 20:06	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 20:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	98	%	70-130		1		11/04/20 20:06	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		11/04/20 20:06	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 20:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-12 **Lab ID: 40217163005** Collected: 10/22/20 11:48 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 20:28	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:28	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 20:28	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 20:28	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 20:28	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 20:28	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:28	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 20:28	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 20:28	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 20:28	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:28	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 20:28	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 20:28	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 20:28	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 20:28	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 20:28	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 20:28	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 20:28	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 20:28	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 20:28	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:28	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 20:28	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 20:28	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 20:28	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:28	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:28	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:28	75-35-4	
cis-1,2-Dichloroethene	34.9	ug/L	1.0	0.27	1		11/04/20 20:28	156-59-2	
trans-1,2-Dichloroethene	1.4J	ug/L	1.5	0.46	1		11/04/20 20:28	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:28	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 20:28	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 20:28	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 20:28	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 20:28	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 20:28	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 20:28	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 20:28	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 20:28	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 20:28	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 20:28	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 20:28	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 20:28	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 20:28	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 20:28	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 20:28	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-12 **Lab ID: 40217163005** Collected: 10/22/20 11:48 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:28	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:28	79-34-5	
Tetrachloroethene	14.2	ug/L	1.1	0.33	1		11/04/20 20:28	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 20:28	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 20:28	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 20:28	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 20:28	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 20:28	79-00-5	
Trichloroethene	1.9	ug/L	1.0	0.26	1		11/04/20 20:28	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 20:28	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 20:28	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 20:28	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 20:28	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 20:28	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 20:28	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 20:28	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 20:28	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/04/20 20:28	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/04/20 20:28	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 20:28	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-9 **Lab ID: 40217163006** Collected: 10/22/20 12:33 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 20:51	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:51	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 20:51	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 20:51	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 20:51	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 20:51	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:51	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 20:51	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 20:51	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 20:51	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:51	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 20:51	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 20:51	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 20:51	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 20:51	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 20:51	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 20:51	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 20:51	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 20:51	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 20:51	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 20:51	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 20:51	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 20:51	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 20:51	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:51	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:51	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 20:51	75-35-4	
cis-1,2-Dichloroethene	46.2	ug/L	1.0	0.27	1		11/04/20 20:51	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	1.5	0.46	1		11/04/20 20:51	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:51	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 20:51	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 20:51	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 20:51	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 20:51	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 20:51	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 20:51	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 20:51	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 20:51	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 20:51	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 20:51	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 20:51	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 20:51	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 20:51	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 20:51	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 20:51	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-9 **Lab ID: 40217163006** Collected: 10/22/20 12:33 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 20:51	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 20:51	79-34-5	
Tetrachloroethene	3.3	ug/L	1.1	0.33	1		11/04/20 20:51	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 20:51	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 20:51	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 20:51	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 20:51	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 20:51	79-00-5	
Trichloroethene	1.1	ug/L	1.0	0.26	1		11/04/20 20:51	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 20:51	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 20:51	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 20:51	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 20:51	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 20:51	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 20:51	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 20:51	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 20:51	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/04/20 20:51	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		1		11/04/20 20:51	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 20:51	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-9 DUP **Lab ID: 40217163007** Collected: 10/22/20 12:33 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 12:23	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 12:23	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 12:23	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 12:23	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 12:23	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 12:23	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 12:23	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 12:23	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 12:23	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 12:23	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 12:23	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 12:23	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 12:23	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 12:23	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 12:23	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 12:23	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 12:23	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 12:23	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 12:23	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 12:23	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 12:23	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 12:23	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 12:23	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 12:23	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 12:23	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 12:23	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 12:23	75-35-4	
cis-1,2-Dichloroethene	44.7	ug/L	1.0	0.27	1		11/04/20 12:23	156-59-2	
trans-1,2-Dichloroethene	1.2J	ug/L	1.5	0.46	1		11/04/20 12:23	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 12:23	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 12:23	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 12:23	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 12:23	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 12:23	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 12:23	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 12:23	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 12:23	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 12:23	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 12:23	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 12:23	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 12:23	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 12:23	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 12:23	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 12:23	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 12:23	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-9 DUP **Lab ID: 40217163007** Collected: 10/22/20 12:33 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 12:23	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 12:23	79-34-5	
Tetrachloroethene	3.2	ug/L	1.1	0.33	1		11/04/20 12:23	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 12:23	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 12:23	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 12:23	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 12:23	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 12:23	79-00-5	
Trichloroethene	1.1	ug/L	1.0	0.26	1		11/04/20 12:23	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 12:23	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 12:23	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 12:23	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 12:23	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 12:23	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 12:23	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 12:23	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 12:23	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/04/20 12:23	460-00-4	
Dibromofluoromethane (S)	99	%	70-130		1		11/04/20 12:23	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 12:23	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-1 **Lab ID: 40217163008** Collected: 10/22/20 13:18 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<1.2	ug/L	5.0	1.2	5		11/04/20 12:46	71-43-2	
Bromobenzene	<1.2	ug/L	5.0	1.2	5		11/04/20 12:46	108-86-1	
Bromochloromethane	<1.8	ug/L	25.0	1.8	5		11/04/20 12:46	74-97-5	
Bromodichloromethane	<1.8	ug/L	6.1	1.8	5		11/04/20 12:46	75-27-4	
Bromoform	<19.9	ug/L	66.2	19.9	5		11/04/20 12:46	75-25-2	
Bromomethane	<4.9	ug/L	25.0	4.9	5		11/04/20 12:46	74-83-9	
n-Butylbenzene	<3.5	ug/L	11.8	3.5	5		11/04/20 12:46	104-51-8	
sec-Butylbenzene	<4.2	ug/L	25.0	4.2	5		11/04/20 12:46	135-98-8	
tert-Butylbenzene	<1.5	ug/L	5.1	1.5	5		11/04/20 12:46	98-06-6	
Carbon tetrachloride	<5.4	ug/L	17.9	5.4	5		11/04/20 12:46	56-23-5	
Chlorobenzene	<3.6	ug/L	11.8	3.6	5		11/04/20 12:46	108-90-7	
Chloroethane	<6.7	ug/L	25.0	6.7	5		11/04/20 12:46	75-00-3	
Chloroform	<6.4	ug/L	25.0	6.4	5		11/04/20 12:46	67-66-3	
Chloromethane	<10.9	ug/L	36.5	10.9	5		11/04/20 12:46	74-87-3	
2-Chlorotoluene	<4.6	ug/L	25.0	4.6	5		11/04/20 12:46	95-49-8	
4-Chlorotoluene	<3.8	ug/L	12.6	3.8	5		11/04/20 12:46	106-43-4	
1,2-Dibromo-3-chloropropane	<8.8	ug/L	29.4	8.8	5		11/04/20 12:46	96-12-8	
Dibromochloromethane	<13.0	ug/L	43.4	13.0	5		11/04/20 12:46	124-48-1	
1,2-Dibromoethane (EDB)	<4.1	ug/L	13.8	4.1	5		11/04/20 12:46	106-93-4	
Dibromomethane	<4.7	ug/L	15.6	4.7	5		11/04/20 12:46	74-95-3	
1,2-Dichlorobenzene	<3.5	ug/L	11.8	3.5	5		11/04/20 12:46	95-50-1	
1,3-Dichlorobenzene	<3.1	ug/L	10.5	3.1	5		11/04/20 12:46	541-73-1	
1,4-Dichlorobenzene	<4.7	ug/L	15.7	4.7	5		11/04/20 12:46	106-46-7	
Dichlorodifluoromethane	<2.5	ug/L	25.0	2.5	5		11/04/20 12:46	75-71-8	
1,1-Dichloroethane	<1.4	ug/L	5.0	1.4	5		11/04/20 12:46	75-34-3	
1,2-Dichloroethane	<1.4	ug/L	5.0	1.4	5		11/04/20 12:46	107-06-2	
1,1-Dichloroethene	<1.2	ug/L	5.0	1.2	5		11/04/20 12:46	75-35-4	
cis-1,2-Dichloroethene	1050	ug/L	5.0	1.4	5		11/04/20 12:46	156-59-2	
trans-1,2-Dichloroethene	47.9	ug/L	7.7	2.3	5		11/04/20 12:46	156-60-5	
1,2-Dichloropropane	<1.4	ug/L	5.0	1.4	5		11/04/20 12:46	78-87-5	
1,3-Dichloropropane	<4.1	ug/L	13.8	4.1	5		11/04/20 12:46	142-28-9	
2,2-Dichloropropane	<11.3	ug/L	37.8	11.3	5		11/04/20 12:46	594-20-7	
1,1-Dichloropropene	<2.7	ug/L	9.0	2.7	5		11/04/20 12:46	563-58-6	
cis-1,3-Dichloropropene	<18.1	ug/L	60.5	18.1	5		11/04/20 12:46	10061-01-5	
trans-1,3-Dichloropropene	<21.9	ug/L	72.8	21.9	5		11/04/20 12:46	10061-02-6	
Diisopropyl ether	<9.4	ug/L	31.5	9.4	5		11/04/20 12:46	108-20-3	
Ethylbenzene	<1.6	ug/L	5.3	1.6	5		11/04/20 12:46	100-41-4	
Hexachloro-1,3-butadiene	<7.3	ug/L	24.4	7.3	5		11/04/20 12:46	87-68-3	
Isopropylbenzene (Cumene)	<8.4	ug/L	28.1	8.4	5		11/04/20 12:46	98-82-8	
p-Isopropyltoluene	<4.0	ug/L	13.3	4.0	5		11/04/20 12:46	99-87-6	
Methylene Chloride	<2.9	ug/L	25.0	2.9	5		11/04/20 12:46	75-09-2	
Methyl-tert-butyl ether	<6.2	ug/L	20.8	6.2	5		11/04/20 12:46	1634-04-4	
Naphthalene	<5.9	ug/L	25.0	5.9	5		11/04/20 12:46	91-20-3	
n-Propylbenzene	<4.1	ug/L	25.0	4.1	5		11/04/20 12:46	103-65-1	
Styrene	<15.0	ug/L	50.2	15.0	5		11/04/20 12:46	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-1 **Lab ID: 40217163008** Collected: 10/22/20 13:18 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<1.3	ug/L	5.0	1.3	5		11/04/20 12:46	630-20-6	
1,1,2,2-Tetrachloroethane	<1.4	ug/L	5.0	1.4	5		11/04/20 12:46	79-34-5	
Tetrachloroethene	3.6J	ug/L	5.4	1.6	5		11/04/20 12:46	127-18-4	
Toluene	<1.3	ug/L	5.0	1.3	5		11/04/20 12:46	108-88-3	
1,2,3-Trichlorobenzene	<11.1	ug/L	36.8	11.1	5		11/04/20 12:46	87-61-6	
1,2,4-Trichlorobenzene	<4.8	ug/L	25.0	4.8	5		11/04/20 12:46	120-82-1	
1,1,1-Trichloroethane	<1.2	ug/L	5.0	1.2	5		11/04/20 12:46	71-55-6	
1,1,2-Trichloroethane	<2.8	ug/L	25.0	2.8	5		11/04/20 12:46	79-00-5	
Trichloroethene	8.4	ug/L	5.0	1.3	5		11/04/20 12:46	79-01-6	
Trichlorofluoromethane	<1.1	ug/L	5.0	1.1	5		11/04/20 12:46	75-69-4	
1,2,3-Trichloropropane	<3.0	ug/L	25.0	3.0	5		11/04/20 12:46	96-18-4	
1,2,4-Trimethylbenzene	<4.2	ug/L	14.0	4.2	5		11/04/20 12:46	95-63-6	
1,3,5-Trimethylbenzene	<4.4	ug/L	14.6	4.4	5		11/04/20 12:46	108-67-8	
Vinyl chloride	1520	ug/L	20.0	3.5	20		11/04/20 15:00	75-01-4	
Xylene (Total)	<7.5	ug/L	15.0	7.5	5		11/04/20 12:46	1330-20-7	
m&p-Xylene	<2.3	ug/L	10.0	2.3	5		11/04/20 12:46	179601-23-1	
o-Xylene	<1.3	ug/L	5.0	1.3	5		11/04/20 12:46	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		5		11/04/20 12:46	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		5		11/04/20 12:46	1868-53-7	
Toluene-d8 (S)	101	%	70-130		5		11/04/20 12:46	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: PZ-1 **Lab ID: 40217163009** Collected: 10/22/20 13:51 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 17:06	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 17:06	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 17:06	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 17:06	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 17:06	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 17:06	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 17:06	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 17:06	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 17:06	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 17:06	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 17:06	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 17:06	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 17:06	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 17:06	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 17:06	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 17:06	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 17:06	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 17:06	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 17:06	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 17:06	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 17:06	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 17:06	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 17:06	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 17:06	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 17:06	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 17:06	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 17:06	75-35-4	
cis-1,2-Dichloroethene	7.5	ug/L	1.0	0.27	1		11/04/20 17:06	156-59-2	
trans-1,2-Dichloroethene	0.56J	ug/L	1.5	0.46	1		11/04/20 17:06	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 17:06	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 17:06	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 17:06	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 17:06	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 17:06	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 17:06	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 17:06	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 17:06	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 17:06	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 17:06	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 17:06	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 17:06	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 17:06	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 17:06	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 17:06	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 17:06	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: PZ-1 **Lab ID: 40217163009** Collected: 10/22/20 13:51 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 17:06	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 17:06	79-34-5	
Tetrachloroethene	0.89J	ug/L	1.1	0.33	1		11/04/20 17:06	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 17:06	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 17:06	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 17:06	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 17:06	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 17:06	79-00-5	
Trichloroethene	0.33J	ug/L	1.0	0.26	1		11/04/20 17:06	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 17:06	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 17:06	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 17:06	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 17:06	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 17:06	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 17:06	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 17:06	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 17:06	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		1		11/04/20 17:06	460-00-4	
Dibromofluoromethane (S)	98	%	70-130		1		11/04/20 17:06	1868-53-7	
Toluene-d8 (S)	100	%	70-130		1		11/04/20 17:06	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-3R **Lab ID: 40217163010** Collected: 10/22/20 14:38 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified									
Pace Analytical Services - Green Bay									
Ethane	36.0	ug/L	5.6	1.2	1		10/29/20 11:06	74-84-0	
Ethene	37.3	ug/L	5.0	1.2	1		10/29/20 11:06	74-85-1	
Methane	9760	ug/L	140	33.2	50		10/29/20 13:20	74-82-8	
Metals (ICPMS) 6020									
Analytical Method: EPA 6020 Preparation Method: 3015									
Pace National - Mt. Juliet									
Iron	4010	ug/L	93.7	28.1	1	11/05/20 09:20	11/05/20 14:14	7439-89-6	
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<2.5	ug/L	10.0	2.5	10		11/04/20 13:08	71-43-2	
Bromobenzene	<2.4	ug/L	10.0	2.4	10		11/04/20 13:08	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		11/04/20 13:08	74-97-5	
Bromodichloromethane	<3.6	ug/L	12.1	3.6	10		11/04/20 13:08	75-27-4	
Bromoform	<39.7	ug/L	132	39.7	10		11/04/20 13:08	75-25-2	
Bromomethane	<9.7	ug/L	50.0	9.7	10		11/04/20 13:08	74-83-9	
n-Butylbenzene	<7.1	ug/L	23.6	7.1	10		11/04/20 13:08	104-51-8	
sec-Butylbenzene	<8.5	ug/L	50.0	8.5	10		11/04/20 13:08	135-98-8	
tert-Butylbenzene	<3.0	ug/L	10.1	3.0	10		11/04/20 13:08	98-06-6	
Carbon tetrachloride	<10.8	ug/L	35.9	10.8	10		11/04/20 13:08	56-23-5	
Chlorobenzene	<7.1	ug/L	23.7	7.1	10		11/04/20 13:08	108-90-7	
Chloroethane	<13.4	ug/L	50.0	13.4	10		11/04/20 13:08	75-00-3	
Chloroform	<12.7	ug/L	50.0	12.7	10		11/04/20 13:08	67-66-3	
Chloromethane	<21.9	ug/L	73.0	21.9	10		11/04/20 13:08	74-87-3	
2-Chlorotoluene	<9.3	ug/L	50.0	9.3	10		11/04/20 13:08	95-49-8	
4-Chlorotoluene	<7.6	ug/L	25.2	7.6	10		11/04/20 13:08	106-43-4	
1,2-Dibromo-3-chloropropane	<17.6	ug/L	58.8	17.6	10		11/04/20 13:08	96-12-8	
Dibromochloromethane	<26.0	ug/L	86.7	26.0	10		11/04/20 13:08	124-48-1	
1,2-Dibromoethane (EDB)	<8.3	ug/L	27.6	8.3	10		11/04/20 13:08	106-93-4	
Dibromomethane	<9.4	ug/L	31.2	9.4	10		11/04/20 13:08	74-95-3	
1,2-Dichlorobenzene	<7.1	ug/L	23.5	7.1	10		11/04/20 13:08	95-50-1	
1,3-Dichlorobenzene	<6.3	ug/L	20.9	6.3	10		11/04/20 13:08	541-73-1	
1,4-Dichlorobenzene	<9.4	ug/L	31.5	9.4	10		11/04/20 13:08	106-46-7	
Dichlorodifluoromethane	<5.0	ug/L	50.0	5.0	10		11/04/20 13:08	75-71-8	
1,1-Dichloroethane	<2.7	ug/L	10.0	2.7	10		11/04/20 13:08	75-34-3	
1,2-Dichloroethane	<2.8	ug/L	10.0	2.8	10		11/04/20 13:08	107-06-2	
1,1-Dichloroethene	<2.4	ug/L	10.0	2.4	10		11/04/20 13:08	75-35-4	
cis-1,2-Dichloroethene	1500	ug/L	10.0	2.7	10		11/04/20 13:08	156-59-2	
trans-1,2-Dichloroethene	<4.6	ug/L	15.5	4.6	10		11/04/20 13:08	156-60-5	
1,2-Dichloropropane	<2.8	ug/L	10.0	2.8	10		11/04/20 13:08	78-87-5	
1,3-Dichloropropane	<8.3	ug/L	27.5	8.3	10		11/04/20 13:08	142-28-9	
2,2-Dichloropropane	<22.7	ug/L	75.5	22.7	10		11/04/20 13:08	594-20-7	
1,1-Dichloropropene	<5.4	ug/L	18.0	5.4	10		11/04/20 13:08	563-58-6	
cis-1,3-Dichloropropene	<36.3	ug/L	121	36.3	10		11/04/20 13:08	10061-01-5	
trans-1,3-Dichloropropene	<43.7	ug/L	146	43.7	10		11/04/20 13:08	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-3R **Lab ID: 40217163010** Collected: 10/22/20 14:38 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Diisopropyl ether	<18.9	ug/L	62.9	18.9	10		11/04/20 13:08	108-20-3	
Ethylbenzene	<3.2	ug/L	10.6	3.2	10		11/04/20 13:08	100-41-4	
Hexachloro-1,3-butadiene	<14.6	ug/L	48.8	14.6	10		11/04/20 13:08	87-68-3	
Isopropylbenzene (Cumene)	<16.9	ug/L	56.2	16.9	10		11/04/20 13:08	98-82-8	
p-Isopropyltoluene	<8.0	ug/L	26.7	8.0	10		11/04/20 13:08	99-87-6	
Methylene Chloride	<5.8	ug/L	50.0	5.8	10		11/04/20 13:08	75-09-2	
Methyl-tert-butyl ether	<12.5	ug/L	41.5	12.5	10		11/04/20 13:08	1634-04-4	
Naphthalene	<11.8	ug/L	50.0	11.8	10		11/04/20 13:08	91-20-3	
n-Propylbenzene	<8.1	ug/L	50.0	8.1	10		11/04/20 13:08	103-65-1	
Styrene	<30.1	ug/L	100	30.1	10		11/04/20 13:08	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/L	10.0	2.7	10		11/04/20 13:08	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/L	10.0	2.8	10		11/04/20 13:08	79-34-5	
Tetrachloroethene	<3.3	ug/L	10.9	3.3	10		11/04/20 13:08	127-18-4	
Toluene	<2.7	ug/L	10.0	2.7	10		11/04/20 13:08	108-88-3	
1,2,3-Trichlorobenzene	<22.1	ug/L	73.7	22.1	10		11/04/20 13:08	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		11/04/20 13:08	120-82-1	
1,1,1-Trichloroethane	<2.4	ug/L	10.0	2.4	10		11/04/20 13:08	71-55-6	
1,1,2-Trichloroethane	<5.5	ug/L	50.0	5.5	10		11/04/20 13:08	79-00-5	
Trichloroethene	<2.6	ug/L	10.0	2.6	10		11/04/20 13:08	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	10.0	2.1	10		11/04/20 13:08	75-69-4	
1,2,3-Trichloropropane	<5.9	ug/L	50.0	5.9	10		11/04/20 13:08	96-18-4	
1,2,4-Trimethylbenzene	<8.4	ug/L	28.0	8.4	10		11/04/20 13:08	95-63-6	
1,3,5-Trimethylbenzene	<8.7	ug/L	29.1	8.7	10		11/04/20 13:08	108-67-8	
Vinyl chloride	15.5	ug/L	10.0	1.7	10		11/04/20 13:08	75-01-4	
Xylene (Total)	<15.0	ug/L	30.0	15.0	10		11/04/20 13:08	1330-20-7	
m&p-Xylene	<4.7	ug/L	20.0	4.7	10		11/04/20 13:08	179601-23-1	
o-Xylene	<2.6	ug/L	10.0	2.6	10		11/04/20 13:08	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		10		11/04/20 13:08	460-00-4	
Dibromofluoromethane (S)	100	%	70-130		10		11/04/20 13:08	1868-53-7	
Toluene-d8 (S)	100	%	70-130		10		11/04/20 13:08	2037-26-5	
Wet Chemistry 3500Fe B-2011									
Analytical Method: SM 3500-Fe B Preparation Method: 3500Fe B-2011									
Pace National - Mt. Juliet									
Iron, Ferrous	3860	ug/L	250	75.0	5	11/05/20 10:04	11/05/20 10:04		C4,H3
Calculated Results									
Analytical Method: Calculated Preparation Method: Calc.									
Pace National - Mt. Juliet									
Iron, Ferric	154	ug/L	93.7	28.1	1	11/05/20 14:14	11/05/20 14:14	7439-89-6	H3
300.0 IC Anions									
Analytical Method: EPA 300.0									
Pace Analytical Services - Green Bay									
Sulfate	<2.2	mg/L	10.0	2.2	5		11/07/20 16:00	14808-79-8	D3

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-3R **Lab ID: 40217163010** Collected: 10/22/20 14:38 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/05/20 17:46		
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Green Bay								
Total Organic Carbon	17.5	mg/L	5.0	1.4	10		11/02/20 16:49	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-8 **Lab ID: 40217163011** Collected: 10/22/20 15:40 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
Methane, Ethane, Ethene GCV									
Analytical Method: EPA 8015B Modified Pace Analytical Services - Green Bay									
Ethane	15.4	ug/L	5.6	1.2	1		10/29/20 11:13	74-84-0	
Ethene	6.3	ug/L	5.0	1.2	1		10/29/20 11:13	74-85-1	
Methane	7320	ug/L	112	26.6	40		10/29/20 13:27	74-82-8	
Metals (ICPMS) 6020									
Analytical Method: EPA 6020 Preparation Method: 3015 Pace National - Mt. Juliet									
Iron	4450	ug/L	93.7	28.1	1	11/05/20 09:20	11/05/20 14:19	7439-89-6	
8260 MSV									
Analytical Method: EPA 8260 Pace Analytical Services - Green Bay									
Benzene	<2.5	ug/L	10.0	2.5	10		11/04/20 13:30	71-43-2	
Bromobenzene	<2.4	ug/L	10.0	2.4	10		11/04/20 13:30	108-86-1	
Bromochloromethane	<3.6	ug/L	50.0	3.6	10		11/04/20 13:30	74-97-5	
Bromodichloromethane	<3.6	ug/L	12.1	3.6	10		11/04/20 13:30	75-27-4	
Bromoform	<39.7	ug/L	132	39.7	10		11/04/20 13:30	75-25-2	
Bromomethane	<9.7	ug/L	50.0	9.7	10		11/04/20 13:30	74-83-9	
n-Butylbenzene	<7.1	ug/L	23.6	7.1	10		11/04/20 13:30	104-51-8	
sec-Butylbenzene	<8.5	ug/L	50.0	8.5	10		11/04/20 13:30	135-98-8	
tert-Butylbenzene	<3.0	ug/L	10.1	3.0	10		11/04/20 13:30	98-06-6	
Carbon tetrachloride	<10.8	ug/L	35.9	10.8	10		11/04/20 13:30	56-23-5	
Chlorobenzene	<7.1	ug/L	23.7	7.1	10		11/04/20 13:30	108-90-7	
Chloroethane	<13.4	ug/L	50.0	13.4	10		11/04/20 13:30	75-00-3	
Chloroform	<12.7	ug/L	50.0	12.7	10		11/04/20 13:30	67-66-3	
Chloromethane	<21.9	ug/L	73.0	21.9	10		11/04/20 13:30	74-87-3	
2-Chlorotoluene	<9.3	ug/L	50.0	9.3	10		11/04/20 13:30	95-49-8	
4-Chlorotoluene	<7.6	ug/L	25.2	7.6	10		11/04/20 13:30	106-43-4	
1,2-Dibromo-3-chloropropane	<17.6	ug/L	58.8	17.6	10		11/04/20 13:30	96-12-8	
Dibromochloromethane	<26.0	ug/L	86.7	26.0	10		11/04/20 13:30	124-48-1	
1,2-Dibromoethane (EDB)	<8.3	ug/L	27.6	8.3	10		11/04/20 13:30	106-93-4	
Dibromomethane	<9.4	ug/L	31.2	9.4	10		11/04/20 13:30	74-95-3	
1,2-Dichlorobenzene	<7.1	ug/L	23.5	7.1	10		11/04/20 13:30	95-50-1	
1,3-Dichlorobenzene	<6.3	ug/L	20.9	6.3	10		11/04/20 13:30	541-73-1	
1,4-Dichlorobenzene	<9.4	ug/L	31.5	9.4	10		11/04/20 13:30	106-46-7	
Dichlorodifluoromethane	<5.0	ug/L	50.0	5.0	10		11/04/20 13:30	75-71-8	
1,1-Dichloroethane	<2.7	ug/L	10.0	2.7	10		11/04/20 13:30	75-34-3	
1,2-Dichloroethane	<2.8	ug/L	10.0	2.8	10		11/04/20 13:30	107-06-2	
1,1-Dichloroethene	<2.4	ug/L	10.0	2.4	10		11/04/20 13:30	75-35-4	
cis-1,2-Dichloroethene	930	ug/L	10.0	2.7	10		11/04/20 13:30	156-59-2	
trans-1,2-Dichloroethene	24.5	ug/L	15.5	4.6	10		11/04/20 13:30	156-60-5	
1,2-Dichloropropane	<2.8	ug/L	10.0	2.8	10		11/04/20 13:30	78-87-5	
1,3-Dichloropropane	<8.3	ug/L	27.5	8.3	10		11/04/20 13:30	142-28-9	
2,2-Dichloropropane	<22.7	ug/L	75.5	22.7	10		11/04/20 13:30	594-20-7	
1,1-Dichloropropene	<5.4	ug/L	18.0	5.4	10		11/04/20 13:30	563-58-6	
cis-1,3-Dichloropropene	<36.3	ug/L	121	36.3	10		11/04/20 13:30	10061-01-5	
trans-1,3-Dichloropropene	<43.7	ug/L	146	43.7	10		11/04/20 13:30	10061-02-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: MW-8 **Lab ID: 40217163011** Collected: 10/22/20 15:40 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Diisopropyl ether	<18.9	ug/L	62.9	18.9	10		11/04/20 13:30	108-20-3	
Ethylbenzene	<3.2	ug/L	10.6	3.2	10		11/04/20 13:30	100-41-4	
Hexachloro-1,3-butadiene	<14.6	ug/L	48.8	14.6	10		11/04/20 13:30	87-68-3	
Isopropylbenzene (Cumene)	<16.9	ug/L	56.2	16.9	10		11/04/20 13:30	98-82-8	
p-Isopropyltoluene	<8.0	ug/L	26.7	8.0	10		11/04/20 13:30	99-87-6	
Methylene Chloride	<5.8	ug/L	50.0	5.8	10		11/04/20 13:30	75-09-2	
Methyl-tert-butyl ether	<12.5	ug/L	41.5	12.5	10		11/04/20 13:30	1634-04-4	
Naphthalene	<11.8	ug/L	50.0	11.8	10		11/04/20 13:30	91-20-3	
n-Propylbenzene	<8.1	ug/L	50.0	8.1	10		11/04/20 13:30	103-65-1	
Styrene	<30.1	ug/L	100	30.1	10		11/04/20 13:30	100-42-5	
1,1,1,2-Tetrachloroethane	<2.7	ug/L	10.0	2.7	10		11/04/20 13:30	630-20-6	
1,1,2,2-Tetrachloroethane	<2.8	ug/L	10.0	2.8	10		11/04/20 13:30	79-34-5	
Tetrachloroethene	<3.3	ug/L	10.9	3.3	10		11/04/20 13:30	127-18-4	
Toluene	<2.7	ug/L	10.0	2.7	10		11/04/20 13:30	108-88-3	
1,2,3-Trichlorobenzene	<22.1	ug/L	73.7	22.1	10		11/04/20 13:30	87-61-6	
1,2,4-Trichlorobenzene	<9.5	ug/L	50.0	9.5	10		11/04/20 13:30	120-82-1	
1,1,1-Trichloroethane	<2.4	ug/L	10.0	2.4	10		11/04/20 13:30	71-55-6	
1,1,2-Trichloroethane	<5.5	ug/L	50.0	5.5	10		11/04/20 13:30	79-00-5	
Trichloroethene	<2.6	ug/L	10.0	2.6	10		11/04/20 13:30	79-01-6	
Trichlorofluoromethane	<2.1	ug/L	10.0	2.1	10		11/04/20 13:30	75-69-4	
1,2,3-Trichloropropane	<5.9	ug/L	50.0	5.9	10		11/04/20 13:30	96-18-4	
1,2,4-Trimethylbenzene	<8.4	ug/L	28.0	8.4	10		11/04/20 13:30	95-63-6	
1,3,5-Trimethylbenzene	<8.7	ug/L	29.1	8.7	10		11/04/20 13:30	108-67-8	
Vinyl chloride	3.5J	ug/L	10.0	1.7	10		11/04/20 13:30	75-01-4	
Xylene (Total)	<15.0	ug/L	30.0	15.0	10		11/04/20 13:30	1330-20-7	
m&p-Xylene	<4.7	ug/L	20.0	4.7	10		11/04/20 13:30	179601-23-1	
o-Xylene	<2.6	ug/L	10.0	2.6	10		11/04/20 13:30	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	99	%	70-130		10		11/04/20 13:30	460-00-4	
Dibromofluoromethane (S)	101	%	70-130		10		11/04/20 13:30	1868-53-7	
Toluene-d8 (S)	100	%	70-130		10		11/04/20 13:30	2037-26-5	

Wet Chemistry 3500Fe B-2011 Analytical Method: SM 3500-Fe B Preparation Method: 3500Fe B-2011
Pace National - Mt. Juliet

Iron, Ferrous	4690	ug/L	250	75.0	5	11/05/20 10:05	11/05/20 10:05		C4,H3
---------------	------	------	-----	------	---	----------------	----------------	--	-------

Calculated Results Analytical Method: Calculated Preparation Method: Calc.
Pace National - Mt. Juliet

Iron, Ferric	<28.1	ug/L	93.7	28.1	1	11/05/20 14:19	11/05/20 14:19	7439-89-6	H3
--------------	-------	------	------	------	---	----------------	----------------	-----------	----

300.0 IC Anions Analytical Method: EPA 300.0
Pace Analytical Services - Green Bay

Sulfate	34.1	mg/L	10.0	2.2	5		11/07/20 17:30	14808-79-8	
---------	------	------	------	-----	---	--	----------------	------------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: MW-8 **Lab ID: 40217163011** Collected: 10/22/20 15:40 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2 Pace Analytical Services - Green Bay								
Nitrogen, NO2 plus NO3	<0.059	mg/L	0.25	0.059	1		11/05/20 17:37		
5310C TOC	Analytical Method: SM 5310C Pace Analytical Services - Green Bay								
Total Organic Carbon	4.6	mg/L	0.50	0.14	1		11/02/20 00:06	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: TRIP BLANK **Lab ID: 40217163012** Collected: 10/22/20 00:00 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 10:09	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 10:09	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 10:09	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 10:09	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 10:09	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 10:09	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 10:09	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 10:09	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 10:09	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 10:09	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 10:09	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 10:09	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 10:09	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 10:09	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 10:09	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 10:09	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 10:09	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 10:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 10:09	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 10:09	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 10:09	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 10:09	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 10:09	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 10:09	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 10:09	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 10:09	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 10:09	75-35-4	
cis-1,2-Dichloroethene	<0.27	ug/L	1.0	0.27	1		11/04/20 10:09	156-59-2	
trans-1,2-Dichloroethene	<0.46	ug/L	1.5	0.46	1		11/04/20 10:09	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 10:09	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 10:09	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 10:09	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 10:09	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 10:09	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 10:09	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 10:09	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 10:09	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 10:09	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 10:09	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 10:09	99-87-6	
Methylene Chloride	0.67J	ug/L	5.0	0.58	1		11/04/20 10:09	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 10:09	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 10:09	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 10:09	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 10:09	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: TRIP BLANK **Lab ID: 40217163012** Collected: 10/22/20 00:00 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 10:09	630-20-6	
1,1,1,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 10:09	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/04/20 10:09	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 10:09	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 10:09	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 10:09	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 10:09	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 10:09	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/04/20 10:09	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 10:09	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 10:09	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 10:09	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 10:09	108-67-8	
Vinyl chloride	<0.17	ug/L	1.0	0.17	1		11/04/20 10:09	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 10:09	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 10:09	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 10:09	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	97	%	70-130		1		11/04/20 10:09	460-00-4	
Dibromofluoromethane (S)	118	%	70-130		1		11/04/20 10:09	1868-53-7	
Toluene-d8 (S)	99	%	70-130		1		11/04/20 10:09	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Sample: **COMP-2020-10-22** Lab ID: **40217163013** Collected: 10/22/20 16:30 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
Benzene	<0.25	ug/L	1.0	0.25	1		11/04/20 14:00	71-43-2	
Bromobenzene	<0.24	ug/L	1.0	0.24	1		11/04/20 14:00	108-86-1	
Bromochloromethane	<0.36	ug/L	5.0	0.36	1		11/04/20 14:00	74-97-5	
Bromodichloromethane	<0.36	ug/L	1.2	0.36	1		11/04/20 14:00	75-27-4	
Bromoform	<4.0	ug/L	13.2	4.0	1		11/04/20 14:00	75-25-2	
Bromomethane	<0.97	ug/L	5.0	0.97	1		11/04/20 14:00	74-83-9	
n-Butylbenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:00	104-51-8	
sec-Butylbenzene	<0.85	ug/L	5.0	0.85	1		11/04/20 14:00	135-98-8	
tert-Butylbenzene	<0.30	ug/L	1.0	0.30	1		11/04/20 14:00	98-06-6	
Carbon tetrachloride	<1.1	ug/L	3.6	1.1	1		11/04/20 14:00	56-23-5	
Chlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:00	108-90-7	
Chloroethane	<1.3	ug/L	5.0	1.3	1		11/04/20 14:00	75-00-3	
Chloroform	<1.3	ug/L	5.0	1.3	1		11/04/20 14:00	67-66-3	
Chloromethane	<2.2	ug/L	7.3	2.2	1		11/04/20 14:00	74-87-3	
2-Chlorotoluene	<0.93	ug/L	5.0	0.93	1		11/04/20 14:00	95-49-8	
4-Chlorotoluene	<0.76	ug/L	2.5	0.76	1		11/04/20 14:00	106-43-4	
1,2-Dibromo-3-chloropropane	<1.8	ug/L	5.9	1.8	1		11/04/20 14:00	96-12-8	
Dibromochloromethane	<2.6	ug/L	8.7	2.6	1		11/04/20 14:00	124-48-1	
1,2-Dibromoethane (EDB)	<0.83	ug/L	2.8	0.83	1		11/04/20 14:00	106-93-4	
Dibromomethane	<0.94	ug/L	3.1	0.94	1		11/04/20 14:00	74-95-3	
1,2-Dichlorobenzene	<0.71	ug/L	2.4	0.71	1		11/04/20 14:00	95-50-1	
1,3-Dichlorobenzene	<0.63	ug/L	2.1	0.63	1		11/04/20 14:00	541-73-1	
1,4-Dichlorobenzene	<0.94	ug/L	3.1	0.94	1		11/04/20 14:00	106-46-7	
Dichlorodifluoromethane	<0.50	ug/L	5.0	0.50	1		11/04/20 14:00	75-71-8	
1,1-Dichloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 14:00	75-34-3	
1,2-Dichloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:00	107-06-2	
1,1-Dichloroethene	<0.24	ug/L	1.0	0.24	1		11/04/20 14:00	75-35-4	
cis-1,2-Dichloroethene	76.1	ug/L	1.0	0.27	1		11/04/20 14:00	156-59-2	
trans-1,2-Dichloroethene	1.0J	ug/L	1.5	0.46	1		11/04/20 14:00	156-60-5	
1,2-Dichloropropane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:00	78-87-5	
1,3-Dichloropropane	<0.83	ug/L	2.8	0.83	1		11/04/20 14:00	142-28-9	
2,2-Dichloropropane	<2.3	ug/L	7.6	2.3	1		11/04/20 14:00	594-20-7	
1,1-Dichloropropene	<0.54	ug/L	1.8	0.54	1		11/04/20 14:00	563-58-6	
cis-1,3-Dichloropropene	<3.6	ug/L	12.1	3.6	1		11/04/20 14:00	10061-01-5	
trans-1,3-Dichloropropene	<4.4	ug/L	14.6	4.4	1		11/04/20 14:00	10061-02-6	
Diisopropyl ether	<1.9	ug/L	6.3	1.9	1		11/04/20 14:00	108-20-3	
Ethylbenzene	<0.32	ug/L	1.1	0.32	1		11/04/20 14:00	100-41-4	
Hexachloro-1,3-butadiene	<1.5	ug/L	4.9	1.5	1		11/04/20 14:00	87-68-3	
Isopropylbenzene (Cumene)	<1.7	ug/L	5.6	1.7	1		11/04/20 14:00	98-82-8	
p-Isopropyltoluene	<0.80	ug/L	2.7	0.80	1		11/04/20 14:00	99-87-6	
Methylene Chloride	<0.58	ug/L	5.0	0.58	1		11/04/20 14:00	75-09-2	
Methyl-tert-butyl ether	<1.2	ug/L	4.2	1.2	1		11/04/20 14:00	1634-04-4	
Naphthalene	<1.2	ug/L	5.0	1.2	1		11/04/20 14:00	91-20-3	
n-Propylbenzene	<0.81	ug/L	5.0	0.81	1		11/04/20 14:00	103-65-1	
Styrene	<3.0	ug/L	10.0	3.0	1		11/04/20 14:00	100-42-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Sample: COMP-2020-10-22 **Lab ID: 40217163013** Collected: 10/22/20 16:30 Received: 10/24/20 08:55 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Pace Analytical Services - Green Bay									
1,1,1,2-Tetrachloroethane	<0.27	ug/L	1.0	0.27	1		11/04/20 14:00	630-20-6	
1,1,2,2-Tetrachloroethane	<0.28	ug/L	1.0	0.28	1		11/04/20 14:00	79-34-5	
Tetrachloroethene	<0.33	ug/L	1.1	0.33	1		11/04/20 14:00	127-18-4	
Toluene	<0.27	ug/L	1.0	0.27	1		11/04/20 14:00	108-88-3	
1,2,3-Trichlorobenzene	<2.2	ug/L	7.4	2.2	1		11/04/20 14:00	87-61-6	
1,2,4-Trichlorobenzene	<0.95	ug/L	5.0	0.95	1		11/04/20 14:00	120-82-1	
1,1,1-Trichloroethane	<0.24	ug/L	1.0	0.24	1		11/04/20 14:00	71-55-6	
1,1,2-Trichloroethane	<0.55	ug/L	5.0	0.55	1		11/04/20 14:00	79-00-5	
Trichloroethene	<0.26	ug/L	1.0	0.26	1		11/04/20 14:00	79-01-6	
Trichlorofluoromethane	<0.21	ug/L	1.0	0.21	1		11/04/20 14:00	75-69-4	
1,2,3-Trichloropropane	<0.59	ug/L	5.0	0.59	1		11/04/20 14:00	96-18-4	
1,2,4-Trimethylbenzene	<0.84	ug/L	2.8	0.84	1		11/04/20 14:00	95-63-6	
1,3,5-Trimethylbenzene	<0.87	ug/L	2.9	0.87	1		11/04/20 14:00	108-67-8	
Vinyl chloride	34.4	ug/L	1.0	0.17	1		11/04/20 14:00	75-01-4	
Xylene (Total)	<1.5	ug/L	3.0	1.5	1		11/04/20 14:00	1330-20-7	
m&p-Xylene	<0.47	ug/L	2.0	0.47	1		11/04/20 14:00	179601-23-1	
o-Xylene	<0.26	ug/L	1.0	0.26	1		11/04/20 14:00	95-47-6	
Surrogates									
4-Bromofluorobenzene (S)	96	%	70-130		1		11/04/20 14:00	460-00-4	
Dibromofluoromethane (S)	119	%	70-130		1		11/04/20 14:00	1868-53-7	
Toluene-d8 (S)	102	%	70-130		1		11/04/20 14:00	2037-26-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch: 369753 Analysis Method: EPA 8015B Modified
QC Batch Method: EPA 8015B Modified Analysis Description: Methane, Ethane, Ethene GCV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40217163010, 40217163011

METHOD BLANK: 2137293 Matrix: Water
Associated Lab Samples: 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethane	ug/L	<1.2	5.6	10/29/20 08:56	
Ethene	ug/L	<1.2	5.0	10/29/20 08:56	
Methane	ug/L	<0.66	2.8	10/29/20 08:56	

LABORATORY CONTROL SAMPLE & LCSD: 2137294

Parameter	Units	2137295		LCS	LCSD	% Rec	LCSD	% Rec	Limits	RPD	Max RPD	Qualifiers
		Spike Conc.	LCS Result									
Ethane	ug/L	53.6	56.1	59.8	105	112	80-120	7	20			
Ethene	ug/L	50	51.4	54.8	103	110	80-120	6	20			
Methane	ug/L	28.6	29.4	31.6	103	111	79-120	7	20			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2137296 2137297

Parameter	Units	40216942007		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.										
Ethane	ug/L	<12.2	536	536	581	615	109	115	79-120	6	20		
Ethene	ug/L	<12.0	500	500	529	560	106	112	79-120	6	20		
Methane	ug/L	1430	286	286	3240	3730	634	804	10-200	14	20	E,M1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

QC Batch: 1570408

Analysis Method: EPA 6020

QC Batch Method: 3015

Analysis Description: Metals (ICPMS) 6020

Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 40217163010, 40217163011

METHOD BLANK: R3589864-1

Matrix: Water

Associated Lab Samples: 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron	ug/L	<28.1	93.7	11/05/20 12:32	

LABORATORY CONTROL SAMPLE: R3589864-2

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	5000	5090	102	80.0-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch:	369474	Analysis Method:	EPA 8260
QC Batch Method:	EPA 8260	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Green Bay

Associated Lab Samples: 40217163001, 40217163002, 40217163003, 40217163004, 40217163005, 40217163006, 40217163007, 40217163008, 40217163009, 40217163010, 40217163011

METHOD BLANK: 2135930 Matrix: Water
Associated Lab Samples: 40217163001, 40217163002, 40217163003, 40217163004, 40217163005, 40217163006, 40217163007, 40217163008, 40217163009, 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	11/04/20 06:02	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	11/04/20 06:02	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	11/04/20 06:02	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	11/04/20 06:02	
1,1-Dichloroethane	ug/L	<0.27	1.0	11/04/20 06:02	
1,1-Dichloroethene	ug/L	<0.24	1.0	11/04/20 06:02	
1,1-Dichloropropene	ug/L	<0.54	1.8	11/04/20 06:02	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	11/04/20 06:02	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	11/04/20 06:02	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/04/20 06:02	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	11/04/20 06:02	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	11/04/20 06:02	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	11/04/20 06:02	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	11/04/20 06:02	
1,2-Dichloroethane	ug/L	<0.28	1.0	11/04/20 06:02	
1,2-Dichloropropane	ug/L	<0.28	1.0	11/04/20 06:02	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	11/04/20 06:02	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	11/04/20 06:02	
1,3-Dichloropropane	ug/L	<0.83	2.8	11/04/20 06:02	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	11/04/20 06:02	
2,2-Dichloropropane	ug/L	<2.3	7.6	11/04/20 06:02	
2-Chlorotoluene	ug/L	<0.93	5.0	11/04/20 06:02	
4-Chlorotoluene	ug/L	<0.76	2.5	11/04/20 06:02	
Benzene	ug/L	<0.25	1.0	11/04/20 06:02	
Bromobenzene	ug/L	<0.24	1.0	11/04/20 06:02	
Bromochloromethane	ug/L	<0.36	5.0	11/04/20 06:02	
Bromodichloromethane	ug/L	<0.36	1.2	11/04/20 06:02	
Bromoform	ug/L	<4.0	13.2	11/04/20 06:02	
Bromomethane	ug/L	<0.97	5.0	11/04/20 06:02	
Carbon tetrachloride	ug/L	<1.1	3.6	11/04/20 06:02	
Chlorobenzene	ug/L	<0.71	2.4	11/04/20 06:02	
Chloroethane	ug/L	<1.3	5.0	11/04/20 06:02	
Chloroform	ug/L	<1.3	5.0	11/04/20 06:02	
Chloromethane	ug/L	<2.2	7.3	11/04/20 06:02	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	11/04/20 06:02	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	11/04/20 06:02	
Dibromochloromethane	ug/L	<2.6	8.7	11/04/20 06:02	
Dibromomethane	ug/L	<0.94	3.1	11/04/20 06:02	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/04/20 06:02	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

METHOD BLANK: 2135930 Matrix: Water
Associated Lab Samples: 40217163001, 40217163002, 40217163003, 40217163004, 40217163005, 40217163006, 40217163007, 40217163008, 40217163009, 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diisopropyl ether	ug/L	<1.9	6.3	11/04/20 06:02	
Ethylbenzene	ug/L	<0.32	1.1	11/04/20 06:02	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	11/04/20 06:02	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	11/04/20 06:02	
m&p-Xylene	ug/L	<0.47	2.0	11/04/20 06:02	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/04/20 06:02	
Methylene Chloride	ug/L	<0.58	5.0	11/04/20 06:02	
n-Butylbenzene	ug/L	<0.71	2.4	11/04/20 06:02	
n-Propylbenzene	ug/L	<0.81	5.0	11/04/20 06:02	
Naphthalene	ug/L	<1.2	5.0	11/04/20 06:02	
o-Xylene	ug/L	<0.26	1.0	11/04/20 06:02	
p-Isopropyltoluene	ug/L	<0.80	2.7	11/04/20 06:02	
sec-Butylbenzene	ug/L	<0.85	5.0	11/04/20 06:02	
Styrene	ug/L	<3.0	10.0	11/04/20 06:02	
tert-Butylbenzene	ug/L	<0.30	1.0	11/04/20 06:02	
Tetrachloroethene	ug/L	<0.33	1.1	11/04/20 06:02	
Toluene	ug/L	<0.27	1.0	11/04/20 06:02	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	11/04/20 06:02	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/04/20 06:02	
Trichloroethene	ug/L	<0.26	1.0	11/04/20 06:02	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/04/20 06:02	
Vinyl chloride	ug/L	<0.17	1.0	11/04/20 06:02	
Xylene (Total)	ug/L	<1.5	3.0	11/04/20 06:02	
4-Bromofluorobenzene (S)	%	98	70-130	11/04/20 06:02	
Dibromofluoromethane (S)	%	98	70-130	11/04/20 06:02	
Toluene-d8 (S)	%	99	70-130	11/04/20 06:02	

LABORATORY CONTROL SAMPLE: 2135931

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	53.3	107	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	46.0	92	64-131	
1,1,2-Trichloroethane	ug/L	50	49.0	98	70-130	
1,1-Dichloroethane	ug/L	50	42.9	86	69-163	
1,1-Dichloroethene	ug/L	50	49.6	99	77-123	
1,2,4-Trichlorobenzene	ug/L	50	47.7	95	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	42.9	86	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	49.5	99	70-130	
1,2-Dichlorobenzene	ug/L	50	48.9	98	70-130	
1,2-Dichloroethane	ug/L	50	47.0	94	78-142	
1,2-Dichloropropane	ug/L	50	44.6	89	86-134	
1,3-Dichlorobenzene	ug/L	50	48.8	98	70-130	
1,4-Dichlorobenzene	ug/L	50	50.0	100	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

LABORATORY CONTROL SAMPLE: 2135931

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Benzene	ug/L	50	46.1	92	70-130	
Bromodichloromethane	ug/L	50	54.0	108	70-130	
Bromoform	ug/L	50	56.9	114	70-130	
Bromomethane	ug/L	50	39.6	79	39-129	
Carbon tetrachloride	ug/L	50	57.1	114	70-132	
Chlorobenzene	ug/L	50	50.7	101	70-130	
Chloroethane	ug/L	50	37.6	75	66-140	
Chloroform	ug/L	50	49.5	99	75-132	
Chloromethane	ug/L	50	22.5	45	32-143	
cis-1,2-Dichloroethene	ug/L	50	48.1	96	70-130	
cis-1,3-Dichloropropene	ug/L	50	45.3	91	70-130	
Dibromochloromethane	ug/L	50	54.1	108	70-130	
Dichlorodifluoromethane	ug/L	50	32.5	65	10-141	
Ethylbenzene	ug/L	50	53.6	107	80-120	
Isopropylbenzene (Cumene)	ug/L	50	54.0	108	70-130	
m&p-Xylene	ug/L	100	105	105	70-130	
Methyl-tert-butyl ether	ug/L	50	41.6	83	61-129	
Methylene Chloride	ug/L	50	45.7	91	70-130	
o-Xylene	ug/L	50	52.5	105	70-130	
Styrene	ug/L	50	52.8	106	70-130	
Tetrachloroethene	ug/L	50	55.5	111	70-130	
Toluene	ug/L	50	51.2	102	80-120	
trans-1,2-Dichloroethene	ug/L	50	50.9	102	70-130	
trans-1,3-Dichloropropene	ug/L	50	43.3	87	69-130	
Trichloroethene	ug/L	50	56.4	113	70-130	
Trichlorofluoromethane	ug/L	50	51.9	104	75-145	
Vinyl chloride	ug/L	50	34.4	69	51-140	
Xylene (Total)	ug/L	150	158	105	70-130	
4-Bromofluorobenzene (S)	%			107	70-130	
Dibromofluoromethane (S)	%			100	70-130	
Toluene-d8 (S)	%			101	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2135991 2135992

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40217185001 Result	Spike Conc.	Spike Conc.	MS Result								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	53.5	52.5	107	105	70-130	2	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	48.3	49.3	97	99	64-137	2	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	50.8	51.3	102	103	70-137	1	20		
1,1-Dichloroethane	ug/L	<0.27	50	50	43.2	42.7	86	85	69-163	1	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	46.3	46.3	93	93	77-129	0	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	49.6	49.6	99	99	68-130	0	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	44.6	45.8	89	92	60-130	3	20		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	51.7	51.4	103	103	70-130	1	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

Parameter	Units	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2135991		2135992		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40217185001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
1,2-Dichlorobenzene	ug/L	<0.71	50	50	51.1	50.4	102	101	70-130	1	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	47.6	47.3	95	95	78-145	1	20		
1,2-Dichloropropane	ug/L	<0.28	50	50	46.3	45.6	93	91	86-135	1	20		
1,3-Dichlorobenzene	ug/L	<0.63	50	50	51.5	50.2	103	100	70-130	2	20		
1,4-Dichlorobenzene	ug/L	<0.94	50	50	52.4	51.0	105	102	70-130	3	20		
Benzene	ug/L	<0.25	50	50	46.5	46.0	93	92	70-136	1	20		
Bromodichloromethane	ug/L	<0.36	50	50	55.7	54.5	111	109	70-130	2	20		
Bromoform	ug/L	<4.0	50	50	58.3	59.3	117	119	69-130	2	20		
Bromomethane	ug/L	<0.97	50	50	33.4	34.6	67	69	39-138	3	20		
Carbon tetrachloride	ug/L	<1.1	50	50	56.8	56.3	114	113	70-142	1	20		
Chlorobenzene	ug/L	<0.71	50	50	52.5	51.9	105	104	70-130	1	20		
Chloroethane	ug/L	<1.3	50	50	33.1	32.5	66	65	61-149	2	20		
Chloroform	ug/L	<1.3	50	50	50.6	49.5	101	99	75-133	2	20		
Chloromethane	ug/L	<2.2	50	50	16.7	17.0	33	34	32-143	2	20		
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	48.7	48.0	97	96	70-130	2	20		
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	46.2	45.7	92	91	70-130	1	20		
Dibromochloromethane	ug/L	<2.6	50	50	56.2	55.4	112	111	70-130	1	20		
Dichlorodifluoromethane	ug/L	<0.50	50	50	18.1	17.6	36	35	10-141	3	20		
Ethylbenzene	ug/L	<0.32	50	50	55.1	54.3	110	109	80-120	1	20		
Isopropylbenzene (Cumene)	ug/L	<1.7	50	50	55.4	54.7	111	109	70-130	1	20		
m&p-Xylene	ug/L	<0.47	100	100	108	107	108	107	70-130	0	20		
Methyl-tert-butyl ether	ug/L	<1.2	50	50	41.9	42.2	84	84	61-136	1	20		
Methylene Chloride	ug/L	<0.58	50	50	45.4	45.5	91	91	68-137	0	20		
o-Xylene	ug/L	<0.26	50	50	53.7	52.7	107	105	70-130	2	20		
Styrene	ug/L	<3.0	50	50	55.0	53.8	110	108	70-130	2	20		
Tetrachloroethene	ug/L	<0.33	50	50	56.7	55.6	113	111	70-130	2	20		
Toluene	ug/L	<0.27	50	50	52.4	51.4	105	103	80-120	2	20		
trans-1,2-Dichloroethene	ug/L	<0.46	50	50	49.9	49.9	100	100	70-130	0	20		
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	44.0	44.2	88	88	69-130	0	20		
Trichloroethene	ug/L	<0.26	50	50	57.9	56.2	116	112	70-130	3	20		
Trichlorofluoromethane	ug/L	<0.21	50	50	47.1	45.8	94	92	74-157	3	20		
Vinyl chloride	ug/L	<0.17	50	50	27.2	26.8	54	54	51-140	2	20		
Xylene (Total)	ug/L	<1.5	150	150	161	160	107	107	70-130	1	20		
4-Bromofluorobenzene (S)	%						106	109	70-130				
Dibromofluoromethane (S)	%						98	99	70-130				
Toluene-d8 (S)	%						101	101	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch: 369475 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40217163012, 40217163013

METHOD BLANK: 2135932 Matrix: Water

Associated Lab Samples: 40217163012, 40217163013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.27	1.0	11/04/20 06:59	
1,1,1-Trichloroethane	ug/L	<0.24	1.0	11/04/20 06:59	
1,1,2,2-Tetrachloroethane	ug/L	<0.28	1.0	11/04/20 06:59	
1,1,2-Trichloroethane	ug/L	<0.55	5.0	11/04/20 06:59	
1,1-Dichloroethane	ug/L	<0.27	1.0	11/04/20 06:59	
1,1-Dichloroethene	ug/L	<0.24	1.0	11/04/20 06:59	
1,1-Dichloropropene	ug/L	<0.54	1.8	11/04/20 06:59	
1,2,3-Trichlorobenzene	ug/L	<2.2	7.4	11/04/20 06:59	
1,2,3-Trichloropropane	ug/L	<0.59	5.0	11/04/20 06:59	
1,2,4-Trichlorobenzene	ug/L	<0.95	5.0	11/04/20 06:59	
1,2,4-Trimethylbenzene	ug/L	<0.84	2.8	11/04/20 06:59	
1,2-Dibromo-3-chloropropane	ug/L	<1.8	5.9	11/04/20 06:59	
1,2-Dibromoethane (EDB)	ug/L	<0.83	2.8	11/04/20 06:59	
1,2-Dichlorobenzene	ug/L	<0.71	2.4	11/04/20 06:59	
1,2-Dichloroethane	ug/L	<0.28	1.0	11/04/20 06:59	
1,2-Dichloropropane	ug/L	<0.28	1.0	11/04/20 06:59	
1,3,5-Trimethylbenzene	ug/L	<0.87	2.9	11/04/20 06:59	
1,3-Dichlorobenzene	ug/L	<0.63	2.1	11/04/20 06:59	
1,3-Dichloropropane	ug/L	<0.83	2.8	11/04/20 06:59	
1,4-Dichlorobenzene	ug/L	<0.94	3.1	11/04/20 06:59	
2,2-Dichloropropane	ug/L	<2.3	7.6	11/04/20 06:59	
2-Chlorotoluene	ug/L	<0.93	5.0	11/04/20 06:59	
4-Chlorotoluene	ug/L	<0.76	2.5	11/04/20 06:59	
Benzene	ug/L	<0.25	1.0	11/04/20 06:59	
Bromobenzene	ug/L	<0.24	1.0	11/04/20 06:59	
Bromochloromethane	ug/L	<0.36	5.0	11/04/20 06:59	
Bromodichloromethane	ug/L	<0.36	1.2	11/04/20 06:59	
Bromoform	ug/L	<4.0	13.2	11/04/20 06:59	
Bromomethane	ug/L	<0.97	5.0	11/04/20 06:59	
Carbon tetrachloride	ug/L	<1.1	3.6	11/04/20 06:59	
Chlorobenzene	ug/L	<0.71	2.4	11/04/20 06:59	
Chloroethane	ug/L	<1.3	5.0	11/04/20 06:59	
Chloroform	ug/L	<1.3	5.0	11/04/20 06:59	
Chloromethane	ug/L	<2.2	7.3	11/04/20 06:59	
cis-1,2-Dichloroethene	ug/L	<0.27	1.0	11/04/20 06:59	
cis-1,3-Dichloropropene	ug/L	<3.6	12.1	11/04/20 06:59	
Dibromochloromethane	ug/L	<2.6	8.7	11/04/20 06:59	
Dibromomethane	ug/L	<0.94	3.1	11/04/20 06:59	
Dichlorodifluoromethane	ug/L	<0.50	5.0	11/04/20 06:59	
Diisopropyl ether	ug/L	<1.9	6.3	11/04/20 06:59	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

METHOD BLANK: 2135932 Matrix: Water
Associated Lab Samples: 40217163012, 40217163013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Ethylbenzene	ug/L	<0.32	1.1	11/04/20 06:59	
Hexachloro-1,3-butadiene	ug/L	<1.5	4.9	11/04/20 06:59	
Isopropylbenzene (Cumene)	ug/L	<1.7	5.6	11/04/20 06:59	
m&p-Xylene	ug/L	<0.47	2.0	11/04/20 06:59	
Methyl-tert-butyl ether	ug/L	<1.2	4.2	11/04/20 06:59	
Methylene Chloride	ug/L	<0.58	5.0	11/04/20 06:59	
n-Butylbenzene	ug/L	<0.71	2.4	11/04/20 06:59	
n-Propylbenzene	ug/L	<0.81	5.0	11/04/20 06:59	
Naphthalene	ug/L	<1.2	5.0	11/04/20 06:59	
o-Xylene	ug/L	<0.26	1.0	11/04/20 06:59	
p-Isopropyltoluene	ug/L	<0.80	2.7	11/04/20 06:59	
sec-Butylbenzene	ug/L	<0.85	5.0	11/04/20 06:59	
Styrene	ug/L	<3.0	10.0	11/04/20 06:59	
tert-Butylbenzene	ug/L	<0.30	1.0	11/04/20 06:59	
Tetrachloroethene	ug/L	<0.33	1.1	11/04/20 06:59	
Toluene	ug/L	<0.27	1.0	11/04/20 06:59	
trans-1,2-Dichloroethene	ug/L	<0.46	1.5	11/04/20 06:59	
trans-1,3-Dichloropropene	ug/L	<4.4	14.6	11/04/20 06:59	
Trichloroethene	ug/L	<0.26	1.0	11/04/20 06:59	
Trichlorofluoromethane	ug/L	<0.21	1.0	11/04/20 06:59	
Vinyl chloride	ug/L	<0.17	1.0	11/04/20 06:59	
Xylene (Total)	ug/L	<1.5	3.0	11/04/20 06:59	
4-Bromofluorobenzene (S)	%	95	70-130	11/04/20 06:59	
Dibromofluoromethane (S)	%	115	70-130	11/04/20 06:59	
Toluene-d8 (S)	%	100	70-130	11/04/20 06:59	

LABORATORY CONTROL SAMPLE: 2135933

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	50	59.6	119	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	57.5	115	64-131	
1,1,2-Trichloroethane	ug/L	50	53.1	106	70-130	
1,1-Dichloroethane	ug/L	50	53.3	107	69-163	
1,1-Dichloroethene	ug/L	50	48.9	98	77-123	
1,2,4-Trichlorobenzene	ug/L	50	43.6	87	68-130	
1,2-Dibromo-3-chloropropane	ug/L	50	51.1	102	63-130	
1,2-Dibromoethane (EDB)	ug/L	50	48.8	98	70-130	
1,2-Dichlorobenzene	ug/L	50	51.6	103	70-130	
1,2-Dichloroethane	ug/L	50	60.6	121	78-142	
1,2-Dichloropropane	ug/L	50	49.1	98	86-134	
1,3-Dichlorobenzene	ug/L	50	52.1	104	70-130	
1,4-Dichlorobenzene	ug/L	50	52.1	104	70-130	
Benzene	ug/L	50	58.2	116	70-130	
Bromodichloromethane	ug/L	50	56.7	113	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

LABORATORY CONTROL SAMPLE: 2135933

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromoform	ug/L	50	48.0	96	70-130	
Bromomethane	ug/L	50	35.5	71	39-129	
Carbon tetrachloride	ug/L	50	59.9	120	70-132	
Chlorobenzene	ug/L	50	52.4	105	70-130	
Chloroethane	ug/L	50	45.6	91	66-140	
Chloroform	ug/L	50	61.4	123	75-132	
Chloromethane	ug/L	50	29.6	59	32-143	
cis-1,2-Dichloroethene	ug/L	50	55.3	111	70-130	
cis-1,3-Dichloropropene	ug/L	50	50.7	101	70-130	
Dibromochloromethane	ug/L	50	50.7	101	70-130	
Dichlorodifluoromethane	ug/L	50	27.5	55	10-141	
Ethylbenzene	ug/L	50	53.1	106	80-120	
Isopropylbenzene (Cumene)	ug/L	50	53.1	106	70-130	
m&p-Xylene	ug/L	100	102	102	70-130	
Methyl-tert-butyl ether	ug/L	50	48.8	98	61-129	
Methylene Chloride	ug/L	50	54.9	110	70-130	
o-Xylene	ug/L	50	51.0	102	70-130	
Styrene	ug/L	50	51.4	103	70-130	
Tetrachloroethene	ug/L	50	46.9	94	70-130	
Toluene	ug/L	50	51.2	102	80-120	
trans-1,2-Dichloroethene	ug/L	50	55.5	111	70-130	
trans-1,3-Dichloropropene	ug/L	50	48.7	97	69-130	
Trichloroethene	ug/L	50	54.3	109	70-130	
Trichlorofluoromethane	ug/L	50	54.3	109	75-145	
Vinyl chloride	ug/L	50	37.9	76	51-140	
Xylene (Total)	ug/L	150	153	102	70-130	
4-Bromofluorobenzene (S)	%			103	70-130	
Dibromofluoromethane (S)	%			114	70-130	
Toluene-d8 (S)	%			100	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2136002 2136003

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		40217157001 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1-Trichloroethane	ug/L	<0.24	50	50	60.5	60.5	121	121	70-130	0	20		
1,1,2,2-Tetrachloroethane	ug/L	<0.28	50	50	53.9	55.7	108	111	64-137	3	20		
1,1,2-Trichloroethane	ug/L	<0.55	50	50	49.7	52.5	99	105	70-137	6	20		
1,1-Dichloroethane	ug/L	<0.27	50	50	54.1	55.8	108	112	69-163	3	20		
1,1-Dichloroethene	ug/L	<0.24	50	50	51.2	53.0	102	106	77-129	3	20		
1,2,4-Trichlorobenzene	ug/L	<0.95	50	50	44.8	47.4	90	95	68-130	6	20		
1,2-Dibromo-3-chloropropane	ug/L	<1.8	50	50	46.0	51.2	92	102	60-130	11	20		
1,2-Dibromoethane (EDB)	ug/L	<0.83	50	50	47.2	50.1	94	100	70-130	6	20		
1,2-Dichlorobenzene	ug/L	<0.71	50	50	51.5	53.0	103	106	70-130	3	20		
1,2-Dichloroethane	ug/L	<0.28	50	50	56.8	57.0	114	114	78-145	0	20		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Parameter	Units	2136002		2136003		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		40217157001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
1,2-Dichloropropane	ug/L	<0.28	50	50	48.9	48.7	98	97	86-135	0	20	
1,3-Dichlorobenzene	ug/L	<0.63	50	50	51.0	53.5	102	107	70-130	5	20	
1,4-Dichlorobenzene	ug/L	<0.94	50	50	51.1	53.1	102	106	70-130	4	20	
Benzene	ug/L	<0.25	50	50	58.4	58.1	117	116	70-136	1	20	
Bromodichloromethane	ug/L	<0.36	50	50	56.5	55.6	113	111	70-130	2	20	
Bromoform	ug/L	<4.0	50	50	44.0	47.2	88	94	69-130	7	20	
Bromomethane	ug/L	<0.97	50	50	41.5	44.4	83	89	39-138	7	20	
Carbon tetrachloride	ug/L	<1.1	50	50	63.4	62.2	127	124	70-142	2	20	
Chlorobenzene	ug/L	<0.71	50	50	52.5	52.3	105	105	70-130	0	20	
Chloroethane	ug/L	<1.3	50	50	45.2	44.9	90	90	61-149	1	20	
Chloroform	ug/L	<1.3	50	50	61.0	61.8	122	124	75-133	1	20	
Chloromethane	ug/L	<2.2	50	50	29.7	29.8	59	60	32-143	0	20	
cis-1,2-Dichloroethene	ug/L	<0.27	50	50	55.2	55.3	110	111	70-130	0	20	
cis-1,3-Dichloropropene	ug/L	<3.6	50	50	49.6	50.8	99	102	70-130	2	20	
Dibromochloromethane	ug/L	<2.6	50	50	49.4	51.3	99	103	70-130	4	20	
Dichlorodifluoromethane	ug/L	<0.50	50	50	29.7	29.6	59	59	10-141	0	20	
Ethylbenzene	ug/L	<0.32	50	50	55.0	54.8	110	110	80-120	0	20	
Isopropylbenzene (Cumene)	ug/L	<1.7	50	50	56.0	55.9	112	112	70-130	0	20	
m&p-Xylene	ug/L	<0.47	100	100	108	108	108	108	70-130	0	20	
Methyl-tert-butyl ether	ug/L	<1.2	50	50	45.0	47.3	90	95	61-136	5	20	
Methylene Chloride	ug/L	<0.58	50	50	54.9	55.7	110	111	68-137	1	20	
o-Xylene	ug/L	<0.26	50	50	51.6	52.5	103	105	70-130	2	20	
Styrene	ug/L	<3.0	50	50	53.3	53.9	107	108	70-130	1	20	
Tetrachloroethene	ug/L	<0.33	50	50	48.8	48.1	98	96	70-130	2	20	
Toluene	ug/L	<0.27	50	50	52.2	52.9	104	106	80-120	1	20	
trans-1,2-Dichloroethene	ug/L	<0.46	50	50	55.0	55.9	110	112	70-130	2	20	
trans-1,3-Dichloropropene	ug/L	<4.4	50	50	47.8	49.7	96	99	69-130	4	20	
Trichloroethene	ug/L	<0.26	50	50	54.9	54.8	110	110	70-130	0	20	
Trichlorofluoromethane	ug/L	<0.21	50	50	57.5	57.9	115	116	74-157	1	20	
Vinyl chloride	ug/L	<0.17	50	50	39.2	39.9	78	80	51-140	2	20	
Xylene (Total)	ug/L	<1.5	150	150	159	160	106	107	70-130	1	20	
4-Bromofluorobenzene (S)	%						104	104	70-130			
Dibromofluoromethane (S)	%						115	116	70-130			
Toluene-d8 (S)	%						101	101	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch: 1570614 Analysis Method: SM 3500-Fe B
QC Batch Method: 3500Fe B-2011 Analysis Description: Wet Chemistry 3500Fe B-2011
Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 40217163010, 40217163011

METHOD BLANK: R3589664-1 Matrix: Water

Associated Lab Samples: 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Iron, Ferrous	ug/L	<15.0	50.0	11/05/20 09:45	

LABORATORY CONTROL SAMPLE: R3589664-2

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron, Ferrous	ug/L	1000	962	96.2	85.0-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: R3589664-3 R3589664-4

Parameter	Units	R3589664-3		R3589664-4		% Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		L1280206-02 Result	MS Spike Conc.	MSD Spike Conc.	MS Result						
Iron, Ferrous	ug/L	ND	1000	1000	985	943	98.5	94.3	80.0-120	4.36	20

SAMPLE DUPLICATE: R3589664-5

Parameter	Units	L1280206-06 Result	Dup Result	RPD	Max RPD	Qualifiers
Iron, Ferrous	ug/L	ND	<15.0	0.00	20	

SAMPLE DUPLICATE: R3589664-6

Parameter	Units	L1280206-14 Result	Dup Result	RPD	Max RPD	Qualifiers
Iron, Ferrous	ug/L	ND	<15.0	0.00	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

QC Batch: 369445	Analysis Method: EPA 300.0
QC Batch Method: EPA 300.0	Analysis Description: 300.0 IC Anions
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40217163010, 40217163011

METHOD BLANK: 2135835 Matrix: Water

Associated Lab Samples: 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Sulfate	mg/L	<0.44	2.0	11/07/20 15:31	

LABORATORY CONTROL SAMPLE: 2135836

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Sulfate	mg/L	20	20.8	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2135837 2135838

Parameter	Units	2135837		2135838		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result							
Sulfate	mg/L	<2.2	100	100	110	110	108	108	90-110	0	15	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch: 370402 Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2 Analysis Description: 353.2 Nitrate + Nitrite, preserved
Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40217163011

METHOD BLANK: 2141382 Matrix: Water
Associated Lab Samples: 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	11/05/20 17:15	

LABORATORY CONTROL SAMPLE: 2141383

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2141384 2141385

Parameter	Units	40217759001		2141385		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Nitrogen, NO2 plus NO3	mg/L	0.34	2.5	3.0	2.5	107	101	90-110	5	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2141386 2141387

Parameter	Units	40217465001		2141387		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Result	MSD Spike Conc.	MS Result	MSD Spike Conc.						
Nitrogen, NO2 plus NO3	mg/L	9.8	5	14.6	5	97	97	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch: 370404	Analysis Method: EPA 353.2
QC Batch Method: EPA 353.2	Analysis Description: 353.2 Nitrate + Nitrite, preserved
	Laboratory: Pace Analytical Services - Green Bay

Associated Lab Samples: 40217163010

METHOD BLANK: 2141394 Matrix: Water
Associated Lab Samples: 40217163010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	<0.059	0.25	11/05/20 17:38	

LABORATORY CONTROL SAMPLE: 2141395

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, NO2 plus NO3	mg/L	2.5	2.6	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2141396 2141397

Parameter	Units	2141396		2141397		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		40217325001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Nitrogen, NO2 plus NO3	mg/L	8.6	5	5	13.6	13.8	99	102	90-110	1	20	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2141398 2141399

Parameter	Units	2141398		2141399		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		50271483001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							MSD Result
Nitrogen, NO2 plus NO3	mg/L	3.5	2.5	2.5	6.0	6.0	102	102	90-110	0	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

QC Batch: 369956 Analysis Method: SM 5310C
QC Batch Method: SM 5310C Analysis Description: 5310C Total Organic Carbon
Laboratory: Pace Analytical Services - Green Bay
Associated Lab Samples: 40217163010, 40217163011

METHOD BLANK: 2138961 Matrix: Water
Associated Lab Samples: 40217163010, 40217163011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Organic Carbon	mg/L	<0.14	0.50	11/01/20 22:48	

LABORATORY CONTROL SAMPLE: 2138962

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	12.5	12.7	102	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2138963 2138964

Parameter	Units	50270815021		50270815022		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Spike Conc.								
Total Organic Carbon	mg/L	1.7	6	6	6	8.3	8.3	109	110	80-120	1	10	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2138965 2138966

Parameter	Units	50270815022		50270815021		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MSD Spike Conc.	MS Spike Conc.								
Total Organic Carbon	mg/L	1.8	6	6	6	8.4	8.4	111	110	80-120	0	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: 1690004905 FMR EXPRESS CLEANER
Pace Project No.: 40217163

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

- C4 Sample container did not meet EPA or method requirements.
- D3 Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
- E Analyte concentration exceeded the calibration range. The reported result is estimated.
- H3 Sample was received or analysis requested beyond the recognized method holding time.
- M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1690004905 FMR EXPRESS CLEANER

Pace Project No.: 40217163

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
40217163010	MW-3R	EPA 8015B Modified	369753		
40217163011	MW-8	EPA 8015B Modified	369753		
40217163010	MW-3R	3015	1570408	EPA 6020	1570408
40217163011	MW-8	3015	1570408	EPA 6020	1570408
40217163001	MW-15	EPA 8260	369474		
40217163002	MW-6	EPA 8260	369474		
40217163003	MW-16	EPA 8260	369474		
40217163004	MW-13	EPA 8260	369474		
40217163005	MW-12	EPA 8260	369474		
40217163006	MW-9	EPA 8260	369474		
40217163007	MW-9 DUP	EPA 8260	369474		
40217163008	MW-1	EPA 8260	369474		
40217163009	PZ-1	EPA 8260	369474		
40217163010	MW-3R	EPA 8260	369474		
40217163011	MW-8	EPA 8260	369474		
40217163012	TRIP BLANK	EPA 8260	369475		
40217163013	COMP-2020-10-22	EPA 8260	369475		
40217163010	MW-3R	3500Fe B-2011	1570614	SM 3500-Fe B	1570614
40217163011	MW-8	3500Fe B-2011	1570614	SM 3500-Fe B	1570614
40217163010	MW-3R	Calc.	1570408	Calculated	1570408
40217163011	MW-8	Calc.	1570408	Calculated	1570408
40217163010	MW-3R	EPA 300.0	369445		
40217163011	MW-8	EPA 300.0	369445		
40217163010	MW-3R	EPA 353.2	370404		
40217163011	MW-8	EPA 353.2	370402		
40217163010	MW-3R	SM 5310C	369956		
40217163011	MW-8	SM 5310C	369956		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

(Please Print Clearly)

Company Name: **RAMBOLL**
 Branch/Location: **BROOKFIELD**
 Project Contact: **SCOTT TARMANN**
 Phone: **262 901 0093**
 Project Number: **1690004905**
 Project Name: **FORMER EXPRESS CLEANERS**
 Project State: **WISCONSIN**
 Sampled By (Print): **DUNCAUGLAS FORD**
 Sampled By (Sign): *[Signature]*
 PO #:



UPPER MIDWEST REGION

MN: 612-607-1700 WI: 920-469-2436

Page 1 of 1

4027163

Page 52 of 55

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	N	N	N	N	N	N	Y
Pick Letter	B	B	C	A	C	D	B
Analyses Requested	VOC 8260	MEE 8015	TOC sm5310	SULFATE 300.0	NITRATE + NITRITE 353.2	TOTAL IRON 6020	FERROUS IRON sm 3500

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	N	N	N	N	N	N	Y
		DATE	TIME									
001	MW-15	10/22/08	853	GW	X							
002	MW-6		733		X							
003	MW-16		1022		X							
004	MW-13		1108		X							
005	MW-12		1148		X							
006	MW-9		1233		X							
007	MW-9 DUP		1233		X							
008	MW-1		1318		X							
	MW-1 DUP				X							
009	PZ-1		1357		X							
010	MW-3R		1438		X	X	X	X	X	X	X	X
011	MW-8	✓	1540	↓	X	X	X	X	X	X	X	X
012	TRIP BLANK	-	-	-	X							

Quote #:
 Mail To Contact:
 Mail To Company:
 Mail To Address:
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:

CLIENT COMMENTS LAB COMMENTS (Lab Use Only) Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed: *[Signature]* Relinquished By: *[Signature]* Date/Time: 10/23/08 830 Received By: *[Signature]* Date/Time: 10/24/08 0855

Transmit Prelim Rush Results by (complete what you want):

Email #1: Relinquished By: Date/Time: Received By: Date/Time:
 Email #2: Relinquished By: Date/Time: Received By: Date/Time:
 Telephone: Relinquished By: Date/Time: Received By: Date/Time:
 Fax: Relinquished By: Date/Time: Received By: Date/Time:

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 4027163
 Receipt Temp = Rot °C
 Sample Receipt pH (OK) Adjusted
 Cooler Custody Seal Present Not Present Intact Not Intact

(Please Print Clearly)

Company Name: **ZAMBOLL**
 Branch/Location: **BROOKFIELD**
 Project Contact: **SCOTT TARMAUN**
 Phone: **262 901 0093**
 Project Number: **1690004905**
 Project Name: **FORMER EXPRESS CLEANERS**
 Project State: **WISCONSIN**
 Sampled By (Print): **DAN ANGLASPOD**
 Sampled By (Sign): *[Signature]*
 PO #: _____ Regulatory Program: _____



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

4027163

Page 53 of 55

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESEVATION
(CODE)*

Y/N	Pick Letter	Analyses Requested
N	B	VOL 8260
		X

Quote #: _____
 Mail To Contact: _____
 Mail To Company: _____
 Mail To Address: _____
 Invoice To Contact: _____
 Invoice To Company: _____
 Invoice To Address: _____
 Invoice To Phone: _____

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 SI = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
013	COMP-2020-10-22	102220	1630	GW

CLIENT COMMENTS	LAB COMMENTS (Lab Use Only)	Profile #

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed: _____

Transmit Prelim Rush Results by (complete what you want): _____

Relinquished By: <i>[Signature]</i>	Date/Time: 10/23/20 1830	Received By: <i>[Signature]</i>	Date/Time: 10/24/20 0855
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:

Email #1: _____
 Email #2: _____
 Telephone: _____
 Fax: _____

Samples on HOLD are subject to special pricing and release of liability

PACE Project No. 4027163

Receipt Temp = ROT °C

Sample Receipt pH OK / Adjusted

Cooler Custody Seal Present / Not Present Intact / Not Intact

Sample Preservation Receipt Form

Pace Analytical Services, LLC
1241 Bellevue Street, Suite 950
Green Bay, WI 54304

Page 5 of 9

Client Name: Ramboll

Project # 4027163

All containers needing preservation have been checked and noted below: Yes No N/A

Lab Lot# of pH paper: 10D4194

Lab Std #ID of preservation (if pH adjusted):

Initial when completed: SRK


Date/Time:

Pace Lab #	Glass							Plastic					Vials					Jars				General			VOA Vials (>6mm) *	H2SO4 pH ≤2	NaOH+Zn Act pH ≥9	NaOH pH ≥12	HNO3 pH ≤2	pH after adjusted	Volume (mL)				
	AG1U	BG1U	AG1H	AG4S	AG4U	AG5U	AG2S	BP1U	BP3U	BP3B	BP3N	BP3S	VG9A	DG9T	VG9U	VG9H	VG9M	VG9D	JGFU	JG9U	WGFU	WPFU	SP5T	ZPLC								GN			
001															3																				2.5 / 5 / 10
002															3																			2.5 / 5 / 10	
003															3																			2.5 / 5 / 10	
004															3																			2.5 / 5 / 10	
005															3																			2.5 / 5 / 10	
006															3																			2.5 / 5 / 10	
007															3																			2.5 / 5 / 10	
008															3																			2.5 / 5 / 10	
009															3																			2.5 / 5 / 10	
010															8												X				X			2.5 / 5 / 10	
011															8											X				X				2.5 / 5 / 10	
012															2																				2.5 / 5 / 10
013															3																				2.5 / 5 / 10
014																																			2.5 / 5 / 10
015																																			2.5 / 5 / 10
016																																			2.5 / 5 / 10
017																																			2.5 / 5 / 10
018																																			2.5 / 5 / 10
019																																			2.5 / 5 / 10
020																																			2.5 / 5 / 10

10/24/20
SRK

Exceptions to preservation check: VOA Coliform, TOC, TOX, TOH, O&G, WI DRO, Phenolics, Other: _____ Headspace in VOA Vials (>6mm) : Yes No N/A *If yes look in headspace column

AG1U 1 liter amber glass	BP1U 1 liter plastic unpres	VG9A 40 mL clear ascorbic	JGFU 4 oz amber jar unpres
BG1U 1 liter clear glass	BP3U 250 mL plastic unpres	DG9T 40 mL amber Na Thio	JG9U 9 oz amber jar unpres
AG1H 1 liter amber glass HCL	BP3B 250 mL plastic NaOH	VG9U 40 mL clear vial unpres	WGFU 4 oz clear jar unpres
AG4S 125 mL amber glass H2SO4	BP3N 250 mL plastic HNO3	VG9H 40 mL clear vial HCL	WPFU 4 oz plastic jar unpres
AG4U 120 mL amber glass unpres	BP3S 250 mL plastic H2SO4	VG9M 40 mL clear vial MeOH	SP5T 120 mL plastic Na Thiosulfate
AG5U 100 mL amber glass unpres		VG9D 40 mL clear vial DI	ZPLC ziploc bag
AG2S 500 mL amber glass H2SO4			GN
BG3U 250 mL clear glass unpres			

 1241 Bellevue Street, Green Bay, WI 54302	Document Name: Sample Condition Upon Receipt (SCUR)	Document Revised: 26Mar2020
	Document No.: ENV-FRM-GBAY-0014-Rev.00	Author: Pace Green Bay Quality Office

Sample Condition Upon Receipt Form (SCUR)

Project #:

Client Name: Ramboll

Courier: CS Logistics Fed Ex Speedee UPS Waltco
 Client Pace Other: _____

Tracking #: 2039-102320

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Custody Seal on Samples Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other

Thermometer Used SR - N/A Type of Ice: Wet Blue Dry None Samples on ice, cooling process has begun

Cooler Temperature Uncorr: ROT / Corr: _____


Temp Blank Present: yes no

Biological Tissue is Frozen: yes no

Temp should be above freezing to 6°C.

Biota Samples may be received at ≤ 0°C if shipped on Dry Ice.

WO# : 40217163



40217163

Person examining contents: Date: <u>10/24/20</u> / Initials: <u>SRK</u> Labeled By Initials: <u>MP</u>
--

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	2. <u>Mail invoice info.</u>
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
- VOA Samples frozen upon receipt	<input type="checkbox"/> Yes <input type="checkbox"/> No	Date/Time:
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume:		8.
For Analysis: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No MS/MSD: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A		
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
-Pace IR Containers Used:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>W</u>		
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <u>trip blanks expired 9-2020</u>
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>MLK 10-24-20</u>
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

If checked, see attached form for additional comments

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

PM Review is documented electronically in LIMs. By releasing the project, the PM acknowledges they have reviewed the sample logir