

**GENERAL INSTRUCTIONS, PURPOSE AND APPLICABILITY OF THIS FORM:** Completion of this form is required under s. NR 724.13(3), Wis. Adm. Code. A narrative report or letter containing the equivalent information required in this form may be submitted in lieu of the actual form. Failure to submit this form as required is a violation of s. NR 724.13(3), Wis. Adm. Code, and is subject to the penalties in s. 292.99, Wis. Stats. This form must be submitted every six months for soil or groundwater remediation projects that report operation and maintenance progress in accordance with s. NR 724.13(3), Wis. Adm. Code.

Note: Long-term monitoring results submitted in accordance with s. NR 724.17(3), Wis. Adm. Code are required to be submitted within 10 business days of receiving sampling results and are not required to be submitted using this form. However, portions of this form require monitoring data summary information that may be based on information previously submitted in accordance with s. NR 724.17(3), Wis. Adm. Code.

Note: Responsible parties should check with the State Project Manager assigned to the site to determine if this form is required to be submitted at sites responded to under the Federal Comprehensive Environmental Response and Compensation Act (commonly known as Superfund) or an equivalent State lead Superfund response.

Note: Responsible parties should check with the State Project Manager assigned to the site to determine if any of the information required in this form may be omitted or changed and obtain prior written approval for any omissions or changes.

Submittal of this form is not a substitute for reporting required by Department programs such as Waste Water or Air Management. Personally identifiable information on this form is not intended to be used for any other purpose than tracking progress of the remediation by the Bureau for Remediation and Redevelopment.

Personal information collected will be used for administrative purposes and may be provided to requesters to the extent required by Wisconsin's Open Records Law (ss. 19.31-19.39, Wis. Stats.). Unless otherwise noted, all citations refer to Wisconsin Administrative Code.

Note: There is a separate semi-annual report required under s. NR 700.11(1), Wis. Adm. Code. Reporting under that provision is through an internet-based form:

<http://dnr.wi.gov/topic/Brownfields/documents/regs/NR700progreport.pdf>

**Section GI - General Site Information**

**A. General Information**

1. Site name

Harborview Cleaners

2. Reporting period from:	01/01/2019	To:	06/30/2019	Days in period:	181
3. Regulatory agency (enter DNR, DATCP and/or other)	4. BRRTS ID No. (2 digit program-2 digit county-6 digit site specific)				
DNR	02-46-548092				

5. Site location

Region	County	Address				
Southeast Region	Ozaukee	134 E Grand Ave				
Municipality name	<input type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village	Township	Range	<input checked="" type="radio"/> E <input type="radio"/> W	Section	<input type="radio"/> ¼ <input type="radio"/> ¼
Port Washington		11 N	22	OW	28	SE NW

6. Responsible party

Name  
 Harborview Cleaners

Mailing address  
 134 E Grand Ave

Phone number  
 (262) 284-2370

7. Consultant

Select if the following information has changed since the last submittal

Company name  
 EnviroForensics, LLC

Mailing address  
 N16W23390 Stone Ridge Dr, Ste G

Phone number  
 (262) 290-4001

8. Contaminants

Volatile organic compounds (Tetrachloroethene)

9. Soil types (USCS or USDA)

ML, CL, SM

10. Hydraulic conductivity(cm/sec):

3.3 x 10<sup>-4</sup>

11. Average linear velocity of groundwater (ft/yr)

19

12. If soil is treated ex situ, is the treatment location off site?  Yes  No

If yes, give location: Region

County

Municipality name	<input type="radio"/> City <input type="radio"/> Town <input type="radio"/> Village	Township	Range	<input type="radio"/> E <input checked="" type="radio"/> W	Section	<input type="radio"/> ¼ <input type="radio"/> ¼
		N		OW		

Site name: Harborview Cleaners  
Reporting period from: 01/01/2019 To: 06/30/2019  
Days in period: 181

## Remediation Site Operation, Maintenance, Monitoring & Optimization Report

Form 4400-194 (R 11/14)

Page 2 of 28

### B. Remediation Method

Only submit sections that apply to an individual site. Check all that apply:

- Groundwater extraction (submit a completed Section GW-1).
- Free product recovery (submit a completed Section GW-1).
- In situ air sparging (submit a completed Section GW-2).
- Groundwater natural attenuation (submit a completed Section GW-3).
- Other groundwater remediation method (submit a completed Section GW-4).
- Soil venting (including soil vapor extraction building venting and bioventing submit a completed Section IS-1).
- Soil natural attenuation (submit a completed Section IS-2).
- Other in situ soil remediation method (submit a completed Section IS-3).
- Biopiles (submit a completed Section ES-1).
- Landspreading/thinspreading of petroleum contaminated soil (submit a completed Section ES-2).
- Other ex situ remediation method (submit a completed Section ES-3).
- Site is a landfill (submit a completed Section LF-1).

### C. General Effectiveness Evaluation for All Active Systems

If the remediation is active (not natural attenuation), complete this subsection.

1. Is the system operating at design rates and specifications?  Yes  No

If the answer is no, explain whether or not modifications are necessary to achieve the goal that was previously established in design.

2. Are modifications to the system warranted to improve effectiveness  Yes  No

If yes, explain:

3. Is natural attenuation an effective low cost option at this time?  Yes  No

4. Is closure sampling warranted at this time?  Yes  No

5. Are there any modifications that can be made to the remediation to improve cost effectiveness?  Yes  No

If yes, explain:

### D. Economic and Cost Data to Date

1. Total investigation cost: \$174,800.00

2. Implementation costs (design, capital and installation costs, excluding investigation costs): \$145,900.00

3. Total costs during the previous reporting period: \$22,800.00

4. Total costs during this reporting period: \$22,000.00

5. Total anticipated costs for the next reporting period: \$20,000.00

6. Are any unusual or one-time costs listed in the reporting periods covered by D.3., D.4. or D.5. above?  Yes  No

If yes, explain:

7. If closure is anticipated within 12 months, estimated costs for project closeout: \_\_\_\_\_



Site name: Harborview Cleaners  
 Reporting period from: 01/01/2019 To: 06/30/2019  
 Days in period: 181

## Remediation Site Operation, Maintenance, Monitoring & Optimization Report

Form 4400-194 (R 11/14)


Page 3 of 28

### E. Name(s), Signature(s) and Date of Person(s) Submitting Form

Legibly print name, date and sign. Only persons qualified to submit reports under ch. NR 712 Wis. Adm. Code are to sign this form for sites with any ongoing active remediation, monitoring or an investigation. Other persons may sign this form for sites with no response activities during the six month reporting period.


#### Registered Professional Engineers:

I hereby certify that I am a registered professional engineer in the State of Wisconsin, registered in accordance with the requirements of ch. A-E 4, Wis. Adm. Code; that this document has been prepared in accordance with the rules of Professional Conduct in ch. A-E 8, Wis. Adm. Code; and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name Andrew Horwath	Title Director of Engineering and Remediation Services
Signature 	Date 7/15/2019

#### Hydrogeologists:

I hereby certify that I am a hydrogeologist as that term is defined in s. NR 712.03(1), Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name Brian Kappen	Title Project Manager
Signature 	Date 7/12/2019

#### Scientists:


I hereby certify that I am a scientist as that term is defined in s. NR 712.03(3), Wis. Adm. Code, and that, to the best of my knowledge, all information contained in this document is correct and the document was prepared in compliance with all applicable requirements in chs. NR 700 to 726, Wis. Adm. Code.

Print name	Title
Signature	Date

#### Other Persons:

Print name	Title
Signature	Date

#### Professional Seal(s), if applicable:



Site name: Harborview Cleaners  
Reporting period from: 01/01/2019 To: 06/30/2019  
Days in period: 181

## Remediation Site Operation, Maintenance, Monitoring & Optimization Report

Form 4400-194 (R 11/14)

Page 9 of 28

### Section IS-1, Soil Venting (Including Soil Vapor Extraction, Building Venting and Bioventing)

#### A. Soil Venting Operation

**Note:** This form is not required for building vapor mitigation systems that are installed proactively to protect building occupants/users and are not considered part of ongoing active soil remediation.

1. Number of air extraction wells available and number of wells actually in use during the period: \_\_\_\_\_ 4
2. Number of days of operation (only list the number of days the system actually operated, if unknown explain):  
147. All four (4) extraction wells were available for use during the reporting period. However, at certain times higher vacuum was applied to only two (2) wells to target extraction from specific areas. Wells that were intentionally closed are listed with zero vacuum on Table 3 (attached).
3. System utilization in percent (days of operation divided by reporting time period multiplied by 100). If < 80%, explain:  
81%. Downtime was caused by power interruptions.
4. Average depth to groundwater: \_\_\_\_\_ 11 \_\_\_\_\_ gpm

#### B. Building Basement/Subslab Venting System Operation

1. Number of venting points available and number of points actually in use during the period: \_\_\_\_\_
2. Number of days of operation (only list the number of days the system actually operated, if unknown explain): \_\_\_\_\_
3. System utilization in percent (days of operation divided by reporting time period multiplied by 100). If < 80%, explain: \_\_\_\_\_

#### C. Effectiveness Evaluation


1. Average contaminant removal rate for the entire system: \_\_\_\_\_ 0.05 \_\_\_\_\_ pounds per day
2. Average contaminant removal rate per well or venting point: \_\_\_\_\_ 0.013 \_\_\_\_\_ pounds per day
3. If the average contaminant removal rate is less than one pound per day for the entire system, or if the average contaminant removal rate per well is less than one tenth of a pound per day, evaluate the following:
  - a. If contaminants are aerobically biodegradable and confirmation borings have not been drilled in the past year:
    - i. Oxygen levels in extracted air: \_\_\_\_\_ percent
    - ii. Methane levels in extracted air (ppmv) If over 10 ppmv, explain: \_\_\_\_\_
  - iii. If methane is not present above 10 ppmv and if oxygen is greater than 20 percent in extracted air, you should either:
    - o Drill confirmation borings during the next reporting period, if the entire site should be considered for closure.
    - o Or, perform an in situ respirometry test in a zone of high contamination. Do not perform the test in an air extraction well, use a gas probe or water table well. If a zero order rate of decay based on oxygen depletion is less than 2 mg/kg per day, then you should drill confirmation borings, if the entire site should be considered for closure. If the rate of decay is between 2 and 10 mg/kg, operate for one more reporting period before evaluating further. If the zero order rate of decay is greater than 10 mg/kg total hydrocarbons, continue operating the system in a manner than maximizes aerobic biodegradation.
  - b. If contaminants are not aerobically biodegradable and confirmation borings have not been recently drilled during the past year, you should drill confirmation borings during the next reporting period if the entire site should be considered for closure.
  - c. If soil borings were drilled during the past year and soil contamination remains above acceptable levels, explain if the system effectiveness can be increased and/or if other options need to be considered to achieve cleanup criteria.

#### D. Additional Attachments

Attach the following to this form:

- Well and soil sample location map indicating all air extraction wells. If forced air injection wells are also in use, identify those wells.
- If water table monitoring wells are present at the site, a map of well locations.
- Time versus vapor phase contaminant concentration graph.
- Time versus cumulative contaminant removal graph.
- Groundwater elevations table, if water table wells are present at the site; also list screen lengths and elevations.
- Table of soil contaminant chemistry data.
- Soil gas data, if gas probes are used to monitor subsurface conditions in locations other than where air is extracted.
- System operational data table.





### Legend


- Site boundary
- - - - - Dividing wall
- GAS --- Underground gas utility line
- WTR --- Underground water utility line
- SAN --- Underground sanitary utility line
- UGT --- Fiber optics line
- UGE --- Underground electrical utility line
- MW-1 Monitoring well (By Others)
- SSV-1 Sub-slab vapor sample port
- SS-1 Sub-slab vacuum measurement port
- SVE-1 SVE extraction well
- VP-1 Vacuum monitoring point
- SVE Conveyance Piping
- SVE Exhaust Piping
- Remediation System Enclosure

**SOIL VAPOR EXTRACTION SYSTEM LAYOUT**

Harborview Cleaners  
134 East Grand Avenue  
Port Washington, Wisconsin


Date:	8/15/18	Figure
Designed:	EB	1
Drawn:	KH	Project
Checked:	BK	6348
DWG file:	6348-0673	

825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com



### Legend


- Site boundary
- - - Dividing wall
- GAS --- Underground gas utility line
- WTR --- Underground water utility line
- SAN --- Underground sanitary utility line
- UGT --- Fiber optics line
- UGE --- Underground electrical utility line
- MW1 Monitoring well (By Others)
- B5 Boring (By Others)
- V-1 Vapor sample (By Others)
- HP-1 Hand probe (By Others)
- SB-1 Direct push soil boring
- SB-4 Directional soil boring
- SSV-1 Sub-slab vapor sample
- IA-1 Indoor air sample
- OA-1 Outdoor air sample
- SG-1 Soil gas sample



<b>SITE LAYOUT MAP</b>	
Harborview Cleaners 134 East Grand Avenue Port Washington, Wisconsin	
	Figure 2
	Project 6348
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com	

Date:	7/22/15
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6348-0056


**Chart 1**  
**SVE Effluent VOC Concentration Trend**  
Harborview Cleaners - 134 E. Grand Avenue, Port Washington, Wisconsin



## Chart 2

### Cumulative VOC Mass Removed

Harborview Cleaners - 134 E. Grand Avenue, Port Washington, Wisconsin





**TABLE 1**  
**SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS**  
 Harborview Cleaners  
 134 East Grand Avenue, Port Washington, Wisconsin

Boring Identification	Sample Depth (feet)	Sample Date	Consultant	Tetrachloroethene	Trichloroethene	Chloroform	n-Butylbenzene	Ethylbenzene	Methylene Chloride	Napthalene	n-Propylbenzene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes (total)
<b>Industrial RCL <sup>1</sup></b>				<b>153,000</b>	<b>8,810</b>	<b>2,130</b>	<b>108,000</b>	<b>37,000</b>	<b>1,070,000</b>	<b>26,000</b>	<b>264,000</b>	<b>818,000</b>	<b>219,000</b>	<b>182,000</b>	<b>388,000</b>
<b>Non-Industrial RCL <sup>1</sup></b>				<b>30,700</b>	<b>644</b>	<b>423</b>	<b>108,000</b>	<b>7,470</b>	<b>60,700</b>	<b>5,150</b>	<b>264,000</b>	<b>818,000</b>	<b>89,800</b>	<b>182,000</b>	<b>388,000</b>
<b>Soil to Goundwater RCL <sup>1</sup></b>				<b>4.5</b>	<b>3.6</b>	<b>3.3</b>	<b>N.E.</b>	<b>1,570</b>	<b>2.6</b>	<b>659</b>	<b>1,970</b>	<b>1,107</b>	<b>1,390</b>	<b>1,380</b>	<b>3,960</b>
K-1	3-4	11/20/2006	Konicek	1,300	<25	<25	<40	<25	84	<25	<25	<25	<25	<25	<75
K-2	3-4	11/20/2006	Konicek	660	<25	<25	<40	<25	69	<25	<25	<25	<25	<25	<75
K-3	3-4	11/20/2006	Konicek	<25	<25	<25	<40	<25	65	<25	<25	<25	<25	<25	<75
K-3	9	11/20/2006	Konicek	150	<25	<25	<40	<25	67	<25	<25	<25	<25	<25	<75
B-1/MW-1	2-4	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
	18-20	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
B-2/MW-2	2-4	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
	13	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
B-3/MW-3	2-4	12/20/2007	Konicek	670	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
	14-16	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
	14-16 D	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
B-4/MW-4	2-4	12/20/2007	Konicek	4,100	63 Q	<26	<42	<26	<26	<26	<26	<26	<26	<26	<78
	14-16	12/20/2007	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
B-5	8-10	1/16/2008	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
	14-15	1/16/2008	Konicek	<25	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
PZ-1	4-6	3/13/2008	Konicek	<25	<25	42.5 J	<40.4	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<50.0
	10-12	3/13/2008	Konicek	<25.3	<25.3	<25.3	<40.8	<25.3	<25.3	<25.3	<25.3	<25.3	<25.3	<25.3	<50.6
	14-16	3/13/2008	Konicek	<25	<25	<25.0	<40.4	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<50.0
	32-35	3/13/2008	Konicek	<25	<25	<25.0	<40.4	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<25.0	<50.0
HP-1	2-4	1/16/2008	Konicek	29,000	<120	<120	<200	<120	<120	<120	<120	<120	<120	<120	<370
	6-8	1/16/2008	Konicek	81,000	<310	<310	<500	<310	<310	<310	<310	<310	<310	<310	<930
HP-2	2-4	1/16/2008	Konicek	45 Q	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
	6-8	1/16/2008	Konicek	1,200	<25	<25	<40	<25	<25	<25	<25	<25	<25	<25	<75
SB-1	8-10	12/2/2015	EnviroForensics	<54	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
	14-16	12/2/2015	EnviroForensics	<54	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
SB-2	6-8	12/2/2015	EnviroForensics	3,800	<42	<260	1,470 J	690 J	<2200	4,400	1,020 J	380 J	7,200	2,200 J	4,560
	11-13	12/2/2015	EnviroForensics	<54	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99

**TABLE 1**  
**SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS**  
 Harborview Cleaners  
 134 East Grand Avenue, Port Washington, Wisconsin

Boring Identification	Sample Depth (feet)	Sample Date	Consultant	Tetrachloroethene	Trichloroethene	Chloroform	n-Butylbenzene	Ethylbenzene	Methylene Chloride	Napthalene	n-Propylbenzene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes (total)
<b>Industrial RCL <sup>1</sup></b>				<b>153,000</b>	<b>8,810</b>	<b>2,130</b>	<b>108,000</b>	<b>37,000</b>	<b>1,070,000</b>	<b>26,000</b>	<b>264,000</b>	<b>818,000</b>	<b>219,000</b>	<b>182,000</b>	<b>388,000</b>
<b>Non-Industrial RCL <sup>1</sup></b>				<b>30,700</b>	<b>644</b>	<b>423</b>	<b>108,000</b>	<b>7,470</b>	<b>60,700</b>	<b>5,150</b>	<b>264,000</b>	<b>818,000</b>	<b>89,800</b>	<b>182,000</b>	<b>388,000</b>
<b>Soil to Goundwater RCL <sup>1</sup></b>				<b>4.5</b>	<b>3.6</b>	<b>3.3</b>	<b>N.E.</b>	<b>1,570</b>	<b>2.6</b>	<b>659</b>	<b>1,970</b>	<b>1,107</b>	<b>1,390</b>	<b>1,380</b>	<b>3,960</b>
SB-3	6-8	12/2/2015	EnviroForensics	<b>1,720</b>	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
	10-12	12/2/2015	EnviroForensics	<b>500</b>	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
	14-16	12/2/2015	EnviroForensics	<54	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
SB-4	6-8 (4.5-6.5 vertical)	12/2/2015	EnviroForensics	<54	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
	12-14 (9.5-11.5 vertical)	12/2/2015	EnviroForensics	<b>186</b>	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99
	16-18 (13-15 vertical)	12/2/2015	EnviroForensics	<54	<42	<26	<86	<27	<220	<87	<35	<31	<78	<89	<0.99

**Notes:**

<sup>1</sup> Residual Contaminant Levels calculated according to the procedures described in WDNR Publication RR-890

All concentrations reported in micrograms per kilogram µg/kg

J, Q = Estimated concentration between the laboratory detection limit and reporting limit

N.E. = Not established

**Bolded** values are above laboratory detection limits

**Bolded and Green Shaded** value indicates an exceedance of the Non-Industrial Residual Contaminant Level

**Bolded and Blue Shaded** value indicates an exceedance of the Soil to Groundwater Residual Contaminant Level

**TABLE 2**  
**GROUNDWATER ELEVATION DATA SUMMARY**

Harborview Cleaners  
134 East Grand Avenue  
Port Washington, Wisconsin

Well ID	Date	TOC Elevation (feet AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-1	4/18/2016	591.69	8.38	583.31
	7/19/2016		8.76	582.93
MW-2	4/18/2016	591.81	8.44	583.37
	7/19/2016		8.71	583.10
MW-3	4/18/2016	592.69	11.19	581.50
	7/19/2016		11.38	581.31
MW-4	4/18/2016	593.84	11.83	582.01
	7/19/2016		12.08	581.76
MW-5	4/18/2016	592.34	10.98	581.36
	7/19/2016		11.14	581.20
PZ-1	4/18/2016	592.42	3.63	588.79
	7/19/2016		8.75	583.67

**Notes:**

All values are in feet

AMSL = above mean sea level

TOC = top of casing reported in the 2009 Site Investigation Report



**TABLE 3**  
**SOIL VAPOR EXTRACTION SYSTEM OPERATIONAL DATA**

Harborview Cleaners  
 134 E. Grand Avenue, Port Washington, Wisconsin

Date	Time	System Runtime	VFD Setting	System Vacuum	Conveyance Line Vacuum				Exhaust Pressure	Inlet Filter Differential Pressure	Exhaust Differential Pressure	Calculated Flow Rate	Intake Temperature	Exhaust Temperature	Effluent VOC Concentration
		Panel Display	Panel Display	Air-Water Separator	1	2	3	4	Exhaust Pipe	Filter Housing	Pitot Tube			Exhaust Pipe	Exhaust Port
		Hours	Hertz	in Hg	in Hg				in H <sub>2</sub> O	in H <sub>2</sub> O	in H <sub>2</sub> O	SCFM	°F	°F	µg/m <sup>3</sup>
08/13/18	1103	3.5	60.0	-6.0	-7.0	0.0	-7.0	0.0	8.0	0.0	2.2	287		143	13,197
08/14/18	1100	26.4	60.0	-5.5	-7.0	0.0	-8.0	0.0	9.0	0.0	2.2	289		145	4,956
08/15/18	1345	50.6	50.0	-2.0	-2.0	-1.5	-1.8	-1.8	4.0	0.0	2.2	319		109	803
09/12/18	1333	187.8	51.2	-2.0	-3.0	-2.0	-2.0	-2.5	8.0	0.0	2.2	321	68	110	5,344
09/18/18	950	328.2	51.2	-2.0	-2.5	-2.0	-2.0	-2.0	8.0	0.0	2.1	306	63	103	536
09/25/18	1520	501.7	51.2	-5.0	-6.0	0.0	-5.5	0.0	5.0	0.0	1.7	254	65	123	319
10/01/18	1050	641.2	51.2	-3.2	0.0	-3.0	0.0	-3.0	7.0	0.0	2.0	295	57	110	397
10/08/18	1210	687.9	51.2	-5.6	-6.0	0.0	-5.5	0.0	5.0	0.0	1.7	260	60	116	612
11/12/18	1207	1,503.9	51.2	-1.5	-2.5	-1.5	-2.0	-2.0	7.0	0.0	2.2	332	48	82	437
12/07/18	1220	2,129.0	51.2	-3.1	0.0	-3.0	-3.0	0.0	6.0	0.0	2.1	310	49	88	1,280
01/10/19	1315	2,946.0	60.0	-3.3	0.0	-2.5	-3.0	0.0	7.5	0.0	2.8	355	48	96	1,280
02/14/19	924	3,781.3	59.0	-3.7	0.0	0.0	-3.0	-3.5	7.0	0.0	2.6	340	40	94	1,660
03/13/19	733	4,427.2	60.0	-5.0	0.0	-4.5	0.0	0.0	4.0	0.0	2.3	310	45	110	3,440
04/16/19	1235	5,247.8	60.0	-3.0	0.0	-2.5	-3.0	0.0	6.0	0.0	2.6	340	49	106	1,220
05/16/19	955	5,965.3	60.0	-6.3	0.0	0.0	0.0	-6.7	2.4	0.0	2.0	272	45	123	541
06/13/19	917	6,252.5	60.0	-8.0	0.0	0.0	-8.5	0.0	1.0	0.0	1.8	246	58	156	1,020

**Notes:**

in Hg = inches of mercury

in H<sub>2</sub>O = inches of water

µg/m<sup>3</sup> = micrograms per cubic meter