

Instructions: Information sources that can be used to fill out this worksheet include: BRRTS, SHWIMS, R&R files, WA files, regional geologic information resources, Waste Staff, County Solid Waste staff (if there is one for the county) and the EPA web site for CERCLIS. Other possible resources may include: city/town files, county files, aerial photos, readily available Sanborn Insurance maps and interviews with former employees or neighbors.

All comments should be referenced by section number in the Comments section, page 5.

I. Site Name

Site Name <u>Holiday Inn North Parking Lot - Enc</u>	County <u>Brown</u>	Region <u>NEE</u>
Location <u>NW corner of intersection of Adams + Elm</u>	Is the site known by another name(s)? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown	
<input checked="" type="checkbox"/> City <input type="checkbox"/> Town <input type="checkbox"/> Village of <u>Green Bay</u>	State <u>WI</u>	If yes, Name <u>WPs West Parking Lot</u>

II. Archiving Criteria

Check the archiving criteria that apply to the site, and provide an explanation for your choice on the comment page, Section XIII.

- 1. No documented waste disposal and no evidence on-site
- 2. Documented waste removal and no evidence on-site
- 3. Waste type is no longer regulated and is not a threat to public health, safety, welfare or the environment. [See NR500.08(1)&(2)]
- 4. Almost no site information and unable to locate site
- 5. Duplicate listing - Complete only Section VI. Do not complete remainder of worksheet

The site will be identified on Waste Registry Spreadsheet as "archived".

III. Recommendations for Follow-Up Work - - Summarize online and write details in comments, Section XIII.

- 1. Remediation and Redevelopment Program No Yes _____
- 2. Waste Management Program No Yes Enter site into SHWIMS
- 3. Drinking and Groundwater Program (no variance for well) No Yes _____

IV. Legal Description of Site

Attach an air photo with site location and limits of fill/waste disposal area based on available information.

Locational Information: Other Sources (optional - add polygon to comment page, Section XIII)

WI Transverse Mercator 83/91 Coordinates		1/4 / 1/4	1/4	Section	Township	Range E/W
X Coordinates <u>678059</u>	Y Coordinates <u>451495</u>				<u>24N</u>	<u>20E</u>

V. Waste Disposal Site's Regulatory ID Numbers

DNR FID No. (9 digits) _____	Solid Waste License ID No. (4 digits) _____	BRRTS ID No. (2 digit ERP program-2 digit county-6 digit site specific) <u>09-05-548200</u>
---------------------------------	--	--

VI. Waste Registry Tracking Decision

Note: All sites, except archived sites, must be in SHWIMS or added to SHWIMS to be tracked as a waste disposal site.

<p>SHWIMS: _____</p> <p><input type="checkbox"/> Site is in SHWIMS as a waste disposal site (070-079)</p> <p><input type="checkbox"/> Update information in SHWIMS, attach printout of data dump report or screening worksheet with changes highlighted for Waste Management Program Assistant</p> <p><input checked="" type="checkbox"/> Add site to SHWIMS as waste disposal site</p>	<p>BRRTS: <u>09-05-548200</u></p> <p><input type="checkbox"/> Site is in BRRTS</p> <p><input checked="" type="checkbox"/> Associated with a release related to this waste disposal site</p> <p><input type="checkbox"/> Not associated with this waste disposal site</p> <p><input type="checkbox"/> Add site to BRRTS, following regional procedure</p> <p>If BRRTS update is needed follow regional procedure.</p>
--	---

Archive: _____ Archive site (see Section II)

Print Name of Screener <u>Kristen DuFresne</u>	Date <u>10-25-06</u>
Name of File Reviewer, if different than screener	

VII. Site Background Information

Site Owner/Operator Name

WPSC - Brian Bartoszek

Street or Route PO Box 19002	Telephone Number 920-433-2613	City Green Bay	State WI	ZIP Code 54307-9002
---------------------------------	----------------------------------	-------------------	-------------	------------------------

Present Property Owner Name

Same

Street or Route	Telephone Number	City	State	ZIP Code
-----------------	------------------	------	-------	----------

Potential Responsible Party

Same

Street or Route	Telephone Number	City	State	ZIP Code
-----------------	------------------	------	-------	----------

VIII. Type of Site: Current and Historic (check all that apply)

A. Landfill
 Lined Unlined Unknown Is there leachate collection and removal? Yes No
 Does the landfill have a groundwater monitoring plan? Yes No Unknown Date of Plan: _____
 Have groundwater monitoring wells been installed? Yes No Unknown (year only)
 Was a cover installed?
 Yes: Soil Clay Membrane Composite
 No

B. One-time Disposal

C. Other (spill, lagoon, pit -- add to comments page, section XIII.) contaminated fill

IX. Waste Information & Geologic Environment

A. Known or Suspected Sources/Wastes. Check all that apply.

<input type="checkbox"/> Abandoned containers	<input type="checkbox"/> Fly ash	<input type="checkbox"/> Surface spills
<input type="checkbox"/> Above ground pipeline or tank	<input type="checkbox"/> Foundry sand	<input type="checkbox"/> Transformer
<input type="checkbox"/> Animal carcasses	<input type="checkbox"/> Industrial accident	<input type="checkbox"/> Trees/brush
<input type="checkbox"/> Asbestos disposal	<input type="checkbox"/> Known or suspected hazardous materials	<input type="checkbox"/> Underground pipeline or tank
<input type="checkbox"/> Buried drums	<input type="checkbox"/> Municipal waste	<input type="checkbox"/> Exempted fill [NR 500.08(1) and (2)]
<input type="checkbox"/> Burning of materials	<input type="checkbox"/> Paper mill sludge	<input checked="" type="checkbox"/> Unknown
<input type="checkbox"/> Demolition/construction waste	<input type="checkbox"/> Surface impoundment/lagoons	<input type="checkbox"/> Other: _____

B. Soil Type: Estimate distances or determinations based on regional or site specific information.

Regional Site specific
 Clay, silt or other fine grained soils present? (lacustrine, tills, etc.) Yes No
 At surface? (0 - 2') Yes No At depth? (> 2') Yes No _____ feet
 Sand & gravel, coarse grained soils present? Yes No
 At surface? (0 - 2') Yes No At depth? (> 2') Yes No _____ feet

Full land per soil survey

C. Depth to Groundwater: Regional Site specific ~ 5 feet

D. Direction of Groundwater Flow: Regional Site specific n/nw direction

E. Depth to Bedrock: Regional Site specific > 50 feet

F. Bedrock Type: Regional Site specific Sandstone Limestone/Dolomite Metamorphic/Igneous

X. Site Visit Observations and Receptor Information

A. Documentation of Site Visit

A site visit must be conducted to complete the site screening. If you do not have access to enter the property, the site visit should be conducted from the perimeter of the site with the use of binoculars. The intent of the site visit is to determine general site conditions/on-site activities and adjacent land use encroachment issues.

On-site inspection conducted? [X] Yes [] No

General site conditions: Document any observed releases and note whether you were able to walk the site. Some examples of things to be aware of include leachate seeps, or evidence of seeps such as stained soil/vegetation; stressed vegetation as a sign of gas migration to the surface, or of leachate seeps; quality and coverage of vegetation on the cap; odors which may indicate gas migration to the atmosphere; erosion of the cap; maintenance of positive drainage over the capped area; visual desiccation cracks in the cap. Record comments on the comment page, Section XIII.

B. Potential Groundwater Receptors. Estimate (1 mile = 5,280')

Describe receptors on comment page, Section XIII. Identify receptors within 1200' and indicate distance and direction to receptor (examples of receptors: drinking water supply wells, ponds, lakes, rivers, wetlands, etc.).

C. Site Visit Observations. Based on the site visit did you visually observe. . .

- 1. A release to a surface water body? [] Yes [X] No
2. A leachate seep? [] Yes [X] No
3. A release to soils? [] Yes [X] No
4. Any odors of concern? [] Yes [X] No
5. Encroachment of residences, water supplies? [] Yes [X] No
6. Any erosion of the cap? [] Yes [X] No
7. Any exposed waste? [] Yes [X] No
8. Poor drainage (ponding) over waste mass? [] Yes [X] No
9. Monitoring wells need maintenance or are damaged? [] Yes [X] No
10. Is disposal area fenced to restrict access? [] Yes [X] No

Please attach site photographs, regular or digital prints, to the worksheet (required).

Name(s) of Person(s) Conducting Site Visit: Kristyn Dufrene Date of Site Visit: 10-25-06

XI. Screening Decision

A. Is there analytical data for the media of concern?

- 1. Groundwater: [] Yes [X] No [] N/A
2. Soil: [X] Yes [] No [] N/A
3. Surface water/sediment: [] Yes [X] No [] N/A
4. Air: [] Yes [X] No [] N/A

B. Based on analytical data from A, is there a documented release to the environment?

- [X] Yes: [] Groundwater [X] Soil [] Surface water/sediment [] Air
[] No

C. Based on known or suspected sources/wastes, their physical characteristics, containment & geologic environment, do you suspect there has been or will be a release to the environment?

- [X] Yes: [X] Groundwater [X] Soil [] Surface water/sediment [] Air
[] No

D. Is there a need for immediate action? (Is there a known or high potential for an imminent threat to human health?)

- [] Yes: Should state/local health departments be contacted? [] Yes Date: [] No
[X] No

E. Based on known or suspected sources/wastes, their physical characteristics, containment & geologic environment at this site, is initial or further sampling recommended? Describe the recommendations on comment page, Section XIII.

- [] Yes: [] Initial [] Groundwater [] Soil [] Surface water [] Air (landfill gas)
[] Further [] Groundwater [] Soil [] Surface water [] Air (landfill gas)
[X] No
[] Continue current monitoring schedule as per Waste Management Program

XII. Sampling Explanation & Other Work Recommended

A. To document your decision for future project managers/staff, briefly explain the rationale for the overall site decision and sampling recommendation. If well sampling is recommended, please include the receptor information including well(s) location/address, owner's name, mailing address, and phone number to facilitate sampling. Please add information to comment page, Section XIII.

B. If you believe additional work is needed or not needed (addressing leachate problems, exposed waste, inadequate cover, etc.) please add information to comment page, Section XIII.


XIII. Comments

WPS conducted geotechnical borings in the parking lot. Soil samples were collected. PAH results in soil were above guidance numbers. TCE result could not be confirmed. No additional sampling needed as site is on fill.

PAHs likely to be associated w/ former MGP plant.

Site to be listed in SIIWIMS as B. Urban.

Lat 44° 31' 10"
Long 88° 0' 40"



EAST RIVER SHIP TURNING BASIN



Part of Brown County Wisconsin

Parcel layer last updated: 4/21/2006

This map was created using GIS "Layers" from various dates and sources. Some layers such as parcels are updated often, while other layers like aerial photos may be older. Please check the help / metadata for details.


Aerial Photo date - ground resolution
April 2005 - 6 inch

A map symbol legend is available at:
www.co.brown.wi.us/land_information_office/IMS

This map is intended for advisory purposes only. It is based on sources believed to be reliable, but Brown County distributes this information on an 'AS IS' basis. No warranties are implied.

Map created on-line with "GIS interactive mapping": www.co.brown.wi.us/Land_Information_Office/

GIS map compiled by the Brown County Land Information Office (LIO). Data sources include the LIO group: Survey, Planning, Treasurer, Land Conservation, I.S., Register of Deeds and other departments.



**Property Tax Record
CITY OF GREEN BAY
Brown County, Wisconsin
Parcel Number: 11-15-A**

Information is as current as the postings of Thursday, October 19, 2006 at 1:21:57 AM. Note: Documents received prior to this date may be on hold or pending entry into the land records system.

[Return to Search Results](#)

[Print Tips](#)

<p>Property Information</p> <p>Parcel Number 11-15-A</p> <p>Owner Name WISCONSIN PUBLIC SERVICE CORP</p> <p>Property Address N JEFFERSON ST</p> <p>Municipality CT - CITY OF GREEN BAY</p> <p>School District 2289 - GREEN BAY SCH DIST</p> <p>Sanitary District None</p> <p>Special District(s) None</p>	<p>Current Unofficial Valuation</p> <table border="1"> <thead> <tr> <th>Class</th> <th>Acres</th> <th>Land</th> <th>Impr</th> </tr> </thead> <tbody> <tr> <td>E5 - EXEMPT - UTILITIES</td> <td>0.000</td> <td>0.00</td> <td></td> </tr> <tr> <td>All Classes</td> <td>0.000</td> <td>0.00</td> <td></td> </tr> <tr> <td>Legal Acres</td> <td>0.000</td> <td></td> <td></td> </tr> </tbody> </table> <p>Values are not official until new tax bills are issued in December.</p> <p>Note: For a specific tax year valuation, select tax year from the list below.</p> <p>Note: Legal Acres, as listed in the Property's Legal Description, may differ slightly from the Total Acres, or the sum of the acreage for all land use classifications.</p>	Class	Acres	Land	Impr	E5 - EXEMPT - UTILITIES	0.000	0.00		All Classes	0.000	0.00		Legal Acres	0.000		
Class	Acres	Land	Impr														
E5 - EXEMPT - UTILITIES	0.000	0.00															
All Classes	0.000	0.00															
Legal Acres	0.000																

<p>Mailing Address Information</p> <p>WISCONSIN PUBLIC SERVICE</p> <p>ATTN: REAL ESTATE</p> <p>PO BOX 19002</p> <p>GREEN BAY WI 54307-9002</p>	<p>Reference Document</p>	<p>Available Map</p> <p>View GIS Map</p>
---	----------------------------------	---

<p>Tax Records Available</p> <p>Tax Year</p> <p>No tax data available</p>	<p>Tax Legal Description</p> <p>241,510 SQ FT</p> <p>PCLS A & B IN 2 CSM 643 BNG PRT OF LOTS 96, 97, 98, 124 & 125 PLAT OF NAVARINO & BNG PRT OF JEFFERSON ST ST & BNG PRT OF PC 2 ESRF & BNG PRT IN 2165571</p> <p>Note: May not be a full legal description</p> <p>View Comments/History</p>
--	---

DuFresne, Kristin I - DNR

From: Hansen, Diane E - DNR
Sent: Thursday, October 19, 2006 2:34 PM
To: DuFresne, Kristin I - DNR
Subject: Historic Fill Former Holiday Inn Parking Lot

I spoke to Diane Hammel about having the Holiday Inn North Parking Lot (Former) 09-05-548200 (WPS Corporation) site put on SHWIMS and she indicated that she couldn't at this time since SHWIMS does not have a code for "Historic Fill". She felt that when the waste registry screening is completed those sites that were used, but not licensed, for fill would be added to SHWIMS at that time. She also indicated she would need some paperwork not just verbal information.

Diane

09-05-548200



Wisconsin Public Service Corporation
(a subsidiary of WPS Resources Corporation)
700 North Adams Street
P.O. Box 18002
Green Bay, WI 54307-8002

DATE: 8/18/06

URGENT DELIVERY

TO: Kristin DuFRENSE

COMPANY: WDNR

FAX #: 920-662-5197

NUMBER OF PAGES SENT INCLUDING COVER SHEET: 6

PLEASE CALL (920) 433-1150 IF YOU DO NOT RECEIVE ALL THE PAGES.

COMMENTS: Hi Kristin - Attached is the form for the parking lot.

Thanks,
Brian

FROM: Brian Bartoszek

PHONE: 433-2643

FAX: (920) 433-1176

CONFIDENTIALITY NOTICE:

The documents accompanying this facsimile transmission may contain confidential information belonging to the sender. The information is intended only for the use of the individual or entitled name above. If you are not the intended recipient, you are hereby notified that the disclosure, copying, or distribution of the contents of the information contained herein is strictly prohibited. If you have received this facsimile in error, please notify the sender by telephone to arrange for return of the document.

State of Wisconsin
Department of Natural Resources

**Fax Notification For Hazardous Substance Discharge
(Non-Emergency Only)**

Form 4400-225 (07-03) Page 1 of 2

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to the "Spills Law", s. 292.11 Wis. Stats., Section NR 706.05(1)(b), Wis. Adm. Code, requires that hazardous substance discharges are to be reported by one of three methods: telephoning the Department (toll free Spill Hotline number above), telefaxing a report to the Department or visiting a Department office in person. If you choose to notify the Department by telefax, you should use this form to be sure that all necessary information is included. However use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 - 19.39, Wis. Stats.). Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY**. FAX it to the appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (check one):

- Underground Petroleum Storage Tank System
 Aboveground Petroleum Storage Tank System
 Dry Cleaner Facility (DERP eligibility based on: Facility owner/operator Property owner of licensed facility)
 Other - Describe:

TO DNR, ATTN: R & R Program Assistant		(Area Code) FAX Number (920) 662-5197	
1. Discharge reported by:			
Name Brian Bartoszek	Firm Wisconsin Public Service Corporation	Date FAXed to DNR 8/18/06	
Mailing Address PO Box 19002 Green Bay, WI 54307-9002		(Area Code) Phone Number (920) 433-2643	
2. Site Information			
Name of site at which discharge occurred. Include local name of site/business, <u>not</u> responsible party name, unless a residence / vacant property Holiday Inn Former North Parking Lot			
Location: Include street address, <u>not</u> PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60 NW corner of the intersection of Adams and Elm Street			
Municipality (City, Village, Township) Specify municipality in which the site is located, <u>not</u> mailing address/city Green Bay, WI			
County: Brown	Legal Description: ____ 1/4, ____ 1/4, Section _____, Tn _____, Range _____ E / W (circle one)		
3. Responsible Party (RP) and/or RP Representative			
<input type="checkbox"/> Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all Attach additional pages as necessary Wisconsin Public Service Corporation			
<input type="checkbox"/> Reported in compliance with s. 292.11(2), Wis. Stats., by a local government exempt from liability under s. 292.11(9)(e), Wis. Stats. For more information see http://dnr.wi.gov/org/aw/rr/liability/muni_1.html			
Contact Person Name (if different) Brian Bartoszek		Phone Number (920) 433-2643	
Mailing Address 700 N. Adams Street; PO Box 19002	City Green Bay	State WI	ZIP Code 54307-9002

(continued)

State of Wisconsin
Department of Natural Resources

**Fax Notification For Hazardous Substance Discharge
(Non-Emergency Only)**

Form 4400-225 (07-03) Page 2 of 2

4. Hazardous Substance Impact Information

Identify hazardous substance discharged (check all that apply):

METALS

- Arsenic
- Chromium
- Lead
- Mercury
- Metals (specify): _____

INDUSTRIAL CHEMICALS

- Ammonia
- Cyanide
- Paint
- PCB's
- VOC's
- Fertilizers
- Pesticide/Herbicide/Insecticide(s)
- Leachate
- RCRA Hazardous Waste

PETROLEUM

- Diesel/Fuel Oil
- Engine Oil/Waste Oil
- Mineral/Transmission/Hydraulic Oil
- Gasoline (Pb/Non-Pb/Unknown)
- Jet Fuel/Kerosene
- MTBE
- VOC's
- PAH's/SVOC
- Petroleum-Unknown Type
- Unknown
- Other (specify): _____

SOLVENTS

- Solvent-Chlorinated
- Solvent-Non Chlorinated
- PERC
- VOC's

Impacts to the environment (enter "K" for known/confirmed or "P" for potential for all that apply)

- | | | |
|--|--|--|
| <input type="checkbox"/> Air Contamination | <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Sanitary Sewer Contamination |
| <input type="checkbox"/> Co-contamination | <input type="checkbox"/> Direct Contact | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Concrete/Asphalt | <input type="checkbox"/> Expanding Plume | <input type="checkbox"/> Storm Sewer Contamination |
| <input type="checkbox"/> Contained/Recovered | <input type="checkbox"/> Fire Explosion Threat | <input type="checkbox"/> Surface Water Contamination |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input type="checkbox"/> Free Product | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Private Well | <input type="checkbox"/> Groundwater Contamination | <input type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contaminated Public Well | <input type="checkbox"/> Off-Site Contamination | |
| <input type="checkbox"/> Contamination in Fractured Bedrock | <input type="checkbox"/> Other | |

Contamination was discovered as a result of:

- Tank closure assessment
- Site assessment

Other - Describe: *Installation of Geotechnical Borings*
Date: *6/20/06*

Lab results:

- Lab results will be faxed upon receipt
- Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

A SOIL CONCENTRATION OF 500 PPB FOR TCE WAS DISCOVERED IN ONE OF 12 BORINGS INSTALLED FOR PARKING LOT RECONSTRUCTION. TO VERIFY THAT RESULT, ANOTHER BORING WAS INSTALLED ~3' TO THE NORTH. THE VERIFICATION SAMPLE CAME BACK "NO DETECT."

FAX numbers to report non-emergency releases in DNR's five regions are as follows:

Northeast Region (920-662-5197); Attention - RR Program Assistant:

Brown, Calumet, Door, Fond du Lac (*except City of Waupun - see South Central Region*), Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Waupaca, Waushara, Winnebago counties

Northern Region (715-365-8932); Attention - RR Program Assistant:

Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn counties

South Central Region (608-275-3338); Attention - RR Program Assistant:

Columbia, Dane, Dodge, Fond du Lac (*City of Waupun only*), Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock, Sauk counties

Southeast Region (414-263-8483); Attention - RR Program Assistant:

Kenosha, Milwaukee, Ozaukee, Racine, Sheboygan, Wauworth, Washington, Waukesha counties

West Central Region (715-839-6076); Attention - RR Program Assistant:

Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties

FILE No.490 08/01 '06 14:57 ID:ENCHM

FAX:9204698827

PAGE 3/ 4



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-489-8827

Analytical Report Number: 874413

Client: ROBERT E. LEE & ASSOCIATES, INC.

Lab Contact: Laurie Woolfe

Project Name: WPS - DTC PARKING LOT

Project Number: 11134-129

Lab Sample Number	Field ID	Matrix	Collection Date
874413-001	B-4A (7.5-8.0')	SOIL	07/26/06 09:40

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Approval Signature

Laurie Woolfe

Date

8/1/06

FILE No.490 08/01 '06 14:58 ID:ENCHEM

FAX:9204698827

PAGE 4/ 4

Pace Analytical Services, Inc.

Analytical Report Number: 874413

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : ROBERT E. LEE & ASSOCIATES, INC.
Project Name : WPS - DTC PARKING LOT
Project Number : 11134-129
Field ID : B-4A (7.5-9.0')

Matrix Type : SOIL
Collection Date : 07/26/06
Report Date : 08/01/06
Lab Sample Number : 874413-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.1				1	%		07/27/06	SM M2540G	SM M2840G

Prep Date: 07/31/06

VOLATILES - SPECIAL LIST

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Trichloroethene	< 25	25	60		50	ug/Kg		07/31/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	81	64	133		50	%		07/31/06	SW846 5030B	SW846 8260B
Toluene-d8	89	67	139		50	%		07/31/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	101	64	140		50	%		07/31/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.



Robert E. Lee & Associates, Inc.
 Engineering, Surveying, Environmental Services
 4061 Golden Pond Park Court
 Onsted, WI 54155
 920.662.9641 FAX: 920.662.9141

Due 8/27
 Please see the back for instructions.

CHAIN OF CUSTODY RECORD
 CQC # 97431

Client: WPS		Project Name: OTC Parking Lot		Project Number: 1134-121		BD #:			
Environmental Program: <input type="checkbox"/> LUST <input type="checkbox"/> SDWA <input type="checkbox"/> WPDOS <input type="checkbox"/> RCRA <input type="checkbox"/> OTHER				Requested Turnaround Time: <input type="checkbox"/> Normal <input checked="" type="checkbox"/> Rush				*Preservation Code: N = Nitric Acid (red) O = Sodium Hydroxide U = Unpreserved (white) M = Methylated S = Sulfuric Acid (green) Preserves accepted only w/ proper notification	
Sampler: Ben Bellile		Sample Name: B-4A (75-90)		Date: 7/26/06		Time: 9:40			
Sample Name		Date		Time		No. of Containers			
B-4A (75-90)		7/26/06		9:40		3			
Sample Type (Abbr): DW = Drinking Water GW = Groundwater SO = Soil, Oil, Sludge, Air, Other		Soil		3		X			
Report to: Company: SWA Address: CAVIE BEL Telephone:				Analysis Required: (Note specific detection limits or methods) Filtered (Y/N): N Preservation (Code): M					
Invoice To: SWA Company: SWA Address: Telephone:				Laboratory Sample ID: 1-4102 CG, 2-2022CG (MUDH)					
Telephone:				Remarks:					
Returned by: Ben Bellile				Date: 7/26/06					
Time: 1:25 PM				Received By: MARINA PALANCO					
Date: 7/26/06				Time: 1:25 PM					
Received by Lab: AP				Date: 7/26/06					
Time: 1:25 PM				Date: 7/26/06					
Laboratory Receiving Notes: Temperature of Contents: ROI Custody Seal Intact: OK Sample Condition: OK Sample pH:				Laboratory Receiving Notes: Temperature of Contents: ROI Custody Seal Intact: OK Sample Condition: OK Sample pH:					

DuFresne, Kristin I.

From: DuFresne, Kristin I.
Sent: Tuesday, August 15, 2006 8:15 AM
To: Bartoszek, Brian F
Cc: DuFresne, Kristin I.
Subject: RE: WPSC Parking Lot (TCE Issue)

Brian - Based on the information provided DNR will be creating a No Action Required site in BRRTS. To start this process, please complete a *Fax Notification for Hazardous Substance Discharges Form* (link provided). Please send the completed form to my attention rather than to the RR Program Assistant. Thank you in advance for your assistance!

<http://www.dnr.state.wi.us/org/aw/rr/archives/pubs/4400-225.pdf>

Kristin

From: Bartoszek, Brian F [mailto:BFBartoszek@wpsr.com]
Sent: Thursday, August 10, 2006 10:29 AM
To: DuFresne, Kristin I.
Subject: FW: WPSC Parking Lot (TCE Issue)

Hi Kristin - Just wondering if you had a chance to review this yet.
Thanks,
Brian

From: Bartoszek, Brian F
Sent: Wednesday, August 02, 2006 10:45 AM
To: 'DuFresne, Kristin I.'
Subject: RE: WPSC Parking Lot (TCE Issue)

Sorry Kristin. I drafted the e-mail during phone calls and forget to attach. I think an e-mail from you saying no further action is required will suffice. Thanks and feel free to contact me with any questions.
Brian

From: DuFresne, Kristin I. [mailto:Kristin.DuFresne@dnr.state.wi.us]
Sent: Wednesday, August 02, 2006 10:43 AM
To: Bartoszek, Brian F
Subject: RE: WPSC Parking Lot (TCE Issue)

Brian - Please provide me with a copy of the lab results as they were not attached to your email. Also, if it turns out this site requires no further action do you want a letter? If yes, there will be a \$500 fee. Thanks!

Kristin

From: Bartoszek, Brian F [mailto:BFBartoszek@wpsr.com]
Sent: Wednesday, August 02, 2006 10:34 AM
To: DuFresne, Kristin I.

08/15/2006

Subject: WPSC Parking Lot (TCE Issue)

Hi Kristin - We installed an additional boring (B-4A) approximately 3 feet to the north of B-4 which had a reported TCE concentration of 500 ppb and no other VOC constituent above detection limits. The sample from B-4A was taken from the same interval (7.5 - 9 feet bgs) and submitted to the lab for analysis of TCE. As you can see from the attached lab report TCE was not detected in this sample. As we previously discussed, it appeared to be odd that TCE was the only VOC detected, especially at a somewhat elevated concentration. I believe that the non-detect in the sample taken approximately 3 feet to the north illustrates that TCE is not an issue and subsequently request that no further action be required. Please let me know if you have any questions or concerns.

Thanks,
Brian

DuFresne, Kristin I.

From: Bartoszek, Brian F [BFBartoszek@wpsr.com]
Sent: Wednesday, August 02, 2006 10:45 AM
To: DuFresne, Kristin I.
Subject: RE: Wpsc Parking Lot (TCE Issue)
Attachments: B-4A Analytical.pdf

Sorry Kristin. I drafted the e-mail during phone calls and forget to attach. I think an e-mail from you saying no further action is required will suffice. Thanks and feel free to contact me with any questions.
Brian

From: DuFresne, Kristin I. [mailto:Kristin.DuFresne@dnr.state.wi.us]
Sent: Wednesday, August 02, 2006 10:43 AM
To: Bartoszek, Brian F
Subject: RE: Wpsc Parking Lot (TCE Issue)

Brian - Please provide me with a copy of the lab results as they were not attached to your email. Also, if it turns out this site requires no further action do you want a letter? If yes, there will be a \$500 fee. Thanks!

Kristin

From: Bartoszek, Brian F [mailto:BFBartoszek@wpsr.com]
Sent: Wednesday, August 02, 2006 10:34 AM
To: DuFresne, Kristin I.
Subject: Wpsc Parking Lot (TCE Issue)

Hi Kristin - We installed an additional boring (B-4A) approximately 3 feet to the north of B-4 which had a reported TCE concentration of 500 ppb and no other VOC constituent above detection limits. The sample from B-4A was taken from the same interval (7.5 - 9 feet bgs) and submitted to the lab for analysis of TCE. As you can see from the attached lab report TCE was not detected in this sample. As we previously discussed, it appeared to be odd that TCE was the only VOC detected, especially at a somewhat elevated concentration. I believe that the non-detect in the sample taken approximately 3 feet to the north illustrates that TCE is not an issue and subsequently request that no further action be required. Please let me know if you have any questions or concerns.

Thanks,
Brian



1241 Bellevue Street
 Green Bay, WI 54302
 Phone: 920-469-2436
 Fax: 920-469-8827

Fax Cover Sheet

Date: <u>8/1</u>	Time: _____
To: <u>Jeni / Shely</u>	Fax: _____
Company: _____	
From: <u>Laurie</u>	No. of pages including cover: _____

Comments: _____

Q+ data

This message and any attachments to it are intended only for the named recipient(s) and may contain privileged, confidential or copyrighted information. If you are not one of the intended recipients, you are hereby formally notified that any use, copying or distribution of this, in whole or in part, is strictly prohibited.



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 874413

Client: ROBERT E. LEE & ASSOCIATES, INC.

Lab Contact: Laurie Woelfel

Project Name: WPS - DTC PARKING LOT

Project Number: 11134-129

Lab Sample Number	Field ID	Matrix	Collection Date
874413-001	B-4A (7.5-9.0')	SOIL	07/26/06 09:40

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.

Approval Signature

A handwritten signature in black ink, appearing to read "Laurie Woelfel", written over a horizontal line.

Date

A handwritten date "8/1/06" in black ink, written over a horizontal line.

**Pace Analytical
Services, Inc.****Analytical Report Number: 874413**1241 Bellevue Street
Green Bay, WI 54302
920-469-2436Client: ROBERT E. LEE & ASSOCIATES, INC.
Project Name: WPS - DTC PARKING LOT
Project Number: 11134-129
Field ID: B-4A (7.5-9.0')Matrix Type: SOIL
Collection Date: 07/26/06
Report Date: 08/01/06
Lab Sample Number: 874413-001**INORGANICS**

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.1				1	%		07/27/06	SM M2540G	SM M2540G

VOLATILES - SPECIAL LIST

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Trichloroethene	< 25	25	60		50	ug/Kg		07/31/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	81	64	133		50	%		07/31/06	SW846 5030B	SW846 8260B
Toluene-d8	89	67	139		50	%		07/31/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	101	64	140		50	%		07/31/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

TELEPHONE LOG

SITE NAME: WPS Parkings Lot - West DATE: 07-21-06
TRACKING NUMBER: not assigned TIME: ~ 7:30
CONTACT NAME: Brian Bartoszek PHONE: 920-433-2643
COMPANY AGENCY: WPS
INITIATED BY: KD

Dufresne returned Bartoszek's call.

Bartoszek is correct no gas sample for PAHs necessary as results are below gas pathway guidance numbers.

Bartoszek intends to collect another soil sample from a location adjacent to B-4 and re-run for VOCs to confirm previous detect. Will also install a temp well but will not collect a water sample. Upon receiving soil data from second sample Bartoszek will reevaluate need for gas sample. Bartoszek believes TCE detect ~~is~~ is suspect. Lab already disposed of sample so no way to further evaluate.

SIGNATURE: Krista Dufresne

Bartoszek will keep DNR informed of status.

TELEPHONE LOG

SITE NAME: WPS Parkings Lot - West DATE: 07-19-06
TRACKING NUMBER: not assigned TIME: ~ 1:30
CONTACT NAME: Brian Bartoszek PHONE: _____
COMPANY AGENCY: WPS
INITIATED BY: KB

Dutresne called Bartoszek to respond to his 07-13-06 email.

Based on data DNR would need a water sample from two locations. Near B-4 for VOC analysis and B-6 for PAH analysis. If results come back below standards could enter site into "no action required" if results above standards a case will need to be opened.

Bartoszek needs to discuss this additional work with his counterparts. Will respond to DNR with their intentions in the very near future.

SIGNATURE: Kurt Dutresne

TELEPHONE LOG

SITE NAME: WPS Parking Lot - West DATE: 07-19-06
TRACKING NUMBER: Not assigned TIME: AM
CONTACT NAME: Bruce Urban PHONE: _____
COMPANY AGENCY: NER RR Team Supervisor
INITIATED BY: KD

Dufresne spoke to Urban regarding the analytical data provided by WPS on 07-13-06.

Urban in agreement with gas sampling to determine if there are any NR140 exceedances. If gas MGD impacted site can be entered into No Action Required module of BRRTS.

Since WPS believes PAH detects are from contaminated fill, rather than former MGP site, Urban suggested listing site in SHWIMS.

SIGNATURE: Krista Dufresne

DuFresne, Kristin I.

From: Bartoszek, Brian F [BFBartoszek@wpsr.com]
Sent: Thursday, July 13, 2006 11:34 AM
To: DuFresne, Kristin I.
Subject: WPS Parking Lot
Attachments: Analyticals.pdf; map_boring logs.pdf


Hi Kristin,

Attached are the analytical results along with a map and boring logs for the issue that we discussed earlier. I would like to thank you in advance for taking the time to look at the data and provide feedback. Please call me if you have any questions.

Brian

Brian F. Bartoszek, P.E.
Senior Environmental Engineer
Wisconsin Public Service Corporation
Phone: (920) 433-2643
Fax: (920) 433-1176
E-mail: bfbartoszek@wpsr.com

<<Analyticals.pdf>> <<map_boring logs.pdf>>



1241 Bellevue Street, Suite 9
Green Bay, WI 54302
920-469-2436, Fax: 920-469-8827

Analytical Report Number: 873229

Client: MIDWEST ENGINEERING SERVICES, INC.

Lab Contact: Brian Basten

Project Name: WPS PARKING LOT

Project Number: 14-83026

Lab Sample Number	Field ID	Matrix	Collection Date
873229-001	B-1 (5-6.5)	SOIL	06/20/06
873229-002	B-2 (10-11.5)	SOIL	06/20/06
873229-003	B-3 (7.5-9)	SOIL	06/20/06
873229-004	B-4 (7.5-9)	SOIL	06/20/06
873229-005	B-5 (5-6.5)	SOIL	06/20/06
873229-006	B-6 (6-7.5)	SOIL	06/20/06
873229-007	B-7 (5-6.5)	SOIL	06/20/06
873229-008	B-8 (5-6.5)	SOIL	06/20/06
873229-009	B-9 (6-7)	SOIL	06/21/06
873229-010	B-10 (6-7)	SOIL	06/21/06
873229-011	B-11 (5-7)	SOIL	06/21/06
873229-012	B-12 (7.5-9.5)	SOIL	06/21/06

I certify that the data contained in this Final Report has been generated and reviewed in accordance with approved methods and Laboratory Standard Operating Procedure. Exceptions, if any, are discussed in the accompanying sample comments. Release of this final report is authorized by Laboratory management, as is verified by the following signature. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc. The sample results relate only to the analytes of interest tested.


Approval Signature

6-28-06
Date

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-1 (5-6.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-001

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	77.7				1	%		06/23/06	SM M2640G	SM M2640G

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method	Prep Date: 06/23/06
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B	

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-03026

Field ID : B-1 (5-6.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-001

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	33	32	77		50	ug/Kg	Q	06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	103	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	108	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	105	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	13	3.9	13		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	15	4.0	13		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Acenaphthene	37	3.8	13		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Acenaphthylene	20	3.7	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Anthracene	110	4.6	15		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	140	6.8	23		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	140	3.7	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	86	3.6	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	78	4.6	15		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	120	3.9	13		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Chrysene	130	5.6	19		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	28	3.5	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Fluoranthene	290	3.7	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Fluorene	42	4.4	15		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	73	3.2	11		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Naphthalene	23	5.2	17		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Phenanthrene	260	3.8	13		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Pyrene	270	3.2	11		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	50	10	141		1	%		06/23/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	63	10	161		1	%		06/23/06	SW846 3545	8270C-SIM
Terphenyl-d14	59	29	150		1	%		06/23/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-2 (10-11.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-002

INORGANICS

Test	Result	LOD	LOQ	EQL	DII.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	81.1				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DII.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dilisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.
 Project Name : WPS PARKING LOT
 Project Number : 14-83026
 Field ID : B-2 (10-11.5)

Matrix Type : SOIL
 Collection Date : 06/20/06
 Report Date : 06/29/06
 Lab Sample Number : 873229-002

VOLATILES

Prep Date: 06/23/08

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	100	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	104	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	104	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/23/08

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	5.2	3.7	12		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	6.5	3.9	13		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Acenaphthene	7.6	3.7	12		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Anthracene	6.5	4.4	15		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	18	6.5	22		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	23	3.5	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	21	3.5	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	12	4.4	15		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	20	3.8	13		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Chrysene	25	6.4	18		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Fluoranthene	50	3.5	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Fluorene	4.4	4.2	14		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	11	3.1	10		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Naphthalene	8.5	4.9	16		1	ug/Kg	Q	06/23/06	SW846 3545	8270C-SIM
Phenanthrene	38	3.6	12		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Pyrene	52	3.0	10		1	ug/Kg		06/23/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	46	10	141		1	%		06/23/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	51	10	161		1	%		06/23/06	SW846 3545	8270C-SIM
Terphenyl-d14	55	29	150		1	%		06/23/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/20/06

Project Number : 14-63028

Report Date : 06/29/06

Field ID : B-3 (7,6-9)

Lab Sample Number : 873229-003

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.7				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/20/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-3 (7.5-9)

Lab Sample Number : 873229-003

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	26	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	118	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	126	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	124	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	4.9	3.7	12		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	6.4	3.9	13		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.6	6.6	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.4	5.4	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 5.0	5.0	17		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	4.6	3.6	12		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
Pyrene	< 3.0	3.0	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	38	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	48	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	48	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 08/20/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-4 (7.5-9)

Lab Sample Number : 873229-004

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	81.1				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/20/06

Project Number : 14-83026

Report Date : 06/29/06

Field ID : B-4 (7.5-9)

Lab Sample Number : 873229-004

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	500	31	74		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	116	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	128	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Di-bromofluoromethane	119	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.9	3.9	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.5	6.5	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.5	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.4	5.4	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Di-benz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	4.3	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 4.9	4.9	16		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	3.9	3.0	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	30	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	37	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	36	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/20/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-5 (5-6.5)

Lab Sample Number : 873229-005

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.5				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dilsopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-5 (5-6.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-005

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	108	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	114	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	112	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.9	3.9	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.6	6.6	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.4	5.4	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 5.0	5.0	17		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	< 3.0	3.0	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	42	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	52	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	49	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-6 (6-7.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-006

INORGANICS

Test	Result	LOD	LOQ	EQL	DII	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	81.9				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DII	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 1241 1241
1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/20/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-6 (6-7.5)

Lab Sample Number : 873229-006

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	37	31	73		50	ug/Kg	Q	06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	103	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	107	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	109	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 7.4	7.4	25		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	12	7.6	25		2	ug/Kg	Q	06/27/06	SW846 3545	8270C-SIM
Acenaphthene	140	7.3	24		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Acenaphthylene	53	7.0	23		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Anthracene	140	8.7	29		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	540	13	43		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	600	7.0	23		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	460	6.9	23		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	290	8.7	29		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	420	7.5	25		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Chrysene	510	11	35		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	90	6.7	22		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Fluoranthene	1300	7.0	23		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Fluorene	120	8.3	28		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	270	6.1	20		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Naphthalene	100	9.8	33		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Phenanthrene	220	7.2	24		2	ug/Kg		06/27/06	SW846 3545	8270C-SIM
Pyrene	1200	6.0	20		2	ug/Kg	*	06/27/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	56	10	141		2	%		06/27/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	69	10	161		2	%		06/27/06	SW846 3545	8270C-SIM
Terphenyl-d14	68	29	150		2	%		06/27/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-7 (5-6.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-007

INORGANICS

Test	Result	LOD	LOQ	EQL	DII.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.8				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Analyte	Result	LOD	LOQ	EQL	DII.	Units	Code	Anl Date	Prep Method	Anl Method
									Prep Date: 06/23/06	
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-7 (5-6.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-007

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	107	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	112	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	108	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	6.2	3.7	12		1	ug/Kg	Q	06/28/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	8.4	3.9	13		1	ug/Kg	Q	06/28/06	SW846 3545	8270C-SIM
Acenaphthene	19	3.7	12		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Acenaphthylene	13	3.6	12		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Anthracene	57	4.4	15		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	130	6.6	22		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	150	3.6	12		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	110	3.5	12		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	65	4.4	15		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	110	3.8	13		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Chrysene	130	5.4	18		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	27	3.4	11		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Fluoranthene	240	3.6	12		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Fluorene	20	4.2	14		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	58	3.1	10		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Naphthalene	15	5.0	17		1	ug/Kg	Q	06/28/06	SW846 3545	8270C-SIM
Phenanthrene	150	3.6	12		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Pyrene	290	3.0	10		1	ug/Kg		06/28/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	52	10	141		1	%		06/28/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	56	10	161		1	%		06/28/06	SW846 3545	8270C-SIM
Terphenyl-d14	68	29	150		1	%		06/28/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellvue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-8 (5-6.5)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-008

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.5				1	%		06/23/06	SM M2640G	SM M2640G

VOLATILES

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
									Prep Date: 06/23/06	
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		60	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dilisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-8 (5-6.6)

Matrix Type : SOIL

Collection Date : 06/20/06

Report Date : 06/29/06

Lab Sample Number : 873229-008

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		08/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	100	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	104	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Di-bromofluoromethane	101	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.9	3.9	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.6	6.6	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.4	5.4	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Di-benz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 5.0	5.0	17		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	< 3.0	3.0	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	51	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	55	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	48	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-9 (5-7)

Matrix Type : SOIL

Collection Date : 06/21/06

Report Date : 06/29/06

Lab Sample Number : 873229-009

INORGANICS

Test	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	79.6				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoforn	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/21/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-9 (5-7)

Lab Sample Number : 873229-009

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DII.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	94	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	104	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	105	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	DII.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	5.5	3.8	13		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.9	3.9	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.5	4.5	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.7	6.7	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.8	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.5	4.5	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.5	5.5	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.3	4.3	14		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.2	3.2	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 5.0	5.0	17		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	4.3	3.1	10		1	ug/Kg	Q*	06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	54	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	62	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	50	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63026

Field ID : B-10 (5-7)

Matrix Type : SOIL

Collection Date : 06/21/06

Report Date : 06/29/06

Lab Sample Number : 873229-010

INORGANICS

Test	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	77.7				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/21/08

Project Number : 14-63026

Report Date : 06/29/08

Field ID : B-10 (6-7)

Lab Sample Number : 873229-010

VOLATILES

Prep Date: 06/23/08

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	104	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	110	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	102	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.9	3.9	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 4.0	4.0	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.6	4.6	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.8	6.8	23		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.6	4.6	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.9	3.9	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.6	5.6	19		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	8.3	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.2	3.2	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 5.2	5.2	17		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	6.4	3.2	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	50	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	55	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	44	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/21/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-11 (5-7)

Lab Sample Number : 873229-011

INORGANICS

Test	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	81.6				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

**Pace Analytical
Services, Inc.**

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/21/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-11 (6-7)

Lab Sample Number : 873229-011

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	31	31	74		50	ug/Kg	Q	06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	101	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	107	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Dibromofluoromethane	102	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA

Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	< 3.8	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	< 6.5	6.5	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	< 4.4	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	< 3.7	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	< 5.3	5.3	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Dibenz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	< 3.5	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	< 4.2	4.2	14		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	< 3.1	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	< 4.9	4.9	16		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Phenanthrene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	< 3.0	3.0	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	24	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	32	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	39	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Client : MIDWEST ENGINEERING SERVICES, INC.

Project Name : WPS PARKING LOT

Project Number : 14-63028

Field ID : B-12 (7.5-9.5)

Matrix Type : SOIL

Collection Date : 06/21/06

Report Date : 06/29/06

Lab Sample Number : 873229-012

INORGANICS

Test	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
Percent Solids	80.4				1	%		06/23/06	SM M2540G	SM M2540G

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	DIL.	Units	Code	Anl Date	Prep Method	Anl Method
1,1,1,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,1-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2,2-Tetrachloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1,2-Trichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,1-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,3-Trichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2,4-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromo-3-chloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dibromoethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3,5-Trimethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,3-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
1,4-Dichlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2,2-Dichloropropane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
2-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
4-Chlorotoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Benzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromochloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromodichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromoform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Bromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Carbon Tetrachloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorobenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chlorodibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloroform	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Chloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
cis-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dibromomethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Dichlorodifluoromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Diisopropyl Ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Ethylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Fluorotrichloromethane	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Hexachlorobutadiene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Isopropylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B

All soil results are reported on a dry weight basis unless otherwise noted.

Pace Analytical Services, Inc.

Analytical Report Number: 873229

1241 Bellevue Street
Green Bay, WI 54302
920-469-2436

Client : MIDWEST ENGINEERING SERVICES, INC.

Matrix Type : SOIL

Project Name : WPS PARKING LOT

Collection Date : 06/21/06

Project Number : 14-63026

Report Date : 06/29/06

Field ID : B-12 (7.5-9.5)

Lab Sample Number : 873229-012

VOLATILES

Prep Date: 06/23/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
Methylene Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Methyl-tert-butyl-ether	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Naphthalene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
n-Propylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
p-Isopropyltoluene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
s-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Styrene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
t-Butylbenzene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Tetrachloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Toluene	35	31	75		50	ug/Kg	Q	06/23/06	SW846 5030B	SW846 8260B
trans-1,2-Dichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
trans-1,3-Dichloropropene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Trichloroethene	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Vinyl Chloride	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylene, o	< 25	25	60		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Xylenes, m + p	< 50	50	120		50	ug/Kg		06/23/06	SW846 5030B	SW846 8260B
Surrogate		LCL	UCL							
4-Bromofluorobenzene	122	64	133		50	%		06/23/06	SW846 5030B	SW846 8260B
Toluene-d8	126	67	139		50	%		06/23/06	SW846 5030B	SW846 8260B
Di-bromofluoromethane	122	64	140		50	%		06/23/06	SW846 5030B	SW846 8260B

PAH/PNA


Prep Date: 06/26/06

Analyte	Result	LOD	LOQ	EQL	Dil.	Units	Code	Anl Date	Prep Method	Anl Method
1-Methylnaphthalene	7.0	3.8	13		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
2-Methylnaphthalene	9.5	3.9	13		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
Acenaphthene	19	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Acenaphthylene	< 3.6	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Anthracene	13	4.4	15		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
Benzo(a)anthracene	30	6.6	22		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(a)pyrene	33	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(b)fluoranthene	24	3.5	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(ghi)perylene	16	4.4	15		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Benzo(k)fluoranthene	27	3.8	13		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Chrysene	33	5.4	18		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Di-benz(a,h)anthracene	< 3.4	3.4	11		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluoranthene	57	3.6	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Fluorene	5.2	4.2	14		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
Indeno(1,2,3-cd)pyrene	14	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Naphthalene	14	5.0	17		1	ug/Kg	Q	06/26/06	SW846 3545	8270C-SIM
Phenanthrene	45	3.7	12		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Pyrene	66	3.1	10		1	ug/Kg		06/26/06	SW846 3545	8270C-SIM
Surrogate		LCL	UCL							
Nitrobenzene-d5	71	10	141		1	%		06/26/06	SW846 3545	8270C-SIM
2-Fluorobiphenyl	87	10	161		1	%		06/26/06	SW846 3545	8270C-SIM
Terphenyl-d14	83	29	150		1	%		06/26/06	SW846 3545	8270C-SIM

All soil results are reported on a dry weight basis unless otherwise noted.

Qualifier Codes

Flag	Applies To	Explanation
A	Inorganic	Analyte is detected in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
B	Inorganic	The analyte has been detected between the method detection limit and the reporting limit.
B	Organic	Analyte is present in the method blank. Method blank criteria is evaluated to the laboratory method detection limit. Additionally, method blank acceptance may be based on project specific criteria or determined from analyte concentrations in the sample and are evaluated on a sample by sample basis.
C	All	Elevated detection limit.
D	All	Analyte value from diluted analysis or surrogate result not applicable due to sample dilution.
E	Inorganic	Estimated concentration due to matrix interferences. During the metals analysis the serial dilution failed to meet the established control limits of 0-10%. The sample concentration is greater than 50 times the IDL for analysis done on the ICP or 100 times the IDL for analysis done on the ICP-MS. The result was flagged with the E qualifier to indicate that a physical interference was observed.
E	Organic	Analyte concentration exceeds calibration range.
F	Inorganic	Due to potential interferences for this analysis by inductively coupled plasma techniques (SW-846 Method 6010), this analyte has been confirmed by and reported from an alternate method.
F	Organic	Surrogate results outside control criteria.
G	All	The result is estimated because the concentration is less than the lowest calibration standard concentration utilized in the initial calibration. The method detection limit is less than the reporting limit specified for this project.
H	All	Preservation, extraction or analysis performed past holding time.
HF	Inorganic	This test is considered a field parameter, and the recommended holding time is 15 minutes from collection. The analysis was performed in the laboratory beyond the recommended holding time.
J	All	Concentration detected equal to or greater than the method detection limit but less than the reporting limit.
K	Inorganic	Sample received unpreserved. Sample was either preserved at the time of receipt or at the time of sample preparation.
K	Organic	Detection limit may be elevated due to the presence of an unrequested analyte.
L	All	Elevated detection limit due to low sample volume.
M	Organic	Sample pH was greater than 2
N	All	Spiked sample recovery not within control limits.
O	Organic	Sample received overweight.
P	Organic	The relative percent difference between the two columns for detected concentrations was greater than 40%.
Q	All	The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ). The results are qualified due to the uncertainty of analyte concentrations within this range.
S	Organic	The relative percent difference between quantitation and confirmation columns exceeds internal quality control criteria. Because the result is unconfirmed, it has been reported as a non-detect with an elevated detection limit.
U	All	The analyte was not detected at or above the reporting limit.
V	All	Sample received with headspace.
W	All	A second aliquot of sample was analyzed from a container with headspace.
X	All	See Sample Narrative.
Z	Organics	This compound was separated in the check standard but it did not meet the resolution criteria as set forth in SW846.
&	All	Laboratory Control Spike recovery not within control limits.
* (circled)	All	Precision not within control limits.
+	Inorganic	The sample result is greater than four times the spike level; therefore, the percent recovery is not evaluated.
<	All	The analyte was not detected at or above the reporting limit.
1	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses passed QC based on precision criteria.
2	Inorganic	Dissolved analyte or filtered analyte greater than total analyte; analyses failed QC based on precision criteria.
3	Inorganic	BOD result is estimated due to the BOD blank exceeding the allowable oxygen depletion.
4	Inorganic	BOD duplicate precision not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
5	Inorganic	BOD result is estimated due to insufficient oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
6	Inorganic	BOD laboratory control sample not within control limits. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.
7	Inorganic	BOD result is estimated due to complete oxygen depletion. Due to the 48 hour holding time for this test, it is not practical to reanalyze and try to correct the deficiency.



Proposed West Parking Lot Reconstruction
Green Bay, Wisconsin

BORING LOCATION DIAGRAM

Scale: See Above

Project No.: 14-63026

Date: 6/27/2006

Figure 1



midwest engineering services, inc.

SOIL BORING LOG: B - 1

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 101.5	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
	0-7": Concrete PAVEMENT						
1 100.5	Brown SAND, with silt, moist (FILL)	1-SS	6				
2 99.5	Black to gray silty SAND, with clay and trace bricks and wood debris, moist (FILL)						
3 98.5		2-SS	17			25	
4 97.5							
6 96.5	Brown to gray silty CLAY, with sand and trace gravel, moist to wet	3-SS	9	1.0		15	▼
6 95.5							▼
7 94.5							↓
8 93.5	Grayish-brown SAND, with silt, wet	4-SS	17			27	
9 92.5							
10 91.5	Greenish-gray to gray silty CLAY, with trace sand, wood debris, and shells, wet	5-SS	4			47	
11 90.5							
12 89.5							
13 88.5							
14 87.5		6-SS	2			39	
15 86.5	END OF BORING @ 16± FEET						
FIELD OBSERVATIONS:		ADDITIONAL COMMENTS:					
Water Level during drilling: 6± feet below ground surface (EL. 95.5±) ▼							
Water Level upon completion: 7± feet below ground surface (EL. 94.5±) ▼							
Caved at upon completion: 7.5± feet below ground surface (EL. 94.0±) ↓							
Delay Time: N/A --							
Water Level delayed: N/A ✗							
Caved at delayed: N/A ↓							

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 2

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 101.6	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	100.6 0-7": Concrete PAVEMENT						
2	99.6 Brown SAND, with trace silt and gravel, moist (FILL)	1-SS	13				
3	98.6 Reddish-brown to brown silty CLAY, with trace sand, moist (FILL)	2-SS	15	2.5		16	
4	97.6 Black silty SAND, with trace gravel and coal-like cinders, moist (FILL)						
5	96.6 Intermixed black SAND, GRAVEL, and WOOD debris, moist to wet (FILL)	3-SS	20			73	▼
6	95.6						
7	94.6						
8	93.6	4-SS	16			110	
9	92.6 Grayish-brown silty SAND, wet						▼
10	91.6						↓
11	90.6 Greenish-gray silty CLAY, with trace sand, wood debris, and shells, wet	5-SS	6			36	
12	89.6						
13	88.6						
14	87.6	6-SS	1			76	
15	86.6 END OF BORING @ 15± FEET						

FIELD OBSERVATIONS:

Water Level during drilling: 5.5± feet below ground surface (EL. 96.1±) ▼
 Water Level upon completion: 9± feet below ground surface (EL. 92.8±) ▼
 Caved at upon completion: 10± feet below ground surface (EL. 91.6±) ↓
 Delay Time: N/A --
 Water Level delayed: N/A ✖
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 3

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 102.2	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	101.2	1-SS	33				
	0-4": Asphalt PAVEMENT						
	4-8": Gray crushed STONE, moist (BASE COURSE)						
2	100.2						
3	99.2						
4	98.2	2-SS	22	3.5		18	
5	97.2						
6	96.2	3-SS	7			70	
7	95.2						
8	94.2	4-SS	5			25	
9	93.2						
10	92.2						
11	91.2	5-SS	4			25	
12	90.2						
13	89.2						
14	88.2						
15	87.2	6-SS	25			17	
END OF BORING @ 16± FEET							

FIELD OBSERVATIONS:
 Water Level during drilling: 7.5± feet below ground surface (EL. 94.7±) ↓
 Water Level upon completion: Not Observed ↓
 Caved at upon completion: 5± feet below ground surface (EL. 97.2±) ↓
 Delay Time: N/A ---
 Water Level delayed: N/A ↓
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 4

Project: Proposed West Parking Lot Reconstruction.

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 101.8	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	100.8 0-2": Asphalt PAVEMENT						
2	99.8 2-8": Gray crushed STONE, moist (BASE COURSE) Black silty SAND, with gravel and trace coal-like cinders, moist (FILL)	1-SS	21				
3	98.8 Light brown SAND, with silt, moist (POSSIBLE FILL)						
4	97.8 Reddish-brown to gray silty CLAY, with trace sand and plant matter, moist	2-SS	18			19	
5	96.8						
6	95.8	3-SS	12	2		19	
7	94.8						
8	93.8 Reddish-brown to brown silty CLAY, with trace sand, moist to wet	4-SS	3			24	
9	92.8						
10	91.8						
11	90.8	5-SS	7	1.0		24	
12	89.8						
13	88.8						
14	87.8						
15	86.8 * Seam of gray SAND, with trace shells, from 13.5 to 14.5± feet. (wet)	6-SS	6			26	
	END OF BORING @ 16± FEET						

FIELD OBSERVATIONS:

Water Level during drilling: 7.5± feet below ground surface (EL. 94.3±) ∇
 Water Level upon completion: Not Observed ∇
 Caved at upon completion: 5± feet below ground surface (EL. 96.8±) ↓
 Delay Time: N/A --
 Water Level delayed: N/A ✖
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 5

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 101.2	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	100.2 0-4" Asphalt PAVEMENT						
2	99.2 4-8" Gray crushed STONE, moist (BASE COURSE) Black silty SAND, with gravel and trace clay and coal- like cinders, moist (FILL)	1-SS	12				
3	98.2 Reddish-brown to brown silty CLAY, with trace sand, moist to wet						
4	97.2	2-SS	14	2.5		20	
5	96.2						
6	95.2	3-SS	6	1.25		25	▼
7	94.2						
8	93.2						
9	92.2 Gray sandy SILT, with clay, moist	4-SS	6			30	▼
10	91.2						↓
11	90.2 Gray SAND, with trace silt and shells, wet	5-SS	7			23	
12	89.2						
13	88.2						
14	87.2 Reddish-brown silty CLAY, moist	6-SS	14			20	
15	86.2 END OF BORING @ 15± FEET						

FIELD OBSERVATIONS:		
Water Level during drilling:	5.5± feet below ground surface (EL. 95.7±)	▼
Water Level upon completion:	9± feet below ground surface (EL. 92.2±)	▼
Caved at upon completion:	10± feet below ground surface (EL. 91.2±)	↓
Delay Time:	N/A	--
Water Level delayed:	N/A	✖
Caved at delayed:	N/A	↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 6

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
	GROUND SURFACE ELEVATION: 100.6						
1	0-5": Asphalt PAVEMENT						
	5-11": Concrete PAVEMENT						
2	Gray crushed STONE, moist (BASE COURSE)	1-SS	12				
3	Brown SAND, with trace silt and shells, moist to wet						
4		2-SS	14			10	∇
6	Gray to reddish-brown sandy, silty CLAY, wet						
8	Gray SAND, with trace gravel and shells, wet	3-SS	8			27	
9	Greenish-gray to reddish-brown silty CLAY, with trace sand, wet	4-SS	3			44	∇ ↓
11		5-SS	2	0.5		30	
14	Gray silty SAND, with trace shells, wet	6-SS	7			36	
15	END OF BORING @ 16± FEET						

FIELD OBSERVATIONS:

Water Level during drilling: 3.5± feet below ground surface (EL. 97.0±) ∇
 Water Level upon completion: 8.5± feet below ground surface (EL. 92.0±) ∇
 Caved at upon completion: 9± feet below ground surface (EL. 91.5±) ↓
 Delay Time: N/A --
 Water Level delayed: N/A *
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, Inc.

SOIL BORING LOG: B - 7

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK

Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 101.6	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	100.6						
	0-3": Asphalt PAVEMENT						
	3-13": Gray crushed STONE, moist (BASE COURSE)						
2	99.6	1-SS	22				
	Intermixed black SAND, GRAVEL, & WOOD debris, with trace coal-like cinders, moist (FILL)						
3	98.6						
4	97.6	2-SS	37			36	
5	96.6						
	Gray to dark brown silty SAND, with trace gravel and wood debris, moist (FILL)						
6	95.6	3-SS	10			44	▼
7	94.6						↓
8	93.6						▼
	Brown to black SAND, with trace silt and shells, wet						
9	92.6	4-SS	11			47	
10	91.6						
11	90.6	5-SS	14			19	
12	89.6						
13	88.6						
14	87.6						
	Gray silty SAND, with trace clay, moist to wet						
15	86.6	6-SS	2			39	
	END OF BORING @ 16± FEET						

FIELD OBSERVATIONS:

Water Level during drilling: 7.5± feet below ground surface (EL. 94.1±) ▼
 Water Level upon completion: 6± feet below ground surface (EL. 95.6±) ▼
 Caved at upon completion: 7± feet below ground surface (EL. 94.6±) ↓
 Delay Time: N/A ---
 Water Level delayed: N/A ✖
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 8

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 20, 2006

Drilled by: JK
Logged by: CM

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
	GROUND SURFACE ELEVATION: 100.2						
1	0-2": Asphalt PAVEMENT						
	2-10": Concrete PAVEMENT						
	Brown to reddish-brown SAND, with trace silt, moist	1-SS	14				
2							
3		2-SS	20			14	
4							
5	Gray to dark gray SAND, with trace silt, moist to wet	3-SS	16			22	Y
6							
7							
8		4-SS	4			22	
9							
10							
11		5-SS	2			21	
12	Gray to greenish-gray sandy SILT, with trace clay, shells, and plant matter, wet						
13							
14		6-SS	2			33	
15							
16							
17							
18							
19		7-SS	1			36	
20							
	END OF BORING @ 20± FEET						

FIELD OBSERVATIONS: Water Level during drilling: 6± feet below ground surface (EL. 04.2±) Y Water Level upon completion: Not Observed Y Caved at upon completion: 4± feet below ground surface (EL. 96.2±) J Delay Time: N/A - Water Level delayed: N/A Y Caved at delayed: N/A J	ADDITIONAL COMMENTS:
--	-----------------------------

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 9

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 21, 2006

Drilled by: JK

Logged by: DB

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 99.7	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	98.7	1-SS	9				
2	97.7						
3	96.7	2-SS	16			18	▼ ↓
4	95.7						
5	94.7	3-SS	5			18	▼
6	93.7						
7	92.7	4-SS	6			21	
8	91.7						
9	90.7	5-SS	3			24	
10	89.7						
11	88.7	6-SS	2			24	
12	87.7						
13	86.7	END OF BORING @ 16± FEET					
14	85.7						
15	84.7						

FIELD OBSERVATIONS:

Water Level during drilling: 5± feet below ground surface (EL. 94.7±) ▼
 Water Level upon completion: 4± feet below ground surface (EL. 95.7±) ▼
 Caved at upon completion: 4± feet below ground surface (EL. 95.7±) ↓
 Delay Time: N/A --
 Water Level delayed: N/A ▼
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 10

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 21, 2006

Drilled by: JK

Logged by: DB

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 100.4	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
	0-2": Asphalt PAVEMENT						
1 99.4	Gray crushed STONE, moist (BASE COURSE)	1-SS	21				
2 98.4							
3 97.4	Black SAND & GRAVEL, with trace coal-like cinders, moist (FILL)						
4 96.4		2-SS	12			10	
5 95.4	Brown to light brown SAND, with trace silt, moist to wet						▼ v ↓
6 94.4		3-SS	15			22	
7 93.4							
8 92.4	Black to dark gray sandy SILT, with clay and trace wood debris and shells, wet	4-SS	3			64	
9 91.4							
10 90.4	Gray SAND, with silt, wet						
11 89.4		5-SS	9			22	
12 88.4							
13 87.4							
14 86.4	Grayish-brown silty SAND, with trace clay, wet						
15 85.4		6-SS	2			41	
	END OF BORING @ 15± FEET						

FIELD OBSERVATIONS:

Water Level during drilling: 5± feet below ground surface (EL. 95.4±) v
 Water Level upon completion: 5± feet below ground surface (EL. 95.4±) ▼
 Caved at upon completion: 5.5± feet below ground surface (EL. 94.9±) ↓
 Delay Time: N/A —
 Water Level delayed: N/A ¥
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 11

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 21, 2006

Drilled by: JK

Logged by: DB

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 99.3	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS
1	98.3 0-4": Asphalt PAVEMENT 4-10": Concrete PAVEMENT Brown SAND, with trace silt, moist	1-SS	15				
2	97.3						
3	96.3						
4	95.3	2-SS	13			20	↓ ▼
5	94.3 Gray SAND, with silt, wet						▼
6	93.3	3-SS	5			23	
7	92.3						
8	91.3						
9	90.3	4-SS	6			23	
10	89.3						
11	88.3 Brown to black silty CLAY, with sand and trace wood debris, wet	5-SS	4			58	
12	87.3						
13	86.3						
14	85.3 Gray silty SAND, with trace clay and plant matter, wet	6-SS	3			36	
15	84.3 END OF BORING @ 16± FEET						

FIELD OBSERVATIONS:		ADDITIONAL COMMENTS:	
Water Level during drilling:	5± feet below ground surface (EL. 94.3±) ▼		
Water Level upon completion:	4± feet below ground surface (EL. 95.3±) ▼		
Caved at upon completion:	4± feet below ground surface (EL. 95.3±) ↓		
Delay Time:	N/A		
Water Level delayed:	N/A		
Caved at delayed:	N/A		

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.



midwest engineering services, inc.

SOIL BORING LOG: B - 12

Project: Proposed West Parking Lot Reconstruction

Project No.: 14-63026

Location: Wisconsin Public Service Downtown Campus
Green Bay, Wisconsin

Drill Date: June 21, 2006

Drilled by: JK

Logged by: DB

DEPTH/EL. (feet)	VISUAL SOIL CLASSIFICATION GROUND SURFACE ELEVATION: 101.7	SAMPLE NO.	N (bpf)	Qp (tsf)	Qu (tsf)	MC (%)	REMARKS	
1	100.7	1-SS	7					
2	99.7							
3	98.7	2-SS	23			17		
4	97.7							
5	96.7	3-SS	16	1.75		19		
6	95.7							
7	94.7	4-SS	10			22	v v ↓	
8	93.7							
9	92.7	5-SS	9			42		
10	91.7							
11	90.7	6-SS	2			74		
12	89.7							
13	88.7	END OF BORING @ 16± FEET						
14	87.7							
15	86.7							
16	86.7							

FIELD OBSERVATIONS:

Water Level during drilling: 7.5± feet below ground surface (EL. 94.2±) v
 Water Level upon completion: 8± feet below ground surface (EL. 93.7±) v
 Caved at upon completion: 8.5± feet below ground surface (EL. 93.2±) ↓
 Delay Time: N/A --
 Water Level delayed: N/A v
 Caved at delayed: N/A ↓

ADDITIONAL COMMENTS:

Note: Lines of stratification represent an approximate boundary between soil types. Variations may occur between sampling intervals and/or boring locations. Transitions may also be gradual.