

GIS REGISTRY

Cover Sheet

July, 2008
(RR 5367)

Source Property Information

BRRTS #: 03-49-548292

ACTIVITY NAME: LAUNDRY BASKET

PROPERTY ADDRESS: 300 S MAIN ST

MUNICIPALITY: LUCK

PARCEL ID #: 146-00196-0000

CLOSURE DATE: Feb 2, 2010

FID #: 649030580

DATCP #:

COMM #: 54853800500

*WTM COORDINATES:

X: 326337 Y: 569669

** Coordinates are in
WTM83, NAD83 (1991)*

WTM COORDINATES REPRESENT:

Approximate Center Of Contaminant Source

Approximate Source Parcel Center

Please check as appropriate: (BRRTS Action Code)

Contaminated Media:

Groundwater Contamination > ES (236)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Soil Contamination > *RCL or **SSRCL (232)

Contamination in ROW

Off-Source Contamination

*(note: for list of off-source properties
see "Impacted Off-Source Property")*

Land Use Controls:

Soil: maintain industrial zoning (220)

*(note: soil contamination concentrations
between residential and industrial levels)*

Structural Impediment (224)

Site Specific Condition (228)

Cover or Barrier (222)

*(note: maintenance plan for
groundwater or direct contact)*

Vapor Mitigation (226)

Maintain Liability Exemption (230)

*(note: local government or economic
development corporation)*

Monitoring wells properly abandoned? (234)

Yes No N/A

** Residual Contaminant Level*

***Site Specific Residual Contaminant Level*

This Adobe Fillable form is intended to provide a list of information that is required for evaluation for case closure. It is to be used in conjunction with Form 4400-202, Case Closure Request. The closure of a case means that the Department has determined that no further response is required at that time based on the information that has been submitted to the Department.

NOTICE: Completion of this form is mandatory for applications for case closure pursuant to ch. 292, Wis. Stats. and ch. NR 726, Wis. Adm. Code, including cases closed under ch. NR 746 and ch. NR 726. The Department will not consider, or act upon your application, unless all applicable sections are completed on this form and the closure fee and any other applicable fees, required under ch. NR 749, Wis. Adm. Code, Table 1 are included. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than reviewing closure requests and determining the need for additional response action. The Department may provide this information to requesters as required by Wisconsin's Open Records law [ss. 19.31 - 19.39, Wis. Stats.].

BRRTS #: 03-49-548292 PARCEL ID #: 146-00196-0000

ACTIVITY NAME: LAUNDRY BASKET WTM COORDINATES: X: 326337 Y: 569669

CLOSURE DOCUMENTS (the Department adds these items to the final GIS packet for posting on the Registry)

- Closure Letter**
- Maintenance Plan** (if activity is closed with a land use limitation or condition (land use control) under s. 292.12, Wis. Stats.)
- Conditional Closure Letter**
- Certificate of Completion (COC)** for VPLE sites

SOURCE LEGAL DOCUMENTS

- Deed:** The most recent deed as well as legal descriptions, for the **Source Property** (where the contamination originated). Deeds for other, off-source (off-site) properties are located in the **Notification** section.
Note: If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Certified Survey Map:** A copy of the certified survey map or the relevant section of the recorded plat map for those properties where the legal description in the most recent deed refers to a certified survey map or a recorded plat map. (lots on subdivided or platted property (e.g. lot 2 of xyz subdivision)).
Figure #: **Title: Original Plat of Lawson City**
- Signed Statement:** A statement signed by the Responsible Party (RP), which states that he or she believes that the attached legal description accurately describes the correct contaminated property.

MAPS (meeting the visual aid requirements of s. NR 716.15(2)(h))

Maps must be no larger than 8.5 x 14 inches unless the map is submitted electronically.

- Location Map:** A map outlining all properties within the contaminated site boundaries on a U.S.G.S. topographic map or plat map in sufficient detail to permit easy location of all parcels. If groundwater standards are exceeded, include the location of all potable wells within 1200 feet of the site.
Note: Due to security reasons municipal wells are not identified on GIS Packet maps. However, the locations of these municipal wells must be identified on Case Closure Request maps.
Figure #: 1 **Title: Site Location Map**
- Detailed Site Map:** A map that shows all relevant features (buildings, roads, individual property boundaries, contaminant sources, utility lines, monitoring wells and potable wells) within the contaminated area. This map is to show the location of all contaminated public streets, and highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding a ch. NR 140 Enforcement Standard (ES), and/or in relation to the boundaries of soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Levels (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 2 **Title: Soil Boring and Monitoring Well Location Map**
- Soil Contamination Contour Map:** For sites closing with residual soil contamination, this map is to show the location of all contaminated soil and a single contour showing the horizontal extent of each area of contiguous residual soil contamination that exceeds a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL) as determined under s. NR 720.09, 720.11 and 720.19.
Figure #: 6 **Title: Soil Contaminant Concentrations**

BRRTS #: 03-49-548292

ACTIVITY NAME: LAUNDRY BASKET

MAPS (continued)

- Geologic Cross-Section Map:** A map showing the source location and vertical extent of residual soil contamination exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL). If groundwater contamination exceeds a ch. NR 140 Enforcement Standard (ES) when closure is requested, show the source location and vertical extent, water table and piezometric elevations, and locations and elevations of geologic units, bedrock and confining units, if any.

Figure #: 8 **Title: Geologic Cross Section A - A'**

Figure #: **Title:**

- Groundwater Isoconcentration Map:** For sites closing with residual groundwater contamination, this map shows the horizontal extent of all groundwater contamination exceeding a ch. NR140 Preventive Action Limit (PAL) and an Enforcement Standard (ES). Indicate the direction and date of groundwater flow, based on the most recent sampling data.

Note: This is intended to show the total area of contaminated groundwater.

Figure #: 4 **Title: Extent of Groundwater Contamination**

- Groundwater Flow Direction Map:** A map that represents groundwater movement at the site. If the flow direction varies by more than 20° over the history of the site, submit 2 groundwater flow maps showing the maximum variation in flow direction.

Figure #: 3 **Title: Water Table Contour map - August 2006**

Figure #: 5 **Title: Water Table Contour map - May 2007**

TABLES (meeting the requirements of s. NR 716.15(2)(h)(3))

Tables must be no larger than 8.5 x 14 inches unless the table is submitted electronically. Tables must not contain shading and/or cross-hatching. The use of **BOLD** or *ITALICS* is acceptable.

- Soil Analytical Table:** A table showing remaining soil contamination with analytical results and collection dates.
Note: This is one table of results for the contaminants of concern. Contaminants of concern are those that were found during the site investigation, that remain after remediation. It may be necessary to create a new table to meet this requirement.

Table #: 3 **Title: Soil results Summary**

- Groundwater Analytical Table:** Table(s) that show the most recent analytical results and collection dates, for all monitoring wells and any potable wells for which samples have been collected.

Table #: 2 **Title: Groundwater Results Summary**

- Water Level Elevations:** Table(s) that show the previous four (at minimum) water level elevation measurements/dates from all monitoring wells. If present, free product is to be noted on the table.

Table #: 1 **Title: Monitoring Well Completion Information and Water Table Summary**

IMPROPERLY ABANDONED MONITORING WELLS

For each monitoring well not properly abandoned according to requirements of s. NR 141.25 include the following documents.

Note: If the site is being listed on the GIS Registry for only an improperly abandoned monitoring well you will only need to submit the documents in this section for the GIS Registry Packet.

- Not Applicable**

- Site Location Map:** A map showing all surveyed monitoring wells with specific identification of the monitoring wells which have not been properly abandoned.

Note: If the applicable monitoring wells are distinctly identified on the Detailed Site Map this Site Location Map is not needed.

Figure #: **Title:**

- Well Construction Report:** Form 4440-113A for the applicable monitoring wells.

- Deed:** The most recent deed as well as legal descriptions for each property where a monitoring well was not properly abandoned.

- Notification Letter:** Copy of the notification letter to the affected property owner(s).

BRRTS #: 03-49-548292

ACTIVITY NAME: LAUNDRY BASKET

NOTIFICATIONS

Source Property

- Letter To Current Source Property Owner:** If the source property is owned by someone other than the person who is applying for case closure, include a copy of the letter notifying the current owner of the source property that case closure has been requested.
- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying current source property owner.

Off-Source Property

Group the following information per individual property and label each group according to alphabetic listing on the "Impacted Off-Source Property" attachment.

- Letter To "Off-Source" Property Owners:** Copies of all letters sent by the Responsible Party (RP) to owners of properties with groundwater exceeding an Enforcement Standard (ES), and to owners of properties that will be affected by a land use control under s. 292.12, Wis. Stats.
- NA
- Note:** Letters sent to off-source properties regarding residual contamination must contain standard provisions in Appendix A of ch. NR 726.

Number of "Off-Source" Letters:

- Return Receipt/Signature Confirmation:** Written proof of date on which confirmation was received for notifying any off-source property owner.
- Deed of "Off-Source" Property:** The most recent deed(s) as well as legal descriptions, for all affected deeded **off-source property(ies)**. This does not apply to right-of-ways.
- Note:** If a property has been purchased with a land contract and the purchaser has not yet received a deed, a copy of the land contract which includes the legal description shall be submitted instead of the most recent deed. If the property has been inherited, written documentation of the property transfer should be submitted along with the most recent deed.
- Letter To "Governmental Unit/Right-Of-Way" Owners:** Copies of all letters sent by the Responsible Party (RP) to a city, village, municipality, state agency or any other entity responsible for maintenance of a public street, highway, or railroad right-of-way, within or partially within the contaminated area, for contamination exceeding a groundwater Enforcement Standard (ES) and/or soil exceeding a Residual Contaminant Level (RCL) or a Site Specific Residual Contaminant Level (SSRCL).

Number of "Governmental Unit/Right-Of-Way Owner" Letters: 1



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Matthew J. Frank, Secretary
John Gozdzialski, Regional Director

Northern Region Headquarters
810 W. Maple Street
Spooner, Wisconsin 54801
Telephone 715-635-2101
FAX 715-635-4105
TTY Access via relay - 711

February 2, 2010

Ms. Lois Baldwin
517 South 4th Street
Luck, Wisconsin 54853

Subject: Final Case Closure with Continuing Obligations,
The Laundry Basket, 300 South Main Street, Luck, Wisconsin,
WDNR BRRTS Activity # 03-49-548292, Commerce # 54853-8005-00

Dear Ms. Baldwin:

On January 10, 2010, the Northern Region Closure Committee reviewed the above referenced case for closure. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On January 20, 2010, you were notified that the Closure Committee had granted conditional closure to this case.

On January 25, 2010 the Department received documentation indicating that you will continue to use the site monitoring wells for activities associated with the Laundry Basket DERF site, BRRTS # 02-49-544893. You also indicated that upon closure of the DERF site, the monitoring wells will be abandoned.

Based on the correspondence and data provided, it appears that your case meets the closure requirements in ch. NR 726, Wisconsin Administrative Code. The Department considers this case closed and no further investigation or remediation is required at this time, however, you and future property owners must comply with certain continuing obligations as explained in this letter.

GIS Registry

This site will be listed on the Remediation and Redevelopment Program's GIS Registry. The specific reasons are summarized below:

- Residual soil contamination exists that must be properly managed should it be excavated or removed
- If a structural impediment that obstructed a complete site investigation or cleanup is removed or modified, additional environmental work must be completed
- Groundwater contamination is present above Chapter NR 140 enforcement standards

This letter and information that was submitted with your closure request application will be included on the GIS Registry. To review the sites on the GIS Registry web page, visit the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>. If the property is listed on the GIS Registry because of remaining contamination and you intend to construct or reconstruct a well, you will need prior

Department approval in accordance with s. NR 812.09(4)(w), Wis. Adm. Code. To obtain approval, Form 3300-254 needs to be completed and submitted to the DNR Drinking and Groundwater program's regional water supply specialist. This form can be obtained on-line <http://dnr.wi.gov/org/water/dwg/3300254.pdf> or at the web address listed above for the GIS Registry.

Closure Conditions

Please be aware that pursuant to s. 292.12 Wisconsin Statutes, compliance with the requirements of this letter is a responsibility to which the current property owner and any subsequent property owners must adhere. You must pass on the information about these continuing obligations to the next property owner or owners. If these requirements are not followed or if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, welfare, or the environment, the Department may take enforcement action under s. 292.11 Wisconsin Statutes to ensure compliance with the specified requirements, limitations or other conditions related to the property or this case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code. The Department intends to conduct inspections in the future to ensure that the conditions included in this letter.

Residual Soil Contamination

Residual soil contamination remains as indicated on Figure 6, Petroleum Soil Contaminant Concentrations, prepared by MSA, dated July 2007, a copy of which is attached. If soil in the specific locations described above is excavated in the future, then pursuant to ch. NR 718 or, if applicable, ch. 289, Stats., and chs. 500 to 536, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable standards and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken to prevent a direct contact health threat to humans.

Structural Impediments

Structural impediments existing at the time of cleanup as shown on Figure 6, the on-site building and canopy area, made complete investigation of the soil contamination on this property impracticable. Pursuant to s. 292.12(2)(b), Wis. Stats., if the structural impediments on this property that are described above are to be removed, the property owner shall notify the Department of Natural Resources before removal and conduct an investigation of the degree and extent of petroleum contamination. If contamination is found at that time, the contamination shall be properly remediated in accordance with applicable statutes and rules. If soil in the specific locations described above is excavated, the property owner at the time of excavation must sample and analyze the excavated soil to determine if residual contamination remains. If sampling confirms that contamination is present the property owner at the time of excavation will need to determine whether the material is considered solid or hazardous waste and ensure that any storage, treatment or disposal is in compliance with applicable statutes and rules. In addition, all current and future owners and occupants of the property need to be aware that excavation of the contaminated soil may pose an inhalation or other direct contact hazard and as a result special precautions may need to be taken during excavation activities to prevent a health threat to humans.

Residual Groundwater Contamination

Groundwater impacted by petroleum contamination greater than enforcement standards set forth in ch. NR140, Wis. Adm. Code, is present both on and off this contaminated property as identified on Figure 4, Extent of Petroleum Groundwater Contamination, prepared by MSA in June 2008. Off-Property owners have been notified of the presence of groundwater contamination. For more detailed information regarding the locations where groundwater samples have been collected (i.e., monitoring well locations) and the associated contaminant concentrations, refer to the Remediation and Redevelopment Program's GIS Registry at the RR Sites Map page at <http://dnr.wi.gov/org/aw/rr/gis/index.htm>.

Vapor Migration

In addition, depending on site-specific conditions, construction over contaminated materials may result in vapor migration of contaminants into enclosed structures or migration along newly placed underground utility lines. The potential for vapor inhalation and means of mitigation should be evaluated when planning any future redevelopment, and measures should be taken to ensure the continued protection of public health, safety, welfare and the environment at the site.

Dewatering Permits

The Department's Watershed Management Program regulates point source discharges of contaminated water, including discharges to surface waters, storm sewers, pits or to the ground surface. This includes discharges from construction related dewatering activities, including utility and building construction.

Based on the concentrations of contaminants remaining in groundwater at this location, it appears likely that dewatering activities would require a permit from the Watershed Management Program. If you or any other person plan to conduct such activities, you or that person must contact that program, and if necessary, apply for the necessary discharge permit. Additional information regarding discharge permits is available at <http://www.dnr.state.wi.us/org/water/wm/www/>

Post-Closure Notification Requirements

In accordance with ss, 292.12 and 292.13, Wis. Stats., you must notify the Department before making changes that affect or relate to the conditions of closure in this letter. For this case, examples of changed conditions requiring prior notification include, but are not limited to:

- Any activity or construction that results in the removal or modification of a structural impediment that obstructed a complete site investigation or cleanup

Please send written notifications in accordance with the above requirements to the Department's Park Falls Office, to the attention of Phil Richard.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this closure decision or anything outlined in this letter, please contact Phil Richard at 715-762-1352.

Sincerely,



John Robinson

Northern Region Team Supervisor
Remediation & Redevelopment Program


Attachments: Figure 4: Extent of Petroleum Groundwater Contamination
Figure 6: Petroleum Soil Contaminant Concentrations

C: Brian Hegge
MSA
1835 North Stevens Street
Rhineland, WI 54501-2163

Mr. Brian Hacker
Laundry Basket LLC
P.O. Box 614
Luck, WI 54853

Dave Swimm
WI Department of Commerce
P.O. Box 8044
Madison, WI 53708-8044

File



LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
- MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
- SB-1/MW-1 MONITORING WELL AND OR SOIL BORING COMPLETED BY MSA
- W WATERMAIN
- OH OVERHEAD ELECTRIC
- G UNDERGROUND GAS LINE
- T UNDERGROUND TELEPHONE
- SAN SANITARY SEWER MANHOLE AND UNDERGROUND LINE
- SUSPECTED LOCATION OF FORMER UST

DATE	BENZENE
05/05	ND
08/05	<0.3
11/05	<0.3
02/06	<0.3
05/06	<0.3
04/06	NA
08/06	NA
12/06	<1.0
05/07	<0.31

ND NOT DETECTED
 NP NOT PROVIDED
 NA NOT ANALYZED
 <0.3 LESS THAN INDICATED DETECTION LIMIT
63 CONCENTRATIONS IN BOLD EXCEED NR 140 ES
3.1 CONCENTRATIONS IN ITALIC EXCEED NR 140 PAL
 ALL RESULTS REPORTED IN ug/L

ALTHOUGH ADDITIONAL PETROLEUM COMPOUNDS WERE DETECTED ABOVE THE ES, BENZENE IS REPRESENTATIVE OF THE PETROLEUM CONTAMINATION AND ADEQUATELY DEPICTS THE CONTAMINANT DISTRIBUTION AND EXTENT. FOR ADDITIONAL VALUES ABOVE THE ES AND PAL PLEASE REFER TO TABLE 4.







FIGURE 4

**EXTENT OF PETROLEUM GROUNDWATER CONTAMINATION
LAUNDRY BASKET
LUCK, WISCONSIN**

MSA TRANSPORTATION • MUNICIPAL DEVELOPMENT • ENVIRONMENTAL
1813 N. Stevens St. Elkhart, WI 54001
715-262-2344 1-800-844-7854 Fax: 715-262-4116
© MSA PROFESSIONAL SERVICES

DRAWN BY CAR DATE 6/08 SHEET - of -
CHECKED BY DA SCALE AS SHOWN FILE NO. 6080602F4B



LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
 - MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
 - SB-1/MW-1 MONITORING WELL AND OR SOIL BORING COMPLETED BY MSA
 - W WATERMAIN
 - OH OVERHEAD ELECTRIC
 - G UNDERGROUND GAS LINE
 - T UNDERGROUND TELEPHONE
 - SAN SANITARY SEWER MANHOLE AND UNDERGROUND LINE
 - UNSATURATED
 - SATURATED
- | | |
|--------|------------------------|
| 4-6' | SAMPLE INTERVAL (FEET) |
| 5-3 | LEAD (mg/kg) |
| 7.4 | GR0 (mg/kg) |
| <0.016 | BENZENE (mg/kg) |
| <0.040 | ETHYLBENZENE (mg/kg) |
| <0.061 | TOLUENE (mg/kg) |
| 0.21 | XYLENES (mg/kg) |
- <0.016 LESS THAN INDICATED DETECTION LIMIT
 - 660 RESULTS IN BOLD EQUAL OR EXCEED THE NR 720.09 OR NR 720.11 WIS. ADM. CODE RESIDUAL CONTAMINANT LEVEL (RCL)
 - NA NOT ANALYZED FOR THIS PARAMETER
 - APPROXIMATE EXTENT OF UNSATURATED PETROLEUM SOIL CONTAMINATION GREATER THAN RCLs
 - APPROXIMATE EXTENT OF SATURATED PETROLEUM SOIL CONTAMINATION (DEEPER THAN 6.0' BGS) GREATER THAN RCLs (EXTENT BASED ON EQUITY CO-OP SOIL & GROUNDWATER DATA)




FIGURE 6

PETROLEUM SOIL CONTAMINANT CONCENTRATIONS LAUNDRY BASKET LUCK, WISCONSIN

MSA
TRANSPORTATION • MUNICIPAL DEVELOPMENT • ENVIRONMENTAL
1631 N. Stevens St. Milwaukee, WI 53211
715-562-3244 1-800-844-7834 Fax: 715-562-4116
© MSA PROFESSIONAL SERVICES

DRAWN BY CAR DATE 7/07
CHECKED BY DA SCALE AS SHOWN

SHEET - of -
FILE NO. 6080602F6

715204
Document Number

STATE BAR OF WISCONSIN FORM 2 - 2000
WARRANTY DEED

This Deed, made between Lois G. Baldwin

Grantor, and Brian C. Hacker and Sheri B. Hacker, husband and wife,
as survivorship marital property,

Grantee.

Grantor, for a valuable consideration, conveys and warrants to
Grantee the following described real estate in Polk
County, State of Wisconsin (if more space is needed, please attach addendum:)

The North 50 feet of Lot 1, Block 17, Third Addition to Lawson City,
Village of Luck, Polk County, Wisconsin.

TRANSFER
\$ 34500
FEF

POLK COUNTY, WISCONSIN
Received for record this
17th day of April
AD 2006 at 08:30 AM
and recorded in
Volume 987
of records Page 341
Document Number: 715204

Laurie Anderson
Laurie Anderson
Register of Deeds

Recording Area

Name and Return Address

Art Anderson Realty
Box 176
Luck WI 54853

146-196

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

This conveyance is made on the express condition that grantees, their heirs, successors and assigns specifically are required to maintain these premises in current status with all required licenses and fees for drycleaner operations on the premises. This condition will remain in effect until such time as all remediation of the pollution on the premises has been completed and the site closed by appropriate action of the Wisconsin Department of Natural Resources. The intent of this condition is to require grantees, their heirs, successors and assigns to keep the premises fully eligible for remediation payments pursuant to Chapter 292, Wisconsin Statutes. On request, grantees, their heirs, successors and assigns shall provide to grantor proof that grantees, their heirs, successors and assigns have paid all necessary fees to ensure that grantor and the premises continue to be eligible for DERF (Drycleaner Environmental Fund Reimbursement), pursuant to Wisconsin law.

Exceptions to warranties:

Easements, roadways, rights of way and zoning restrictions.

Dated this 14 day of April, 2006

* _____
* _____

Lois G. Baldwin
* LOIS G. BALDWIN

* _____

AUTHENTICATION

ACKNOWLEDGMENT

Signature(s) _____

STATE OF WISCONSIN)
) ss.
Polk County)

authenticated this _____ day of _____


Personally came before me this 14 day of
April, 2006 the above named

* _____

Lois G. Baldwin

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by § 706.06, Wis. Stats.)



to me known to be the person(s) who executed the foregoing
instrument and acknowledged the same.

THIS INSTRUMENT WAS DRAFTED BY

Bruce P. Anderson, Anderson Law Office

Balsam Lake, WI 54810

John C. Leonard
Notary Public, State of WISCONSIN

(Signatures may be authenticated or acknowledged. Both are not necessary.)

My Commission is permanent. (If not, state expiration date:
April 4 2010)

* Names of persons signing in any capacity must be typed or printed below their signature.

WARRANTY DEED

STATE BAR OF WISCONSIN
FORM No. 2 - 2000

INFO-PRO (800)655-2021 www.infoproforms.com

716027

STATE BAR OF WISCONSIN FORM 2 - 2000
WARRANTY DEED

Document Number

POLK COUNTY, WISCONSIN
Received for record this
4th day of May
AD 2006 at 10:15 AM
and recorded in
Volume 988
of records Page 151
Document Number: 716027

This Deed, made between Brian C. Hacker and Sheri B. Hacker,
husband and wife,

Grantor, and Laundry Basket, LLC, a Wisconsin Limited Liability
Company,

Grantee.
Grantor, for a valuable consideration, conveys and warrants to
Grantee the following described real estate in Polk
County, State of Wisconsin (if more space is needed, please attach addendum:)

The North 50 feet of Lot 1, Block 17, Third Addition to Lawson City,
Village of Luck, Polk County, Wisconsin.

This conveyance is exempt from the Wisconsin real estate transfer fee
pursuant to §77.25(15s), Wis. Stats.

Laurie Anderson

Laurie Anderson
Register of Deeds

Recording Area

Name and Return Address

Anderson Law Office
P.O. Box 184
Balsam Lake, WI 54810

146-196

Parcel Identification Number (PIN)

This is not homestead property.
(is) (is not)

Exceptions to warranties:

Easements, roadways, rights of way, zoning restrictions and conditions of record.

Dated this 1 day of May, 2006

Brian C. Hacker

* BRIAN C. HACKER

Sheri B. Hacker

* SHERI B. HACKER

AUTHENTICATION

Signature(s) _____

authenticated this _____ day of _____,

ACKNOWLEDGMENT

STATE OF WISCONSIN)
) ss.
Polk County)

Personally came before me this 1 day of
May, 2006 the above named


TITLE: MEMBER STATE BAR OF WISCONSIN

(If not, _____
authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

Bruce P. Anderson, Anderson Law Office
Balsam Lake, WI 54810

(Signatures may be authenticated or acknowledged. Both are not necessary.)



Brian C. Hacker and Sheri B. Hacker, husband and wife,

to me known to be the person(s) who executed the foregoing
instrument and acknowledged the same.

John C. Leonard
Notary Public, State of WISCONSIN

My Commission is permanent. (If not, state expiration date:
April 4, 2010.)

* Names of persons signing in any capacity must be typed or printed below their signature.

WARRANTY DEED

STATE BAR OF WISCONSIN
FORM No. 2 - 2000

INFO-PRO (800)655-2021 www.infoproforms.com

THIRD ADDITION TO LAWSON CITY
POLK COUNTY WISCONSIN




Original Plat of Lawson City
Main Street

S.W. Corner of
Lawson City

Third Avenue 383.73'

S.E. Corner of original
of Lawson City



RESPONSIBLE PARTY AFFIRMATION OF PROPERTY DESCRIPTIONS

The following affirmation by the responsible party is required by Wisconsin Administrative Code, ch. NR 726.05 paragraph (3)(a)4.g. (for groundwater contamination) and/or NR 726.05 paragraph (3)(b)4.f. (for soil contamination).



I hereby affirm the following:

1. I believe that legal descriptions for all of the properties within or partially within the contaminated site's boundaries that had groundwater contamination exceeding ch NR 140 enforcement standards at the time that case closure was requested, other than public street or highway rights-of-way or railroad rights-of-way, have been submitted to the agency with administrative authority for the site, either as an attachment to the site investigation report or as part of the groundwater GIS registry attachment to the case close out report,

and
2. I believe that legal descriptions for all of the properties within or partially within the contaminated site's boundaries that had soil contamination exceeding generic or site-specific residual contaminant levels as determined under ch. NR 720.09, 720.11 and 720.19 at the time that case closure is requested, other than public street or highway rights-of-way or railroad rights-of-way, have been submitted to the agency with administrative authority for the site, either as an attachment to the site investigation report or as part of a soil GIS registry attachment to the case close out report.

Lois Thompson Baldwin
Lois Baldwin

08-25-09
Date



PROJECT
LOCATION



Luck Quadrangle
Wisconsin - Polk County
7.5 minute series (Topographic)
Contour Interval = 10 feet

FIGURE 1

SITE LOCATION MAP

LAUNDRY BASKET
LUCK, WISCONSIN

MSA


PROFESSIONAL SERVICES

TRANSPORTATION • MUNICIPAL
DEVELOPMENT • ENVIRONMENTAL

1835 N. Stevens St. Rhinelander, WI 54501
715-362-3244 1-800-844-7854 Fax: 715-362-4116

© MSA PROFESSIONAL SERVICES

F.B. PROJECT		SHEET _____ of _____	
DRAWN BY	CAR	DATE	7/07
CHECKED BY	DA	SCALE	AS SHOWN
FILE NO. 6080602F1			



LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
- MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
- SB-1/MW-1 MONITORING WELL AND OR SOIL BORING COMPLETED BY MSA
- WATERMAIN
- OVERHEAD ELECTRIC
- UNDERGROUND GAS LINE
- UNDERGROUND TELEPHONE
- SANITARY SEWER MANHOLE AND UNDERGROUND LINE
- SUSPECTED LOCATION OF FORMER UST BASIN




30 0 30
SCALE IN FEET

FIGURE 2
SOIL BORING AND MONITORING WELL LOCATION MAP
LAUNDRY BASKET
LUCK, WISCONSIN

MSA
MUNICIPALITY SERVICES ASSOCIATION
10272 Avenue H, Elmwood, WI 53122
TEL: 800.241.4668 FAX: 262.465.0148
© 2007 MSA, ALL RIGHTS RESERVED

DRAWN BY: CAR	DATE: 7/07
CHECKED BY: DA	SCALE: AS SHOWN

SHEET - of -
FILE NO. 6080602F2



LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
- MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
- SB-1/MW-1 MONITORING WELL AND/OR SOIL BORING COMPLETED BY MSA
- W WATERMAIN
- OH OVERHEAD ELECTRIC
- G UNDERGROUND GAS LINE
- T UNDERGROUND TELEPHONE
- ⊕-SAN SANITARY SEWER MANHOLE AND UNDERGROUND LINE
- [Hatched Box] SUSPECTED LOCATION OF FORMER UST

DATE	CONCENTRATION
05/05	ND
08/05	<0.3
11/05	<0.3
02/06	<0.3
05/06	<0.3
04/06	NA
08/06	NA
12/06	<1.0
05/07	<0.31

ND NOT DETECTED
 NP NOT PROVIDED
 NA NOT ANALYZED
 <0.3 LESS THAN INDICATED DETECTION LIMIT
63 CONCENTRATIONS IN BOLD EXCEED NR 140 ES
3.1 CONCENTRATIONS IN ITALIC EXCEED NR 140 PAL
 ALL RESULTS REPORTED IN ug/L

*ALTHOUGH ADDITIONAL PETROLEUM COMPOUNDS WERE DETECTED ABOVE THE ES, BENZENE IS REPRESENTATIVE OF THE PETROLEUM CONTAMINATION AND ADEQUATELY DEPICTS THE CONTAMINANT DISTRIBUTION AND EXTENT. FOR ADDITIONAL VALUES ABOVE THE ES AND PAL PLEASE REFER TO TABLE 4.

[Hatched Box] APPROXIMATE EXTENT OF GROUNDWATER CONTAMINATED WITH BENZENE ABOVE THE NR 140 ES

— PROPERTY BOUNDARY




FIGURE 4

EXTENT OF PETROLEUM GROUNDWATER CONTAMINATION LAUNDRY BASKET LUCK, WISCONSIN

MSA
MEMBERSHIP MATTERS

INDEPENDENCE • MEMPHIS
 DEVELOPMENT • ENVIRONMENTAL
 22216 Route 40, Memphis, TN 38111
 901-524-1400 FAX 901-524-1405

DESIGNED BY CAR DATE 6/08
 CHECKED BY DA SCALE AS SHOWN SHEET 6080602F4B






FIGURE 6
PETROLEUM SOIL CONTAMINANT CONCENTRATIONS LAUNDRY BASKET LUCK, WISCONSIN

MSA
 ENVIRONMENTAL & INDUSTRIAL HYGIENE • ENVIRONMENTAL
 1212 S. HARRIS ST. MILWAUKEE, WI 53204
 TEL: 414-224-4444 FAX: 414-224-4131
 © 2007 MSA HOLDINGS, INC.

DRAWN BY CAR DATE 7/07 SHEET NO. 6080602F6
 CHECKED BY DA SCALE AS SHOWN





LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
- MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
- SB-1/MW-1 MONITORING WELL AND OR SOIL BORING COMPLETED BY MSA
- W— WATERMAIN
- OH— OVERHEAD ELECTRIC
- G— UNDERGROUND GAS LINE
- T— UNDERGROUND TELEPHONE
- SAN— SANITARY SEWER MANHOLE AND UNDERGROUND LINE
- [Hatched Box] SUSPECTED LOCATION OF FORMER UST BASIN

92.60 — GROUNDWATER CONTOUR (CONTOUR INTERVAL = 0.05 FT)
 ↖ GROUNDWATER FLOW DIRECTION
 (92.87) RELATIVE GROUNDWATER ELEVATION

ELEVATION DATA FROM MW-4 WAS NOT USED. THIS AREA WAS PREVIOUSLY EXCAVATED AND MAY NOT BE REPRESENTATIVE OF GENERAL GROUNDWATER FLOW PATTERNS.




30 0 30
 SCALE IN FEET
 GROUNDWATER FLOW
 BASED ON 8/17/2006
 WATER LEVEL DATA

FIGURE 3

WATER TABLE CONTOUR
 MAP AUGUST 2006
 LAUNDRY BASKET
 LUCK, WISCONSIN

MSA MISCELLANEOUS SERVICES AND EQUIPMENT		TRANSPORTATION • AERONAUTICAL HYDROLOGICAL • ENVIRONMENTAL 1225 SE Brown St. Milwaukee, WI 53202 774-580-0141 FAX 774-580-0118 © 2006 MSA CONSULTING SERVICES
OWNER BY CAR	DATE 7/07	SHEET - of -
CHECKED BY DA	SCALE AS SHOWN	FIG. NO. 6080602F3



LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
- MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
- SB-1/MW-1 MONITORING WELL AND OR SOIL BORING COMPLETED BY MSA
- W- WATERMAIN
- OH- OVERHEAD ELECTRIC
- G- UNDERGROUND GAS LINE
- T- UNDERGROUND TELEPHONE
- SAN- SANITARY SEWER MANHOLE AND UNDERGROUND LINE
- [Hatched Box] SUSPECTED LOCATION OF FORMER UST BASIN

92.55 — GROUNDWATER CONTOUR (CONTOUR INTERVAL = 0.05 FT)
 ← GROUNDWATER FLOW DIRECTION
 (92.52) RELATIVE GROUNDWATER ELEVATION

ELEVATION DATA FROM MW-4 WAS NOT USED. THIS AREA WAS PREVIOUSLY EXCAVATED AND MAY NOT BE REPRESENTATIVE OF GENERAL GROUNDWATER FLOW PATTERNS.



30 0 30
 SCALE IN FEET
 GROUNDWATER FLOW BASED ON 5/02/2007 WATER LEVEL DATA

FIGURE 5
WATER TABLE CONTOUR
MAP MAY 2007
LAUNDRY BASKET
LUCK, WISCONSIN

MSA
 TRANSPORTATION • MUNICIPAL DEVELOPMENT • ENVIRONMENTAL
 1225 E. Superior St. Milwaukee, WI 53202
 TEL: 414.381.1100 FAX: 414.381.1111
 © All Rights Reserved 2007

DRAWN BY CAR	DATE 7/07	SHEET 1 of 1
CHECKED BY DA	SCALE AS SHOWN	FILE NO. 6080602F5

TABLE 3
SOIL RESULTS SUMMARY

Organics and Metals
Laundry Basket
Luck, Wisconsin

SAMPLE DESCRIPTIONS				mg/kg		VOCs (mg/kg)							
Sample Location	Sample Date	Depth (ft. bgs)	Qualifiers	GRO	Lead	Benzene	Ethylbenzene	Toluene	1,3,5-Trimethylbenzene	1,2,4-Trimethylbenzene	Total Xylenes	n-Butylbenzene	sec-Butylbenzene
NR 720 RCLs				100	50	0.0055	2.9	1.5	--	--	4.1	--	--
NR 746.06 Table 1 (free product)				--	--	8.5	4.6	38	11	83	42	--	--
NR 746.06 Table 2 (direct contact)				--	--	1.1	--	--	--	--	--	--	--
P-1	12/5/2005	6-8		na	na	0.2	5.3	2.1	7.3	26	31.8	<0.2	1.7
P-2	12/5/2005	5-8		na	na	<0.025	<0.025	<0.025	<0.025	<0.025	<0.05	<0.025	<0.025
P-3	12/5/2005	4-8		na	na	<0.025	<0.025	<0.025	<0.025	0.039	<0.05	0.11	0.029
SB-1	4/10/06	6-8	Q	660	3.3	0.20	9.0	9.1	11	33	51	2.1	1.1
SB-2	4/10/06	4-6	Q	7.4	5.3	<0.016	0.040	<0.061	0.039	0.13	0.21	<0.012	<0.010
SB-3	4/10/06	6-8	Q	<2.3	0.77	<0.016	<0.011	<0.061	<0.011	0.023	0.061	<0.012	<0.010
SB-5	4/11/06	4-6	Q	4.9	79	<0.0084	<0.0087	<0.032	<0.0056	0.0060	0.016	<0.0062	<0.0052
SB-7	4/11/06	2-4	Q	2.8	40	<0.0080	<0.0055	<0.030	<0.0053	<0.0042	<0.011	<0.0059	<0.0049
SB-8	4/11/06	4-6	Q	<0.52	1.4	<0.016	<0.011	<0.061	0.015	0.014	<0.023	<0.012	<0.010
SB-9	4/11/06	2-4	Q	2.9	2.6	<0.020	<0.014	<0.073	<0.013	<0.010	<0.028	<0.014	<0.012
MeOH field blank		--	Q	na	na	<0.0081	<0.0056	<0.030	<0.0054	<0.0042	<0.012	<0.0060	<0.0050

Explanation:

All results are reported in mg/kg milligrams per kilogram

Results in bold equal or exceed the NR 720 RCL or NR 746 soil standard

<1.5 = not detected above the indicated detection limit

-- =no standard established

na = not analyzed for this parameter

Table only includes those VOC compounds for which there were detections

Q = a parameter was qualified by the laboratory

TABLE 3
SOIL RESULTS SUMMARY

Organics and Metals
Laundry Basket
Luck, Wisconsin

SAMPLE DESCRIPTIONS				VOCs (mg/kg) - Continued										
Sample Location	Sample Date	Depth (ft. bgs)	Qualifiers	tert-Butylbenzene	Chlorodibromomethane	1,1-Dichloroethane	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Tetrachloroethene	1,2,3-Trimethylbenzene
NR 720 RCLs				--	--	--	--	--	--	--	--	--	--	--
NR 746.06 Table 1 (free product)				--	--	--	--	--	--	--	2.7	--	--	--
NR 746.06 Table 2 (direct contact)				--	--	--	--	--	--	--	--	--	--	--
P-1	12/5/2005	6-8		<0.2	<0.2	<0.2	2.5	4	na	<0.2	5.7	4.3	1.2	na
P-2	12/5/2005	5-8		<0.025	<0.025	<0.025	<0.025	<0.025	na	<0.025	<0.025	<0.025	0.100	na
P-3	12/5/2005	4-8		<0.025	<0.025	<0.025	0.034	0.047	na	<0.025	<0.025	0.140	<0.025	na
SB-1	4/10/06	6-8	Q	0.034	0.017	0.016	2.0	1.5	0.33	<0.030	6.8	5.6	0.30	9.1
SB-2	4/10/06	4-6	Q	0.018	<0.012	<0.013	<0.010	<0.0087	0.30	0.042	0.31	0.027	0.018	0.036
SB-3	4/10/06	6-8	Q	<0.0093	<0.012	<0.013	<0.010	<0.0087	0.28	0.038	0.028	<0.010	<0.012	<0.010
SB-5	4/11/06	4-6	Q	<0.0048	<0.0060	<0.0067	<0.0055	<0.0045	0.21	<0.016	0.080	<0.0052	0.26	<0.0052
SB-7	4/11/06	2-4	Q	<0.0046	<0.0056	<0.0063	<0.0052	<0.0043	0.19	<0.015	<0.0097	<0.0049	0.031	<0.0049
SB-8	4/11/06	4-6	Q	<0.0093	<0.012	<0.013	<0.010	<0.0087	0.36	0.040	<0.020	<0.010	<0.012	<0.010
SB-9	4/11/06	2-4	Q	<0.011	<0.014	<0.016	<0.013	<0.010	<0.16	<0.036	<0.024	<0.012	0.68	<0.012
MeOH field blank		--	Q	<0.0046	<0.0058	<0.018	<0.0053	<0.0044	<0.067	<0.015	<0.0099	<0.0050	<0.0058	<0.0050

Explanation:

All results are reported in mg/kg milligrams per kilog
Results in bold equal or exceed the NR 720 RCL or
<1.5 = not detected above the indicated detection lin
-- =no standard established
na = not analyzed for this parameter
Table only includes those VOC compounds for which
Q = a parameter was qualified by the laboratory

**TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS**

Laundry Basket
Luck, Wisconsin

		Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride
ES	--	--				5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100	5	5	0.2
PAL	--	--				0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02
MW-1																												
13-Apr-06	Q	PECFA	13000			260	500	2000	<3.2	1060	2400	<2.4	10		8.3	<4.4	91	<0.32	49	14	<27		220	91	<2.7	250	23	<3.1
17-Aug-06	Q	PECFA	3700			41	100	150	<1.6	188	280	21	<1.4		<1.7	<2.2	74	<1.6	12	8.8	26		49	22	<1.3	570	30	<1.5
13-Dec-06	*	PECFA	NA			20	22	<50	<10	13	20	<10	<10		<10	<10	220	<10	<10	<10	NA		<50	<10	<10	1400	100	<10
2-May-07	Q	PECFA	NA			44	89	140	<3.2	108	200	<2.4	<2.8		<3.4	<4.4	120	<3.3	8.3	<2.9	<27		46	12	<2.7	1400	52	<3.1
28-Jan-08		PECFA	1500			36	42	38	16	46	61												26					
23-Apr-08		PECFA	2000			52	39	61	27	55	107												32					
14-May-08	Q	DERF	NA			54	57	130	<1.9	80	160	<2.3	<2.2		<2.7	<5.0	260	<3.0	5.4	4.1	<45	<3.0	25	6	<3.8	3500	<3.7	<2.7
27-Aug-08	Q	DERF	NA			49	64	100	<0.19	63	110	1.8	1.1		<0.27	<0.50	360	1.7	7.4	3.4	<4.5	<0.30	35	7.6	1.2	4800	130	<0.27
24-Nov-08	Q	DERF	NA			40	42	86	<19	43	100	<23	<22		<27	<0.50	250	<30	<19	<21	<450	44	36	<22	<38	2900	140	<27
14-Jul-09		DERF	NA			110	200	230	<19	211	380	<23	<22	<20	<27	<50	390	<30	19	<21	<450	<30	220	26	<38	4100	140	<27
MW-2																												
13-Apr-06	Q	PECFA	620			1.0	3.2	0.90	<0.32	7.9	15	<0.24	0.99		<0.34	<0.44	1.5	<0.33	7.2	0.51	<2.7		15	2.6	<0.27	39	2.4	<0.31
17-Aug-06	Q	PECFA	1200			<0.31	1.8	7.1	<0.32	28.2	40	2.2	1.4		<0.34	<0.44	0.84	<10	13	1.1	<2.7		42	3.2	<0.27	32	2.7	<0.32
13-Dec-06	*	PECFA	NA			1.8	<1.0	8.6	<1.0	10.1	16	2.2	1.9		<1.0	<1.0	2.7	<0.33	12	<1.0	NA		22	<1.0	<1.0	51	6.4	<1.0
2-May-07	Q	PECFA	NA			<3.1	10	6.0	<3.2	14.5	34	1.3	1.5		<3.2	<0.44	<0.44	<0.33	11	1.6	<2.7		26	6.0	1.3	51	6.6	<0.31
28-Jan-08		PECFA	<100			1.9	<0.5	<5.0	2.1	<2.0	0.51												<5.0					
23-Apr-08	*	PECFA	260			7.2	<0.16	2.2	9.6	0.44	1.16												2.1					
14-May-08	Q	DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.5	<0.38	<0.30	0.31	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	8.9	0.38	<0.27
27-Aug-08	Q	DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.5	0.46	<0.30	<0.19	<0.21	<4.5	0.33	1.3	<0.22	<0.38	0.97	0.43	<0.27
24-Nov-08	Q	DERF	NA			<0.29	0.9	17	<0.19	21	45	1.2	0.99		<0.27	<0.5	0.38	<0.30	8.8	3.4	<4.5	<0.30	26	2.2	<0.38	2.1	<0.37	
14-Jul-09		DERF	NA			<0.29	7.1	2.5	<0.19	9.0	10	1.6	1.4	<0.20	<0.27	<0.50	<0.38	<0.30	12	2.5	<4.5	<0.30	19	6.3	<0.38	11	<0.37	<0.27
MW-3																												
13-Apr-06	Q	PECFA	<30			<0.31	<0.26	<0.32	<0.32	<0.76	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<0.33	<0.31	<0.29	<2.7		3.3	<0.31	<0.27	4.4	<0.26	<0.31
17-Aug-06	Q	PECFA	<30			<0.31	<0.26	<0.32	<0.32	<0.76	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<10	<0.31	<0.29	<2.7		<0.27	<0.31	<0.27	4.3	<0.26	<0.32
13-Dec-06	*	PECFA	NA			<1.0	<1.0	<5.0	<1.0	<2.0	<3.0	<1.0	<1.0		<1.0	<1.0	<0.33	<1.0	<1.0	NA			<5.0	<1.0	<1.0	<1.0	<1.0	<1.0
2-May-07	Q	PECFA	NA			<0.31	<0.26	<0.32	<0.32	<0.51	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<0.33	<0.31	<0.29	<2.7		0.56	<0.31	<0.27	3.7	<0.26	<0.31
28-Jan-08		PECFA	<100			<0.5	<0.5	<5.0	<1.0	<2.0	<1.5												<5.0					
23-Apr-08	Q*	PECFA	<33			<0.16	<0.16	<1.6	<0.33	<0.66	<0.56												6.0					
14-May-08		DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.31	<0.5	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	1.9	<0.37	<0.27
27-Aug-08	Q	DERF	NA	6800		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.5	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	0.37	<0.22	<0.38	1.8	<0.37	<0.27
24-Nov-08	Q	DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.5	<0.38	<0.30	<0.19	<0.21	<4.5	1.6	2.5	<0.22	<0.38	<0.29	<0.37	<0.27
14-Jul-09		DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	2.3	<0.22	<0.38	2.1	<0.37	<0.27

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

	Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride	
ES	--		--		5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100		5	5	0.2
PAL	--		--		0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10		0.5	0.5	0.02
MW-4																												
13-Apr-06	Q	PECFA	37		<0.31	<0.26	<0.32	<0.32	0.63	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<0.33	<0.31	<0.29	<2.7		2.9	<0.31	<0.27	4.2	<0.26	<0.31	
17-Aug-06	Q	PECFA	140		<0.31	<0.26	<0.32	<0.32	0.51	<0.73	1.7	1.1		<0.34	<0.44	0.76	<10	0.50	1.0	<2.7		0.61	1.2	<0.27	40	0.88	<0.32	
13-Dec-06	*	PECFA	NA		<1.0	<1.0	<5.0	<1.0	<2.0	<3.0	<1.0	<1.0		<1.0	<1.0	<1.0	<0.33	<1.0	<1.0	NA		<5.0	<1.0	<1.0	9.9	<1.0	<1.0	
2-May-07	Q	PECFA	NA		<0.31	<0.26	<0.32	<0.32	0.88	<0.73	<0.24	1		<0.34	<0.44	<0.44	<0.33	0.38	<0.29	<2.7		<0.27	1.1	<0.27	23	0.33	<0.31	
28-Jan-08		PECFA	<100		<0.5	<0.5	<5.0	<1.0	<2.0	<1.5												<5.0						
23-Apr-08	Q*	PECFA	36		<0.16	<0.16	<1.6	<0.33	0.50	<0.49												2.2						
14-May-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	2.0	<0.86	0.41	0.58		<0.27	<0.5	1.8	<0.30	<0.19	0.69	<4.5	<0.30	1.8	0.85	<0.38	64	1.5	<0.27	
27-Aug-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	0.76	0.96		<0.27	<0.5	<0.38	<0.30	0.37	0.32	<4.5	<0.30	0.87	0.84	<0.38	19	0.48	<0.27	
24-Nov-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	0.44	0.59		<0.27	<0.5	<0.38	<0.30	0.19	0.21	<4.5	1.5	0.67	0.47	<0.38	10	<0.37	<0.27	
23-Apr-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.5	1.3	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	39	1.1	<0.27	
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	0.38	<0.20	<0.27	<0.50	0.94	<0.30	<0.19	<0.21	<4.5	<0.30	1.3	0.36	<0.38	32	0.85	<0.27	
Dups																												
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	1.0	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	35	1.0	0.27	
MW-5																												
13-Apr-06	Q	PECFA	8700		15	140	200	<6.3	299	630	10	9.2		<6.8	<8.8	71	<6.5	29	14	<54		120	33	<5.4	440	25	<6.1	
17-Aug-06	Q	PECFA	3000		8.6	28	37	<3.2	163	290	18	7.8		<3.4	<4.4	85	<3.3	19	20	56		100	15	<2.7	1500	34	<3.1	
13-Dec-06	*	PECFA	NA		<20	<20	<100	<20	<40	<60	<20	<20		<20	<20	26	<20	<20	<20	NA		<100	<20	<20	500	<20	<20	
2-May-07	Q	PECFA	NA		3.0	9.5	18	<1.6	28.9	84	<1.2	<1.4		<1.6	<2.2	74	<1.6	3.4	<1.4	<13		15	2.6	<1.3	560	24	<1.5	
28-Jan-08		PECFA	480		0.8	4.6	<5.0	<1.0	37.2	55												28						
23-Apr-08	Q*	PECFA	60000		39	350	160	24	1210	1030												210						
14-May-08	Q	DERF	NA		3.3	7.5	32	<0.19	56	97	2.8	<2.2		<2.7	<5.0	65	<3.0	3.0	4.1	<45	<3.0	19	3.2	<3.8	290	19	<2.7	
27-Aug-08	Q	DERF	NA	6800	21	49	120	<3.9	363	430	19	10		5.5	<9.9	73	<6.0	20	41	<91	<5.9	74	24	<7.6	310	<7.4	<5.5	
24-Nov-08	Q	DERF	NA		<1.4	1.5	3.3	<0.96	11.2	18	<1.1	<1.1	1.1	<1.4	<2.5	47	<1.5	1.2	1.4	<23	8.9	4.7	<1.1	<1.9	410	<1.8	<1.4	
14-Jul-09		DERF	NA		18	17	77	<0.96	121	250	4.0	3.6	<0.98	<1.4	<2.5	93	<1.5	13	15	<23	<1.5	49	8.4	<1.9	470	27	<1.4	

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

	Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride
ES	--	--	--		5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100	5	5	0.2
PAL	--	--	--		0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02
MW-6																											
28-Jan-08	Q	PECFA	NA		5.6	<0.22	<0.27	<0.19	<0.62	1.6	0.67	1.2		<0.27	<0.5	350	<0.3	4.9	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	1200	160	<0.27
23-Apr-08		PECFA	310		2.2	<0.16	<1.6	5.7	<0.66	<0.49												<1.6					
14-May-08	Q	DERF	NA		4.6	<2.2	<2.7	<1.9	<0.62	<8.6	<2.3	<2.2		<2.7	<5.0	600	<3.0	<1.9	<2.1	<45	5.9	<0.17	<2.2	<3.8	1300	200	<0.27
27-Aug-08	Q	DERF	NA		3.0	<0.22	<0.27	<0.19	<0.62	<0.86	0.45	0.78		<0.27	<0.50	520	0.62	2.9	0.38	<4.5	<0.30	0.37	<0.22	<0.38	1400	280	<0.27
24-Nov-08	Q	DERF	NA		<5.8	<4.4	<5.4	<3.9	<12.3	<17	<4.5	<4.4	<3.9	<5.5	<9.9	520	<6.0	<3.8	<4.3	<91	40	4	<4.4	<7.6	1200	250	<5.5
23-Apr-09		DERF	NA		<1.4	<1.1	<1.3	<0.96	<3.07	<4.3	<1.1	<1.1	<0.98	<1.4	<2.5	290	<1.5	<0.94	<1.1	<23	<1.5	<0.84	<1.1	<1.9	660	110	<1.4
14-Jul-09		DERF	NA		<1.4	<1.1	<1.3	<0.96	1.2	<4.3	<1.1	<1.1	<0.98	<1.4	<2.5	130	<1.5	<0.94	<1.1	<23	<1.5	12	<1.1	<1.9	230	50	<1.4
MW-7																											
14-May-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	0.96	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	6	1.1	<0.27
27-Aug-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	1.8	<0.30	<0.19	<0.21	<4.5	0.31	<0.17	<0.22	<0.38	9	2.3	<0.27
24-Nov-08	Q	DERF	NA		<0.29	<0.22	<0.16	<0.19	<0.62	<0.86	<0.23	<0.22	<0.2	<0.27	<0.50	2.4	<0.30	<0.19	<0.21	<4.5	1.6	<0.17	<0.22	<0.38	13	3.5	<0.27
23-Apr-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	3.8	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	0.38	19	4.9	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	0.85	<0.30	<0.19	<0.21	<4.5	<0.30	0.66	<0.22	<0.38	5.3	1.1	<0.27
MW-8																											
15-May-08		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
27-Aug-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	0.47	<0.37	<0.27
24-Nov-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	1.8	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	0.34	<0.22	<0.38	<0.29	<0.37	<0.27
MW-9																											
23-Apr-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
MW-10																											
23-Apr-09		DERF	NA		0.48	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	0.32	<0.20	<0.27	<0.50	3.9	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	6.9	1.5	<0.27
14-Jul-09		DERF	NA		0.32	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	0.52	<0.20	<0.27	<0.50	1.7	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	3.8	0.87	<0.27

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

	Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride
ES	--	--	--		5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100	5	5	0.2
PAL	--	--	--		0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02
MW-11																											
23-Apr-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.23	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
PZ-1																											
13-Apr-06	Q	PECFA	330		<0.31	1.6	<3.2	<0.32	10.0	3.4	0.52	<0.28		<0.34	<0.44	0.96	<0.33	0.74	0.79	<2.7		18	1.1	<0.27	3.3	<0.26	<0.31
17-Aug-06	Q	PECFA	NA		<0.31	<0.26	<0.32	<0.32	<0.51	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<10	<0.31	<0.29	<2.7		<0.27	<0.31	<0.27	<0.43	<0.26	<0.32
13-Dec-06	*	PECFA	NA		<1.0	<1.0	<5.0	<1.0	<2.0	<3.0	<1.0	<1.0		<1.0	<1.0	<1.0	<0.33	<1.0	<1.0	NA		<5.0	<1.0	<1.0	<1.0	<1.0	
2-May-07	Q	PECFA	NA		<0.31	<0.26	<0.32	<0.32	<0.51	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<0.33	<0.31	<0.29	<2.7		<0.27	<0.31	<0.27	<0.43	<0.26	<0.31
28-Jan-08		PECFA	<100		<0.5	<0.5	<5.0	<1.0	<2.0	<1.5												<5.0					
23-Apr-08		PECFA	<33		<0.16	<0.16	<1.6	<0.33	<0.66	<0.49												<1.6					
14-May-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	2.3	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
27-Aug-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	0.32	<0.37	<0.27
24-Nov-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.2	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	0.4	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
Dups																											
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	0.27
PZ-6																											
15-May-08	Q	DERF	NA		<0.29	<0.22	<0.27	0.44	<0.62	<0.86	<0.23	<0.22		<0.27	<0.5	<0.38	<0.30	<0.19	<0.21	<4.5	2.4	<0.17	<0.22	<0.38	0.59	<0.37	<0.27
27-Aug-08		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.5	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
24-Nov-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.5	<0.38	<0.30	<0.19	<0.21	<4.5	0.42	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27
PZ-7																											
15-May-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.31	<0.31	<0.38	<0.30	<0.19	<0.21	<4.5	2.3	<0.17	<0.22	<0.38	1.4	<0.37	<0.27
27-Aug-08		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	2.2	<0.37	<0.27
24-Nov-08	Q	DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	0.51	<0.17	<0.22	<0.38	2.2	<0.37	<0.27
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	1.8	<0.37	<0.27

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

	Qualifiers	Slate Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride	
ES	--	--	--	--	5	700	1000	60	480	10000	--	--	--	5	7	70	100	--	--	460	5	100	--	100	5	5	0.2	
PAL	--	--	--	--	0.5	140	200	12	96	1000	--	--	--	0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02	
PZ-8																												
15-May-08	Q	DERF			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.31	<0.38	<0.30	<0.19	<0.21	<4.5	2.3	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27	
27-Aug-08		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27	
24-Nov-08		DERF			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.2	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	0.5	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27	
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27	
PZ-9																												
23-Apr-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	0.28	<0.22	<0.38	<0.29	<0.37	<0.27	
14-Jul-09		DERF	NA		<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27	
MW-2 Equity																												
<i>Cooper / Tetra Tech Sampling Dates</i>																												
May-05	NP				ND	ND	ND	ND	ND	ND	NP	NP		NP	NP	25	2.17	NP	NP	NP		NP	NP	NP	NP	156	12.2	NP
Aug-05	NP				<0.3	<0.5	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	NA	NA	NP	NP	NP		NP	NP	NP	NP	NA	NA	NP
Nov-05	NP				<0.3	<0.5	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	4.88	<0.4	NP	NP	NP		NP	NP	NP	NP	107	4.79	NP
Feb-06	NP				<0.3	<0.5	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	7.03	<0.3	NP	NP	NP		NP	NP	NP	NP	76.7	5.86	NP
May-06	NP				<0.3	<0.5	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	2.53	<0.3	NP	NP	NP		NP	NP	NP	NP	38.4	2.64	NP
<i>MSA Sampling Dates</i>																												
13-Apr-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA
17-Aug-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA
13-Dec-06	*	PECFA			<1.0	<1.0	<5.0	<1.0	<2.0	<3.0	<1.0	<1.0		<1.0	<1.0	7.5	<1.0	<1.0	<1.0	NA		<5.0	<1.0	<1.0	63	7.7	<1.0	
2-May-07	Q	PECFA			<0.31	<0.26	<0.32	<0.32	<0.51	<0.73	<0.24	<0.28		<0.34	<0.44	<0.44	<0.33	<0.31	<0.29	<2.7		<0.27	<0.31	<0.27	20	1.8	<0.31	

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride		
ES	--	--		5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100	5	5	0.2		
PAL	--	--		0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02		
MW-3A Equity																												
<i>Cooper / Tetra Tech Sampling Dates</i>																												
May-05	NP			12	31.6	ND	ND	623	133.01	ND	26		NP	NP	NP	NP	NP	NP	NP		56.8	89.3	NP	NP	NP	NP	NP	
Aug-05	NP			0.687	7.04	1.7	<0.3	88.6	27.94	NA	NA		NP	NP	NP	NP	NA	NP	NP		NA	NA	NP	NP	NP	NP	NP	
Nov-05	NP			<0.3	5.59	<0.3	<0.3	46.7	24.32	23.5	3.65		NP	NP	NP	NP	NP	NP	NP		6.57	17.5	NP	NP	NP	NP	NP	
Feb-06	NP			3.1	6.61	<0.3	<0.3	53.6	26.72	16.2	7.04		NP	NP	NP	NP	NP	NP	NP		6.99	19.7	NP	NP	NP	NP	NP	
May-06	NP			1.47	4.06	<0.3	<0.3	29.31	16.72	6.64	3.56		NP	NP	NP	NP	NP	NP	NP		5.92	12.2	NP	NP	NP	NP	NP	
<i>MSA Sampling Dates</i>																												
13-Apr-06				NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
17-Aug-06				NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
13-Dec-06	*			<1.0	4.4	<5.0	<1/0	58	18.3	4.2	2.1		<1.0	<1.0	<1.0	<1.0	5.5	1.2	<1.0		8.4	17	<1.0	<1.0	<1.0	<1.0	<1.0	
2-May-07	Q			<0.31	2.3	<0.32	<0.32	65	11	3.4	<0.28		<0.34	<0.44	<0.44	<0.33	3.6	<0.29	<2.7		5.6	14	<0.27	<0.43	<0.26	<0.31	<0.31	
MW-4A Equity																												
<i>Cooper / Tetra Tech Sampling Dates</i>																												
May-05	NP			2.4	0.76	0.461	NA	5.59	1.98	4.9	3.4		NP	NP	9.14	NP	NP	NP	NP		1.26	1.37	NP	90.9	6.98	NP	NP	NP
Aug-05	NP			7.02	15.2	1.99	<0.3	17.8	12.81	NA	NA		NP	NP	NA	NP	NP	NP	NP		NA	NA	NP	NA	NA	NP	NP	NP
Nov-05	NP			23	43.1	1.85	<0.3	24.7	13.43	19.3	3.45		NP	NP	1.11	NP	NP	NP	NP		10.6	23.4	NP	35.4	5.18	NP	NP	NP
Feb-06	NP			NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
May-06	NP			<0.3	2.81	<0.3	<0.3	<0.4	2.25	<0.3	<0.4		NP	NP	<0.4	NP	NP	NP	NP		<0.8	<0.3	NP	<0.5	1.61	NP	NP	NP
<i>MSA Sampling Dates</i>																												
13-Apr-06				NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
17-Aug-06				NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
13-Dec-06	*	PECFA		24	47	<5.0	<1.0	5.2	9.1	7.7	4.4		<1.0	<1.0	<1.0	<1.0	22	1.4	NA		12	39	<1.0	13	6.9	<1.0	<1.0	
2-May-07	Q	PECFA		3.6	36.0	2.1	<0.32	45.8	38	6.8	1.0		<0.34	<0.44	<0.44	<0.33	5.6	0.81	<2.7		8.3	18	<0.27	<0.43	<0.26	<0.31	<0.31	

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

Qualifiers		State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride		
ES	--	--	--		5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100	5	5	0.2		
PAL	--	--	--		0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02		
MW-5 Equity																													
<i>Cooper / Tetra Tech Sampling Dates</i>																													
May-05	NP				0.862	ND	ND	ND	ND	ND	NP	NP		NP	NP	NP	NP	NP	NP	NP			NP	NP	NP	0.68	ND	NP	
Aug-05	NP				1.63	<0.3	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	NP	NP	NP	NP	NP			NP	NP	NP	NA	ND	NP	
Nov-05	NP				3.45	0.54	<0.3	<0.3	<0.4	0.48	NP	NP		NP	NP	NP	NP	NP	NP	NP			NP	NP	NP	18.5	1.98	NP	
Feb-06	NP				<0.3	<0.5	<0.3	<0.3	<0.4	<0.3	NP	NP		NP	NP	NP	NP	NP	NP	NP			NP	NP	NP	9.88	<0.5	NP	
May-06	NP				1.57	<0.5	<0.3	<0.3	<0.4	<0.3	NP	NP		NP	NP	NP	NP	NP	NP	NP			NP	NP	NP	5.15	0.7	NP	
<i>MSA Sampling Dates</i>																													
13-Apr-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
17-Aug-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
13-Dec-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
2-May-07					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
23-Apr-09	DERF	NA			0.51	14	3.1	<0.19	8.0	6.5	0.50	0.34	<0.20	<0.27	<0.50	<0.38	<0.30	1.3	<0.21	<4.5	<0.30	4.0	2.3	<0.38	4.5	<0.37	<0.27	<0.27	
14-Jul-09	DERF	N			<0.29	2.4	1.8	<0.19	6.48	7.6	0.46	0.31	<0.20	<0.27	<0.50	<0.38	<0.30	1.1	<0.21	<4.5	<0.30	2.0	0.40	<0.38	7.2	<0.37	<0.27	<0.27	
MW-6 Equity																													
<i>Cooper / Tetra Tech Sampling Dates</i>																													
May-05	NP				ND	ND	ND	ND	ND	ND	NP	NP		NP	NP	2.87	NP	NP	NP	NP			NP	NP	NP	55.2	1.1	NP	
Aug-05	NP				<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	NA	NP	NP	NP	NP			NP	NP	NP	NA	NA	NP	
Nov-05	NP				<0.3	<0.5	<0.3	<0.3	<0.4	<0.6	NP	NP		NP	NP	29.6	NP	NP	NP	NP			NP	NP	NP	239	14.6	NP	
Feb-06	NP				<1.5	<2.5	<1.5	<1.5	<2	<3	NP	NP		NP	NP	13.7	NP	NP	NP	NP			NP	NP	NP	169	8.9	NP	
May-06	NP				<0.3	<0.5	<0.3	<0.3	<0.4	<0.3	NP	NP		NP	NP	2.62	NP	NP	NP	NP			NP	NP	NP	35.3	1.69	NP	
<i>MSA Sampling Dates</i>																													
13-Apr-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
17-Aug-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
13-Dec-06					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA
2-May-07					NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS
 Laundry Basket
 Luck, Wisconsin

	Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride
ES	--	--	--		5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100	5	5	0.2
PAL	--	--	--		0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10	0.5	0.5	0.02

MW-7 Equity

<i>Cooper / Tetra Tech Sampling Dates</i>																												
May-05	NP	NA		ND	ND	ND	ND	ND	ND	NP	NP		NP	NP	35.2	0.661	NP	NP	NP		NP	NP	NP	NP	127	8	NP	
Aug-05	NP	NA		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	NA	NA	NP	NP	NP		NP	NP	NP	NP	NA	NA	NP	
Nov-05	NP	NA		0.89	<0.5	<0.3	<0.3	<0.4	<0.6	NP	NP		NP	NP	358	2.13	NP	NP	NP		NP	NP	NP	NP	282	106	NP	
Feb-06	NP	NA		<3.1	<5	<3	<3	<4	<6	NP	NP		NP	NP	558	4.83	NP	NP	NP		NP	NP	NP	NP	416	216	NP	
May-06	NP	NA		<15	<25	<15	<15	<20	<31	NP	NP		NP	NP	1160	<19	NP	NP	NP		NP	NP	NP	NP	1100	484	NP	
<i>MSA Sampling Dates</i>																												
13-Apr-06		PECFA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
17-Aug-06		PECFA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
13-Dec-06	*	PECFA	NA	<10	<10	<50	<10	<20	<30	<10	<10		<10	<10	750	<10	<10	<10	NA		<50	<10	<10	NA	740	290	<10	
2-May-07	Q	PECFA	NA	<0.31	<0.26	<0.32	<0.32	<0.51	<0.73	<0.24	<0.28		<0.34	4.9	810	2.2	<0.31	<0.29	<2.7						390	87	<0.27	
14-May-08	Q	DERF	NA	<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.23		<0.27	1.8	500	1.3	<0.19	<0.21	<4.5	2.2	<0.17	<0.22	<0.38	390	87	<0.27		
27-Aug-08	Q	DERF	NA	<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22		<0.27	<0.50	110	<0.30	<0.19	<0.21	<4.5	0.39	<0.17	<0.22	<0.38	100	21	<0.27		
24-Nov-08	Q	DERF	NA	<0.29	<1.1	<1.3	<0.96	1.0	<4.3	<1.1	<1.1	<0.98	<1.4	2.5	500	<1.5	<0.94	<1.1	<23	3.2	0.99	<1.1	<1.9	300	72	<4.3		
23-Apr-09		DERF	NA	<2.9	<2.2	<2.7	<1.9	<0.62	<8.6	<2.3	<2.2	<2.0	<2.7	9.0	1400	<3.0	<1.9	<2.1	<45	<3.0	<1.7	<2.2	<3.8	760	310	<2.7		
14-Jul-09		DERF	NA	<2.9	<2.2	<2.7	<1.9	<6.2	<8.6	<2.3	<2.2	<2.0	<2.7	<5.0	780	<3.0	<1.9	<2.1	<45	<3.0	<1.7	<2.2	<3.8	660	180	<2.7		

MW-8 Equity

23-Apr-09		DERF	NA	<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	0.42	<0.37	<2.7
14-Jul-09		DERF	N	<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	1.0	<0.22	<0.38	0.87	<0.37	<0.27

PZ-1 Equity

<i>Cooper / Tetra Tech Sampling Dates</i>																												
May-05	NP	NA		ND	ND	ND	ND	ND	ND	NP	NP		NP	NP	8.15	NP	NP	NP	NP		NP	NP	NP	NP	129	3.59	NP	
Aug-05	NP	NA		<0.3	<0.3	<0.3	<0.3	<0.3	<0.3	NP	NP		NP	NP	NA	NP	NP	NP	NP		NP	NP	NP	NP	NA	NA	NP	
Nov-05	NP	NA		<0.3	<0.5	<0.3	<0.3	<0.4	<0.6	NP	NP		NP	NP	<0.4	NP	NP	NP	NP		NP	NP	NP	NP	18.5	<0.5	NP	
Feb-06	NP	NA		<0.3	<0.5	<0.3	<0.3	<0.4	<0.6	NP	NP		NP	NP	<0.4	NP	NP	NP	NP		NP	NP	NP	NP	10	<0.5	NP	
May-06	NP	NA		<0.3	<0.5	<0.3	<0.3	<0.4	<0.3	NP	NP		NP	NP	<0.4	NP	NP	NP	NP		NP	NP	NP	NP	7.35	<0.5	NP	
<i>MSA Sampling Dates</i>																												
13-Apr-06		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
17-Aug-06		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
13-Dec-06		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
2-May-07		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA

TABLE 2
GROUNDWATER RESULTS SUMMARY
VOLATILE ORGANICS COMPOUNDS

Laundry Basket
 Luck, Wisconsin

	Qualifiers	State Program	GRO	DRO	Benzene	Ethylbenzene	Toluene	MTBE	TMBs	Xylenes	n-Butylbenzene	sec-Butylbenzene	tert-butylbenzene	1,2-Dichloroethane	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Isopropylbenzene	p-Isopropyltoluene	2-Butanone (MEK)	Methylene Chloride	Naphthalene	n-Propylbenzene	Styrene	(PCE) Tetrachloroethene	(TCE) Trichloroethene	Vinyl Chloride	
ES	--	--			5	700	1000	60	480	10000	--	--		5	7	70	100	--	--	460	5	100	--	100		5	5	0.2
PAL	--	--			0.5	140	200	12	96	1000	--	--		0.5	0.7	7	20	--	--	90	0.5	10	--	10		0.5	0.5	0.02
Trip Blank																												
14-Jul-09	DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	0.32	<0.22	<0.38	<0.29	<0.37	<0.27	
Seaton Sump																												
23-Apr-09	DERF	NA			<0.29	<0.22	<0.27	<0.19	<0.62	<0.86	<0.23	<0.22	<0.20	<0.27	<0.50	<0.38	<0.30	<0.19	<0.21	<4.5	<0.30	<0.17	<0.22	<0.38	<0.29	<0.37	<0.27	

Explanation:
 Table reports only those compounds with detections, for the full list, see analytical report
 Equity Co-op historical data was provided in a summarized format by Tetra Tech. Actual analytical reports were not reviewed by MSA
 All results are reported in ug/L, micrograms per liter
 Results in **bold** equal or exceed the NR 140 Wis. Adm. Code Enforcement Standard
 Results in *italics* equal or exceed the NR 140 Wis. Adm. Code Preventative Action Limit
 <0.40 = less than the indicated limit of detection (LOD)
 Q = a parameter was above the LOD but below the limit of quantitation (LOQ)
 NA = not analyzed for this parameter during this sampling event
 -- = No Standard Established / Not Applicable
 NP = Not Provided
 ND = Not Detected above method detection limit.
 * December 2006 samples were analyzed using method 8021MS resulting in higher detection limits. All other rounds were analyzed using method 8260

TABLE 1
Monitoring Well Completion Information and
Water Table Summary

Laundry Basket
 Luck, Wisconsin

ON-SITE MONITORING WELLS

Top of Casing Screen Interval (measured in feet)	MW-1 100.00 95.69 - 85.69	MW-2 100.02 95.82 - 85.82	MW-3 100.09 95.61 - 85.61	MW-4 103.54 96.30 - 86.30	MW-5 100.45 96.36 - 86.36	PZ-1 99.92 70.77 - 60.77	MW-6 99.97 96.39-86.39								
	DTW	Elevation	DTW	Elevation	DTW	Elevation	DTW	Elevation	DTW	Elevation	DTW	Elevation			
13-Apr-06	6.41	93.59	6.42	93.60	6.44	93.65	9.81	93.73	6.83	NP	93.62	6.33	93.59		
17-Aug-06	7.25	92.75	7.28	92.74	7.24	92.85	10.67	92.87	7.67	NP	92.78	7.17	92.75		
13-Dec-06	7.69	92.31	7.72	92.30	7.68	92.41	11.12	92.42	8.11	NP	92.34	7.60	92.32		
2-May-07	7.23	92.77	7.25	92.77	7.24	92.85	10.72	92.82	7.63	NP	92.82	7.15	92.77		
29-Jan-08	7.92	92.08	7.95	92.07	7.9	92.19	11.41	92.13	8.41	NP	92.04	7.82	92.10	8.01	91.96
23-Apr-08	6.24	93.76	6.2	93.82	6.25	93.84	9.67	93.87	6.69	NP	93.76	6.13	93.79	6.27	93.7
7-May-08									6.81	6.43	93.64				
27-Aug-08	7.88	92.12	7.91	92.11	7.84	92.25	11.34	92.2	8.48	8.21	91.97	7.77	92.15	7.95	92.02
24-Nov-08									8.27	NP	92.18				
9-Jan-09									9.82	NP	90.63				
23-Apr-09									8.14	NP	92.31				

OFF-SITE MONITORING WELLS (Equity Co-op Site BRRts # 03-49-000685)

Top of Casing Screen Interval (feet)	MW-2 99.99	MW-3A 103.03	MW-4A 99.31	MW-5 102.20	MW-6 99.06	MW-7 99.90	PZ-1 99.60							
	DTW	Elevation	DTW	Elevation	DTW	Elevation	DTW	Elevation						
13-Apr-06	nm	nm	nm	nm	nm	nm	nm	nm						
17-Aug-06	7.34	92.65	10.33	92.70	6.64	92.67	9.65	92.55	6.48	92.58	7.17	92.73	6.95	92.65
13-Dec-06	7.79	92.20	10.78	92.25	7.07	92.24	10.08	92.12	6.91	92.15	7.62	92.28	7.38	92.22
2-May-07	7.37	92.62	10.32	92.71	7.61	91.70	9.62	92.58	6.52	92.54	7.16	92.74	6.90	92.70

Notes:

Elevation is relative to a site established benchmark established as 100.00 feet

DTW = Depth to water from top of riser measured in feet

DTP = Depth to Free Product

nm = not measured during this sampling event

NP = No product measured



FILE COPY

PROFESSIONAL SERVICES
TRANSPORTATION • MUNICIPAL
DEVELOPMENT • ENVIRONMENTAL

August 27, 2009

CERTIFIED MAIL

Mr. Brian Hacker
Laundry Basket LLC
P.O. Box 614
300 S. Main Street
Luck, WI 54853

Re: Notification of Soil and Groundwater Contamination
The Laundry Basket – 300 South Main Street, Luck, Wisconsin
PECFA No.: 54853-8005-00
WDNR BRRTs: 03-49-548292

Dear Mr. Hacker:

This correspondence serves as notification of the existence of residual petroleum soil and groundwater contamination on the Laundry Basket property located at 300 south Main Street in Luck Wisconsin. This notification is required to be sent to the current property owner as part of the petroleum closure request that will be submitted to the Wisconsin Department of Natural Resources (WDNR) by September 1, 2009.

The petroleum remedial activities completed on the Laundry Basket property indicate that groundwater impacted with benzene above the Wis. Adm. Code NR 140 Enforcement Standard (ES) has been detected near monitoring wells MW-1 and MW-5. The information presented in the closure report concludes that the benzene-impacted groundwater plume is stable or receding and that natural attenuation will continue to reduce benzene concentrations in the groundwater on the Laundry Basket property.

The site investigation also found petroleum contaminated soil on the property. Please be aware that some residual petroleum contaminated soil may be present on the property. If any underground digging or utility work takes place on the property within areas of soil contamination this material must be segregated and properly disposed of. Proper documentation of these activities and soil disposal are required by the WDNR.

The WDNR may not review the closure request for at least 30 days after the date of this letter. As the property owner, you have a right to contact the WDNR to provide technical information that indicates that closure should not be granted for this site. That information should be submitted to Phil Richards Wisconsin Department of Natural Resources, 875 South 4th Avenue, Park Falls, WI 4552.

Since the source of the petroleum contamination is on your property, neither you nor any subsequent owner of your property will be held responsible for investigation or cleanup of the petroleum contamination, as long as you and any subsequent owners comply with the requirements of section 292.13, Wisconsin Statutes, including allowing access to the property for environmental investigation or cleanup if access is required.

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1835 NORTH STEVENS STREET • RHINELANDER, WI 54501-2163
715.362.3244 • 1.800.844.7854 • FAX: 715.362.4116

www.msa-ps.com

G:\PROJECTS\600s\608s\6080602\6080602\Word\Ltr05bjh.doc

Page 2
Brian Hacker
Luck, WI
August 27, 2009

Once this case is closed, the property within the site boundaries where groundwater contamination exceeds chapter Wis. Adm. Code NR 140 ES will be listed on the Department of Natural Resources' Geographic Information System (GIS) Registry of Closed Remediation Sites. The information on the GIS Registry includes maps showing the location of properties in Wisconsin where groundwater contamination above the chapter NR 140 ES was found at the time the case was closed. This GIS Registry is available to the general public on the Department of Natural Resources' internet web site. A map showing the property boundaries in the area and the most recent extent of groundwater contamination is attached in the GIS Registry information.


Should you or any subsequent property owner wish to construct or reconstruct a well on your property, special well construction standards may be necessary to protect the well from the residual petroleum groundwater contamination. Any well driller who proposes to construct a well on your property in the future will first need to call the Diggers Hotline (1-800-242-8511) if your property is located outside of the service area of a municipally owned water system, or contact the Drinking Water program within the Department of Natural Resources if your property is located within the designated service area of a municipally owned water system, to determine if there is a need for special well construction standards.

Once the WDNR makes a decision on this closure request, it will be documented in a letter. When the WDNR grants closure, you may obtain a copy of this letter by requesting a copy from the person responsible for the Laundry Basket investigation, by writing to the agency address given above or by accessing the DNR GIS Registry of Closed Remediation Sites on the Internet at www.dnr.state.wi.us/org/at/et/geo/gwur. A copy of the closure letter is included as part of the site file on the GIS Registry of Closed Remediation Sites.

If you need more information, you may contact me at 1-800-844-7854 or you may contact Mr. Phil Richards with the WDNR at (715)-762-1352.

Sincerely,

MSA Professional Services, Inc.


Brian Hegge
Project Manager

DRA/bjh

Enclosures: As stated

cc: Lois Baldwin, Owner
Phil Richards, WDNR



PROFESSIONAL SERVICES
TRANSPORTATION • MUNICIPAL
DEVELOPMENT • ENVIRONMENTAL

MSA
PROFESSIONAL SERVICES
AUG 31 2009

RECEIVED

August 28, 2009

Mr. Seth Peterson
Village Of Luck Public Works
401 Main Street
Luck, WI 54853

Re: Notification of Groundwater Contamination within Village of Luck Right-of-Way
The Laundry Basket – 300 South Main Street, Luck, Wisconsin
PECFA No.: 54853-8005-00
WDNR BRRTs: 03-49-548292

Dear Mr. Peterson:

This correspondence serves as notification of the existence of groundwater contamination in the right of way (ROW) at the intersection of Main Street and 3rd Avenue South northwest of the Laundry Basket property in Luck, Wisconsin. MSA Professional Services, Inc. (MSA) is currently preparing the petroleum site closure request for the Laundry Basket and the Department of Natural Resources (DNR) requires notification to surrounding affected properties as a condition of closure.

The petroleum site investigation activities completed on the Laundry Basket property indicate that groundwater has been impacted with benzene above the Wis. Adm. Code NR 140 Enforcement Standard (ES) and has migrated into the adjacent Main Street/3rd Avenue South intersection and Village ROW. The information presented in the closure report concludes that the benzene-impacted groundwater plume is stable and/or receding and that natural attenuation will continue to reduce benzene concentrations in the groundwater within the ROW. A figure illustrating the extent of the groundwater contamination is attached.

MSA has investigated this contamination and determined that the groundwater contaminant plume is stable or receding and will naturally degrade over time. MSA further believes that allowing natural attenuation to complete the cleanup at this site will meet the requirements for case closure that are found in chapter NR 726, Wisconsin Administrative Code. Therefore, MSA, on behalf of Lois Baldwin, will request that the DNR accept natural attenuation of the petroleum contamination as the final remedy and grant case closure of the petroleum contamination. Closure means that the Department will not require further investigation or cleanup action to be taken, other than the reliance on natural attenuation for the petroleum contamination found on the Laundry Basket property.

Offices in Illinois, Iowa, Minnesota, and Wisconsin

1835 NORTH STEVENS STREET • RHINELANDER, WI 54501-2163
715.362.3244 • 1.800.844.7854 • FAX: 715.362.4116

www.msa-ps.com

G:\PROJECTS\600s\608s\6080602\6080602\Word\Ltr06bjh.doc

Page 2
Mr. Seth Peterson
Luck, WI 54853
August 28, 2009

The Laundry Basket property is also currently completing investigation activities of the chlorinated compounds associated with the former dry cleaning operation on the property. It needs to be clarified that this notification is only for the petroleum contamination.

This information is being sent to you so that the Village can make informed decisions regarding utility and roadwork in the vicinity of this property. If future construction in this area involves below grade work resulting in dewatering, the water would have to be properly disposed of in accordance with Department of Natural Resources guidelines.


As an affected party, you have a right to contact the DNR to provide any technical information that you may have that indicates that closure should not be granted for this site. If you would like to submit any information to the DNR that is relevant to this closure request, that information should be submitted to Phil Richards, Wisconsin Department of Natural Resources, 875 South 4th Avenue, Park Falls, WI 54552.

Upon closure of the site, additional information on the site including a copy of the closure letter will be available on the DNR's web-based Registry of Contaminated Sites at <http://dnrmaps.wisconsin.gov/imf/imf.jsp?site=brrts2>.

If you need more information or have any questions regarding this closure request, you may contact me at 1-800-844-7854.

Sincerely,


MSA Professional Services, Inc.


Brian Hegge
Project Manager

BJH:jcp

Enc.

cc: Lois Baldwin, RP
Phil Richards, DNR
Darin Albrecht, MSA



LEGEND

- P-1 KONICEK ENVIRONMENTAL CONSULTING SOIL BORING
- MW-5Eq MONITORING WELL ASSOCIATED WITH EQUITY CO-OP SITE
- SB-1 / MW-1 MONITORING WELL AND OR SOIL BORING COMPLETED BY MSA
- W WATERMAIN
- OH OVERHEAD ELECTRIC
- G UNDERGROUND GAS LINE
- T UNDERGROUND TELEPHONE
- SAN SANITARY SEWER MANHOLE AND UNDERGROUND LINE
- [Hatched Box] SUSPECTED LOCATION OF FORMER UST

- [Hatched Area] APPROXIMATE EXTENT OF GROUNDWATER CONTAMINATED WITH BENZENE ABOVE THE NR 140 ES
- PROPERTY BOUNDARY

ND NOT DETECTED
 NP NOT PROVIDED
 NA NOT ANALYZED
 <0.3 LESS THAN INDICATED DETECTION LIMIT
63 CONCENTRATIONS IN BOLD EXCEED NR 140 ES
3.7 CONCENTRATIONS IN ITALIC EXCEED NR 140 PAL
 ALL RESULTS REPORTED IN ug/L

*ALTHOUGH ADDITIONAL PETROLEUM COMPOUNDS WERE DETECTED ABOVE THE ES, BENZENE IS REPRESENTATIVE OF THE PETROLEUM CONTAMINATION AND ADEQUATELY DEPICTS THE CONTAMINANT DISTRIBUTION AND EXTENT. FOR ADDITIONAL VALUES ABOVE THE ES AND PAL PLEASE REFER TO TABLE 4.




FIGURE 4

EXTENT OF GROUNDWATER CONTAMINATION LAUNDRY BASKET LAUCK, WISCONSIN

MSA
PROFESSIONAL SERVICES

TRANSPORTATION & MUNICIPAL
 DEVELOPMENT & ENVIRONMENTAL
 102 N. Second St. Milwaukee, WI 53202
 414-224-1400 FAX 414-224-1111
 © 1998 PROFESSIONAL SERVICE

DRAWN BY CAR DATE 6/08 SHEET - of -
 CHECKED BY DA SCALE AS SHOWN FILE NO. 6080602F4B