



Environmental and Geological
Scientists and Engineers

BEFORE...



SITE INVESTIGATION / REMEDIAL ACTION REPORT

for

**Zmek & Sons Wrecking, Inc.
8861 County Highway H
Eagle River, WI 54521
BRRTS # 02-44-548409**

September 2008



...AFTER



September 9, 2008

Mr. Chuck Weister
Wisconsin Department of Natural Resources
107 Sutliff Avenue
Rhineland, WI 54501

Dear Mr. Weister:

Re: Submittal of Site Investigation / Remedial Action Report
Site: Zmek & Sons Wrecking, Inc., 8861 County Highway H, Eagle River, Wisconsin
BRRTS #: 02-44-548409

Sand Creek Consultants, Inc. (SCC) is pleased to submit the above-referenced report. It describes the results of a series of investigations and remedial activities carried out at the Zmek property. This cover letter is presented in accordance with NR 716.15(2)(a), Wisc. Admin. Code, and the report itself demonstrates site owner's fulfillment of their obligation under §292.11(3), Wisconsin Statutes.

Action Requested of WDNR

We request that the site be considered for final closure under NR 720.19(2). The small volume of residual soil contamination on the site will be addressed during the closure process by listing on WDNR's GIS registry. Closure documentation and documentation needed for inclusion on the GIS registry is being submitted simultaneously with this report, and the appropriate fee of \$200 for the soil registry, along with the \$750 WDNR closure review fee, has been sent to Ms. Anna Kazda in the Rhineland WDNR office. Please call me at 715-365-1818 if you have any questions regarding this report.

Sincerely,

SAND CREEK CONSULTANTS, INC.

Brenda S. Halminiak, P.G.

Project Manager

Wisconsin Registered Professional Geologist #1223

SITE INVESTIGATION/ REMEDIAL ACTION REPORT

**Zmek & Sons Wrecking, Inc.
8861 County Highway H, Eagle River**

WDNR BRRTS ID # 02-44-548409

REPORT DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Sent To</u>
3	Zmek & Sons Wrecking, Inc. c/o Thomas Tait, Conservator Kerber, Rose and Associates 8-A West Davenport Street, Rhinelander, WI 54501
1	Mr. Chuck Weister Wisconsin Department of Natural Resources 107 Sutliff Avenue Rhinelander, WI 54501
2	Sand Creek Consultants, Inc. P. O. Box 1512 Rhinelander, WI 54501

Total number of copies printed in September 2008: 6

I, Brenda S. Halminiak, hereby certify that I am a registered professional geologist in the State of Wisconsin, registered in accordance with the requirements in ch GHSS-2, Wis. Adm. Code; that this document has been prepared in accordance with the rules of Professional Conduct in ch GHSS-5, Wis. Adm. Code; and that, to the best of my knowledge, all of the information contained in this document is correct, and the document was prepared in compliance with all applicable requirements in chs. 700 to 726, Wis. Adm. Code.





Brenda S. Halminiak, P.G. 9-9-08
Date

Table of Contents

	EXECUTIVE SUMMARY	i
1.	GENERAL AND BACKGROUND INFORMATION	1
1.1.	Purpose of this Report	1
1.2.	History of the Zmek and Sons Property Usage	1
1.3.	Summary of Site Activities	2
1.3.1.	Phase I Environmental Site Assessment	2
1.3.2.	Phase II Environmental Site Assessment / Site Investigation	3
1.3.3.	Remediation	3
1.3.4.	Other, Non-NR 700 Activities	3
1.4.	Potential and/or Known Impacts to Water Supplies and Other Receptors	4
2.	PHASE II ESA / SITE INVESTIGATION	5
2.1.	Site Geology and Soils	5
2.2.	Site Hydrogeology	5
2.3.	Soil Laboratory Results	6
2.4.	Groundwater Laboratory Results	7
3.	REMEDIAL ACTIONS	9
3.1.	Contaminated Soil Excavation Activities	9
3.1.1.	Excavation Chronology	9
3.1.2.	Excavation Summary	10
3.1.3.	Soil Sampling Results from Remedial Soil Excavations	10
3.2.	Drum Management and Disposal Activities	12
4.	RESIDUAL PETROLEUM CONTAMINATION: SUMMARY	13
4.1.	Extent and Degree of Post-Remedial Soil Contamination	13
4.2.	Groundwater Contamination Not Present	13
4.3.	Contaminant Migration Pathway and Receptor Assessment	13
5.	CONCLUSIONS AND RECOMMENDATIONS	14
6.	DISCLAIMER AND LIMITATIONS OF RELIABILITY ON FINDINGS	15

TABLE OF CONTENTS (continued)

LIST OF FIGURES

Figure 1	Site Location Map (1"=2,000')
Figure 2	Survey Map
Figure 3	Summary of Phase I Findings
Figure 4	Phase II Drilling Locations
Figure 5	Excavation Areas and Soil Sample Locations
Figure 6	Approximate Extent of Residual Non-Compliance Soil

LIST OF TABLES

Table 1	Site Investigation Soil Sample Results
Table 2	Site Investigation Groundwater and Potable Well Sample Results
Table 3	Post-Remedial Soil Sample Results

LIST OF APPENDICES

Appendix A	Site Figures
Appendix B	Tables
Appendix C	Soil Boring Logs and Abandonment Forms
Appendix D	Photographic Log of Remedial Action Activities
Appendix E	Truck Weight Tickets
Appendix F	Drum Disposal Documentation
Appendix G	Laboratory Reports

EXECUTIVE SUMMARY

The Zmek & Sons Wrecking site is located in a rural area of northern Oneida County approximately 4 miles west of the City of Eagle River. The property covers roughly 38 acres and is surrounded by undeveloped, forested terrain on nearly all sides. The property was undeveloped until approximately the late 1950's when it was first developed as a scrap yard by the Zmek family. The wrecking business gradually grew to cover most of the 38 acre parcel until 2006 when the wrecking business was closed and the decommissioning of the property and business began.

In 2006, a comprehensive Phase I Environmental Site Assessment was conducted which identified eight recognized environmental conditions, and went on to recommend a Phase II Assessment involving soil and groundwater sampling at the identified locations.

Over the period December 2006 through June 2008, a series of site investigation and remediation activities were undertaken. All eight potential contamination source areas identified in the Phase I were investigated with a total of 11 Geoprobe borings collecting soil and groundwater samples. Other areas identified later as potentially contaminated were also investigated as the decommissioning process moved forward.

Drilling and sampling with the Geoprobe at depths up to 24 feet indicates the site is underlain by medium to coarse grained sand with thin lenses of very coarse sand and gravel. Groundwater occurs at 22 feet below grade on the southern part of the property and is less than 5 feet below grade on the north edge of the land. Although permanent monitoring wells were not installed for this investigation, using standard topographic and hydrologic interpretation methods, groundwater flow is almost certainly northerly across the site. The medium to coarse sand which hosts the aquifer would favor relatively high hydraulic conductivity and above-average horizontal seepage velocities, although no such measurements were collected in this investigation.

Of the nine areas tested for soil and groundwater contamination, four were non-contaminated and five had soil contamination above applicable (NR 720) soil standards. Of the five areas where soil contamination was identified, all five had petroleum-related contamination measured by analytical parameters such as DRO, GRO, PVOCs and PAH's. Soil contamination at these areas was exclusively the result of surface spills arising from historical vehicle storage, crushing and related operations, and was observed to be confined to the upper four feet or so of the surface. Compared to many common petroleum contamination sites (such as leaking underground storage tank sites) the concentrations of soil contamination at the Zmek property prior to remediation were relatively low, limited in extent, and easily accessible for excavation-type remediation.

Of the ten areas tested for groundwater contamination (all eight Phase I-identified 'REC' areas plus two potable wells), none indicated significant or conclusive evidence of groundwater contamination. Several widely scattered occurrences of chloromethane and lead at uniformly low-levels in groundwater samples, are, based on a preponderance of information, either an anomaly in some part of the testing procedure, or, in the case of lead, a naturally-occurring metal in the regional aquifer. The conclusion from the groundwater sampling is that significant groundwater contamination is not an issue for further investigation or remediation at the Zmek property.

Soil contamination identified at five non-contiguous areas across the property was remediated, almost

completely, through soil excavations. A total of 1,927 tons of soil were removed from the five contaminated areas over the span of three separate excavating and trucking sessions in 2007 and 2008. Contaminated soil was hauled to the Lincoln County Landfill for incorporation into their biopile treatment cell.

Post remediation sampling in the sidewalls and bases of the excavations indicated the excavations were largely successful in removing nearly all contaminated soil. Of the 54 post-remediation confirmation samples collected, five of them (from three of the five areas) yielded detections of one or more analytes at concentrations at or slightly above NR 720 soil clean-up standards. Approximately 81 yards (114 tons) of contaminated soil remains on the site. These residual soils pose no direct contact or groundwater risk and are proposed for management through the GIS Registry process.

Risk Analysis and Environmental Factor Analysis

This site has high permeability (as defined in per NR 746.05). The following is an analysis of the risk factors contained in NR 746.06(2).

LIST 1: RISK FACTOR ANALYSIS (per NR 746.06(2))

Code Reference	YES	NO¹
746.06(2)(a)	✓	a) Presence of any of the COMM 47.337(3) Environmental Factors?
47.337(3)(a)1.	✓	▪ Expanding plume
47.337(3)(a)2.	✓ ²	▪ Contamination in potable well above PAL
47.337(3)(a)3.	✓	▪ Contamination in or near bedrock
47.337(3)(a)4.	✓	▪ Free product
47.337(3)(a)5.	✓	▪ Discharge to a surface water or wetland
746.06(2)(b)	✓	Table 1 exceedances for indicators of residual petroleum product in soil pores
746.06(2)(c)	✓	Soil at 4 ft. or less that exceeds direct contact limit
746.06(2)(g)&(h)	✓	Impact to water line, sewer, utility, or basement
746.06(2)(i)	✓	Groundwater exceeds enforcement standard within 1000 ft. of public well or within 100 ft. of private well

Request for Final Site Closure

Approximately 81 yards (114 tons) of contaminated soil remains on the site.

Results from these investigation and remedial efforts provide the basis for the conclusion that groundwater contamination is not present on this site, and that the residual soil contamination poses an acceptably low risk to human health and the environment.

¹ Not recognized at the time of this writing.

² Both on-site potable wells exhibited a detection of chloromethane above the PAL, as did several of the groundwater samples collected at the site. Chloromethane is a common lab contaminant and its presence in the water samples is suspect. Some samples also exhibited detections of lead slightly above the PAL.

Based on the findings of this work, the Zmek and Sons property is eligible for final site closure. As part of this closure process, the small volume of relatively minor residual soil contamination should be addressed using WDNR's GIS registry procedure.

1. GENERAL AND BACKGROUND INFORMATION

Site Location (NR 716.15(2)(d)4)

Zmek & Sons Wrecking, Inc.
8861 County Highway H, Eagle River, WI 54521
Sec. 1, T 39 N, R 9 E, Township of Sugar Camp, Oneida County, Wisconsin

Responsible Party (NR 716.15(2)(d)2)

Zmek & Sons Wrecking, Inc.
c/o Thomas Tait, Conservator
Kerber, Rose and Associates
8-A West Davenport Street, Rhinelander, WI 54501
Phone 715-369-3533

Consultant (NR 716.15(2)(d)3)

Sand Creek Consultants, Inc.
Brenda S. Halminiak, P.G., Project Manager
P. O. Box 1512
Rhinelander, WI 54501
Phone 715-365-1818; Fax 866-608-6473

The Zmek & Sons Wrecking property is in a rural area just west of the City of Eagle River in Oneida County, Wisconsin. The property covers roughly 38 acres of land carved out of a forested surrounding terrain. The site is shown in Figure 1 on a USGS topographic map at a scale of 1" = 2000'. Figure 2 is a survey map of the area, and Figure 3 shows the site and surrounding area at a scale of 1"=150'. All site figures are in Appendix A.

1.1. Purpose of this Report

The purpose of this report is to document that the owner has met its obligation to conduct a Site Investigation and Remediation following the procedures described in NR 700 Wisc. Admin. Code, and to demonstrate the owners compliance with 292.11(3), Stats, which is to perform remedial activities to the extent practicable.

1.2. History of the Zmek and Sons Property Usage

The property was undeveloped until sometime prior to 1960, after which it was developed for use as a scrap yard by the Zmek family. The wrecking business started small, probably less than 5 acres, and grew over time to fill much of the 38 acres. The Zmek family home has also been on site since the beginning of the property development.

At its peak in 2006, the property development included approximately 8 outbuildings, extensive roads and trails, the business office, and hundreds of scrap automobiles.

Over the period 2006 – 2007, the wrecking and scrap yard business was gradually discontinued. Over that period, the site was cleared of scrap metal, drums, vehicles, and much other debris.

As of this writing the property has been cleaned of surface debris, the remediation is complete, and the property is vacant. The exception is the residence near the road on the east side of the property where Zmek family members still live.

Figure 2 is an annotated survey map of the area and shows the subject property (the scrap yard) outlined with a solid line. The scrap yard property, which was the subject of this investigation, encompasses land owned by both Shirley Zmek and her son, Peter Zmek, as noted on the survey map. In this report, "the property" or "the site" refers to the scrap yard as a whole, and does not distinguish between land owned by Peter or Shirley Zmek.

1.3. Summary of Site Activities

Work on this site by SCC since 2006 involved three distinct and separate stages along with several sub-stages. The three main stages of work are the following:

- A Phase I Environmental Site Assessment completed in November, 2006;
- A Phase II Environmental Site Assessment completed over the period November 2006 through January 2007; and
- Remedial Activities completed in 2007 and 2008.

A summary description of these activities is in this section for chronological and organizational orientation. Details of the activities, where appropriate, are in the body of the report.

1.3.1. Phase I Environmental Site Assessment

On behalf of the property owner, SCC completed a Phase I Environmental Site Assessment (ESA) in general accordance with appropriate ASTM standards. Given the size of the property (~38 acres), and the complex site history (scrap yard / junk yard for over 40 years), the Phase I ESA was necessarily comprehensive in nature and scope.

The Phase I ESA report is entitled "PHASE I ENVIRONMENTAL SITE ASSESSMENT FOR THE ZMEK & SONS WRECKING, INC. PROPERTY, Located at 8861 County Highway H, Eagle River, Wisconsin" dated November 2006. Although not required under NR 700 or other normal reporting protocols, a copy of the Phase I ESA report was submitted to the WDNR (to the attention of Mr. Chuck Weister, WDNR-Rhineland) at the time of completion as a courtesy.

The Phase I ESA discovered eight areas of "recognized environmental conditions" or "RECs" which were reported in the Phase I ESA. The RECs included historical and more recent vehicle drain rack operations, outdoor motor storage areas, a former underground petroleum storage tank location, and other areas either visually impaired or interpreted as possibly impaired based on information from the Phase I interviews and inspections.

Little more will be discussed in this report concerning the Phase I activities because it will instead focus on the subsequent investigation and remediation activities. For much more complete detail on the Phase I activities, including methods, conclusions and a detailed photo log, refer to the Phase I ESA report.

1.3.2. Phase II Environmental Site Assessment / Site Investigation

Following on the Phase I REC findings, SCC completed a Phase II ESA together with an NR 700 Site Investigation (SI). The objective of the Phase II ESA / SI was twofold:

- To determine the presence or absence of soil or groundwater contamination at the REC-noted areas (as is the typical scope for a Phase II ESA) with a Geoprobe investigation, and
- For those areas where soil contamination was encountered during drilling, to make additional effort to define the extent and degree of contamination (as is the typical scope for an NR 700 Site Investigation).

Thus, two activities, the Phase II ESA and the SI, were conducted simultaneously with similar (but not identical) objectives.

As it would turn out (as described in more detail in this document) of the eight REC areas, four of them were tested and found to be non-contaminated, and four were found to have some degree of soil contamination. However, the areas of soil contamination were found to be relatively small with no groundwater impacts. As it would turn out, combining the Phase II ESA and the SI and conducting them simultaneously worked very well in this instance.

A Phase II report entitled "Phase II Environmental Site Assessment Report, Zmek and Sons Wrecking Property, Eagle River, Wisconsin" was generated on January 2, 2007 (110 pages). That report, which contained drill logs, lab data, site maps, and a brief summary description of findings, was provided to the site owner and representative.

Note the Phase II ESA / SI used a Geoprobe to sample soils and to collect groundwater from the temporary borings. 'Permanent' groundwater monitoring wells were not installed for this work.

Copies of the Phase II / SI report are available at SCC, yet the body and appendix of this report contains the findings of the Phase II / SI work in summary fashion making the original Phase II / SI report somewhat obsolete at this time.

1.3.3. Remediation

Based on the results of the Phase II / SI borings and lab analysis, four areas of remediation were identified. Over the period 2007 – 2008, contaminated soil was excavated and taken to the Lincoln County Landfill for biopile incorporation. The details of the remediation work are described later in this report.

1.3.4. Other, Non-NR 700 Activities

During the course of SCC's involvement quite a few other tasks were completed which do not fall directly under the description of NR 700-related investigation or remediation activities. These activities included, but were not limited to:

- a. Oversight or assistance with the disposal of large quantities of scrap steel, propane tanks, and other valuable metals or products;

- b. Assistance with the general clean-up of the site, including several canvassing events to search out, discover and manage widely-scattered non-valuable scrap; and
- c. Oversight of the inventorying, profiling, and final disposal of over 200 'abandoned' containers from across the site, most of which were 55-gallon drums containing various petroleum or other vehicle-related products such as anti-freeze.

Of these "other" activities, the drum disposal issue (c) is discussed briefly in this report, and the disposal manifesting is included in an appendix. Issues (a) and (b) are not described primarily because they are 'housekeeping', junk removal-type activities and are not NR-700-related.

1.4. Potential and/or Known Impacts to Water Supplies and Other Receptors

Two potable wells are located on or near the site as shown on Figure 4. One is located near the house and the other is located near the former maintenance shop (marked 'X' and 'Y' on Figure 4, respectively). Very low-level detections of common lab contaminants occurred in the analysis of potable water samples, yet there is no indication these results indicate actual groundwater contamination in the aquifer.

Based on the location of potable wells relative to known soil contamination and on probable groundwater flow directions, there is no evidence to suggest that potable wells on or near the site are impacted or threatened by residual soil contamination.

Public utilities on the property are limited. The Zmek family home has electricity, natural gas, and telephone and is located on the southeast side of the property, near the road. The Zmek Wrecking Company office, located on the extreme southeast edge of the property near the Zmek Home, has telephone and electricity. An underground natural gas pipeline runs through the northern part of the site. All of these facilities are more than several hundred feet from the nearest areas where contamination was identified and remediation was successfully performed. Thus, utility corridor-facilitated contamination migration issues do not exist on this site.

The residual soil contamination on the site, as it is currently defined, poses no known or perceived threat to:

- Species, habitat, or ecosystems sensitive to the contamination;
- Wetlands in areas of special natural resource interest, as designated in s. NR 103.04;
- Outstanding resource waters and exceptional resource waters as defined in ss. NR 102.10 and NR 102.11;
- Sites or facilities of historical or archaeological significance.

2. PHASE II ESA / SITE INVESTIGATION

The Phase II ESA / SI was performed on eight areas identified as RECs in the Phase I ESA. These eight areas were denoted as areas A through H on Figure 3 (in Appendix A).

In December of 2006, a total of 11 Geoprobe borings were advanced into and near the eight REC-identified areas. From each boring, two to three soil samples were collected and analyzed for substances identified as potentially present based on the Phase I, including Diesel Range Organics (DRO), Volatile Organic Compounds (VOCs), and in some cases lead and mercury.

With the exception of the underground storage tank area, all the "REC" areas were identified as potential surface contamination areas. Accordingly, in the Phase II ESA / SI, soil samples were collected first from the near-surface area, between 2 and 4 feet below ground surface (bgs). When the shallow soil sample had field indications of petroleum contamination, a deeper soil sample was collected from between 6 and 8 feet bgs.

The samples collected in area G (the former location of the underground petroleum storage tank) were collected between 10 and 11 feet bgs, at the approximate depth where the bottom of the storage tank had rested.

Table A, later in this section, summarizes the Geoprobe boring details such as depth to samples, total depth, analytical parameters, and summary results.

2.1. Site Geology and Soils

Soil borings logged during Phase II activities at this site provided near-surface geological and soil information. Figure 4 shows boring locations and copies of the soil boring logs and abandonment forms are in Appendix C.

Geologic materials encountered during the installation of the soil borings consisted of medium to coarse grained sand. Non-contiguous lenses of very coarse sand and gravel were observed in some borings. The borings were so widely spaced that construction of cross sections is not practical or useful, and given the relative homogeneity of the near-surface geology, probably not necessary.

Bedrock in this area of Wisconsin consists of Penokean metavolcanic rocks which lie well below the area of interest in this investigation, probably more than a few hundred feet below the surface.

2.2. Site Hydrogeology

The Geoprobe groundwater investigation allowed for the collection of one groundwater sample from each boring. The approximate depth to water, which varied from less than 5 feet to 22 feet across the site, can be approximated by the "Total Boring Depth" column in Table A later in this section.

The topography slopes to the north. Just across the property line to the north is a wetland, and the adjacent property there is only a few feet above the water table. Further south the land is higher, and the depth to water increases to roughly 22 feet.

Based on the topography and the wetland to the north, our professional judgment is that groundwater flow on this property is northerly in most or all locations. Even without permanent monitoring wells and

survey data, the presumption of northerly flow seems straightforward and almost certainly correct.

With sand and gravel as the host unit for the near surface aquifer, groundwater flow velocity is likely relatively high.

2.3. Soil Laboratory Results

Table A (below), summarizes the Geoprobe boring details such as depth to samples, total depth, and analytical parameters. Also shown are summary results indicating which "REC Areas" were discovered by Geoprobe and lab analysis to be "clean," and which were identified as requiring follow-up activities such as remediation. Tabulated lab data from the Phase II / SI Geoprobe soil borings is found on Table 1 (in Appendix B).

As detailed on Table 1, four of the eight separate "REC Areas" were discovered to have soil contamination levels above their respective NR 720 Soil Clean-Up Standards, while the other four areas were found to be "clean" or to have trace concentrations of contaminants below (or well below) applicable standards. The four "clean" areas not requiring remediation are areas A, B, C and G. The four areas where DRO and/or one or more VOCs were found to be in excess of NR 720 standards were:

- Area "D": The former location of the 1980's-era auto drain rack, where DRO (up to 800 mg/kg) and total xylenes (27 mg/kg) exceeded their standards;
- Area "E": The former location of the car crusher operated by Zmek, where DRO (19,000 mg/kg) exceeded the standard;
- Area "F": Near the modern-era drain rack, where DRO (470 mg/kg), benzene (0.38 mg/kg), toluene (4.8 mg/kg), and total xylenes (6.5 mg/kg) exceeded their standards; and,
- Area "H": In the former motor storage area where DRO (17,000 mg/kg) exceeded its standard.

Figure 4 in appendix A shows the locations of the areas where further effort (remediation) was deemed necessary based on the soil results.

WDNR conducted an interim review of the soil results early in 2007 and requested that additional soil boring and analysis work be completed at Areas F and H. In May, 2007, SCC did the requested work by advancing two shallow soil borings (a foot deep) into the areas where prior results had yielded elevated DRO data and submitted these soil samples for GRO and PAH analysis as requested.

Results from the May 2007 follow-up Phase II / SI soil borings are in Table 1. Although many PAH-family compounds were detected, only a few were at or above their respective standards, including

- Area "H" follow-up, where benzo[b]fluoranthene (0.55 mg/kg) and indeno[1,2,3-cd]pyrene exceeded their respective standards, and
- Area "F" follow-up, where benzo[b]fluoranthene (0.089 mg/kg) exceeded its standard.

GRO values in the follow-up sampling were well below the applicable standard of 100 mg/kg.

It is noted that soils in both segments of the Phase II ESA / SI sampling which returned elevated results were easily noted in the field as being rather heavily oiled soils by their texture, color, and odor. The finding that these soils were above their respective standards was not as surprising as was the relatively low-levels of contamination compared to their appearance. One reasonable explanation for this is these were surface spills under investigation, some of which were probably decades old and have had years to

biodegrade, evaporate, and otherwise become diminished in total petroleum content in the near surface environment while still retaining some visible features of 'old' oil (tar-type texture, etc).

Table A: Phase II ESA / SI Drilling and Analytical Summary											
Area Descriptor	Boring Name	Sample Depth (ft)	Soil Analysis				Groundwater Analysis			Total Boring Depth (ft)	Area Designated for Remediation
			DRO	VOC	lead	Mercury	DRO	VOC	lead		
A	GP-A1	2 2-3	✓ --	✓ --	-- ✓	-- --	✓	✓Y	✓Y	8	No
B	GP-B1	3 3-4	✓ --	✓ --	-- ✓	-- ✓	✓	✓Y	✓Y	8	No
C	GP-C1	3 3-4	✓ --	✓ --	-- ✓	-- ✓	✓	✓Y	✓	12	No
D	GP-D1	3 2-3	-- ✓Y	-- ✓	-- --	-- --	✓	✓	✓	14	Yes
		2 2-3	✓Y --	✓Y --	-- ✓	-- --	✓	✓	✓	14	
	GP-D2	6 3	✓ --	✓ --	-- --	-- --	✓	✓	✓Y	16	
		2-3	✓ --	✓ --	-- --	-- --	✓	✓	✓Y	16	
	E	GP-E1	2 3-4	✓Y --	✓ --	-- ✓	✓ --	✓	✓	✓	
6 2-3			✓ ✓Y	✓ ✓Y	-- --	✓ ✓	✓	✓Y	✓	24	
F			GP-F1	3-4 8	-- ✓	-- ✓	✓ --	-- --	✓	✓Y	✓
	GP-F2	3 2-3		✓ --	✓ --	-- ✓	-- --	✓	✓Y	✓	22
		G		GP-G1	10 11	-- ✓	-- ✓	✓ --	-- --	✓	✓
H	GP-H1		2-3 3-4		✓Y --	-- --	-- ✓	-- --	✓	✓Y	✓
		6	✓	✓	--	--	✓				
		<div>Explanation</div> <div><div>✓Y</div>Analyzed and detected above applicable standards For soil, NR 720, for GW, NR 140 PAL</div> <div><div>✓</div>Analyzed and not detected above applicable standards</div> <div><div>--</div>Not analyzed</div> <div><div>✓Y</div>Analyzed and detected above applicable standards non-contaminant: lab artifact or naturally occurring (see text)</div>									

It is also noted that these areas of 'obvious' soil contamination were very much restricted to the near-surface, generally less than a few feet in total depth. The field observation of rapidly diminishing soil contamination with depth was confirmed with soil analytical results.

2.4. Groundwater Laboratory Results

Groundwater 'grab' samples were collected from the bottom of all eleven Geoprobe soil borings installed during the Phase II ESA / SI. Water samples were also collected from the two on-site potable wells. All water samples were analyzed for lead, DRO, and VOCs. Table 2 (in Appendix B) summarizes all groundwater results from the Zmek investigations.

Of the 13 groundwater samples analyzed from across the entire Zmek property, eight of them had very low-level detections of chloromethane, all between 0.36 and 2.1 ug/l which is marginally above the limit

of detection. Chloromethane is among the most common laboratory contaminants, and in the absence of any other indications of significant groundwater contamination, these widely-spaced, low-level chloromethane detections (often as not in areas unrelated to the areas where overlying soil contamination had been discovered) are confidently attributed to laboratory procedures and an artifact of the analytical process, not groundwater contamination.

Two of the 13 groundwater analyses had detections of VOCs. In GP-C1, an area where soil exceedences were not discovered, one VOC detection in groundwater was noted: 0.72 ug/l of benzene. This value is marginally above the NR 140 PAL of 0.5 ug/l. No other VOCs were detected in GP-C1 (except for chloromethane discussed above). There is no clear evidence the benzene in GP-C1 is the result of external contamination of the sample or a measure of actual groundwater contamination. What can be stated is that the absence of any other VOCs in the sample, the absence of overlying soil contamination, and the relatively low concentration of benzene would indicate there is no reason to suggest that groundwater contamination in the vicinity of GP-C1 is of any significant consequence, if it exists at all.

DRO was not detected in any of the 13 groundwater samples.

Lead was detected in nine of the 13 groundwater samples, always within a narrow range of very low concentrations hovering just above the detection limit, at between 0.74 and 2.0 ug/l. A few of the lead detections marginally exceeded the NR 140 PAL of 1.5 ug/l, yet none approached the ES of 15 ug/l. As with chloromethane, lead detections are widely scattered and do not have a direct correlation with areas of known soil contamination. In fact, the areas with the highest levels of soil petroleum contamination (Areas E and H) were non-detect for lead in the underlying groundwater.

Based on the observed widely scattered occurrence and uniformly low-levels of lead in groundwater samples, and based on the absence of overlying soil contamination, we conclude these lead detections are either an anomaly in the testing procedure or a naturally-occurring metal in the aquifer regionally.

The conclusion from the groundwater sampling is that significant groundwater contamination is not an issue for further investigation or remediation at the Zmek property. Low-level detections of lead and chloromethane are confidently attributed to laboratory procedural artifacts or, in the case of lead, may be naturally occurring.

3. REMEDIAL ACTIONS

Based on the results from the Phase II ESA / SI, a remedial action plan involving excavation of contaminated soil was developed and implemented. Although the soil borings from the Phase II ESA / SI were limited, the horizontal extent of soil contamination was relatively easy to estimate using visual observations of the surface staining around the borings combined with data from lab analyses.

Remediation at the Zmek site involved the excavation of non-compliance (contaminated) soil, which was then hauled to the Lincoln County Landfill for incorporation into their biologic treatment cell. Sampling of the sidewalls and bases of the excavations was done to confirm the excavation dimensions were adequate. Results of the post-remedial soil sampling will be discussed later in this section.

Also described in this "remediation" section are other activities somewhat tied to NR 700-related issues such as drum disposal.

Appendix D contains a photo log of remedial action activities.

3.1. Contaminated Soil Excavation Activities

The contractors participating in the remedial action work were:

Excavation and Trucking Contractor (NR 724.05(2)(e)2.c.)

Oettinger Excavating, Inc.
3456 Moens Lake Dr.
Rhineland, WI 54501
715-369-2872

Soil Remedial Contractor (NR 724.05(2)(e)2.c.)

Lincoln County Landfill
N4750 Landfill Lane
Merrill, WI 54452
715-536-9636

Lab Analytical Contractor (NR 724.05(2)(e)2.c.)

CT Laboratories
1230 Lange Court
Baraboo, WI 53913-3901
800-228-3012

3.1.1. Excavation Chronology

For reasons described in this subsection, remedial activities were completed in three short but separate phases over the 9-month period October, 2007 through June, 2008.

October 1, 2007: Excavation of contaminated soil from all four areas (D, E, F, and H) was initially scheduled to be completed on one day, October 1, 2007. The excavating work began on time, yet due to unforeseen delays, the finding of more soil to be removed than had been estimated, and mechanical and other issues, excavation was completed at only Areas H and E that day. Due to scheduling conflicts with the excavating and trucking contractors, the work could not be continued on the following day and had to be rescheduled for a date three weeks later, October 22, 2007.

October 22, 2007: Excavation of contaminated soil from Areas D and F was completed on October 22. Also on this day, a small unnamed area located 'north of Area H and east of Area E' noted to have possible stained soil was excavated to a depth of several feet. This small surface stained area was completely remediated during this excavation. A small area denoted as the "burn area" on Figure 4 was also addressed on this day. One truckload (17.03 tons) of dirt, ash, and debris was removed from the burn area and was hauled to the landfill.

Subsequent to the October excavations, and during the removal of massive piles of scrap tin (and other metals and debris) as part of the ongoing effort to houseclean this large scrap yard, an area previously buried beneath a particularly large debris pile was, once uncovered, noted to have faint petroleum odors, or soil staining, or both. Even though there was no lab data as confirmation, professional judgment by an SCC representative concluded these newly exposed soils were likely contaminated with petroleum. Since this area was relatively small and, like other spills on the property, was a surface spill, the decision was made to proceed directly to remediation (excavation) of these soils bypassing the time and expense associated with a more formal site investigation. It has been called the "Tin Pile Area" and is shown on Figure 3.

June 16 – 18, 2008: The third and final round of excavating was completed over this period in June of 2008. Over these few days, excavation work was completed at three locations. These are described as:

- The "Tin Pile Area." Post-excavation soil samples were collected from the base and sidewalls of the excavation.
- Area F (again). Results from the October excavation sidewalls indicated residual petroleum contamination at Area F, and in June of 2008, these residual soils were excavated and sidewall confirmation samples were collected.
- Area E (again). Confirmation soil sampling from the October round indicated this area was clean, yet some surface garbage near Area E was removed and in doing so some additional imbedded soil was removed and taken to the sanitary landfill. This is noted because soil was removed during this activity, yet it was not contaminated soil.

3.1.2. Excavation Summary

For the October 2007 excavations of Areas D, E, F, H, and the burn area, a total of 892.88 tons of contaminated soil was excavated and hauled to the Lincoln County Landfill for treatment in their biopile.

For the June 2008 excavations of the Tin Pile and the revisit to Areas E and F, a total of 1,033.65 tons of soil (containing significant volumes of intermixed surface debris) was removed and taken to the Lincoln County Landfill's biopile.

The overall total of soil excavated from the seven areas of concern (D, E, F, H, Tin Pile, Burn Area and 'the area near Areas H and E') over the period October 2007 through June 2008 was 1926.53 tons (a mass which includes a small percentage of trash). Copies of the truck weight tickets are in Appendix E.

3.1.3. Soil Sampling Results from Remedial Soil Excavations

For simplicity, all excavation results from all stages of the excavating and all locations are discussed in this section without significant reemphasis on the excavation chronology described above except where

necessary. Appendix G contains copies of the laboratory reports.

Figure 5 shows the horizontal extent of the five remedial excavations where sidewall and base samples were collected. Table 3 has the post-remedial soil results tabulated. In Table 3, the first letter of the sample denotes the Area from which it was collected (i.e. D, E, F or H), followed by an "S" or "B" which denotes it as a sidewall or base sample, respectively, while the integer at the end is the sequence of collection. Note that for the Tin Pile samples, the Area identifier is the letter "J."

Confirmation soil sampling in the sidewalls and bases of the excavations was completed in a relatively dense pattern. Area F, for example, is 60 feet by 25 feet, and had 13 confirmation samples collected, which is nearly one for every 100 square feet of excavation base.

References to "the standard" in the following paragraphs refers to the NR 720 Soil Clean-Up Standard for soils with hydraulic conductivity of greater than $10e-6$. The standard values and the results are listed on Table 3.

Post-remediation soil samples were analyzed for DRO, GRO, PVOCs, or some combination thereof. In addition, two samples (from Areas E and H) were analyzed for PAH's. A total of 54 soil samples were collected as part of the post-remediation confirmation sampling effort across all areas.

For Area D (~40' x 20'), nine of the ten samples analyzed for GRO, DRO, or PVOC were either below detection or, if detected, below the standard. The lone exception is sample DB1-5', which had a result of 130 mg/kg DRO which is marginally above the standard of 100. Both GRO and PVOCs were non-detected in this same sample. Based on the observation that all other sidewalls and basal samples were below standards, and on visual evidence that excavation was substantially successful, we consider the marginal DRO exceedence to be anomalous and not indicative of substantial residual contamination. We consider remediation at Area D to be complete.

For Area E (~30' x 30'), all eleven samples collected and analyzed for DRO, PVOC, or both, were below detection. One sample analyzed for PAHs had trace detections of a few compounds at levels well below their standards. Remediation at Area E is considered complete.

For Area F (~65' x 25'), eleven of the thirteen samples collected and analyzed for DRO, GRO, or PVOC in the October 2007 sampling returned results either below detection or, if detected, below the standard. Two of the thirteen samples, FS10-2' and FS12-2', had exceedences of the standard for benzene and DRO. As a result, Area F was revisited in June of 2008 and the excavation deepened and expanded in the problem area. Three additional samples collected from the expanded excavation, all analyzed for GRO, DRO and PVOC, yielded results which were either below detection or, if detected, below the standard. Remediation at Area F is considered complete.

For Area H (~50' x 30'), all six soil samples collected and analyzed for DRO and PVOC were below detection or, if detected, below the standard. One sample from Area H, analyzed for PAHs, yielded a few low-level detections well below the standard, with one exception. Acenaphthylene has a standard of 1.2 mg/kg and was detected at 4.9 mg/kg in HB3-6'. Based on the observation that all other sidewalls and basal samples were below standards, and on visual evidence that excavation was substantially successful, we conclude that remediation at Area H is complete.

For the Tin Pile Area (~120' x 75'), nine of the 12 post-remediation soil samples analyzed for GRO, DRO and/or PVOC were either below detection or, if detected, were below standards. Three samples from

this area, JP7, JP10, and JP12, all collected at 0.5' depth, yielded DRO at 110, 610, and 160 mg/kg respectively, which are above the standard of 100 mg/kg. None of these three 'DRO hits' has associated GRO or PVOC concentrations of any consequence. Our overall view is the DRO analytical window, which captures a broad spectrum of petroleum and naturally occurring substances, many of which are not considered toxic and do not have environmental standards, is an effective screening tool for very high (>10,000 mg/kg) or non-detection of DRO compounds, but it is somewhat arbitrary when the results hover near the standard. If significant petroleum contamination indeed did remain in this area, it would have been observed during the excavation, it would have been manifested in detections of PVOCs and GRO, in detections in other nearby samples, and would have had higher DRO values themselves. Overall, we do not consider these three DRO sample results to spell out the need for additional excavating work at the Tin Pile Area, and we consider remediation there complete.

Groundwater was not encountered in any of the excavations.

3.2. Drum Management and Disposal Activities

Although not technically part of an NR 700 remediation activity, the substantial effort (and cost) associated with the drum management activities bears summary mention in this report.

During the initial Phase I ESA site walkover in 2006, SCC representatives noted the presence of hundreds of containers (mostly 55-gallon drums) scattered over at least 10 locations throughout the property, having been placed there for 'storage.' Shortly after the drums were noted, SCC was tasked with inventorying the drums, their locations, their contents, and ultimately, overseeing their proper disposal.

In June and August of 2007, Veolia Environmental Services removed 203 drums and other liquid-bearing containers from the site. Most of these drums were full or nearly full, and contained the automotive liquids one would expect to find at an auto scrap yard where used autos are drained of their fluid prior to crushing: antifreeze, diesel fuel, gasoline, transmission fluid, brake fluid and other hydraulic oils, many of which were mixed with water.

All drum storage locations were carefully evaluated by SCC looking for leaks, spills, or any other indications the drums contents had escaped and contaminated soil or groundwater. Obviously, drums which were completely full were of less concern than those that were empty. In fact, very few – if any – drums were empty. Nearly all were completely full, and none showed clear signs of leakage. Soil staining was not found near the drums, nor were odors noted. Thus, although the drum disposal was a major part of the decommissioning of the Zmek property in terms of effort and cost, their haphazard drum storage procedures had little or no effect on environmental conditions, with two exceptions. Areas D and F, where soil contamination was discovered and remediated, were former drain rack areas (where vehicle fluids were drained and placed into drums). These two areas were also noted as 'drum storage areas' which did require remedial action.

Appendix F contains documentation of the drum disposal. Much additional documentation on the drum management and disposal activities such as the inventory records, maps of former drum storage areas, and other documentation are on file at SCC.

4. RESIDUAL PETROLEUM CONTAMINATION: SUMMARY

This section summarizes the work in a manner which may be usable for report reviewers to evaluate the remaining contamination on the property without having to read the entire report. As a result, some of the information in this section is redundant.

4.1. Extent and Degree of Post-Remedial Soil Contamination

There are three areas where excavations have removed the majority of the soil but where low-level detections of one or more petroleum analyses from excavation sidewalls or base soils were above standards. As described in the previous section, these areas host what is almost certainly *very minor* residual soil contamination.

Figure 6 shows the approximate extent of residual contaminated soil at this site.

The depth of residual contaminated soil is estimated to be roughly 6 to 8' bgs in Area H; 5 to 6' bgs in Area D; and 0.5 to 1.5' in the tin pile area. Up to a maximum of 81 yards (114 tons) of residual contaminated soil is estimated to remain on this site.

4.2. Groundwater Contamination Not Present

Non-compliance groundwater in exceedance of NR 140 enforcement standards does not exist on this site. Occasional low-level detections (and occasional NR 140 PAL exceedences) for lead and chloromethane in groundwater samples are confidently attributed to lab procedural issues or naturally occurring substances, but not to groundwater contamination resulting from activities at the site.

4.3. Contaminant Migration Pathway and Receptor Assessment

- The direct contact pathway is not of concern because soil less than 4 feet bgs with values in excess of NR 746 Table 2 direct contact values does not exist on the site.
- Underground utilities are present on the site. However, they are not located in areas in close proximity to the areas containing residual non-compliance soil.
- Pathways to sensitive environments are not recognized at this site. Pathways to plant uptake and the food chain pathway are not recognized at this site.
- Pathways leading to groundwater exist on this site. However, based on the extremely low level detections (or no detections) of DRO, lead, and/or VOCs in the water samples collected at the site, the past releases to the environment do not appear to have affected the site groundwater to any significant degree. And now after remediation, it is far less likely that the minimal volume and concentrations of residual non-compliance soil could have a significant impact on the groundwater in the future.
- Potential health impacts are not currently recognized at the site.

5. CONCLUSIONS AND RECOMMENDATIONS

A series of thorough investigations were conducted, appropriate remedial actions were performed, and the overall risks to the environment were assessed and managed in accordance with standard protocols.

Based on the findings of this work, the Zmek and Sons property is eligible for final site closure. As part of this closure process, the small volume of relatively minor residual soil contamination should be addressed using WDNR's GIS registry procedure.

6. DISCLAIMER AND LIMITATIONS OF RELIABILITY ON FINDINGS

The findings and conclusions reached in this report are based upon the data obtained in the site investigation and other site activities. The methods used in collecting and analyzing the data were generally consistent with currently accepted technical standards, and the interpretation and evaluation of the data were completed using currently accepted professional methods and procedures.


Environmental investigations such as this one are limited by the constraints of time and cost. Only selected soil and ground water samples are collected from relatively widespread areas, and the data from these relatively discrete samples are necessarily extrapolated to areas not tested or explored. These extrapolations of known data into unknown areas are essential in completing the investigation under the given time and cost constraints, but can, at times, lead to misinterpretation. Although preparation of this report involved using best professional judgment and currently accepted professional standards to make the extrapolations, no warranty is stated or implied as to the geotechnical or environmental condition of soil or ground water in areas not directly tested in this investigation.

Environmental conditions of soil and ground water are dynamic and change with time. For this reason, the reliability of the findings and conclusions reached in this report are most accurate for the time that the sampling was completed. Due to the dynamic nature of natural systems, the reliability of the findings and conclusions reached in this report diminishes with the passing of time.

Appendix A

Site Figures

Figure 1	Site Location Map (1"=2,000')
Figure 2	Survey Map
Figure 3	Summary of Phase I Findings
Figure 4	Phase II Drilling Locations
Figure 5	Excavation Areas and Soil Sample Locations
Figure 6	Approximate Extent of Residual Non-Compliance Soil



Name: EAGLE RIVER WEST
 Date: 5/1/2007
 Scale: 1 inch equals 2000 feet

Location: 045° 53' 34.55" N 089° 17' 31.71" W NAD 27
 Caption: Figure 1: Site Location of Zmek Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI



DATE: 09/08

Figure 3:
Summary of Findings

Zmek & Sons Wrecking, Inc.
8861 County Highway H
Eagle River, WI

Base Photo taken in the spring of 2005 by
the Oneida County Land Information Office

Property lines are from others and are approximate

Prepared November, 2006

N



Explanation

K-T Drum Storage Area:
Removal Recommended

A-H Recognized Environmental
Condition (REC)

Zmek & Sons Wrecking REC Summary	
REC Area	Description
A	At south end of long pond. Possible pre-1990's fluid storage/spill area reported here
B	Reported location of 70's era vehicle crusher.
C	Reported location of Schultz Bros. (70's and 80's era) crusher
D	Reported location of '80's era drain rack, including visible soil contamination
E	Reported location of 90's (and more recent) Zmek crusher.
F	Recent (90's to current) drain rack
G	Former location of 1,000 gal diesel/gas UST (on SW building corner).
H	Motor storage area.

Sand Creek Consultants, Inc.
Environmental and Geological
Scientists and Engineers
P.O. Box 1512
Rhinelander, WI 54501
www.sand-creek.com





Figure 4:
Phase II Drilling Locations

Zmek & Sons Wrecking, Inc.
8861 County Highway H
Eagle River, WI

Base Photo taken in the spring of 2005 by
the Oneida County Land Information Office

Property lines are from others and are approximate

Prepared January, 2007



Explanation

- A Recognized Environmental Condition (REC) from Phase I
- C1 Soil and GW Geoprobe location from Phase II
- X-Y Potable Well Location

approximate property line

approximately 38 acres







Burn Area

Tin Pile Area

Zmek & Sons Wrecking REC and Geoprobe Drilling Summary				
REC Area	Description	Geoprobe Boring	Contamination above Standards?	
			Soil	GW
A	At south end of long pond. Possible pre-1990's fluid storage/spill area reported here	A1	No	No
B	Reported location of 70's era vehicle crusher.	B1	No	No
C	Reported location of Schultz Bros. (70's and 80's era) crusher	C1	No	No
D	Reported location of 80's era drain rack, including visible soil contamination	D1, D2, D3	Yes	No
E	Reported location of 90's (and more recent) Zmek crusher.	E1	Yes	No
F	Recent (90's to current) drain rack	F1, F2	Yes	No
G	Former location of 1,000 gal diesel/gas UST (on SW building corner).	G1	No	No
H	Motor storage area.	H1	Yes	No

Sand Creek Consultants, Inc.
Environmental and Geological
Scientists and Engineers
P.O. Box 1512
Rhineland, WI 54501
www.sand-creek.com





LEGEND	
DB1-2'	Sample #, depth
○	Soil sample result < standard
●	Soil sample result > standard: soil removed
●	Soil sample result > standard: soil not removed
2'	Excavation depth
▨	Approximate depth and extent of residual contamination

Note: Areas E, F, and H are shown in their respective locations relative to the shed.



SAND CREEK CONSULTANTS, INC.
16 Randall Avenue, P.O. Box 1512
Rhinelander, WI 54501
Tel: 715.365.1818
Fax: 866.608.6473


EXCAVATION AREAS AND SOIL SAMPLE LOCATIONS

ZMEK & SONS WRECKING
EAGLE RIVER, WI


FIGURE 5

DATE: 08/08
DRAWN BY: BSH


Area E



Area H




Shed




LEGEND

- DB1-2' Sample #, depth
- Soil sample result < standard
- Soil sample result > standard: soil removed
- Soil sample result > standard: soil not removed
- 2' Excavation depth
- Approximate depth and extent of residual contamination


Area F



Tin Pile



Area D



Note: Areas E, F, and H are shown in their respective locations relative to the shed.



SAND CREEK CONSULTANTS, INC.
16 Randall Avenue, P.O. Box 1512
Rhinelander, WI 54501
Tel: 715.365.1818
Fax: 866.608.6473

APPROXIMATE EXTENT OF RESIDUAL
NON-COMPLIANCE SOIL
ZMEK & SONS WRECKING
EAGLE RIVER, WI

FIGURE 6

DATE: 08/08
DRAWN BY: BSH

Appendix B

Tables

Table 1	Site Investigation Soil Sample Results
Table 2	Site Investigation Groundwater and Potable Well Sample Results
Table 3	Post-Remedial Soil Sample Results

Table 1:
Site Investigation Soil Sample Results
 Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

Explanation	
nd	Analyzed but not detected
NA	Not analyzed
<.025	Not detected w/method detection limit > cleanup standard
35	Exceeds NR 720 cleanup standard

Sample Number	GP-A1		GP-B1		GP-C1		GP-D1		GP-D2			GP-D3		NR 720 Soil Cleanup Standards for Soil with $K>10^{-6}$ cm/sec
Sample Location	Possible area of oil or gas disposal in the 1960's		Approx. location of 1970's - 1980's era Schulz Brothers crusher		Alternative location of 1970's - 1980's era Schulz Brothers crusher		Reported location of 1980's era auto drain rack							
Depth below ground (ft)	2	2-3	3	3-4	3	3-4	3	2-3	2	2-3	6	3	2-3	
Date sampled	12/05/06						12/04/06							
Analyte														
Lead (mg/kg)	NA	2.4	NA	1.4	NA	1.2	3.0	NA	NA	3.6	NA	1.5	NA	50
Mercury (mg/kg)	NA	NA	NA	<0.0013	NA	<0.0011	NA	NA	NA	NA	NA	NA	NA	none est.
DRO (mg/kg)	nd	NA	nd	NA	nd	NA	NA	800	470	NA	nd	NA	nd	100
VOCs (in mg/kg)														
Benzene	<0.011	NA	<0.012	NA	<0.011	NA	NA	<0.011	<0.11	NA	<0.010	NA	<0.011	0.0055
Toluene	nd	NA	nd	NA	nd	NA	NA	nd	0.24	NA	nd	NA	nd	1.5
Ethylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	0.14	NA	nd	NA	nd	2.9
Total Xylenes	nd	NA	nd	NA	nd	NA	NA	nd	27	NA	nd	NA	nd	4.1
M/P Xylene	nd	NA	nd	NA	nd	NA	NA	nd	11	NA	nd	NA	nd	none est.
O-Xylene	nd	NA	nd	NA	nd	NA	NA	nd	16	NA	nd	NA	nd	none est.
1,3,5-Trimethylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	46	NA	nd	NA	nd	none est.
1,2,4-Trimethylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	70	NA	nd	NA	nd	none est.
MTBE	nd	NA	nd	NA	nd	NA	NA	nd	nd	NA	nd	NA	nd	none est.
4-Methyl-2-pentanone	nd	NA	nd	NA	nd	NA	NA	nd	nd	NA	nd	NA	nd	none est.
acetone	nd	NA	nd	NA	nd	NA	NA	0.27	nd	NA	nd	NA	nd	none est.
n-Butylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	21	NA	nd	NA	nd	none est.
sec-Butylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	2.4	NA	nd	NA	nd	none est.
Isopropylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	0.31	NA	nd	NA	nd	none est.
p-Isopropyltoluene	0.12	NA	nd	NA	nd	NA	NA	nd	2.7	NA	nd	NA	nd	none est.
n-Propylbenzene	nd	NA	nd	NA	nd	NA	NA	nd	0.23	NA	nd	NA	nd	none est.
Tetrachloroethene	nd	NA	nd	NA	nd	NA	NA	nd	nd	NA	nd	NA	nd	none est.
Trichlorofluoromethane	nd	NA	0.033	NA	nd	NA	NA	0.024	nd	NA	nd	NA	nd	none est.
Naphthalene	nd	NA	nd	NA	nd	NA	NA	nd	2.7	NA	nd	NA	nd	none est.

Note: Acetone was detected in the methanol blank at 0.36 mg/kg.

Table 1 (continued):

Site Investigation Soil Sample Results

Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

Explanation

nd	Analyzed but not detected
NA	Not analyzed
<.025	Not detected w/method detection limit > cleanup standard
35	Exceeds NR 720 cleanup standard

Sample Number	GP-E1			GP-F1			GP-F2		GP-G1		GP-H1			NR 720 Soil Cleanup Standards for Soil with K>10 ⁻⁶ cm/sec
Sample Location	Reported location of 1990's (and more recent) car crusher operated by Zmek			Recently used (1990's to present) drain rack					Reported former location of 1,000 gal UST		Former motor storage area			
Depth below ground (ft)	2	3-4	6	2-3	3-4	8	3	2-3	10	11	2-3	3-4	6	
Date sampled	12/5/2006								12/6/2006		12/5/2006			
Analyte														
Lead (mg/kg)	NA	1.7	NA	NA	2.4	NA	NA	12.0	1.1	NA	NA	4.8	NA	50
Mercury (mg/kg)	NA	0.0028	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	none est.
DRO (mg/kg)	19,000	NA	2.3	470	NA	nd	nd	NA	NA	nd	17,000	NA	nd	100
VOCs (in mg/kg)														
Benzene	<0.011	NA	<0.011	0.38	NA	<0.011	<0.011	NA	NA	<0.011	0.011	NA	<0.010	0.0055
Toluene	0.039	NA	nd	4.8	NA	nd	nd	NA	NA	nd	0.079	NA	nd	1.5
Ethylbenzene	nd	NA	nd	1.2	NA	nd	nd	NA	NA	nd	0.046	NA	nd	2.9
Total Xylenes	0.45	NA	nd	6.5	NA	nd	nd	NA	NA	nd	0.38	NA	nd	4.1
M/P Xylene	0.10	NA	nd	4.4	NA	nd	nd	NA	NA	nd	0.17	NA	nd	none est.
O-Xylene	0.35	NA	nd	2.1	NA	nd	nd	NA	NA	nd	0.21	NA	nd	none est.
1,3,5-Trimethylbenzene	0.72	NA	nd	0.60	NA	nd	nd	NA	NA	nd	0.52	NA	nd	none est.
1,2,4-Trimethylbenzene	0.83	NA	nd	1.9	NA	nd	nd	NA	NA	nd	0.75	NA	nd	none est.
MTBE	nd	NA	nd	0.018	NA	nd	nd	NA	NA	nd	nd	NA	nd	none est.
4-Methyl-2-pentanone	nd	NA	nd	nd	NA	nd	nd	NA	NA	nd	0.18	NA	nd	none est.
acetone	nd	NA	0.24	0.47	NA	nd	nd	NA	NA	0.19	0.52	NA	nd	none est.
n-Butylbenzene	0.31	NA	nd	0.20	NA	nd	nd	NA	NA	nd	0.72	NA	nd	none est.
sec-Butylbenzene	0.044	NA	nd	0.023	NA	nd	nd	NA	NA	nd	0.047	NA	nd	none est.
Isopropylbenzene	0.021	NA	nd	0.052	NA	nd	nd	NA	NA	nd	0.022	NA	nd	none est.
p-Isopropyltoluene	nd	NA	nd	0.024	NA	nd	nd	NA	NA	nd	0.073	NA	nd	none est.
n-Propylbenzene	0.065	NA	nd	0.20	NA	nd	nd	NA	NA	nd	0.082	NA	nd	none est.
Tetrachloroethene	0.057	NA	nd	nd	NA	nd	nd	NA	NA	nd	nd	NA	nd	none est.
Trichlorofluoromethane	nd	NA	nd	nd	NA	nd	nd	NA	NA	nd	nd	NA	nd	none est.
Naphthalene	0.30	NA	nd	0.20	NA	nd	nd	NA	NA	nd	1.7	NA	nd	none est.

Note: Acetone was detected in the methanol blank at 0.36 mg/kg.

Table 1 (continued):
Site Investigation Soil Sample Results
 Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

Sample Number	HB1	HB2	NR 720 Soil Cleanup Standards for Soil with $K>10^{-6}$ cm/sec	
Sample Location	Adjacent to GP-H1	Near F1 (3' N of NW corner of drain rack)		
Depth below ground (ft)	1'	1'		
Date sampled	05/25/07			
Analyte				
GRO (mg/kg)	51	48	100	
			Suggested Generic Residual Contaminant Levels (GRCLs) for PAHs in soil	
			Groundwater Pathway	Direct Contact Pathway (Non-Industrial)
PAHs (in mg/kg)				
Acenaphthene	<0.26	<0.053	69	900
Acenaphthylene	<0.34	<0.069	1.2	18
Anthracene	0.22	0.018	6000	5000
Benzo[a]anthracene	<0.011	<0.0022	30	0.088
Benzo[a]pyrene	<0.033	<0.0067	90	0.0088
Benzo[b]fluoranthene	0.55	0.089	650	0.088
Benzo[g,h,i]perylene	0.25	<0.013	12000	1.8
Benzo[k]fluoranthene	<0.033	<0.0067	1600	0.88
Chrysene	0.50	0.064	66	8.8
Dibenzo[a,h]anthracene	<0.055	<0.011	69	0.0088
Fluoranthene	1.5	<0.0044	1000	600
Fluorene	0.35	<0.013	200	600
Indeno[1,2,3-cd]pyrene	0.13	<0.0067	1200	0.088
1-Methyl naphthalene	3.1	<0.053	42	1100
2-Methyl naphthalene	3.0	<0.055	30	600
Naphthalene	<0.23	<0.047	0.7	20
Phenanthrene	0.65	0.035	3.3	18
Pyrene	4.2	0.095	16000	500

Explanation

nd	Analyzed but not detected
<.025	Not detected (method detection limit shown)
35	Exceeds NR 720 cleanup standard or GRCLs

Table 2:
Site Investigation Groundwater and Potable Well Sample Results
 Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

TABLE EXPLANATION	
na	Not analyzed
ND	Not detected w/ MDL <NR 140 ES
<1,000	< MDL: Not detected w/ MDL >NR 140 ES
3	Exceeds NR 140 PAL
40	Exceeds NR 140 ES

SAMPLE NUMBER	GP-A1	GP-B1	GP-C1	GP-D1	GP-D2	GP-D3	GP-E1	GP-F1	GP-F2	GP-G1	GP-H1	S ZMEK	SHED WELL	PAL	ES
DATE SAMPLED	12/05/06			12/04/06			12/05/06			12/06/06	12/05/05	12/06/06	10/01/07		
DRO (mg/l)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	None	None
Lead (ug/l)	1.7	2.5	1.2	ND	0.74	2.0	ND	1.1	1.3	0.93	ND	ND	1.9	1.5	15
VOCs (in ug/l)															
Benzene	ND	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	5
Toluene	ND	ND	ND	ND	ND	ND	ND	0.44	ND	ND	ND	ND	ND	200	1,000
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	700
Total Xylenes (calculated)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1,000	10,000
M/P Xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	None	None
Styrene / O-xylene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	10	100
MTBE	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	12	60
1,2,4 Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	None	None
1,3,5 Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	None	None
Total Trimethylbenzenes	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	96	480
Chloromethane	0.54	0.50	0.46	ND	ND	ND	ND	0.53	0.61	ND	0.36	0.36	2.1	0.3	3
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	8	40

Table 3:

Post-Remedial Soil Sample Results

Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

Explanation

nd	Analyzed but not detected
NA	Not analyzed
<.025	Not detected w/method detection limit > cleanup standard
35	Exceeds NR 720 cleanup standard

Sample Number	Area "H"						Area "E"											NR 720 Soil Cleanup Standards for Soil with K>10 ⁻⁶ cm/sec
	HB1	HB2	HB3	HB4	HB5	HB6	EB7	EB8	EB9	EB10	ES11	ES12	ES13	EB14	EB15	EB16	ES17	
Depth below ground (ft)	3	3	6	3	3	3	3.5	3.5	3.5	3.5	2	2	2	3.5	1.5	1.5	2	
Date sampled	10/1/2007																	
Analyte																		
GRO (mg/kg)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	100
DRO (mg/kg)	nd	nd	NA	7.3	21	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	100
PVOCs (in mg/kg)																		
Benzene	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	NA	<.025	<.025	<.025	0.0055
Toluene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	1.5
Ethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	2.9
Total Xylenes	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	4.1
M/P Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	none est.
O-Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	none est.
1,3,5-Trimethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	none est.
1,2,4-Trimethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	none est.
MTBE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	NA	nd	nd	nd	none est.
PAHs (in mg/kg)	Residual soil contamination in Area H to be managed via GIS registry																	Suggested GRCLs for PAHs in Soil - Groundwater Pathway
1-Methylnaphthalene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	42
2-Methylnaphthalene	NA	NA	0.096	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	30
Acenaphthene	NA	NA	0.21	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	69
Acenaphthylene	NA	NA	4.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.21	NA	NA	NA	1.2
Anthracene	NA	NA	0.0046	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	6000
Benzo(a)anthracene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	30
Benzo(a)pyrene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	90
Benzo(b)fluoranthene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	650
Benzo(g,h,i)perylene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	12000
Benzo(k)fluoranthene	NA	NA	0.0046*	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0052*	NA	NA	NA	1600
Chrysene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	66
Dibenzo(a,h)anthracene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	69
Fluoranthene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	1000
Fluorene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	200
Indeno(1,2,3-cd)pyrene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	1200
Naphthalene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	0.7
Phenanthrene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.0068	NA	NA	NA	3.3
Pyrene	NA	NA	nd	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	nd	NA	NA	NA	16000

* Detected in associated method blank.

None of the PAHs detected exceed their respective suggested GRCLs for non-industrial direct contact.

Table 3 (continued):

Post-Remedial Soil Sample Results

Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

Explanation

nd	Analyzed but not detected
NA	Not analyzed
<.025	Not detected w/method detection limit > cleanup standard
35	Exceeds NR 720 cleanup standard

Area "D"											
Sample Number	DB1	DS2	DS3	DB4	DS5	DS6	DB7	DS8	DS9	DS10	NR 720 Soil Cleanup Standard for Soil with $K > 10^{-6}$ cm/sec
Depth below ground (ft)	5	2	2	2.5	2	2	2	1.5	1.5	1.5	
Date sampled	10/22/2007										
Analyte											
GRO (mg/kg)	nd	nd	nd	nd	nd	42	14	nd	nd	nd	
DRO (mg/kg)	130	nd	nd	NA	nd	NA	13	nd	NA	nd	100
VOCs (in mg/kg)											
Benzene	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.0055
Toluene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	1.5
Ethylbenzene	nd	nd	nd	nd	nd	0.12	0.034	nd	nd	nd	2.9
Total Xylenes	nd	nd	nd	nd	nd	0.10	nd	nd	nd	nd	4.1
M/P Xylene	nd	nd	nd	nd	nd	0.10	nd	nd	nd	nd	none est.
O-Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	none est.
1,3,5-Trimethylbenzene	nd	nd	nd	nd	nd	0.20	0.051	nd	nd	nd	none est.
1,2,4-Trimethylbenzene	nd	nd	nd	nd	nd	0.47	0.16	nd	nd	nd	none est.
MTBE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	none est.

Residual soil contamination in Area D to be managed via GIS registry

Table 3 (continued):

Post-Remedial Soil Sample Results

Zmek & Sons Wrecking, 8861 Cty Hwy H, Eagle River, WI

Explanation

nd	Analyzed but not detected
NA	Not analyzed
<.025	Not detected w/method detection limit > cleanup standard
35	Exceeds NR 720 cleanup standard

These soils were removed in a subsequent excavation

Area "F"																	Soil Cleanup Standards for Soil with K>10 ⁻⁶ cm/sec
Sample Number	FB1	FB2	FB3	FB4	FB5	FB6	FB7	FB8	FB9	FS10	FS11	FS12	FS13	F20	F21	F22	
Depth below ground (ft)	1	1	1	1	1	1	2.5	3	3	2	2	2	2	4	2	2	
Date sampled	10/22/2007													6/17/2008			
Analyte																	
GRO (mg/kg)	nd	nd	nd	nd	nd	nd	nd	nd	nd	35	nd	7.9	nd	nd	nd	nd	100
DRO (mg/kg)	NA	nd	NA	100	NA	NA	NA	nd	nd	600	NA	NA	5.0	nd	13	19	100
VOCs (in mg/kg)																	
Benzene	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	<0.025	0.29	<0.025	0.077	<0.025	<0.025	<0.025	<0.025	0.0055
Toluene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.37	nd	0.21	nd	nd	nd	nd	1.5
Ethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.16	nd	0.11	nd	nd	nd	nd	2.9
Total Xylenes	nd	nd	nd	nd	nd	nd	nd	nd	nd	2.10	nd	0.83	nd	nd	nd	nd	4.1
M/P Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	1.3	nd	0.55	nd	nd	nd	nd	none est.
O-Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.80	nd	0.28	nd	nd	nd	nd	none est.
1,3,5-Trimethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.58	nd	0.25	nd	nd	nd	nd	none est.
1,2,4-Trimethylbenzene	nd	nd	nd	0.025	nd	nd	nd	nd	nd	1.6	nd	0.70	nd	nd	nd	nd	none est.
MTBE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	none est.

Tin Pile Area ("J")													NR 720 Soil Cleanup Standards for Soil with $K>10^{-6}$ cm/sec
Sample Number	JP1	JP2	JP3	JP4	JP5	JP6	JP7	JP8	JP9	JP10	JP11	JP12	
Depth below ground (ft)	1	5	2.5	2.5	2.5	2.5	0.5	1	3	0.5	0.5	0.5	
Date sampled	6/16/2008										6/18/2008		
Analyte													
GRO (mg/kg)	nd	nd	nd	nd	nd	nd	3.1	nd	nd	9.7	nd	6.0	100
DRO (mg/kg)	13	nd	NA	NA	NA	NA	110	32	nd	610	78	160	100
PVOCs (in mg/kg)													
Benzene	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	<.025	0.0055
Toluene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.15	0.045	0.030	1.5
Ethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	2.9
Total Xylenes	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.36	nd	0.196	4.1
M/P Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.17	nd	0.066	none est.
O-Xylene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.19	nd	0.13	none est.
1,3,5-Trimethylbenzene	nd	nd	nd	nd	nd	nd	nd	nd	nd	0.20	nd	0.068	none est.
1,2,4-Trimethylbenzene	nd	nd	nd	nd	nd	nd	0.029	nd	nd	0.54	nd	0.15	none est.
MTBE	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	none est.

Residual soil contamination in Tin Pile Area to be managed via GIS registry

Appendix C
Soil Boring Logs and Abandonment Forms

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-A1
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y	Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y	Drilling Method Geoprobe 2" Dia.
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name MW-1	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter 2.0 inches
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____	Local Grid Location (if applicable) 9 N 9 E	
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Long _____	_____ Feet S _____ Feet W	
County Vilas		DNR County Code _____	Civil Town/City/or Village Eagle River		

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Sandy loam			N							
			2	Orange-brown med to cse gr sand										
			3	Brown med gr sand						W				
			4											
			5	Orange-brown med to cse gr sand			N							
			6							W				
			7											
			8	EOB 8'										
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>Brenda Schmitt</i>	Firm SAND CREEK CONSULTANTS, INC., P.O. BOX 1512, RHINELANDER, WI 54501
------------------------------------	---

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-B1	
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y		Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y	
DNR Facility Well No: _____			WI Unique Well No: _____		Common Well Name	
Final Static Water Level _____ Feet MSL			Surface Elevation _____ Feet MSL		Borehole Diameter 2.0 inches	
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____		Local Grid Location (if applicable) N _____ E _____	
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Long _____		_____ Feet S _____ Feet W	
County Vilas			DNR County Code		Civil Town/City/or Village Eagle River	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Sandy loam			N			W				
			2											
			3											
			4	Orange-brown med to cse gr sand										
			5	Lt br med to cse gr sand w/lenses of very cse gr sand with gravel			N			W				
			6											
			7											
			8	EOB 8'										
			9											
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. H. H. H.

Firm

**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-C1	
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y		Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y	
DNR Facility Well No. _____ WI Unique Well No. _____ Common Well Name _____			Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL	
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____		Local Grid Location (if applicable) N _____ E _____	
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Long _____		_____ Feet S _____ Feet W	
County Vilas			DNR County Code _____		Civil Town/City/or Village Eagle River	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Dark brown sandy loam			N			D				
			2											
			3	Orange-brown med to cse gr sand										
			4											
			5				N			D				
			6											
			7											
			8											
			9	Lt brown med to cse gr sand w/lenses of very cse gr sand with gravel						W				
			10				N							
			11											
			12	EOB 12'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. Helminen

Firm

SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-D1	
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 4 / 0 6 M M D D Y Y		Date Drilling Completed 1 2 / 0 4 / 0 6 M M D D Y Y	
DNR Facility Well No. _____ WI Unique Well No. _____ Common Well Name _____			Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL	
Boring Location State Plane _____ N. _____ E S/C/N _____ _____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Lat _____ Long _____		Drilling Method Geoprobe 2" Dia.	
County Vilas			DNR County Code _____		Civil Town/City/or Village Eagle River	
Borehole Diameter 2.0 inches			Local Grid Location (if applicable) N _____ E _____ Feet S _____ Feet W _____			

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Orange-brown med to cse gr sand			slt			D				
			2											
			3	Or-brown med gr sand										
			4							D				
			5				N							
			6											
			7											
			8	4" or br very fine gr sand lt br med gr sand			N							
			9											
			10	6" very cse gr sand										
			11	lt brown med to cse gr sand						W				
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. Helmerich

Firm

**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

SOIL BORING LOG INFORMATION SUPPLEMENT

Form 4400-122A

7-91

Boring Number GP-D1

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor of Petro?	PID/FID	Soil Properties					
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	RQD/ Comments
			13	Lt brown med to cse gr sand EOB 14'			N			W				
			14											
			15											
			16											
			17											
			18											
			19											
			20											
			21											
			22											
			23											
			24											
			25											
			26											
			27											
			28											
			29											
			30											
			31											
			32											

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-D2
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started <u>1</u> <u>2</u> / <u>0</u> <u>4</u> / <u>0</u> <u>6</u> M M D D Y Y	Date Drilling Completed <u>1</u> <u>2</u> / <u>0</u> <u>4</u> / <u>0</u> <u>6</u> M M D D Y Y	Drilling Method Geoprobe 2" Dia.
DNR Facility Well No.	WI Unique Well No.	Common Well Name	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter <u>2.0</u> inches
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____	Local Grid Location (if applicable) N _____ E _____	
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Long _____	_____ Feet S _____ Feet W	

County Vilas	DNR County Code _____	Civil Town/City/or Village Eagle River
------------------------	--------------------------	--

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					P 200	RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit			
			1	Black sandy loam			Y			D					
			2												
			3	Orange-brown med to cse gr sand											
			4												
			5	Lt brown med to cse gr sand			Slt			D					
			6												
			7												
			8												
			9				N								
			10												
			11												
			12							W					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Brenda S. Halmoniak*

Firm
**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Boring Number GP-D2

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor of Petro?	PID/FID	Soil Properties					
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	RQD/ Comments
			<div> <div>13</div> <div>14</div> <div>15</div> <div>16</div> <div>17</div> <div>18</div> <div>19</div> <div>20</div> <div>21</div> <div>22</div> <div>23</div> <div>24</div> <div>25</div> <div>26</div> <div>27</div> <div>28</div> <div>29</div> <div>30</div> <div>31</div> <div>32</div> </div>	Lt brown very cse gr sand EOB 14'			N			W				

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____			Boring Number GP-D3		
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started <u>1</u> <u>2</u> / <u>0</u> <u>4</u> / <u>0</u> <u>6</u> M M D D Y Y			Date Drilling Completed <u>1</u> <u>2</u> / <u>0</u> <u>4</u> / <u>0</u> <u>6</u> M M D D Y Y		
DNR Facility Well No. _____			WI Unique Well No. _____			Common Well Name _____		
Final Static Water Level _____ Feet MSL			Surface Elevation _____ Feet MSL			Borehole Diameter <u>2.0</u> inches		
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____			Local Grid Location (if applicable) N _____ E _____		
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Long _____			_____ Feet S _____ Feet W		
County Vilas			DNR County Code _____			Civil Town/City/or Village Eagle River		

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Dark brown sandy loam			N			D				
			2											
			3	Orange-brown med to cse gr sand										
			4											
			5	Orange-brown fine to med gr sand			N			M				
			6											
			7	Lt brown med to cse gr sand										
			8											
			9				N							
			10							M				
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. H. Minich

Firm

**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Boring Number GP-D3

Use only as an attachment to Form 4400-122.

Page **2** of **2**[illegible]

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____			Boring Number GP-E1		
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y		Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y		Drilling Method Geoprobe 2" Dia.	
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____	Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL		Borehole Diameter 2.0 inches	
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____		Local Grid Location (if applicable) N _____ E _____ _____ Feet S _____ Feet W			
County Vilas			DNR County Code _____		Civil Town/City/or Village Eagle River			

County				DNR County Code		Civil Town/City/or Village									
Vilas				Eagle River											
Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments	
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200		
			1	Black sandy loam			Y (?)								
			2	Orange-brown med gr silty sand w/minor gravel						D					
			3												
			4	Orange-brown med to cse gr sand											
			5				N								
			6							D					
			7												
			8												
			9	Orange-brown med to cse gr sand w/lenses of very cse gr sand w/gravel						M					
			10				N								
			11												
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. H. M...

Firm

**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Boring Number GP-E1

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor of Petro?	PID/FID	Soil Properties					
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	RQD/ Comments
			13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32	Light brown med to cse gr sand w/lenses of very cse gr sand w/gravel 										

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____			Boring Number GP-F1			
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y		Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y		Drilling Method Geoprobe 2" Dia.		
DNR Facility Well No. _____		WI Unique Well No. _____		Common Well Name _____		Final Static Water Level _____ Feet MSL		Surface Elevation _____ Feet MSL	
Boring Location State Plane _____ N. _____ E S/C/N		_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W		Lat _____ Long _____		Local Grid Location (if applicable) N _____ E _____ Feet S _____ Feet W			

County Vilas			DNR County Code _____			Civil Town/City/or Village Eagle River		
------------------------	--	--	--------------------------	--	--	--	--	--

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments	
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200		
			1	Gray sandy loam			Y								
			2												
			3	Orange-brown fine to med gr sand						D					
			4												
			5	brown med gr silty sand			Slt								
			6												
			7	Brown med to cse gr sand						D					
			8												
			9												
			10				N								
			11												
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *Brenda S. Halverson*

Firm
**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Boring Number GP-F1

Use only as an attachment to Form 4400-122.

Page 2 of 2

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor of Petro?	PID/FID	Soil Properties					
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	RQD/ Comments
			13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32	Orange-brown med to cse gr sand 										

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-F2
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y	Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y	Drilling Method Geoprobe 2" Dia.
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter 2.0 inches
Boring Location State Plane _____ N. _____ E S/C/N _____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Lat _____ Long _____	Local Grid Location (if applicable) N _____ E _____ _____ Feet S _____ Feet W	
County Vilas			DNR County Code _____	Civil Town/City/or Village Eagle River	

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Black sandy loam			N							
			2											
			3	Orange-brown fine to med gr sand						D				
			4											
			5	Orange-brown med to cse gr sand			N							
			6							D				
			7											
			8	Brown med to cse gr sand										
			9							M				
			10				N							
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature <i>Brenda S. H. Minial</i>	Firm SAND CREEK CONSULTANTS, INC., P.O. BOX 1512, RHINELANDER, WI 54501
---	---

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

[illegible]

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____		Boring Number GP-G1
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started <u>1</u> <u>2</u> / <u>0</u> <u>6</u> / <u>0</u> <u>6</u> M M D D Y Y	Date Drilling Completed <u>1</u> <u>2</u> / <u>0</u> <u>6</u> / <u>0</u> <u>6</u> M M D D Y Y	Drilling Method Geoprobe 2" Dia.
DNR Facility Well No. _____	WI Unique Well No. _____	Common Well Name _____	Final Static Water Level _____ Feet MSL	Surface Elevation _____ Feet MSL	Borehole Diameter 2.0 inches
Boring Location State Plane _____ N. _____ E S/C/N _____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Lat _____ Long _____	Local Grid Location (if applicable) N _____ E _____ _____ Feet S _____ Feet W	

County Vilas				DNR County Code			Civil Town/City/or Village Eagle River							
Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit	P 200	
			1	Dark brown sandy loam			N							
			2											
			3	Orange-brown fine to cse gr sand						D				
			4											
			5	Orange-brown clayey sand (fill)			N							
			6							M				
			7											
			8											
			9	Orange-brown fine to med gr sand			N			M				
			10											
			11											
			12											

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. Halimich

Firm

**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Boring Number GP-G2

Use only as an attachment to Form 4400-122.

Page 2 of 2[illegible]

Facility/Project Name Zmek & Sons Wrecking			License/Permit/Monitoring Number _____			Boring Number GP-H1		
Boring Drilled By (firm name and name of crew chief) Soil Essentials, Corey Johnson			Date Drilling Started 1 2 / 0 5 / 0 6 M M D D Y Y			Date Drilling Completed 1 2 / 0 5 / 0 6 M M D D Y Y		
DNR Facility Well No. _____			WI Unique Well No. _____			Common Well Name _____		
Final Static Water Level _____ Feet MSL			Surface Elevation _____ Feet MSL			Borehole Diameter 2.0 inches		
Boring Location State Plane _____ N. _____ E S/C/N			Lat _____			Local Grid Location (if applicable) N _____ E _____		
_____ 1/4 of _____ 1/4 of Section _____, T _____ N, R _____ E/W			Long _____			_____ Feet S _____ Feet W		
County Vilas			DNR County Code _____			Civil Town/City/or Village Eagle River		

Sample		Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Odor or Petro?	PID/FID	Soil Properties					P 200	RQD/ Comments
Number	Length Recovered (in)								Standard Penetration	Moisture Content	Liquid Limit	Plastic Limit			
			1	Black sandy loam											
			2				Y(2-3')								
			3	Orange-brown med to cse gr sand w/minor gravel						D					
			4												
			5				N								
			6							D					
			7												
			8	Orange-brown fine to med gr sand											
			9												
			10				N			D					
			11												
			12												

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Brenda S. H. Omialk

Firm

**SAND CREEK CONSULTANTS, INC., P.O. BOX 1512,
RHINELANDER, WI 54501**

This form is authorized by Chapters 144.147 and 162, Wis. Stats. Completion of this report is mandatory. Penalties: Forfeit not less than \$10 nor more than \$5,000 for each violation. Fined not less than \$10 or more than \$100 or imprisoned not less than 30 days, or both for each violation. Each day of continued violation is a separate offense, pursuant to ss 144.99 and 162.06, Wis. Stats.

Boring Number GP-E1

Use only as an attachment to Form 4400-122.

Page 2 of 2[illegible]

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. _____ ; T. _____ N; R. _____ (If applicable)		Present Well Owner <u>Zmek & Sons Wrecking, Inc.</u>	
Gov't Lot _____ Grid Number _____		Street or Route <u>8861 County Highway H</u>	
Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W		City, State, Zip Code <u>Eagle River, WI 54521</u>	
Civil Town Name <u>Sugar Camp</u>		Facility Well No. and/or Name (If Applicable) <u>GP-A1</u>	WI Unique Well No. _____
Street Address of Well <u>8861 County Highway H</u>		Reason For Abandonment <u>test boring</u>	
City, Village <u>Eagle River</u>		Date of Abandonment <u>12-05-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-05-06</u> <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole </div> <div> Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No </div> </div> <div style="margin-top: 10px;"> Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u> </div> <div style="margin-top: 10px;"> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock </div> <div style="margin-top: 10px;"> Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____ </div> <div style="margin-top: 10px;"> Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet </div>	(4) Depth to Water (Feet) <u>3'</u> <div style="display: flex; justify-content: space-between;"> <div> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ </div> <div> Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No </div> </div> (5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____ (6) Sealing Materials For monitoring wells and monitoring well boreholes only <div style="display: flex; justify-content: space-between;"> <div> <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips </div> <div> <input type="checkbox"/> Bentonite Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Bentonite Chips </div> </div>
--	---

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	Surface	<u>8'</u>	<u>12#</u>		
<u>granular bentonite</u>					

(8) Comments: _____

(9) Name of Person or Firm Doing Sealing Work

<u>Soil Essentials</u>	
Signature of Person Doing Work <u>PSH for CS</u>	Date Signed <u>12-05-06</u>
Street or Route <u>Box 959, W6306 St. Hwy 39</u>	Telephone Number <u>(608) 527-2355</u>
City, State, Zip Code <u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY

Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

DNR/COUNTY

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner	
(If applicable)		<u>Zmek & Sons Wrecking, Inc.</u>	
Gov't Lot Grid Number		Street or Route	
Grid Location		<u>8861 County Highway H</u>	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W		City, State, Zip Code	
Civil Town Name		<u>Eagle River, WI 54521</u>	
Street Address of Well		Facility Well No. and/or Name (If Applicable)	
<u>8861 County Highway H</u>		<u>GP-B1</u>	
City, Village		Reason For Abandonment	
<u>Eagle River</u>		<u>test boring</u>	
		Date of Abandonment	
		<u>12-05-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On		(4) Depth to Water (Feet) <u>~ 2'</u>	
(Date) <u>12-05-06</u>		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
<input type="checkbox"/> Monitoring Well		Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
<input type="checkbox"/> Water Well		Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable	
<input type="checkbox"/> Drillhole		Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input checked="" type="checkbox"/> Borehole		If No, Explain	
Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type:		Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug		Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type:		(5) Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped	
Total Well Depth (ft.) Casing Diameter (in.)		<input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain)	
(From ground surface) Casing Depth (ft.)		(6) Sealing Materials	
Lower Drillhole Diameter (in.)		For monitoring wells and monitoring well boreholes only	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown		<input type="checkbox"/> Neat Cement Grout	
If Yes, To What Depth? Feet		<input type="checkbox"/> Sand-Cement (Concrete) Grout	
		<input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets	
		<input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Granular Bentonite	
		<input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout	
		<input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Bentonite Chips	

(7)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	<u>bentonite chips</u>	<u>Surface</u>	<u>8'</u>	<u>12 #</u>		
	<u>granular bentonite</u>					

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work	
<u>Soil Essentials</u>	
Signature of Person Doing Work	Date Signed
<u>BSH for CS</u>	<u>12-05-06</u>
Street or Route	Telephone Number
<u>Box 959, W6306 St. Hwy 39</u>	<u>(608) 527-2355</u>
City, State, Zip Code	
<u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work
Follow-up Necessary	<input type="checkbox"/> Noncomplying Work

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W (If applicable)		Present Well Owner <u>Zmek + Sons Wrecking, Inc.</u>	
Gov't Lot Grid Number		Street or Route <u>8861 County Highway H</u>	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W		City, State, Zip Code <u>Eagle River, WI 54521</u>	
Civil Town Name <u>Sugar Camp</u>		Facility Well No. and/or Name (If Applicable) <u>GP-C1</u>	WI Unique Well No. _____
Street Address of Well <u>8861 County Highway H</u>		Reason For Abandonment <u>test boring</u>	
City, Village <u>Eagle River</u>		Date of Abandonment <u>12-05-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-05-06</u> <input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u> Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet	(4) Depth to Water (Feet) <u>~9'</u> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No (5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____ (6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Bentonite Chips

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	Surface	<u>12'</u>	<u>17 #</u>		
<u>granular bentonite</u>					

(8) Comments: _____

(9) Name of Person or Firm Doing Sealing Work <u>Soil Essentials</u>	
Signature of Person Doing Work <u>BSH for CS</u>	Date Signed <u>12-05-06</u>
Street or Route <u>Box 959, W6306 St. Hwy 39</u>	Telephone Number <u>(608) 527-2355</u>
City, State, Zip Code <u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of _____ 1/4 of Sec. _____ ; T. _____ N; R. _____ (If applicable) Gov't Lot _____ Grid Number _____		Present Well Owner <u>Zmek + Sons Wrecking, Inc.</u>	
Grid Location _____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W		Street or Route <u>8861 County Highway H</u>	
Civil Town Name <u>Sugar Camp</u>		City, State, Zip Code <u>Eagle River, WI 54521</u>	
Street Address of Well <u>8861 County Highway H</u>		Facility Well No. and/or Name (If Applicable) <u>GP-D1</u>	
City, Village <u>Eagle River</u>		Reason For Abandonment <u>test boring</u>	
		Date of Abandonment <u>12-04-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-04-06</u>		(4) Depth to Water (Feet) <u>~11'</u>	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____	
Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		(5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____		<input type="checkbox"/> Bentonite Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet			

(7)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	<u>bentonite chips</u>	<u>Surface</u>		<u>10#</u>		
	<u>granular bentonite</u>		<u>14'</u>	<u>12#</u>		

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work <u>Soil Essentials</u>	
Signature of Person Doing Work <u>BSH for CS</u>	Date Signed <u>12-04-06</u>
Street or Route <u>Box 959, W6306 St. Hwy 39</u>	Telephone Number <u>(608) 527-2355</u>
City, State, Zip Code <u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W (If applicable) Gov't Lot Grid Number		Present Well Owner <u>Zmek & Sons Wrecking, Inc.</u>	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W		Street or Route <u>8861 County Highway H</u>	
Civil Town Name <u>Sugar Camp</u>		City, State, Zip Code <u>Eagle River, WI 54521</u>	
Street Address of Well <u>8861 County Highway H</u>		Facility Well No. and/or Name (If Applicable) <u>GP-D2</u>	
City, Village <u>Eagle River</u>		Reason For Abandonment <u>test boring</u>	
		Date of Abandonment <u>12-04-06</u>	
		WI Unique Well No.	

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-04-06</u>		(4) Depth to Water (Feet) <u>12'</u> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole		Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain)	
Total Well Depth (ft.) Casing Diameter (in.) (From ground surface) Casing Depth (ft.) Lower Drillhole Diameter (in.)		(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite-Sand Slurry	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? Feet			

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	<u>Surface</u>		<u>10 #</u>		
<u>granular bentonite</u>		<u>15'</u>	<u>13 #</u>		

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work

Soil Essentials

Signature of Person Doing Work

BST for CS

Date Signed

12-04-06

Street or Route

Box 959, W6306 St. Hwy 39

Telephone Number

(608) 527-2355

City, State, Zip Code

New Glarus, WI 53574

(10) FOR DNR OR COUNTY USE ONLY

Date Received/Inspected

Region/County

Reviewer/Inspector

☐ Complying Work
☐ Noncomplying Work

Follow-up Necessary

DNR/COUNTY

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner	
(If applicable) Gov't Lot Grid Number		<u>2 mek + Sons Wrecking, Inc.</u>	
Grid Location		Street or Route	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W		<u>8861 County Highway H</u>	
Civil Town Name		City, State, Zip Code	
<u>Sugar Camp</u>		<u>Eagle River, WI 54521</u>	
Street Address of Well		Facility Well No. and/or Name (If Applicable)	
<u>8861 County Highway H</u>		<u>GP- D3</u>	
City, Village		Reason For Abandonment	
<u>Eagle River</u>		<u>test boring</u>	
		Date of Abandonment	
		<u>12-04-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
(3) Original Well/Drillhole/Borehole Construction Completed On	
(Date) <u>12-04-06</u>	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth (ft.)	Casing Diameter (in.)
(From ground surface)	Casing Depth (ft.)
Lower Drillhole Diameter (in.)	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? Feet	
(4) Depth to Water (Feet) <u>13'</u>	
Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain	
Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
(5) Required Method of Placing Sealing Material	
<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain)	
(6) Sealing Materials	
For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips	
<input type="checkbox"/> Bentonite Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Bentonite Chips	

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	<u>Surface</u>		<u>10 #</u>		
<u>granular bentonite</u>		<u>16'</u>	<u>15 #</u>		

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work	
<u>Soil Essentials</u>	
Signature of Person Doing Work	Date Signed
<u>PSH for CS</u>	<u>12-04-06</u>
Street or Route	Telephone Number
<u>Box 959, W6306 St. Hwy 39</u>	<u>(608) 527-2355</u>
City, State, Zip Code	
<u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W (If applicable) Gov't Lot Grid Number		Present Well Owner <u>Zmek + Sons Wrecking, Inc.</u>	
Grid Location ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W		Street or Route <u>8861 County Highway H</u>	
Civil Town Name <u>Sugar Camp</u>		City, State, Zip Code <u>Eagle River, WI 54521</u>	
Street Address of Well <u>8861 County Highway H</u>		Facility Well No. and/or Name (If Applicable) <u>GP-E1</u>	
City, Village <u>Eagle River</u>		Reason For Abandonment <u>test boring</u>	
		Date of Abandonment <u>12-05-06</u>	
		WI Unique Well No.	

WELL/DRILLHOLE/BOREHOLE INFORMATION			
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-05-06</u>		(4) Depth to Water (Feet) <u>16'</u> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole		Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain)	
Total Well Depth (ft.) Casing Diameter (in.) (From ground surface) Casing Depth (ft.) Lower Drillhole Diameter (in.)		(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? Feet			

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	<u>Surface</u>		<u>15 #</u>		
<u>granular bentonite</u>		<u>20'</u>	<u>15 #</u>		

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work

Soil Essentials

Signature of Person Doing Work

BSH for CS

Date Signed

12-05-06

Street or Route

Box 959, W6306 St. Hwy 39

Telephone Number

(608) 527-2355

City, State, Zip Code

New Glarus, WI 53574

(10) FOR DNR OR COUNTY USE ONLY

Date Received/Inspected

Region/County

Reviewer/Inspector

☐ Complying Work
☐ Noncomplying Work

Follow-up Necessary

DNR/COUNTY

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location		Original Well Owner (If Known)	
County <u>Oneida</u>			
1/4 of _____ 1/4 of Sec. _____ ; T. _____ N; R. _____ (If applicable)		Present Well Owner	
Gov't Lot _____ Grid Number _____		<u>Zmek + Sons Wrecking, Inc.</u>	
Grid Location		Street or Route	
_____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., _____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W		<u>8861 County Highway H</u>	
Civil Town Name		City, State, Zip Code	
<u>Sugar Camp</u>		<u>Eagle River, WI 54521</u>	
Street Address of Well		Facility Well No. and/or Name (If Applicable)	
<u>8861 County Highway H</u>		<u>GP-F1</u>	
City, Village		Reason For Abandonment	
<u>Eagle River</u>		<u>test boring</u>	
		Date of Abandonment	
		<u>12-05-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION	
(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-05-06</u>	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____	
Lower Drillhole Diameter (in.) _____	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet	
(4) Depth to Water (Feet) <u>19.5'</u> Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____ Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
(5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____	
(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite Pellets <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Cement Grout <input checked="" type="checkbox"/> Bentonite Chips	

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	Surface		<u>20 #</u>		
<u>granular bentonite</u>		<u>24'</u>	<u>15 #</u>		

(8) Comments: _____

(9) Name of Person or Firm Doing Sealing Work		(10) FOR DNR OR COUNTY USE ONLY	
<u>Soil Essentials</u>		Date Received/Inspected	
Signature of Person Doing Work	Date Signed	Region/County	
<u>PSH for CT</u>	<u>12-05-06</u>		
Street or Route	Telephone Number	Reviewer/Inspector	
<u>Box 959, W6306 St. Hwy 39</u>	<u>(608) 527-2355</u>	<input type="checkbox"/> Complying Work	
City, State, Zip Code		<input type="checkbox"/> Noncomplying Work	
<u>New Glarus, WI 53574</u>		Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
____ 1/4 of ____ 1/4 of Sec. ____ ; T. ____ N; R. ____ <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner <u>Zmek + Sons Wrecking, Inc.</u>	
(If applicable)	Gov't Lot _____ Grid Number _____	Street or Route <u>8861 County Highway H</u>	
Grid Location	____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W	City, State, Zip Code <u>Eagle River, WI 54521</u>	
Civil Town Name <u>Sugar Camp</u>	Facility Well No. and/or Name (If Applicable) <u>GP- F2</u>		WI Unique Well No. _____
Street Address of Well <u>8861 County Highway H</u>	Reason For Abandonment <u>test boring</u>		
City, Village <u>Eagle River</u>	Date of Abandonment <u>12-05-06</u>		

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-05-06</u>		(4) Depth to Water (Feet) <u>19'</u>	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____		(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet			

(7)	Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
	<u>bentonite chips</u>	<u>Surface</u>		<u>20 #</u>		
	<u>granular bentonite</u>		<u>22'</u>	<u>12 #</u>		

(8) Comments: _____

(9) Name of Person or Firm Doing Sealing Work <u>Soil Essentials</u>		(10) FOR DNR OR COUNTY USE ONLY	
Signature of Person Doing Work <u>PSH for CS</u>	Date Signed <u>12-05-06</u>	Date Received/Inspected	Region/County
Street or Route <u>Box 959, W6306 St. Hwy 39</u>	Telephone Number <u>(608) 527-2355</u>	Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
City, State, Zip Code <u>New Glarus, WI 53574</u>		Follow-up Necessary	

DNR/COUNTY

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location	County <u>Oneida</u>	Original Well Owner (If Known)	
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W (If applicable) Gov't Lot Grid Number		Present Well Owner <u>Zmek & Sons Wrecking, Inc.</u>	
Grid Location		Street or Route <u>8861 County Highway H</u>	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ft. <input type="checkbox"/> E. <input type="checkbox"/> W		City, State, Zip Code <u>Eagle River, WI 54521</u>	
Civil Town Name <u>Sugar Camp</u>		Facility Well No. and/or Name (If Applicable) <u>GP-61</u>	WI Unique Well No.
Street Address of Well <u>8861 County Highway H</u>		Reason For Abandonment <u>test boring</u>	
City, Village <u>Eagle River</u>		Date of Abandonment <u>12-06-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On (Date) <u>12-06-06</u>		(4) Depth to Water (Feet) <u>22.5'</u>	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole	Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No	Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No If No, Explain _____	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(5) Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____		(6) Sealing Materials For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Sand-Cement (Concrete) Grout <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet			

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	Surface		<u>20 #</u>		
<u>granular bentonite</u>		<u>24'</u>	<u>15 #</u>		

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work	
<u>Soil Essentials</u>	
Signature of Person Doing Work <u>PSH for CS</u>	Date Signed <u>12-06-06</u>
Street or Route <u>Box 959, W6306 St. Hwy 39</u>	Telephone Number <u>(608) 527-2355</u>
City, State, Zip Code <u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

All abandonment work shall be performed in accordance with the provisions of Chapters NR 811, NR 812 or NR 141, Wis. Adm. Code, whichever is applicable. Also, see instructions on back.

(1) GENERAL INFORMATION		(2) FACILITY NAME	
Well/Drillhole/Borehole Location		Original Well Owner (If Known)	
County <u>Oneida</u>			
1/4 of 1/4 of Sec. ; T. N; R. <input type="checkbox"/> E <input type="checkbox"/> W		Present Well Owner	
(If applicable)		<u>Zmek + Sons Wrecking, Inc.</u>	
Gov't Lot		Street or Route	
Grid Number		<u>8861 County Highway H</u>	
Grid Location		City, State, Zip Code	
ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ft. <input type="checkbox"/> E. <input type="checkbox"/> W		<u>Eagle River, WI 54521</u>	
Civil Town Name		Facility Well No. and/or Name (If Applicable)	
<u>Sugar Camp</u>		<u>GP-H1</u>	
Street Address of Well		Reason For Abandonment	
<u>8861 County Highway H</u>		<u>test boring</u>	
City, Village		Date of Abandonment	
<u>Eagle River</u>		<u>12-05-06</u>	

WELL/DRILLHOLE/BOREHOLE INFORMATION

(3) Original Well/Drillhole/Borehole Construction Completed On		(4) Depth to Water (Feet) <u>22'</u>	
(Date) <u>12-05-06</u>		<input type="checkbox"/> Pump & Piping Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> Liner(s) Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> Screen Removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <input type="checkbox"/> Casing Left in Place? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If No, Explain _____	
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input type="checkbox"/> Drillhole <input checked="" type="checkbox"/> Borehole		Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Sealing Material Rise to Surface? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Construction Report Available? <input type="checkbox"/> Yes <input type="checkbox"/> No		(5) Required Method of Placing Sealing Material	
Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input checked="" type="checkbox"/> Other (Specify) <u>geoprobe</u>		<input checked="" type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input type="checkbox"/> Dump Bailer <input type="checkbox"/> Other (Explain) _____	
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock		(6) Sealing Materials	
Total Well Depth (ft.) _____ Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____ Lower Drillhole Diameter (in.) _____		For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Bentonite Pellets <input type="checkbox"/> Clay-Sand Slurry <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Sand Slurry <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Bentonite Chips	
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet			

(7) Material Used To Fill Well/Drillhole	From (Ft.)	To (Ft.)	No. Yards, Sacks Sealant or Volume	(Circle One)	Mix Ratio or Mud Weight
<u>bentonite chips</u>	<u>Surface</u>		<u>20 #</u>		
<u>granular bentonite</u>		<u>24'</u>	<u>15 #</u>		

(8) Comments:

(9) Name of Person or Firm Doing Sealing Work	
<u>Soil Essentials</u>	
Signature of Person Doing Work	Date Signed
<u>PTH for CS</u>	<u>12-05-06</u>
Street or Route	Telephone Number
<u>Box 959, W6306 St. Hwy 39</u>	<u>(608) 527-2355</u>
City, State, Zip Code	
<u>New Glarus, WI 53574</u>	

(10) FOR DNR OR COUNTY USE ONLY	
Date Received/Inspected	Region/County
Reviewer/Inspector	<input type="checkbox"/> Complying Work <input type="checkbox"/> Noncomplying Work
Follow-up Necessary	

Appendix D

Photographic Log of Remedial Action Activities

PRE-REMEDIAL PHOTOGRAPHS

The photographs on pages 1 and 2 of this photo log were taken at various places throughout the property during the Phase I site inspection conducted in 2006.



Photo of the 'drain rack,' a REC identified in the Phase I which later came to be known as "Area F"





REMEDIAL AND POST-REMEDIAL PHOTOGRAPHS

The following photos were taken at the locations indicated during remedial activities conducted in October 2007 and June 2008. Many of the photo sets show "before and after" of areas that were remediated. Many of the "after" photos were taken in June 2008.



Surface staining located north of Area H and east of Area E was excavated in October 2007. Clean fill was brought to this area in June 2008. Photo on the left is before, on the right is after.



One truckload (17.03 tons) of material was removed from an area located on the northwest side of the property at which historical burning is known to have occurred. Before and after photos.



The photo on the left shows Area F during the October 2007 excavation, while the photo on the right shows Area F following the June 2008 excavation.



The photo on the left is of Area E during the excavation conducted in October 2007, and the photo on the right shows Area E following removal of soil and surface debris in June 2008.



Before and after photos of Area H.



These photos show Area D during and following the October 2007 excavation.



The above photos show the tin pile in November 2007 (left) and during the remedial activities (right) conducted in June 2008.



Two different views of the tin pile area following remediation.



The above photos show the north yard in June 2008. Prior to the decommissioning process, the north yard was full of scrap vehicles and other debris.

Appendix E
Truck Weight Tickets

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69440 Vehicle #:
Time In: 08:17 AM Time Out: 08:25 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6) 26.71 tn
Gross: 82260 Tare: 28840 Net Weight: 53420

Scale Notes:
Holly - Pudgy

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69444 Vehicle #:
Time In: 08:33 AM Time Out: 08:40 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6) 23.04 tn
Gross: 76980 Tare: 29300 Net Weight: 47680

Scale Notes:
Holly Brown

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69447

Vehicle #:

Time In: 08:44 AM Time Out: 02:50 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Znak & Son Wking - Eagle River

320 ton exempt (CON6)

26.20 tn

Gross: 80900 Tare: 28500

Net Weight: 52400


Scale Notes:

Holly Blue

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69448

Vehicle #: H31

Time In: 08:45 AM Time Out: 08:53 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Znak & Son Wking - Eagle River

320 ton exempt (CON6)

24.21 tn

Gross: 78920 Tare: 28300

Net Weight: 48420

Scale Notes:

Holly Brown

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69449

Vehicle #:

Time In: 08:47 AM Time Out: 08:54 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6)

25.57 tn

Gross: 81480 Tare: 30340

Net Weight: 51140


Scale Notes:

Holly White H 60

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69451

Vehicle #:

Time In: 08:49 AM Time Out: 08:57 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6)

23.92 tn

Gross: 77460 Tare: 29620

Net Weight: 47840

Scale Notes:

Dettinger 10

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69455

Vehicle #:

Time In: 09:08 AM Time Out: 09:16 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrking - Eagle River

\$20 ton exempt (CONG)

22.10 tn

Gross: 74800 Tare: 30600

Net Weight: 44200


Scale Notes:

Holly Brown

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69491

Vehicle #:

Time In: 11:53 AM Time Out: 11:59 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrking - Eagle River

\$20 ton exempt (CONG)

22.66 tn

Gross: 74500 Tare: 29200

Net Weight: 45300

Scale Notes:

Pudgy

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69492

Vehicle #:

Time In: 11:54 AM Time Out: 12:00 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Znak & Son Wrkng - Eagle River

\$20 ton exempt (CONG)

24.17 tn

Gross: 78240

Tare: 29900

Net Weight: 48340


Scale Notes:

Dettinger 10

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69495

Vehicle #:

Time In: 12:10 PM Time Out: 12:17 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Znak & Son Wrkng - Eagle River

\$20 ton exempt (CONG)

24.94 tn

Gross: 79000

Tare: 29120

Net Weight: 49880


Scale Notes:

brown

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69496

Vehicle #:

Time In: 12:16 PM Time Out: 12:22 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CONG)

22.48 tn

Gross: 75440 Tare: 30480

Net Weight: 44960

Scale Notes:

Beep Beep

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69499

Vehicle #: 14-31

Time In: 12:34 PM Time Out: 12:41 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CONG)

22.54 tn

Gross: 73440 Tare: 28360

Net Weight: 45080

Scale Notes:

Holly 1994

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69500

Vehicle #:

Time In: 12:41 PM Time Out: 12:48 PM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CONC)

25.70 tn

Gross: 81600

Tare: 30200


Net Weight: 51400

Scale Notes:
maddog 3277

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69501

Vehicle #:

Time In: 12:43 PM Time Out: 12:49 PM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CONC)

28.46 tn

Gross: 85260

Tare: 28340


Net Weight: 56920

Scale Notes:
3276

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69525 Vehicle #:
Time In: 02:47 PM Time Out: 02:54 PM
BILL TO: Gettinger Excavating & Septic Inc. HAULER: Gettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6) 22.83 tn
Gross: 74780 Tare: 29120 Net Weight: 45660

Scale Notes:
Pudgy


HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69527 Vehicle #: 
Time In: 02:53 PM Time Out: 02:59 PM
BILL TO: Gettinger Excavating & Septic Inc. HAULER: Gettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6) 23.31 tn
Gross: 76380 Tare: 29760 Net Weight: 46620

Scale Notes:
Gettinger 10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69529 Vehicle #:
Time In: 03:04 PM Time Out: 03:09 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CONS) 17.90 tn
Gross: 64800 Tare: 29000 Net Weight: 35800

Scale Notes:
Holly 4000

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69532 Vehicle #:
Time In: 03:11 PM Time Out: 03:18 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CONS) 19.45 tn
Gross: 69220 Tare: 30320 Net Weight: 38900

Scale Notes:
Holly Beep Beep

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69538 Vehicle #: 1431
Time In: 03:43 PM Time Out: 03:50 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6) 19.81 tn
Gross: 67800 Tare: 28260 Net Weight: 39620

Scale Notes:
1994

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/1/2007 TICKET #: 69539 Vehicle #:
Time In: 03:44 PM Time Out: 03:51 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6) 22.20 tn
Gross: 74420 Tare: 30020 Net Weight: 44400

Scale Notes:
Holly White

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 10/1/2007

TICKET #: 69540

Vehicle #:

Time In: 03:45 PM Time Out: 03:52 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

\$20 ton exempt (CON6)

21.23 tn

Gross: 71100 Tare: 28640

Net Weight: 42460


Scale Notes:

Holly Blue

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/22/2007

TICKET #: 70893

Vehicle #:

Time In: 12:35 PM Time Out: 12:35 PM

BILL TO: Gettinger Excavating & Septic Inc. HAULER: Gettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

120 ton exempt (CON6)

24.83 tn

Gross: 77760

Tare: 28100

Net Weight: 49660

Scale Notes:

Jahlquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/22/2007

TICKET #: 70895

Vehicle #:

Time In: 12:46 PM Time Out: 12:46 PM

BILL TO: Gettinger Excavating & Septic Inc. HAULER: Gettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

120 ton exempt (CON6)

27.03 tn

Gross: 84200

Tare: 30140

Net Weight: 54060

Scale Notes:

Gettinger Red

HAVE A NICE DAY!

Charge Transaction

Customer Signature

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/22/2007 TICKET #: 70899 Vehicle #:
Time In: 12:53 PM Time Out: 12:53 PM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

120 ton exempt (CON6) 19.50 tn
Gross: 68600 Tare: 29600 Net Weight: 39000

Scale Notes:
Oettinger Elite

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 10/22/2007 TICKET #: 70907 Vehicle #:
Time In: 01:05 PM Time Out: 01:05 PM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 330 - Zmak & Son Wrkng - Eagle River

120 ton exempt (CON6) 24.91 tn
Gross: 79100 Tare: 29200 Net Weight: 49820

Scale Notes:
Holly 80

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/22/2007

TICKET #: 70870

Vehicle #:

Time In: 11:35 AM Time Out: 11:35 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

120 ton exempt (CON6)

23.35 tn

Gross: 74940 Tare: 28240

Net Weight: 46700


Scale Notes:

131

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/22/2007

TICKET #: 70888

Vehicle #:

Time In: 12:14 PM Time Out: 12:14 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

120 ton exempt (CON6)

26.71 tn

Gross: 83700 Tare: 30280

Net Weight: 53420


Scale Notes:

white holly

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/22/2007

TICKET #: 70830

Vehicle #:

Time In: 09:46 AM Time Out: 09:53 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

24 a ton exempt (Con28)

17.03 tn

Gross: 62160 Tare: 28100


Net Weight: 34060

Scale Notes:

Request

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 10/22/2007

TICKET #: 70831

Vehicle #:

Time In: 09:48 AM Time Out: 09:54 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 330 - Zmak & Son Wrkng - Eagle River

20 ton exempt (CON6)

21.88 tn

Gross: 73900 Tare: 30140


Net Weight: 43760

Scale Notes:

Dettinger Red

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

perating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

ATE: 10/22/2007

TICKET #: 70809

Vehicle #:

ime In: 08:21 AM Time Out: 08:27 AM

ILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Sept Inc.

OB : 330 - Zmak & Son Wrkng - Eagle River

20 ton exempt (CON6)

24.08 tn

Gross: 77440

Tare: 29280


Net Weight: 48160

cale Notes:

olly 80

AVE A NICE DAY!

Charge Transaction

ustomer Signature 

Weighed By: Administrator

certify that the waste in this vehicle complies with the Wisconsin Recycling
law and the landfill bans. I also agree to pay 1.5% per month Late payment
charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

perating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

ATE: 10/22/2007

TICKET #: 70811

Vehicle #:

ime In: 08:29 AM Time Out: 08:35 AM

ILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Sept Inc.

OB : 330 - Zmak & Son Wrkng - Eagle River

20 ton exempt (CON6)

23.38 tn

Gross: 75000

Tare: 28240

Net Weight: 46760

cale Notes:

31

AVE A NICE DAY!

Charge Transaction

ustomer Signature 

Weighed By: Administrator

certify that the waste in this vehicle complies with the Wisconsin Recycling
law and the landfill bans. I also agree to pay 1.5% per month Late payment
charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

ATE: 10/22/2007

TICKET #: 70819

Vehicle #:

Time In: 09:06 AM Time Out: 09:12 AM

BILL TO: Ottinger Excavating & Septic Inc. HAULER: Ottinger Excavating & Septic Inc.

OB : 330 - Zmak & Son Wrkng - Eagle River

20 ton exempt (CON6)

24.41 tn

Gross: 79100 Tare: 30280

Net Weight: 48820


Scale Notes:

olly White

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

ATE: 10/22/2007

TICKET #: 70829

Vehicle #:

Time In: 09:44 AM Time Out: 09:50 AM

BILL TO: Ottinger Excavating & Septic Inc. HAULER: Ottinger Excavating & Septic Inc.

OB : 330 - Zmak & Son Wrkng - Eagle River

20 ton exempt (CON6)

27.19 tn

Gross: 83980 Tare: 29600

Net Weight: 54380


Scale Notes:

Ottinger Elite

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81362

Vehicle #:

Time In: 08:27 AM Time Out: 08:33 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : -

Garbage (GAR1)

Gross: 63880

Tare: 29420


17.23 tn

Net Weight: 34460

Scale Notes:

HAVE A NICE DAY!

Charge Transaction

Customer Signature 

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81369

Vehicle #:

Time In: 08:51 AM Time Out: 08:59 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

124 ton exempt (Con28)

18.98 tn

Gross: 70060

Tare: 32100


Net Weight: 37960

Scale Notes:

12006

HAVE A NICE DAY!

Charge Transaction

Customer Signature 

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81370

Vehicle #:

Time In: 08:52 AM Time Out: 09:01 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : A-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

22.06 tn

Gross: 74060 Tare: 29940

Net Weight: 44120


Scale Notes:

10

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81376

Vehicle #:

Time In: 09:08 AM Time Out: 09:14 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : A-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

20.91 tn

Gross: 69460 Tare: 27640

Net Weight: 41820


Scale Notes:

Dahlquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/16/2008 TICKET #: 81378 Vehicle #:
Time In: 09:20 AM Time Out: 09:26 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 22.93 tn
Gross: 74500 Tare: 28640 Net Weight: 45860

Scale Notes:
H21

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/16/2008 TICKET #: 81415 Vehicle #:
Time In: 11:36 AM Time Out: 11:43 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 21.14 tn
Gross: 71520 Tare: 29240 Net Weight: 42280

Scale Notes:

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81418

Vehicle #:

Time In: 12:01 PM Time Out: 12:08 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

20.59 tn

Gross: 73420

Tare: 32240


Net Weight: 41180

Scale Notes:

10006

HAVE A NICE DAY!

Charge Transaction

Customer Signature 

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81419

Vehicle #:

Time In: 12:02 PM Time Out: 12:10 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

23.52 tn

Gross: 76860

Tare: 29820


Net Weight: 47040

Scale Notes:

10

HAVE A NICE DAY!

Charge Transaction

Customer Signature 

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/16/2008 TICKET #: 81422 Vehicle #:
Time In: 12:14 PM Time Out: 12:20 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 17.80 tn
Gross: 63660 Tare: 28060 Net Weight: 35600

Scale Notes:
Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/16/2008 TICKET #: 81423 Vehicle #:
Time In: 12:23 PM Time Out: 12:30 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 21.40 tn
Gross: 73020 Tare: 30220 Net Weight: 42800

Scale Notes:
H-60

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81424

Vehicle #:

Time In: 12:33 PM Time Out: 12:39 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

22.15 tn

Gross: 72840 Tare: 28540

Net Weight: 44300


Scale Notes:

H21

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81454

Vehicle #:

Time In: 02:43 PM Time Out: 02:48 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

20.55 tn

Gross: 70720 Tare: 29620


Net Weight: 41100

Scale Notes:

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/16/2008 TICKET #: 81459 Vehicle #:
Time In: 03:03 PM Time Out: 03:12 PM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 21.50 tn
Gross: 75140 Tare: 32140 Net Weight: 43000

Scale Notes:
10006

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/16/2008 TICKET #: 81460 Vehicle #:
Time In: 03:04 PM Time Out: 03:13 PM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 21.99 tn
Gross: 73680 Tare: 29700 Net Weight: 43980

Scale Notes:
10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81463

Vehicle #:

Time In: 03:11 PM Time Out: 03:17 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

18.01 tn

Gross: 63940 Tare: 27920


Net Weight: 36020

Scale Notes:

342

HAVE A NICE DAY!

Charge Transaction

Customer Signature 

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81468

Vehicle #:

Time In: 03:40 PM Time Out: 03:47 PM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

22.88 tn

Gross: 75860 Tare: 30100


Net Weight: 45760

Scale Notes:

Holly

HAVE A NICE DAY!

Charge Transaction

Customer Signature 

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/16/2008

TICKET #: 81469

Vehicle #:

Time In: 03:41 PM Time Out: 03:48 PM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

22.48 tn

Gross: 73380 Tare: 28420

Net Weight: 44960


Scale Notes:

Bulldog

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008

TICKET #: 81473

Vehicle #:

Time In: 07:50 AM Time Out: 07:58 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

19.92 tn

Gross: 69580 Tare: 29740

Net Weight: 39840


Scale Notes:

10

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008

TICKET #: 81476

Vehicle #:

Time In: 07:57 AM Time Out: 08:03 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

20.75 tn

Gross: 70980 Tare: 29480

Net Weight: 41500


Scale Notes:

Blue Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008

TICKET #: 81480

Vehicle #:

Time In: 08:16 AM Time Out: 08:30 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

26.15 tn

Gross: 87260 Tare: 34960

Net Weight: 52300


Scale Notes:

Semi

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81567 Vehicle #:
Time In: 08:17 AM Time Out: 08:23 AM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 21.53 tn
Gross: 71080 Tare: 28020 Net Weight: 43060

Scale Notes:
Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452
Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81482 Vehicle #:
Time In: 08:38 AM Time Out: 08:46 AM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 23.17 tn
Gross: 74120 Tare: 27780 Net Weight: 46340

Scale Notes:
Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81483 Vehicle #:
Time In: 08:41 AM Time Out: 08:47 AM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt(Con33) 20.27 tn
Gross: 70660 Tare: 30120 Net Weight: 40540

Scale Notes:
Red Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452
Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81595 Vehicle #:
Time In: 10:49 AM Time Out: 10:57 AM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt(Con33) 19.82 tn
Gross: 67500 Tare: 27860 Net Weight: 39640

Scale Notes:
Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81503 Vehicle #:
Time In: 10:52 AM Time Out: 11:02 AM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 24.42 tn
Gross: 78440 Tare: 29600 Net Weight: 48840

Scale Notes:
10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81506 Vehicle #:
Time In: 11:03 AM Time Out: 11:08 AM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 19.97 tn
Gross: 69260 Tare: 29320 Net Weight: 39940

Scale Notes:
Blue Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008

TICKET #: 81517

Vehicle #:

Time In: 11:36 AM Time Out: 11:44 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

19.31 tn

Gross: 66240 Tare: 27620

Net Weight: 38620


Scale Notes:

Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008

TICKET #: 81516

Vehicle #:

Time In: 11:36 AM Time Out: 11:47 AM

BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

22.38 tn

Gross: 79720 Tare: 34960

Net Weight: 44760

Scale Notes:

semi

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008 TICKET #: 81521 Vehicle #:
Time In: 11:40 AM Time Out: 11:46 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 18.24 tn
Gross: 66520 Tare: 30040 Net Weight: 36480

Scale Notes:
Red Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature *Scott K. Williams* Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008 TICKET #: 81523 Vehicle #:
Time In: 11:49 AM Time Out: 11:55 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 22.44 tn
Gross: 75320 Tare: 28440 Net Weight: 46880

Scale Notes:
Bull Dog

HAVE A NICE DAY!

Charge Transaction

Customer Signature *Scott K. Williams* Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81620 Vehicle #:
Time In: 01:23 PM Time Out: 01:28 PM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 20.13 tn
Gross: 68000 Tare: 27740 Net Weight: 40260

Scale Notes:
Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81542 Vehicle #:
Time In: 02:00 PM Time Out: 02:07 PM
BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 24.79 tn
Gross: 79240 Tare: 29660 Net Weight: 49580

Scale Notes:
10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81544 Vehicle #:
Time In: 02:14 PM Time Out: 02:19 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 23.24 tn
Gross: 75640 Tare: 29160 Net Weight: 46480

Scale Notes:
Blue Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452
Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81547 Vehicle #:
Time In: 02:22 PM Time Out: 02:29 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 22.00 tn
Gross: 71500 Tare: 27500 Net Weight: 44000

Scale Notes:
Dalquist

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/17/2008 TICKET #: 81548 Vehicle #:
Time In: 02:28 PM Time Out: 02:43 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 23.97 tn
Gross: 82760 Tare: 34820 Net Weight: 47940

Scale Notes:
semi

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008 TICKET #: 81549 Vehicle #:
Time In: 02:39 PM Time Out: 02:45 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 23.58 tn
Gross: 75460 Tare: 28300 Net Weight: 47160

Scale Notes:
Bull Dog

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/17/2008

TICKET #: 81551

Vehicle #:

Time In: 02:44 PM Time Out: 02:49 PM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28)

22.48 tn

Gross: 74040 Tare: 29880

Net Weight: 44960

Scale Notes:

Red Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature *Scott A. Hillman*

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/18/2008

TICKET #: 81564

Vehicle #:

Time In: 08:03 AM Time Out: 08:08 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

22.83 tn

Gross: 75780 Tare: 30120

Net Weight: 45660

Scale Notes:

Red Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature *Scott A. Hillman*

Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/18/2008

TICKET #: 81565

Vehicle #:

Time In: 08:03 AM Time Out: 08:11 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

22.41 tn

Gross: 74340 Tare: 29520

Net Weight: 44820

Scale Notes:

10

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm

1st and 3rd Sat. 8:00 am - Noon

DATE: 6/18/2008

TICKET #: 81570

Vehicle #:

Time In: 08:28 AM Time Out: 08:34 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

19.86 tn

Gross: 69300 Tare: 29580

Net Weight: 39720


Scale Notes:

Blue Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81588 Vehicle #:
Time In: 10:26 AM Time Out: 10:31 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 19.17 tn
Gross: 68300 Tare: 29960 Net Weight: 38340

Scale Notes:
RED OTT

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81593 Vehicle #:
Time In: 10:46 AM Time Out: 10:51 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$24 ton exempt (Con28) 22.92 tn
Gross: 75460 Tare: 29620 Net Weight: 45840

Scale Notes:
10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/18/2008

TICKET #: 81596

Vehicle #:

Time In: 11:03 AM Time Out: 11:08 AM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

21.03 tn

Gross: 71500 Tare: 29440

Net Weight: 42060


Scale Notes:

Blue Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636

N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm

WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon

DATE: 6/18/2008

TICKET #: 81617

Vehicle #:

Time In: 01:06 PM Time Out: 01:12 PM

BILL TO: Oettinger Excavating & Septic Inc. HAULER: Oettinger Excavating & Septic Inc.

JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33)

19.28 tn

Gross: 68360 Tare: 29800

Net Weight: 38560


Scale Notes:

Red Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature



Weighed By: Administrator

I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81619 Vehicle #:
Time In: 01:17 PM Time Out: 01:22 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 23.22 tn
Gross: 75980 Tare: 29540 Net Weight: 46440

Scale Notes:
10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81622 Vehicle #:
Time In: 01:37 PM Time Out: 01:42 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 22.33 tn
Gross: 73960 Tare: 29300 Net Weight: 44660

Scale Notes:
Blue Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/18/2008 TICKET #: 81648 Vehicle #:
Time In: 03:54 PM Time Out: 03:59 PM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 26.20 tn
Gross: 81820 Tare: 29420 Net Weight: 52400

Scale Notes:
10

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

LINCOLN COUNTY LANDFILL 715-536-9636
N4750 Landfill Lane, Merrill, WI 54452

Operating Hours Monday-Friday SUMMER (May 1 - Sept. 30) 7:00 am - 4:00 pm
WINTER (Oct. 1 - Apr. 30) 8:00 am - 4:00 pm
1st and 3rd Sat. 8:00 am - Noon


DATE: 6/19/2008 TICKET #: 81657 Vehicle #:
Time In: 07:59 AM Time Out: 08:04 AM
BILL TO: Dettinger Excavating & Septic Inc. HAULER: Dettinger Excavating & Septic Inc.
JOB : 8-30 - Zmak & Sons Eagle River

\$29.90 ton exempt (Con33) 23.67 tn
Gross: 77460 Tare: 30120 Net Weight: 47340

Scale Notes:
Red Ott

HAVE A NICE DAY!

Charge Transaction

Customer Signature  Weighed By: Administrator
I certify that the waste in this vehicle complies with the Wisconsin Recycling law and the landfill bans. I also agree to pay 1.5% per month Late payment charge after 30 days.

Appendix F
Drum Disposal Documentation

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number WIR000127415	2. Page 1 of 1	3. Emergency Response Phone (800) 535-5053	4. Manifest Tracking Number 000011200 VES	
5. Generator's Name and Mailing Address ZMEK & SONS WRECKING, INC. 8881 HIGHWAY H EAGLE RIVER, WI 54521		Generator's Site Address (if different than mailing address) SAME				
Generator's Phone: 715 365-1818						
6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS		U.S. EPA ID Number NJ0080631369				
7. Transporter 2 Company Name		U.S. EPA ID Number				
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS W124 N9451 BOUNDARY RD.		U.S. EPA ID Number				
Facility's Phone: 262 255-0655 MENOMONEE FALLS, WI 53051		W10003967148				
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
X	1. RC, WASTE GASOLINE, 3, UN1203, II, (D001)	002	DM	00110	G	D001 D018
X	2. RC, WASTE FLAMMABLE LIQUIDS, n.o.s., (OFF ROAD FUEL), 3, UN1993, III, (D001)	003	DM	00470	G	D001
X	3. RC, WASTE PETROLEUM DISTILLATES, n.o.s., (MINERAL SPIRITS), 3, UN1268, III, (D001)	001	DM	00055	G	D001
	4.					
14. Special Handling Instructions and Additional Information 1) ERG:128 W:9013 A:CWDFUELS 2) ERG:128 W:9026 A:CWDFUELS 3) ERG:128 W:9022 A:CWDFUELS - PC 185 - FIELD SERVICES INFOTRAC ACCOUNT #86072						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Offor's Printed/Typed Name Joseph D. B...		Signature [Signature]			Month Day Year 06/13/07	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:						
17. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name Joseph D. B...		Signature [Signature]			Month Day Year 06/13/07	
Transporter 2 Printed/Typed Name		Signature			Month Day Year	
18. Discrepancy						
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number:						
18b. Alternate Facility (or Generator) U.S. EPA ID Number						
Facility's Phone:						
18c. Signature of Alternate Facility (or Generator) Month Day Year						
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1. H141		2. H141		3. H141		4.
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18d						
Printed/Typed Name ROBERT L. KANN JR.		Signature [Signature]			Month Day Year 06/29/07	

000011200VES

GENERATOR : 542353 - ZMEK && SONS WRECKING, INC.				EPA ID : WIR000127415		GEN DOC NUM :		DATE SHIPPED: 08/13/2007		
Manifest Page	WMP #	WMP Description	Approval #	Physical State / Hazard Codes	Waste Codes	Container Count & Size	Generator Drum ID	Veolia Drum #	PCB Container Number	DOSD
1	1	9013 GASOLINE	CWDFUELS	L/I	D001, D018	2x55 GAL		2		
1	2	9026 GREEN OFF ROAD FUEL	CWDFUELS	L/I	D001	8x55 GAL		11, 13, 14		
1	3	9022 PARTS CLEANER	CWDFUELS	L/I	D001	1x55 GAL		8		

Land Disposal Restriction Notification Form

Generator Name **ZMEK & SONS WRECKING, INC.**

EPA ID Number **WIR000127415**

Manifest **000011200VES**

This notice is being provided in accordance with 40 CFR 268.7 to inform you that this shipment contains waste restricted from land disposal by the USEPA under the land disposal restriction program. Identified below for each container is the designation of the waste as a wastewater or non-wastewater, the Clean Water Act (CWA) permit status associated with the treatment/disposal facility, applicable waste codes and any corresponding subcategories, list of any F001-F005 solvent constituents that are present in the waste, and any underlying hazardous constituents (UHC) that are present.

Container Number: **WF-0819025000-002 (1/ 1)**

WIP / Approval Code: **009013 / CWDFUELS**
Form Designation / CWA Status: **Non-Wastewater / Non-CWA**
Waste Codes (Subcategories): **D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >= 10% TOC PER 261.2 1(a)(1)), D018**
Constituents (F001 - F005): **None**
UHCs Present: **None**
Treatment Requirements: **Restricted waste requires treatment to applicable standards.**
Additional Notices:

Container Number: **WF-0819025000-011 (1/ 2)**

WIP / Approval Code: **009026 / CWDFUELS**
Form Designation / CWA Status: **Non-Wastewater / Non-CWA**
Waste Codes (Subcategories): **D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >= 10% TOC PER 261.2 1(a)(1))**
Constituents (F001 - F005): **None**
UHCs Present: **Not Applicable**
Treatment Requirements: **Restricted waste requires treatment to applicable standards.**
Additional Notices:

Container Number: **WF-0819025000-013 (1/ 2)**

WIP / Approval Code: **009026 / CWDFUELS**
Form Designation / CWA Status: **Non-Wastewater / Non-CWA**
Waste Codes (Subcategories): **D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >= 10% TOC PER 261.2 1(a)(1))**
Constituents (F001 - F005): **None**
UHCs Present: **Not Applicable**
Treatment Requirements: **Restricted waste requires treatment to applicable standards.**
Additional Notices:

Container Number: **WF-0819025000-014 (1/ 2)**


WIP / Approval Code: **009026 / CWDFUELS**
Form Designation / CWA Status: **Non-Wastewater / Non-CWA**
Waste Codes (Subcategories): **D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >= 10% TOC PER 261.2 1(a)(1))**
Constituents (F001 - F005): **None**
UHCs Present: **Not Applicable**
Treatment Requirements: **Restricted waste requires treatment to applicable standards.**
Additional Notices:

Container Number: **WF-0819025000-008 (1/ 3)**


WIP / Approval Code: **009022 / CWDFUELS**
Form Designation / CWA Status: **Non-Wastewater / Non-CWA**
Waste Codes (Subcategories): **D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >= 10% TOC PER 261.2 1(a)(1))**
Constituents (F001 - F005): **None**
UHCs Present: **Not Applicable**
Treatment Requirements: **Restricted waste requires treatment to applicable standards.**
Additional Notices:

I hereby certify that all information in this and associated land disposal restriction documents is complete and accurate to the best of my knowledge and information.

Signature

 che Z+SL

Title

 Project Manager

Date

6-13-07

PACKING SUMMARY

Generator Number: 542353
 ZMEK & SONS WRECKING, INC.
 8861 HIGHWAY H
 EAGLE RIVER, WI 54521
 Attn: BRENDA HALMINIAK
 EPA ID: WIR000127415

Manifest Number: 000011200VES
 Field System ID: WF
 Work Order Number: 0819025000
 Date Shipped: 06/13/2007

Container#: WF-0819025000-002 Waste Area: Manifest Page/Line: 01 / 1

WIP: 009013 DisposalCode: CWD FUELS PHY State: L

Date Accumulated: 06/12/2007 Gen Drum ID:

Shipping Name: RQ, WASTE GASOLINE, 3, UN1203, II, (D001)

No. of Commons: 02 Outer Container: 551A1-DM Inner Container:

Primary Waste Codes: D001, D018 PCB Serial #: OOS Date: / /

Total Crns Wt: 110 SIC: 9999 Source: G11 Form: W219 System: H141 Cubic Ft.: 7.50

Individual Common Weights: 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		GASOLINE, NATURAL [95-100%] WATER [0-5%]	D001, D018

Container#: WF-0819025000-008 Waste Area: Manifest Page/Line: 01 / 3

WIP: 009022 DisposalCode: CWD FUELS PHY State: L

Date Accumulated: 06/12/2007 Gen Drum ID:

Shipping Name: RQ, WASTE PETROLEUM DISTILLATES, n.o.s., (MINERAL SPIRITS), 3, UN1268, III, (D001)

No. of Commons: 01 Outer Container: 551A1-DM Inner Container:

Primary Waste Codes: D001 PCB Serial #: OOS Date: / /

Total Crns Wt: 55 SIC: 9999 Source: G09 Form: W211 System: H141 Cubic Ft.: 7.50

Individual Common Weights: 1 @ 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		MINERAL SPIRITS (100%)	D001

Container#: WF-0819025000-011 Waste Area: Manifest Page/Line: 01 / 2

WIP: 009028 DisposalCode: CWD FUELS PHY State: L

Date Accumulated: 06/12/2007 Gen Drum ID:

Shipping Name: RQ, WASTE FLAMMABLE LIQUIDS, n.o.s., (OFF ROAD FUEL), 3, UN1993, III, (D001)

No. of Commons: 05 Outer Container: 551A2-DM Inner Container:

Primary Waste Codes: D001 PCB Serial #: OOS Date: / /

Total Crns Wt: 275 SIC: 9999 Source: G11 Form: W219 System: H141 Cubic Ft.: 7.50

Individual Common Weights: 55, 55, 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		GREEN OFF ROAD FUEL (100%)	D001

Manifest Number: 000011200VES

Work Order Number: 0819025000

Page 1 of 2

Container#: WF-0819025000-013 Waste Area: Manifest Page/Line: 01 / 2
WIP: 009026 DisposalCode: CWD FUELS PHY State: L
Date Accumulated: 06/12/2007 Gen Drum ID:
Shipping Name: RQ, WASTE FLAMMABLE LIQUIDS, n.o.s., (OFF ROAD FUEL), 3, UN1993, III, (D001)
No. of Commons: 01 Outer Container: 851A2-DM Inner Container: 551A2-DM
Primary Waste Codes: D001 PCB Serial #: OOS Date: / /
Total Cnns Wt: 85 SIC: 9999 Source: G11 Form: W219 System: H141 Cubic Ft: 11.40
Individual Common Weights: 1 @ 85 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		GREEN OFF ROAD FUEL (100%)	D001

Container#: WF-0819025000-014 Waste Area: Manifest Page/Line: 01 / 2
WIP: 009026 DisposalCode: CWD FUELS PHY State: L
Date Accumulated: 06/12/2007 Gen Drum ID:
Shipping Name: RQ, WASTE FLAMMABLE LIQUIDS, n.o.s., (OFF ROAD FUEL), 3, UN1993, III, (D001)
No. of Commons: 02 Outer Container: 551A2-DM Inner Container:
Primary Waste Codes: D001 PCB Serial #: OOS Date: / /
Total Cnns Wt: 110 SIC: 9999 Source: G11 Form: W219 System: H141 Cubic Ft: 7.50
Individual Common Weights: 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		GREEN OFF ROAD FUEL (100%)	D001



SHIPPING DOCUMENT		1. Generator ID Number WIR000127415	2. Page 1 of 1	3. Emergency Response Phone (800) 535-5053	4. Shipping Document Tracking Number ZZ 00009142		
5. Generator's Name and Mailing Address ZMEK & SONS WRECKING, INC. 8861 HIGHWAY H EAGLE RIVER, WI 54521				Generator's Site Address (if different than mailing address) SAME			
Generator's Phone: 715 365-1818							
6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS				U.S. EPA ID Number N J D 0 8 0 6 3 1 3 6 9			
7. Transporter 2 Company Name				U.S. EPA ID Number			
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS W124 N9451 BOUNDARY RD.				U.S. EPA ID Number			
Facility's Phone: 262 255-6655 MENOMONEE FALLS, WI 53051				W I D 0 0 3 9 6 7 1 4 8			
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Codes
			No.	Type			
		¹ OIL AND WATER MIXTURE (NON PCB), NONE, NONE	0 0 1	D F	00055	G	NONE
		² OIL AND WATER MIXTURE (NON PCB), NONE, NONE	0 0 2	D F	00110	G	NONE
		³ OIL AND WATER MIXTURE (NON PCB), NONE, NONE	0 1 9	D M	01045	G	NONE
	⁴ OIL AND WATER MIXTURE (NON PCB), NONE, NONE	0 1 5	D M	00855	G	NONE	
14. Special Handling Instructions and Additional Information 1) W:9020 A: CWDOZLNHL 2) W:9020 A: SRROIL&WATERCWD 3) W:9020 A: CWDOZLNHL 4) W:9020 A: SRROIL&WATERCWD - PC 165 - FIELD SERVICES INFOTRAC ACCOUNT #86072							
15. GENERATOR S/OFFEROR S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.							
Generator's/Offoror's Printed/Typed Name Joseph DiGiovanna				Signature 		Month Day Year 06/13/07	
INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____						
	Transporter signature (for exports only): _____						
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Shipment						
	Transporter 1 Printed/Typed Name Joseph DiGiovanna				Signature 		Month Day Year 06/13/07
	Transporter 2 Printed/Typed Name				Signature		Month Day Year
DESIGNATED FACILITY	18. Discrepancy						
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
	Shipping Document Tracking Number: _____ U.S. EPA ID Number _____						
	18b. Alternate Facility (or Generator) _____ Facility's Phone: _____						
	18c. Signature of Alternate Facility (or Generator) _____ Month Day Year _____						
	19. Report Management Method Codes (i.e., codes for treatment, disposal, and recycling systems)						
	1. H141	2. H141	3. H141	4. H141			
	20. Designated Facility Owner or Operator: Certification of receipt of shipment except as noted in item 18a						
	Printed/Typed Name ROBERT L. KANN JR.				Signature 		Month Day Year 06/18/07

DESIGNATED FACILITY TO GENERATOR

ZZ00009142

GENERATOR :		542353 - ZMEK & SONS WRECKING, INC.		EPA ID :		VIR000127415		GEN DOC NUM :		DATE SHIPPED: 06/13/2007	
Manifest Pg/Lt	WMP #	WMP Description	Approval #	Physical State / Hazard Codes	Waste Codes	Container Count & Size	Generator Drum ID	Veolia Drum #	PCB Container Number	OCGD	
1	1	9020 OIL AND WATER MIXTURE	CWDOZLNHL	LA	NONE	1x55 GAL		14			
1	2	9020 OIL AND WATER MIXTURE	SRROIL&WATERC WD	LA	NONE	2x55 GAL		9			
1	3	9020 OIL AND WATER MIXTURE	CWDOZLNHL	LA	NONE	19x55 GAL		12, 13, 15, 16			
1	4	9020 OIL AND WATER MIXTURE	SRROIL&WATERC WD	LA	NONE	15x55 GAL		4, 10, 11			

PACKING SUMMARY

Generator Number: 542353
 ZMEK & SONS WRECKING, INC.
 8861 HIGHWAY H
 EAGLE RIVER, WI 54521
 Attn: BRENDA HALMINIAK
 EPA ID: WIRD00127415

Manifest Number: ZZ00009142
 Field System ID: WF
 Work Order Number: 0819025999
 Date Shipped: 06/13/2007

Container#: WF-0819025999-004 Waste Area: Manifest Page/Line: 01 / 4
 WIP: 009020 Disposal Code: SRROIL&WATERCWD PHY State: L
 Date Accumulated: 06/12/2007 Gen Drum ID:
 Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
 No. of Commons: 10 Outer Container: 551A1-DM Inner Container:
 Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
 Total Ctns Wt: 550 SIC: 9999 Source: G09 Form: W205 System: H141 Cubic Ft: 7.50
 Individual Common Weights: 55, 55, 55, 55, 55, 55, 55, 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-009 Waste Area: Manifest Page/Line: 01 / 2
 WIP: 009020 Disposal Code: SRROIL&WATERCWD PHY State: L
 Date Accumulated: 06/12/2007 Gen Drum ID:
 Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
 No. of Commons: 02 Outer Container: 551H1-DF Inner Container:
 Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
 Total Ctns Wt: 110 SIC: 9999 Source: G09 Form: W205 System: H141 Cubic Ft: 7.50
 Individual Common Weights: 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-010 Waste Area: Manifest Page/Line: 01 / 4
 WIP: 009020 Disposal Code: SRROIL&WATERCWD PHY State: L
 Date Accumulated: 06/12/2007 Gen Drum ID:
 Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
 No. of Commons: 04 Outer Container: 551A1-DM Inner Container:
 Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
 Total Ctns Wt: 220 SIC: 9999 Source: G09 Form: W205 System: H141 Cubic Ft: 7.50
 Individual Common Weights: 55, 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-011 Waste Area: Manifest Page/Line: 01 / 4
WIP: 009020 DisposalCode: SRROIL&WATERCWD PHY State: L
Date Accumulated: 06/12/2007 Gen Drum ID:
Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
No. of Commons: 01 Outer Container: 851A2-DM Inner Container: 551A1-DM
Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
Total Crms Wt: 85 SIC: 9999 Source: G09 Form: W205 System: H141 Cubic Ft.: 11.40
Individual Common Weights: 1 @ 85 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-012 Waste Area: Manifest Page/Line: 01 / 3
WIP: 009020 DisposalCode: CWDOZLNHL PHY State: L
Date Accumulated: 06/12/2007 Gen Drum ID:
Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
No. of Commons: 04 Outer Container: 551A2-DM Inner Container:
Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
Total Crms Wt: 220 SIC: 9999 Source: G09 Form: W205 System: H132 Cubic Ft.: 7.50
Individual Common Weights: 55, 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-013 Waste Area: Manifest Page/Line: 01 / 3
WIP: 009020 DisposalCode: CWDOZLNHL PHY State: L
Date Accumulated: 06/12/2007 Gen Drum ID:
Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
No. of Commons: 03 Outer Container: 551A2-DM Inner Container:
Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
Total Crms Wt: 165 SIC: 9999 Source: G09 Form: W205 System: H132 Cubic Ft.: 7.50
Individual Common Weights: 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-014 Waste Area: Manifest Page/Line: 01 / 1
 WIP: 009020 DisposalCode: CWDOZLNHL PHY State: L
 Date Accumulated: 06/12/2007 Gen Drum ID:
 Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
 No. of Commons: 01 Outer Container: 551H1-DF Inner Container:
 Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
 Total Cnms Wt: 55 SIC: 9999 Source: G09 Form: W205 System: H082 Cubic Ft.: 7.50
 Individual Common Weights: 1 @ 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-015 Waste Area: Manifest Page/Line: 01 / 3
 WIP: 009020 DisposalCode: CWDOZLNHL PHY State: L
 Date Accumulated: 06/12/2007 Gen Drum ID:
 Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
 No. of Commons: 08 Outer Container: 551A1-DM Inner Container:
 Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
 Total Cnms Wt: 440 SIC: 9999 Source: G09 Form: W205 System: H082 Cubic Ft.: 7.50
 Individual Common Weights: 55, 55, 55, 55, 55, 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

Container#: WF-0819025999-016 Waste Area: Manifest Page/Line: 01 / 3
 WIP: 009020 DisposalCode: CWDOZLNHL PHY State: L
 Date Accumulated: 06/12/2007 Gen Drum ID:
 Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE
 No. of Commons: 04 Outer Container: 551A2-DM Inner Container:
 Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
 Total Cnms Wt: 220 SIC: 9999 Source: G09 Form: W205 System: H132 Cubic Ft.: 7.50
 Individual Common Weights: 55, 55, 55, 55 (GALLONS)

Units	Container Size	Net Weight	Chemical Name	EPA/State Codes
1	55 GAL		OIL, LUBRICATING [40-60%] WATER [40-60%]	NONE

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number WIR000127415		2. Page 1 of 1	3. Emergency Response Phone 1800 535-5053		4. Manifest Tracking Number 000012318 VES	
		5. Generator's Name and Mailing Address ZMEK & SONS WRECKING, INC 8861 HIGHWAY H EAGLE RIVER, WI 54521		Generator's Site Address (if different than mailing address) SAME				
Generator's Phone: 715 365-1818		6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS		U.S. EPA ID Number NJ0080631369				
7. Transporter 2 Company Name				U.S. EPA ID Number				
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS, W124 N9451 BOUNDARY				U.S. EPA ID Number				
Facility's Phone: 262 255-0656		MENOMONEE FALLS, WI 53051		WIR0003967148				
GENERATOR	9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))		10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	X	1. RG. WASTE GASOLINE, 3. UN1203, II, (D001)		014	DM	00770	G	D001
		2. OIL AND WATER MIXTURE (NON PCB), NONE, NONE		005	DM	00275	G	NONE
		3. OIL AND WATER MIXTURE (NON PCB), NONE, NONE		006	DM	00330	G	NONE
		4. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT, (ANTIFREEZE), NONE, NONE		004	DM	00220	G	NONE
14. Special Handling Instructions and Additional Information 1) ERG:128 W:9013 A:CWDFUELS 2) W:9020 A:CWDOZLNHL 3) W:9020 A:SRROIL& WATERCWD 4) W:9010 A:CWDJACOBUSA - INFOTRAC ACCOUNT #86072 PC 165 WI FIELD SERVICES								
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.								
Generator's/Officer's Printed/Typed Name HELEN SABAL		Signature <i>Helen Sabal</i>		Month Day Year 06 14 07				
INT'L	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: _____ Date leaving U.S.: _____					
	Transporter signature (for exports only): _____							
TRANSPORTER	17. Transporter Acknowledgment of Receipt of Materials							
	Transporter 1 Printed/Typed Name Alexander Beyer		Signature <i>Alexander Beyer</i>		Month Day Year 06 14 07			
DESIGNATED FACILITY	Transporter 2 Printed/Typed Name		Signature		Month Day Year			
	18. Discrepancy							
	18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection							
	Manifest Reference Number: _____							
	18b. Alternate Facility (or Generator)		U.S. EPA ID Number					
Facility's Phone: _____								
18c. Signature of Alternate Facility (or Generator)				Month Day Year				
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)								
1. H141		2. H141		3. H141		4. H141		
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a								
Printed/Typed Name ROBERT L. KANN JR.		Signature <i>Robert L. Kann Jr.</i>		Month Day Year 06 20 07				

Veolia ES, Technical Solutions L.L.C.

ADDENDUM TO MANIFEST TRACKING NUMBER:

000012318VES

GENERATOR : 542353 - ZMEK & SONS WRECKING, INC.				EPA ID : WR000127415		GEN DOC NUM :		DATE SHIPPED: 06/13/2007		
Manifest Pg/Ln	WIP #	WIP Description	Approval #	Physical State/ Hazard Codes	Waste Codes	Container Count & Size	Generator Drum ID	Veolia Drum #	PCB Container Number	OCSD
1	1	9013 GASOLINE	CWDFUELS	L/I	D001, D018	14x55 GAL		1		
1	2	9020 OIL AND WATER MIXTURE	CWDOZLNHL	L/-	NONE	5x55 GAL		4		
1	3	9020 OIL AND WATER MIXTURE	SRROIL&WATERC WD	L/-	NONE	6x55 GAL		2		
1	4	9010 ANTIFREEZE	CWDJACOBUSA	L/-	NONE	4x55 GAL		3		

Land Disposal Restriction Notification Form

Generator Name ZMEK & SONS WRECKING, INC.

EPA ID Number WMR000127415

Manifest 000012318YES

This notice is being provided in accordance with 40 CFR 268.7 to inform you that this shipment contains waste restricted from land disposal by the USEPA under the land disposal restriction program. Identified below for each container is the designation of the waste as a wastewater or non-wastewater, the Clean Water Act (CWA) permit status associated with the treatment/disposal facility, applicable waste codes and any corresponding subcategories, list of any F001-F005 solvent constituents that are present in the waste, and any underlying hazardous constituents (UHC) that are present.

Container Number: WG-0383407999-001 (1/ 1)

WIP / Approval Code: 009013 / CWDFUELS

Form Designation / CWA Status: Non-Wastewater / Non-CWA

Waste Codes (Subcategories): D001 (IGNITABLE CHARACTERISTIC WASTE, LIQUIDS >= 10% TOC PER 261.2 1(a)(1)), D018

Constituents (F001 - F005): None


UHCs Present: None

Treatment Requirements: Restricted waste requires treatment to applicable standards.

Additional Notices:

I hereby certify that all information in this and associated land disposal restriction documents is complete and accurate to the best of my knowledge and information.

Signature



Title

Date

6-14-07

PACKING SUMMARY

Generator Number: 542353

ZMEK & SONS WRECKING, INC.

8861 HIGHWAY H

EAGLE RIVER, WI 54521

Attn: BRENDA HALMINIAK

EPA ID: WIR000127415

Manifest Number: 000012318VES

Field System ID: WG

Work Order Number: 0383407999

Date Shipped: 06/13/2007

Container#: WG-0383407999-001	Waste Area:	Manifest Page/Line: 01 / 1
WIP: 000013	Disposal Code: CWD FUELS	PHY State: L
Date Accumulated: 06/13/2007		Gen Drum ID:
Shipping Name: RQ, WASTE GASOLINE, 3, UN1203, II, (D001)		
No. of Commons: 14	Outer Container: 551A1-DM	Inner Container:
Primary Waste Codes: D001, D018	PCB Serial #:	OOS Date: / /
Total Crms Wt: 770	SIC: 9999	Source: G11
	Form: W219	System: H141
		Cubic Ft: 7.50
Individual Common Weights: 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55, 55 (GALLONS)		
<u>Units</u>	<u>Container Size</u>	<u>Net Weight</u>
1	55 GAL	
<u>Chemical Name</u>		<u>EPA/State Codes</u>
GASOLINE, NATURAL [95-100%] WATER [0-5%]		D001, D018

Container#: WG-0383407999-004	Waste Area:	Manifest Page/Line: 01 / 2
WIP: 000020	Disposal Code: CWD OZLNHL	PHY State: L
Date Accumulated: 06/13/2007		Gen Drum ID:
Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE		
No. of Commons: 05	Outer Container: 551A1-DM	Inner Container:
Primary Waste Codes: NONE	PCB Serial #:	OOS Date: / /
Total Crms Wt: 275	SIC: 9999	Source: G09
	Form: W205	System: H082
		Cubic Ft: 7.50
Individual Common Weights: 55, 55, 55, 55, 55 (GALLONS)		
<u>Units</u>	<u>Container Size</u>	<u>Net Weight</u>
1	55 GAL	
<u>Chemical Name</u>		<u>EPA/State Codes</u>
OIL, LUBRICATING [40-60%] WATER [40-60%]		NONE

Container#: WG-0383407999-002	Waste Area:	Manifest Page/Line: 01 / 3
WIP: 000020	Disposal Code: SRROIL&WATERCWD	PHY State: L
Date Accumulated: 06/13/2007		Gen Drum ID:
Shipping Name: OIL AND WATER MIXTURE (NON PCB), NONE, NONE		
No. of Commons: 08	Outer Container: 551A1-DM	Inner Container:
Primary Waste Codes: NONE	PCB Serial #:	OOS Date: / /
Total Crms Wt: 330	SIC: 9999	Source: G09
	Form: W205	System: H141
		Cubic Ft: 7.50
Individual Common Weights: 55, 55, 55, 55, 55, 55, 55, 55 (GALLONS)		
<u>Units</u>	<u>Container Size</u>	<u>Net Weight</u>
1	55 GAL	
<u>Chemical Name</u>		<u>EPA/State Codes</u>
OIL, LUBRICATING [40-60%] WATER [40-60%]		NONE

Container#: WG-0383407899-003 Waste Area: Manifest Page/Line: 01 / 4
WMP: 009010 DisposalCode: CWDJACOBUSA PHY State: L
Date Accumulated: 06/13/2007 Gen Drum ID:
Shipping Name: NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., (ANTIFREEZE), NONE, NONE
No. of Commons: 04 Outer Container: 551A1-DM Inner Container:
Primary Waste Codes: NONE PCB Serial #: OOS Date: / /
Total Crms Wt: 220 SIC: 9999 Source: G09 Form: W219 System: H039 Cubic Ft.: 7.50
Individual Common Weights: 55, 55, 55, 55 (GALLONS)

<u>Units</u>	<u>Container Size</u>	<u>Net Weight</u>	<u>Chemical Name</u>	<u>EPA/State Codes</u>
1	55 GAL		ANTIFREEZE [100%]	NONE

WASTESTREAM INFORMATION PROFILE

CWD FUELS

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
☐ Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H141 Generator No. 542353 Generator EPA ID No. WI000127415

1. Generator Name MEK & SONS WRECKING, INC. Generator State No. _____
 Address 8861 HIGHWAY H State WI State Wastestream No. _____
 City EAGLE RIVER Country US ZIP 54521
 NAICS(SIC) Code 9999 99999 Source G11 Origin 1 Form W219 System Type _____

2. Waste Name HEATING OIL Lab or Waste Area _____

3. Process Generating Waste
Unused product from plant / site clean-out.

4. Shipping Name WASTE HEATING OIL, LIGHT
 Hazard Class 3 UN/NA No. UN1202 PG III RQ amt 0 lb Waste: Y PIH: N IH: N DMW: N P: N

RQ Des: 1. _____ 2. _____
 DOT Des: 1. _____ 2. _____

5. Waste Codes D001
 Wastewater _____ Non Wastewater X Sub Category IL Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u> </u> < 2	a <u> </u> < .8	a <u> </u> < 80	0 - 0% suspended 0 - 0% ash
b <u> </u> 2 - 5	b <u>X</u> .8 - 1.0	b <u> </u> 80 - 100	0 - 0% settleable 0 - 0% water solubili
c <u>X</u> 5 - 9	c <u> </u> 1.0	c <u> </u> 100 - 140	0 - 0% dissolved 0 - 0 BTU/lb
d <u> </u> 9 - 12.5	d <u> </u> 1.0 - 1.2	d <u>X</u> 140 - 200	
e <u> </u> > 12.5	e <u> </u> > 1.2	e <u> </u> > 200	Free Liquid Range <u>100</u> to <u>100</u> %
- exact	- exact	f <u> </u> no flash - exact	

Physical State	Hazardous Characteristics	Odor
s <u> </u> solid	a <u> </u> air reactive	r <u> </u> radioactive or NRC regulated
m <u> </u> semi-solid	w <u> </u> water reactive	s <u> </u> shock sensitive
l <u>X</u> liquid	c <u> </u> cyanide reactive	t <u> </u> temp sensitive
p <u> </u> pumpable semi-solid	f <u> </u> sulfide reactive	m <u> </u> polymerization/monomer
f <u> </u> flowable powder	e <u> </u> explosive	n <u> </u> OSHA carcinogen
g <u> </u> gas	o <u> </u> oxidizing acid	i <u> </u> infectious
a <u> </u> aerosol	p <u> </u> peroxide former	h <u> </u> inhalation hazard
r <u> </u> pressurized liquid	Zone: <u> </u>	
d <u> </u> debris per 40 CFR 268.45		
h <u> </u> sharps		

Layers: | a multilayered: | b bi-layered: | c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u> </u> high(syrup)	<u> </u> high(syrup)	<u> </u> high(syrup)	<u>BRN</u>
by	<u>X</u> medium(oil)	<u> </u> medium(oil)	<u> </u> medium(oil)	<u> </u>
Layer:	<u> </u> low(water)	<u> </u> low(water)	<u> </u> low(water)	<u> </u>
	<u> </u> solid	<u> </u> solid	<u> </u> solid	<u> </u>

Used oil y/n HOC < 1000 ppm HOC > 1000 ppm

page 1

WIP NO. 9028

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents

Ranges

Units

HEATING OIL	100.00	100.00	%
-------------	--------	--------	---

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size: _____

Shipping Frequency: Units 2.00 Per Day ☐ Per Week ☐ Per Month ☐ Per Qtr ☐ Per Year ☐ One Time ☒
UOM DRUMS DESCRIPTION: _____

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer
Name (Print or Type)
[Signature]
Signature

Phone _____

Date 6/14/07

Title _____

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

Disposal Code

552	165
-----	-----

ST

System Type

2.

Mix: N Sol: N

f no flash

I 0 - 0 % Iodine

solid

WIP NO. 9026

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,

U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents

Ranges

Units

Constituents	Ranges	Units
GREEN OFF ROAD FUEL	100.00	100.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒

9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒

PCB Concentration .00 ppm

10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒

11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒

If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒

Benzene Concentration .00 ppm

12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒

Volatile Organic Concentration .00 ppmw

CC Approved Analytical Method? Yes ☐ No ☒

Generator Knowledge? Yes ☐ No ☒

13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 8.00 Per Day _ Per Week _ Per Month _ Per Qtr _ Per Year _ One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer
Name (Print or Type)
Signature

Phone

Date

Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

Disposal Code

Veolia ES Location		MENOMONEE FALLS OFFICE	MENOMONEE FALLS	WI	552	165
Invoice Address		OFFICE	CITY	ST		

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. _____
 Address 8861 HIGHWAY H State Wastestream No. _____
 City EAGLE RIVER State WI Country US ZIP 54521
 NAICS(SIC) Code 9999 99999 Source G11 Origin 1 Form W219 System Type _____

3. Process Generating Waste
Unused product from plant / site clean-up.

DOT Des: 1. _____ 2. _____

Wastewater _____ Non Wastewater X Sub Category IL Mix: N Sol: N

pH		Specific Gravity		Flash Point(F)		Solids	
a	<u> </u> < 2	a	<u> </u> < .8	a	<u> </u> < 80	0 - 0 % suspended	0 - 0 % ash
b	<u> </u> 2 - 5	b	<u>X</u> .8 - 1.0	b	<u> </u> 80 - 100	0 - 0 % settleable	0 - 0 % water solubili
c	<u>X</u> 5 - 9	c	<u> </u> 1.0	c	<u> </u> 100 - 140	0 - 0 % dissolved	0 - 0 BTU/lb
d	<u> </u> 9 - 12.5	d	<u> </u> 1.0 - 1.2	d	<u>X</u> 140 - 200		
e	<u> </u> > 12.5	e	<u> </u> > 1.2	e	<u> </u> > 200	Free Liquid Range <u>100</u> to <u>100</u> %	
	- <u> </u> exact		- <u> </u> exact	f	<u> </u> no flash	- <u> </u> exact	

Physical State		Hazardous Characteristics		Odor
s ___ solid	a ___ air reactive	r ___ radioactive or NRC regulated	a none _____	
m ___ semi-solid	w ___ water reactive	s ___ shock sensitive	b mild <u>X</u>	
l <u>X</u> liquid	c ___ cyanide reactive	t ___ temp sensitive	c strong _____	
p ___ pumpable semi-solid	f ___ sulfide reactive	m ___ polymerization/monomer	describe <u>DIESEL</u>	
f ___ flowable powder	e ___ explosive	n ___ OSHA carcinogen		
g ___ gas	o ___ oxidizing acid	i ___ infectious	Halogens	
a ___ aerosol	p ___ peroxide former	h ___ inhalation hazard	Br <u> 0 </u> - <u> 0 </u> % Bromine	
r ___ pressurized liquid		Zone: <u> </u>	Cl <u> 0 </u> - <u> 0 </u> % Chlorine	
d ___ debris per 40 CFR 268.45			F <u> 0 </u> - <u> 0 </u> % Fluorine	
h ___ sharps			I <u> 0 </u> - <u> 0 </u> % Iodine	

Layers:	a ___ multilayered:	b ___ bi-layered:	c ___X single phase	
	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	___ high(syrup)	___ high(syrup)	___ high(syrup)	<u>BRN</u>
by	___ medium(oil)	___ medium(oil)	___ medium(oil)	___
Layer:	<u>X</u> low(water)	___ low(water)	___ low(water)	___
	solid	solid	solid	___

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
DIESEL FUEL OIL NO. 2-D	100.00	100.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size: _____

Shipping Frequency: Units 1.00 Per Day ☐ Per Week ☐ Per Month ☐ Per Qtr ☐ Per Year ☐ One Time ☒
UOM DRUMS DESCRIPTION: _____

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer
Name (Print or Type)

Phone _____

6/14/07
Date

[Signature]
Signature

Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

Veolia ES Technical Solutions L.L.C.

WASTESTREAM INFORMATION PROFILE

CWDOZLWHS

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
 Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H14 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. WI
 Address 8861 HIGHWAY H State WI State Wastestream No. 54521
 City EAGLE RIVER Country US ZIP 54521
 NAICS(SIC) Code 9999 99999 Source G09 Origin 1 Form W409 System Type W409

2. Waste Name OIL AND GREASE RESIDUE ON PLASTIC Lab or Waste Area W409

3. Process Generating Waste
Clean-up of plant / site.

4. Shipping Name NON-REGULATED MATERIAL, NON-RCRA, NON-DOT.
 Hazard Class NONE UN/NA No. NONE PG 1 RQ amt 0 lb Waste: N PIH: N IH: N DMW: N P: N
 RQ Des: 1. PLASTIC 2. OIL, GREASE
 DOT Des: 1. PLASTIC 2. OIL, GREASE

5. Waste Codes NONE
 Wastewater Non Wastewater X Sub Category W409 Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u>< 2</u>	a <u>< .8</u>	a <u>< 80</u>	0 - 0% suspended
b <u>2 - 5</u>	b <u>.8 - 1.0</u>	b <u>80 - 100</u>	100 - 100% settleable
c <u>5 - 9</u>	c <u>1.0</u>	c <u>100 - 140</u>	0 - 0% dissolved
d <u>9 - 12.5</u>	d <u>1.0 - 1.2</u>	d <u>140 - 200</u>	0 - 0 BTU/lb
e <u>> 12.5</u>	e <u>> 1.2</u>	e <u>> 200</u>	Free Liquid Range <u>0</u> to <u>0</u> %
<u>-</u> exact	<u>-</u> exact	f <u>X</u> no flash <u>-</u> exact	

Physical State	Hazardous Characteristics	Odor
s <u>X</u> solid	a <u>air</u> reactive	r <u>radioactive</u> or NRC regulated
m <u>semi-solid</u>	w <u>water</u> reactive	s <u>shock</u> sensitive
l <u>liquid</u>	c <u>cyanide</u> reactive	t <u>temp</u> sensitive
p <u>pumpable semi-solid</u>	f <u>sulfide</u> reactive	m <u>polymerization/monomer</u>
f <u>flowable powder</u>	e <u>explosive</u>	n <u>OSHA carcinogen</u>
g <u>gas</u>	o <u>oxidizing acid</u>	i <u>infectious</u>
a <u>aerosol</u>	p <u>peroxide former</u>	h <u>inhalation hazard</u>
r <u>pressurized liquid</u>	Zone: <u>-</u>	
d <u>debris per 40 CFR 268.45</u>		
h <u>sharps</u>		

Layers: | a multilayered: b bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>GRY</u>
by	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>BRN</u>
Layer:	<u>low(water)</u>	<u>low(water)</u>	<u>low(water)</u>	
	<u>X</u> solid	<u>solid</u>	<u>solid</u>	

Used oil y/n HOC < 1000 ppm HOC > 1000 ppm page 1 WIP NO. 9024

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
OIL, LUBRICATING	.00	5.00 %
PLASTIC SHEETING	95.00	100.00 %
GREASE	.00	5.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 3.00 Per Day _ Per Week _ Per Month _ Per Qtr _ Per Year _ One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer

Name(Print or Type)

Phone

6/14/07

Date

Signature

Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

CWDFUELS

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
 Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested 1141 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. WI
 Address 8861 HIGHWAY H State Wastestream No.
 City EAGLE RIVER State WI Country US ZIP 54521
 NAICS(SIC) Code 9999 99999 Source G09 Origin 1 Form W211 System Type

2. Waste Name PARTS CLEANER Lab or Waste Area

3. Process Generating Waste
Collection of old product from a site / plant clean-up.

4. Shipping Name WASTE PETROLEUM DISTILLATES, n.o.s.
 Hazard Class 3 UN/NA No. UN1268 PG III RQ amt 100 lb Waste: Y PIH: N IH: N DMW: N P: N

RQ Des: 1.D001 2.
 DOT Des: 1.MINERAL SPIRITS 2.

5. Waste Codes D001
 Wastewater Non Wastewater X Sub Category IL Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u> </u> < 2	a <u> </u> < .8	a <u> </u> < 80	0 - 0% suspended 0 - 0% ash
b <u> </u> 2 - 5	b <u>X</u> .8 - 1.0	b <u> </u> 80 - 100	0 - 0% settleable 0 - 0% water solubili
c <u>X</u> 5 - 9	c <u> </u> 1.0	c <u>X</u> 100 - 140	0 - 0% dissolved 0 - 0 BTU/lb
d <u> </u> 9 - 12.5	d <u> </u> 1.0 - 1.2	d <u> </u> 140 - 200	
e <u> </u> > 12.5	e <u> </u> > 1.2	e <u> </u> > 200	Free Liquid Range <u>100</u> to <u>100</u> %
<u> </u> exact	<u> </u> exact	f <u> </u> no flash <u> </u> exact	

Physical State	Hazardous Characteristics	Odor
s <u> </u> solid	a <u> </u> air reactive	r <u> </u> radioactive or NRC regulated
m <u> </u> semi-solid	w <u> </u> water reactive	s <u> </u> shock sensitive
l <u>X</u> liquid	c <u> </u> cyanide reactive	t <u> </u> temp sensitive
p <u> </u> pumpable semi-solid	f <u> </u> sulfide reactive	m <u> </u> polymerization/monomer
f <u> </u> flowable powder	e <u> </u> explosive	n <u> </u> OSHA carcinogen
g <u> </u> gas	o <u> </u> oxidizing acid	i <u> </u> infectious
a <u> </u> aerosol	p <u> </u> peroxide former	h <u> </u> inhalation hazard
r <u> </u> pressurized liquid	Zone: <u> </u>	
d <u> </u> debris per 40 CFR 268.45		
h <u> </u> sharps		

Layers: | a multilayered: b bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u> </u> high(syrup)	<u> </u> high(syrup)	<u> </u> high(syrup)	<u>BRN</u>
by	<u> </u> medium(oil)	<u> </u> medium(oil)	<u> </u> medium(oil)	<u> </u>
Layer:	<u>X</u> low(water)	<u> </u> low(water)	<u> </u> low(water)	<u> </u>
	<u> </u> solid	<u> </u> solid	<u> </u> solid	<u> </u>

Used oil y/n N HOC < 1000 ppm HOC > 1000 ppm

page 1

WIP NO. 9022

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents

Ranges

Units

MINERAL SPIRITS	100.00	100.00	%
-----------------	--------	--------	---

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size: _____

Shipping Frequency: Units 1.00 Per Day ☐ Per Week ☐ Per Month ☐ Per Qtr ☐ Per Year ☐ One Time ☒
UOM DRUMS DESCRIPTION: _____

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer
Name(Print or Type)

Phone

6/14/07
Date

[Signature]
Signature

Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

CWDJACOBUS

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
 Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H141 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. _____

Address 8861 HIGHWAY H State WI Country US ZIP 54521

City EAGLE RIVER State WI Country US ZIP 54521

NAICS(SIC) Code 9999 99999 Source G11 Origin 1 Form W219 System Type _____

2. Waste Name TRANSMISSION FLUID Lab or Waste Area _____

3. Process Generating Waste
Unused product from a plant / site clean-up.

4. Shipping Name OIL, n.o.s.
 Hazard Class NONE UN/NA No. NONE PG _____ RQ amt 0 lb Waste: N PIH: N IH: N DAW: N P: N

RQ Des: 1. _____ 2. _____

DOT Des: 1. TRANSMISSION FLUID 2. _____

5. Waste Codes NONE

Wastewater _____ Non Wastewater X Sub Category _____ Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u>< 2</u>	a <u>< .8</u>	a <u>< 80</u>	0 - 0% suspended 0 - 0 % ash
b <u>2 - 5</u>	b <u>X .8 - 1.0</u>	b <u>80 - 100</u>	0 - 0% settleable 0 - 0 % water solubili
c <u>X 5 - 9</u>	c <u>1.0</u>	c <u>100 - 140</u>	0 - 0% dissolved 0 - 0 BTU/lb
d <u>9 - 12.5</u>	d <u>1.0 - 1.2</u>	d <u>140 - 200</u>	
e <u>> 12.5</u>	e <u>> 1.2</u>	e <u>X > 200</u>	Free Liquid Range <u>100</u> to <u>100</u> %
- exact	- exact	f <u>no flash</u> - exact	

Physical State	Hazardous Characteristics	Odor
s <u>solid</u>	a <u>air reactive</u>	r <u>radioactive or NRC regulated</u>
m <u>semi-solid</u>	w <u>water reactive</u>	s <u>shock sensitive</u>
l <u>X liquid</u>	c <u>cyanide reactive</u>	t <u>temp sensitive</u>
p <u>pumpable semi-solid</u>	f <u>sulfide reactive</u>	m <u>polymerization/monomer</u>
f <u>flowable powder</u>	e <u>explosive</u>	n <u>OSHA carcinogen</u>
g <u>gas</u>	o <u>oxidizing acid</u>	i <u>infectious</u>
a <u>aerosol</u>	p <u>peroxide former</u>	h <u>inhalation hazard</u>
r <u>pressurized liquid</u>	Zone: _____	
d <u>debris per 40 CFR 268.45</u>		
h <u>sharps</u>		

Layers: | a multilayered: b bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>BRN</u>
by	<u>X medium(oil)</u>	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>RED</u>
Layer:	<u>low(water)</u>	<u>low(water)</u>	<u>low(water)</u>	
	<u>solid</u>	<u>solid</u>	<u>solid</u>	

Used oil y/n HOC < 1000 ppm HOC > 1000 ppm page 1 WIP NO. 9021

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
OIL, LUBRICATING	100.00	100.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 1.00 Per Day Per Week Per Month Per Qtr Per Year One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer 6/14/07
Name (Print or Type) Phone Date
[Signature]
Signature Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

SRROIL?WATERCWD

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
 Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H14 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. _____

Address 8861 HIGHWAY H State Wastestream No. _____

City EAGLE RIVER State WI Country US ZIP 54521

NAICS(SIC) Code 9999 99999 Source G09 Origin 1 Form W205 System Type _____

2. Waste Name OIL AND WATER MIXTURE Lab or Waste Area _____

3. Process Generating Waste
Collection of old product from a plant / site clean-up

4. Shipping Name OIL AND WATER MIXTURE (NON PCB)

Hazard Class NONE UN/NA No. NONE PG _____ RQ amt 0 lb Waste: N PIH: N IH: N DMW: N P: N

RQ Des: 1. _____ 2. _____

DOT Des: 1. _____ 2. _____

5. Waste Codes NONE

Wastewater _____ Non Wastewater X Sub Category _____ Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u> </u> < 2	a <u> </u> <.8	a <u> </u> < 80	0 - 0% suspended 0 - 0 % ash
b <u> </u> 2 - 5	b <u>X</u> .8 - 1.0	b <u> </u> 80 - 100	0 - 0% settleable 0 - 0 % water solubili
c <u>X</u> 5 - 9	c <u> </u> 1.0	c <u> </u> 100 - 140	0 - 0% dissolved 0 - 0 BTU/lb
d <u> </u> 9 - 12.5	d <u> </u> 1.0 - 1.2	d <u> </u> 140 - 200	
e <u> </u> > 12.5	e <u> </u> > 1.2	e <u>X</u> > 200	Free Liquid Range <u>100</u> to <u>100</u> %
<u> </u> exact	<u> </u> exact	f <u> </u> no flash <u> </u> exact	

Physical State	Hazardous Characteristics	Odor
s <u> </u> solid	a <u> </u> air reactive	r <u> </u> radioactive or NRC regulated
m <u> </u> semi-solid	w <u> </u> water reactive	s <u> </u> shock sensitive
l <u>X</u> liquid	c <u> </u> cyanide reactive	t <u> </u> temp sensitive
p <u> </u> pumpable semi-solid	f <u> </u> sulfide reactive	m <u> </u> polymerization/monomer
f <u> </u> flowable powder	e <u> </u> explosive	n <u> </u> OSHA carcinogen
g <u> </u> gas	o <u> </u> oxidizing acid	i <u> </u> infectious
a <u> </u> aerosol	p <u> </u> peroxide former	h <u> </u> inhalation hazard
r <u> </u> pressurized liquid	Zone: <u> </u>	
d <u> </u> debris per 40 CFR 268.45		
h <u> </u> sharps		

Layers: | a multilayered: b X bi-layered: c single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u> </u> high(syrup)	<u> </u> high(syrup)	<u> </u> high(syrup)	<u>BRN</u>
by	<u>X</u> medium(oil)	<u> </u> medium(oil)	<u> </u> medium(oil)	<u> </u>
Layer:	<u> </u> low(water)	<u>X</u> low(water)	<u> </u> low(water)	<u> </u>
	<u> </u> solid	<u> </u> solid	<u> </u> solid	<u> </u>

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
OIL, LUBRICATING	40.00	60.00 %
WATER	40.00	60.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 10.00 Per Day Per Week Per Month Per Qtr Per Year One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer 6/14/04
Name (Print or Type) Phone Date
[Signature]
Signature Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

CwDFUELS

Disposal Code

☐ Recertification

☐ Invoice Address Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H141 Generator No. 542353 Generator EPA ID No. WIR0001274151. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. _____Address 8861 HIGHWAY H State Wastestream No. _____City EAGLE RIVER State WI Country US ZIP 54521NAICS(SIC) Code 9999 99999 Source G09 Origin 1 Form W219 System Type _____2. Waste Name GAS / ANTIFREEZE MIX Lab or Waste Area _____

3. Process Generating Waste

Collection of old product from a plant / site clean-up.

4. Shipping Name WASTE FLAMMABLE LIQUIDS, n.o.s.Hazard Class 3 UN/NA No. UN1993 PG II RQ amt 100 lb Waste: Y PIH: N IH: N DMW: N P: NRQ Des: 1.D001 2. _____DOT Des: 1.GASOLINE 2. ANTIFREEZE5. Waste Codes D001 D018Wastewater _____ Non Wastewater X Sub Category IL Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u>< 2</u>	a <u><.8</u>	a <u>< 80</u>	0 - 0% suspended 0 - 0% ash
b <u>2 - 5</u>	b <u>X .8 - 1.0</u>	b <u>X 80 - 100</u>	0 - 0% settleable 0 - 0% water solubili
c <u>X 5 - 9</u>	c <u>1.0</u>	c <u>100 - 140</u>	0 - 0% dissolved 0 - 0 BTU/lb
d <u>9 - 12.5</u>	d <u>1.0 - 1.2</u>	d <u>140 - 200</u>	
e <u>> 12.5</u>	e <u>> 1.2</u>	e <u>> 200</u>	Free Liquid Range <u>100</u> to <u>100</u> %
- exact	- exact	f <u>no flash</u> - exact	

Physical State	Hazardous Characteristics	Odor
s <u>solid</u>	a <u>air reactive</u>	r <u>radioactive or NRC regulated</u>
m <u>semi-solid</u>	w <u>water reactive</u>	s <u>shock sensitive</u>
l <u>X liquid</u>	c <u>cyanide reactive</u>	t <u>temp sensitive</u>
p <u>pumpable semi-solid</u>	f <u>sulfide reactive</u>	m <u>polymerization/monomer</u>
f <u>flowable powder</u>	e <u>explosive</u>	n <u>OSHA carcinogen</u>
g <u>gas</u>	o <u>oxidizing acid</u>	i <u>infectious</u>
a <u>aerosol</u>	p <u>peroxide former</u>	h <u>inhalation hazard</u>
r <u>pressurized liquid</u>	Zone: <u></u>	
d <u>debris per 40 CFR 268.45</u>		
h <u>sharps</u>		

Layers: | a multilayered: b bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>BRN</u>
by	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>medium(oil)</u>	
Layer:	<u>X low(water)</u>	<u>low(water)</u>	<u>low(water)</u>	
	<u>solid</u>	<u>solid</u>	<u>solid</u>	

Used oil y/n HOC < 1000 ppm HOC > 1000 ppm

page 1

WIP NO. 9019

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
GASOLINE, NATURAL	40.00	60.00 %
ANTIFREEZE	40.00	60.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 2.00 Per Day Per Week Per Month Per Qtr Per Year One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Berger 07/10/07
Name(Print or Type) Phone Date

Signature Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

CWDJACOBUS
CWDJFUELS

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
 Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H14 Generator No. 542353 Generator EPA ID No. WIR0001274151. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. _____Address 8861 HIGHWAY H State Wastestream No. _____City EAGLE RIVER State WI Country US ZIP 54521NAICS(SIC) Code 9999 99999 Source G11 Origin 1 Form W219 System Type _____2. Waste Name HYDRAULIC FLUID Lab or Waste Area _____

3. Process Generating Waste

Unused product from plant / site clean-up.

4. Shipping Name OIL, n.o.s.Hazard Class NONE UN/NA No. NONE PG _____ RQ amt 0 lb Waste: N PIH: N IH: N DMW: N P: N

RQ Des: 1. _____ 2. _____

DOT Des: 1. HYDRAULIC FLUID 2. _____5. Waste Codes NONEWastewater _____ Non Wastewater X Sub Category _____ Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u>< 2</u>	a <u>< .8</u>	a <u>< 80</u>	0 - 0% suspended 0 - 0% ash
b <u>2 - 5</u>	b <u>X .8 - 1.0</u>	b <u>80 - 100</u>	0 - 0% settleable 0 - 0% water solubili
c <u>X 5 - 9</u>	c <u>1.0</u>	c <u>100 - 140</u>	0 - 0% dissolved 0 - 0 BTU/lb
d <u>9 - 12.5</u>	d <u>1.0 - 1.2</u>	d <u>140 - 200</u>	
e <u>> 12.5</u>	e <u>> 1.2</u>	e <u>X > 200</u>	Free Liquid Range <u>100</u> to <u>100</u> %
- exact	- exact	f <u>no flash</u> - exact	

Physical State	Hazardous Characteristics	Odor
s <u>solid</u>	a <u>air reactive</u>	r <u>radioactive or NRC regulated</u>
m <u>semi-solid</u>	w <u>water reactive</u>	s <u>shock sensitive</u>
l <u>X liquid</u>	c <u>cyanide reactive</u>	t <u>temp sensitive</u>
p <u>pumpable semi-solid</u>	f <u>sulfide reactive</u>	m <u>polymerization/monomer</u>
f <u>flowable powder</u>	e <u>explosive</u>	n <u>OSHA carcinogen</u>
g <u>gas</u>	o <u>oxidizing acid</u>	i <u>infectious</u>
a <u>aerosol</u>	p <u>peroxide former</u>	h <u>inhalation hazard</u>
r <u>pressurized liquid</u>	Zone: _____	
d <u>debris per 40 CFR 268.45</u>		
h <u>sharps</u>		

Layers: | a multilayered: b bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>BRN</u>
by	<u>X medium(oil)</u>	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>AMB</u>
Layer:	<u>low(water)</u>	<u>low(water)</u>	<u>low(water)</u>	
	<u>solid</u>	<u>solid</u>	<u>solid</u>	

Used oil y/n N HOC < 1000 ppm _____ HOC > 1000 ppm _____

page 1

WIP NO. 9017

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
HYDRAULIC FLUID	100.00	100.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 2.00 Per Day Per Week Per Month Per Qtr Per Year One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Boyer 6/14/07
Name (Print or Type) Phone Date
[Signature]
Signature Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

Veolia ES Technical Solutions L.L.C.

WASTESTREAM INFORMATION PROFILE

CWDJACOBUS

Disposal Code

☐ Recertification

☐ Invoice Address Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS CITY WI 552 165

Veolia ES TSDF requested CWD Technology requested H141 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No.

Address 8861 HIGHWAY H

State Wastestream No.

City EAGLE RIVER

State WI

Country US

ZIP 54521

NAICS(SIC) Code 9999 99999

Source G16

Origin 1

Form W206

System Type

2. Waste Name OIL

Lab or Waste Area

3. Process Generating Waste

Collection of oil from oil changes.

4. Shipping Name USED OIL

Hazard Class NONE UN/NA No. NONE PG

RQ amt 0 lb

Waste: N PIH: N IH: N DMW: N P: N

RQ Des: 1.

2.

DOT Des: 1.

2.

5. Waste Codes NONE

Wastewater Non Wastewater X Sub Category

Mix: N Sol: N

6. Physical and chemical properties:

pH a < 2 b 2 - 5 c X 5 - 9 d 9 - 12.5 e > 12.5
Specific Gravity a < .8 b X .8 - 1.0 c 1.0 d 1.0 - 1.2 e > 1.2
Flash Point(F) a < 80 b 80 - 100 c 100 - 140 d 140 - 200 e X > 200 f no flash
Solids 0 - 0% suspended 0 - 0% ash
0 - 0% settleable 0 - 0% water solubili
0 - 0% dissolved 0 - 0 BTU/lb
Free Liquid Range 100 to 100 %

Physical State s solid m semi-solid l X liquid p pumpable semi-solid f flowable powder g gas a aerosol r pressurized liquid d debris per 40 CFR 268.45 h sharps
Hazardous Characteristics a air reactive w water reactive c cyanide reactive f sulfide reactive e explosive o oxidizing acid p peroxide former r radioactive or NRC regulated s shock sensitive t temp sensitive m polymerization/monomer n OSHA carcinogen i infectious h inhalation hazard Zone:
Odor a none b mild X c strong describe PETROLEUM
Halogens Br 0 - 0% Bromine Cl 0 - 0% Chlorine F 0 - 0% Fluorine I 0 - 0% Iodine

Layers: a multilayered: b bi-layered: c X single phase

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	high(syrup)	high(syrup)	high(syrup)	BRN
by	X medium(oil)	medium(oil)	medium(oil)	BLK
Layer:	low(water)	low(water)	low(water)	
	solid	solid	solid	

Used oil y/n HOC < 1000 ppm HOC > 1000 ppm

page 1

WIP NO. 9016

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
OIL, LUBRICATING	100.00	100.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 6.00 Per Day Per Week Per Month Per Qtr Per Year One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer 6/14/07
Name(Print or Type) Phone Date
[Signature]
Signature Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

Veolia ES Technical Solutions L.L.C.

WASTESTREAM INFORMATION PROFILE

CWDFUELS

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
 Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H141 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. _____
 Address 8861 HIGHWAY H State WI State Wastestream No. _____
 City EAGLE RIVER Country US ZIP 54521
 NAICS(SIC) Code 9999 99999 Source G11 Origin 1 Form W219 System Type _____

2. Waste Name GASOLINE Lab or Waste Area _____

3. Process Generating Waste
Unused product from a plant / site clean-up.

4. Shipping Name WASTE GASOLINE
 Hazard Class 3 UN/NA No. UN1203 PG II RQ amt 100 lb Waste: Y PIH: N IH: N DMW: N P: N
 RQ Des: 1. D001 2. _____
 DOT Des: 1. _____ 2. _____

5. Waste Codes D001 D018
 Wastewater _____ Non Wastewater X Sub Category IL Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u>< 2</u>	a <u>< .8</u>	a <u>< 80</u>	0 - 0% suspended 0 - 0 % ash
b <u>2 - 5</u>	b <u>X .8 - 1.0</u>	b <u>X 80 - 100</u>	0 - 0% settleable 0 - 0 % water solubili
c <u>X 5 - 9</u>	c <u>1.0</u>	c <u>100 - 140</u>	0 - 0% dissolved 0 - 0 BTU/lb
d <u>9 - 12.5</u>	d <u>1.0 - 1.2</u>	d <u>140 - 200</u>	
e <u>> 12.5</u>	e <u>> 1.2</u>	e <u>> 200</u>	Free Liquid Range <u>100</u> to <u>100</u> %
- exact	- exact	f <u>no flash</u> - exact	

Physical State	Hazardous Characteristics	Odor
s <u>solid</u>	a <u>air reactive</u>	a none
m <u>semi-solid</u>	w <u>water reactive</u>	b mild
l <u>X liquid</u>	c <u>cyanide reactive</u>	c strong <u>X</u>
p <u>pumpable semi-solid</u>	f <u>sulfide reactive</u>	describe <u>GASOLINE</u>
f <u>flowable powder</u>	e <u>explosive</u>	
g <u>gas</u>	o <u>oxidizing acid</u>	
a <u>aerosol</u>	p <u>peroxide former</u>	
r <u>pressurized liquid</u>	i <u>infectious</u>	
d <u>debris per 40 CFR 268.45</u>	h <u>inhalation hazard</u>	
h <u>sharps</u>	Zone: <u>-</u>	

Layers: | a multilayered: b bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>high(syrup)</u>	<u>BRN</u>
by	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>medium(oil)</u>	<u>AMB</u>
Layer:	<u>X low(water)</u>	<u>low(water)</u>	<u>low(water)</u>	
	<u>solid</u>	<u>solid</u>	<u>solid</u>	

Used oil y/n N HOC < 1000 ppm - HOC > 1000 ppm -

page 1

WIP NO. 9013

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
GASOLINE, NATURAL	95.00	100.00 %
WATER	.00	5.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size: _____

Shipping Frequency: Units 30.00 Per Day ☐ Per Week ☐ Per Month ☐ Per Qtr ☐ Per Year ☐ One Time ☒
UOM DRUMS DESCRIPTION: _____

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Beyer 6/14/07
Name (Print or Type) Phone Date
[Signature]
Signature Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

WASTESTREAM INFORMATION PROFILE

CWDJACOBUSA

Disposal Code

☐ Recertification

Veolia ES Location MENOMONEE FALLS OFFICE MENOMONEE FALLS WI 552 165
☐ Invoice Address OFFICE CITY ST

Veolia ES TSDF requested CWD Technology requested H14 Generator No. 542353 Generator EPA ID No. WIR000127415

1. Generator Name ZMEK & SONS WRECKING, INC. Generator State No. WI
 Address 8861 HIGHWAY H State WI Country US State Wastestream No. 54521
 City EAGLE RIVER NAICS(SIC) Code 9999 9999 Source G09 Origin 1 Form W219 System Type _____

2. Waste Name ANTIFREEZE Lab or Waste Area _____

3. Process Generating Waste

Unused material from plant / site clean-up.

4. Shipping Name NON-REGULATED MATERIAL, NON-RCRA, NON-DOT.
 Hazard Class NONE UN/NA No. NONE PG _____ RQ amt 0 lb Waste: N PIH: N IH: N DMW: N P: N

RQ Des: 1. _____ 2. _____
 DOT Des: 1. ANTIFREEZE 2. _____

5. Waste Codes NONE
 Wastewater _____ Non Wastewater X Sub Category _____ Mix: N Sol: N

6. Physical and chemical properties:

pH	Specific Gravity	Flash Point(F)	Solids
a <u>_____</u> < 2	a <u>_____</u> < .8	a <u>_____</u> < 80	0 - 0% suspended 0 - 0% ash
b <u>_____</u> 2 - 5	b <u>X</u> .8 - 1.0	b <u>_____</u> 80 - 100	0 - 2% settleable 0 - 0% water solubili
c <u>X</u> 5 - 9	c <u>_____</u> 1.0	c <u>_____</u> 100 - 140	0 - 0% dissolved 0 - 0 BTU/lb
d <u>_____</u> 9 - 12.5	d <u>_____</u> 1.0 - 1.2	d <u>_____</u> 140 - 200	
e <u>_____</u> > 12.5	e <u>_____</u> > 1.2	e <u>_____</u> > 200	Free Liquid Range <u>98</u> to <u>100</u> %
<u>_____</u> exact	<u>_____</u> exact	f <u>X</u> no flash <u>_____</u> exact	

Physical State	Hazardous Characteristics	Odor
s <u>_____</u> solid	a <u>_____</u> air reactive	r <u>_____</u> radioactive or NRC regulated
m <u>_____</u> semi-solid	w <u>_____</u> water reactive	s <u>_____</u> shock sensitive
l <u>X</u> liquid	c <u>_____</u> cyanide reactive	t <u>_____</u> temp sensitive
p <u>_____</u> pumpable semi-solid	f <u>_____</u> sulfide reactive	m <u>_____</u> polymerization/monomer
f <u>_____</u> flowable powder	e <u>_____</u> explosive	n <u>_____</u> OSHA carcinogen
g <u>_____</u> gas	o <u>_____</u> oxidizing acid	i <u>_____</u> infectious
a <u>_____</u> aerosol	p <u>_____</u> peroxide former	h <u>_____</u> inhalation hazard
r <u>_____</u> pressurized liquid	Zone: <u>_____</u>	
d <u>_____</u> debris per 40 CFR 268.45		
h <u>_____</u> sharps		

Layers: | a _____ multilayered: b _____ bi-layered: c X single phase |

	Top Layer	Second Layer	Bottom Layer	Color
Viscosity	<u>_____</u> high(syrup)	<u>_____</u> high(syrup)	<u>_____</u> high(syrup)	<u>GRN</u>
by	<u>_____</u> medium(oil)	<u>_____</u> medium(oil)	<u>_____</u> medium(oil)	<u>BRN</u>
Layer:	<u>X</u> low(water)	<u>_____</u> low(water)	<u>_____</u> low(water)	<u>_____</u>
	<u>_____</u> solid	<u>_____</u> solid	<u>_____</u> solid	<u>_____</u>

Used oil y/n _____ HOC < 1000 ppm _____ HOC > 1000 ppm _____

page 1

WIP NO. 9010

Chemical Composition [M=Marine Pollutant, S=Severe Marine Pollutant, O=Ozone Depleting Substance,
U=Underlying Hazardous Constituent, B=Benzene NESHA, T=TRI Chemical, C=OSHA Carcinogen]

Constituents	Ranges	Units
ANTIFREEZE	100.00	100.00 %

Other:

8. Is the wastestream being imported into the USA? Yes ☐ No ☒
9. Does the wastestream contain PCBs regulated by 40CFR? Yes ☐ No ☒
PCB Concentration .00 ppm
10. Is the wastestream subject to the Marine Pollutant Regulations? Yes ☐ No ☒
11. Is the wastestream subject to Benzene NESHA? Yes ☐ No ☒
If yes, is the wastestream subject to Notification/Control Requirements? Yes ☐ No ☒
Benzene Concentration .00 ppm
12. Is the wastestream subject to RCRA subpart CC controls? Yes ☐ No ☒
Volatile Organic Concentration .00 ppmw
CC Approved Analytical Method? Yes ☐ No ☒
Generator Knowledge? Yes ☐ No ☒
13. Is the wastestream from a CERCLA or state mandated cleanup? Yes ☐ No ☒

14. Container Information :

Packaging: 551A2 Type/Size: DM 55 GAL OPEN HEAD (17H) DM
Type/Size:

Shipping Frequency: Units 6.00 Per Day Per Week Per Month Per Qtr Per Year One Time ☒
UOM DRUMS DESCRIPTION:

15. Additional Information :

PC 165

GENERATOR CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix I or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize sampling of any waste shipment for purposes of recertification.

Alexander Bayer
Name(Print or Type)

Phone

6/14/07
Date

Signature

Title

FACILITY NOTIFICATION

If approved for management, Veolia ES has all the necessary permits and licenses for the waste that has been characterized and identified by this profile.

197
8-8

Use type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number W I R 0 0 0 1 2 7 4 1 5	2. Page 1 of 2	3. Emergency Response Phone (800) 535-5053	4. Manifest Tracking Number 000012836 VES		
5. Generator Name and Mailing Address ZMEK & SONS WRECKING, INC. SAND CREEK CONSULTANTS, INC. P.O. BOX 1512 RHINELANDER, WI 54501		Generator's Site Address (if different than mailing address) ZMEK & SONS WRECKING, INC. 8861 HIGHWAY H EAGLE RIVER, WI 54521					
Generator's Phone: 715 365-1818							
6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS		U.S. EPA ID Number N J D 0 8 0 6 3 1 3 6 9					
7. Transporter 2 Company Name		U.S. EPA ID Number					
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS, W124 N9451 BOUNDARY		U.S. EPA ID Number					
Facility's Phone: 262 255-6655		MENOMONEE FALLS, WI 53051					
		W I D 0 0 3 9 6 7 1 4 8					
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes	
X	1. RC, WASTE GASOLINE, 3, UN1203, II, (D001) 009013 - FI/COMP/PCB'S	0 0 2	D M	00110	G	D001	
X	2. RC, WASTE FLAMMABLE LIQUIDS, n.o.s., (GASOLINE, ANTIFREEZE), 3, UN1993, II, (D001) 9019 FI/COMP/PCB'S	0 0 2	D M	00110	G	D001	
X	3. RC, WASTE GASOLINE, 3, UN1203, II, (D001) 009013 - SAME	0 0 8	D F	00440	G	D001	
X	4. RC, WASTE GASOLINE, 3, UN1203, II, (D001) I I	0 1 4	D M	00770	G	D001	
14. Special Handling Instructions and Additional Information 1) ERG:128 W:9013 A:CWDFUELS 1 OF 2 PACKED IN 851A2 2) ERG:128 W:9019 A:CWDFUELS 3) ERG:128 W:9013 A:CWDFUELS 4) ERG:128 W:9013 A:CWDFUELS - INFOTRAC ACCOUNT #86072 PC 165 WI FIELD SERVICES							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Offenr's Printed/Typed Name Brenda S. Halminial		Signature Brenda S. Halminial		Month Day Year 08 07 07			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:							
17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name Alexander Bayer Signature Month Day Year 08 07 07							
18. Discrepancy 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Manifest Reference Number: 18b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone: 18c. Signature of Alternate Facility (or Generator) Month Day Year							
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems) 1. 2. 3. 4.							
20. Designated Facility Owner or Operator. Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a Printed/Typed Name Signature Month Day Year							

1978-8

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST (Continuation Sheet)		21. Generator ID Number WIR000127415	22. Page 2 of 2	23. Manifest Tracking Number 000012836VES		
24. Generator's Name ZMEK & SONS WRECKING, INC.						
25. Transporter _____ Company Name				U.S. EPA ID Number		
26. Transporter _____ Company Name				U.S. EPA ID Number		
27a. HM	27b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	28. Containers No. Type		29. Total Quantity	30. Unit Wt./Vol.	31. Waste Codes
X	5. RC, WASTE DIESEL FUEL, 3, UN1202, III, (D001) 009025 FI/COMP/PCBS	004	DF	00220	G	D001
X	6. RC, WASTE DIESEL FUEL, 3, UN1202, III, (D001)	001	DM	00055	G	D001
X	7. WASTE HEATING OIL, LIGHT, 3, UN1202, III 009028 FI/COMP/PCBS	001	DM	00055	G	D001
	8. OIL AND WATER MIXTURE (NON PCB), NONE, NONE 009020 FI/COMP/PCBS	002	DF	00110	G	NONE
	9. OIL AND WATER MIXTURE (NON PCB), NONE, NONE	008	DM	00401	G	NONE
	10. USED OIL, NONE, NONE 933012 ← WIP NOS 009016 - FI/COMP/PCBS	002	DF	00110	G	NONE
	11. USED OIL, NONE, NONE 009016 - SAME	002	DF	00110	G	NONE
	12. USED OIL, NONE, NONE	009	DM	00445	G	NONE
	13. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., (ANTIFREEZE), NONE, NONE 009010 FI/COMP.	005	DM	00275	G	NONE
32. Special Handling Instructions and Additional Information 5) ERG:128 W:9025 A:CWDFUELS 6) ERG:128 W:9025 A:CWDFUELS 7) ERG:128 W:9028 A:CWDFUELS 8) W:9020 A:SRROIL&WATERCWD 9) W:9020 A:SRROIL&WATERCWD 10) W:9016,933012 A:CWDFUELS 11) W:9016 A:CWDIACOBUS 12) W:9016 A:CWDIACOBUS 13) W:9010 A:CWDIACOBUSA						
33. Transporter _____ Acknowledgment of Receipt of Materials Printed/Typed Name _____ Signature _____ Month _____ Day _____ Year _____						
34. Transporter _____ Acknowledgment of Receipt of Materials Printed/Typed Name _____ Signature _____ Month _____ Day _____ Year _____						
35. Discrepancy						
36. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
5.		6.		7.		8.
10.		11.		12.		13.



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number WIR000127415	2. Page 1 of 2	3. Emergency Response Phone (800) 535-5053	4. Manifest Tracking Number 000012837 VES	
5. Generator's Name and Mailing Address ZMEK & SONS WRECKING, INC. SAND CREEK CONSULTANTS, INC. P.O. BOX 1512 RHINELANDER, WI 54501		Generator's Site Address (if different than mailing address) ZMEK & SONS WRECKING, INC. 8861 HIGHWAY H EAGLE RIVER, WI 54521				
Generator's Phone: 715 365-1818						
6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS		U.S. EPA ID Number NJ0080631369				
7. Transporter 2 Company Name		U.S. EPA ID Number				
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS, W124 N9451 BOUNDARY		U.S. EPA ID Number				
Facility's Phone: 262 255-6655 MENOMONEE FALLS, WI 53051		W10003967148				
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
X	1. RC, WASTE GASOLINE, 3, UN1203, II, (D001)	001	DM	00055	G	D001
X	2. RC, WASTE DIESEL FUEL, 3, UN1202, III, (D001)	005	DM	00275	G	D001
	3. OIL, n.s.s., (TRANSMISSION FLUID) NONE NONE	001	DM	00055	G	NONE
	4. OIL AND WATER MIXTURE (NON PCB), NONE, NONE	015	DM	00825	G	NONE
14. Special Handling Instructions and Additional Information 1) ERG:128 W:9013 A:CWDFUELS 2) ERG:128 W:9025 A:CWDFUELS 3) W:9021 A: CWDJACOBUS 4) W:9020 A:SRROIL&WATERCWD +/- INFOTRAC ACCOUNT #86072 PC 165 WI FIELD SERVICES						
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.						
Generator's/Officer's Printed/Typed Name Brenda S. Halminick		Signature Brenda S. Halminick		Month 08	Day 08	Year 07
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: Date leaving U.S.:				
Transporter signature (for exports only):						
17. Transporter Acknowledgment of Receipt of Materials						
Transporter 1 Printed/Typed Name Alexander Beyer		Signature Alexander Beyer		Month 08	Day 08	Year 07
Transporter 2 Printed/Typed Name		Signature		Month	Day	Year
18. Discrepancy						
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection						
Manifest Reference Number:						
18b. Alternate Facility (or Generator)		U.S. EPA ID Number				
Facility's Phone:						
18c. Signature of Alternate Facility (or Generator)					Month	Day
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)						
1.		2.		3.		4.
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in item 18a						
Printed/Typed Name		Signature		Month	Day	Year

DESIGNATED FACILITY TO DESTINATION STATE (IF REQUIRED)



GENERATOR	SHIPPING DOCUMENT		1. Generator ID Number W I R 0 0 0 1 2 7 4 1 5		2. Page 1 of 1		3. Emergency Response Phone (800) 535-5053		4. Shipping Document Tracking Number ZZ 00009304					
	5. Generator's Name and Mailing Address ZMEK & SONS WRECKING, INC. SAND CREEK CONSULTANTS, INC. P.O. BOX 1512 RHINELANDER, WI 54501					Generator's Site Address (if different than mailing address) ZMEK & SONS WRECKING, INC. 8861 HIGHWAY H EAGLE RIVER, WI 54521								
	6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS					U.S. EPA ID Number W J D 0 8 0 6 3 1 3 6 9								
	7. Transporter 2 Company Name					U.S. EPA ID Number								
	8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS W124 N9451 BOUNDARY RD. Facility's Phone: 262 255-6655 MENOMONEE FALLS, WI 53051					U.S. EPA ID Number W I D 0 0 3 9 6 7 1 4 8								
TRANSPORTER INT'L	9a. HM		9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any)) NON-REGULATED MATERIAL, NON-RCRA, NON-DOT, NONE, NONE				10. Containers No. Type 017 DM		11. Total Quantity 00938		12. Unit Wt./Vol. G		13. Codes NONE	
DESIGNATED FACILITY	14. Special Handling Instructions and Additional Information 1) W:833013 A:CWDOZLNHL - - INFOTRAC ACCOUNT #86072 PC 165 WI FIELD SERVICES													
	15. GENERATOR S/OFFEROR S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations.													
	Generator's/Offoror's Printed/Typed Name Brenda S. Halminiak					Signature Brenda S. Halminiak			Month Day Year 08 07 07					
	16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: Date leaving U.S.:													
	17. Transporter Acknowledgment of Receipt of Shipment Transporter 1 Printed/Typed Name Alexander Beyer Transporter 2 Printed/Typed Name													
DESIGNATED FACILITY	18. Discrepancy 18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection Shipping Document Tracking Number: 18b. Alternate Facility (or Generator) U.S. EPA ID Number Facility's Phone: 18c. Signature of Alternate Facility (or Generator)													
	19. Report Management Method Codes (i.e., codes for treatment, disposal, and recycling systems)													
	20. Designated Facility Owner or Operator: Certification of receipt of shipment except as noted in Item 18a Printed/Typed Name Signature Month Day Year													

DESIGNATED FACILITY TO GENERATOR



Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number W I R 0 0 0 1 2 7 4 1 5	2. Page 1 of 2	3. Emergency Response Phone (800) 535-5053	4. Manifest Tracking Number 000012835 VES		
5. Generator's Name and Mailing Address ZMEK & SONS WRECKING, INC. SAND CREEK CONSULTANTS, INC. P.O. BOX 1512 RHINELANDER, WI 54501		Generator's Site Address (if different than mailing address) ZMEK & SONS WRECKING, INC. 8861 HIGHWAY H EAGLE RIVER, WI 54521					
Generator's Phone: 715 365-1818							
6. Transporter 1 Company Name VEOLIA ES TECHNICAL SOLUTIONS		U.S. EPA ID Number N J 0 0 8 0 6 3 1 3 6 9					
7. Transporter 2 Company Name		U.S. EPA ID Number					
8. Designated Facility Name and Site Address VEOLIA ES TECHNICAL SOLUTIONS W124 N9451 BOUNDARY RD. 262 255-6655 MENOMONEE FALLS, WI 53051		U.S. EPA ID Number W I 0 0 0 3 9 6 7 1 4 8					
Facility's Phone:							
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No. Type		11. Total Quantity	12. Unit WL/Vol.	13. Waste Codes	
X	1. RCRA WASTE GASOLINE, 3, UN1203, II, (D001)	0 0 1	D M	0 0 0 5 5	G	D001	
X	2. RCRA WASTE DIESEL FUEL, 3, UN1202, III, (D001)	0 0 6	D M	0 0 3 3 0	G	D001	
X	3. ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, n.o.s., (DIPHENYLMETHANE DIISOCYANATE), 9, UN3082, III	0 0 1	D M	0 0 0 7 5	P	NONE	
	4. USED OIL, NONE, NONE	0 0 5	D M	0 0 2 7 5	G	NONE	
14. Special Handling Instructions and Additional Information 1) ERG:128 W:9013 A:CWDFUELS 2) ERG:128 W:9025 A:CWDFUELS 3) ERG:171 W:933560 A:CWDFUELS 4) W:933012,9016 A:CWDFUELS + INFOTRAC ACCOUNT #86072 PC 165 WI FIELD SERVICES							
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 282.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.							
Generator's/Officer's Printed/Typed Name Brenda S. Halminick		Signature Brenda S. Halminick		Month Day Year 08 08 07			
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S.		Port of entry/exit: Date leaving U.S.:					
17. Transporter Acknowledgment of Receipt of Materials		Transporter 1 Printed/Typed Name Alexander Beyer		Signature Alexander Beyer		Month Day Year 08 08 07	
18. Discrepancy		18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection		Manifest Reference Number:			
18b. Alternate Facility (or Generator)		U.S. EPA ID Number					
Facility's Phone:		18c. Signature of Alternate Facility (or Generator)		Month Day Year			
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)		1.		2.		3.	
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a		Printed/Typed Name		Signature		Month Day Year	

UNIFORM HAZARDOUS WASTE MANIFEST (Continuation Sheet)		21. Generator ID Number W I R 0 0 0 1 2 7 4 1 5	22. Page 2 of 2	23. Manifest Tracking Number 000012835VES			
24. Generator's Name ZMEK & SONS WRECKING, INC.							
25. Transporter _____ Company Name						U.S. EPA ID Number	
26. Transporter _____ Company Name						U.S. EPA ID Number	
GENERATOR	27a. HM	27b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	28. Containers No. Type		29. Total Quantity	30. Unit Wt./Vol.	31. Waste Codes
		5. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., NONE, NONE	001	DF	00400	P	NONE
		6. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., (GREASE), NONE, NONE	001	DF	00098	P	NONE
		7. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., NONE, NONE	001	DF	00400	P	NONE
		8. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., NONE, NONE	003	DM	00165	G	NONE
		9. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., NONE, NONE	003	DM	00527	P	NONE
		10. NON-REGULATED MATERIAL, NON-RCRA, NON-DOT., NONE, NONE	003	DM	01200	P	NONE
32. Special Handling Instructions and Additional Information 5) W:933016 A:CWDBPK3 6) W:933016 A:CWDBPK3 7) W:933016 A:CWDBPK3 8) W:933015,933017 A:CWDCZLNHL 9) W:933014 A:CWDCZLNHL 10) W:933015 A:CWDCZLNHS							
DESIGNATED FACILITY	33. Transporter _____ Acknowledgment of Receipt of Materials						
	Printed/Typed Name			Signature		Month	Day Year
	34. Transporter _____ Acknowledgment of Receipt of Materials			Signature		Month	Day Year
	Printed/Typed Name			Signature		Month	Day Year
35. Discrepancy							
5. 6. 7. 8. 9.							
10.							
36. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)							

Appendix G
Laboratory Reports

ANALYTICAL REPORT

1 of 15

SAND CREEK CONSULTANTS INC.
BRENDA HALMINIAK
110 S STEVENS STREET
PO BOX 1512
RHINELANDER, WI 54501

Project Name: ZMEK
Contract #: 2035
Project #:
Folder #: 62983
Purchase Order #:
Arrival Temperature: See COC
Report Date: 10/30/2007
Date Received: 10/3/2007
Reprint Date:

CT Lab#: 507182	Sample Description: SHED WELL	Sampled: 10/1/2007 1240
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

Metals Results

Total Lead	1.9 ug/L		1.3 *	4.4	1.0		10/4/2007	10/5/2007	NAH	EPA 6010B
------------	----------	--	-------	-----	-----	--	-----------	-----------	-----	-----------

Organic Results

Diesel Range Organics	<22 ug/L		22	70	1.0	L	10/4/2007	10/5/2007	SRT	WDNR DRO
1,1,2-Trichloroethane	<0.50 ug/L		0.50	1.6	1.0			10/6/2007	RLD	EPA 8260B
1,1,1,2-Tetrachloroethane	<0.60 ug/L		0.60	2.0	1.0			10/6/2007	RLD	EPA 8260B
1,1,1-Trichloroethane	<0.60 ug/L		0.60	2.0	1.0			10/6/2007	RLD	EPA 8260B
1,1,2,2-Tetrachloroethane	<0.14 ug/L		0.14	0.46	1.0			10/6/2007	RLD	EPA 8260B
1,1-Dichloroethane	<0.40 ug/L		0.40	1.4	1.0			10/6/2007	RLD	EPA 8260B
1,1-Dichloroethene	<0.40 ug/L		0.40	1.3	1.0			10/6/2007	RLD	EPA 8260B
1,1-Dichloropropene	<0.50 ug/L		0.50	1.8	1.0			10/6/2007	RLD	EPA 8260B
1,2,3-Trichlorobenzene	<0.50 ug/L		0.50	1.7	1.0			10/6/2007	RLD	EPA 8260B
1,2,3-Trichloropropane	<0.30 ug/L		0.30	1.1	1.0			10/6/2007	RLD	EPA 8260B
1,2,4-Trichlorobenzene	<0.40 ug/L		0.40	1.5	1.0			10/6/2007	RLD	EPA 8260B
1,2,4-Trimethylbenzene	<0.24 ug/L		0.24	0.81	1.0			10/6/2007	RLD	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.40 ug/L		0.40	1.5	1.0			10/6/2007	RLD	EPA 8260B
1,2-Dibromoethane	<0.13 ug/L		0.13	0.43	1.0			10/6/2007	RLD	EPA 8260B
1,2-Dichlorobenzene	<0.40 ug/L		0.40	1.4	1.0			10/6/2007	RLD	EPA 8260B
1,2-Dichloroethane	<0.30 ug/L		0.30	1.1	1.0			10/6/2007	RLD	EPA 8260B
cis-1,2-Dichloroethene	<0.40 ug/L		0.40	1.2	1.0			10/6/2007	RLD	EPA 8260B
trans-1,2-Dichloroethene	<0.50 ug/L		0.50	1.8	1.0			10/6/2007	RLD	EPA 8260B
1,2-Dichloropropane	<0.21 ug/L		0.21	0.71	1.0			10/6/2007	RLD	EPA 8260B
cis-1,3-Dichloropropene	<0.14 ug/L		0.14	0.47	1.0			10/6/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



CT Lab#: 507182	Sample Description: SHED WELL	Sampled: 10/1/2007 1240
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
trans-1,3-Dichloropropene	<0.14	ug/L	0.14	0.45	1.0			10/6/2007	RLD	EPA 8260B
1,3,5-Trimethylbenzene	<0.19	ug/L	0.19	0.63	1.0			10/6/2007	RLD	EPA 8260B
1,3-Dichlorobenzene	<0.40	ug/L	0.40	1.2	1.0			10/6/2007	RLD	EPA 8260B
1,3-Dichloropropane	<0.19	ug/L	0.19	0.65	1.0			10/6/2007	RLD	EPA 8260B
1,4-Dichlorobenzene	<0.50	ug/L	0.50	1.6	1.0			10/6/2007	RLD	EPA 8260B
2,2-Dichloropropane	<0.30	ug/L	0.30	1.1	1.0			10/6/2007	RLD	EPA 8260B
2-Butanone	<4.0	ug/L	4.0	14	1.0			10/6/2007	RLD	EPA 8260B
2-Chlorotoluene	<0.30	ug/L	0.30	1.1	1.0			10/6/2007	RLD	EPA 8260B
2-Hexanone	<4.0	ug/L	4.0	13	1.0			10/6/2007	RLD	EPA 8260B
4-Chlorotoluene	<0.30	ug/L	0.30	1.0	1.0			10/6/2007	RLD	EPA 8260B
4-Methyl-2-pentanone	<3.0	ug/L	3.0	10	1.0			10/6/2007	RLD	EPA 8260B
Acetone	<7.0	ug/L	7.0	22	1.0			10/6/2007	RLD	EPA 8260B
Benzene	<0.16	ug/L	0.16	0.55	1.0			10/6/2007	RLD	EPA 8260B
Bromobenzene	<0.30	ug/L	0.30	1.1	1.0			10/6/2007	RLD	EPA 8260B
Bromochloromethane	<0.21	ug/L	0.21	0.72	1.0			10/6/2007	RLD	EPA 8260B
Bromodichloromethane	<0.19	ug/L	0.19	0.62	1.0			10/6/2007	RLD	EPA 8260B
Bromoform	<0.50	ug/L	0.50	1.5	1.0			10/6/2007	RLD	EPA 8260B
Bromomethane	<0.40	ug/L	0.40	1.3	1.0			10/6/2007	RLD	EPA 8260B
n-Butylbenzene	<0.24	ug/L	0.24	0.79	1.0			10/6/2007	RLD	EPA 8260B
sec-Butylbenzene	<0.29	ug/L	0.29	0.98	1.0			10/6/2007	RLD	EPA 8260B
tert-Butylbenzene	<0.23	ug/L	0.23	0.76	1.0			10/6/2007	RLD	EPA 8260B
Carbon disulfide	<0.50	ug/L	0.50	1.5	1.0			10/6/2007	RLD	EPA 8260B
Carbon tetrachloride	<0.40	ug/L	0.40	1.3	1.0			10/6/2007	RLD	EPA 8260B
Chlorobenzene	<0.30	ug/L	0.30	1.1	1.0			10/6/2007	RLD	EPA 8260B
Chloroethane	<0.40	ug/L	0.40	1.3	1.0			10/6/2007	RLD	EPA 8260B
Chloroform	<0.22	ug/L	0.22	0.72	1.0			10/6/2007	RLD	EPA 8260B
Chloromethane	2.1	ug/L	0.30	1.0	1.0			10/6/2007	RLD	EPA 8260B
Dibromochloromethane	<0.23	ug/L	0.23	0.76	1.0			10/6/2007	RLD	EPA 8260B
Dibromomethane	<0.40	ug/L	0.40	1.5	1.0			10/6/2007	RLD	EPA 8260B
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.5	1.0			10/6/2007	RLD	EPA 8260B
Diisopropyl ether	<0.50	ug/L	0.50	1.7	1.0			10/6/2007	RLD	EPA 8260B
Ethylbenzene	<0.28	ug/L	0.28	0.94	1.0			10/6/2007	RLD	EPA 8260B
Hexachlorobutadiene	<0.60	ug/L	0.60	2.1	1.0			10/6/2007	RLD	EPA 8260B
Isopropylbenzene	<0.20	ug/L	0.20	0.67	1.0			10/6/2007	RLD	EPA 8260B
p-Isopropyltoluene	<0.17	ug/L	0.17	0.56	1.0			10/6/2007	RLD	EPA 8260B
Methyl tert-butyl ether	<0.23	ug/L	0.23	0.76	1.0			10/6/2007	RLD	EPA 8260B
Methylene chloride	<0.50	ug/L	0.50	1.5	1.0			10/6/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507182	Sample Description: SHED WELL	Sampled: 10/1/2007 1240
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Naphthalene	<0.60	ug/L	0.60	1.8	1.0			10/6/2007	RLD	EPA 8260B
n-Propylbenzene	<0.20	ug/L	0.20	0.68	1.0			10/6/2007	RLD	EPA 8260B
Styrene	<0.30	ug/L	0.30	1.0	1.0			10/6/2007	RLD	EPA 8260B
Tetrachloroethene	<0.40	ug/L	0.40	1.3	1.0			10/6/2007	RLD	EPA 8260B
Tetrahydrofuran	<4.0	ug/L	4.0	12	1.0			10/6/2007	RLD	EPA 8260B
Toluene	<0.20	ug/L	0.20	0.68	1.0			10/6/2007	RLD	EPA 8260B
Trichloroethene	<0.15	ug/L	0.15	0.48	1.0			10/6/2007	RLD	EPA 8260B
Trichlorofluoromethane	<0.40	ug/L	0.40	1.4	1.0			10/6/2007	RLD	EPA 8260B
Vinyl acetate	<1.1	ug/L	1.1	3.7	1.0			10/6/2007	RLD	EPA 8260B
Vinyl chloride	<0.15	ug/L	0.15	0.49	1.0			10/6/2007	RLD	EPA 8260B
m & p-Xylene	<0.50	ug/L	0.50	1.6	1.0			10/6/2007	RLD	EPA 8260B
o-Xylene	<0.50	ug/L	0.50	1.6	1.0			10/6/2007	RLD	EPA 8260B

CT Lab#: 507183	Sample Description: TRIP BLANK	Sampled: 10/1/2007
-----------------	--------------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
1,1,2-Trichloroethane	<0.50	ug/L	0.50	1.6	1.0			10/7/2007	RLD	EPA 8260B
1,1,1,2-Tetrachloroethane	<0.60	ug/L	0.60	2.0	1.0			10/7/2007	RLD	EPA 8260B
1,1,1-Trichloroethane	<0.60	ug/L	0.60	2.0	1.0			10/7/2007	RLD	EPA 8260B
1,1,2,2-Tetrachloroethane	<0.14	ug/L	0.14	0.46	1.0			10/7/2007	RLD	EPA 8260B
1,1-Dichloroethane	<0.40	ug/L	0.40	1.4	1.0			10/7/2007	RLD	EPA 8260B
1,1-Dichloroethene	<0.40	ug/L	0.40	1.3	1.0			10/7/2007	RLD	EPA 8260B
1,1-Dichloropropene	<0.50	ug/L	0.50	1.8	1.0			10/7/2007	RLD	EPA 8260B
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1.0			10/7/2007	RLD	EPA 8260B
1,2,3-Trichloropropane	<0.30	ug/L	0.30	1.1	1.0			10/7/2007	RLD	EPA 8260B
1,2,4-Trichlorobenzene	<0.40	ug/L	0.40	1.5	1.0			10/7/2007	RLD	EPA 8260B
1,2,4-Trimethylbenzene	<0.24	ug/L	0.24	0.81	1.0			10/7/2007	RLD	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.40	ug/L	0.40	1.5	1.0			10/7/2007	RLD	EPA 8260B
1,2-Dibromoethane	<0.13	ug/L	0.13	0.43	1.0			10/7/2007	RLD	EPA 8260B
1,2-Dichlorobenzene	<0.40	ug/L	0.40	1.4	1.0			10/7/2007	RLD	EPA 8260B
1,2-Dichloroethane	<0.30	ug/L	0.30	1.1	1.0			10/7/2007	RLD	EPA 8260B
cis-1,2-Dichloroethene	<0.40	ug/L	0.40	1.2	1.0			10/7/2007	RLD	EPA 8260B
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.8	1.0			10/7/2007	RLD	EPA 8260B
1,2-Dichloropropane	<0.21	ug/L	0.21	0.71	1.0			10/7/2007	RLD	EPA 8260B
cis-1,3-Dichloropropene	<0.14	ug/L	0.14	0.47	1.0			10/7/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507183

Sample Description: TRIP BLANK

Sampled: 10/1/2007

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
trans-1,3-Dichloropropene	<0.14	ug/L	0.14	0.45	1.0			10/7/2007	RLD	EPA 8260B
1,3,5-Trimethylbenzene	<0.19	ug/L	0.19	0.63	1.0			10/7/2007	RLD	EPA 8260B
1,3-Dichlorobenzene	<0.40	ug/L	0.40	1.2	1.0			10/7/2007	RLD	EPA 8260B
1,3-Dichloropropane	<0.19	ug/L	0.19	0.65	1.0			10/7/2007	RLD	EPA 8260B
1,4-Dichlorobenzene	<0.50	ug/L	0.50	1.6	1.0			10/7/2007	RLD	EPA 8260B
2,2-Dichloropropane	<0.30	ug/L	0.30	1.1	1.0			10/7/2007	RLD	EPA 8260B
2-Butanone	<4.0	ug/L	4.0	14	1.0			10/7/2007	RLD	EPA 8260B
2-Chlorotoluene	<0.30	ug/L	0.30	1.1	1.0			10/7/2007	RLD	EPA 8260B
2-Hexanone	<4.0	ug/L	4.0	13	1.0			10/7/2007	RLD	EPA 8260B
4-Chlorotoluene	<0.30	ug/L	0.30	1.0	1.0			10/7/2007	RLD	EPA 8260B
4-Methyl-2-pentanone	<3.0	ug/L	3.0	10	1.0			10/7/2007	RLD	EPA 8260B
Acetone	<7.0	ug/L	7.0	22	1.0			10/7/2007	RLD	EPA 8260B
Benzene	<0.16	ug/L	0.16	0.55	1.0			10/7/2007	RLD	EPA 8260B
Bromobenzene	<0.30	ug/L	0.30	1.1	1.0			10/7/2007	RLD	EPA 8260B
Bromochloromethane	<0.21	ug/L	0.21	0.72	1.0			10/7/2007	RLD	EPA 8260B
Bromodichloromethane	<0.19	ug/L	0.19	0.62	1.0			10/7/2007	RLD	EPA 8260B
Bromoform	<0.50	ug/L	0.50	1.5	1.0			10/7/2007	RLD	EPA 8260B
Bromomethane	<0.40	ug/L	0.40	1.3	1.0			10/7/2007	RLD	EPA 8260B
n-Butylbenzene	<0.24	ug/L	0.24	0.79	1.0			10/7/2007	RLD	EPA 8260B
sec-Butylbenzene	<0.29	ug/L	0.29	0.98	1.0			10/7/2007	RLD	EPA 8260B
tert-Butylbenzene	<0.23	ug/L	0.23	0.76	1.0			10/7/2007	RLD	EPA 8260B
Carbon disulfide	<0.50	ug/L	0.50	1.5	1.0			10/7/2007	RLD	EPA 8260B
Carbon tetrachloride	<0.40	ug/L	0.40	1.3	1.0			10/7/2007	RLD	EPA 8260B
Chlorobenzene	<0.30	ug/L	0.30	1.1	1.0			10/7/2007	RLD	EPA 8260B
Chloroethane	<0.40	ug/L	0.40	1.3	1.0			10/7/2007	RLD	EPA 8260B
Chloroform	<0.22	ug/L	0.22	0.72	1.0			10/7/2007	RLD	EPA 8260B
Chloromethane	<0.30	ug/L	0.30	1.0	1.0			10/7/2007	RLD	EPA 8260B
Dibromochloromethane	<0.23	ug/L	0.23	0.76	1.0			10/7/2007	RLD	EPA 8260B
Dibromomethane	<0.40	ug/L	0.40	1.5	1.0			10/7/2007	RLD	EPA 8260B
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.5	1.0			10/7/2007	RLD	EPA 8260B
Diisopropyl ether	<0.50	ug/L	0.50	1.7	1.0			10/7/2007	RLD	EPA 8260B
Ethylbenzene	<0.28	ug/L	0.28	0.94	1.0			10/7/2007	RLD	EPA 8260B
Hexachlorobutadiene	<0.60	ug/L	0.60	2.1	1.0			10/7/2007	RLD	EPA 8260B
Isopropylbenzene	<0.20	ug/L	0.20	0.67	1.0			10/7/2007	RLD	EPA 8260B
p-Isopropyltoluene	<0.17	ug/L	0.17	0.56	1.0			10/7/2007	RLD	EPA 8260B
Methyl tert-butyl ether	<0.23	ug/L	0.23	0.76	1.0			10/7/2007	RLD	EPA 8260B
Methylene chloride	<0.50	ug/L	0.50	1.5	1.0			10/7/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030

DATCP Certification Number: 105-000289

LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507183	Sample Description: TRIP BLANK	Sampled: 10/1/2007
-----------------	--------------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Naphthalene	<0.60	ug/L	0.60	1.8	1.0			10/7/2007	RLD	EPA 8260B
n-Propylbenzene	<0.20	ug/L	0.20	0.68	1.0			10/7/2007	RLD	EPA 8260B
Styrene	<0.30	ug/L	0.30	1.0	1.0			10/7/2007	RLD	EPA 8260B
Tetrachloroethene	<0.40	ug/L	0.40	1.3	1.0			10/7/2007	RLD	EPA 8260B
Tetrahydrofuran	<4.0	ug/L	4.0	12	1.0			10/7/2007	RLD	EPA 8260B
Toluene	<0.20	ug/L	0.20	0.68	1.0			10/7/2007	RLD	EPA 8260B
Trichloroethene	<0.15	ug/L	0.15	0.48	1.0			10/7/2007	RLD	EPA 8260B
Trichlorofluoromethane	<0.40	ug/L	0.40	1.4	1.0			10/7/2007	RLD	EPA 8260B
Vinyl acetate	<1.1	ug/L	1.1	3.7	1.0			10/7/2007	RLD	EPA 8260B
Vinyl chloride	<0.15	ug/L	0.15	0.49	1.0			10/7/2007	RLD	EPA 8260B
m & p-Xylene	<0.50	ug/L	0.50	1.6	1.0			10/7/2007	RLD	EPA 8260B
o-Xylene	<0.50	ug/L	0.50	1.6	1.0			10/7/2007	RLD	EPA 8260B

CT Lab#: 507184	Sample Description: HB1-3'	Sampled: 10/1/2007 0940
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.2	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507185	Sample Description: HB2-3'	Sampled: 10/1/2007 0950
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	97.3	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507185	Sample Description: HB2-3'	Sampled: 10/1/2007 0950
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507186	Sample Description: HB3-6'	Sampled: 10/1/2007 0945
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	96.7	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C

Organic Results

Qualifiers applying to all Analytes of Method EPA 8310: H

1-Methylnaphthalene	<0.025	mg/kg	0.025	0.077	1.0		10/25/2007	10/30/2007	RED	EPA 8310
2-Methylnaphthalene	0.096	mg/kg	0.026	0.080	1.0	P	10/25/2007	10/30/2007	RED	EPA 8310
Acenaphthene	0.21	mg/kg	0.025	0.079	1.0	P	10/25/2007	10/30/2007	RED	EPA 8310
Acenaphthylene	4.9	mg/kg	0.032	0.099	1.0	P	10/25/2007	10/30/2007	RED	EPA 8310
Anthracene	0.0046	mg/kg	0.0031 *	0.0093	1.0	P	10/25/2007	10/30/2007	RED	EPA 8310
Benzo(a)anthracene	<0.0010	mg/kg	0.0010	0.0031	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(a)pyrene	<0.0031	mg/kg	0.0031	0.0083	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(b)fluoranthene	<0.0021	mg/kg	0.0021	0.0062	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(g,h,i)perylene	<0.0062	mg/kg	0.0062	0.020	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(k)fluoranthene	0.0046	mg/kg	0.0031 *	0.0083	1.0	B,P	10/25/2007	10/30/2007	RED	EPA 8310
Chrysene	<0.0031	mg/kg	0.0031	0.0083	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Dibenzo(a,h)anthracene	<0.0052	mg/kg	0.0052	0.016	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Fluoranthene	<0.0021	mg/kg	0.0021	0.0041	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Fluorene	<0.0062	mg/kg	0.0062	0.019	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Indeno(1,2,3-cd)pyrene	<0.0031	mg/kg	0.0031	0.0093	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Naphthalene	<0.022	mg/kg	0.022	0.066	1.0		10/25/2007	10/30/2007	RED	EPA 8310

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507186	Sample Description: HB3-6'	Sampled: 10/1/2007 0945
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Qualifiers applying to all Analytes of Method EPA 8310: H										
Phenanthrene	<0.0031	mg/kg	0.0031	0.0093	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Pyrene	<0.0031	mg/kg	0.0031	0.0093	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507187	Sample Description: HB4-3'	Sampled: 10/1/2007 0950
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	96.3	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	7.3	mg/kg	1.0	2.3	1.0	L	10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507188	Sample Description: HB5-3'	Sampled: 10/1/2007 1000
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

Inorganic Results

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507188	Sample Description: HB5-3'	Sampled: 10/1/2007 1000
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Solids, Percent	95.4	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	21	mg/kg	1.0	2.3	1.0	L	10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507189	Sample Description: HB6-3'	Sampled: 10/1/2007 1115
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Solids, Percent	95.9	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507190	Sample Description: EB7-3.5'	Sampled: 10/1/2007 1500
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Solids, Percent	97.7	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507190	Sample Description: EB7-3.5'	Sampled: 10/1/2007 1500
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507191	Sample Description: EB8-3.5'	Sampled: 10/1/2007 1500
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	94.7	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507192	Sample Description: EB9-3.5'	Sampled: 10/1/2007 1505
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.9	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507192	Sample Description: EB9-3.5'	Sampled: 10/1/2007 1505
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507193	Sample Description: ES11-2'	Sampled: 10/1/2007 1505
-----------------	-----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	89.2	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	2.5	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507194	Sample Description: ES12-2'	Sampled: 10/1/2007 1506
-----------------	-----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	91.5	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507194	Sample Description: ES12-2'	Sampled: 10/1/2007 1506
-----------------	-----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Diesel Range Organics	<1.1	mg/kg	1.1	2.4	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507195	Sample Description: ES13-2'	Sampled: 10/1/2007 1507
-----------------	-----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	93.4	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	2.4	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507196	Sample Description: EB14-3.5'	Sampled: 10/1/2007 1510
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	96.5	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



CT Lab#: 507196	Sample Description: EB14-3.5'	Sampled: 10/1/2007 1510
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Qualifiers applying to all Analytes of Method EPA 8310: H										
1-Methylnaphthalene	<0.025	mg/kg	0.025	0.077	1.0		10/25/2007	10/30/2007	RED	EPA 8310
2-Methylnaphthalene	<0.026	mg/kg	0.026	0.080	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Acenaphthene	<0.025	mg/kg	0.025	0.079	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Acenaphthylene	0.21	mg/kg	0.032	0.099	1.0	P	10/25/2007	10/30/2007	RED	EPA 8310
Anthracene	<0.0031	mg/kg	0.0031	0.0093	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(a)anthracene	<0.0010	mg/kg	0.0010	0.0031	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(a)pyrene	<0.0031	mg/kg	0.0031	0.0083	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(b)fluoranthene	<0.0021	mg/kg	0.0021	0.0062	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(g,h,i)perylene	<0.0062	mg/kg	0.0062	0.020	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Benzo(k)fluoranthene	0.0052	mg/kg	0.0031 *	0.0083	1.0	B,P	10/25/2007	10/30/2007	RED	EPA 8310
Chrysene	<0.0031	mg/kg	0.0031	0.0083	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Dibenzo(a,h)anthracene	<0.0052	mg/kg	0.0052	0.016	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Fluoranthene	<0.0021	mg/kg	0.0021	0.0041	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Fluorene	<0.0062	mg/kg	0.0062	0.019	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Indeno(1,2,3-cd)pyrene	<0.0031	mg/kg	0.0031	0.0093	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Naphthalene	<0.022	mg/kg	0.022	0.066	1.0		10/25/2007	10/30/2007	RED	EPA 8310
Phenanthrene	0.0068	mg/kg	0.0031 *	0.0093	1.0	P	10/25/2007	10/30/2007	RED	EPA 8310
Pyrene	<0.0031	mg/kg	0.0031	0.0093	1.0		10/25/2007	10/30/2007	RED	EPA 8310

CT Lab#: 507197	Sample Description: EB15-1.5'	Sampled: 10/1/2007 1515
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	94.3	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 507197	Sample Description: EB15-1.5'	Sampled: 10/1/2007 1515
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

CT Lab#: 507198	Sample Description: EB16-1.5'	Sampled: 10/1/2007 1515
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

Inorganic Results

Solids, Percent	96.4 %		N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
-----------------	--------	--	-----	-----	-----	--	--	-----------	-----	-----------

Organic Results

Diesel Range Organics	<1.0 mg/kg		1.0	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507199	Sample Description: ES17-2'	Sampled: 10/1/2007 1530
-----------------	-----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

Inorganic Results

Solids, Percent	94.2 %		N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
-----------------	--------	--	-----	-----	-----	--	--	-----------	-----	-----------

Organic Results

Diesel Range Organics	<1.1 mg/kg		1.1	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



CT Lab#: 507200	Sample Description: METH BLANK	Sampled: 10/1/2007
-----------------	--------------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

CT Lab#: 507204	Sample Description: EB10-3.5'	Sampled: 10/1/2007 1505
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	97.0	%	N/A	N/A	1.0			10/3/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	2.3	1.0		10/4/2007	10/5/2007	SRT	WDNR DRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/3/2007	10/4/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

Notes regarding entire Chain of Custody:

Notes: * Indicates Value in between LOD and LOQ.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

Submitted by: 

Pat M. Letterer
Project Manager
608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
A	Analyte averaged calibration criteria within acceptable limits.
B	Analyte detected in associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Calibration criteria exceeded.

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Rev. 3/2003

Chain of Custody

Page 1 of 2

Company Name: Sand Creek
 Project Contact: Brenda Halminiak
 Telephone: 715-365-1818

Project Name: ZmekProject Number: —Project Location: W.F.Sampled By: B. Halminiak

Regulatory Program:

UST RCRA SDWA NF

Solid Waste Other

Turnaround Time

Normal RUSH* Date Needed

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Filed Y/N
Date	Time					
10/1/07	1240			G	shdw well	N
					trip blank	
	0940			G	H81-3'	
	0950				H82-3'	
	0945				H83-6'	
	0950				H84-3'	
	1000				H85-3'	
	1105				H86-3'	
	1500				E87-3.5'	
	1500				E88-3.5'	
	1505				E89-3.5'	
✓	1505			✓	ES11-2'	

Relinquished By:

Brenda Halminiak 10-2-07 42

Received by:

Date/Time

10/3/07

Relinquished By:

js

Received by:

Date/Time

10/3/071200

CT Laboratories

230 Lange Court, Baraboo, WI 53913

608-356-2760 Tel. Fx 608-356-2766

www.ctlaboratories.com

Folder #: 62983

Company: SAND CREEK CONSUL

Project: ZMEK

Logged By: JLS PM: PMI

Ice Present Yes NoTemperature 3.4Initials jsDate 10/3/07 Time 1130Cooler #

Mail Report To: Brenda Halminiak

Company: Sand Creek Consultants, Inc.

Address: 150 S. Stevens Street

City/State/Zip: Rhinelander, WI 54501

Invoice To: Brenda Halminiak

Company: Sand Creek Consultants, Inc.

Address: 150 S. Stevens Street

City/State/Zip: Rhinelander, WI 54501

PO No. Contract No.

Client Special Instructions:

Lab ID #

Fill in Spaces with Bottles per Test

Collection Date	Time	Field Screen	Field ID	Grab/Comp	Sample ID Description	Filed Y/N	WDNR Well ID #	**Matrix	VOC	DRD	lead (unfiltered)	PVOC	PAH	solids	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Lab ID #
10/1/07	1240			G	shdw well	N		GW	3	1	1				5			507182
					trip blank				1	0					1			507183
	0940			G	H81-3'			S	1	1		1	1	1	3			507184
	0950				H82-3'				1	1		1	1	1	1			507185
	0945				H83-6'				1	1		1	1	1	1			507186
	0950				H84-3'				1	1		1	1	1	1			507187
	1000				H85-3'				1	1		1	1	1	1			507188
	1105				H86-3'				1	1		1	1	1	1			507189
	1500				E87-3.5'				1	1		1	1	1	1			507190
	1500				E88-3.5'				1	1		1	1	1	1			507191
	1505				E89-3.5'				1	1		1	1	1	1			507192
✓	1505			✓	ES11-2'			✓	✓	✓	✓	✓	✓	✓	✓			507193

See bottle labels

**Matrix

S-Soil A-Air Slg-Sludge M-Misc Waste

GW-Groundwater SW-Surface Water

WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL

C=H2SO4 D=HNO3

E=Encore F=Methanol

G=NaOH

O=Other

Rev. 3/2003

Chain of Custody

Page 2 of 2

Company Name: Sand Creek
 Project Contact: Brenda Halminiak
 Telephone: 715-365-1818
 Project Name: 3 mek
 Project Number: -
 Project Location: WI
 Sampled By: B. Halminiak

CT Laboratories

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Mail Report To: Brenda Halminiak
 Company: Sand Creek Consultants, Inc.
 Address: 150 S. Stevens Street
 City/State/Zip: Rhinelander, WI 54501

Invoice To: Brenda Halminiak
 Company: Sand Creek Consultants, Inc.
 Address: 150 S. Stevens Street
 City/State/Zip: Rhinelander, WI 54501

PO No.

Contract No.

Place Header Sticker Here:
 Lab Use Only

Ice Present Yes No

Temperature

Initials

Date Time

Cooler #

Regulatory Program:

UST RCRA SDWA NPDES

Solid Waste Other

Turnaround Time

Normal RUSH* Date Needed

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection	Field	Field	Grab/	Sample ID	Fill'd
Date	Screen	ID	Comp	Description	Y/N

14/6/07	1506		G	ES12-2'	
	1507			ES13-2'	
	1510			EB14-3.5'	
	1515			EB15-1.5'	
✓	1515			EB16-1.5'	
	1530			ES17-2'	
				with blank	
10/16/07	1505			EB10-3.5'	

WDNR WdID #

**Matrix

DPO

PVOc

Soils

PAH

Total No of Containers

Total No of Cont Rec'd

Preservation*

Client Special Instructions:

Lab ID #

Fill in Spaces with Bottles per Test

Relinquished By:

Date/Time

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

**Matrix

S-Soil A-Air Slg-Sludge M-Misc Waste

GW-Groundwater SW-Surface Water

WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL

C=H2SO4 D=HNO3

E=Encore F=Methanol

G=NaOH

O=Other

added to
 chain
 by jld

ANALYTICAL REPORT

1 of 14

SAND CREEK CONSULTANTS INC.
BRENDA HALMINIAK
110 S STEVENS STREET
PO BOX 1512
RHINELANDER, WI 54501

Project Name: ZMEK'S
Contract #: 2035
Project #:
Folder #: 63383
Purchase Order #:
Arrival Temperature: See COC
Report Date: 11/2/2007
Date Received: 10/24/2007
Reprint Date:

CT Lab#: 513787	Sample Description: DB1-5'	Sampled: 10/22/2007 0850
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.6 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	130 mg/kg		1.0	2.3	1.0	L	10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0	L	10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015 *	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013 *	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513788	Sample Description: DS2-2'	Sampled: 10/22/2007 0850
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	93.8 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1 mg/kg		1.1	2.3	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513788	Sample Description: DS2-2'	Sampled: 10/22/2007 0850
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Gasoline Range Organics	<1.3 mg/kg		1.3	4.2	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015 *	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513789	Sample Description: DS3-2'	Sampled: 10/22/2007 0850
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.6 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.0 mg/kg		1.0	2.3	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513790	Sample Description: DB4-2.5'	Sampled: 10/22/2007 0852
-----------------	------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.3 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513790	Sample Description: DB4-2.5'	Sampled: 10/22/2007 0852
-----------------	------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513791	Sample Description: DS5-2'	Sampled: 10/22/2007 0900
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	94.0 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1 mg/kg		1.1	2.3	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513792	Sample Description: DS6-2'	Sampled: 10/22/2007 0900
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	92.5 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513792	Sample Description: DS6-2'	Sampled: 10/22/2007 0900
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Gasoline Range Organics	42	mg/kg	1.3	4.2	1.0	L	10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	0.12	mg/kg	0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.47	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.20	mg/kg	0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	0.10	mg/kg	0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513793	Sample Description: DB7-2'	Sampled: 10/22/2007 1126
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.7	%	N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C

Organic Results										
Diesel Range Organics	13	mg/kg	1.0	2.3	1.0	L	10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	14	mg/kg	1.3	4.1	1.0	L	10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	0.034	mg/kg	0.011 *	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.16	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.051	mg/kg	0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513794	Sample Description: DS8-1.5'	Sampled: 10/22/2007 1127
-----------------	------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513794	Sample Description: DS8-1.5'	Sampled: 10/22/2007 1127
-----------------	------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Solids, Percent	93.1	%	N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	2.4	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3	mg/kg	1.3	4.2	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513795	Sample Description: DS9-1.5'	Sampled: 10/22/2007 1128
-----------------	------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Solids, Percent	96.5	%	N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.2	mg/kg	1.2	4.0	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513796	Sample Description: DS10-1.5'	Sampled: 10/22/2007 1129
-----------------	-------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513796	Sample Description: DS10-1.5'	Sampled: 10/22/2007 1129
-----------------	-------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	96.0 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.0 mg/kg		1.0	2.3	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513797	Sample Description: FB1-1'	Sampled: 10/22/2007 1210
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	94.5 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513798	Sample Description: FB2-1'	Sampled: 10/22/2007 1210
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513798	Sample Description: FB2-1'	Sampled: 10/22/2007 1210
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	94.4 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1 mg/kg		1.1	2.3	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513799	Sample Description: FB3-1'	Sampled: 10/22/2007 1211
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	93.3 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3 mg/kg		1.3	4.2	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513800	Sample Description: FB4-1'	Sampled: 10/22/2007 1213
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	91.1 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	100 mg/kg		1.1	2.4	1.0	L	10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.3	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015 *	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.025 mg/kg		0.013 *	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012 *	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513801	Sample Description: FB5-1'	Sampled: 10/22/2007 1214
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.6 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513802	Sample Description: FB6-1'	Sampled: 10/22/2007 1214
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	95.9 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3 mg/kg		1.3	4.1	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513803	Sample Description: FB7-2.5'	Sampled: 10/22/2007 1215
-----------------	------------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	96.8 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.2 mg/kg		1.2	4.0	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513804	Sample Description: FB8-3'	Sampled: 10/22/2007 1215
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513804	Sample Description: FB8-3'	Sampled: 10/22/2007 1215
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	89.1 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1 mg/kg		1.1	2.5	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.4 mg/kg		1.4	4.4	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513805	Sample Description: FB9-3'	Sampled: 10/22/2007 1216
-----------------	----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	93.3 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1 mg/kg		1.1	2.4	1.0		10/26/2007	10/29/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.3 mg/kg		1.3	4.2	1.0		10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
 DATCP Certification Number: 105-000289
 LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513806	Sample Description: FS10-2'	Sampled: 10/22/2007 1216
-----------------	-----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	90.3 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	600 mg/kg		11	24	10.0	L	10/26/2007	10/30/2007	SRT	WDNR DRO
Gasoline Range Organics	35 mg/kg		1.3	4.3	1.0	L	10/24/2007	10/30/2007	DJH	WDNR GRO
Benzene	0.29 mg/kg		0.010	0.034	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Ethylbenzene	0.16 mg/kg		0.011	0.037	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
Toluene	0.37 mg/kg		0.015	0.049	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	1.6 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.58 mg/kg		0.012	0.039	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
m & p-Xylene	1.3 mg/kg		0.024	0.081	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A
o-Xylene	0.80 mg/kg		0.013	0.042	1.0		10/24/2007	10/30/2007	DJH	EPA 8020A

CT Lab#: 513807	Sample Description: FS11-2'	Sampled: 10/22/2007 1217
-----------------	-----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	92.4 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3 mg/kg		1.3	4.2	1.0		10/24/2007	10/31/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513808	Sample Description: FS12-2'	Sampled: 10/22/2007 1217
-----------------	-----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	92.6 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	7.9 mg/kg		1.3	4.2	1.0	L	10/24/2007	10/31/2007	DJH	WDNR GRO
Benzene	0.077 mg/kg		0.010	0.034	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Ethylbenzene	0.11 mg/kg		0.011	0.037	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Toluene	0.21 mg/kg		0.015	0.049	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.70 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.25 mg/kg		0.012	0.039	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
m & p-Xylene	0.55 mg/kg		0.024	0.081	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
o-Xylene	0.28 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A

CT Lab#: 513809	Sample Description: FS13-2'	Sampled: 10/22/2007 1218
-----------------	-----------------------------	--------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Inorganic Results										
Solids, Percent	97.0 %		N/A	N/A	1.0			10/25/2007	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	5.0 mg/kg		1.0	2.3	1.0	L	10/26/2007	10/30/2007	SRT	WDNR DRO
Gasoline Range Organics	<1.2 mg/kg		1.2	4.0	1.0		10/24/2007	10/31/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

CT Lab#: 513810	Sample Description: MEOH BLANK	Sampled: 10/22/2007
-----------------	--------------------------------	---------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Organic Results										
Gasoline Range Organics	<1.2 mg/kg		1.2	3.9	1.0		10/24/2007	10/31/2007	DJH	WDNR GRO
Benzene	<0.025 mg/kg		0.010	0.034	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Ethylbenzene	<0.025 mg/kg		0.011	0.037	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025 mg/kg		0.017	0.058	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
Toluene	<0.025 mg/kg		0.015	0.049	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025 mg/kg		0.012	0.039	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
m & p-Xylene	<0.025 mg/kg		0.024	0.081	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A
o-Xylene	<0.025 mg/kg		0.013	0.042	1.0		10/24/2007	10/31/2007	DJH	EPA 8020A

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Solid sample results reported on a Dry Weight Basis

Notes regarding entire Chain of Custody:

Notes: * Indicates Value in between LOD and LOQ.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

Submitted by: 

Pat M. Letterer
Project Manager
608-356-2760

QC Qualifiers

<u>Code</u>	<u>Description</u>
A	Analyte averaged calibration criteria within acceptable limits.
B	Analyte detected in associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Calibration criteria exceeded.

WI DNR Lab Certification Number: 15-7066030
DATCP Certification Number: 105-000289
LA NELAP Certification Number: 04091



Rev. 3/2003

Chain of Custody

Page 1 of 2

Company Name: Sand Creek

Project Contact: Brenda Halminiak

Telephone: 715-365-1818

Project Name: Zmek's

Project Number: -

Project Location: WI -

Sampled By: B. Halminiak

Folder #: 63383

Company: SAND CREEK CONSUL

Project: ZMEK'S

Logged By: JLS PM: PMI

Regulatory Program:

UST RCRA SDWA NPI

Solid Waste Other

Turnaround Time

Normal RUSH* Date Needed

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection
Date TimeField
ScreenField
IDGrab/
CompSample ID
DescriptionFiltr'd
Y/N

WDNR Well ID #

Matrix

DPO

SLO/PUC

Solids

Total No of Containers

Total No of Cont. Rec'd

Preservation*

Client Special
Instructions:

Lab ID #

Fill in Spaces with Bottles per Test

10/24/07	0850			G	DB1-5'		S	1	1	1						3	ME	513787
	0850				DS2-2'			1	1	1						1		513788
	0850				DS3-2'			1	1	1						1		513789
	0852				DB4-2.5'				1	1						2	A	513790
	0900				DS5-2'			1	1	1						3	ME	513791
	0900				DS6-2'				1	1						2	A	513792
	1126				DB7-2'			1	1	1						3	ME	513793
	1127				DS8-1.5'				1	1						3	ME	513794
	1128				DS9-1.5'				1	1						2	A	513795
	1129				DS10-1.5'			1	1	1						3	ME	513796
	1210				FB1-1'				1	1						2	A	513797
	1210				FB2-1'			1	1	1						3	ME	513798

Relinquished By:

Date/Time

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

**Matrix

S-Soil A-Air Slg-Sludge M-Misc Waste

GW-Groundwater SW-Surface Water

WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL

C=H2SO4 D=HNO3

E=Encore F=Methanol

G=NaOH

O=Other

Mail Report To: Brenda Halminiak

Company: Sand Creek Consultants, Inc.

Address: 150 S. Stevens Street

City/State/Zip: Rhinelander, WI 54501

Invoice To: Brenda Halminiak

Company: Sand Creek Consultants, Inc.

Address: 150 S. Stevens Street

City/State/Zip: Rhinelander, WI 54501

PO No.

Contract No.

1230 Lange Court, Baraboo, WI 53913

608-356-2760 Tel. Fx 608-356-2766

www.ctllaboratories.com

Ice Present Yes No

Temperature: 1.8

Initials: JLS

Date: 10/24/07 Time: 1205

Cooler #

Rev. 3/2003

Chain of Custody

Page 2 of 2

Company Name: Sand Creek
 Project Contact: Brenda Halminiak
 Telephone: 715-365-1818
 Project Name: 3 meli's
 Project Number: —
 Project Location: wt
 Sampled By: B Halminiak

CT Laboratories

1230 Lange Court, Baraboo, WI 53913
 608-356-2760 Tel. Fx 608-356-2766
 www.ctlaboratories.com

Mail Report To: Brenda Halminiak
 Company: Sand Creek Consultants, Inc.
 Address: 150 S. Stevens Street
 City/State/Zip: Rhinelander, WI 54501

Invoice To: Brenda Halminiak
 Company: Sand Creek Consultants, Inc.
 Address: 150 S. Stevens Street
 City/State/Zip: Rhinelander, WI 54501

PO No.

Contract No.

Regulatory Program:
 UST RCRA SDWA NPDES
 Solid Waste Other

Place Header Sticker Here:
 Lab Use Only

Ice Present Yes No

Temperature

Initials

Date Time

Cooler #

Turnaround Time

Normal RUSH* Date Needed

Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field	Field	Grab/	Sample ID	Field	WDR Well ID #	*Matrix	DPO	GPO/PWC	Solid	Total No of Containers	Total No of Cont. Rec'd	Preservation*	Client Special Instructions:	Lab ID #
Date	Time	Screen	ID	Comp	Description	Y/N										
12/10	12:11			6	FB3-1'			S				2	A			513799
	12:13				FB4-1'							3	ME			513800
	12:14				FB5-1'							2	A			513801
	12:14				FB6-1'							1				513802
	12:15				FB7-2.5'							↓	↓			513803
	12:15				FB8-3'							3	ME			513804
	12:16				FB9-3'							↓	↓			513805
	12:16				FS10-2'							↓	↓			513806
	12:17				FS11-2'							2	A			513807
	12:17				FS12-2'							2	A			513808
	12:18				FS13-2'							3	ME			513809
					no th. blank							1	K			513810

Relinquished By:

Date/Time

Relinquished By:

Date/Time

Received by:

Date/Time

Received by:

Date/Time

**Matrix
 S-Soil A-Air Slg-Sludge M-Misc Waste
 GW-Groundwater SW-Surface Water
 WW-Wastewater DW-Drinking Water

* Preservation Code

A=None B=HCL
 C=H2SO4 D=HNO3
 E=Encore F=Methanol
 G=NaOH
 O=Other

ANALYTICAL REPORT

SAND CREEK CONSULTANTS INC.
 BRENDA HALMINIAK
 16 RANDALL AVENUE
 PO BOX 1512
 RHINELANDER, WI 54501

Project Name: ZMEK
 Contract #: 2035
 Project #:
 Folder #: 67225
 Purchase Order #:

Page 1 of 12
 Arrival Temperature: See COC
 Report Date: 6/24/2008
 Date Received: 6/18/2008
 Reprint Date: 6/24/2008

CT LAB#: 573844	Sample Description: JP1-1'	Sampled: 6/16/2008 1210
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	90.7	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	13	mg/kg	1.1	3.4	1		6/20/2008 12:00	6/21/2008 10:31	SRT	WDNR DRO
Gasoline Range Organics	<1.3	mg/kg	1.3	4.3	1	L	6/19/2008 08:30	6/23/2008 20:39	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012 *	0.039	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 20:39	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 2 of 12

CT LAB#: 573845	Sample Description: JP2-5'	Sampled: 6/16/2008 1215
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	96.2	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	3.2	1		6/20/2008 12:00	6/21/2008 11:06	SRT	WDNR DRO
Gasoline Range Organics	<1.3	mg/kg	1.3	4.4	1		6/19/2008 08:30	6/23/2008 13:42	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 13:42	DJH	EPA 8020A

CT LAB#: 573851	Sample Description: JP3-2.5'	Sampled: 6/16/2008 1215
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	95.8	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3	mg/kg	1.3	4.1	1		6/19/2008 08:30	6/23/2008 19:13	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis





CT LAB#: 573851		Sample Description: JP3-2.5'						Sampled: 6/16/2008 1215		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 19:13	DJH	EPA 8020A

CT LAB#: 573854		Sample Description: JP4-2.5'						Sampled: 6/16/2008 1216		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	94.4	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3	mg/kg	1.3	4.1	1		6/19/2008 08:30	6/23/2008 14:23	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 14:23	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 4 of 12

CT LAB#: 573855	Sample Description: JP5-2.5'	Sampled: 6/16/2008 1217
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	95.8	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3	mg/kg	1.3	4.2	1		6/19/2008 08:30	6/23/2008 15:06	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 15:06	DJH	EPA 8020A

CT LAB#: 573856	Sample Description: JP6-2.5'	Sampled: 6/16/2008 1220
-----------------	------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	94.6	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Gasoline Range Organics	<1.3	mg/kg	1.3	4.1	1		6/19/2008 08:30	6/23/2008 15:51	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis





CT LAB#: 573856		Sample Description: JP6-2.5'						Sampled: 6/16/2008 1220		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 15:51	DJH	EPA 8020A

CT LAB#: 573857		Sample Description: JP7-0.5'						Sampled: 6/16/2008 1223		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	92.8	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	110	mg/kg	1.1	3.3	1	L	6/20/2008 12:00	6/21/2008 11:39	SRT	WDNR DRO
Gasoline Range Organics	3.1	mg/kg	1.3 *	4.2	1	L	6/19/2008 08:30	6/23/2008 16:23	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.029	mg/kg	0.013 *	0.042	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 16:32	DJH	EPA 8020A

CT LAB#: 573858		Sample Description: JP8-1'						Sampled: 6/17/2008 0735		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 6 of 12

CT LAB#: 573858	Sample Description: JP8-1'	Sampled: 6/17/2008 0735
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	95.7	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	32	mg/kg	1.0	3.2	1	L	6/20/2008 12:00	6/21/2008 12:11	SRT	WDNR DRO
Gasoline Range Organics	<1.4	mg/kg	1.4	4.6	1		6/19/2008 08:30	6/23/2008 17:16	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 17:16	DJH	EPA 8020A

CT LAB#: 573859	Sample Description: JP9-3'	Sampled: 6/17/2008 0735
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	96.3	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.0	mg/kg	1.0	3.2	1		6/20/2008 12:00	6/21/2008 12:42	SRT	WDNR DRO
Gasoline Range Organics	<1.2	mg/kg	1.2	4.0	1		6/19/2008 08:30	6/23/2008 17:51	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis





CT LAB#: 573859		Sample Description: JP9-3'						Sampled: 6/17/2008 0735		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 17:51	DJH	EPA 8020A

CT LAB#: 573860		Sample Description: JP-10-0.5'						Sampled: 6/17/2008 0736		
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	93.5	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	610	mg/kg	11	33	10	L	6/20/2008 12:00	6/23/2008 16:15	SRT	WDNR DRO
Gasoline Range Organics	9.7	mg/kg	1.3	4.4	1	L	6/19/2008 08:30	6/23/2008 21:21	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010 *	0.036	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.012 *	0.039	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
Toluene	0.15	mg/kg	0.016	0.051	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.54	mg/kg	0.014	0.044	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.20	mg/kg	0.013	0.041	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
m & p-Xylene	0.17	mg/kg	0.025	0.085	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A
o-Xylene	0.19	mg/kg	0.014	0.044	1		6/19/2008 08:30	6/23/2008 21:21	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 8 of 12

CT LAB#: 573861	Sample Description: JP-WEST	Sampled: 6/17/2008 1400
-----------------	-----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	95.7	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	95	mg/kg	1.0	3.2	1	L	6/20/2008 12:00	6/21/2008 13:44	SRT	WDNR DRO
Gasoline Range Organics	22	mg/kg	1.3	4.1	1	L	6/19/2008 08:30	6/23/2008 22:04	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011 *	0.037	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.60	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.26	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
m & p-Xylene	0.11	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A
o-Xylene	0.13	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 22:04	DJH	EPA 8020A

CT LAB#: 573862	Sample Description: F20-4'	Sampled: 6/17/2008 1220
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	95.0	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	<1.1	mg/kg	1.1	3.3	1		6/20/2008 12:00	6/21/2008 14:15	SRT	WDNR DRO
Gasoline Range Organics	<1.3	mg/kg	1.3	4.1	1		6/19/2008 08:30	6/23/2008 19:56	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 9 of 12

CT LAB#: 573862		Sample Description: F20-4'					Sampled: 6/17/2008 1220			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 19:56	DJH	EPA 8020A

CT LAB#: 573863		Sample Description: F21-2'					Sampled: 6/17/2008 1221			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	91.3	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	13	mg/kg	1.1	3.4	1	L	6/20/2008 12:00	6/21/2008 15:18	SRT	WDNR DRO
Gasoline Range Organics	<1.3	mg/kg	1.3	4.3	1		6/19/2008 08:30	6/23/2008 22:44	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 22:44	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 10 of 12

CT LAB#: 573864	Sample Description: F22-2'	Sampled: 6/17/2008 1222
-----------------	----------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	91.6	%	N/A	N/A	1			6/18/2008 14:20	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	19	mg/kg	1.1	3.4	1	L	6/20/2008 12:00	6/21/2008 15:50	SRT	WDNR DRO
Gasoline Range Organics	<1.4	mg/kg	1.4	4.4	1		6/19/2008 08:30	6/23/2008 18:33	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010 *	0.035	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015 *	0.049	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 18:33	DJH	EPA 8020A

CT LAB#: 573865	Sample Description: METH BLANK	Sampled: 6/16/2008
-----------------	--------------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Organic Results										
Gasoline Range Organics	<1.2	mg/kg	1.2	3.9	1		6/19/2008 08:30	6/23/2008 13:01	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 11 of 12

CT LAB#: 573865		Sample Description: METH BLANK					Sampled: 6/16/2008			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/19/2008 08:30	6/23/2008 13:01	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67225

Page 12 of 12

Notes regarding entire Chain of Custody:

Notes:

* Indicates Value in between LOD and LOQ.

^ Indicates the laboratory is NELAP accredited for this analyte by the indicated matrix and method.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

This report has been specifically prepared to satisfy project or program requirements. Although certain analyses may indicate NELAP accreditation, the parameters may not necessarily have been analyzed and/or reported following NELAP conventions or requirements.

Submitted by:

Pat M. Letterer
Project Manager
608-356-2760

QC Qualifiers

Code	Description
A	Analyte averaged calibration criteria within acceptable limits.
B	Analyte detected in associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Calibration criteria exceeded.

Current CT Laboratories Certifications

Illinois NELAP ID# 200046

Kansas NELAP ID# E-10368

Kentucky ID# 0023

Pennsylvania NELAP ID# 68-04201

New Jersey NELAP ID# WI001

North Dakota ID# R-171

Wisconsin Chemistry ID# 157066030

Wisconsin Bacteriology ID# 105-289



Rev. 3/2003

Chain of Custody

Page 1 of 2

Company Name: Sand Creek

Project Contact: Brenda Halmniak

Telephone: 715-365-1818

Project Name: Zmak

Project Number: -

Project Location: WI

Sampled By: B. Halmniak

Regulatory Program:

UST RCRA SDWA N

Solid Waste Other

Turnaround Time

Normal RUSH* Date Ne

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%

Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/Comp	Sample ID Description	Fild Y/N	WDNR W/LID #	Matrix	6/10/08	DPO	S. H. O.	Total No of Containers	Total No of Cont. Rec'd	Preservation	Client Special Instructions:	Lab ID #
Date	Time															
6/16/08	1210			6	JP1-1'			S	1	1	1	3		FA		5738414
	1215				JP2-5'							3		FA		5738415
	1215				JP3-2.5'							2		F		5738416
	1216				JP4-2.5'											5738417
	1217				JP5-2.5'											5738418
	1220				JP6-2.5'											5738419
✓	1223				JP7-0.5'							3		FA		5738420
6/17/08	0735				JP8-1'											5738421
	0735				JP9-3'											5738422
	0736				JP10-0.5'											5738423
	1400				JP-Weat											5738424
✓	1220				F20-4'											5738425

Relinquished By: *B. Halmniak* Date/Time: 6-17-08 4:00 PM

Received By: *[Signature]* Date/Time: 6/18/08 10:00 AM

Relinquished By: *[Signature]* Date/Time: 6-17-08 4:00 PM

Received By: *[Signature]* Date/Time: 6/18/08 10:00 AM

**Matrix
S-Soil A-Air Slg-Sludge M-Misc Waste
GW-Groundwater SW-Surface Water
WW-Wastewater DW-Drinking Water

**Preservation Code
A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
O=Other

CT Laboratories

1230 Lange Court, Baraboo, WI 53913
608-356-2760 Tel. Fx 608-356-2766
www.ctlaboratories.com

Folder #: 67225

Company: SAND CREEK CONSUL

Project: ZMAK

Logged By: JLS PM: PM

Ice Present Yes No

Temperature 2.1

Initials JS

Date 6/18/08 Time 12:55

Cooler #

Mail Report To: Brenda Halmniak

Company: Sand Creek Consultants, Inc.

Address: 150 S. Stevens Street

City/State/Zip: Rhinelander, WI 54501

Invoice To: Brenda Halmniak

Company: Sand Creek Consultants, Inc.

Address: 150 S. Stevens Street

City/State/Zip: Rhinelander, WI 54501

PO No.

Contract No.

ANALYTICAL REPORT

SAND CREEK CONSULTANTS INC.
BRENDA HALMINIAK
16 RANDALL AVENUE
PO BOX 1512
RHINELANDER, WI 54501

Project Name: ZMEK
Contract #: 2035
Project #:
Folder #: 67312
Purchase Order #:

Page 1 of 4
Arrival Temperature: See COC
Report Date: 6/30/2008
Date Received: 6/20/2008
Reprint Date: 6/30/2008

CT LAB#: 574740		Sample Description: JP11-0.5'					Sampled: 6/18/2008 1035			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
Inorganic Results										
Solids, Percent	90.9	%	N/A	N/A	1	H		6/26/2008 11:15	AMA	EPA 8000C
Organic Results										
Diesel Range Organics	78	mg/kg	1.1	3.4	1	L	6/20/2008 12:00	6/21/2008 16:21	SRT	WDNR DRO
Gasoline Range Organics	<1.3	mg/kg	1.3	4.3	1		6/25/2008 12:00	6/26/2008 11:48	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
Toluene	0.045	mg/kg	0.015 *	0.049	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/25/2008 12:00	6/26/2008 11:48	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67312

Page 2 of 4

CT LAB#: 574741	Sample Description: JP12-0.5'	Sampled: 6/18/2008 1445
-----------------	-------------------------------	-------------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Inorganic Results

Solids, Percent	95.2	%	N/A	N/A	1	H		6/26/2008 11:15	AMA	EPA 8000C
-----------------	------	---	-----	-----	---	---	--	-----------------	-----	-----------

Organic Results

Diesel Range Organics	160	mg/kg	2.1	6.5	2	L	6/20/2008 12:00	6/23/2008 16:51	SRT	WDNR DRO
Gasoline Range Organics	6.0	mg/kg	1.3	4.1	1	L	6/25/2008 12:00	6/26/2008 12:24	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011 *	0.037	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
Toluene	0.030	mg/kg	0.015 *	0.049	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
1,2,4-Trimethylbenzene	0.15	mg/kg	0.013	0.042	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
1,3,5-Trimethylbenzene	0.068	mg/kg	0.012	0.039	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
m & p-Xylene	0.066	mg/kg	0.024 *	0.081	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A
o-Xylene	0.13	mg/kg	0.013	0.042	1		6/25/2008 12:00	6/26/2008 12:24	DJH	EPA 8020A

CT LAB#: 574742	Sample Description: METH BLANK	Sampled: 6/18/2008
-----------------	--------------------------------	--------------------

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	----------------	--------------------	---------	--------

Organic Results

Gasoline Range Organics	<1.2	mg/kg	1.2	3.9	1		6/25/2008 12:00	6/26/2008 11:13	DJH	WDNR GRO
Benzene	<0.025	mg/kg	0.010	0.034	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A
Ethylbenzene	<0.025	mg/kg	0.011	0.037	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A
Methyl tert-butyl ether	<0.025	mg/kg	0.017	0.058	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A
Toluene	<0.025	mg/kg	0.015	0.049	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A
1,2,4-Trimethylbenzene	<0.025	mg/kg	0.013	0.042	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67312

Page 3 of 4

CT LAB#: 574742		Sample Description: METH BLANK					Sampled: 6/18/2008			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date/Time	Analysis Date/Time	Analyst	Method
1,3,5-Trimethylbenzene	<0.025	mg/kg	0.012	0.039	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A
m & p-Xylene	<0.025	mg/kg	0.024	0.081	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A
o-Xylene	<0.025	mg/kg	0.013	0.042	1		6/25/2008 12:00	6/26/2008 11:13	DJH	EPA 8020A

Solid sample results reported on a Dry Weight Basis



CT LABORATORIES

delivering more than data from your environmental analyses



SAND CREEK CONSULTANTS INC.

Project Name: ZMEK

Project #:

Contract #: 2035

Folder #: 67312

Page 4 of 4

Notes regarding entire Chain of Custody:

Notes:

* Indicates Value in between LOD and LOQ.

^ Indicates the laboratory is NELAP accredited for this analyte by the indicated matrix and method.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

This report has been specifically prepared to satisfy project or program requirements. Although certain analyses may indicate NELAP accreditation, the parameters may not necessarily have been analyzed and/or reported following NELAP conventions or requirements.

Submitted by: 

Pat M. Letterer
Project Manager
608-356-2760

QC Qualifiers

Code	Description
A	Analyte averaged calibration criteria within acceptable limits.
B	Analyte detected in associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Calibration criteria exceeded.

Current CT Laboratories Certifications

Illinois NELAP ID# 200046

Kansas NELAP ID# E-10368

Kentucky ID# 0023

Pennsylvania NELAP ID# 68-04201

New Jersey NELAP ID# W1001

North Dakota ID# R-171

Wisconsin Chemistry ID# 157066030

Wisconsin Bacteriology ID# 105-289



Company Name: Sand Creek	
Project Contact: Brenda Helmreich	
Telephone: 715-365-1818	
Project Name: Zmek	*****
Project Number: —	Folder #: 673
Project Location: WI	Company: SAND
Sampled By: B. Helmreich	Project: ZMEK

CTE laboratories

1230 Lange Court, Baraboo, WI 53913
608-356-2760 Tel. Fx 608-356-2766
www.cflaboratories.com

Mail Report To: Brenda Halminiak
Company: Sand Creek Consultants, Inc.
Address: 150 S. Stevens Street
City/State/Zip: Rhinelander, WI 54501

Folder #: 67312
Company: SAND CREEK CONSUL
Project: ZMEK
Logged By: JLS PM: PM

Ice Present Yes No

* Temperature

Initiale

Date 6/13/82 Time 1050

Cooler #

Invoice To: Brenda Halminiak
Company: Sand Creek Consultants, Inc.
Address: 150 S. Stevens Street
City/State/Zip: Rhinelander, WI 54501

PO No.

Contract No. _____

Regulatory Program:
UST RCRA SDWA NPL
Solid Waste Other

Turnaround Time

Normal RUSH* : Date Needed

*Notify Lab prior to sending in RUSH

Surcharges 24 hr 200% 2-3 days 100% 4-9 days 50%
Surcharges subject to change without notice.

Landfill License Number

Collection		Field Screen	Field ID	Grab/ Comp	Sample ID Description	Field Y/N
Date	Time					

WDNR WILD #

Matrix

2nd/04/15

DD

5818

1

10

1

Total No of Conts

Total No of Cont.

L

•

Client Special Instructions:

Lab ID #

Relinquished By:	Date/Time	Relinquished By:
Brenda S. [Signature]	6-19-08	4
Received by:	Date/Time	Received by:

Received by:

Date/Time

Received by:

Date/Time	Location	Activity	Remarks
10/10/2023

Date/Time

****Matrix**
S-Soil A-Air Slg-Sludge M-Misc Waste
GW-Groundwater SW-Surface Water
WW-Wastewater DW-Drinking Water

* Preservation Code
A=None B=HCL
C=H2SO4 D=HNO3
E=Encore F=Methanol
G=NaOH
H=Other