



March 20, 2019

Denise Dreszman  
Sage-Louise Holdings, LLC  
618 Oak Street  
Baraboo, WI 53913

**Subject: Groundwater Results – 618 Oak Street, Baraboo, Wisconsin  
BRRTS: 02-57-548538**

Dear Ms. Dreszman:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of the environmental sample collected from your property located at 618 Oak Street in Baraboo, Wisconsin. The groundwater sample was collected on February 21, 2019. The sampling activity is part of an environmental investigation being performed for the Badger Cleaners facility located at 616 Oak Street in Baraboo at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Badger Cleaners  
616 Oak Street  
Baraboo, WI

### **Sampling Results**

One groundwater sample was collected from the monitoring well (MW3) located on your property. The monitoring well location is depicted on the attached **Figure 1**. The results of the groundwater sample are summarized and compared to WDNR standards on the attached **Table 1**. A copy of the laboratory report that relate to the groundwater sample is also attached.

PCE was detected at a concentration of 1,130 micrograms per liter ( $\mu\text{g/L}$ ), which exceeds the WDNR Enforcement standard (ES) of 5  $\mu\text{g/L}$  for PCE. Trichloroethene was detected at a concentration of 1.42  $\mu\text{g/L}$ , which is above the WDNR Preventive Action Limit (PAL) of 0.5  $\mu\text{g/L}$  but below the Enforcement standard (ES) of 5  $\mu\text{g/L}$  for TCE. No other chemicals of concern were detected in the groundwater sample.

We will continue to collect groundwater samples from the monitoring well quarterly. The next sampling event is anticipated for June 2019. If you have any questions or concerns, please contact

*Document: 6492-1261*  
N16 W23390 Stone Ridge Drive, Suite G  
Waukesha, WI 53188  
Phone: 262-290-4001 • Fax 317.972.7875

*March 20, 2019*



us at 262-290-4001 or by email at [rhoverman@enviroforensics.com](mailto:rhoverman@enviroforensics.com). The WDNR project manager, Trevor Bannister, can be reached at 608-275-3490. We greatly appreciate your help and patience with this matter.

Sincerely,  
**EnviroForensics, LLC**

A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, LPG  
*Senior Project Manager*

**Attachments:**

- Table 1 – Monitoring Well Analytical Results
- Figure 1 – Site Plan
- Laboratory Analytical Report

Copy: Trevor Bannister, Wisconsin Department of Natural Resources

**TABLE 1**  
**MONITORING WELL ANALYTICAL RESULTS**

Badger Cleaners  
610 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
<b>Enforcement Standard</b>			<b>5</b>	<b>5</b>	<b>70</b>	<b>100</b>	<b>0.2</b>
<b>Preventative Action Limit</b>			<b>0.5</b>	<b>0.5</b>	<b>7</b>	<b>20</b>	<b>0.02</b>
MW3	43-53	02/21/19	<b>1,130</b>	<b>1.42</b>	<0.37	<0.34	<0.2

**Notes:**

µg/L = micrograms per liter


Samples analyzed using EPA SW-846 Method 8260

**Bolded** values are above detection limits


**Bolded** and orange shaded values are above Public Health Enforcement Standards

**Bolded** and blue shaded values are above Public Health Preventative Action Limits


5th Street




Alley



4th Street



Alley



APPROXIMATE SCALE: 1" = 50'

### Legend

MW3  Monitoring well

No.	Date	Revision	Approved



825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com

Date:	9/14/17
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-0069

### SITE PLAN

Badger Cleaners  
616 Oak Street  
Baraboo, Wisconsin

Figure	1
Project	6492

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815C  
**Sample ID** 6492 MW-3  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	1130	ug/l	3.8	12.1	10	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815C  
**Sample ID** 6492 MW-3  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	1.42	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		2/27/2019	CJR	1

**CHAIN OF CUSTODY STUDY RECORD**



**Environmental Lab, Inc.**

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **No 3011**  
Page 1 of 5

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No. : \_\_\_\_\_ Quote No. : \_\_\_\_\_

Project #: 6492

Sampler: (signature) [Signature]

Project (Name/Location): Portage Cleaners (d.b.a) Budget Cleaners / Beasboro, WI

Reports To: R. Horvath/K. Heintz (N.A.S.)

Company: Enviroforever

Address: WV 23390 Stone Ridge Dr.

City/State/Zip: WV-Ashtabula, WI 57188

Phone: 414-630-0060

FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>5035915A</u>	<u>6492-MW-1</u>	<u>2/21</u>	<u>1325</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>B</u>	<u>6492-MW-2</u>	<u>2/21</u>	<u>1425</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>C</u>	<u>6492-MW-3</u>	<u>2/21</u>	<u>1535</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>D</u>	<u>6492-MW-4</u>	<u>2/21</u>	<u>1145</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>E</u>	<u>6492-MW-5</u>	<u>2/20</u>	<u>1425</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>F</u>	<u>6492-MW-6</u>	<u>2/20</u>	<u>1205</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>G</u>	<u>6492-MW-7</u>	<u>2/20</u>	<u>1255</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>H</u>	<u>6492-MW-12</u>	<u>2/21</u>	<u>1055</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>I</u>	<u>6492-MW-13</u>	<u>2/22</u>	<u>1140</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>J</u>	<u>6492-P2-1</u>	<u>2/21</u>	<u>1635</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1632

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Ice

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:

Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) [Signature]

[Signature]

Time: 1630 Date: 2-25-19 Received By: (sign) Gold Casi Time: 1630 Date: 2-25-19

Received in Laboratory By: [Signature]

[Signature]

Time: 8:00 Date: 2/26/19



March 20, 2019

Kelly Frawley  
Wisconsin Historical Society  
816 State Street  
Madison, WI 53706

**Subject: Groundwater Results – Circus World**  
**BRRTS: 02-57-548538**

Dear Mr. Frawley:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from your property located at 550 Water Street in Baraboo, Wisconsin. The groundwater samples were collected February 21 - 22, 2019. The sampling activities are part of an environmental investigation being performed for the Badger Cleaners facility located at 616 Oak Street in Baraboo at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Badger Cleaners  
616 Oak Street  
Baraboo, WI

### **Sampling Results**

Six groundwater samples were collected from monitoring wells located within the Circus World. The monitoring well locations are depicted on the attached **Figure 1**. A copy of the laboratory report that relate to the groundwater sample is also attached.

The chemicals of concern were not detected in any of the samples collected; however, toluene was detected in two samples but at concentration below screening levels and appears to originate from other sources unrelated to our investigation.

We will continue to collect groundwater samples from the monitoring wells quarterly. The next sampling event is anticipated for June 2019. If you have any questions or concerns, please contact us at 262-290-4001 or by email at [rhoverman@enviroforensics.com](mailto:rhoverman@enviroforensics.com). The WDNR project manager, Trevor Bannister, can be reached at 608-275-3490. We greatly appreciate your help and patience with this matter.

*Document: 6492-1258*  
N16 W23390 Stone Ridge Drive, Suite G  
Waukesha, WI 53188  
Phone: 262-290-4001 • Fax 317.972.7875

*March 20, 2019*





Sincerely,  
**EnviroForensics, LLC**


A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, LPG  
*Senior Project Manager*



Attachments:

Figure 1 – Sample Location Map  
Laboratory Analytical Report

Copy: Scott O'Donnell, Circus World  
Trevor Bannister, Wisconsin Department of Natural Resources




**Legend**

- MW-12/PZ-20A  Well Location
-  Circus world property boundary

**SAMPLE LOCATION MAP**

Badger Cleaners  
 616 Oak Street  
 Baraboo, Wisconsin



Date:	11/2/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1025

**ENVIROforensics**

825 North Capitol Avenue • Indianapolis, IN 46204  
 EnviroForensics.com

Figure	1
Project	6492

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815H  
**Sample ID** 6492 MW-12  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	0.21 "J"	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815H  
**Sample ID** 6492 MW-12  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		2/27/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35815

Lab Code 5035815I  
Sample ID 6492 MW-13  
Sample Matrix Water  
Sample Date 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815I  
**Sample ID** 6492 MW-13  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815W  
**Sample ID** 6492 PZ-20A  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	1.14	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815W  
**Sample ID** 6492 PZ-20A  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		2/28/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815X  
**Sample ID** 6492 PZ-21B  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815X  
**Sample ID** 6492 PZ-21B  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815Y  
**Sample ID** 6492 PZ-21A  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815Y  
**Sample ID** 6492 PZ-21A  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815Z  
**Sample ID** 6492 PZ-22A  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815Z  
**Sample ID** 6492 PZ-22A  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/1/2019	CJR	1

**CHAIN OF CUSTODY STUDY RECORD**



**Environmental Lab, Inc.**

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **No 3011**  
Page 1 of 5

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No. : \_\_\_\_\_ Quote No. : \_\_\_\_\_

Project #: 6492

Sampler: (signature) [Signature]

Project (Name/Location): Portage Cleaners (d.b.a) Budget Cleaners / Beasboro, WI

Reports To: R. Horvath/K. Heintz (N.A.S.)

Company: Enviroforever

Address: WV 23390 Stone Ridge Dr.

City/State/Zip: WV-Ashtabula, WI 57188

Phone: 414-630-0060

FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>5035915A</u>	<u>6492-MW-1</u>	<u>2/21</u>	<u>1325</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>B</u>	<u>6492-MW-2</u>	<u>2/21</u>	<u>1425</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>C</u>	<u>6492-MW-3</u>	<u>2/21</u>	<u>1535</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>D</u>	<u>6492-MW-4</u>	<u>2/21</u>	<u>1145</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>E</u>	<u>6492-MW-5</u>	<u>2/20</u>	<u>1425</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>F</u>	<u>6492-MW-6</u>	<u>2/20</u>	<u>1205</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>G</u>	<u>6492-MW-7</u>	<u>2/20</u>	<u>1255</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>H</u>	<u>6492-MW-12</u>	<u>2/21</u>	<u>1055</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>I</u>	<u>6492-MW-13</u>	<u>2/22</u>	<u>1140</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>J</u>	<u>6492-P2-1</u>	<u>2/21</u>	<u>1635</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1632

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Ice

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice: X

Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No

Relinquished By: (sign) [Signature]

Time: 1630

Date: 2-25-19

Received By: (sign) [Signature]

Time: 1630

Date: 2-25-19

Received in Laboratory By: [Signature]

Time: 8:00

Date: 2/26/19

# Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_  
Account No.: \_\_\_\_\_  
Quote No.: \_\_\_\_\_

Project #: 6492  
Sampler (signature): [Signature]

Project (Name / Location): Portage Cleaners (d.b.a.) Budget Cleaners / Baraboo, WI

Reports To: R. Hovnanian/K. Herstedt/N.D. An Invoice To: \_\_\_\_\_

Company: Enviroforensics Company: \_\_\_\_\_

Address: W 23390 Stone Ridge Dr. Address: \_\_\_\_\_

City/State/Zip: Waukesha, WI 53188 City/State/Zip: \_\_\_\_\_

Phone: 414-630-0060 Phone: \_\_\_\_\_

FAX: \_\_\_\_\_ FAX: \_\_\_\_\_

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	
<b>SOS 5915A</b>	<b>V</b>	6492-P2-15A	2/20	150	X	N	2	GV	HCL													X		
	<b>W</b>	6492-P2-20A	2/21	142			2															X		
	<b>X</b>	6492-P2-21B	2/21	1403			2															X		
	<b>Y</b>	6492-P2-21A	2/21	1313			2															X		
	<b>Z</b>	6492-P2-22A	2/22	1240			3															X		
	<b>AA</b>	6492-DCC-AV-7	2/20	1630			3															X		
	<b>BB</b>	6492-RCL-AV-8	2/21	805			3															X		
	<b>CC</b>	6492-RCL-P2-8	2/21	940			3															X		
	<b>DD</b>	6492-DCC-AV-2	2/22	1210			3															X		

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)  
PO# 2019-1632

Sample Integrity - To be completed by receiving lab.  
Method of Shipment: Sea  
Temp. of Temp. Blank: \_\_\_\_\_ %C On Ice: X  
Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No

Relinquished By: (sign) [Signature] Time: 1630 Date: 2-25-19  
Received By: (sign) [Signature] Time: 8:00 Date: 2/24/19

Received in Laboratory By: [Signature] Time: \_\_\_\_\_ Date: \_\_\_\_\_





April 1, 2019

Tom Pinion  
City of Baraboo  
101 South Blvd.  
Baraboo, WI 53913

**Subject: Groundwater Results**  
**BRRTS: 02-57-548538**

Dear Mr. Pinion:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from within the City of Baraboo right-of-way. The groundwater samples were collected between February 20, 2019 and March 1, 2019. The sampling activities are part of an environmental investigation being performed for the Badger Cleaners located at 616 Oak Street in Baraboo at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Badger Cleaners  
616 Oak Street  
Baraboo, WI

### **Sampling Results**

Fifty-three groundwater samples were collected from monitoring wells located within the city right-of-way. The monitoring well locations are depicted on the attached **Figure 1A** and **Figure 1B**. The results of the groundwater samples are summarized and compared to WDNR standards on the attached **Table 1**. Copies of the laboratory reports that relate to the groundwater samples are also attached.

PCE and trichloroethene were detected in groundwater at multiple locations at concentrations above their respective enforcement standard (ES) screening level of 5 micrograms per liter ( $\mu\text{g/L}$ ) and preventive action limit (PAL) screening level of 0.5  $\mu\text{g/L}$ . Cis-1,2-Dichloroethene was detected in groundwater at one location at a concentration above its respective preventive action limit screening level of 7  $\mu\text{g/L}$ . As can be seen on the laboratory reports, multiple other compounds were detected above their respective screening levels; however, these appear to originate from other sources.

*Document: 6492-1255*  
N16 W23390 Stone Ridge Drive, Suite G  
Waukesha, WI 53188  
Phone: 262-290-4001 • Fax 317.972.7875

*April 1, 2019*



We will continue to collect groundwater samples from the monitoring wells quarterly. The next sampling event is anticipated for June 2019. If you have any questions or concerns, please contact us at 262-290-4001 or by email at [rhoverman@enviroforensics.com](mailto:rhoverman@enviroforensics.com). The WDNR project manager, Trevor Bannister, can be reached at 608-275-3490. We greatly appreciate your help and patience with this matter.

Sincerely,  
**EnviroForensics, LLC**

A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, LPG  
*Senior Project Manager*

Attachments:

- Table 1 – Monitoring Well Analytical Results
- Figure 1A – Site Plan
- Figure 1B – Site Plan
- Laboratory Analytical Report

Copy: Trevor Bannister, Wisconsin Department of Natural Resources

**TABLE 1**  
**MONITORING WELL ANALYTICAL RESULTS**

Badger Cleaners  
610 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene
<b>Enforcement Standard</b>		<b>5</b>	<b>5</b>	<b>70</b>
<b>Preventative Action Limit</b>		<b>0.5</b>	<b>0.5</b>	<b>7</b>
MW4	02/21/19	<b>8.9</b>	<0.3	<0.37
PZ1	02/19/19	<b>26.8</b>	<b>0.47 J</b>	<0.37
PZ2	02/19/19	<b>1.69</b>	<0.3	<0.37
MW-9	03/01/19	<0.38	<0.3	<0.37
PZ-3A	02/28/19	<b>22.4</b>	<b>0.70 J</b>	<0.37
PZ-3B	02/28/19	<b>27.2</b>	<0.3	<0.37
PZ-4A	02/28/19	<b>1.05 J</b>	<0.3	<0.37
PZ-4B	02/28/19	<0.38	<0.3	<0.37
PZ-5A	02/28/19	<b>11.9</b>	<0.3	<0.37
PZ-5B	02/28/19	<b>1.03 J</b>	<0.3	<0.37
PZ-6A	02/27/19	<b>0.50 J</b>	<0.3	<0.37
PZ-6B	02/28/19	<0.38	<0.3	<0.37
PZ-7A	02/27/19	<b>13.9</b>	<b>2.67</b>	<0.37
PZ-7B	02/27/19	<b>12.4</b>	<b>3.9</b>	<0.37
PZ-7C	02/20/19	<0.38	<0.3	<0.37
PZ-8A	02/22/19	<0.38	<0.3	<0.37
PZ-8B	02/22/19	<0.38	<0.3	<0.37
PZ-9A	02/22/19	<b>0.45 J</b>	<0.3	<0.37
PZ-9B	02/22/19	<0.38	<0.3	<0.37
PZ-10A	02/21/19	<b>0.70 J</b>	<0.3	<0.37
PZ-10B	02/22/19	<0.38	<0.3	<0.37
PZ-11A	02/27/19	<0.38	<0.3	<0.37
PZ-11B	02/27/19	<0.38	<0.3	<0.37
MW-7	02/20/19	<0.38	<0.3	<0.37
PZ-12A	02/27/19	<b>0.77 J</b>	<0.3	<0.37
PZ-12B	02/27/19	<0.38	<0.3	<0.37
MW-6	02/20/19	<0.38	<0.3	<0.37
PZ-13A	02/20/19	<b>15</b>	<0.3	<0.37
PZ-13B	02/20/19	<b>4.5</b>	<0.3	<0.37
PZ-14A	02/20/19	<0.38	<0.3	<0.37
PZ-14B	02/20/19	<0.38	<0.3	<0.37
MW-5	02/20/19	<0.38	<0.3	<0.37
PZ-15A	02/20/19	<b>0.54 J</b>	<0.3	<0.37
PZ-15B	02/20/19	<0.38	<0.3	<0.37
PZ-16A	03/01/19	<b>2.8</b>	<0.3	<0.37
PZ-16B	03/01/19	<b>0.39 J</b>	<0.3	<0.37
MW-8	02/28/19	<0.38	<0.3	<0.37
PZ-17A	02/28/19	<b>27.5</b>	<0.3	<0.37
MW-10	02/28/19	<0.38	<0.3	<0.37
PZ-18A	02/28/19	<b>3.2</b>	<b>5.4</b>	<0.37
MW-11	02/28/19	<0.38	<0.3	<0.37
PZ-19A	03/01/19	<0.38	<0.3	<0.37
DCC-MW-7	02/20/19	<0.38	<0.3	<0.37
DCC-MW-8	02/21/19	<b>25.6</b>	<0.3	<0.37
DCC-PZ-8	02/21/19	<1.9	<1.5	<1.85
CCC-MW2	02/22/19	<b>2.37</b>	<0.3	<0.37
CCC-MW6	02/22/19	<b>85</b>	<0.3	<0.37
CCC-MW-8	02/22/19	<b>300</b>	<1.5	<1.85
CCC-MW10	02/22/19	<0.38	<0.3	<0.37
CCC-MW1200	03/01/19	<b>680</b>	<b>0.78 J</b>	<0.37
CCC-PZ8	02/22/19	<b>6,200</b>	<b>117</b>	<b>68</b>
CCC-PZ100	02/22/19	<b>3.6</b>	<0.3	<0.37
CCC-PZ1100	03/01/19	<b>9,300</b>	<b>1.3</b>	<0.37

**Notes:**

µg/L = micrograms per liter  
Samples analyzed using EPA SW-846 Method 8260


**Bolded** values are above detection limits

**Bolded** and orange shaded values are above Public Health Enforcement Standards

**Bolded** and blue shaded values are above Public Health Preventive Action Limits


Samples/constituents not shown are below laboratory reporting limits

J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit




**Legend**

- MW1 Monitoring well (By Others)
- PZ1 Piezometer well (By Others)
- Soil boring
- PZ-4 Soil boring and Piezometer



<b>SITE PLAN</b>	
Badger Cleaners 616 Oak Street Baraboo, Wisconsin	
	Figure 1A
	Project 6492
825 North Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com	

Date:	11/13/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1033




**Legend**

- MW1 Monitoring well (By Others)
- PZ1 Piezometer well (By Others)
- Soil boring
- PZ-4 Soil boring and Piezometer

**SITE PLAN**

Badger Cleaners  
 616 Oak Street  
 Baraboo, Wisconsin



Date:	11/13/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1033



825 North Capitol Avenue • Indianapolis, IN 46204  
 EnviroForensics.com

Figure	1B
Project	6492

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815D  
**Sample ID** 6492 MW-4  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	8.9	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815D  
**Sample ID** 6492 MW-4  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		2/27/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35815

Lab Code 5035815E  
Sample ID 6492 MW-5  
Sample Matrix Water  
Sample Date 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815E  
**Sample ID** 6492 MW-5  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815F  
**Sample ID** 6492 MW-6  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815F  
**Sample ID** 6492 MW-6  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815G  
**Sample ID** 6492 MW-7  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815G  
**Sample ID** 6492 MW-7  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815H  
**Sample ID** 6492 MW-12  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	0.21 "J"	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815H  
**Sample ID** 6492 MW-12  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815I  
**Sample ID** 6492 MW-13  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/27/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815I  
**Sample ID** 6492 MW-13  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/27/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		2/27/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		2/27/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815J  
**Sample ID** 6492 PZ-1  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	0.42 "J"	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	26.8	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815J  
**Sample ID** 6492 PZ-1  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	0.47 "J"	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815K  
**Sample ID** 6492 PZ-2  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	1.69	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815K  
**Sample ID** 6492 PZ-2  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815L  
**Sample ID** 6492 PZ-7C  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815L  
**Sample ID** 6492 PZ-7C  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815M  
**Sample ID** 6492 PZ-9A  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	0.45 "J"	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	0.25 "J"	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815M  
**Sample ID** 6492 PZ-9A  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815N  
**Sample ID** 6492 PZ-9B  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815N  
**Sample ID** 6492 PZ-9B  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 50358150  
**Sample ID** 6492 PZ-10A  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	0.70 "J"	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 50358150  
**Sample ID** 6492 PZ-10A  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		2/28/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35815

Lab Code 5035815P  
Sample ID 6492 PZ-10B  
Sample Matrix Water  
Sample Date 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815P  
**Sample ID** 6492 PZ-10B  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	113	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815Q  
**Sample ID** 6492 PZ-13A  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	15	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815Q  
**Sample ID** 6492 PZ-13A  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815R  
**Sample ID** 6492 PZ-13B  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	4.5	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815R  
**Sample ID** 6492 PZ-13B  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815S  
**Sample ID** 6492 PZ-14A  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815S  
**Sample ID** 6492 PZ-14A  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		2/28/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35815

Lab Code 5035815T  
Sample ID 6492 PZ-14B  
Sample Matrix Water  
Sample Date 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815T  
**Sample ID** 6492 PZ-14B  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815U  
**Sample ID** 6492 PZ-15A  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	0.54 "J"	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815U  
**Sample ID** 6492 PZ-15A  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815V  
**Sample ID** 6492 PZ-15B  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/28/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 5035815V  
**Sample ID** 6492 PZ-15B  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/28/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		2/28/2019	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		2/28/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815AA  
**Sample ID** 6492 DCC-MW-7  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815AA  
**Sample ID** 6492 DCC-MW-7  
**Sample Matrix** Water  
**Sample Date** 2/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815BB  
**Sample ID** 6492 DCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	25.6	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815BB  
**Sample ID** 6492 DCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	112	REC %			1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815CC  
**Sample ID** 6492 DCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		3/1/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		3/1/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		3/1/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		3/1/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		3/1/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		3/1/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	8.2	ug/l	1.25	3.9	5	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		3/1/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		3/1/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	172	ug/l	1.4	4.45	5	8260B		3/1/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		3/1/2019	CJR	1
Tetrachloroethene	< 1.9	ug/l	1.9	6.05	5	8260B		3/1/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		3/1/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815CC  
**Sample ID** 6492 DCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 2/21/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		3/1/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		3/1/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	111	REC %			5	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			5	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			5	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			5	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815DD  
**Sample ID** 6492 CCC-MW-2  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	2.37	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815DD  
**Sample ID** 6492 CCC-MW-2  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815EE  
**Sample ID** 6492 CCC-MW-6  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	85	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815EE  
**Sample ID** 6492 CCC-MW-6  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1 8260B		3/1/2019	CJR	1
SUR - Toluene-d8	111	REC %				1 8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %				1 8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %				1 8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815FF  
**Sample ID** 6492 CCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		3/1/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		3/1/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		3/1/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		3/1/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		3/1/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		3/1/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		3/1/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		3/1/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		3/1/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		3/1/2019	CJR	1
Tetrachloroethene	300	ug/l	1.9	6.05	5	8260B		3/1/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815FF  
**Sample ID** 6492 CCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		3/1/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		3/1/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			5	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			5	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	109	REC %			5	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			5	8260B		3/1/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35815

Lab Code 535815GG  
Sample ID 6492 CCC-MW-10  
Sample Matrix Water  
Sample Date 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815GG  
**Sample ID** 6492 CCC-MW-10  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815HH  
**Sample ID** 6492 CCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	29.5 "J"	ug/l	11	35.5	50	8260B		3/1/2019	CJR	1
Bromobenzene	< 22	ug/l	22	69	50	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	53	50	8260B		3/1/2019	CJR	1
Bromoform	< 22.5	ug/l	22.5	72	50	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 12.5	ug/l	12.5	40	50	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 39.5	ug/l	39.5	126.5	50	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	112.5	50	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		3/1/2019	CJR	1
Chlorobenzene	< 13	ug/l	13	41.5	50	8260B		3/1/2019	CJR	1
Chloroethane	< 30.5	ug/l	30.5	97.5	50	8260B		3/1/2019	CJR	1
Chloroform	< 13	ug/l	13	41	50	8260B		3/1/2019	CJR	1
Chloromethane	< 27	ug/l	27	86	50	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 15.5	ug/l	15.5	49	50	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 13	ug/l	13	41.5	50	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	471.5	50	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 11	ug/l	11	34.5	50	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 35	ug/l	35	111	50	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 42.5	ug/l	42.5	135	50	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 43	ug/l	43	137	50	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 16	ug/l	16	51	50	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 12.5	ug/l	12.5	39	50	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 18	ug/l	18	57	50	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 21	ug/l	21	67	50	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	68	ug/l	18.5	58	50	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 17	ug/l	17	53.5	50	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 22	ug/l	22	69.5	50	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 15	ug/l	15	47	50	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 16	ug/l	16	50.5	50	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 13	ug/l	13	40.5	50	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 10.5	ug/l	10.5	33	50	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 17	ug/l	17	54.5	50	8260B		3/1/2019	CJR	1
Ethylbenzene	< 13	ug/l	13	41.5	50	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 67	ug/l	67	214	50	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 39	ug/l	39	123.5	50	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 12	ug/l	12	38	50	8260B		3/1/2019	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44.5	50	8260B		3/1/2019	CJR	1
Naphthalene	< 105	ug/l	105	332.5	50	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 30.5	ug/l	30.5	97.5	50	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48.5	50	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 17.5	ug/l	17.5	56.5	50	8260B		3/1/2019	CJR	1
Tetrachloroethene	6200	ug/l	19	60.5	50	8260B		3/1/2019	CJR	1
Toluene	< 9.5	ug/l	9.5	30	50	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 57.5	ug/l	57.5	183.5	50	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815HH  
**Sample ID** 6492 CCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 85.5	ug/l	85.5	271.5	50	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	52.5	50	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	66	50	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	117	ug/l	15	47	50	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 17.5	ug/l	17.5	55	50	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	127.5	50	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 31.5	ug/l	31.5	100	50	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		3/1/2019	CJR	1
m&p-Xylene	< 21.5	ug/l	21.5	69	50	8260B		3/1/2019	CJR	1
o-Xylene	< 14.5	ug/l	14.5	46.5	50	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			50	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			50	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			50	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	110	REC %			50	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815II  
**Sample ID** 6492 CCC-PZ-100  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/1/2019	CJR	1
Tetrachloroethene	3.6	ug/l	0.38	1.21	1	8260B		3/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35815

**Lab Code** 535815II  
**Sample ID** 6492 CCC-PZ-100  
**Sample Matrix** Water  
**Sample Date** 2/22/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/1/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		3/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/1/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/1/2019	CJR	1

CHAIN OF STUDY RECORD



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **No 3011**  
Page 1 of 5

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No. : \_\_\_\_\_ Quote No. : \_\_\_\_\_

Project #: 6492

Sampler: (signature) [Signature]

Project (Name/Location): Portage Cleaners (d.b.a) Budget Cleaners / Beasboro, WI

Reports To: R. Horvath/K. Heintz (N.A.S.)

Company: Enviroforever

Address: WV 23390 Stone Ridge Dr.

City/State/Zip: WV-Ashley, WI 57188

Phone: 414-630-0060

FAX: \_\_\_\_\_

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>5035915A</u>	<u>6492-MW-1</u>	<u>2/21</u>	<u>1325</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>B</u>	<u>6492-MW-2</u>	<u>2/21</u>	<u>1425</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>C</u>	<u>6492-MW-3</u>	<u>2/21</u>	<u>1535</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>D</u>	<u>6492-MW-4</u>	<u>2/21</u>	<u>1145</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>E</u>	<u>6492-MW-5</u>	<u>2/20</u>	<u>1425</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>F</u>	<u>6492-MW-6</u>	<u>2/20</u>	<u>1205</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>G</u>	<u>6492-MW-7</u>	<u>2/20</u>	<u>1255</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>H</u>	<u>6492-MW-12</u>	<u>2/21</u>	<u>1055</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>I</u>	<u>6492-MW-13</u>	<u>2/22</u>	<u>1140</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>J</u>	<u>6492-P2-1</u>	<u>2/21</u>	<u>1635</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1632

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Ice

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice: X

Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No

Relinquished By: (sign) [Signature]

Time: 1630

Date: 2-25-19

Received By: (sign) [Signature]

Time: 1630

Date: 2-25-19

Received in Laboratory By: [Signature]

Time: 8:00

Date: 2/26/19

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **No 3010**

Page 2 of 5

Sample Handling Request

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Quote No.:

Project #: 6492

Sampler: (signature) *[Signature]*

Project (Name/Location): *Fortage Cleaners (d.b.a.) Badger Cleaners / Baraboo, WI*

Reports To: *R. Hoverman / K. Heinstead / mad*

Company: *Enviroforensics*

Address: *1116 W23390 Stone Ridge Dr.*

City State Zip: *Wausau WI 53188*

Phone: *715-630-0066*

FAX: \_\_\_\_\_

Analysis Requested

Other Analysis

- DRO (Mod DRO Sep 95)
- GRO (Mod GRO Sep 95)
- LEAD
- NITRATE/NITRITE
- OIL & GREASE
- PAH (EPA 8270)
- PCB
- PVOC (EPA 8021)
- PVOC + NAPHTHALENE
- SULFATE
- TOTAL SUSPENDED SOLIDS
- VOC DW (EPA 542.2)
- VOC (EPA 8260)
- 8-RCRA METALS

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
		Date	Time							
<i>5055915k</i>	<i>6492-P2-2</i>	<i>2/21</i>	<i>1100</i>		<input checked="" type="checkbox"/>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>	
	<i>6492-P2-7C</i>	<i>2/22</i>	<i>1010</i>				<i>3</i>			
	<i>6492-P2-8A</i>	<i>2/22</i>	<i>847</i>				<i>3</i>			
	<i>6492-P2-8B</i>	<i>2/22</i>	<i>947</i>				<i>3</i>			
	<i>6492-P2-10A</i>	<i>2/22</i>	<i>1515</i>				<i>2</i>			
	<i>6492-P2-10B</i>	<i>2/22</i>	<i>1450</i>				<i>3</i>			
	<i>6492-P2-13A</i>	<i>2/20</i>	<i>1440</i>				<i>2</i>			
	<i>6492-P2-13B</i>	<i>2/20</i>	<i>1541</i>				<i>1</i>			
	<i>6492-P2-14A</i>	<i>2/20</i>	<i>1647</i>				<i>3</i>			
	<i>6492-P2-14B</i>	<i>2/20</i>	<i>1747</i>				<i>2</i>			

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

*PO# 2019-1632*

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *ice*

Temp. of Temp. Blank: \_\_\_\_\_ °C On Ice:

Cooler seal intact upon receipt:  Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]*

Time: *1630*

Date: *2-25-19*

Received By: (sign) *[Signature]*

Time: *1630*

Date: *2-25-19*

Received in Laboratory By: *[Signature]*

Time: *8:00*

Date: *2/26/19*



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **No 301**  
Page 3 of 5

Sample Handling Request

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. #

Account No.:

Quote No.:

Project #: 6492

Sampler: (signature) *[Signature]*

Project (Name / Location): Postage Cleaners (d.b.a.) Budget Cleaners / Baraboo, WI

Reports To: R. Hovnanian/K. Herstead / N.D.A.

Company: Enviroforensics

Address: 116 W 23390 Stone Ridge Dr.

City/State/Zip: Waukesha, WI 53188

Phone: 414-630-0060

FAX:

Invoice To:

Company:

Address:

City/State/Zip:

Phone:

FAX:

Analysis Requested

Other Analysis

- DRO (Mod DRO Sep 95)
- GRO (Mod GRO Sep 95)
- LEAD
- NITRATE/NITRITE
- OIL & GREASE
- PAH (EPA 8270)
- PCB
- PVOC (EPA 8021)
- PVOC + NAPHTHALENE
- SULFATE
- TOTAL SUSPENDED SOLIDS
- VOC DW (EPA 542.2)
- VOC (EPA 8260)
- 8-RCRA METALS

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
S055915A	6492-P2-15A	2/20	1150		X	N	2	GV	HCL	
	6492-P2-15B	2/20	1313				2			X
	6492-P2-20A	2/21	1142				2			X
	6492-P2-21B	2/21	1403				2			X
	6492-P2-21A	2/21	1313				2			X
	6492-P2-22A	2/22	1240				3			X
	6492-DCC-AV-7	2/20	1630				3			X
	6492-DCC-AV-8	2/21	1605				3			X
	6492-DCC-P2-8	2/21	940				3			X
	6492-DCC-AV-2	2/22	1210				3			X

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1632

Sample Integrity - To be completed by receiving lab.

Method of Shipment: see

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice:

Cooler seal intact upon receipt:  Yes  No

Relinquished By: (sign) *[Signature]*

Time: 1630

Date: 2-25-19

Received By: (sign) *[Signature]*

Time: 1630

Date: 2-25-19

Received in Laboratory By: *[Signature]*

Time: 8:00

Date: 2/24/19





**Environmental Lab, Inc.**

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **No 301**

Page **4** of **5**

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Pushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No. : \_\_\_\_\_ Quote No.: \_\_\_\_\_

Project #: **6492**

Sampler: (signature) *[Signature]*

Project (Name/Location): **Portage Cleaners (d.b.a) Bridger Cleaners / Baraboo WI**

Reports To: **R. Hoyerbank / K. Heintz / M. Pa...**

Company: **Enviroforensics**

Address: **Wb W23390 State Ridge Dr.**

City State Zip: **Waukesha WI 53188**

Phone: **414-630-0068**

FAX: \_\_\_\_\_

**Analysis Requested**

**Other Analysis**

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID	
<b>535015ec</b>	<b>6492-ccc-nv-6</b>	<b>2/22</b>	<b>1355</b>		<b>X</b>	<b>N</b>	<b>3</b>	<b>LC</b>	<b>HCC</b>																
<b>FF</b>	<b>6492-ccc-nv-8</b>	<b>2/22</b>	<b>1405</b>				<b>3</b>																		
<b>LL</b>	<b>6492-ccc-nv-10</b>	<b>2/22</b>	<b>0855</b>				<b>3</b>																		
<b>HH</b>	<b>6492-ccc-02-8</b>	<b>2/22</b>	<b>1115</b>				<b>3</b>																		
<b>II</b>	<b>6492-ccc-02-10D</b>	<b>2/22</b>	<b>1358</b>				<b>3</b>																		
<b>JJ</b>	<b>6492-000-1</b>	<b>2/21</b>					<b>3</b>																		
<b>KK</b>	<b>6492-000-2</b>	<b>2/22</b>					<b>3</b>																		
<b>LL</b>	<b>6492-000-3</b>	<b>2/20</b>					<b>2</b>																		
<b>MM</b>	<b>6492-E0-1</b>	<b>2/21</b>	<b>1555</b>				<b>3</b>																		
<b>NN</b>	<b>6492-E8-2</b>	<b>2/22</b>	<b>1015</b>				<b>3</b>																		

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# **2019-1632**

Sample Integrity - To be completed by receiving lab.

Method of Shipment: **GC**

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice: **A**

Cooler seal intact upon receipt: **X** Yes \_\_\_\_\_ No

Relinquished By: (sign) *[Signature]*

Time **1630**

Date **2-25-09**

Received By: (sign) *[Signature]*

Time **6:14**

Date **1630**

Date **2-25-09**

Received in Laboratory By: *[Signature]*

Time: **8:00**

Date: **2/24/09**

CHAIN OF STUDY RECORD



**Environmental Lab, Inc.**

1990 Prospect Ct. • Appleton, WI 54914  
 920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required  
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_

Project #: 6492

Sampler: (signature) Z

Project (Name / Location): Portage Cleaners (L&S) Budget Cleaners / Harbor, WI

Reports To: R. Hovenmark / K. Heistad / W. Rad

Invoice To: \_\_\_\_\_

Company: MLL W 2338 Stone Ridge Dr.

Company: \_\_\_\_\_

Address: Enviro Services

Address: \_\_\_\_\_

City State Zip: Waukesha, WI 53186

City State Zip: \_\_\_\_\_

Phone: 414-630-0060

Phone: \_\_\_\_\_

FAX: \_\_\_\_\_

FAX: \_\_\_\_\_

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	Analysis Requested										Other Analysis					
		Date	Time							DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID	
<u>53501500</u>	<u>6492-EG-3</u>	<u>2/20</u>	<u>1600</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																
	<u>6492-T8</u>	<u>2</u>	<u>—</u>		<u>X</u>	<u>N</u>	<u>1</u>	<u>GW</u>	<u>HCL</u>																

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1632

Sample Integrity - To be completed by receiving lab.

Method of Shipment: GC

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice: X

Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No

Relinquished By: (sign) Z

Time \_\_\_\_\_

Date \_\_\_\_\_

Received By: (sign) Golden Env Comm

Time \_\_\_\_\_

Date \_\_\_\_\_

Received in Laboratory By: Shane J. P.

Time: 8:00

Date: 2/26/19

# Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 \*P 920-830-2455 \* F 920-733-0631

ROB HOVERMAN  
ENVIROFORENSICS  
N16 W 23390 STONERIDGE DR  
WAUKESHA WI 53188

Report Date 14-Mar-19

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839A  
Sample ID 6492 MW-9  
Sample Matrix Water  
Sample Date 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839A  
**Sample ID** 6492 MW-9  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839B  
**Sample ID** 6492 PZ-3A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	22.4	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839B  
**Sample ID** 6492 PZ-3A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	0.70 "J"	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		3/11/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839C  
Sample ID 6492 PZ-3B  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	0.56 "J"	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	27.2	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839C  
**Sample ID** 6492 PZ-3B  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/11/2019	CJR	1



Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839D  
Sample ID 6492 PZ-4A  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	1.05 "J"	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839D  
**Sample ID** 6492 PZ-4A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		3/11/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839E  
Sample ID 6492 PZ-4B  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	0.71 "J"	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839E  
**Sample ID** 6492 PZ-4B  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/11/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839F  
Sample ID 6492 PZ-5A  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	0.41 "J"	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	11.9	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839F  
**Sample ID** 6492 PZ-5A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/11/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839G  
Sample ID 6492 PZ-5B  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	0.45 "J"	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	1.03 "J"	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839G  
**Sample ID** 6492 PZ-5B  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/11/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839H  
**Sample ID** 6492 PZ-6A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	0.50 "J"	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839H  
**Sample ID** 6492 PZ-6A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		3/11/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839I  
Sample ID 6492 PZ-6B  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839I  
**Sample ID** 6492 PZ-6B  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839J  
**Sample ID** 6492 PZ-7A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	13.9	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839J  
**Sample ID** 6492 PZ-7A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	2.67	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/11/2019	CJR	1

Project Name BADGER CLEANERS  
 Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839K  
 Sample ID 6492 PZ-7B  
 Sample Matrix Water  
 Sample Date 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	0.25 "J"	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	12.4	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839K  
**Sample ID** 6492 PZ-7B  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	3.9	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/11/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839L  
**Sample ID** 6492 PZ-11A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839L  
**Sample ID** 6492 PZ-11A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/11/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/11/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/11/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839M  
**Sample ID** 6492 PZ-11B  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839M  
**Sample ID** 6492 PZ-11B  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839N  
**Sample ID** 6492 PZ-12A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	0.77 "J"	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839N  
**Sample ID** 6492 PZ-12A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 50358390  
**Sample ID** 6492 PZ-12B  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 50358390  
**Sample ID** 6492 PZ-12B  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/12/2019	CJR	1



Project Name BADGER CLEANERS  
 Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839P  
 Sample ID 6492 PZ-16A  
 Sample Matrix Water  
 Sample Date 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	0.42 "J"	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	0.29 "J"	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	2.8	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839P  
**Sample ID** 6492 PZ-16A  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/12/2019	CJR	1

Project Name BADGER CLEANERS  
 Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839Q  
 Sample ID 6492 PZ-16B  
 Sample Matrix Water  
 Sample Date 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	0.39 "J"	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839Q  
**Sample ID** 6492 PZ-16B  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/12/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839R  
Sample ID 6492 MW-8  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839R  
**Sample ID** 6492 MW-8  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839S  
**Sample ID** 6492-PZ-17A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	27.5	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839S  
**Sample ID** 6492-PZ-17A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/12/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839T  
**Sample ID** 6492-PZ-17B  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839T  
**Sample ID** 6492-PZ-17B  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		3/12/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839U  
Sample ID 6492 PZ-18A  
Sample Matrix Water  
Sample Date 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/8/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/8/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/8/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/8/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/8/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/8/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/8/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/8/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/8/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/8/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/8/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/8/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/8/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/8/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/8/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/8/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/8/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/8/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/8/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/8/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/8/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/8/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/8/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/8/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/8/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/8/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/8/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/8/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/8/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/8/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/8/2019	CJR	1
Tetrachloroethene	3.2	ug/l	0.38	1.21	1	8260B		3/8/2019	CJR	1
Toluene	0.65	ug/l	0.19	0.6	1	8260B		3/8/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/8/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839U  
**Sample ID** 6492 PZ-18A  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/8/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/8/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/8/2019	CJR	1
Trichloroethene (TCE)	5.4	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/8/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/8/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/8/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/8/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/8/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/8/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		3/8/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		3/8/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/8/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		3/8/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839V  
**Sample ID** 6492 MW-11  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/8/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/8/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/8/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/8/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/8/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/8/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/8/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/8/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/8/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/8/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/8/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/8/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/8/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/8/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/8/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/8/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/8/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/8/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/8/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/8/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/8/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/8/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/8/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/8/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/8/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/8/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/8/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/8/2019	CJR	1
Naphthalene	2.82 "J"	ug/l	2.1	6.65	1	8260B		3/8/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/8/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/8/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/8/2019	CJR	1
Toluene	1.15	ug/l	0.19	0.6	1	8260B		3/8/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/8/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839V  
**Sample ID** 6492 MW-11  
**Sample Matrix** Water  
**Sample Date** 2/28/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/8/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/8/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/8/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/8/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/8/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/8/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/8/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/8/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/8/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/8/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		3/8/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/8/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/8/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 5035839W  
Sample ID 6492 PZ-19A  
Sample Matrix Water  
Sample Date 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/8/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/8/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/8/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/8/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/8/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/8/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/8/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/8/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/8/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/8/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/8/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/8/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/8/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/8/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/8/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/8/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/8/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/8/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/8/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/8/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/8/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/8/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/8/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/8/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/8/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/8/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/8/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/8/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/8/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/8/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/8/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/8/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/8/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/8/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839W  
**Sample ID** 6492 PZ-19A  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/8/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/8/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/8/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/8/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/8/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/8/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/8/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/8/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/8/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		3/8/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		3/8/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		3/8/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/8/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839Z  
**Sample ID** 6492 CCC-MW-1200  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/8/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/8/2019	CJR	1
Bromodichloromethane	0.38 "J"	ug/l	0.33	1.06	1	8260B		3/8/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/8/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/8/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/8/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/8/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/8/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/8/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/8/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/8/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/8/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/8/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/8/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/8/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/8/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/8/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/8/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/8/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/8/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/8/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/8/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/8/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/8/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/8/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/8/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/8/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/8/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/8/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/8/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/8/2019	CJR	1
Tetrachloroethene	680	ug/l	3.8	12.1	10	8260B		3/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/8/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/8/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 5035839Z  
**Sample ID** 6492 CCC-MW-1200  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/8/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/8/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/8/2019	CJR	1
Trichloroethene (TCE)	0.78 "J"	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/8/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/8/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/8/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/8/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/8/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/8/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/8/2019	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		3/8/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/8/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/8/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 535839AA  
Sample ID 6492 CCC-PZ-1100  
Sample Matrix Water  
Sample Date 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/8/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/8/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/8/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/8/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/8/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/8/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/8/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/8/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/8/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/8/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/8/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/8/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/8/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/8/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/8/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/8/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/8/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/8/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/8/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/8/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/8/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/8/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/8/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/8/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/8/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/8/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/8/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/8/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/8/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/8/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/8/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/8/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/8/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/8/2019	CJR	1
1,1,1,2-Tetrachloroethane	0.50 "J"	ug/l	0.35	1.13	1	8260B		3/8/2019	CJR	1
Tetrachloroethene	9300	ug/l	3.8	12.1	10	8260B		3/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/8/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/8/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 535839AA  
**Sample ID** 6492 CCC-PZ-1100  
**Sample Matrix** Water  
**Sample Date** 3/1/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/8/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/8/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/8/2019	CJR	1
Trichloroethene (TCE)	1.3	ug/l	0.3	0.94	1	8260B		3/8/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/8/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/8/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/8/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/8/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/8/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/8/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/8/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		3/8/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		3/8/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		3/8/2019	CJR	1

Project Name BADGER CLEANERS  
 Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 535839KK  
 Sample ID PZ-8A  
 Sample Matrix Water  
 Sample Date 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 535839KK  
**Sample ID** PZ-8A  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/12/2019	CJR	1

Project Name BADGER CLEANERS  
 Project # 6492 PO#2019-1632

Invoice # E35839

Lab Code 535839LL  
 Sample ID PZ-8B  
 Sample Matrix Water  
 Sample Date 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/12/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-1632

**Invoice #** E35839

**Lab Code** 535839LL  
**Sample ID** PZ-8B  
**Sample Matrix** Water  
**Sample Date** 2/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/12/2019	CJR	1
SUR - Toluene-d8	110	REC %			1	8260B		3/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		3/12/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/12/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

**Code**      **Comment**

1      Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

**Authorized Signature**



# Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**

Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No. : \_\_\_\_\_ Quote No. : \_\_\_\_\_

Project # 6492

Sampler: (signature) [Signature]

Project (Name / Location): Bridger Cleaners / Brookfield

Reports To: R. Horvath / K. Hainke / W. ...

Company Envioforensics

Address N/W 23790 Stone Ridge Dr

City State Zip Waukegan, WI 53186

Phone 414-630-0060

FAX \_\_\_\_\_

Invoice To: \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City State Zip \_\_\_\_\_

Phone \_\_\_\_\_

FAX \_\_\_\_\_

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-FCRA METALS	PID/ FID	
<u>5035839A</u>	<u>6492-AU-9</u>	<u>3-1</u>	<u>1151</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HPLC</u>																
	<u>6492-P2-3A</u>	<u>2-28</u>	<u>1156</u>																						
	<u>6492-P2-3B</u>	<u>2-28</u>	<u>1250</u>																						
	<u>6492-P2-4A</u>	<u>2-28</u>	<u>952</u>																						
	<u>6492-P2-4B</u>	<u>2-28</u>	<u>1040</u>																						
	<u>6492-P2-5A</u>	<u>2-28</u>	<u>1440</u>																						
	<u>6492-P2-5B</u>	<u>2-28</u>	<u>1535</u>																						
	<u>6492-P2-6A</u>	<u>2-27</u>	<u>1618</u>																						
	<u>6492-P2-6B</u>	<u>2-28</u>	<u>856</u>																						
	<u>6492-P2-7A</u>	<u>2-27</u>	<u>1101</u>																						

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Add P2-8A + P2-8B per KH - CIA 3/5/19

64 PO# 2019-1632

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Car

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice: X

Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No

Relinquished By: (sign) [Signature]

Time 16:00 Date 3/4/19 Received By: (sign) \_\_\_\_\_ Laboratory-assigned carrier \_\_\_\_\_ Time 16:00 Date 3/4/19

Received in Laboratory By: [Signature]

Time 8:00 Date 3/5/19



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Flushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No.: \_\_\_\_\_ Quote No.: \_\_\_\_\_

Project #: 6492

Sampler: (signature) [Signature]

Project (Name/Location): Badger Cleaners / Barraboo

Reports To: R. Hoveman / K. Heinstead

Company: EnviroForensics, LLC

Address: N16 W3390 Stone Ridge Dr Suite G

City State Zip: Waukesha, WI 53188

Phone: (262) 290-4400

FAX: \_\_\_\_\_

Invoice To: \_\_\_\_\_

Company: \_\_\_\_\_

Address: \_\_\_\_\_

City State Zip: \_\_\_\_\_

Phone: \_\_\_\_\_

FAX: \_\_\_\_\_

Analysis Requested

Other Analysis

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 542.2)	
VOC (EPA 8260)	
8-RCRA METALS	
PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
<u>5058391E</u>	<u>6492-P2-7B</u>	<u>2-27</u>	<u>12:37</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-P2-11A</u>	<u>2-27</u>	<u>13:10</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-P2-11B</u>	<u>2-27</u>	<u>14:40</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-P2-12A</u>	<u>2-27</u>	<u>15:25</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-P2-12B</u>	<u>2/27</u>	<u>17:15</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-P2-16A</u>	<u>3/1</u>	<u>14:05</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-P2-16B</u>	<u>3/1</u>	<u>13:35</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-MW-8</u>	<u>2/28</u>	<u>11:10</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-17A</u>	<u>2/28</u>	<u>12:30</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>
	<u>6492-MW-10</u>	<u>2/28</u>	<u>16:05</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Relinquished By: (sign) [Signature] Time 16:00 Date 3/4/19 Received By: (sign) [Signature] Laboratory-assigned carrier Time 16:00 Date 3/4/19

Sample Integrity - To be completed by receiving lab.

Method of Shipment: \_\_\_\_\_

Temp. of Temp. Blank \_\_\_\_\_ °C On Ice: \_\_\_\_\_

Cooler seal intact upon receipt: \_\_\_\_\_ Yes \_\_\_\_\_ No

Received in Laboratory By: \_\_\_\_\_

Time: \_\_\_\_\_ Date: \_\_\_\_\_



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

**Sample Handling Request**  
Rush Analysis Date Required  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. #

Account No. : Quote No.:

Project #: 6492

Sampler: (signature) *[Signature]*

Project (Name / Location): *Budger Cleaners / Baraboo, WI*

Reports To: *R. Hausman / K. Heinstead*

Company: *EnviroForensics, LLC*

Address: *N16 W23390 Stone Ridge Dr, Suite 6*

City State Zip: *Waubesa, WI 53188*

Phone: *(262) 290-4001*

FAX:

Invoice To:

Company:

Address:

City State Zip:

Phone:

FAX:

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<i>5858914</i>	<i>6492-P2-18A</i>	<i>2/28</i>	<i>15:00</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-MW-11</i>	<i>2/28</i>	<i>17:15</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-P2-19A</i>	<i>3/1</i>	<i>12:35</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-P2-23A</i>	<i>3/1</i>	<i>15:45</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-P2-23B</i>	<i>3/1</i>	<i>15:10</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-CCC-MW-1200</i>	<i>3/1</i>	<i>16:37</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-CCC-P2-1100</i>	<i>3/1</i>	<i>11:30</i>		<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-DUP-4</i>	<i>2/27</i>			<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-DUP-5</i>	<i>2/28</i>			<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		
	<i>6492-DUP-6</i>	<i>2/28</i>			<i>X</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>													<i>X</i>		

Comments/Special Instructions (\*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Relinquished By: (sign) *[Signature]* Time: *11:00* Date: *3/4/19* Received By: (sign) *[Signature]* Time: *16:00* Date: *3/4/19*

Sample Integrity - To be completed by receiving lab.

Method of Shipment: \_\_\_\_\_ °C On Ice: \_\_\_\_\_

Temp. of Temp. Blank: \_\_\_\_\_ Yes \_\_\_\_\_ No

Cooler seal intact upon receipt: \_\_\_\_\_ Yes \_\_\_\_\_ No

Received in Laboratory By: \_\_\_\_\_ Time: \_\_\_\_\_ Date: \_\_\_\_\_



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914  
920-830-2455 • FAX 920-733-0631

Chain # **Ne 3155**  
Page 4 of 4

**Sample Handling Request**  
Rush Analysis Date Required \_\_\_\_\_  
(Rushes accepted only with prior authorization)  
 Normal Turn Around

Lab I.D. # \_\_\_\_\_

Account No. : \_\_\_\_\_

Project #: 6492

Sampler: (signature) [Signature]

Project (Name/Location): Badger Cleaners / Baraboo, WI

Reports To: R. Heuerman / K. Heinstead

Company EnviroSensis, LLC

Address N16 W233rd State Ridge Dr, Suite 6

City State Zip Waukesha, WI 53188

Phone (262) 290-4001

FAX \_\_\_\_\_

Invoice To:

Company

Address

City State Zip

Phone

FAX

Analysis Requested

Other Analysis

- DRO (Mod DRO Sep 95)
- GRO (Mod GRO Sep 95)
- LEAD
- NITRATE/NITRITE
- OIL & GREASE
- PAH (EPA 8270)
- PCB
- PVOC (EPA 8021)
- PVOC + NAPHTHALENE
- SULFATE
- TOTAL SUSPENDED SOLIDS
- VOC DW (EPA 542.2)
- VOC (EPA 8260)
- 8-RCRA METALS

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	PID/ FID
<u>5358392E</u>	<u>6492-DUP-7</u>	<u>3/1</u>	<u>-</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>	
	<u>FP 6492-EB-4</u>	<u>2/27</u>	<u>11:01</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>	
	<u>66 6492-EB-5</u>	<u>2/28</u>	<u>13:00</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>	
	<u>44 6492-EB-6</u>	<u>2/28</u>	<u>11:15</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>	
	<u>33 6492-EB-7</u>	<u>3/1</u>	<u>14:10</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>	
	<u>35 6492-7B</u>				<input checked="" type="checkbox"/>		<u>1</u>	<u>GW</u>	<u>HCL</u>	
	<u>KV P2-8A</u>									
	<u>LL P2-8B</u>									

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Fe  
Temp. of Temp. Blank \_\_\_\_\_ °C On Ice: X  
Cooler seal intact upon receipt: X Yes \_\_\_\_\_ No

Relinquished By: (sign) [Signature]

[Signature]

Time: 16:00 Date: 3/4/19 Received By: (sign) [Signature] Laboratory assigned carrier [Signature] Time: 16:00 Date: 3/4/19

Received in Laboratory By:

[Signature]

Time: 8:00 Date: 3/5/19