



June 5, 2019

Tom Pinion
City of Baraboo
101 South Blvd.
Baraboo, WI 53913

Subject: Groundwater Results
BRRTS: 02-57-548538

Dear Mr. Pinion:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from within the City of Baraboo right-of-way. The groundwater samples were collected between May 7, 2019 and May 15, 2019. The sampling activities are part of an environmental investigation being performed for the Badger Cleaners located at 616 Oak Street in Baraboo at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Badger Cleaners
616 Oak Street
Baraboo, WI

Sampling Results

Fifty-four groundwater samples were collected from monitoring wells located within the City right-of-way. The monitoring well locations are depicted on the attached **Figure 1A** and **Figure 1B**. The results of the groundwater samples are summarized and compared to WDNR standards on the attached **Table 1**. Copies of the laboratory reports that relate to the groundwater samples are also attached.

PCE and trichloroethene were detected in groundwater at multiple locations at concentrations above their respective enforcement standard (ES) screening level of 5 micrograms per liter ($\mu\text{g}/\text{L}$) and preventive action limit (PAL) screening level of 0.5 $\mu\text{g}/\text{L}$. Cis-1,2-Dichloroethene was detected in groundwater at one location at a concentration above its respective ES screening level of 70 $\mu\text{g}/\text{L}$. As can be seen on the laboratory reports, multiple other compounds were detected above their respective screening levels; however, these appear to originate from other sources.



We will continue to collect groundwater samples from the monitoring wells quarterly. The next sampling event is anticipated for August 2019. If you have any questions or concerns, please contact us at 262-510-0612 or by email at rhoverman@enviroforensics.com. The WDNR project manager, Trevor Bannister, can be reached at 608-275-3490. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

Rob Hoverman, PG
Senior Project Manager

Attachments:

- Table 1 – Monitoring Well Analytical Results
- Figure 1A – Site Plan
- Figure 1B – Site Plan
- Laboratory Analytical Report

Copy: Trevor Bannister, Wisconsin Department of Natural Resources

TABLE 1
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
Enforcement Standard	5	5	70	100	0.2	
Preventative Action Limit	0.5	0.5	7	20	0.02	
MW4	05/09/19	3.8	<0.3	<0.37	<0.34	<0.2
MW-5	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-6	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-7	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-8	05/10/19	7.4	1.09	<0.37	<0.34	<0.2
MW-9	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-10	05/14/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-11	05/15/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ1	05/09/19	22.5	0.42 J	<0.37	<0.34	<0.2
PZ2	05/09/19	3.2	0.83 J	<0.37	<0.34	<0.2
PZ-3A	05/15/19	84	1.68	<0.37	<0.34	<0.2
PZ-3B	05/15/19	74	<0.3	<0.37	<0.34	<0.2
PZ-4A	05/14/19	2.08	<0.3	<0.37	<0.34	<0.2
PZ-4B	05/14/19	0.47 J	<0.3	<0.37	<0.34	<0.2
PZ-5A	05/15/19	0.71 J	<0.3	<0.37	<0.34	<0.2
PZ-5B	05/15/19	6.3	<0.3	<0.37	<0.34	<0.2
PZ-6A	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-6B	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-7A	05/09/19	38	9.0	<0.37	<0.34	<0.2
PZ-7B	05/09/19	89	35	<0.37	<0.34	<0.2
PZ-7C	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-8A	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-8B	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-9A	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-9B	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-10A	05/08/19	0.96 J	<0.3	<0.37	<0.34	<0.2
PZ-10B	05/08/19	0.60 J	<0.3	<0.37	<0.34	<0.2
PZ-11A	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-11B	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-12A	05/09/19	3.2	<0.3	<0.37	<0.34	<0.2
PZ-12B	05/09/19	1.35	<0.3	<0.37	<0.34	<0.2
PZ-13A	05/08/19	38	0.49 J	<0.37	<0.34	<0.2
PZ-13B	05/08/19	3.5	<0.3	<0.37	<0.34	<0.2
PZ-14A	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-14B	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-15A	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-15B	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-16A	05/14/19	18	<0.3	<0.37	<0.34	<0.2
PZ-16B	05/14/19	56	<0.3	<0.37	<0.34	<0.2
PZ-17A	05/10/19	178	1.48	<0.37	<0.34	<0.2
PZ-18A	05/14/19	63	5.5	<0.37	<0.34	<0.2
PZ-19A	05/15/19	0.82 J	<0.3	<0.37	<0.34	<0.2
DCC-MW-7	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
DCC-MW-8	05/09/19	32	0.43 J	<0.37	<0.34	<0.2
DCC-PZ-8	05/09/19	<0.76	<0.6	<0.73	<0.68	<0.2
CCC-MW2	05/14/19	11.9	<0.3	<0.37	<0.34	<0.2
CCC-MW6	05/10/19	97	<0.3	<0.37	<0.34	<0.2
CCC-MW-8	05/10/19	510	<1.5	<1.85	<1.7	<1
CCC-MW10	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
CCC-MW1200	05/14/19	1,110	0.96	<0.37	<0.34	<0.2
CCC-PZ8	05/10/19	3,800	274	256	<17	<10
CCC-PZ-10	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
CCC-PZ100	05/14/19	2.57	<0.3	<0.37	<0.34	<0.2
CCC-PZ1100	05/14/19	890	<3	<3.7	<3.4	<2

Notes:

µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and orange shaded values are above Public Health Enforcement Standards

Bolded and blue shaded values are above Public Health Preventive Action Limits

Samples/constituents not shown are below laboratory reporting limits


J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit

Legend

- MW1 Monitoring well (By Others)
- PZ1 Piezometer well (By Others)
- Soil boring
- PZ-4 Soil boring and Piezometer

200
0 50 100 150 200
APPROXIMATE SCALE: 1" = 200'

N



SITE PLAN


Badger Cleaners
616 Oak Street
Baraboo, Wisconsin

Date:	11/13/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1033

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com



Figure
1A
Project
6492




Legend

- | | | |
|------|---|-----------------------------|
| MW1 | ● | Monitoring well (By Others) |
| PZ1 | ● | Piezometer well (By Others) |
| PZ-4 | ○ | Soil boring |
| PZ-4 | ○ | Soil boring and Piezometer |

SITE PLAN

Badger Cleaners
616 Oak Street
Baraboo, Wisconsin



Date:	11/13/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1033



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure
1B
Project
6492

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167D

Sample ID 6492 MW-4

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	3.8	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167D

Sample ID 6492 MW-4

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethylene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167E

Sample ID 6492 PZ-1

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	0.29 "J"	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	22.5	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167E

Sample ID 6492 PZ-1

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethylene (TCE)	0.42 "J"	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	120	REC %			1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167F

Sample ID 6492 PZ-2

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	3.2	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167F

Sample ID 6492 PZ-2

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethylene (TCE)	0.83 "J"	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167G

Sample ID 6492 MW-9

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167G

Sample ID 6492 MW-9

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167H

Sample ID 6492 PZ-7A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167H

Sample ID 6492 PZ-7A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethylene (TCE)	9.0	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167I

Sample ID 6492 PZ-7C

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167I

Sample ID 6492 PZ-7C

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167J

Sample ID 6492 PZ-8A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167J

Sample ID 6492 PZ-8A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167L

Sample ID 6492 PZ-9A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167L

Sample ID 6492 PZ-9A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167M

Sample ID 6492 PZ-9B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167M

Sample ID 6492 PZ-9B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167N

Sample ID 6492 PZ-10A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	0.96 "J"	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167N

Sample ID 6492 PZ-10A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167O

Sample ID 6492 PZ-10B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	0.60 "J"	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167O

Sample ID 6492 PZ-10B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167P

Sample ID 6492 PZ-11A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167P

Sample ID 6492 PZ-11A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167Q

Sample ID 6492 PZ-11B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167Q

Sample ID 6492 PZ-11B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167R

Sample ID 6492 MW-7

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167R

Sample ID 6492 MW-7

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167S

Sample ID 6492 PZ-12A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	3.2	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167S

Sample ID 6492 PZ-12A

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167T

Sample ID 6492 PZ-12B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	1.35	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167T

Sample ID 6492 PZ-12B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167U

Sample ID 6492 MW-6

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167U

Sample ID 6492 MW-6

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167V

Sample ID 6492 PZ-13A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167V

Sample ID 6492 PZ-13A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethylene (TCE)	0.49 "J"	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167W

Sample ID 6492 PZ-13B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	3.5	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167W

Sample ID 6492 PZ-13B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167X

Sample ID 6492 PZ-14A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167X

Sample ID 6492 PZ-14A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167Y

Sample ID 6492 PZ-14B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167Y

Sample ID 6492 PZ-14B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167Z

Sample ID 6492 PZ-15A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 5036167Z

Sample ID 6492 PZ-15A

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167AA

Sample ID 6492 PZ-15B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167AA

Sample ID 6492 PZ-15B

Sample Matrix Water

Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167BB

Sample ID 6492 MW-5

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167BB

Sample ID 6492 MW-5

Sample Matrix Water

Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167II

Sample ID 6492 DCC-MW-7

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.4 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167II

Sample ID 6492 DCC-MW-7

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	118	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	129	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167JJ

Sample ID 6492 DCC-MW-8

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	0.39 "J"	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	4.5	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	32	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167JJ

Sample ID 6492 DCC-MW-8

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethylene (TCE)	0.43 "J"	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167KK

Sample ID 6492 DCC-PZ-8

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.42	2	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.88	ug/l	0.88	2.76	2	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66	2.12	2	8260B		5/17/2019	CJR	1
Bromoform	< 0.9	ug/l	0.9	2.88	2	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.5	ug/l	0.5	1.6	2	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 1.58	ug/l	1.58	5.06	2	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 1.42	ug/l	1.42	4.5	2	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.52	ug/l	0.52	1.66	2	8260B		5/17/2019	CJR	1
Chloroethane	< 1.22	ug/l	1.22	3.9	2	8260B		5/17/2019	CJR	1
Chloroform	< 0.52	ug/l	0.52	1.64	2	8260B		5/17/2019	CJR	1
Chloromethane	< 1.08	ug/l	1.08	3.44	2	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.62	ug/l	0.62	1.96	2	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.52	ug/l	0.52	1.66	2	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 5.92	ug/l	5.92	18.86	2	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.44	ug/l	0.44	1.38	2	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 1.4	ug/l	1.4	4.44	2	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 1.7	ug/l	1.7	5.4	2	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 1.72	ug/l	1.72	5.48	2	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.64	ug/l	0.64	2.04	2	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	17	ug/l	0.5	1.56	2	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.72	ug/l	0.72	2.28	2	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.84	ug/l	0.84	2.68	2	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.32	2	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.14	2	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.88	ug/l	0.88	2.78	2	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.6	ug/l	0.6	1.88	2	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.64	ug/l	0.64	2.02	2	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.52	ug/l	0.52	1.62	2	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.42	ug/l	0.42	1.32	2	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.68	ug/l	0.68	2.18	2	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.52	ug/l	0.52	1.66	2	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 2.68	ug/l	2.68	8.56	2	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 1.56	ug/l	1.56	4.94	2	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.48	ug/l	0.48	1.52	2	8260B		5/17/2019	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	350	ug/l	0.56	1.78	2	8260B		5/17/2019	CJR	1
Naphthalene	< 4.2	ug/l	4.2	13.3	2	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 1.22	ug/l	1.22	3.9	2	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.6	ug/l	0.6	1.94	2	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.26	2	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.76	ug/l	0.76	2.42	2	8260B		5/17/2019	CJR	1
Toluene	< 0.38	ug/l	0.38	1.2	2	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 2.3	ug/l	2.3	7.34	2	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167KK

Sample ID 6492 DCC-PZ-8

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 3.42	ug/l	3.42	10.86	2	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.66	ug/l	0.66	2.1	2	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.84	ug/l	0.84	2.64	2	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.6	ug/l	0.6	1.88	2	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.7	ug/l	0.7	2.2	2	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5.1	2	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 1.26	ug/l	1.26	4	2	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.86	ug/l	0.86	2.76	2	8260B		5/17/2019	CJR	1
o-Xylene	< 0.58	ug/l	0.58	1.86	2	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	96	REC %			2	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	115	REC %			2	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			2	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			2	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167LL

Sample ID 6492 PZ-6A

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167LL

Sample ID 6492 PZ-6A

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167MM

Sample ID 6492 PZ-6B

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167MM

Sample ID 6492 PZ-6B

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167NN

Sample ID 6492 MW-8

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	7.4	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167NN

Sample ID 6492 MW-8

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethylene (TCE)	1.09	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167OO

Sample ID 6492 PZ-17A

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.28 "J"	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	178	ug/l	3.8	12.1	10	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167OO

Sample ID 6492 PZ-17A

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethylene (TCE)	1.48	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167PP

Sample ID 6492 CCC-MW-6

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	97	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167PP

Sample ID 6492 CCC-MW-6

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167QQ

Sample ID 6492 CCC-MW-8

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		5/17/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		5/17/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/17/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		5/17/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		5/17/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		5/17/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		5/17/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		5/17/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		5/17/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		5/17/2019	CJR	1
Tetrachloroethene	510	ug/l	1.9	6.05	5	8260B		5/17/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167QQ

Sample ID 6492 CCC-MW-8

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		5/17/2019	CJR	1	
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		5/17/2019	CJR	1	
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		5/17/2019	CJR	1	
Trichloroethylene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		5/17/2019	CJR	1	
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		5/17/2019	CJR	1	
1,2,4-Trimethylbenzene	< 4	ug/l		4	12.75	5	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15		10	5	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 1	ug/l		1	3.25	5	8260B		5/17/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15		6.9	5	8260B		5/17/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45		4.65	5	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				5	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %				5	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	112	REC %				5	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	96	REC %				5	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167RR

Sample ID 6492 CCC-MW-10

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167RR

Sample ID 6492 CCC-MW-10

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167SS

Sample ID 6492 CCC-PZ-10

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167SS

Sample ID 6492 CCC-PZ-10

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167TT

Sample ID 6492 CCC-PZ-8

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	84	ug/l	11	35.5	50	8260B		5/15/2019	CJR	1
Bromobenzene	< 22	ug/l	22	69	50	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	53	50	8260B		5/15/2019	CJR	1
Bromoform	< 22.5	ug/l	22.5	72	50	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 12.5	ug/l	12.5	40	50	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 39.5	ug/l	39.5	126.5	50	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	112.5	50	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		5/15/2019	CJR	1
Chlorobenzene	< 13	ug/l	13	41.5	50	8260B		5/15/2019	CJR	1
Chloroethane	< 30.5	ug/l	30.5	97.5	50	8260B		5/15/2019	CJR	1
Chloroform	< 13	ug/l	13	41	50	8260B		5/15/2019	CJR	1
Chloromethane	< 27	ug/l	27	86	50	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 15.5	ug/l	15.5	49	50	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 13	ug/l	13	41.5	50	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	471.5	50	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 11	ug/l	11	34.5	50	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 35	ug/l	35	111	50	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 42.5	ug/l	42.5	135	50	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 43	ug/l	43	137	50	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 16	ug/l	16	51	50	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 12.5	ug/l	12.5	39	50	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 18	ug/l	18	57	50	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 21	ug/l	21	67	50	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	256	ug/l	18.5	58	50	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 17	ug/l	17	53.5	50	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 22	ug/l	22	69.5	50	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 15	ug/l	15	47	50	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 16	ug/l	16	50.5	50	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 13	ug/l	13	40.5	50	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 10.5	ug/l	10.5	33	50	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 17	ug/l	17	54.5	50	8260B		5/15/2019	CJR	1
Ethylbenzene	< 13	ug/l	13	41.5	50	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 67	ug/l	67	214	50	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 39	ug/l	39	123.5	50	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 12	ug/l	12	38	50	8260B		5/15/2019	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44.5	50	8260B		5/15/2019	CJR	1
Naphthalene	< 105	ug/l	105	332.5	50	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 30.5	ug/l	30.5	97.5	50	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48.5	50	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 17.5	ug/l	17.5	56.5	50	8260B		5/15/2019	CJR	1
Tetrachloroethene	3800	ug/l	19	60.5	50	8260B		5/15/2019	CJR	1
Toluene	< 9.5	ug/l	9.5	30	50	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 57.5	ug/l	57.5	183.5	50	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36167

Project # 6492 PO#2019-0397

Lab Code 536167TT

Sample ID 6492 CCC-PZ-8

Sample Matrix Water

Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 85.5	ug/l	85.5	271.5	50	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	52.5	50	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	66	50	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	274	ug/l	15	47	50	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 17.5	ug/l	17.5	55	50	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	127.5	50	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 31.5	ug/l	31.5	100	50	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		5/15/2019	CJR	1
m&p-Xylene	< 21.5	ug/l	21.5	69	50	8260B		5/15/2019	CJR	1
o-Xylene	< 14.5	ug/l	14.5	46.5	50	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			50	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			50	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			50	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	103	REC %			50	8260B		5/15/2019	CJR	1

CHAIN OF CUSTODY RECORD

Lab I.D. #

Account No.:

Quote No.:

Project #: 6492

Sampler: (signature) R. DuncProject (Name / Location): Badger Cleaners / Baraboo, WIReports To: R. Horner / K. Heinstedt / N. L.Company Enviro forensicsAddress 116 W 23390 Stone Ridge Dr.City State Zip Waukesha, WI 53188Phone (612) - 616 - 7450

FAX

Analysis Requested										Other Analysis	
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID	
S0361645	6492-P2-84	5-9	1522	X	N	3	6	HCL	DRO (Mod DRO Sep 95)		
K	6492-P2-88	5-9	1557						GRO (Mod GRO Sep 95)		
L	6492-P2-9A	5-9	1347						LEAD		
W	6492-P2-9B	5-9	1420						NITRATE/NITRITE		
N	6492-P2-104	5-8	1448						OIL & GREASE		
O	6492-P2-108	5-8	1528						PAH (EPA 8270)		
P	6492-P2-11A	5-9	1150						PCB		
Q	6492-P2-11B	5-9	1230						PVOC (EPA 8021)		
R	6492-MW-2	5-7	1035						PVOC + NAPHTHALENE		
S	6492-P2-124	5-9	1036						SULFATE		
									TOTAL SUSPENDED SOLIDS		
									VOC DW (EPA 542.2)		
								X	VOC (EPA 8260)		
									8-RCRA METALS		

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # No. 303	Page 2 of 6
Sample Handling Request	
<input type="checkbox"/> Rush Analysis Date Required (Rushes accepted only with prior authorization)	
<input checked="" type="checkbox"/> Normal Turn Around	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

P6# 2019-0397

Sample Integrity - To be completed by receiving lab.
Clem

Method of Shipment: Clem
Temp. of Temp: Blank °C On Ice

Cooler seal intact upon receipt: Yes No

Received in Laboratory By:

Melinda - 502

Time: **1040**

Date: **5/23/19**

CHAIN OF CUSTODY RECORD

Lab I.D. #

Account No. :

Quote No.:

Project #: **6492**Sampler: (signature) *R. Drost*Project (Name / Location): *Badger Cleaners / Baraboo, WI*Reports To: *R. Horowitz / K. Heinstand/N.L.*Company *Enviroforensics*Address *116 W 23390 Stone Ridge Dr.*City State Zip *Waukesha, WI 53188*Phone *(612 - 616 - 7450*FAX *FAX*

Analysis Requested

Other Analysis

Sample Handling Request

Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Chain # **No. 303**

Page **3** of **6**

Synergy

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
S03b6TT	6492-P2-12B	5-9	1113	X	N	3	6w	HCL	DRO (Mod DRO Sep 95)	
W	6492-MW-6	5-7	925						GRO (Mod GRO Sep 95)	
Y	6492-P2-13A	5-8	1020						LEAD	
W	6492-P2-13B	5-8	1103						NITRATE/NITRITE	
X	6492-P2-14A	5-8	1247						OIL & GREASE	
Y	6492-P2-14B	5-8	1327						PAH (EPA 8270)	
Z	6492-P2-15A	5-8	827						PCB	
AA	6492-P2-15B	5-8	902						PVOC (EPA 8021)	
BB	6492-MW-5	5-7	830						PVOC + NAPHTHALENE	
C	6492-MW-12	5-7	1317						SULFATE	
									TOTAL SUSPENDED SOLIDS	
									VOC DW (EPA 542.2)	
									VOC (EPA 8260)	
									8-RCRA METALS	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign) <i>R. Drost</i>	Time <i>5-10-19</i>	Date <i>Golden Cast Iron</i>	Received By: (sign) <i>J. Stenz</i>	Time <i>5-13-19</i>	Date <i>5-13-19</i>
Method of Shipment: <i>Clear</i>	<i>2.5L</i>					
Temp. of Temp. Blank: <i>Blank</i> °C On Ice: <i>2</i>						
Cooler seal intact upon receipt: <i>✓ Yes</i> <i>No</i>						
Received in Laboratory By: <i>M. Drost</i>						
Time: <i>10:40 AM</i>						
Date: <i>5-13-19</i>						

CHAIN OF CUSTODY RECORD

Lab I.D. #

Account No.: _____

Quote No.: _____

Project #: 6492

Sampler: (signature) R. DueProject (Name / Location): Badger Cleaners/Bear Lake, WIReports To: R. Horvath/K. Heinstrom/NRd

Invoice To:

Company Env. Enforasics

Company

Address 116 W23390 Shore Ridge Dr.

Address

City State Zip Waukesha, WI 53188

City State Zip

Phone 612-616-7450

Phone

FAX

FAX

Analysis Requested

Other Analysis

Sample ID.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/FID
S36167ND	6492-P2-204	5-7	1353	X	N	3	6	H2O	H2O															
EE	6492-P2-214	5-7	1442																					
FF	6492-P2-218	5-7	1315																					
GG	6492-P2-224	5-7	1650																					
HH	6492-HH-13	5-7	1617																					
II	6492-DCC-HH-7	5-9	1410																					
JJ	6492-DCC-HH-8	5-9	1535																					
KK	6492-DCC-P2-8	5-9	1450																					
LL	6492-P2-6A	5-10	1031																					
MM	6492-P2-6B	5-10	1110																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Chain # No. 302
Page 4 of 6

Sample Handling Request	Rush Analysis Date Required <input type="checkbox"/>
(Rushes accepted only with prior authorization)	<input checked="" type="checkbox"/> Normal Turn Around

Environmental Lab, Inc.1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Integrity - To be completed by receiving lab.

Method of Shipment: ClerkTemp. of Temp. Blank 5 °C On IceCooler seal intact upon receipt: ✓ Yes NoRelinquished By: (sign) R. Due Time 5-10-14 Date Gold Cross Counter Time 5-10-14 Date 5-10-14Received in Laboratory By: Melissa - ser Time: 10:40 AM Date: 5-17-19

CHAIN OF CUSTODY RECORD

Lab I.D. #

Account No.: _____

Quote No.: _____

Project #: 6492

Sampler: (signature)

Chain # No. 303
Page 5 of 6*Environmental Lab, Inc.*1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request	Rush Analysis Date Required <u>(Rushes accepted only with prior authorization)</u>
<input checked="" type="checkbox"/>	Normal Turn Around

Project (Name / Location): Budger Cleaners / Baraboo, WIReports To: Z. Haukman / K. Heunstech / W. Puddin voice To:Company Enviro ForensicsAddress 1146 W 23380 Stone Ridge Dr. ste GCity State Zip Waukesha, WI 53188Phone 608-616-7450FAX

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
S36167N N	6492-MW-8	5-10	647	X	N	3	6	H2O	DRO (Mod DRO Sep 95)	
OO	6492-P2-17A	5-10	925						GRO (Mod GRO Sep 95)	
PP	6492-CC-14-6	5/10/9	1145						LEAD	
QQ	6492-CC-MW-8	5/10/9	1105						NITRATE/NITRITE	
RR	6492-CC-MW-10	5/10/9	810						OIL & GREASE	
SS	6492-CC-P2-10	5/10/9	900						PAH (EPA 8270)	
TT	6492-CC-P2-8	5/10/9	1000						PCB	
UU	6492-CC-P2-7	5/10/9	-						PVOC (EPA 8021)	
									PVOC + NAPHTHALENE	
									SULFATE	
									TOTAL SUSPENDED SOLIDS	
									VOC DW (EPA 542.2)	
									VOC (EPA 8260)	
									8-RCRA METALS	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# Z091-03917

Sample Integrity - To be completed by receiving lab.

Method of Shipment: C LieftTemp. of Temp. Blank ____ °C On ice: 2Cooler seal intact upon receipt: ✓ Yes ✓ NoRelinquished By: (sign) R. S. DeenTime 5-17-95 Date 5-17-95Received By: (sign) R. S. DeenTime 5-17-95 Date 5-17-95Received in Laboratory By: R. S. DeenTime: 5-17-95 Date: 5-17-95

CHAIN OF CUSTODY RECORD

Lab I.D. #

Account No.:

Quote No.:

Project #: 6492

Sampler: (signature) R. Dene

Project (Name / Location): Badger Cleaners/Boraboo, WI

Reports To: R. Hornerman/K. Heinstrom/N. Pohl

Company Enviro forensics

Address N/6 W 23340 Stone Rd., Dr.

City State Zip Waukesha WI 53188

Phone 612-616-7450

FAX

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
S36167VV	6492-DP-1	5-9	-	X	N	3	6	HCC		
UNW	6492-DP-2	5-9	-	X	N	3	6	HCC		
XX	6492-DP-4	5-9	-	X	N	3	6	HCC		
YY	6492-DP-5	5-8	-	X	N	3	6	HCC		
ZZ	6492-EG-1	5-9	1245							
AAA	6492-EG-2	5-9	1155							
BBB	6492-EG-4	5-9	1246							
CCC	6492-EG-5	5-8	1110							
DDD	6492-TB	-	-							
EEE	6492-EG-7	5-10	1249	X	N	3	6	HCC		
										X

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PC# 2019-0397

Chain #	No.	302
Page	6	of 6
Sample Handling Request		
Rush Analysis Date Required _____		
(Rushes accepted only with prior authorization)		
<input checked="" type="checkbox"/> Normal Turn Around		

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Time: 10:45 AM Date: 5-13-19

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
Method of Shipment:	<u>Clam</u>	<u>5-10-19</u>	<u>Golden Cross Courier</u>			
Temp. of Temp. Blank	<u>°C On Ice</u>	<u>5-13-19</u>				
Cooler seal intact upon receipt:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					
Received in Laboratory By:	<u>M.D.</u>					

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

KYLE HEIMSTEAD
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 23-May-19

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185A
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS**Invoice #** E36185**Project #** 6492 PO#2019-0397**Lab Code** 5036185A**Sample ID** 6492 PZ-3A**Sample Matrix** Water**Sample Date** 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	84	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	1.68	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185B

Sample ID 6492 PZ-3B

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.83	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	74	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185B

Sample ID 6492 PZ-3B

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185C

Sample ID 6492 PZ-4A

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	2.08	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185C

Sample ID 6492 PZ-4A

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185D

Sample ID 6492 PZ-4B

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	0.47 "J"	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185D

Sample ID 6492 PZ-4B

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185E

Sample ID 6492 PZ-5A

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.66 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	0.71 "J"	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185E

Sample ID 6492 PZ-5A

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethylene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185F

Sample ID 6492 PZ-5B

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
Chloroform	0.62 "J"	ug/l	0.26	0.82	1	8260B		5/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/19/2019	CJR	1
Tetrachloroethene	6.3	ug/l	0.38	1.21	1	8260B		5/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185F

Sample ID 6492 PZ-5B

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/19/2019	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		5/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185G

Sample ID 6492 PZ-7B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	0.65 "J"	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	1.04	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	89	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185G

Sample ID 6492 PZ-7B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethylene (TCE)	35	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185H

Sample ID 6492 PZ-8B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185H

Sample ID 6492 PZ-8B

Sample Matrix Water

Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185I

Sample ID 6492 PZ-16A

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
Chloroform	0.51 "J"	ug/l	0.26	0.82	1	8260B		5/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/19/2019	CJR	1
Tetrachloroethene	18	ug/l	0.38	1.21	1	8260B		5/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185I

Sample ID 6492 PZ-16A

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/19/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		5/19/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185J

Sample ID 6492 PZ-16B

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
Chloroform	0.47 "J"	ug/l	0.26	0.82	1	8260B		5/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/19/2019	CJR	1
Tetrachloroethene	56	ug/l	0.38	1.21	1	8260B		5/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185J

Sample ID 6492 PZ-16B

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/19/2019	CJR	1
Trichloroethylene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/19/2019	CJR	1
SUR - Dibromofluoromethane	120	REC %			1	8260B		5/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185K

Sample ID 6492 MW-10

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185K

Sample ID 6492 MW-10

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	121	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185L

Sample ID 6492 PZ-18A

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	63	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185L

Sample ID 6492 PZ-18A

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethylene (TCE)	5.5	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185M

Sample ID 6492 MW-11

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	0.48 "J"	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185M

Sample ID 6492 MW-11

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	130	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185N

Sample ID 6492 PZ-19A

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	0.82 "J"	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185N

Sample ID 6492 PZ-19A

Sample Matrix Water

Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	121	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	114	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185Q

Sample ID 6492 CCC-MW-2

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	11.9	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185Q

Sample ID 6492 CCC-MW-2

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	126	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185R

Sample ID 6492 CCC-MW-1200

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	1110	ug/l	7.6	24.2	20	8260B		5/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185R

Sample ID 6492 CCC-MW-1200

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	0.96	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185S

Sample ID 6492 CCC-PZ-100

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	2.57	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185S

Sample ID 6492 CCC-PZ-100

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185T

Sample ID 6492 CCC-PZ-1100

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/22/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/22/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/22/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/22/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/22/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/22/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/22/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/22/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/22/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/22/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/22/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/22/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/22/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/22/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/22/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/22/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/22/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/22/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/22/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/22/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/22/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/22/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/22/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/22/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/22/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/22/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/22/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/22/2019	CJR	1
Tetrachloroethene	890	ug/l	3.8	12.1	10	8260B		5/22/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/22/2019	CJR	1

Project Name BADGER CLEANERS

Invoice # E36185

Project # 6492 PO#2019-0397

Lab Code 5036185T

Sample ID 6492 CCC-PZ-1100

Sample Matrix Water

Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/22/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/22/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/22/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/22/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/22/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/22/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		5/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			10	8260B		5/22/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		5/22/2019	CJR	1
SUR - Toluene-d8	99	REC %			10	8260B		5/22/2019	CJR	1

CHAIN OF JSTODY RECORD

Lab I.D. #

Account No.:

Quote No.:

Project #: 6492Sampler: (signature) JHProject (Name / Location): Boulder Cleaners / Baseline, WIReports To: K. Heunstead / P. Horanen

Invoice To:

Company Enviro-Forensics

Company

Address 116 W 23390 Stone Ridge Dr. Suite A

Address

City State Zip Waukesha WI 53188

City State Zip

Phone 209-390-9814

Phone

FAX

FAX

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	
50361BS	A	6492-P2-3A	5/15/19	1200	X	N	3	600	HCl															
	B	6492-P2-3B	5/15/19	1305	X		3																	
	C	6492-P2-4A	5/14/19	1250	X		3																	
	D	6492-P2-4B	5/14/19	1335	X		3																	
	E	6492-P2-5A	5/15/19	805	X		3																	
	F	6492-P2-5B	5/15/19	720	X		3																	
	G	6492-P2-7B	5/14/19	1723	X		2																	
	H	6492-P2-8B	5/14/19	1557	X		2																	
	I	6492-P2-6A	5/14/19	1105	X		3																	
	J	6492-P2-6B	5/14/19	1155	X		3																	

Sample Handling Request

Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **No. 303**

Page **1** of **3**

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.

Method of Shipment: BoxTemp. of Temp. Blank _____ °C On Ice Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) JH Time **1618** Date **5/15/19** Received By: (sign) **Collet Coop** Time **8:00** Date **5/16/19**

Received in Laboratory By: John M Time **8:00** Date **5/16/19**

CHAIN OF STUDY RECORD

Lab I.D. # _____

Account No.: _____

Quote No.: _____

Project #: 6492-

Sampler: (signature)

Project (Name / Location): Bayer Cleaners / Bamboo, WI

Reports To: K. Hamstad / R. Henneman

Company EnviroForensics

Address 116 W 23330 Stone Ridge Dr. Suite A

City State Zip Waukesha, WI 53188

Phone 207-390-9811

FAX

FAX

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
S036185k	6492-P2-10	5/14/19	1505	X	N	3	6	6W	HCl
L	6492-P2-18A	5/14/19	1420	X		3			
M	6492-P2-11	5/15/19	1550	X		3			
N	6492-P2-19A	5/15/19	850	X		3			
O	6492-P2-23A	5/15/19	1445	X		3			
P	6492-P2-23B	5/15/19	1040	X		3			
Q	6492-LL-Mu-2	5/14/19	1020	X		3			
R	6492-LL-Mu-100	5/14/19	800	X		3			
S	6492-LL-P2-100	5/14/19	935	X		3			
T	6492-LL-P2-100	5/14/19	850	X		3			

DRO (Mod DRO Sep 95)
GRO (Mod GRO Sep 95)
LEAD
NITRATE/NITRITE
OIL & GREASE
PAH (EPA 8270)
PCB
PVOC (EPA 8021)
PVOC + NAPHTHALENE
SULFATE
TOTAL SUSPENDED SOLIDS
VOC DW (EPA 524.2)
VOC (EPA 8260)
8-RCRA METALS

PID/
FID

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # Nº 3379
Page 2 of 3

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO # 2019-0397

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Cos

Temp. of Temp. Blank _____ °C On Ice: X

Cooler seal intact upon receipt: X Yes No

Relinquished By: (sign) JSA Time 1618 Date 5/15/19 Received By: (sign) Conrad Gross Time Date

Received in Laboratory By: Chase J. Ross Time: 6:00 Date: 5/16/19

CHAIN OF STUDY RECORD

Chain # **Nº 332**

Synergy

Lab I.D. #	Account No. :	Quote No.:
Project #: 6492	Sampler: (signature) JL-KR	
Project (Name / Location): Budger Cleaners / Baraboo, WI		

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request	
Rush Analysis Date Required _____	(Rushes accepted only with prior authorization)
<input checked="" type="checkbox"/> Normal Turn Around	

Reports To: **K. Hemmstead R. Heverman**

Company **EnviroForensics**

Address **X16 W2333C Stein Rd. Suite G**

City State Zip **Baraboo, WI 53918**

Phone **209-330-2814**

FAX

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
5036185 U	6492-DP-3	5/15/19	-	X	N	3	3	GRO	HCl	
V	6492-DP-6	5/14/19	-	X		3				
W	6492-EB-3	5/15/19	1205	X		3				
X	6492-EB-6	5/14/19	1200	X		3				
Y	TRIP BLANK					1				

DRO (Mod DRO Sep 95)
GRO (Mod GRO Sep 95)
LEAD
NITRATE/NITRITE
OIL & GREASE
PAH (EPA 8270)
PCB
PVOC (EPA 8021)
PVOC + NAPHTHALENE
SULFATE
TOTAL SUSPENDED SOLIDS
VOC DW (EPA 524.2)
VOC (EPA 8260)
8-RCRRA METALS

Lab I.D.	Sample I.D.	Collection Date	Collection Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
5036185 U	6492-DP-3	5/15/19	-	X	N	3	3	GRO	HCl	
V	6492-DP-6	5/14/19	-	X		3				
W	6492-EB-3	5/15/19	1205	X		3				
X	6492-EB-6	5/14/19	1200	X		3				
Y	TRIP BLANK					1				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.

Method of Shipment: **SG**

Temp. of Temp Blank °C On Ice: **X**

Cooler seal intact upon receipt: **X** Yes No

Relinquished By: (sign)

Time

Date

Received By: (sign)

Time

Date

Received in Laboratory By: **Chad A. R.**

Time: 8:00

Date: 5/16/19