



June 5, 2019

Trevor Bannister
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

**Subject: Semi-Annual Groundwater Monitoring Report
January – June 2019
Badger Cleaners
616 Oak Street
Baraboo, Wisconsin 53913
WDNR BRRTS#: 02-57-548538**

Dear Mr. Bannister:

EnviroForensics, LLC (EnviroForensics) is pleased to present this *Semi-Annual Groundwater Monitoring Report* for the Badger Cleaners facility located at 616 Oak Street in Baraboo, Wisconsin (Site). Groundwater monitoring is ongoing as required by the Wisconsin Department of Natural Resources per Chapter NR 716 of the Wisconsin Administrative Code (WAC). Groundwater monitoring activities were performed to assess current groundwater conditions, including groundwater flow direction, and degree and extent of volatile organic compound (VOC) impacts.

BACKGROUND

The Site is located within an area of mixed residential and commercial land use in downtown Baraboo, Wisconsin. The site consists of a single parcel of approximately 2,740 square feet with a single-story commercial building of approximately 2,420 square feet. The building was primarily constructed between 1913 and 1922 and subsequently added on to after 1947. The building is construction of slab on grade on the east and west ends with a basement beneath the central portion, and the remainder of the property is a paved asphalt parking area. The Site is bound by commercial buildings to the north, east and south, and Oak Street to the west. The nearest surface water body is the Baraboo River located approximately 1,640 feet to the south of the Site. The Site layout is presented as **Figure 1**.

Document: 6492-1297
EnviroForensics, LLC
N16 W23390 Stone Ridge Drive, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

Site investigation activities have been on-going since the initial detection of volatile organic compounds (VOCs) in soil at the Site in 1995. Four (4) monitoring wells and two (2) piezometers were installed by a past consultant. Between December 2017 and October 2018 EnviroForensics installed nine (9) water table wells and 38 piezometers to delineate and monitor groundwater plume conditions.

GROUNDWATER MONITORING ACTIVITIES

Groundwater monitoring activities were performed by EnviroForensics on February 19 – March 1, 2019 and May 6 - 15, 2019. The monitoring events included groundwater elevation measurements and groundwater sample collection. The locations of all monitoring wells and piezometers are depicted on **Figure 1**.

Groundwater Elevation Measurements

Groundwater elevation data were collected during both events from the entire monitoring network which is comprised of 13 monitoring wells (MW-1 through MW-13) and 40 piezometers (PZ-1 through MW-23B). Additionally, groundwater elevation data were collected from 12 monitoring wells and piezometers associated with Dicks Car Care (BRRTS# 03-57-258614) and Circus City Cleaners (BRRTS# 02-57-551681).

Dick’s Car Care	Circus City Cleaners	
DCC-MW-1	CCC-MW-2	CCC-PZ-8
DCC-MW-8	CCC-MW-6	CCC-PZ-10
DCC-PZ-8	CCC-MW-8	CCC-PZ-100
	CCC-MW-10	CCC-PZ-1100
	CCC-MW-1200	

The Dicks Car Care and Circus City Cleaners are located to the northwest of the Site to evaluate groundwater flow characteristics across a larger area. Monitoring well construction details are summarized in **Table 1**. CCC-PZ-10 was not located during the first event and therefore groundwater elevation and sampling data is not available. Monitoring well covers and caps were removed at least 30 minutes prior to depth to water measurements to allow groundwater in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was measured using an electronic water level indicator and tabulated on **Table 2**.

Groundwater Sampling

Groundwater samples were collected from the entire well network including the additional wells to the northwest during both sampling events. Low-flow groundwater purging and sampling was conducted using a submersible pneumatic bladder pump or check valve to purge groundwater. The pump or check valve was deployed to extract water from the screen portion of each well and transport it into a flow-through cell apparatus at the surface. The purging method was changed for the 1-inch wells due to insufficient flow when utilizing a bladder pump. A multi-parameter field instrument was utilized to collect water quality measurements of water in the flow through cell. The instrument measured groundwater geochemical parameters such as pH, oxidation-reduction potential, specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored during purging to verify stabilization prior to groundwater sample collection. The instrument probes were calibrated prior to use.

During each event, seven (7) duplicate samples and seven (7) equipment blanks were collected for quality control/quality assurance purposes, and one (1) trip blank accompanied each sample cooler. The samples were transmitted to a state-certified laboratory and analyzed for VOCs according to United States Environmental Protection Agency SW-846 Test Method 8260B.

INVESTIGATION RESULTS

Groundwater Elevation and Flow Direction

Groundwater elevation data collected on February 19, 2019 and May 6, 2019 are summarized in **Table 2**. Historical data collected since the site investigation began in 2008 are also included in **Table 2** for reference. A generalized water table contour map using the May 2019 groundwater elevations is presented on **Figure 2**. The predominant groundwater flow direction appears to be toward the southeast, which is consistent with previous findings. The depth to groundwater measured in the water table monitoring wells compared to the piezometric surface indicates a slight downward gradient across the Site.

Groundwater Analytical Results

Groundwater analytical data are summarized on **Table 3** in which VOC concentrations are compared to public health standards listed in WAC Chapter NR 140. Historical data collected since the first round of groundwater monitoring (performed in 2008) are included in **Table 3** for reference. An isoconcentration map depicting the extent of PCE exceeding the ES is presented

on **Figure 3**. The complete laboratory reports from the February-March and May sampling events are provided in **Attachment 1**.

Compounds that were detected at concentrations exceeding enforcement standards (ESs) or preventive action limits (PALs) in one or more samples were tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), benzene, bromodichloromethane, chloroform, 1,2-dichloroethane, and methyl tert-butyl ether (MTBE). Dibromochloromethane, naphthalene, 1,1,1,2-tetrachloroethane (1,1,1,2-TCA), and toluene were detected at concentrations below their respective PALs. Benzene, bromodichloromethane, chloroform, dibromochloromethane, MTBE, naphthalene 1,1,1,2-TCA, and toluene are unrelated to the dry cleaning process.

Duplicate and equipment blank results associated with each monitoring event demonstrate that the sampling and decontamination methods did not affect analytical data quality. The duplicate samples were within average of 13% of the sample results. Results from the equipment and trip blank samples were not detected above the method detection limit.

Investigation-derived media (IDM) generated during this monitoring event, including purge water, and decontamination fluid, was stored in sealed and labeled 55-gallon drums staged on-site until laboratory results were received. Once results were received IDM was transported to the Baraboo Waste Water Treatment Facility for treatment.

CONCLUSIONS AND RECOMMENDATIONS

The inferred direction of groundwater flow at the Site is toward the southeast and is consistent with previous monitoring events. The contaminant plume in groundwater has been fully defined and extends northeast approximately 2,200 feet in the direction of groundwater flow with at least 75 feet of vertical migration. The affected groundwater is not used as a potable resource. The limited amount or absence of PCE daughter products (i.e. cis-1,2-DCE, trans-1,2-dichloroethene, and/or vinyl chloride) in the samples indicate natural attenuation of the groundwater plume is not occurring at this time.

Quarterly groundwater monitoring will continue through 2019. One (1) semi-annual report will be prepared and submitted for 3rd and 4th quarter events. Please contact us if you have any questions about the information presented in this report.

Sincerely,
EnviroForensics, LLC

A handwritten signature in black ink, appearing to read "Kyle Heimstead".

Kyle Heimstead
Project Manager

Rob Hoverman, LPG
Senior Project Manager

Copy: Dave Bieno, Badger Cleaners (d.b.a) Portage Cleaners, Inc.

List of Attachments

Table 1: Monitoring Well Construction Details

Table 2: Groundwater Elevation Data

Table 3: Monitoring Well Sample Analytical Results

Figure 1: Monitoring Well Location Map

Figure 2: Potentiometric Surface Map – May 6, 2019

Figure 3: PCE Isoconcentration Map

Attachment 1: Laboratory Analytical Report

TABLES

**TABLE 1
MONITORING WELL CONSTRUCTION**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

Well ID	Date Installed	Consultant	Well Diameter (inches)	Northing	Easting	Ground Elevation (feet AMSL)	TOC Elevation (feet AMSL)	Top Screen Elevation (feet AMSL)	Bottom Screen Elevation (feet AMSL)	Screened Interval (feet bgs)	Total Depth (feet bgs)
MW-1	3/24/2008	MSA Professional Services	2	536,403.99	2,036,994.42	880.46	879.90	834.46	824.46	46 - 56	56
MW-2	3/25/2008		2	536,418.70	2,037,022.94	878.97	878.55	833.97	823.97	45 - 55	55
MW-3	3/26/2008		2	536,436.12	2,037,011.36	878.86	878.17	835.86	825.86	43 - 53	53
MW-4	8/14/2013		2	536,399.94	2,037,148.96	879.36	878.92	834.36	824.36	45 - 55	55
PZ1	8/14/2013		2	536,221.30	2,037,194.88	880.77	880.43	795.77	790.77	85 - 90	90
PZ2	8/15/2013		2	536,406.91	2,037,148.57	879.45	878.90	814.45	809.45	65 - 70	70
MW-9	9/25/2018	EnviroForensics	2	536,061.67	2,037,309.81	880.14	879.80	835.14	825.14	45 - 55	55
PZ-3A	12/17/2017	EnviroForensics	1	536,058.34	2,037,310.43	880.22	879.69	795.22	790.22	85 - 90	90
PZ-3B	12/17/2017	EnviroForensics	1	536,058.44	2,037,310.25	880.22	879.64	770.22	765.22	110 - 115	115
PZ-4A	2/28/2018	EnviroForensics	1	535,973.80	2,037,349.10	879.88	879.41	794.88	789.88	85 - 90	90
PZ-4B	2/28/2018	EnviroForensics	1	536,173.90	2,037,603.65	879.88	879.45	770.88	765.88	109 - 114	114
PZ-5A	3/2/2018	EnviroForensics	1	536,537.88	2,036,809.19	878.25	877.71	793.25	788.25	85 - 90	90
PZ-5B	3/2/2018	EnviroForensics	1	536,538.05	2,036,809.13	878.25	877.70	768.25	763.25	110 - 115	115
PZ-6A	3/7/2018	EnviroForensics	1	535,440.41	2,037,802.27	863.62	863.06	778.62	773.62	85 - 90	90
PZ-6B	3/7/2018	EnviroForensics	1	535,440.61	2,037,802.33	863.62	863.03	753.62	748.62	110 - 115	115
PZ-7A	3/8/2018	EnviroForensics	1	535,473.40	2,038,080.87	866.21	865.63	781.21	776.21	85 - 90	90
PZ-7B	3/8/2018	EnviroForensics	1	535,473.23	2,038,080.78	866.21	865.67	756.21	751.21	110 - 115	115
PZ-7C	10/5/2018	EnviroForensics	2	535,473.69	2,038,075.74	866.16	865.79	679.16	674.16	187 - 192	192
PZ-8A	3/12/2018	EnviroForensics	1	535,829.50	2,037,976.53	875.77	875.24	790.77	785.77	85 - 90	90
PZ-8B	3/12/2018	EnviroForensics	1	535,829.37	2,037,976.43	875.77	875.27	765.77	760.77	110 - 115	115
PZ-9A	3/14/2018	EnviroForensics	1	535,498.12	2,038,507.26	873.95	873.40	788.95	783.95	85 - 90	90
PZ-9B	3/14/2018	EnviroForensics	1	535,498.28	2,038,507.38	873.95	873.43	763.95	758.95	110 - 115	115
PZ-10A	3/15/2018	EnviroForensics	1	535,135.07	2,038,543.26	870.99	870.41	785.99	780.99	85 - 90	90
PZ-10B	3/15/2018	EnviroForensics	1	535,134.99	2,038,543.09	870.99	870.41	760.99	755.99	110 - 115	115
PZ-11A	3/19/2018	EnviroForensics	1	535,150.92	2,038,762.00	869.32	868.73	784.32	779.32	85 - 90	90
PZ-11B	3/19/2018	EnviroForensics	1	535,150.75	2,038,761.91	869.32	868.68	759.32	754.32	110 - 115	115
MW-7	9/19/2018	EnviroForensics	2	535,131.18	2,038,157.48	857.24	856.90	832.24	817.24	25 - 40	40
PZ-12A	3/21/2018	EnviroForensics	1	535,130.99	2,038,160.11	857.40	856.82	772.40	767.40	85 - 90	90
PZ-12B	3/21/2018	EnviroForensics	1	535,130.85	2,038,160.25	857.40	856.77	747.40	742.40	110 - 115	115
MW-6	9/19/2018	EnviroForensics	2	534,871.57	2,038,503.24	831.48	831.16	826.48	816.48	5 - 15	15
PZ-13A	3/22/2018	EnviroForensics	1	534,871.53	2,038,500.55	831.48	830.77	781.48	776.48	50 - 55	55
PZ-13B	3/22/2018	EnviroForensics	1	534,871.37	2,038,500.40	831.48	830.78	756.48	751.48	75 - 80	80
PZ-14A	3/27/2018	EnviroForensics	1	534,876.85	2,038,205.82	831.87	831.28	781.87	776.87	50 - 55	55
PZ-14B	3/27/2018	EnviroForensics	1	534,876.91	2,038,205.59	831.87	831.29	756.87	751.87	75 - 80	80
MW-5	9/19/2018	EnviroForensics	2	534,781.99	2,038,983.60	834.60	834.33	829.60	819.60	5 - 15	15
PZ-15A	9/18/2018	EnviroForensics	1	534,782.49	2,038,980.55	834.59	834.21	784.59	779.59	50 - 55	55
PZ-15B	9/18/2018	EnviroForensics	1	534,782.44	2,038,980.76	834.59	834.09	759.59	754.59	75 - 80	80
PZ-16A	9/21/2018	EnviroForensics	1	535,625.25	2,037,800.19	869.19	868.61	784.19	779.19	85 - 90	90
PZ-16B	9/21/2018	EnviroForensics	1	535,624.99	2,037,800.19	869.19	868.72	759.19	754.19	110 - 115	115
MW-8	9/24/2018	EnviroForensics	1	535,855.36	2,037,692.35	876.56	874.34	831.56	821.56	45 - 55	55
PZ-17A	9/24/2018	EnviroForensics	1	535,855.63	2,037,692.22	876.56	874.26	766.56	761.56	110 - 115	115
MW-10	10/2/2018	EnviroForensics	1	536,537.31	2,037,071.15	877.28	876.94	829.28	819.28	48 - 58	58
PZ-18A	10/2/2018	EnviroForensics	1	536,537.47	2,037,071.22	879.47	876.90	794.47	789.47	85 - 90	90
MW-11	10/10/2018	EnviroForensics	1	536,289.92	2,036,845.92	883.70	883.41	835.70	825.70	48 - 58	58
PZ-19A	10/10/2018	EnviroForensics	1	536,290.14	2,036,845.94	883.70	883.45	798.70	793.70	85 - 90	90
MW-12	10/17/2018	EnviroForensics	1	534,267.54	2,038,736.19	829.00	828.46	824.00	814.00	5 - 15	15
PZ-20A	10/17/2018	EnviroForensics	1	534,267.73	2,038,736.40	829.00	828.57	764.00	759.00	65 - 70	70
PZ-21A	10/17/2018	EnviroForensics	1	534,257.22	2,039,051.18	827.66	827.36	777.66	772.66	50 - 55	55
PZ-21B	10/17/2018	EnviroForensics	1	534,257.08	2,039,051.27	827.66	827.46	752.66	747.66	75 - 80	80
MW-13	10/18/2018	EnviroForensics	1	534,310.40	2,039,454.41	827.20	826.90	822.20	812.20	5 - 15	15
PZ-22A	10/18/2018	EnviroForensics	1	534,310.33	2,039,454.59	827.20	826.93	752.20	747.20	75 - 80	80
PZ-23A	11/28/2018	EnviroForensics	1	536,412.90	2,037,026.30	878.97	878.60	793.97	788.97	85 - 90	90
PZ-23B	11/28/2018	EnviroForensics	1	536,412.72	2,037,026.12	878.97	878.60	763.97	753.97	115 - 125	120
DCC-MW-7	3/10/1995	METCO	2	536,587.58	2,036,511.63	877.89	877.20	839.89	824.89	38 - 53	53
DCC-MW-8	1/11/2010	METCO	2	536,580.84	2,036,462.79	877.42	877.20	835.42	825.42	42 - 52	52
DCC-PZ-8	2/16/2019	METCO	2	536,581.02	2,036,458.25	877.29	877.07	815.29	810.29	62 - 67	67
CCC-MW-2	8/18/2009	METCO	2	536,876.94	2,036,331.89	876.20	875.80	841.20	826.20	35 - 50	50
CCC-MW-6	8/18/2009	METCO	2	536,878.05	2,036,271.22	876.73	876.29	841.73	826.73	35 - 50	50
CCC-MW-8	8/18/2009	METCO	2	536,937.98	2,036,455.81	876.56	876.02	841.56	826.56	35 - 50	50
CCC-MW-10	8/18/2009	METCO	2	536,874.43	2,036,649.49	879.47	878.98	844.47	829.47	35 - 50	50
CCC-MW-1200	6/17/2010	Bonestroo, Inc.	2	536,888.65	2,036,161.97	877.73	877.17	842.73	827.73	35 - 50	50
CCC-PZ-8	8/18/2009	METCO	2	536,927.37	2,036,448.95	876.20	875.49	816.20	811.20	60 - 65	65
CCC-PZ-10	6/30/2010	METCO	2	536,882.33	2,036,544.72	877.87	877.35	817.87	812.87	60 - 65	65
CCC-PZ-100	7/9/2009	Bonestroo, Inc.	2	536,877.36	2,036,335.65	876.16	875.70	817.16	812.16	59 - 64	64
CCC-PZ-1100	7/6/2010	Bonestroo, Inc.	2	536,887.24	2,036,164.84	877.73	877.32	817.73	812.73	60 - 65	65

Notes:

Coordinates are referenced to Wisconsin State Plane, NAD 27, Southern Zone
 AMSL = above mean sea level
 bgs = below ground surface
 NA = Not Available
 TOC = top of casing

**TABLE 2
GROUNDWATER ELEVATION DATA**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

Well ID	Date	TOC Elevation (AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (AMSL)	
MW1	4/3/2008	879.90	49.52	830.38	
	4/17/2008		49.36	830.54	
	8/14/2013		49.11	830.79	
	8/15/2013		49.06	830.84	
	8/27/2013		49.11	830.79	
	12/3/2013		49.37	830.53	
	9/27/2018		46.96	832.94	
	2/19/2019		46.29	833.61	
	5/6/2019		45.86	834.04	
	<i>Min</i>		45.86	830.38	
	<i>Max</i>		49.52	834.04	
<i>Average</i>		48.29	831.61		
MW2	4/3/2008	878.55	47.98	830.57	
	4/17/2008		47.81	830.74	
	8/14/2013		47.56	830.99	
	8/15/2013		47.55	831.00	
	8/27/2013		47.55	831.00	
	12/3/2013		47.80	830.75	
	9/27/2018		45.31	833.24	
	2/19/2019		44.76	833.79	
	5/6/2019		44.35	834.20	
	<i>Min</i>		44.35	830.57	
	<i>Max</i>		47.98	834.20	
<i>Average</i>		46.74	831.81		
MW3	4/3/2008	878.17	47.53	830.64	
	4/17/2008		47.41	830.76	
	8/14/2013		47.25	830.92	
	8/15/2013		47.25	830.92	
	8/27/2013		47.20	830.97	
	12/3/2013		47.45	830.72	
	2/19/2019		44.41	833.76	
	5/6/2019		43.88	834.29	
	<i>Min</i>		43.88	830.64	
	<i>Max</i>		47.53	834.29	
	<i>Average</i>		46.55	831.62	
MW4	8/15/2013	878.92	47.96	830.96	
	8/27/2013		48.12	830.80	
	12/3/2013		48.39	830.53	
	9/27/2018		46.05	832.87	
	2/19/2019		45.38	833.54	
	5/6/2019		45.87	833.05	
	<i>Min</i>		45.38	830.53	
	<i>Max</i>		48.39	833.54	
<i>Average</i>		46.96	831.96		
MW-5	2/19/2019	834.33	4.51	829.82	
	5/6/2019		9.53	824.80	
	<i>Min</i>		4.51	824.80	
	<i>Max</i>		9.53	824.80	
	<i>Average</i>		7.02	827.31	
MW-6	2/19/2019	831.16	5.11	826.05	
	5/6/2019		4.51	826.65	
	<i>Min</i>		4.51	826.05	
	<i>Max</i>		5.11	826.65	
	<i>Average</i>		4.81	826.35	
MW-7	2/19/2019	856.90	28.83	828.07	
	5/6/2019		28.79	828.11	
	<i>Min</i>		28.79	828.07	
	<i>Max</i>		28.83	828.11	
	<i>Average</i>		28.81	828.09	
MW-8	2/19/2019	874.34	43.00	831.34	
	5/6/2019		42.77	831.57	
	<i>Min</i>		42.77	831.34	
	<i>Max</i>		43.00	831.57	
	<i>Average</i>		42.89	831.46	
MW-9	2/19/2019	879.80	45.51	834.29	
	5/6/2019		46.76	833.04	
	<i>Min</i>		45.51	833.04	
	<i>Max</i>		46.76	834.29	
	<i>Average</i>		46.14	833.67	

**TABLE 2
GROUNDWATER ELEVATION DATA**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

MW-10	2/19/2019	876.94	43.08	833.86
	5/6/2019		42.60	834.34
	Min		42.60	833.86
	Max		43.08	834.34
	Average		42.84	834.10
MW-11	2/19/2019	883.41	49.50	833.91
	5/6/2019		49.06	834.35
	Min		49.06	833.91
	Max		49.50	834.35
	Average		49.28	834.13
MW-12	2/19/2019	824.00	4.07	819.93
	5/6/2019		3.45	820.55
	Min		3.45	819.93
	Max		4.07	820.55
	Average		3.76	820.24
MW-13	2/19/2019	822.20	5.16	817.04
			4.52	817.68
	Min		4.52	817.04
	Max		5.16	817.68
	Average		4.84	817.36
PZ1	8/27/2013	880.43	50.08	830.35
	12/3/2013		50.43	830.00
	9/27/2018		48.00	832.43
	2/19/2019		47.24	833.19
	5/6/2019		46.86	833.57
	Min		46.86	830.00
	Max		50.43	833.57
Average		48.52	831.91	
PZ2	8/27/2013	878.90	48.21	830.69
	12/3/2013		48.50	830.40
	9/27/2018		36.81	842.09
	5/6/2019		45.06	833.84
	Min		36.81	830.40
	Max		48.50	842.09
Average		44.65	834.26	
PZ-3A	4/17/2018	879.69	48.73	830.96
	9/27/2018		48.07	831.62
	2/19/2019		45.09	834.60
	5/6/2019		46.94	832.75
	Min		45.09	830.96
	Max		48.73	834.60
Average		47.21	832.48	
PZ-3B	4/17/2018	879.64	48.73	830.91
	9/27/2018		48.02	831.62
	2/19/2019		45.25	834.39
	5/6/2019		46.97	832.67
	Min		45.25	830.91
	Max		48.73	834.39
Average		47.24	832.40	
PZ-4A	4/17/2018	879.41	48.83	830.58
	9/27/2018		48.14	831.27
	2/16/2019		47.54	831.87
	5/6/2019		47.02	832.39
	Min		47.02	830.58
	Max		48.83	832.39
Average		47.88	831.53	
PZ-4B	4/17/2018	879.45	48.83	830.62
	9/27/2018		48.19	831.26
	2/19/2019		47.71	831.74
	5/6/2019		47.05	832.40
	Min		47.05	830.62
	Max		48.83	832.40
Average		47.95	831.51	
PZ-5A	4/17/2018	877.71	44.96	832.75
	9/27/2018		44.24	833.47
	2/19/2019		43.60	834.11
	5/6/2019		43.10	834.61
	Min		43.10	832.75
	Max		44.96	834.61
Average		43.98	833.74	

**TABLE 2
GROUNDWATER ELEVATION DATA**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

PZ-5B	4/17/2018	877.70	44.96	832.74	
	9/27/2018		44.30	833.40	
	2/19/2019		43.58	834.12	
	5/6/2019		43.05	834.65	
	Min			43.05	832.74
	Max			44.96	834.65
	Average			43.97	833.73
PZ-6A	4/17/2018	863.06	34.43	828.63	
	9/27/2018		34.05	829.01	
	2/19/2019		33.59	829.47	
	5/6/2019		32.89	830.17	
	Min			32.89	828.63
	Max			34.43	830.17
	Average			33.74	829.32
PZ-6B	4/17/2018	863.03	34.39	828.64	
	9/27/2018		34.00	829.03	
	2/19/2019		33.35	829.68	
	5/6/2019		32.88	830.15	
	Min			32.88	828.64
	Max			34.39	830.15
	Average			33.66	829.38
PZ-7A	4/17/2018	865.63	37.72	827.91	
	9/27/2018		33.71	831.92	
	2/19/2019		36.60	829.03	
	5/6/2019		36.04	829.59	
	Min			33.71	827.91
	Max			37.72	831.92
	Average			36.02	829.61
PZ-7B	4/17/2018	865.67	37.73	827.94	
	9/27/2018		33.83	831.84	
	2/19/2019		36.57	829.10	
	5/6/2019		36.10	829.57	
	Min			33.83	827.94
	Max			37.73	831.84
	Average			36.06	829.61
PZ-7C	2/19/2019	865.79	36.15	829.64	
	5/6/2019		36.10	829.69	
	Min			36.10	829.64
	Max			36.15	829.69
	Average			36.13	829.67
PZ-8A	4/17/2018	875.24	46.08	829.16	
	9/27/2018		45.82	829.42	
	2/19/2019		44.90	830.34	
	5/6/2019		44.44	830.80	
	Min			44.44	829.16
	Max			46.08	830.80
	Average			45.31	829.93
PZ-8B	4/17/2018	875.27	46.08	829.19	
	9/27/2018		45.38	829.89	
	2/19/2019		44.94	830.33	
	5/6/2019		44.47	830.80	
	Min			44.47	829.19
	Max			46.08	830.80
	Average			45.22	830.05
PZ-9A	4/17/2018	873.40	46.05	827.35	
	9/27/2018		45.49	827.91	
	2/19/2019		45.14	828.26	
	5/6/2019		44.68	828.72	
	Min			44.68	827.35
	Max			46.05	828.72
	Average			45.34	828.06
PZ-9B	4/17/2018	873.43	46.05	827.38	
	9/27/2018		45.39	828.04	
	2/19/2019		45.22	828.21	
	5/6/2019		44.66	828.77	
	Min			44.66	827.38
	Max			46.05	828.77
	Average			45.33	828.10

**TABLE 2
GROUNDWATER ELEVATION DATA**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

PZ-10A	4/17/2018	870.41	44.10	826.31
	9/27/2018		43.34	827.07
	2/19/2019		43.39	827.02
	5/6/2019		42.91	827.50
	Min		42.91	826.31
	Max		44.10	827.50
	Average		43.44	826.98
PZ-10B	4/17/2018	870.41	44.16	826.25
	9/27/2018		43.51	826.90
	2/19/2019		43.49	826.92
	5/6/2019		42.85	827.56
	Min		42.85	826.25
	Max		44.16	827.56
	Average		43.50	826.91
PZ-11A	4/17/2018	868.73	43.15	825.58
	9/27/2018		42.40	826.33
	2/19/2019		42.19	826.54
	5/6/2019		41.80	826.93
	Min		41.80	825.58
	Max		43.15	826.93
	Average		42.39	826.35
PZ-11B	4/17/2018	868.68	43.09	825.59
	9/27/2018		42.30	826.38
	2/19/2019		42.33	826.35
	5/6/2019		41.75	826.93
	Min		41.75	825.59
	Max		43.09	826.93
	Average		42.37	826.31
PZ-12A	4/17/2018	856.82	29.73	827.09
	9/27/2018		29.16	827.66
	2/19/2019		28.89	827.93
	5/6/2019		28.39	828.43
	Min		28.39	827.09
	Max		29.73	828.43
	Average		29.04	827.78
PZ-12B	4/17/2018	856.77	29.70	827.07
	9/27/2018		29.09	827.68
	2/19/2019		28.80	827.97
	5/6/2019		28.33	828.44
	Min		28.33	827.07
	Max		29.70	828.44
	Average		28.98	827.79
PZ-13A	4/17/2018	830.77	5.35	825.42
	9/27/2018		4.70	826.07
	2/19/2019		4.63	826.14
	5/6/2019		4.12	826.65
	Min		4.12	825.42
	Max		5.35	826.65
	Average		4.70	826.07
PZ-13B	4/17/2018	830.78	5.40	825.38
	9/27/2018		4.68	826.10
	2/19/2019		4.65	826.13
	5/6/2019		4.10	826.68
	Min		4.10	825.38
	Max		5.40	826.68
	Average		4.71	826.07
PZ-14A	4/17/2018	831.28	5.07	826.21
	9/27/2018		4.71	826.57
	2/19/2019		4.35	826.93
	5/6/2019		3.79	827.49
	Min		3.79	826.21
	Max		5.07	827.49
	Average		4.48	826.80
PZ-14B	4/17/2018	831.29	5.08	826.21
	9/27/2018		4.65	826.64
	2/19/2019		4.30	826.99
	5/6/2019		3.75	827.54
	Min		3.75	826.21
	Max		5.08	827.54
	Average		4.45	826.85

**TABLE 2
GROUNDWATER ELEVATION DATA**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

PZ-15A	2/19/2019	834.21	9.45	824.76
	5/6/2019		9.13	825.08
	<i>Min</i>		9.13	824.76
	<i>Max</i>		9.45	825.08
	<i>Average</i>		9.29	824.92
PZ-15B	2/19/2019	834.09	9.39	824.70
	5/6/2019		8.96	825.13
	<i>Min</i>		8.96	824.70
	<i>Max</i>		9.39	825.13
	<i>Average</i>		9.18	824.91
PZ-16A	2/19/2019	868.61	38.25	830.36
	5/6/2019		37.71	830.90
	<i>Min</i>		37.71	830.36
	<i>Max</i>		38.25	830.90
	<i>Average</i>		37.98	830.63
PZ-16B	2/19/2019	868.72	38.33	830.39
	5/6/2019		37.82	830.90
	<i>Min</i>		37.82	830.39
	<i>Max</i>		38.33	830.90
	<i>Average</i>		38.08	830.65
PZ-17A	2/19/2019	874.26	43.09	831.17
	5/6/2019		42.65	831.61
	<i>Min</i>		42.65	831.17
	<i>Max</i>		43.09	831.61
	<i>Average</i>		42.87	831.39
PZ-18A	2/19/2019	876.90	43.08	833.82
	5/6/2019		42.56	834.34
	<i>Min</i>		42.56	833.82
	<i>Max</i>		43.08	834.34
	<i>Average</i>		42.82	834.08
PZ-19A	2/19/2019	883.45	49.61	833.84
	5/6/2019		49.15	834.30
	<i>Min</i>		49.15	833.84
	<i>Max</i>		49.61	834.30
	<i>Average</i>		49.38	834.07
PZ-20A	2/19/2019	828.57	3.87	824.70
	5/6/2019		3.64	824.93
	<i>Min</i>		3.64	824.70
	<i>Max</i>		3.87	824.93
	<i>Average</i>		3.76	824.81
PZ-21A	2/19/2019	827.36	4.15	823.21
	5/6/2019		3.60	823.76
	<i>Min</i>		3.60	823.21
	<i>Max</i>		4.15	823.76
	<i>Average</i>		3.88	823.48
PZ-21B	2/19/2019	827.46	4.11	823.35
	5/6/2019		3.59	823.87
	<i>Min</i>		3.59	823.35
	<i>Max</i>		4.11	823.87
	<i>Average</i>		3.85	823.61
PZ-22A	2/19/2019	826.93	4.98	821.95
	5/6/2019		4.62	822.31
	<i>Min</i>		4.62	821.95
	<i>Max</i>		4.98	822.31
	<i>Average</i>		4.80	822.13
PZ-23A	2/19/2019	878.60	44.92	833.68
	5/6/2019		44.44	834.16
	<i>Min</i>		44.44	833.68
	<i>Max</i>		44.92	834.16
	<i>Average</i>		44.68	833.92
PZ-23B	2/19/2019	878.60	44.92	833.68
	5/6/2019		44.43	834.17
	<i>Min</i>		44.43	833.68
	<i>Max</i>		44.92	834.17
	<i>Average</i>		44.68	833.92
DCC-MW-7	2/19/2019	877.20	42.03	835.17
	5/6/2019		41.63	835.57
	<i>Min</i>		41.63	835.17
	<i>Max</i>		42.03	835.57
	<i>Average</i>		41.83	835.37

**TABLE 2
GROUNDWATER ELEVATION DATA**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

DCC-MW-8	2/19/2019	876.02	41.97	834.05
	5/6/2019		41.19	834.83
	<i>Min</i>		41.19	834.05
	<i>Max</i>		41.97	834.83
	<i>Average</i>		41.58	834.44
DCC-PZ-8	2/19/2019	877.07	41.35	835.72
	5/6/2019		41.60	835.47
	<i>Min</i>		41.35	835.47
	<i>Max</i>		41.60	835.72
	<i>Average</i>		41.48	835.60
CCC-MW2	2/19/2019	875.80	39.77	836.03
	5/6/2019		39.23	836.57
	<i>Min</i>		39.23	836.03
	<i>Max</i>		39.77	836.57
	<i>Average</i>		39.50	836.30
CCC-MW6	2/19/2019	876.29	40.21	836.08
	5/6/2019		39.75	836.54
	<i>Min</i>		39.75	836.08
	<i>Max</i>		40.21	836.54
	<i>Average</i>		39.98	836.31
CCC-MW-8	2/19/2019	876.02	40.06	835.96
	5/6/2019		39.59	836.43
	<i>Min</i>		39.59	835.96
	<i>Max</i>		40.06	836.43
	<i>Average</i>		39.83	836.20
CCC-MW10	2/19/2019	878.98	43.54	835.44
	5/9/2019		43.07	835.91
	<i>Min</i>		43.07	835.44
	<i>Max</i>		43.54	835.91
	<i>Average</i>		43.31	835.68
CCC-MW1200	2/19/2019	877.17	40.67	836.50
	5/6/2019		40.17	837.00
	<i>Min</i>		40.17	836.50
	<i>Max</i>		40.67	837.00
	<i>Average</i>		40.42	836.75
CCC-PZ-10	2/19/2019	877.35	NM	NM
	5/6/2019		41.29	836.06
	<i>Min</i>		41.29	836.06
	<i>Max</i>		41.29	836.06
	<i>Average</i>		41.29	836.06
CCC-PZ8	2/19/2019	875.49	39.72	835.77
	5/6/2019		39.22	836.27
	<i>Min</i>		39.22	835.77
	<i>Max</i>		39.72	836.27
	<i>Average</i>		39.47	836.02
CCC-PZ100	2/19/2019	875.70	39.90	835.80
	5/6/2019		39.37	836.33
	<i>Min</i>		39.37	835.80
	<i>Max</i>		39.90	836.33
	<i>Average</i>		39.64	836.07
CCC-PZ1100	2/19/2019	877.32	40.10	837.22
	5/6/2019		40.46	836.86
	<i>Min</i>		40.10	836.86
	<i>Max</i>		40.46	837.22
	<i>Average</i>		40.28	837.04

TOC = Top Of Casing
AMSL = Above Mean Sea Level
NM = Not Measured

TABLE 1
MONITORING WELL ANALYTICAL RESULTS

Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Toluene	
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800	
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160	
MW1	46-56	04/17/08	506	1.53	<0.44	<0.61	<0.2	0.24 J	NLRA	<0.47	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.39
		08/27/13	880	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		12/03/13	930	<3.3	<3.8	<3.5	<1.8	<2.4	NLRA	<2.8	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<6.9
		2/21/19	520	0.49 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		5/9/19	920	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<1.25	<1.4	<10.5	<1.75	<0.95	
MW2	45-55	04/17/08	2,280	4.5	<0.44	<0.61	<0.2	0.28 J	NLRA	0.5 J	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	1.0 J
		08/27/13	2,460	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		8/27/2013	2,540	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		12/03/13	2,390	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		12/3/2013	2,340	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		02/21/19	1,150	1.7	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	1,310	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9	
MW3	43-53	04/17/08	2,770	<23.5	<22	<30.5	<10	<12	NLRA	<23.5	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<19.5
		08/27/13	2,250	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		12/03/13	2,460	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<34.5
		02/21/19	1,130	1.42	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	1,170	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9	
MW4	45-44	08/27/13	9.4	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69
		12/03/13	9.5	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69	
		02/21/19	8.9	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	3.8	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ2	65-70	08/27/13	5.7	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69
		12/03/13	2.51	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69	
		02/19/19	1.69	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	3.2	0.83 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ1	85-90	08/27/13	49	3.45	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69
		12/03/13	153	0.96 J	0.58 J	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69	
		02/19/19	26.8	0.47 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.42 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	22.5	0.42 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.29 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
MW-9	45-50	03/01/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-3A	85-90	02/28/19	22.4	0.70 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	84	1.68	<0.37	<0.34	<0.2	<0.22	<0.33	0.33	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-3B	110-115	02/28/19	27.2	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.56 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	74	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.83	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	

TABLE 1
MONITORING WELL ANALYTICAL RESULTS

Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Toluene
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160
PZ-4A	85-90	02/28/19	1.05 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	2.08	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-4B	109-114	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.71 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	0.47 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-5A	85-90	02/28/19	11.9	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.41 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/15/19	0.71 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.66 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-5B	110-115	02/28/19	1.03 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.45 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/15/19	6.3	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.62 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-6A	85-90	02/27/19	0.50 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-6B	110-115	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-7A	85-90	02/27/19	13.9	2.67	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	38	9.0	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-7B	110-115	02/27/19	12.4	3.9	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	0.25 J	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	89	35	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	0.65 J	1.04	<2.1	<0.35	<0.19
PZ-7C	187-192	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-8A	85-90	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-8B	110-115	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-9A	85-90	02/22/19	0.45 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.25 J
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-9B	110-115	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-10A	85-90	02/21/19	0.70 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	0.96 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-10B	110-115	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	0.60 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-11A	85-90	02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-11B	110-115	02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19

TABLE 1
MONITORING WELL ANALYTICAL RESULTS

Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Toluene
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160
MW-7	25-40	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-12A	85-90	02/27/19	0.77 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	3.2	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-12B	110-115	02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	1.35	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
MW-6	5-15	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-13A	50-55	02/20/19	15	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	38	0.49 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-13B	75-80	02/20/19	4.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	3.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-14A	50-55	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-14B	75-80	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
MW-5	5-15	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-15A	50-55	02/20/19	0.54 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-15B	75-80	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-16A	85-90	03/01/19	2.8	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.42 J	0.29 J	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	18	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.51 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-16B	110-115	03/01/19	0.39 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	56	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.47 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
MW-8	45-55	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/10/19	7.4	1.09	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-17A	110-115	02/28/19	27.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/10/19	178	1.48	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	0.28 J	<2.1	<0.35	<0.19
MW-10	48-58	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-18A	85-90	02/28/19	3.2	5.4	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.65
		05/14/19	63	5.5	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19

TABLE 1
MONITORING WELL ANALYTICAL RESULTS

Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Toluene
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160
MW-11	48-58	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	2.82 J	<0.35	1.15
		05/15/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.48 J
PZ-19A	85-90	03/01/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/15/19	0.82 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
MW-12	5-15	02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.21 J
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-20A	65-70	02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	1.14
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.77
PZ-21A	50-55	02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-21B	75-80	02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
MW-13	5-15	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ-22A	75-80	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.90
PZ-23A	85-90	03/01/19	143	6.9	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	0.51 J	<2.1	<0.35	<0.19
		05/15/19	126	2.55	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	0.71 J	<0.25	0.65 J	<2.1	<0.35	<0.19
PZ-23B	115-120	03/01/19	0.90 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/15/19	3.7	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
DCC-MW-7	38-53	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.33 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.4 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
DCC-MW-8	42-52	02/21/19	25.6	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	32	0.43 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	0.39 J	4.5	<2.1	<0.35	<0.19
DCC-PZ-8	62-67	02/21/19	<1.9	<1.5	<1.85	<1.7	<1	<1.1	<0.33	<1.3	<0.22	8.2	172	<2.1	<0.35	<0.95
		05/09/19	<0.76	<0.6	<0.73	<0.68	<0.2	<0.44	<0.66	<0.52	<0.44	17	350	<4.2	<0.7	<0.38
CCC-MW2	35-50	08/18/09	34	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		11/30/09	38	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<2.4	NLRA	<0.5	<1.7	NLRA	<0.51
		06/30/10	44	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		09/30/10	34	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		12/23/10	37	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		02/22/19	2.37	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	11.9	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19

TABLE 1
MONITORING WELL ANALYTICAL RESULTS

Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Toluene
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160
CCC-MW6	35-50	08/18/09	91	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		11/30/09	124	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		06/30/10	115	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		09/30/10	93	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		12/23/10	103	<3.9	<7.8	<13	<1.9	<3.8	<0.64	<3.2	<1.1	NLRA	<2.5	<2.4	NLRA	<7.2
		02/22/19	85	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/10/19	97	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
CCC-MW-8	35-50	08/18/09	760	<19.5	<34	<30.5	<10	<20.5	<20.5	<24	<38	NLRA	<25	<85	NLRA	<25.5
		11/30/09	970	<3.9	<6.8	<6.1	<2	<4.1	<4.1	<4.8	<7.6	NLRA	<5	<17	NLRA	<5.1
		06/30/10	1,150	<3.9	<7.8	<13	<1.9	<3.8	<6.4	<3.2	<11	NLRA	<2.5	<24	NLRA	<7.2
		09/30/10	1,220	<39	<78	<130	<19	<3.8	<64	<32	<110	NLRA	<25	<240	NLRA	<72
		12/23/10	1,120	<19.5	<39	<65	<9.5	<0.38	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		02/22/19	300	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<0.25	<1.4	<10.5	<1.75	<0.95
		05/10/19	510	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<0.25	<1.4	<10.5	<1.75	<0.95
CCC-MW10	35-50	11/30/09	<0.42	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		12/23/10	<0.43	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<2.4	NLRA	<0.72
		02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
CCC-MW1200	35-50	06/30/10	4,300	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		09/01/10	4,000	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		12/23/10	2,780	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		03/01/19	680	0.78 J	<0.37	<0.34	<0.2	<0.22	0.38 J	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	1,110	0.96	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
CCC-PZ8	60-65	08/18/09	9,800	153	<68	<61	<20	540	<76	<48	<41	NLRA	440	<170	NLRA	<51
		11/30/09	11,100	197	<68	<61	<20	850	<76	<48	<41	NLRA	810	<170	NLRA	<51
		06/30/10	1,780	46 J	<78	<130	<19	<38	<110	<32	<64	NLRA	35 J	<240	NLRA	<72
		09/30/10	9,600	108	<39	<65	<9.5	174	<55	<16	<64	NLRA	74	<120	NLRA	<36
		12/23/10	9,300	89	<39	<65	<9.5	<19	<55	<16	<32	NLRA	<12.5	<120	NLRA	<36
		02/22/19	6,200	117	68	<17	<10	29.5 J	<16.5	<27	<11	<12.5	<14	<105	<17.5	<9.5
		05/10/19	3,800	274	256	<17	<10	84	<16.5	<27	<11	<12.5	<14	<105	<17.5	<9.5
CCC-PZ-10	60-65	06/22/10	2.2	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<0.25	NLRA	<0.72
		09/30/10	<0.43	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<0.25	NLRA	<0.72
		12/23/10	<0.43	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<0.25	NLRA	<0.72
		02/22/19	Not sampled													
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19

TABLE 1
MONITORING WELL ANALYTICAL RESULTS

Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Toluene
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160
CCC-PZ100	59-64	08/18/09	15.8	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		11/30/09	14.4	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		06/30/10	12.2	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		09/30/10	11.0	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		12/23/10	11.9	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		02/22/19	3.6	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
05/14/19	2.57	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
CCC-PZ1100	60-65	06/30/10	2,050	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		09/30/10	4,100	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		12/23/10	4,300	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		03/01/19	9,300	1.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	0.50 J	<0.19
		05/14/19	890	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9

Notes:

µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and orange shaded values are above Public Health Enforcement Standards

Bolded and blue shaded values are above Public Health Preventive Action Limits

Samples/constituents not shown are below laboratory reporting limits


J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit

NLRA = No laboratory results available

DCC = Dicks Car Care Well (BRRTS# 03-57-258614)

CCC = Circus City Cleaner Well (BRRTS# 02-57-551681)

FIGURES



Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- PZ1 Piezometer well (By Others)
- PZ-19A Piezometer

Notes:

1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)


MONITORING WELL LOCATION MAP

Badger Cleaners
 616 Oak Street
 Baraboo, Wisconsin

Date:	5/24/19
Designed:	EB
Drawn:	EB
Checked:	KH
DWG file:	6492-1319

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com


Figure	1
Project	6492



Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- 825 Groundwater elevation contour
- 834.04 Groundwater elevation (feet above mean sea level)

- Notes:**
1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
 2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)




POTENTIOMETRIC SURFACE MAP
MAY 6, 2019
Badger Cleaners
616 Oak Street
Baraboo, Wisconsin

Date:	5/23/19
Designed:	EB
Drawn:	EB
Checked:	KH
DWG file:	6492-1307



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	2
Project	6492



Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- PZ1 Piezometer well (By Others)
- PZ-19A Piezometer
- PCE isoconcentration of 5µg/L

Notes:

1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)

GROUNDWATER PCE ISOCONCENTRATION MAP

Badger Cleaners
616 Oak Street
Baraboo, Wisconsin

Date:	5/24/19
Designed:	EB
Drawn:	EB
Checked:	KH
DWG file:	6492-1315

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	3
Project	6492

ATTACHMENT 1

LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

KYLE KEIMSTEAD/NATE DUDA
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 22-May-19

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167A
Sample ID 6492 MW-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		5/14/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		5/14/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/14/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		5/14/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		5/14/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		5/14/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167A
Sample ID 6492 MW-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		5/14/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		5/14/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		5/14/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		5/14/2019	CJR	1
Tetrachloroethene	920	ug/l	1.9	6.05	5	8260B		5/14/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		5/14/2019	CJR	1
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		5/14/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		5/14/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			5	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			5	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			5	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	103	REC %			5	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167B
Sample ID 6492 MW-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/14/2019	CJR	1
Tetrachloroethene	1310	ug/l	3.8	12.1	10	8260B		5/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167B
Sample ID 6492 MW-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	112	REC %			10	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	100	REC %			10	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			10	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			10	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167C
Sample ID 6492 MW-3
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/14/2019	CJR	1
Tetrachloroethene	1170	ug/l	3.8	12.1	10	8260B		5/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167C
Sample ID 6492 MW-3
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			10	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			10	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			10	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167D
Sample ID 6492 MW-4
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	3.8	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167D
Sample ID 6492 MW-4
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167E
Sample ID 6492 PZ-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	0.29 "J"	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	22.5	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167E
Sample ID 6492 PZ-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	0.42 "J"	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	120	REC %			1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167F
Sample ID 6492 PZ-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	3.2	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167F
Sample ID 6492 PZ-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	0.83 "J"	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167G
Sample ID 6492 MW-9
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/14/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167G
Sample ID 6492 MW-9
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		5/14/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		5/14/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167H
Sample ID 6492 PZ-7A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167H
Sample ID 6492 PZ-7A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	9.0	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167I
Sample ID 6492 PZ-7C
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167I
Sample ID 6492 PZ-7C
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167J
Sample ID 6492 PZ-8A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167J
Sample ID 6492 PZ-8A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167L
Sample ID 6492 PZ-9A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167L
Sample ID 6492 PZ-9A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167M
Sample ID 6492 PZ-9B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167M
Sample ID 6492 PZ-9B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167N
Sample ID 6492 PZ-10A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	0.96 "J"	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167N
Sample ID 6492 PZ-10A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 50361670
Sample ID 6492 PZ-10B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	0.60 "J"	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 50361670
Sample ID 6492 PZ-10B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167P
Sample ID 6492 PZ-11A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167P
Sample ID 6492 PZ-11A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167Q
Sample ID 6492 PZ-11B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167Q
Sample ID 6492 PZ-11B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167R
Sample ID 6492 MW-7
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167R
Sample ID 6492 MW-7
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167S
Sample ID 6492 PZ-12A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	3.2	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167S
Sample ID 6492 PZ-12A
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167T
Sample ID 6492 PZ-12B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	1.35	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167T
Sample ID 6492 PZ-12B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167U
Sample ID 6492 MW-6
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167U
Sample ID 6492 MW-6
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167V
Sample ID 6492 PZ-13A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167V
Sample ID 6492 PZ-13A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	0.49 "J"	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167W
Sample ID 6492 PZ-13B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	3.5	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167W
Sample ID 6492 PZ-13B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167X
Sample ID 6492 PZ-14A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167X
Sample ID 6492 PZ-14A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167Y
Sample ID 6492 PZ-14B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167Y
Sample ID 6492 PZ-14B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167Z
Sample ID 6492 PZ-15A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 5036167Z
Sample ID 6492 PZ-15A
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167AA
Sample ID 6492 PZ-15B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167AA
Sample ID 6492 PZ-15B
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167BB
Sample ID 6492 MW-5
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167BB
Sample ID 6492 MW-5
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167CC
Sample ID 6492 MW-12
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167CC
Sample ID 6492 MW-12
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	119	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	128	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167DD
Sample ID 6492 PZ-20A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	0.77	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167DD
Sample ID 6492 PZ-20A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167EE
Sample ID 6492 PZ-21A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167EE
Sample ID 6492 PZ-21A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167FF
Sample ID 6492 PZ-21B
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167FF
Sample ID 6492 PZ-21B
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	126	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167GG
Sample ID 6492 PZ-22A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	0.90	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167GG
Sample ID 6492 PZ-22A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167HH
Sample ID 6492 MW-13
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167HH
Sample ID 6492 MW-13
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167II
Sample ID 6492 DCC-MW-7
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.4 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167II
Sample ID 6492 DCC-MW-7
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	118	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	129	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167JJ
Sample ID 6492 DCC-MW-8
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	0.39 "J"	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	4.5	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	32	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167JJ
Sample ID 6492 DCC-MW-8
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	0.43 "J"	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167KK
Sample ID 6492 DCC-PZ-8
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.42	2	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.88	ug/l	0.88	2.76	2	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66	2.12	2	8260B		5/17/2019	CJR	1
Bromoform	< 0.9	ug/l	0.9	2.88	2	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.5	ug/l	0.5	1.6	2	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 1.58	ug/l	1.58	5.06	2	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 1.42	ug/l	1.42	4.5	2	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.52	ug/l	0.52	1.66	2	8260B		5/17/2019	CJR	1
Chloroethane	< 1.22	ug/l	1.22	3.9	2	8260B		5/17/2019	CJR	1
Chloroform	< 0.52	ug/l	0.52	1.64	2	8260B		5/17/2019	CJR	1
Chloromethane	< 1.08	ug/l	1.08	3.44	2	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.62	ug/l	0.62	1.96	2	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.52	ug/l	0.52	1.66	2	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 5.92	ug/l	5.92	18.86	2	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.44	ug/l	0.44	1.38	2	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 1.4	ug/l	1.4	4.44	2	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 1.7	ug/l	1.7	5.4	2	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 1.72	ug/l	1.72	5.48	2	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.64	ug/l	0.64	2.04	2	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	17	ug/l	0.5	1.56	2	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.72	ug/l	0.72	2.28	2	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.84	ug/l	0.84	2.68	2	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.32	2	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.14	2	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.88	ug/l	0.88	2.78	2	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.6	ug/l	0.6	1.88	2	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.64	ug/l	0.64	2.02	2	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.52	ug/l	0.52	1.62	2	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.42	ug/l	0.42	1.32	2	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.68	ug/l	0.68	2.18	2	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.52	ug/l	0.52	1.66	2	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 2.68	ug/l	2.68	8.56	2	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 1.56	ug/l	1.56	4.94	2	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.48	ug/l	0.48	1.52	2	8260B		5/17/2019	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	350	ug/l	0.56	1.78	2	8260B		5/17/2019	CJR	1
Naphthalene	< 4.2	ug/l	4.2	13.3	2	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 1.22	ug/l	1.22	3.9	2	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.6	ug/l	0.6	1.94	2	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.26	2	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.76	ug/l	0.76	2.42	2	8260B		5/17/2019	CJR	1
Toluene	< 0.38	ug/l	0.38	1.2	2	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 2.3	ug/l	2.3	7.34	2	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167KK
Sample ID 6492 DCC-PZ-8
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 3.42	ug/l	3.42	10.86	2	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.66	ug/l	0.66	2.1	2	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.84	ug/l	0.84	2.64	2	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.6	ug/l	0.6	1.88	2	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.7	ug/l	0.7	2.2	2	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5.1	2	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 1.26	ug/l	1.26	4	2	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.86	ug/l	0.86	2.76	2	8260B		5/17/2019	CJR	1
o-Xylene	< 0.58	ug/l	0.58	1.86	2	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	96	REC %			2	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	115	REC %			2	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			2	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			2	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167LL
Sample ID 6492 PZ-6A
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167LL
Sample ID 6492 PZ-6A
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167MM
Sample ID 6492 PZ-6B
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167MM
Sample ID 6492 PZ-6B
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167NN
Sample ID 6492 MW-8
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	7.4	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167NN
Sample ID 6492 MW-8
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	1.09	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 53616700
Sample ID 6492 PZ-17A
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.28 "J"	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	178	ug/l	3.8	12.1	10	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 53616700
Sample ID 6492 PZ-17A
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	1.48	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167PP
Sample ID 6492 CCC-MW-6
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	97	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167PP
Sample ID 6492 CCC-MW-6
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167QQ
Sample ID 6492 CCC-MW-8
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		5/17/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		5/17/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/17/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		5/17/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		5/17/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		5/17/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		5/17/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		5/17/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		5/17/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		5/17/2019	CJR	1
Tetrachloroethene	510	ug/l	1.9	6.05	5	8260B		5/17/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167QQ
Sample ID 6492 CCC-MW-8
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		5/17/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		5/17/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			5	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			5	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	112	REC %			5	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	96	REC %			5	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167RR
Sample ID 6492 CCC-MW-10
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167RR
Sample ID 6492 CCC-MW-10
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167SS
Sample ID 6492 CCC-PZ-10
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167SS
Sample ID 6492 CCC-PZ-10
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167TT
Sample ID 6492 CCC-PZ-8
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	84	ug/l	11	35.5	50	8260B		5/15/2019	CJR	1
Bromobenzene	< 22	ug/l	22	69	50	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	53	50	8260B		5/15/2019	CJR	1
Bromoform	< 22.5	ug/l	22.5	72	50	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 12.5	ug/l	12.5	40	50	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 39.5	ug/l	39.5	126.5	50	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	112.5	50	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		5/15/2019	CJR	1
Chlorobenzene	< 13	ug/l	13	41.5	50	8260B		5/15/2019	CJR	1
Chloroethane	< 30.5	ug/l	30.5	97.5	50	8260B		5/15/2019	CJR	1
Chloroform	< 13	ug/l	13	41	50	8260B		5/15/2019	CJR	1
Chloromethane	< 27	ug/l	27	86	50	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 15.5	ug/l	15.5	49	50	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 13	ug/l	13	41.5	50	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	471.5	50	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 11	ug/l	11	34.5	50	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 35	ug/l	35	111	50	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 42.5	ug/l	42.5	135	50	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 43	ug/l	43	137	50	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 16	ug/l	16	51	50	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 12.5	ug/l	12.5	39	50	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 18	ug/l	18	57	50	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 21	ug/l	21	67	50	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	256	ug/l	18.5	58	50	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 17	ug/l	17	53.5	50	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 22	ug/l	22	69.5	50	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 15	ug/l	15	47	50	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 16	ug/l	16	50.5	50	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 13	ug/l	13	40.5	50	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 10.5	ug/l	10.5	33	50	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 17	ug/l	17	54.5	50	8260B		5/15/2019	CJR	1
Ethylbenzene	< 13	ug/l	13	41.5	50	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 67	ug/l	67	214	50	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 39	ug/l	39	123.5	50	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 12	ug/l	12	38	50	8260B		5/15/2019	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44.5	50	8260B		5/15/2019	CJR	1
Naphthalene	< 105	ug/l	105	332.5	50	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 30.5	ug/l	30.5	97.5	50	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48.5	50	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 17.5	ug/l	17.5	56.5	50	8260B		5/15/2019	CJR	1
Tetrachloroethene	3800	ug/l	19	60.5	50	8260B		5/15/2019	CJR	1
Toluene	< 9.5	ug/l	9.5	30	50	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 57.5	ug/l	57.5	183.5	50	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167TT
Sample ID 6492 CCC-PZ-8
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 85.5	ug/l	85.5	271.5	50	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	52.5	50	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	66	50	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	274	ug/l	15	47	50	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 17.5	ug/l	17.5	55	50	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	127.5	50	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 31.5	ug/l	31.5	100	50	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		5/15/2019	CJR	1
m&p-Xylene	< 21.5	ug/l	21.5	69	50	8260B		5/15/2019	CJR	1
o-Xylene	< 14.5	ug/l	14.5	46.5	50	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			50	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			50	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			50	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	103	REC %			50	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167UU
Sample ID 6492 DUP-7
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/17/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/17/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/17/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/17/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/17/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/17/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/17/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/17/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/17/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/17/2019	CJR	1
Tetrachloroethene	188	ug/l	3.8	12.1	10	8260B		5/17/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167UU
Sample ID 6492 DUP-7
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/17/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/17/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			10	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			10	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	120	REC %			10	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	97	REC %			10	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167VV
Sample ID 6492 DUP-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/17/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/17/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/17/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/17/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/17/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/17/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/17/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/17/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/17/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/17/2019	CJR	1
Tetrachloroethene	970	ug/l	3.8	12.1	10	8260B		5/17/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167VV
Sample ID 6492 DUP-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/17/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/17/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			10	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			10	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	96	REC %			10	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167WW
Sample ID 6492 DUP-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.41 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	23.1	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167WW
Sample ID 6492 DUP-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	0.43 "J"	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167XX
Sample ID 6492 DUP-4
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	43	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167XX
Sample ID 6492 DUP-4
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	8.7	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	124	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167YY
Sample ID 6492 DUP-5
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	3.9	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167YY
Sample ID 6492 DUP-5
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167ZZ
Sample ID 6492 EB-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167ZZ
Sample ID 6492 EB-1
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	130	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167AAA
Sample ID 6492 EB-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167AAA
Sample ID 6492 EB-2
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167BBB
Sample ID 6492 EB-4
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	0.85 "J"	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	0.61 "J"	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	0.90	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167BBB
Sample ID 6492 EB-4
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167CCC
Sample ID 6492 EB-5
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	0.88 "J"	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	0.92	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	1.03	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167CCC
Sample ID 6492 EB-5
Sample Matrix Water
Sample Date 5/8/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167DDD
Sample ID 6492 TB
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167DDD
Sample ID 6492 TB
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167EEE
Sample ID 6492 EB-7
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 56167EEE
Sample ID 6492 EB-7
Sample Matrix Water
Sample Date 5/10/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	103	REC %				1	8260B	5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				1	8260B	5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %				1	8260B	5/16/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %				1	8260B	5/16/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **N^o 303**
Page 1 of 6

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____

Account No.: _____ Quote No.: _____

Project #: 6492

Sampler: (signature) [Signature]

Project (Name / Location): Budger Cleaners / Baraboo, WI

Reports To: R. Horeman / K. Heinsted / NW Ind.

Company: Enviroforensics

Address: 116 W 23390 Stone Ridge Dr.

City State Zip: Wichota, WI 53186

Phone: 612-616-7450

FAX: _____

Invoice To:

Company:

Address:

City State Zip:

Phone:

FAX:

Analysis Requested

Other Analysis

<input type="checkbox"/>	DRO (Mod DRO Sep 95)
<input type="checkbox"/>	GRO (Mod GRO Sep 95)
<input type="checkbox"/>	LEAD
<input type="checkbox"/>	NITRATE/NITRITE
<input type="checkbox"/>	OIL & GREASE
<input type="checkbox"/>	PAH (EPA 8270)
<input type="checkbox"/>	PCB
<input type="checkbox"/>	PVOC (EPA 8021)
<input type="checkbox"/>	PVOC + NAPHTHALENE
<input type="checkbox"/>	SULFATE
<input type="checkbox"/>	TOTAL SUSPENDED SOLIDS
<input type="checkbox"/>	VOC DW (EPA 542.2)
<input checked="" type="checkbox"/>	VOC (EPA 8260)
<input type="checkbox"/>	8-RCRA METALS

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
5036167A	6492-AW-1	5-9	1325		X	N	3	GW	HCL	
	B	6492-AW-2	5-9	1235						
	C	6492-AW-3	5-9	1620						
	D	6492-AW-4	5-9	1055						
	E	6492-P2-1	5-9	1145						
	F	6492-P2-2	5-9	1015						
	G	6492-AW-9	5-9	750						
	H	6492-P2-7A	5-9	1650						
	I	6492-P2-7B	5-9	1723						
	J	6492-P2-7C	5-9	1140						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.
Method of Shipment: CVET
Temp. of Temp. Blank: _____ °C On Ice: X
Cooler seal intact upon receipt: X Yes _____ No

Relinquished By: (sign) [Signature] Time: 1040 Date: 5-19-17
Received in Laboratory By: [Signature] Time: 1054 PM Date: 5-19-17

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **N^o 3031**
Page 2 of 6

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____

Account No. : _____ Quote No.: _____

Project #: 6492

Sampler: (signature) [Signature]

Project (Name / Location): Budger Cleaners / Barraboo, WI

Reports To: R. Horeman / K. Heinstead / NAD

Company: Enviro Forensics

Address: W16 W23390 Stone Ridge Dr.

City State Zip: Waukesha, WI 53188

Phone: 612-616-7450

FAX: _____

Invoice To: _____

Company: _____

Address: _____

City State Zip: _____

Phone: _____

FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
<u>5036167 J</u>	<u>6492-P2-84</u>	<u>5-9</u>	<u>1522</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>	
	<u>6492-P2-88</u>	<u>5-9</u>	<u>1557</u>							
	<u>6492-P2-9A</u>	<u>5-9</u>	<u>1347</u>							
	<u>6492-P2-98</u>	<u>5-9</u>	<u>1420</u>							
	<u>6492-P2-10A</u>	<u>5-8</u>	<u>1448</u>							
	<u>6492-P2-10B</u>	<u>5-8</u>	<u>1528</u>							
	<u>6492-P2-11A</u>	<u>5-9</u>	<u>1150</u>							
	<u>6492-P2-11B</u>	<u>5-9</u>	<u>1230</u>							
	<u>6492-MW-7</u>	<u>5-7</u>	<u>1035</u>							
	<u>6492-P2-12A</u>	<u>5-9</u>	<u>1036</u>							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PS# 2019-0397

Sample Integrity - To be completed by receiving lab.
Method of Shipment: overnight
Temp. of Temp. Blank: _____ °C On Ice: 5
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) <u>[Signature]</u>	Time _____	Date <u>5-10-19</u>	Received By: (sign) <u>[Signature]</u>	Time _____	Date <u>5-10-19</u>
<u>[Signature]</u>		<u>5-13-19</u>	<u>[Signature]</u>		<u>5-13-19</u>
Received in Laboratory By: <u>[Signature]</u>	Time: <u>10:40</u>	Date: <u>5-13-19</u>			



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **No 303**
Page 5 of 6

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab ID. # _____

Account No.: _____ Quote No.: _____

Project #: 6492

Sampler: (signature) _____

Project (Name / Location): Badger Cleaners / Baraboo, WI

Reports To: R. Housman / K. Heunstead / J. Ruckelshaus

Company: Enviro Forensics

Address: 216 W2350 Shore Ridge Dr. Ste G

City/State/Zip: Waukesha, WI 53188

Phone: 612-616-7450

FAX: _____

Analysis Requested

Other Analysis

- DRO (Mod DRO Sep 95)
- GRO (Mod GRO Sep 95)
- LEAD
- NITRATE/NITRITE
- OIL & GREASE
- PAH (EPA 8270)
- PCB
- PVOC (EPA 8021)
- PVOC + NAPHTHALENE
- SULFATE
- TOTAL SUSPENDED SOLIDS
- VOC DW (EPA 542.2)
- VOC (EPA 8260)
- 8-RCRA METALS

Lab ID.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
53616FN	N	6492-MW-8	5-10	647	X	N	3	GW	HE1	
OO	6492-P2-17A	5-10	425							
PP	6492-ccc-nw-6	5/10/19	1145							
OO	6492-ccc-nw-8	5/10/19	1100							
hh	6492-ccc-nw-10	5/10/19	810							
SS	6492-ccc-P2-10	5/10/19	900							
TI	6492-ccc-P2-8	5/10/19	1000							
LU	6492-020-7	5/10/19	-							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Climate
Temp. of Temp. Blank: _____ °C On Ice: ✓
Cooler seal intact upon receipt: ✓ Yes _____ No

Relinquished By: (sign) _____	Time _____	Date _____	Received By: (sign) _____	Time _____	Date _____
_____	_____	5-17-19	_____	_____	_____
_____	_____	5-17-19	_____	_____	_____
Received in Laboratory By: _____	Time: _____	Date: _____	_____	Time: _____	Date: _____
_____	_____	10-11-19	_____	_____	5-13-19

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

KYLE HEIMSTEAD
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 23-May-19

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185A
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185A
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	84	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	1.68	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185B
Sample ID 6492 PZ-3B
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.83	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	74	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185B
Sample ID 6492 PZ-3B
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185C
Sample ID 6492 PZ-4A
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	2.08	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185C
Sample ID 6492 PZ-4A
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185D
Sample ID 6492 PZ-4B
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	0.47 "J"	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185D
Sample ID 6492 PZ-4B
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185E
Sample ID 6492 PZ-5A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/17/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/17/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/17/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/17/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/17/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/17/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/17/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
Chloroform	0.66 "J"	ug/l	0.26	0.82	1	8260B		5/17/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/17/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/17/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/17/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/17/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/17/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/17/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/17/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/17/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/17/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/17/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/17/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/17/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/17/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/17/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/17/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/17/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/17/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/17/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/17/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/17/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/17/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/17/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/17/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/17/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/17/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/17/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/17/2019	CJR	1
Tetrachloroethene	0.71 "J"	ug/l	0.38	1.21	1	8260B		5/17/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/17/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185E
Sample ID 6492 PZ-5A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/17/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/17/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/17/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/17/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/17/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/17/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/17/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/17/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/17/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/17/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/17/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/17/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		5/17/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/17/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185F
Sample ID 6492 PZ-5B
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
Chloroform	0.62 "J"	ug/l	0.26	0.82	1	8260B		5/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/19/2019	CJR	1
Tetrachloroethene	6.3	ug/l	0.38	1.21	1	8260B		5/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185F
Sample ID 6492 PZ-5B
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/19/2019	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		5/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185G
Sample ID 6492 PZ-7B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	0.65 "J"	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	1.04	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	89	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185G
Sample ID 6492 PZ-7B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	35	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185H
Sample ID 6492 PZ-8B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185H
Sample ID 6492 PZ-8B
Sample Matrix Water
Sample Date 5/9/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185I
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
Chloroform	0.51 "J"	ug/l	0.26	0.82	1	8260B		5/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/19/2019	CJR	1
Tetrachloroethene	18	ug/l	0.38	1.21	1	8260B		5/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185I
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/19/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		5/19/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185J
Sample ID 6492 PZ-16B
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/19/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/19/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/19/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/19/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/19/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/19/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/19/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
Chloroform	0.47 "J"	ug/l	0.26	0.82	1	8260B		5/19/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/19/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/19/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/19/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/19/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/19/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/19/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/19/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/19/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/19/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/19/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/19/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/19/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/19/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/19/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/19/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/19/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/19/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/19/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/19/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/19/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/19/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/19/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/19/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/19/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/19/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/19/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/19/2019	CJR	1
Tetrachloroethene	56	ug/l	0.38	1.21	1	8260B		5/19/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/19/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185J
Sample ID 6492 PZ-16B
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/19/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/19/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/19/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/19/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/19/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/19/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/19/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/19/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/19/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/19/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/19/2019	CJR	1
SUR - Dibromofluoromethane	120	REC %			1	8260B		5/19/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/19/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/19/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185K
Sample ID 6492 MW-10
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185K
Sample ID 6492 MW-10
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	121	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185L
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	63	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185L
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	5.5	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185M
Sample ID 6492 MW-11
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	0.48 "J"	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185M
Sample ID 6492 MW-11
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	130	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185N
Sample ID 6492 PZ-19A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	0.82 "J"	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185N
Sample ID 6492 PZ-19A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	121	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	114	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 50361850
Sample ID 6492 PZ-23A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	0.71 "J"	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	0.65 "J"	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	126	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 50361850
Sample ID 6492 PZ-23A
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	2.55	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185P
 Sample ID 6492 PZ-23B
 Sample Matrix Water
 Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	3.7	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185P
Sample ID 6492 PZ-23B
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185Q
Sample ID 6492 CCC-MW-2
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	11.9	ug/l	0.38	1.21	1	8260B		5/20/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185Q
Sample ID 6492 CCC-MW-2
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	126	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185R
Sample ID 6492 CCC-MW-1200
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/20/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/20/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/20/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/20/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/20/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/20/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/20/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/20/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/20/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/20/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/20/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/20/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/20/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/20/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/20/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/20/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/20/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/20/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/20/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/20/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/20/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/20/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/20/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/20/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/20/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/20/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/20/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/20/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/20/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/20/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/20/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/20/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/20/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/20/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/20/2019	CJR	1
Tetrachloroethene	1110	ug/l	7.6	24.2	20	8260B		5/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/20/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185R
Sample ID 6492 CCC-MW-1200
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/20/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/20/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/20/2019	CJR	1
Trichloroethene (TCE)	0.96	ug/l	0.3	0.94	1	8260B		5/20/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/20/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/20/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/20/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/20/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/20/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/20/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/20/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/20/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		5/20/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		5/20/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185S
Sample ID 6492 CCC-PZ-100
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	2.57	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185S
Sample ID 6492 CCC-PZ-100
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185T
Sample ID 6492 CCC-PZ-1100
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/22/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/22/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/22/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/22/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/22/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/22/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/22/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/22/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/22/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/22/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/22/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/22/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/22/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/22/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/22/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/22/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/22/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/22/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/22/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/22/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/22/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/22/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/22/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/22/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/22/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/22/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/22/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/22/2019	CJR	1
Tetrachloroethene	890	ug/l	3.8	12.1	10	8260B		5/22/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/22/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185T
Sample ID 6492 CCC-PZ-1100
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/22/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/22/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/22/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/22/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/22/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/22/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		5/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			10	8260B		5/22/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		5/22/2019	CJR	1
SUR - Toluene-d8	99	REC %			10	8260B		5/22/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185U
Sample ID 6492 DUP-3
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/22/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/22/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/22/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/22/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/22/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/22/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/22/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/22/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/22/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/22/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/22/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/22/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/22/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/22/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/22/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/22/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/22/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/22/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/22/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/22/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/22/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/22/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/22/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/22/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/22/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/22/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/22/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/22/2019	CJR	1
Tetrachloroethene	71	ug/l	3.8	12.1	10	8260B		5/22/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/22/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185U
Sample ID 6492 DUP-3
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/22/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/22/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/22/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/22/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/22/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/22/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/22/2019	CJR	1
SUR - Toluene-d8	98	REC %				10	8260B	5/22/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %				10	8260B	5/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %				10	8260B	5/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %				10	8260B	5/22/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185V
 Sample ID 6492 DUP-6
 Sample Matrix Water
 Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		5/22/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		5/22/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		5/22/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		5/22/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		5/22/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		5/22/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		5/22/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		5/22/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		5/22/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		5/22/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		5/22/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		5/22/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		5/22/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		5/22/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		5/22/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		5/22/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		5/22/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		5/22/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		5/22/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		5/22/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		5/22/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		5/22/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		5/22/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		5/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		5/22/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		5/22/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		5/22/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		5/22/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		5/22/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		5/22/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		5/22/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		5/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		5/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		5/22/2019	CJR	1
Tetrachloroethene	49	ug/l	3.8	12.1	10	8260B		5/22/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		5/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		5/22/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185V
Sample ID 6492 DUP-6
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		5/22/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		5/22/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		5/22/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		5/22/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		5/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		5/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		5/22/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/22/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		5/22/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		5/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		5/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			10	8260B		5/22/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		5/22/2019	CJR	1
SUR - Toluene-d8	100	REC %			10	8260B		5/22/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185W
Sample ID 6492 EB-3
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185W
Sample ID 6492 EB-3
Sample Matrix Water
Sample Date 5/15/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185X
Sample ID 6492 EB-6
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185X
Sample ID 6492 EB-6
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185Y
Sample ID TRIP BLANK
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/21/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/21/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/21/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/21/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/21/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/21/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/21/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/21/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/21/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/21/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/21/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/21/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/21/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/21/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/21/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/21/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/21/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/21/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/21/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/21/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/21/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/21/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/21/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/21/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/21/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/21/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/21/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/21/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/21/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/21/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/21/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/21/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/21/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/21/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/21/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/21/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/21/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/21/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36185

Lab Code 5036185Y
Sample ID TRIP BLANK
Sample Matrix Water
Sample Date 5/14/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/21/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/21/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/21/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/21/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/21/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/21/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/21/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/21/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/21/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/21/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/21/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		5/21/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/21/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		5/21/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Chain # **No 3379**
 Page 2 of 3

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab ID # _____
 Account No.: _____
 Quote No.: _____

Project #: 6492-
 Sampler: (signature) [Signature]

Project (Name / Location): Burger Cleaners / Bamboo, WI
 Reports To: K. Hunsford / R. Hunsford

Company: EnviroForensics
 Address: 116 W 253rd St. Suite B, Suite
 City State Zip: Waukesha, WI 53188

Phone: 261-590-9811
 FAX: _____

Invoice To: _____
 Company: _____
 Address: _____
 City State Zip: _____

Phone: _____
 FAX: _____

Lab ID.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	Other Analysis
---------	-------------	-----------------	------	------	------	--------------	-------------------	-----------------------	--------------	----------------------	----------------------	------	-----------------	--------------	----------------	-----	-----------------	--------------------	---------	------------------------	--------------------	----------------	---------------	----------------

<u>5036185t</u>	<u>6492-P2-18A</u>	<u>5/14/19</u>	<u>1505</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GC</u>	<u>ACL</u>																
	<u>L</u>	<u>6492-P2-18A</u>	<u>5/14/19</u>	<u>1420</u>		<u>X</u>	<u>3</u>																		
	<u>W</u>	<u>6492-P2-18A</u>	<u>5/15/19</u>	<u>950</u>		<u>X</u>	<u>3</u>																		
	<u>N</u>	<u>6492-P2-19A</u>	<u>5/15/19</u>	<u>850</u>		<u>X</u>	<u>3</u>																		
	<u>O</u>	<u>6492-P2-23A</u>	<u>5/15/19</u>	<u>1115</u>		<u>X</u>	<u>3</u>																		
	<u>P</u>	<u>6492-P2-23B</u>	<u>5/15/19</u>	<u>1040</u>		<u>X</u>	<u>3</u>																		
	<u>Q</u>	<u>6492-P2-110-2</u>	<u>5/14/19</u>	<u>1020</u>		<u>X</u>	<u>3</u>																		
	<u>R</u>	<u>6492-P2-110-100</u>	<u>5/14/19</u>	<u>800</u>		<u>X</u>	<u>3</u>																		
	<u>S</u>	<u>6492-P2-100</u>	<u>5/14/19</u>	<u>935</u>		<u>X</u>	<u>3</u>																		
	<u>T</u>	<u>6492-P2-1100</u>	<u>5/14/19</u>	<u>850</u>		<u>X</u>	<u>3</u>																		

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019.0397

Sample Integrity - To be completed by receiving lab.

Method of Shipment: GC
 Temp. of Temp. Blank: _____ °C On Ice: X
 Cooler seal intact upon receipt: X Yes _____ No

Relinquished By: (sign) <u>[Signature]</u>	Time	Date	Received By: (sign) <u>[Signature]</u>	Time	Date
	<u>1618</u>	<u>5/15/19</u>	<u>Carol Cross</u>		
Received in Laboratory By: <u>[Signature]</u>	Time: <u>6:00</u>	Date: <u>5/16/19</u>			

