



June 5, 2019

Kelly Frawley
Wisconsin Historical Society
816 State Street
Madison, WI 53706

Subject: Groundwater Results – Circus World
BRRTS: 02-57-548538

Dear Mr. Frawley:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from your property located at 550 Water Street in Baraboo, Wisconsin. The groundwater samples were collected May 7, 2019. The sampling activities are part of an environmental investigation being performed for the Badger Cleaners facility located at 616 Oak Street in Baraboo at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Badger Cleaners
616 Oak Street
Baraboo, WI

Sampling Results

Six groundwater samples were collected from the monitoring wells located on the Circus World property. The monitoring well locations are depicted on the attached **Figure 1**. A copy of the laboratory report that relates to the groundwater samples is also attached.

The chemicals of concern were not detected in any of the samples collected; however, toluene was detected in two samples but at concentration below screening levels and appears to originate from other sources unrelated to our investigation.

We will continue to collect groundwater samples from the monitoring wells quarterly. The next sampling event is anticipated for August 2019. If you have any questions or concerns, please contact us at 262-510-0612 or by email at rhoerman@enviroforensics.com. The WDNR project manager, Trevor Bannister, can be reached at 608-275-3490. We greatly appreciate your help and patience with this matter.

Document: 6492-1303
N16 W23390 Stone Ridge Drive, Suite G
Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317.972.7875

June 5, 2019




Sincerely,
EnviroForensics, LLC

Rob Hoverman, PG
Senior Project Manager



Attachments:

Figure 1 – Sample Location Map
Laboratory Analytical Report

Copy: Scott O'Donnell, Circus World
Trevor Bannister, Wisconsin Department of Natural Resources




Legend

- MW-12/PZ-20A  Well Location
-  Circus world property boundary

SAMPLE LOCATION MAP

Badger Cleaners
 616 Oak Street
 Baraboo, Wisconsin



Date:	11/2/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1025

ENVIROforensics

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	1
Project	6492

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167CC
Sample ID 6492 MW-12
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167CC
Sample ID 6492 MW-12
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	119	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	128	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167DD
Sample ID 6492 PZ-20A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	0.77	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167DD
Sample ID 6492 PZ-20A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167EE
Sample ID 6492 PZ-21A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/15/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/15/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/15/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/15/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/15/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/15/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/15/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/15/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/15/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/15/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/15/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/15/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/15/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/15/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/15/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/15/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/15/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/15/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/15/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/15/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/15/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/15/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/15/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/15/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/15/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/15/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/15/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/15/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/15/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/15/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/15/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/15/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/15/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/15/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/15/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/15/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/15/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167EE
Sample ID 6492 PZ-21A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/15/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/15/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/15/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/15/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/15/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/15/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/15/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/15/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/15/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/15/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/15/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/15/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/15/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		5/15/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167FF
Sample ID 6492 PZ-21B
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167FF
Sample ID 6492 PZ-21B
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	126	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167GG
Sample ID 6492 PZ-22A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	0.90	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167GG
Sample ID 6492 PZ-22A
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167HH
Sample ID 6492 MW-13
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		5/16/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		5/16/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		5/16/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		5/16/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		5/16/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		5/16/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		5/16/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		5/16/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		5/16/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		5/16/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		5/16/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		5/16/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		5/16/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		5/16/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		5/16/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		5/16/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		5/16/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		5/16/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		5/16/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		5/16/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		5/16/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		5/16/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		5/16/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		5/16/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		5/16/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		5/16/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		5/16/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		5/16/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		5/16/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/16/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		5/16/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		5/16/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		5/16/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		5/16/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		5/16/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		5/16/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		5/16/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		5/16/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0397

Invoice # E36167

Lab Code 536167HH
Sample ID 6492 MW-13
Sample Matrix Water
Sample Date 5/7/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		5/16/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		5/16/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		5/16/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		5/16/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		5/16/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		5/16/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		5/16/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/16/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		5/16/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		5/16/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/16/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/16/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		5/16/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		5/16/2019	CJR	1

CHAIN OF CUSTODY RECORD



Chain # **N^o 303**
Page 3 of 6

Lab I.D. # _____
Account No. : _____
Project #: 6492
Sampler: (signature) [Signature]

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): Badger Cleaners / Baraboo, WI

Analysis Requested

Other Analysis

Reports To: R. Horvath / K. Heinsteck/Wald
Company: Environforensics
Address: 116 W 23390 Stone Ridge Dr.
City State Zip: Waukesha, WI 53888
Phone: 612-616-7450
FAX: _____

<input type="checkbox"/>	DRO (Mod DRO Sep 95)	
<input type="checkbox"/>	GRO (Mod GRO Sep 95)	
<input type="checkbox"/>	LEAD	
<input type="checkbox"/>	NITRATE/NITRITE	
<input type="checkbox"/>	OIL & GREASE	
<input type="checkbox"/>	PAH (EPA 8270)	
<input type="checkbox"/>	PCB	
<input type="checkbox"/>	PVOC (EPA 8021)	
<input type="checkbox"/>	PVOC + NAPHTHALENE	
<input type="checkbox"/>	SULFATE	
<input type="checkbox"/>	TOTAL SUSPENDED SOLIDS	
<input type="checkbox"/>	VOC DW (EPA 542.2)	
<input checked="" type="checkbox"/>	VOC (EPA 8260)	
<input type="checkbox"/>	8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
		Date	Time							
S03H6FT	6492-P2-128	5-9	1113		X	N	3	GW	HCL	
	6492-MW-6	5-7	925							
	6492-P2-134	5-8	1020							
	6492-P2-138	5-8	1103							
	6492-P2-144	5-8	1247							
	6492-P2-148	5-8	1327							
	6492-P2-154	5-8	827							
	6492-P2-158	5-8	902							
	6492-MW-5	5-7	830							
	6492-MW-12	5-7	1317							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Clean
Temp. of Temp. Blank: _____ °C On Ice: 0
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
<u>[Signature]</u>		5-10-19	<u>[Signature]</u>		5-13-19
<u>[Signature]</u>		5-13-19	<u>[Signature]</u>		5-13-19

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **N^o 302**
Page 4 of 6

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____

Account No.: _____ Quote No.: _____

Project #: 6492

Sampler: (signature) R. S. Smith

Project (Name / Location): Budger Cleaners / Baraboo, WI

Reports To: R. Horvath / K. Heinstend / W.D.A. Invoice To: _____

Company: Enviroforensics Company: _____

Address: W16 W23390 Stone Ridge Dr. Address: _____

City/State/Zip: Washburn, WI 57188 City/State/Zip: _____

Phone: 612-616-7450 Phone: _____

FAX: _____ FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>S36167DD</u>	<u>6492-P2-204</u>	<u>5-7</u>	<u>1353</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>															
<u>EC</u>	<u>6492-P2-214</u>	<u>5-7</u>	<u>1442</u>																					
<u>FF</u>	<u>6492-P2-218</u>	<u>5-7</u>	<u>1315</u>																					
<u>LB</u>	<u>6492-P2-224</u>	<u>5-7</u>	<u>1650</u>																					
<u>HH</u>	<u>6492-AW-13</u>	<u>5-7</u>	<u>1617</u>																					
<u>FI</u>	<u>6492-DCC-AW-7</u>	<u>5-9</u>	<u>1410</u>																					
<u>JI</u>	<u>6492-DCC-AW-8</u>	<u>5-9</u>	<u>1535</u>																					
<u>KR</u>	<u>6492-DCC-P2-8</u>	<u>5-9</u>	<u>1450</u>																					
<u>LL</u>	<u>6492-P2-6A</u>	<u>5-10</u>	<u>1031</u>																					
<u>MM</u>	<u>6492-P2-6B</u>	<u>5-10</u>	<u>1110</u>																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0397

Sample Integrity - To be completed by receiving lab.

Method of Shipment: click

Temp. of Temp. Blank 0 °C On Ice 0

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time _____ Date _____ Received By: (sign) _____ Time _____ Date _____

R. S. Smith 5-10-19 Leah Cross Connor 5-10-19

Received in Laboratory By: _____ Time: 10:40 AM Date: 5-13-19