



October 16, 2019

Tom Pinion  
City of Baraboo  
101 South Blvd.  
Baraboo, WI 53913

**Subject: Groundwater Results**  
**BRRTS: 02-57-548538**

Dear Mr. Pinion:

In accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC. (EnviroForensics) is providing the results of environmental samples collected from within the City of Baraboo right-of-way. The groundwater samples were collected during September of 2019. The sampling activities are part of an environmental investigation being performed for the Badger Cleaners located at 616 Oak Street in Baraboo at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Badger Cleaners  
616 Oak Street  
Baraboo, WI

### **Sampling Results**

Fifty-four groundwater samples were collected from monitoring wells located within the City right-of-way. The monitoring well locations are depicted on the attached **Figure 1A** and **Figure 1B**. The results of the groundwater samples are summarized and compared to WDNR standards on the attached **Table 1**. Copies of the laboratory reports that relate to the groundwater samples are also attached.

PCE and trichloroethene were detected in groundwater at multiple locations at concentrations above their respective enforcement standard (ES) screening level of 5 micrograms per liter ( $\mu\text{g/L}$ ) and preventive action limit (PAL) screening level of 0.5  $\mu\text{g/L}$ . Cis-1,2-Dichloroethene was detected in groundwater at one location at a concentration above its respective ES screening level of 70  $\mu\text{g/L}$ . As can be seen on the laboratory reports, multiple other compounds were detected above their respective screening levels; however, these appear to originate from other sources.

*Document: 6492-1442*  
N16 W23390 Stone Ridge Drive, Suite G  
Waukesha, WI 53188  
Phone: 262-290-4001 • Fax 317.972.7875

*October 16, 2019*



We will continue to collect groundwater samples from the monitoring wells quarterly. The next sampling event is anticipated for November and December 2019. If you have any questions or concerns, please contact us at 262-510-0612 or by email at [rhoverman@enviroforensics.com](mailto:rhoverman@enviroforensics.com). The WDNR project manager, Trevor Bannister, can be reached at 608-275-3490. We greatly appreciate your help and patience with this matter.

Sincerely,  
**EnviroForensics, LLC**

Rob Hoverman, PG  
*Senior Project Manager*

Attachments:

Table 1 – Monitoring Well Analytical Results  
Figure 1A – Site Plan  
Figure 1B – Site Plan  
Laboratory Analytical Report

Copy: Trevor Bannister, Wisconsin Department of Natural Resources

**TABLE 1**  
**MONITORING WELL ANALYTICAL RESULTS**

Badger Cleaners  
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
<b>Enforcement Standard</b>		<b>5</b>	<b>5</b>	<b>70</b>	<b>100</b>	<b>0.2</b>
<b>Preventative Action Limit</b>		<b>0.5</b>	<b>0.5</b>	<b>7</b>	<b>20</b>	<b>0.02</b>
MW4	08/27/13	9.4	<0.33	<0.38	<0.35	<0.18
	12/03/13	9.5	<0.33	<0.38	<0.35	<0.18
	02/21/19	8.9	<0.3	<0.37	<0.34	<0.2
	05/09/19	3.8	<0.3	<0.37	<0.34	<0.2
	09/18/19	4.5	<0.3	<0.37	<0.34	<0.2
PZ2	08/27/13	5.7	<0.33	<0.38	<0.35	<0.18
	12/03/13	2.51	<0.33	<0.38	<0.35	<0.18
	02/19/19	1.69	<0.3	<0.37	<0.34	<0.2
	05/09/19	3.2	0.83 J	<0.37	<0.34	<0.2
	09/18/19	0.76 J	<0.3	<0.37	<0.34	<0.2
PZ1	08/27/13	49	3.45	<0.38	<0.35	<0.18
	12/03/13	153	0.96 J	0.58 J	<0.35	<0.18
	02/19/19	26.8	0.47 J	<0.37	<0.34	<0.2
	05/09/19	22.5	0.42 J	<0.37	<0.34	<0.2
	09/18/19	16.1	0.42 J	<0.37	<0.34	<0.2
MW-9	03/01/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/25/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-3A	02/28/19	22.4	0.70 J	<0.37	<0.34	<0.2
	05/15/19	84	1.68	<0.37	<0.34	<0.2
	09/25/19	64	1.54	<0.37	<0.34	<0.2
PZ-3B	02/28/19	27.2	<0.3	<0.37	<0.34	<0.2
	05/15/19	74	<0.3	<0.37	<0.34	<0.2
	09/25/19	34	<0.3	<0.37	<0.34	<0.2
PZ-4A	02/28/19	1.05 J	<0.3	<0.37	<0.34	<0.2
	05/14/19	2.08	<0.3	<0.37	<0.34	<0.2
	09/27/19	1.4	<0.3	<0.37	<0.34	<0.2
PZ-4B	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/14/19	0.47 J	<0.3	<0.37	<0.34	<0.2
	09/27/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-5A	02/28/19	11.9	<0.3	<0.37	<0.34	<0.2
	05/15/19	0.71 J	<0.3	<0.37	<0.34	<0.2
	09/25/19	42	<0.3	<0.37	<0.34	<0.2
PZ-5B	02/28/19	1.03 J	<0.3	<0.37	<0.34	<0.2
	05/15/19	6.3	<0.3	<0.37	<0.34	<0.2
	09/25/19	4.2	<0.3	<0.37	<0.34	<0.2
PZ-6A	02/27/19	0.50 J	<0.3	<0.37	<0.34	<0.2
	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	0.51 J	<0.3	<0.37	<0.34	<0.2
PZ-6B	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-7A	02/27/19	13.9	2.67	<0.37	<0.34	<0.2
	05/09/19	38	9.0	<0.37	<0.34	<0.2
	09/25/19	10.6	1.03	<0.37	<0.34	<0.2
PZ-7B	02/27/19	12.4	3.9	<0.37	<0.34	<0.2
	05/09/19	89	35	<0.37	<0.34	<0.2
	09/25/19	86	27.9	<0.37	<0.34	<0.2
PZ-7C	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/25/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-8A	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/27/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-8B	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/27/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-9A	02/22/19	0.45 J	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-9B	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-10A	02/21/19	0.70 J	<0.3	<0.37	<0.34	<0.2
	05/08/19	0.96 J	<0.3	<0.37	<0.34	<0.2
	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-10B	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/08/19	0.60 J	<0.3	<0.37	<0.34	<0.2
	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-11A	02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-11B	02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-7	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2

**TABLE 1**  
**MONITORING WELL ANALYTICAL RESULTS**

Badger Cleaners  
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
<b>Enforcement Standard</b>		<b>5</b>	<b>5</b>	<b>70</b>	<b>100</b>	<b>0.2</b>
<b>Preventative Action Limit</b>		<b>0.5</b>	<b>0.5</b>	<b>7</b>	<b>20</b>	<b>0.02</b>
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-12A	02/27/19	<b>0.77 J</b>	<0.3	<0.37	<0.34	<0.2
	05/09/19	<b>3.2</b>	<0.3	<0.37	<0.34	<0.2
	09/24/19	<b>13.8</b>	<0.3	<0.37	<0.34	<0.2
PZ-12B	02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<b>1.35</b>	<0.3	<0.37	<0.34	<0.2
	09/24/19	<b>0.74 J</b>	<0.3	<0.37	<0.34	<0.2
MW-6	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-13A	02/20/19	<b>15</b>	<0.3	<0.37	<0.34	<0.2
	05/08/19	<b>38</b>	<b>0.49 J</b>	<0.37	<0.34	<0.2
	09/24/19	<b>30.6</b>	<b>0.33 J</b>	<0.37	<0.34	<0.2
PZ-13B	02/20/19	<b>4.5</b>	<0.3	<0.37	<0.34	<0.2
	05/08/19	<b>3.5</b>	<0.3	<0.37	<0.34	<0.2
	09/24/19	<b>41</b>	<b>0.36 J</b>	<0.37	<0.34	<0.2
PZ-14A	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-14B	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
MW-5	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-15A	02/20/19	<b>0.54 J</b>	<0.3	<0.37	<0.34	<0.2
	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-15B	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2
PZ-16A	03/01/19	<b>2.8</b>	<0.3	<0.37	<0.34	<0.2
	05/14/19	<b>18</b>	<0.3	<0.37	<0.34	<0.2
	09/26/19	<b>31.3</b>	<b>0.3 J</b>	<0.37	<0.34	<0.2
PZ-16B	03/01/19	<b>0.39 J</b>	<0.3	<0.37	<0.34	<0.2
	05/14/19	<b>56</b>	<0.3	<0.37	<0.34	<0.2
	09/26/19	<b>4.6</b>	<0.3	<0.37	<0.34	<0.2
MW-8	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/10/19	<b>7.4</b>	<b>1.09</b>	<0.37	<0.34	<0.2
	09/26/19	<b>0.55 J</b>	<0.3	<0.37	<0.34	<0.2
PZ-17A	02/28/19	<b>27.5</b>	<0.3	<0.37	<0.34	<0.2
	05/10/19	<b>178</b>	<b>1.48</b>	<0.37	<0.34	<0.2
	09/26/19	<b>289</b>	<b>1.9 J</b>	<1.85	<1.7	<1
MW-10	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/14/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/25/19	<b>0.69 J</b>	<0.3	<0.37	<0.34	<0.2
PZ-18A	02/28/19	<b>3.2</b>	<b>5.4</b>	<0.37	<0.34	<0.2
	05/14/19	<b>63</b>	<b>5.5</b>	<0.37	<0.34	<0.2
	09/25/19	<b>56</b>	<b>2.7</b>	<0.37	<0.34	<0.2
MW-11	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/15/19	<0.38	<0.3	<0.37	<0.34	<0.2
Not Sampled						
PZ-19A	03/01/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/15/19	<b>0.82 J</b>	<0.3	<0.37	<0.34	<0.2
Not Sampled						
DCC-MW-7	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2
	09/16/19	<0.38	<0.3	<0.37	<0.34	<0.2
DCC-MW-8	02/21/19	<b>25.6</b>	<0.3	<0.37	<0.34	<0.2
	05/09/19	<b>32</b>	<b>0.43 J</b>	<0.37	<0.34	<0.2
	09/18/19	<b>13</b>	<0.3	<0.37	<0.34	<0.2
DCC-PZ-8	02/21/19	<1.9	<1.5	<1.85	<1.7	<1
	05/09/19	<0.76	<0.6	<0.73	<0.68	<0.2
	09/18/19	<b>0.91 J</b>	<0.3	<0.37	<0.26	<0.2
CCC-MW2	08/18/09	<b>34</b>	<0.39	<0.68	<0.61	<0.2
	11/30/09	<b>38</b>	<0.39	<0.68	<0.61	<0.2
	06/30/10	<b>44</b>	<0.39	<0.78	<1.3	<0.19
	09/30/10	<b>34</b>	<0.39	<0.78	<1.3	<0.19
	12/23/10	<b>37</b>	<0.39	<0.78	<1.3	<0.19
	02/22/19	<b>2.37</b>	<0.3	<0.37	<0.34	<0.2
	05/14/19	<b>11.9</b>	<0.3	<0.37	<0.34	<0.2
CCC-MW6	09/17/19	<b>6.5</b>	<0.3	<0.37	<0.34	<0.2
	08/18/09	<b>91</b>	<0.39	<0.68	<0.61	<0.2
	11/30/09	<b>124</b>	<0.39	<0.68	<0.61	<0.2
	06/30/10	<b>115</b>	<0.39	<0.78	<1.3	<0.19
	09/30/10	<b>93</b>	<0.39	<0.78	<1.3	<0.19
	12/23/10	<b>103</b>	<3.9	<7.8	<13	<1.9

**TABLE 1**  
**MONITORING WELL ANALYTICAL RESULTS**

Badger Cleaners  
616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride
<b>Enforcement Standard</b>		<b>5</b>	<b>5</b>	<b>70</b>	<b>100</b>	<b>0.2</b>
<b>Preventative Action Limit</b>		<b>0.5</b>	<b>0.5</b>	<b>7</b>	<b>20</b>	<b>0.02</b>
	02/22/19	<b>85</b>	<0.3	<0.37	<0.34	<0.2
	05/10/19	<b>97</b>	<0.3	<0.37	<0.34	<0.2
	09/17/19	<b>87</b>	<0.3	<0.37	<0.34	<0.2
CCC-MW-8	08/18/09	<b>760</b>	<19.5	<34	<30.5	<10
	11/30/09	<b>970</b>	<3.9	<6.8	<6.1	<2
	09/30/10	<b>1,220</b>	<39	<78	<130	<19
	12/23/10	<b>1,120</b>	<19.5	<39	<65	<9.5
	02/22/19	<b>300</b>	<1.5	<1.85	<1.7	<1
	05/10/19	<b>510</b>	<1.5	<1.85	<1.7	<1
	09/17/19	<b>238</b>	<b>1.75 J</b>	<1.85	<1.7	<1
CCC-MW10	11/30/09	<0.42	<0.39	<0.68	<0.61	<0.2
	12/23/10	<0.43	<0.39	<0.78	<1.3	<0.19
	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2
	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
CCC-MW1200	06/30/10	<b>4,300</b>	<19.5	<39	<65	<9.5
	09/01/10	<b>4,000</b>	<19.5	<39	<65	<9.5
	12/23/10	<b>2,780</b>	<19.5	<39	<65	<9.5
	03/01/19	<b>680</b>	<b>0.78 J</b>	<0.37	<0.34	<0.2
	05/14/19	<b>1,110</b>	<b>0.96</b>	<0.37	<0.34	<0.2
	09/16/19	<b>750</b>	<3	<3.7	<3.4	<2
CCC-PZ8	08/18/09	<b>9,800</b>	<b>153</b>	<68	<61	<20
	11/30/09	<b>11,100</b>	<b>197</b>	<68	<61	<20
	06/30/10	<b>1,780</b>	<b>46 J</b>	<78	<130	<19
	09/30/10	<b>9,600</b>	<b>108</b>	<39	<65	<9.5
	12/23/10	<b>9,300</b>	<b>89</b>	<39	<65	<9.5
	02/22/19	<b>6,200</b>	<b>117</b>	<b>68</b>	<17	<10
	05/10/19	<b>3,800</b>	<b>274</b>	<b>256</b>	<17	<10
	09/17/19	<b>8,500</b>	<b>61</b>	<b>96</b>	<17	<10
CCC-PZ-10	06/22/10	<b>2.2</b>	<0.39	<0.78	<1.3	<0.19
	09/30/10	<0.43	<0.39	<0.78	<1.3	<0.19
	12/23/10	<0.43	<0.39	<0.78	<1.3	<0.19
	02/22/19	Not sampled				
	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2
CCC-PZ100	08/18/09	<b>15.8</b>	<0.39	<0.68	<0.61	<0.2
	11/30/09	<b>14.4</b>	<0.39	<0.68	<0.61	<0.2
	06/30/10	<b>12.2</b>	<0.39	<0.78	<1.3	<0.19
	09/30/10	<b>11.0</b>	<0.39	<0.78	<1.3	<0.19
	12/23/10	<b>11.9</b>	<0.39	<0.78	<1.3	<0.19
	02/22/19	<b>3.6</b>	<0.3	<0.37	<0.34	<0.2
	05/14/19	<b>2.57</b>	<0.3	<0.37	<0.34	<0.2
	09/17/19	<b>2.93</b>	<0.3	<0.37	<0.34	<0.2
CCC-PZ1100	06/30/10	<b>2,050</b>	<19.5	<39	<65	<9.5
	09/30/10	<b>4,100</b>	<19.5	<39	<65	<9.5
	12/23/10	<b>4,300</b>	<19.5	<39	<65	<9.5
	03/01/19	<b>9,300</b>	<b>1.3</b>	<0.37	<0.34	<0.2
	05/14/19	<b>890</b>	<3	<3.7	<3.4	<2
09/16/19	<b>1,540</b>	<4	<3.7	<3.4	<3	

**Notes:**

µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260


**Bolded** values are above detection limits

**Bolded** and orange shaded values are above Public Health Enforcement Standards

**Bolded** and blue shaded values are above Public Health Preventive Action Limits


Samples/constituents not shown are below laboratory reporting limits

J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit



**Legend**

- MW1 Monitoring well (By Others)
- PZ1 Piezometer well (By Others)
- Soil boring
- PZ-4 Soil boring and Piezometer




<b>SITE PLAN</b>	
Badger Cleaners 616 Oak Street Baraboo, Wisconsin	
	Figure <b>1A</b>
	Project
	6492

Date:	11/13/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1033


  

825 North Capitol Avenue • Indianapolis, IN 46204  
EnviroForensics.com



**Legend**

- MW1 Monitoring well (By Others)
- PZ1 Piezometer well (By Others)
- Soil boring
- PZ-4 Soil boring and Piezometer



Date:	11/13/18
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1033

<b>SITE PLAN</b>	
Badger Cleaners 616 Oak Street Baraboo, Wisconsin	
	Figure <b>1B</b>
825 North Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com	Project 6492

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829D  
**Sample ID** 6492-MW-4  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	4.5	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829D  
**Sample ID** 6492-MW-4  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS  
 Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829E  
 Sample ID 6492-PZ-1  
 Sample Matrix Water  
 Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	0.27 "J"	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	16.1	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829E  
**Sample ID** 6492-PZ-1  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	0.42 "J"	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829F  
**Sample ID** 6492-PZ-2  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	0.76 "J"	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	0.65	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829F  
**Sample ID** 6492-PZ-2  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829G  
**Sample ID** 6492-CCC-MW-2  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	6.5	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829G  
**Sample ID** 6492-CCC-MW-2  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829H  
**Sample ID** 6492-CCC-MW-6  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	87	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829H  
**Sample ID** 6492-CCC-MW-6  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829I  
**Sample ID** 6492-CCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		9/25/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		9/25/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		9/25/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		9/25/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		9/25/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		9/25/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		9/25/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		9/25/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		9/25/2019	CJR	1
Tetrachloroethene	238	ug/l	1.9	6.05	5	8260B		9/25/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829I  
**Sample ID** 6492-CCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	1.75 "J"	ug/l	1.5	4.7	5	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		9/25/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		9/25/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			5	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			5	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			5	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			5	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829J  
**Sample ID** 6492-CCC-MW-1200  
**Sample Matrix** Water  
**Sample Date** 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		9/25/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		9/25/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		9/25/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		9/25/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		9/25/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		9/25/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		9/25/2019	CJR	1
Tetrachloroethene	750	ug/l	3.8	12.1	10	8260B		9/25/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829J  
**Sample ID** 6492-CCC-MW-1200  
**Sample Matrix** Water  
**Sample Date** 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/25/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		9/25/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			10	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			10	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	99	REC %			10	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829K  
**Sample ID** 6492-CCC-PZ-10  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829K  
**Sample ID** 6492-CCC-PZ-10  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829L  
**Sample ID** 6492-CCC-PZ-100  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	2.93	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829L  
**Sample ID** 6492-CCC-PZ-100  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829M  
**Sample ID** 6492-CCC-PZ-1100  
**Sample Matrix** Water  
**Sample Date** 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		9/25/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		9/25/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		9/25/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		9/25/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		9/25/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		9/25/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		9/25/2019	CJR	1
Tetrachloroethene	1540	ug/l	3.8	12.1	10	8260B		9/25/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829M  
**Sample ID** 6492-CCC-PZ-1100  
**Sample Matrix** Water  
**Sample Date** 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/25/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		9/25/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			10	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			10	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829N  
**Sample ID** 6492-CCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 11	ug/l	11	35.5	50	8260B		9/25/2019	CJR	1
Bromobenzene	< 22	ug/l	22	69	50	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	53	50	8260B		9/25/2019	CJR	1
Bromoform	< 22.5	ug/l	22.5	72	50	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 12.5	ug/l	12.5	40	50	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 39.5	ug/l	39.5	126.5	50	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	112.5	50	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		9/25/2019	CJR	1
Chlorobenzene	< 13	ug/l	13	41.5	50	8260B		9/25/2019	CJR	1
Chloroethane	< 30.5	ug/l	30.5	97.5	50	8260B		9/25/2019	CJR	1
Chloroform	< 13	ug/l	13	41	50	8260B		9/25/2019	CJR	1
Chloromethane	< 27	ug/l	27	86	50	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 15.5	ug/l	15.5	49	50	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 13	ug/l	13	41.5	50	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	471.5	50	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 11	ug/l	11	34.5	50	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 35	ug/l	35	111	50	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 42.5	ug/l	42.5	135	50	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 43	ug/l	43	137	50	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 16	ug/l	16	51	50	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 12.5	ug/l	12.5	39	50	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 18	ug/l	18	57	50	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 21	ug/l	21	67	50	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	96	ug/l	18.5	58	50	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 17	ug/l	17	53.5	50	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 22	ug/l	22	69.5	50	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 15	ug/l	15	47	50	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 16	ug/l	16	50.5	50	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 13	ug/l	13	40.5	50	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 10.5	ug/l	10.5	33	50	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 17	ug/l	17	54.5	50	8260B		9/25/2019	CJR	1
Ethylbenzene	< 13	ug/l	13	41.5	50	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 67	ug/l	67	214	50	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 39	ug/l	39	123.5	50	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 12	ug/l	12	38	50	8260B		9/25/2019	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44.5	50	8260B		9/25/2019	CJR	1
Naphthalene	< 105	ug/l	105	332.5	50	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 30.5	ug/l	30.5	97.5	50	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48.5	50	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 17.5	ug/l	17.5	56.5	50	8260B		9/25/2019	CJR	1
Tetrachloroethene	8500	ug/l	19	60.5	50	8260B		9/25/2019	CJR	1
Toluene	< 9.5	ug/l	9.5	30	50	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 57.5	ug/l	57.5	183.5	50	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829N  
**Sample ID** 6492-CCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 85.5	ug/l	85.5	271.5	50	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	52.5	50	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	66	50	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	61	ug/l	15	47	50	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 17.5	ug/l	17.5	55	50	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	127.5	50	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 31.5	ug/l	31.5	100	50	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		9/25/2019	CJR	1
m&p-Xylene	< 21.5	ug/l	21.5	69	50	8260B		9/25/2019	CJR	1
o-Xylene	< 14.5	ug/l	14.5	46.5	50	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			50	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			50	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			50	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			50	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 50368290  
**Sample ID** 6492-CCC-MW-10  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 50368290  
**Sample ID** 6492-CCC-MW-10  
**Sample Matrix** Water  
**Sample Date** 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/24/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829P  
**Sample ID** 6492-DCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/25/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/25/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/25/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/25/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/25/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/25/2019	CJR	1
Tetrachloroethene	13	ug/l	0.38	1.21	1	8260B		9/25/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/25/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829P  
**Sample ID** 6492-DCC-MW-8  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/25/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/25/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829Q  
**Sample ID** 6492-DCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.35 "J"	ug/l	0.22	0.71	1	8260B		9/25/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/25/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/25/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	16.9	ug/l	0.25	0.78	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/25/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/25/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	340	ug/l	2.8	8.9	10	8260B		9/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/25/2019	CJR	1
Tetrachloroethene	0.91 "J"	ug/l	0.38	1.21	1	8260B		9/25/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829Q  
**Sample ID** 6492-DCC-PZ-8  
**Sample Matrix** Water  
**Sample Date** 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/25/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/25/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829R  
**Sample ID** 6492-DCC-MW-7  
**Sample Matrix** Water  
**Sample Date** 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/25/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/25/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
Chloroform	0.32 "J"	ug/l	0.26	0.82	1	8260B		9/25/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/25/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/25/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/25/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/25/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36829

**Lab Code** 5036829R  
**Sample ID** 6492-DCC-MW-7  
**Sample Matrix** Water  
**Sample Date** 9/16/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/25/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/25/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		9/25/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877G  
**Sample ID** 6492 MW-5  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877G  
**Sample ID** 6492 MW-5  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	122	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	124	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877H  
**Sample ID** 6492 PZ-15A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877H  
**Sample ID** 6492 PZ-15A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877I  
**Sample ID** 6492 PZ-15B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877I  
**Sample ID** 6492 PZ-15B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877J  
**Sample ID** 6492 PZ-13A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	30.6	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877J  
**Sample ID** 6492 PZ-13A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	0.33 "J"	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877K  
**Sample ID** 6492 PZ-13B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	41	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877K  
**Sample ID** 6492 PZ-13B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	0.36 "J"	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		10/1/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877L  
**Sample ID** 6492 MW-6  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877L  
**Sample ID** 6492 MW-6  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877M  
**Sample ID** 6492 PZ-14A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877M  
**Sample ID** 6492 PZ-14A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877N  
Sample ID 6492 PZ-14B  
Sample Matrix Water  
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877N  
**Sample ID** 6492 PZ-14B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 50368770  
**Sample ID** 6492 MW-7  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	0.2 "J"	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 50368770  
**Sample ID** 6492 MW-7  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877P  
**Sample ID** 6492 PZ-12A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	0.42 "J"	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	13.8	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877P  
**Sample ID** 6492 PZ-12A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877Q  
**Sample ID** 6492 PZ-12B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	0.74 "J"	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877Q  
**Sample ID** 6492 PZ-12B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877R  
**Sample ID** 6492 PZ-6A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	0.51 "J"	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877R  
**Sample ID** 6492 PZ-6A  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877S  
Sample ID 6492 PZ-6B  
Sample Matrix Water  
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877S  
**Sample ID** 6492 PZ-6B  
**Sample Matrix** Water  
**Sample Date** 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/2/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877T  
**Sample ID** 6492 PZ-3A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	0.42 "J"	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	64	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877T  
**Sample ID** 6492 PZ-3A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	1.54	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877U  
**Sample ID** 6492 PZ-3B  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	0.76 "J"	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	34	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877U  
**Sample ID** 6492 PZ-3B  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877V  
**Sample ID** 6492 MW-9  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	0.30 "J"	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877V  
**Sample ID** 6492 MW-9  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877W  
**Sample ID** 6492 PZ-7A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	10.6	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877W  
**Sample ID** 6492 PZ-7A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	1.03	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877X  
**Sample ID** 6492 PZ-7B  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	0.41 "J"	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.57 "J"	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	86	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877X  
**Sample ID** 6492 PZ-7B  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	27.9	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Y  
Sample ID 6492 PZ-7C  
Sample Matrix Water  
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877Y  
**Sample ID** 6492 PZ-7C  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877Z  
**Sample ID** 6492 PZ-5A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.60 "J"	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	42	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 5036877Z  
**Sample ID** 6492 PZ-5A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877AA  
**Sample ID** 6492 PZ-5B  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.32 "J"	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	4.2	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877AA  
**Sample ID** 6492 PZ-5B  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877BB  
**Sample ID** 6492 MW-10  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	0.69 "J"	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877BB  
**Sample ID** 6492 MW-10  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877CC  
**Sample ID** 6492 PZ-18A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	56	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877CC  
**Sample ID** 6492 PZ-18A  
**Sample Matrix** Water  
**Sample Date** 9/25/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	2.7	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877DD  
**Sample ID** 6492 PZ-11A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877DD  
**Sample ID** 6492 PZ-11A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877EE  
**Sample ID** 6492 PZ-11B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	0.48 "J"	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877EE  
**Sample ID** 6492 PZ-11B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877FF  
**Sample ID** 6492 PZ-10A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877FF  
**Sample ID** 6492 PZ-10A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877GG  
**Sample ID** 6492 PZ-10B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877GG  
**Sample ID** 6492 PZ-10B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877HH  
**Sample ID** 6492 PZ-9A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877HH  
**Sample ID** 6492 PZ-9A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877II  
**Sample ID** 6492 PZ-9B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877II  
**Sample ID** 6492 PZ-9B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877JJ  
**Sample ID** 6492 PZ-16A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.82	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	31.3	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877JJ  
**Sample ID** 6492 PZ-16A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	0.3 "J"	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877KK  
**Sample ID** 6492 PZ-16B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	0.26 "J"	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	4.6	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877KK  
**Sample ID** 6492 PZ-16B  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877LL  
**Sample ID** 6492 MW-8  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	0.55 "J"	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877LL  
**Sample ID** 6492 MW-8  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877MM  
**Sample ID** 6492 PZ-17A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		10/4/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		10/4/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		10/4/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		10/4/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		10/4/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		10/4/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		10/4/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		10/4/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		10/4/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		10/4/2019	CJR	1
Tetrachloroethene	289	ug/l	1.9	6.05	5	8260B		10/4/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877MM  
**Sample ID** 6492 PZ-17A  
**Sample Matrix** Water  
**Sample Date** 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	1.9 "J"	ug/l	1.5	4.7	5	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		10/4/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		10/4/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			5	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			5	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			5	8260B		10/4/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877PP  
**Sample ID** 6492 PZ-4A  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	1.4	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1



**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877PP  
**Sample ID** 6492 PZ-4A  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS  
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877QQ  
Sample ID 6492 PZ-4B  
Sample Matrix Water  
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877QQ  
**Sample ID** 6492 PZ-4B  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877RR  
**Sample ID** 6492 PZ-8A  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877RR  
**Sample ID** 6492 PZ-8A  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877SS  
**Sample ID** 6492 PZ-8B  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

**Project Name** BADGER CLEANERS  
**Project #** 6492 PO#2019-0885

**Invoice #** E36877

**Lab Code** 536877SS  
**Sample ID** 6492 PZ-8B  
**Sample Matrix** Water  
**Sample Date** 9/27/2019

	<b>Result</b>	<b>Unit</b>	<b>LOD</b>	<b>LOQ</b>	<b>Dil</b>	<b>Method</b>	<b>Ext Date</b>	<b>Run Date</b>	<b>Analyst</b>	<b>Code</b>
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/5/2019	CJR	1