



April 3, 2020

Trevor Bannister
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

**Subject: Semi-Annual Groundwater Monitoring Report
July – December 2019
Badger Cleaners
616 Oak Street
Baraboo, Wisconsin 53913
WDNR BRRTS#: 02-57-548538**

Dear Mr. Bannister:

EnviroForensics, LLC (EnviroForensics) is pleased to present this *Semi-Annual Groundwater Monitoring Report* for the Badger Cleaners facility located at 616 Oak Street in Baraboo, Wisconsin (Site). Groundwater monitoring is ongoing as required by the Wisconsin Department of Natural Resources per Chapter NR 716 of the Wisconsin Administrative Code (WAC). Groundwater monitoring activities were performed to assess current groundwater conditions, including groundwater flow direction, and degree and extent of volatile organic compound (VOC) impacts.

BACKGROUND

The Site is located within an area of mixed residential and commercial land use in downtown Baraboo, Wisconsin. The site consists of a single parcel of approximately 2,740 square feet with a single-story commercial building of approximately 2,420 square feet. The building was primarily constructed between 1913 and 1922 and subsequently added on to after 1947. The building is constructed slab on grade on the east and west ends with a basement beneath the central portion, and the remainder of the property is a paved asphalt parking area. The Site is bound by commercial buildings to the north, east and south, and Oak Street to the west. The nearest surface water body is the Baraboo River located approximately 1,640 feet to the south of the Site. The Site layout is presented as **Figure 1**.

Document: 6492-1297
EnviroForensics, LLC
N16 W23390 Stone Ridge Drive, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

Site investigation activities have been on-going since the initial detection of VOCs in soil at the Site in 1995. Four (4) monitoring wells and two (2) piezometers were installed by a past consultant. Between December 2017 and October 2018, EnviroForensics installed nine (9) water table wells and 38 piezometers to delineate and monitor groundwater plume conditions.

GROUNDWATER MONITORING ACTIVITIES

Groundwater monitoring activities were performed by EnviroForensics on September 13 –27, 2019 and November 25 – December 5, 2019. The monitoring events included groundwater elevation measurements and groundwater sample collection. The locations of all monitoring wells and piezometers are depicted on **Figure 1**.

Groundwater Elevation Measurements

Groundwater elevation data were collected during both events from the entire monitoring network which is comprised of 13 monitoring wells (MW-1 through MW-13) and 40 piezometers (PZ-1 through MW-23B). Additionally, groundwater elevation data were collected from 12 monitoring wells and piezometers associated with Dicks Car Care (BRRTS# 03-57-258614) and Circus City Cleaners (BRRTS# 02-57-551681).

Dick’s Car Care	Circus City Cleaners	
DCC-MW-1	CCC-MW-2	CCC-PZ-8
DCC-MW-8	CCC-MW-6	CCC-PZ-10
DCC-PZ-8	CCC-MW-8	CCC-PZ-100
	CCC-MW-10	CCC-PZ-1100
	CCC-MW-1200	

The Dicks Car Care and Circus City Cleaners are located to the northwest of the Site to evaluate groundwater flow characteristics across a larger area. Monitoring well construction details are summarized in **Table 1**. Monitoring well covers and caps were removed at least 15 minutes prior to depth to water measurements to allow groundwater in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was measured using an electronic water level indicator and tabulated in **Table 2**.

Groundwater Sampling

Groundwater samples were collected from the entire well network including the additional wells to the northwest during both sampling events. Low-flow groundwater sampling was conducted using a submersible pneumatic bladder pump for two-inch wells and a check valve for 1-inch wells to purge groundwater. The pump or check valve was deployed to extract water from the screened portion of each well and transport it into a flow-through cell apparatus at the surface. A multi-parameter field instrument was utilized to collect water quality measurements of water in the flow-through cell. The instrument measured groundwater geochemical parameters such as pH, oxidation-reduction potential, specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored during purging to verify stabilization prior to groundwater sample collection. The instrument probes were calibrated prior to use.

During each event, seven (7) duplicate samples and seven (7) equipment blanks were collected for quality control/quality assurance purposes, and one (1) trip blank accompanied each sample cooler. The samples were transmitted to a state-certified laboratory and analyzed for VOCs according to the United States Environmental Protection Agency SW-846 Test Method 8260B.

INVESTIGATION RESULTS

Groundwater Elevation and Flow Direction

Groundwater elevation data collected on September 13, 2019, and November 25, 2019, are summarized in **Table 2**. Historical data collected since the site investigation began in 2008 are also included in **Table 2** for reference. A generalized water table contour map using the November 25, 2019 groundwater elevations is presented on **Figure 2**. The predominant groundwater flow direction appears to be toward the southeast, which is consistent with previous findings. A measurement of the Baraboo River surface elevation was collected and compared to groundwater elevation data. The data indicates the Baraboo River is gaining (i.e., receiving groundwater inflow through the riverbed) which is consistent with published groundwater table elevations and groundwater flow for Sauk County^{1,2}. As such, the upward gradient where the groundwater table intersects the Baraboo River may affect plume dynamics. However, the plume overall appears to dive with distance from the source and is present at least 65 feet below

¹ Gotkowitz, M.B., and Zeiler, K.K., 2003b, Water-table elevation map of Sauk County, Wisconsin: Wisconsin Geological and Natural History Survey Miscellaneous Map 55-DI,

² Gotkowitz, M.B., Zeiler, K.K., Dunning, C.P., Thomas, K.C., and Lin, Y., 2005, Hydrogeology and Simulation of Groundwater Flow in Sauk County, Wisconsin Geological and Natural History Survey Bulletin 102

the river elevation (in PZ-13B). The downgradient extent of the plume appears to end near the river; however, the slight upward vertical gradient indicates the plume may discharge to the river.

Groundwater Analytical Results

Groundwater analytical data are summarized on **Table 3** in which VOC concentrations are compared to public health standards listed in WAC Chapter NR 140. Historical data collected since the first round of groundwater monitoring (performed in 2008) are included in **Table 3** for reference. An isoconcentration map depicting the extent of PCE exceeding the ES is presented on **Figure 3**. The complete laboratory reports from the September and November-December sampling events are provided in **Attachment 1**.

Compounds that were detected at concentrations exceeding enforcement standards (ESs) or preventive action limits (PALs) in one or more samples were tetrachloroethene (PCE), trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), benzene, bromodichloromethane, chloroform, 1,2-dichloroethane, and methyl tert-butyl ether (MTBE). Dibromochloromethane, naphthalene, 1,1,1,2-tetrachloroethane (1,1,1,2-TCA), and toluene were detected at concentrations below their respective PALs.

Duplicate and equipment blank results associated with each monitoring event demonstrate that the sampling and decontamination methods did not affect analytical data quality. The average of the relative percent difference in duplicate samples was 8% of the sample results. Results from the equipment and trip blank samples were not detected above the method detection limit.

Investigation-derived media (IDM) generated during this monitoring event, including purge water and decontamination fluid, was stored in sealed and labeled 55-gallon drums staged on-site until laboratory results were received. Once results were received IDM was transported to the Baraboo Waste-Water Treatment Facility for treatment.

CONCLUSIONS AND RECOMMENDATIONS

The inferred direction of groundwater flow at the Site is toward the southeast and is consistent with previous monitoring events. The contaminant plume in groundwater has been fully defined and extends southeast approximately 2,200 feet in the direction of groundwater flow with at least 75 feet of vertical migration. The affected groundwater is not used as a potable resource and potential discharge to the Baraboo River is below applicable standards. The limited amount or absence of PCE daughter products (i.e. cis-1,2-DCE, trans-1,2-dichloroethene, and/or vinyl



chloride) in the samples indicate natural attenuation of the groundwater plume is not occurring at this time.

Please contact us if you have any questions about the information presented in this report.

Sincerely,
EnviroForensics, LLC

Rob Hoverman, LPG
Senior Project Manager

Copy: Dave Bieno, Portage Cleaners (d.b.a) Badger Cleaners, Inc.

List of Attachments

- Table 1: Monitoring Well Construction
- Table 2: Groundwater Elevation Data
- Table 3: Monitoring Well Analytical Results

- Figure 1: Monitoring Well Location Map
- Figure 2: Potentiometric Surface Map – November 25, 2019
- Figure 3: Groundwater PCE Isoconcentration Map

- Attachment 1: Laboratory Analytical Reports

TABLES

**TABLE 1
MONITORING WELL CONSTRUCTION**

Badger Cleaners
616 Oak Street, Baraboo, WI 53913

Well ID	Date Installed	Consultant	Well Diameter (inches)	Northing	Easting	Ground Elevation (feet AMSL)	TOC Elevation (feet AMSL)	Top Screen Elevation (feet AMSL)	Bottom Screen Elevation (feet AMSL)	Screened Interval (feet bgs)	Total Depth (feet bgs)
MW-1	3/24/2008	Northern Environmental	2	536,403.99	2,036,994.42	880.46	879.90	834.46	824.46	46 - 56	56
MW-2	3/25/2008		2	536,418.70	2,037,022.94	878.97	878.55	833.97	823.97	45 - 55	55
MW-3	3/26/2008		2	536,436.12	2,037,011.36	878.86	878.17	835.86	825.86	43 - 53	53
MW-4	8/14/2013		2	536,399.94	2,037,148.96	879.36	878.92	834.36	824.36	45 - 55	55
MW-5	9/19/2018	EnviroForensics	2	534,781.99	2,038,983.60	834.60	834.33	829.60	819.60	5 - 15	15
MW-6	9/19/2018		2	534,871.57	2,038,503.24	831.48	831.16	826.48	816.48	5 - 15	15
MW-7	9/19/2018		2	535,131.18	2,038,157.48	857.24	856.90	832.24	817.24	25 - 40	40
MW-8	9/24/2018		1	535,855.36	2,037,692.35	876.56	874.34	831.56	821.56	45 - 55	55
MW-9	9/25/2018		2	536,061.67	2,037,309.81	880.14	879.80	835.14	825.14	45 - 55	55
MW-10	10/2/2018		1	536,537.31	2,037,071.15	877.28	876.94	829.28	819.28	48 - 58	58
MW-11	10/10/2018		1	536,289.92	2,036,845.92	883.70	883.41	835.70	825.70	48 - 58	58
MW-12	10/17/2018		1	534,267.54	2,038,736.19	829.00	828.46	824.00	814.00	5 - 15	15
MW-13	10/18/2018		1	534,310.40	2,039,454.41	827.20	826.90	822.20	812.20	5 - 15	15
PZ1	8/14/2013		Northern Environmental	2	536,221.30	2,037,194.88	880.77	880.43	795.77	790.77	85 - 90
PZ2	8/15/2013	2		536,406.91	2,037,148.57	879.45	878.90	814.45	809.45	65 - 70	70
PZ-3A	12/17/2017	EnviroForensics	1	536,058.34	2,037,310.43	880.22	879.69	795.22	790.22	85 - 90	90
PZ-3B	12/17/2017		1	536,058.44	2,037,310.25	880.22	879.64	770.22	765.22	110 - 115	115
PZ-4A	2/28/2018		1	535,973.80	2,037,349.10	879.88	879.41	794.88	789.88	85 - 90	90
PZ-4B	2/28/2018		1	536,173.90	2,037,603.65	879.88	879.45	770.88	765.88	109 - 114	114
PZ-5A	3/2/2018		1	536,537.88	2,036,809.19	878.25	877.71	793.25	788.25	85 - 90	90
PZ-5B	3/2/2018		1	536,538.05	2,036,809.13	878.25	877.70	768.25	763.25	110 - 115	115
PZ-6A	3/7/2018		1	535,440.41	2,037,802.27	863.62	863.06	778.62	773.62	85 - 90	90
PZ-6B	3/7/2018		1	535,440.61	2,037,802.33	863.62	863.03	753.62	748.62	110 - 115	115
PZ-7A	3/8/2018		1	535,473.40	2,038,080.87	866.21	865.63	781.21	776.21	85 - 90	90
PZ-7B	3/8/2018		1	535,473.23	2,038,080.78	866.21	865.67	756.21	751.21	110 - 115	115
PZ-7C	10/5/2018		2	535,473.69	2,038,075.74	866.16	865.79	679.16	674.16	187 - 192	192
PZ-8A	3/12/2018		1	535,829.50	2,037,976.53	875.77	875.24	790.77	785.77	85 - 90	90
PZ-8B	3/12/2018		1	535,829.37	2,037,976.43	875.77	875.27	765.77	760.77	110 - 115	115
PZ-9A	3/14/2018		1	535,498.12	2,038,507.26	873.95	873.40	788.95	783.95	85 - 90	90
PZ-9B	3/14/2018		1	535,498.28	2,038,507.38	873.95	873.43	763.95	758.95	110 - 115	115
PZ-10A	3/15/2018		1	535,135.07	2,038,543.26	870.99	870.41	785.99	780.99	85 - 90	90
PZ-10B	3/15/2018		1	535,134.99	2,038,543.09	870.99	870.41	760.99	755.99	110 - 115	115
PZ-11A	3/19/2018		1	535,150.92	2,038,762.00	869.32	868.73	784.32	779.32	85 - 90	90
PZ-11B	3/19/2018		1	535,150.75	2,038,761.91	869.32	868.68	759.32	754.32	110 - 115	115
PZ-12A	3/21/2018		1	535,130.99	2,038,160.11	857.40	856.82	772.40	767.40	85 - 90	90
PZ-12B	3/21/2018		1	535,130.85	2,038,160.25	857.40	856.77	747.40	742.40	110 - 115	115
PZ-13A	3/22/2018		1	534,871.53	2,038,500.55	831.48	830.77	781.48	776.48	50 - 55	55
PZ-13B	3/22/2018		1	534,871.37	2,038,500.40	831.48	830.78	756.48	751.48	75 - 80	80
PZ-14A	3/27/2018		1	534,876.85	2,038,205.82	831.87	831.28	781.87	776.87	50 - 55	55
PZ-14B	3/27/2018	1	534,876.91	2,038,205.59	831.87	831.29	756.87	751.87	75 - 80	80	
PZ-15A	9/18/2018	1	534,782.49	2,038,980.55	834.59	834.21	784.59	779.59	50 - 55	55	
PZ-15B	9/18/2018	1	534,782.44	2,038,980.76	834.59	834.09	759.59	754.59	75 - 80	80	
PZ-16A	9/21/2018	1	535,625.25	2,037,800.19	869.19	868.61	784.19	779.19	85 - 90	90	
PZ-16B	9/21/2018	1	535,624.99	2,037,800.19	869.19	868.72	759.19	754.19	110 - 115	115	
PZ-17A	9/24/2018	1	535,855.63	2,037,692.22	876.56	874.26	766.56	761.56	110 - 115	115	
PZ-18A	10/2/2018	1	536,537.47	2,037,071.22	879.47	876.90	794.47	789.47	85 - 90	90	
PZ-19A	10/10/2018	1	536,290.14	2,036,845.94	883.70	883.45	798.70	793.70	85 - 90	90	
PZ-20A	10/17/2018	1	534,267.73	2,038,736.40	829.00	828.57	764.00	759.00	65 - 70	70	
PZ-21A	10/17/2018	1	534,257.22	2,039,051.18	827.66	827.36	777.66	772.66	50 - 55	55	
PZ-21B	10/17/2018	1	534,257.08	2,039,051.27	827.66	827.46	752.66	747.66	75 - 80	80	
PZ-22A	10/18/2018	1	534,310.33	2,039,454.59	827.20	826.93	752.20	747.20	75 - 80	80	
PZ-23A	11/28/2018	1	536,412.90	2,037,026.30	878.97	878.60	793.97	788.97	85 - 90	90	
PZ-23B	11/28/2018	1	536,412.72	2,037,026.12	878.97	878.60	763.97	753.97	115 - 125	120	
DCC-MW-7	3/10/1995	METCO	2	536,587.58	2,036,511.63	877.89	877.20	839.89	824.89	38 - 53	53
DCC-MW-8	1/11/2010	METCO	2	536,580.84	2,036,462.79	877.42	877.20	835.42	825.42	42 - 52	52
DCC-PZ-8	2/16/2019	METCO	2	536,581.02	2,036,458.25	877.29	877.07	815.29	810.29	62 - 67	67
CCC-MW-2	8/18/2009	METCO	2	536,876.94	2,036,331.89	876.20	875.80	841.20	826.20	35 - 50	50
CCC-MW-6	8/18/2009	METCO	2	536,878.05	2,036,271.22	876.73	876.29	841.73	826.73	35 - 50	50
CCC-MW-8	8/18/2009	METCO	2	536,937.98	2,036,455.81	876.56	876.02	841.56	826.56	35 - 50	50
CCC-MW-10	8/18/2009	METCO	2	536,874.43	2,036,649.49	879.47	878.98	844.47	829.47	35 - 50	50
CCC-MW-1200	6/17/2010	Bonestroo, Inc.	2	536,888.65	2,036,161.97	877.73	877.17	842.73	827.73	35 - 50	50
CCC-PZ-8	8/18/2009	METCO	2	536,927.37	2,036,448.95	876.20	875.49	816.20	811.20	60 - 65	65
CCC-PZ-10	6/30/2010	METCO	2	536,882.33	2,036,544.72	877.87	877.35	817.87	812.87	60 - 65	65
CCC-PZ-100	7/9/2009	Bonestroo, Inc.	2	536,877.36	2,036,335.65	876.16	875.70	817.16	812.16	59 - 64	64
CCC-PZ-1100	7/6/2010	Bonestroo, Inc.	2	536,887.24	2,036,164.84	877.73	877.32	817.73	812.73	60 - 65	65

Notes:

Coordinates are referenced to Wisconsin State Plane, NAD 27, Southern Zone
 AMSL = above mean sea level
 bgs = below ground surface
 NA = Not Available
 TOC = top of casing

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

Well ID	Date	TOC Elevation (AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (AMSL)
MW1	4/3/2008	879.90	49.52	830.38
	4/17/2008		49.36	830.54
	8/14/2013		49.11	830.79
	8/15/2013		49.06	830.84
	8/27/2013		49.11	830.79
	12/3/2013		49.37	830.53
	9/27/2018		46.96	832.94
	2/19/2019		46.29	833.61
	5/6/2019		45.86	834.04
	9/13/2019		45.36	834.54
	11/25/2019		45.10	834.80
	<i>Min</i>		45.10	830.38
	<i>Max</i>		49.52	834.80
	<i>Average</i>		47.74	832.16
MW2	4/3/2008	878.55	47.98	830.57
	4/17/2008		47.81	830.74
	8/14/2013		47.56	830.99
	8/15/2013		47.55	831.00
	8/27/2013		47.55	831.00
	12/3/2013		47.80	830.75
	9/27/2018		45.31	833.24
	2/19/2019		44.76	833.79
	5/6/2019		44.35	834.20
	9/13/2019		43.87	834.68
	11/25/2019		43.47	835.08
	<i>Min</i>		43.47	830.57
	<i>Max</i>		47.98	835.08
	<i>Average</i>		46.18	832.37
PZ-23A	2/19/2019	878.60	44.92	833.68
	5/6/2019		44.44	834.16
	9/13/2019		43.99	834.61
	11/25/2019		43.70	834.90
	<i>Min</i>		43.70	833.68
<i>Max</i>	44.92	834.90		
<i>Average</i>	44.26	834.33		
PZ-23B	2/19/2019	878.60	44.92	833.68
	5/6/2019		44.43	834.17
	9/13/2019		44.04	834.56
	11/25/2019		43.95	834.65
	<i>Min</i>		43.95	833.68
<i>Max</i>	44.92	834.65		
<i>Average</i>	44.34	834.26		
MW3	4/3/2008	878.17	47.53	830.64
	4/17/2008		47.41	830.76
	8/14/2013		47.25	830.92
	8/15/2013		47.25	830.92
	8/27/2013		47.20	830.97
	12/3/2013		47.45	830.72
	2/19/2019		44.41	833.76
	5/6/2019		43.88	834.29
	9/13/2019		43.55	834.62
	11/25/2019		43.20	834.97
	<i>Min</i>		43.20	830.64
	<i>Max</i>		47.53	834.97
	<i>Average</i>		45.91	832.26
	MW4		8/15/2013	878.92
8/27/2013		48.12	830.80	
12/3/2013		48.39	830.53	
9/27/2018		46.05	832.87	
2/19/2019		45.38	833.54	
5/6/2019		45.87	833.05	
9/13/2019		44.44	834.48	
11/25/2019		44.24	834.68	
<i>Min</i>		44.24	830.53	
<i>Max</i>		48.39	834.68	
<i>Average</i>	46.31	832.61		
PZ2	8/27/2013	878.90	48.21	830.69
	12/3/2013		48.50	830.40
	9/27/2018		36.81	842.09
	5/6/2019		45.06	833.84
	9/13/2019		44.60	834.30
	11/25/2019		44.19	834.71
	<i>Min</i>		36.81	830.40
<i>Max</i>	48.50	842.09		
<i>Average</i>	44.56	834.34		
MW-5	2/19/2019	834.33	4.51	829.82
	5/6/2019		9.53	824.80
	9/13/2019		9.50	824.83
	11/25/2019		9.33	825.00
	<i>Min</i>		4.51	824.80
<i>Max</i>	9.53	825.00		
<i>Average</i>	8.22	826.11		
PZ-15A	2/19/2019	834.21	9.45	824.76
	5/6/2019		9.13	825.08
	9/13/2019		8.79	825.42
	11/25/2019		8.75	825.46
	<i>Min</i>		8.75	824.76
<i>Max</i>	9.45	825.42		
<i>Average</i>	9.03	825.09		
PZ-15B	2/19/2019	834.09	9.39	824.70
	5/6/2019		8.96	825.13
	9/13/2019		8.68	825.41
	11/25/2019		9.33	824.76
	<i>Min</i>		8.68	824.70
<i>Max</i>	9.39	825.41		
<i>Average</i>	9.09	825.00		
MW-6	2/19/2019	831.16	5.11	826.05
	5/6/2019		4.51	826.65
	9/13/2019		4.41	826.75
	11/25/2019		4.26	826.90
	<i>Min</i>		4.26	826.05
<i>Max</i>	5.11	826.90		
<i>Average</i>	4.57	826.59		

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

PZ-13A	4/17/2018	830.77	5.35	825.42
	9/27/2018		4.70	826.07
	2/19/2019		4.63	826.14
	5/6/2019		4.12	826.65
	9/13/2019		3.91	826.86
	11/25/2019		3.76	827.01
	Min		3.76	825.42
Max	5.35	827.01		
Average	4.41	826.36		
PZ-13B	4/17/2018	830.78	5.40	825.38
	9/27/2018		4.68	826.10
	2/19/2019		4.65	826.13
	5/6/2019		4.10	826.68
	9/13/2019		3.73	827.05
	11/25/2019		3.75	827.03
	Min		3.73	825.38
Max	5.40	827.05		
Average	4.39	826.40		
MW-7	2/19/2019	856.90	28.83	828.07
	5/6/2019		28.79	828.11
	9/13/2019		28.07	828.83
	11/25/2019		27.77	829.13
	Min		27.77	828.07
Max	28.83	829.13		
Average	28.37	828.54		
PZ-12A	4/17/2018	856.82	29.73	827.09
	9/27/2018		29.16	827.66
	2/19/2019		28.89	827.93
	5/6/2019		28.39	828.43
	9/13/2019		28.16	828.66
	11/25/2019		27.94	828.88
	Min		27.94	827.09
Max	29.73	828.88		
Average	28.71	828.11		
PZ-12B	4/17/2018	856.77	29.70	827.07
	9/27/2018		29.09	827.68
	2/19/2019		28.80	827.97
	5/6/2019		28.33	828.44
	9/13/2019		28.10	828.67
	11/25/2019		27.57	829.20
	Min		27.57	827.07
Max	29.70	829.20		
Average	28.60	828.17		
MW-8	2/19/2019	874.34	43.00	831.34
	5/6/2019		42.77	831.57
	9/13/2019		42.21	832.13
	11/25/2019		41.89	832.45
	Min		41.89	831.34
Max	43.00	832.45		
Average	42.47	831.87		
PZ-17A	2/19/2019	874.26	43.09	831.17
	5/6/2019		42.65	831.61
	9/13/2019		42.18	832.08
	11/25/2019		41.87	832.39
	Min		41.87	831.17
Max	43.09	832.39		
Average	42.45	831.81		
MW-9	2/19/2019	879.80	45.51	834.29
	5/6/2019		46.76	833.04
	9/13/2019		45.20	834.60
	11/25/2019		44.06	835.74
	Min		44.06	833.04
Max	46.76	835.74		
Average	45.38	834.42		
PZ-3A	4/17/2018	879.69	48.73	830.96
	9/27/2018		48.07	831.62
	2/19/2019		45.09	834.60
	5/6/2019		46.94	832.75
	9/13/2019		46.52	833.17
	11/25/2019		46.25	833.44
	Min		45.09	830.96
Max	48.73	834.60		
Average	46.93	832.76		
PZ-3B	4/17/2018	879.64	48.73	830.91
	9/27/2018		48.02	831.62
	2/19/2019		45.25	834.39
	5/6/2019		46.97	832.67
	9/13/2019		46.60	833.04
	11/25/2019		46.33	833.51
	Min		45.25	830.91
Max	48.73	834.39		
Average	46.98	832.66		
MW-10	2/19/2019	876.94	43.08	833.86
	5/6/2019		42.60	834.34
	9/13/2019		42.11	834.83
	11/25/2019		41.77	835.17
	Min		41.77	833.86
Max	43.08	835.17		
Average	42.39	834.55		
PZ-16B	2/19/2019	868.72	38.33	830.39
	5/6/2019		37.82	830.90
	9/13/2019		37.28	831.44
	11/25/2019		37.21	831.51
	Min		37.21	830.39
Max	38.33	831.51		
Average	37.66	831.06		
MW-11	2/19/2019	883.41	49.50	833.91
	5/6/2019		49.06	834.35
	9/13/2019		46.68	836.73
	11/25/2019		48.40	835.01
	Min		46.68	833.91
Max	49.50	836.73		
Average	48.41	835.00		

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

PZ-19A	2/19/2019	883.45	49.61	833.84
	5/6/2019		49.15	834.30
	9/13/2019		46.65	836.80
	11/25/2019		48.46	834.99
	<i>Min</i>		46.65	833.84
	<i>Max</i>		49.61	836.80
<i>Average</i>			48.47	834.99
MW-12	2/19/2019	824.00	4.07	819.93
	5/6/2019		3.45	820.55
	9/13/2019		3.44	820.56
	11/25/2019		3.28	820.72
	<i>Min</i>		3.28	819.93
	<i>Max</i>		4.07	820.72
<i>Average</i>			3.56	820.44
PZ-20A	2/19/2019	828.57	3.87	824.70
	5/6/2019		3.64	824.93
	9/13/2019		3.05	825.52
	11/25/2019		2.92	825.65
	<i>Min</i>		2.92	824.70
	<i>Max</i>		3.87	825.65
<i>Average</i>			3.37	825.20
MW-13	2/19/2019	822.20	5.16	817.04
	5/6/2019		4.52	817.68
	9/13/2019		4.25	817.95
	11/25/2019		5.49	816.71
	<i>Min</i>		4.25	816.71
	<i>Max</i>		5.49	817.95
<i>Average</i>			4.86	817.35
PZ-22A	2/19/2019	826.93	4.98	821.95
	5/6/2019		4.62	822.31
	9/13/2019		4.37	822.56
	11/25/2019		4.30	822.63
	<i>Min</i>		4.30	821.95
	<i>Max</i>		4.98	822.63
<i>Average</i>			4.57	822.36
PZ1	8/27/2013	880.43	50.08	830.35
	12/3/2013		50.43	830.00
	9/27/2018		48.00	832.43
	2/19/2019		47.24	833.19
	5/6/2019		46.86	833.57
	9/13/2019		46.59	833.84
	11/25/2019		46.25	834.18
	<i>Min</i>		46.25	830.00
	<i>Max</i>		50.43	834.18
<i>Average</i>			47.92	832.51
PZ-4A	4/17/2018	879.41	48.83	830.58
	9/27/2018		48.14	831.27
	2/16/2019		47.54	831.87
	5/6/2019		47.02	832.39
	9/13/2019		46.69	832.72
	11/25/2019		46.42	832.99
<i>Min</i>	46.42	830.58		
<i>Max</i>	48.83	832.99		
<i>Average</i>			47.44	831.97
PZ-4B	4/17/2018	879.45	48.83	830.62
	9/27/2018		48.19	831.26
	2/19/2019		47.71	831.74
	5/6/2019		47.05	832.40
	9/13/2019		46.67	832.78
	11/25/2019		46.45	833.00
<i>Min</i>	46.45	830.62		
<i>Max</i>	48.83	833.00		
<i>Average</i>			47.48	831.97
PZ-5A	4/17/2018	877.71	44.96	832.75
	9/27/2018		44.24	833.47
	2/19/2019		43.60	834.11
	5/6/2019		43.10	834.61
	9/13/2019		42.66	835.05
	11/25/2019		42.35	835.36
<i>Min</i>	42.35	832.75		
<i>Max</i>	44.96	835.36		
<i>Average</i>			43.49	834.23
PZ-5B	4/17/2018	877.70	44.96	832.74
	9/27/2018		44.30	833.40
	2/19/2019		43.58	834.12
	5/6/2019		43.05	834.65
	9/13/2019		42.62	835.08
	11/25/2019		42.28	835.42
<i>Min</i>	42.28	832.74		
<i>Max</i>	44.96	835.42		
<i>Average</i>			43.47	834.24
PZ-6A	4/17/2018	863.06	34.43	828.63
	9/27/2018		34.05	829.01
	2/19/2019		33.59	829.47
	5/6/2019		32.89	830.17
	9/13/2019		32.55	830.51
	11/25/2019		32.36	830.70
<i>Min</i>	32.36	828.63		
<i>Max</i>	34.43	830.70		
<i>Average</i>			33.31	829.75
PZ-6B	4/17/2018	863.03	34.39	828.64
	9/27/2018		34.00	829.03
	2/19/2019		33.35	829.68
	5/6/2019		32.88	830.15
	9/13/2019		32.59	830.44
	11/25/2019		32.47	830.56
<i>Min</i>	32.47	828.64		
<i>Max</i>	34.39	830.56		
<i>Average</i>			33.28	829.75
PZ-7A	4/17/2018	865.63	37.72	827.91
	9/27/2018		33.71	831.92
	2/19/2019		36.60	829.03
	5/6/2019		36.04	829.59
	9/13/2019		35.71	829.92
	11/25/2019		35.50	830.13
<i>Min</i>	33.71	827.91		
<i>Max</i>	37.72	831.92		
<i>Average</i>			35.88	829.75

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913


PZ-7B	4/17/2018	865.67	37.73	827.94
	9/27/2018		33.83	831.84
	2/19/2019		36.57	829.10
	5/6/2019		36.10	829.57
	9/13/2019		35.75	829.92
	11/25/2019		35.50	830.17
	Min		33.83	827.94
Max	37.73	831.84		
Average	35.91	829.76		
PZ-7C	2/19/2019	865.79	36.15	829.64
	5/6/2019		36.10	829.69
	9/13/2019		35.33	830.46
	11/25/2019		34.96	830.83
	Min		34.96	829.64
	Max		36.15	830.83
Average	35.64	830.16		
PZ-8A	4/17/2018	875.24	46.08	829.16
	9/27/2018		45.82	829.42
	2/19/2019		44.90	830.34
	5/6/2019		44.44	830.80
	9/13/2019		44.07	831.17
	11/25/2019		43.76	831.48
	Min		43.76	829.16
Max	46.08	831.48		
Average	44.85	830.40		
PZ-8B	4/17/2018	875.27	46.08	829.19
	9/27/2018		45.38	829.89
	2/19/2019		44.94	830.33
	5/6/2019		44.47	830.80
	9/13/2019		43.80	831.47
	11/25/2019		43.81	831.46
	Min		43.80	829.19
Max	46.08	831.47		
Average	44.75	830.52		
PZ-9A	4/17/2018	873.40	46.05	827.35
	9/27/2018		45.49	827.91
	2/19/2019		45.14	828.26
	5/6/2019		44.68	828.72
	9/13/2019		44.30	829.10
	11/25/2019		44.07	829.33
	Min		44.07	827.35
Max	46.05	829.33		
Average	44.96	828.45		
PZ-9B	4/17/2018	873.43	46.05	827.38
	9/27/2018		45.39	828.04
	2/19/2019		45.22	828.21
	5/6/2019		44.66	828.77
	9/13/2019		44.32	829.11
	11/25/2019		44.06	829.37
	Min		44.06	827.38
Max	46.05	829.37		
Average	44.95	828.48		
PZ-10A	4/17/2018	870.41	44.10	826.31
	9/27/2018		43.34	827.07
	2/19/2019		43.39	827.02
	5/6/2019		42.91	827.50
	9/13/2019		42.59	827.82
	11/25/2019		44.42	825.99
	Min		42.59	825.99
Max	44.42	827.82		
Average	43.46	826.95		
PZ-10B	4/17/2018	870.41	44.16	826.25
	9/27/2018		43.51	826.90
	2/19/2019		43.49	826.92
	5/6/2019		42.85	827.56
	9/13/2019		42.56	827.85
	11/25/2019		42.20	828.21
	Min		42.20	826.25
Max	44.16	828.21		
Average	43.13	827.28		
PZ-11A	4/17/2018	868.73	43.15	825.58
	9/27/2018		42.40	826.33
	2/19/2019		42.19	826.54
	5/6/2019		41.80	826.93
	9/13/2019		41.50	827.23
	11/25/2019		41.31	827.42
	Min		41.31	825.58
Max	43.15	827.42		
Average	42.06	826.67		
PZ-11B	4/17/2018	868.68	43.09	825.59
	9/27/2018		42.30	826.38
	2/19/2019		42.33	826.35
	5/6/2019		41.75	826.93
	9/13/2019		41.42	827.26
	11/25/2019		41.20	827.48
	Min		41.20	825.59
Max	43.09	827.48		
Average	42.02	826.67		
PZ-14A	4/17/2018	831.28	5.07	826.21
	9/27/2018		4.71	826.57
	2/19/2019		4.35	826.93
	5/6/2019		3.79	827.49
	9/13/2019		3.49	827.79
	11/25/2019		3.42	827.86
	Min		3.42	826.21
Max	5.07	827.86		
Average	4.14	827.14		
PZ-14B	4/17/2018	831.29	5.08	826.21
	9/27/2018		4.65	826.64
	2/19/2019		4.30	826.99
	5/6/2019		3.75	827.54
	9/13/2019		3.52	827.77
	11/25/2019		3.38	827.91
	Min		3.38	826.21
Max	5.08	827.91		
Average	4.11	827.18		

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

PZ-16A	2/19/2019	868.61	38.25	830.36
	5/6/2019		37.71	830.90
	9/13/2019		37.41	831.20
	11/25/2019		37.12	831.49
	<i>Min</i>		37.12	830.36
	<i>Max</i>	38.25	831.49	
<i>Average</i>	37.62	830.99		
PZ-18A	2/19/2019	876.90	43.08	833.82
	5/6/2019		42.56	834.34
	9/13/2019		42.20	834.70
	11/25/2019		41.87	835.03
	<i>Min</i>		41.87	833.82
	<i>Max</i>	43.08	835.03	
<i>Average</i>	42.43	834.47		
PZ-21A	2/19/2019	827.36	4.15	823.21
	5/6/2019		3.60	823.76
	9/13/2019		3.34	824.02
	11/25/2019		3.40	823.96
	<i>Min</i>		3.34	823.21
	<i>Max</i>	4.15	824.02	
<i>Average</i>	3.62	823.73		
PZ-21B	2/19/2019	827.46	4.11	823.35
	5/6/2019		3.59	823.87
	9/13/2019		3.36	824.10
	11/25/2019		3.35	824.11
	<i>Min</i>		3.35	823.35
	<i>Max</i>	4.11	824.11	
<i>Average</i>	3.60	823.86		
DCC-MW-7	2/19/2019	877.20	42.03	835.17
	5/6/2019		41.63	835.57
	9/13/2019		41.12	836.08
	11/25/2019		40.80	836.40
	<i>Min</i>		40.80	835.17
	<i>Max</i>	42.03	836.40	
<i>Average</i>	41.40	835.81		
DCC-MW-8	2/19/2019	876.02	41.97	834.05
	5/6/2019		41.19	834.83
	9/13/2019		41.07	834.95
	11/25/2019		40.69	835.33
	<i>Min</i>		40.69	834.05
	<i>Max</i>	41.97	835.33	
<i>Average</i>	41.23	834.79		
DCC-PZ-8	2/19/2019	877.07	41.35	835.72
	5/6/2019		41.60	835.47
	9/13/2019		40.97	836.10
	11/25/2019		40.97	836.10
	<i>Min</i>		40.97	835.47
	<i>Max</i>	41.60	836.10	
<i>Average</i>	41.22	835.85		
CCC-MW2	2/19/2019	875.80	39.77	836.03
	5/6/2019		39.23	836.57
	9/13/2019		38.10	837.70
	11/25/2019		38.33	837.47
	<i>Min</i>		38.10	836.03
	<i>Max</i>	39.77	837.70	
<i>Average</i>	38.86	836.94		
CCC-MW6	2/19/2019	876.29	40.21	836.08
	5/6/2019		39.75	836.54
	9/13/2019		39.21	837.08
	11/25/2019		38.23	838.06
	<i>Min</i>		38.23	836.08
	<i>Max</i>	40.21	838.06	
<i>Average</i>	39.35	836.94		
CCC-MW-8	2/19/2019	876.02	40.06	835.96
	5/6/2019		39.59	836.43
	9/13/2019		39.00	837.02
	11/25/2019		38.74	837.28
	<i>Min</i>		38.74	835.96
	<i>Max</i>	40.06	837.28	
<i>Average</i>	39.35	836.67		
CCC-MW10	2/19/2019	878.98	43.54	835.44
	5/9/2019		43.07	835.91
	9/13/2019		42.51	836.47
	11/25/2019		42.25	836.73
	<i>Min</i>		42.25	835.44
	<i>Max</i>	43.54	836.73	
<i>Average</i>	42.84	836.14		
CCC-MW1200	2/19/2019	877.17	40.67	836.50
	5/6/2019		40.17	837.00
	9/13/2019		40.03	837.14
	11/25/2019		39.26	837.91
	<i>Min</i>		39.26	836.50
	<i>Max</i>	40.67	837.91	
<i>Average</i>	40.03	837.14		
CCC-PZ-10	2/19/2019	877.35	NM	NM
	5/6/2019		41.29	836.06
	9/13/2019		40.82	836.53
	11/25/2019		40.43	836.92
	<i>Min</i>		40.43	836.06
	<i>Max</i>	41.29	836.92	
<i>Average</i>	40.85	836.50		
CCC-PZ8	2/19/2019	875.49	39.72	835.77
	5/6/2019		39.22	836.27
	9/13/2019		39.72	835.77
	11/25/2019		38.42	837.07
	<i>Min</i>		38.42	835.77
	<i>Max</i>	39.72	837.07	
<i>Average</i>	39.27	836.22		
CCC-PZ100	2/19/2019	875.70	39.90	835.80
	5/6/2019		39.37	836.33
	9/13/2019		38.42	837.28
	11/25/2019		38.78	836.92
	<i>Min</i>		38.42	835.80
	<i>Max</i>	39.90	837.28	
<i>Average</i>	39.12	836.58		
CCC-PZ1100	2/19/2019	877.32	40.10	837.22
	5/6/2019		40.46	836.86
	9/13/2019		39.74	837.58
	11/25/2019		39.65	837.67
	<i>Min</i>		39.65	836.86
	<i>Max</i>	40.46	837.67	
<i>Average</i>	39.99	837.33		
Baraboo River	11/25/2019	837.09	16.76	820.33
	<i>Min</i>		16.76	820.33
	<i>Max</i>		16.76	820.33
	<i>Average</i>		16.76	820.33

TOC = Top Of Casing
 AMSL = Above Mean Sea Level
 NM = Not Measured

FIGURES



Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- PZ1 Piezometer well (By Others)
- PZ-19A Piezometer

Notes:

1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)

MONITORING WELL LOCATION MAP


Badger Cleaners
616 Oak Street
Baraboo, Wisconsin

Date:	5/24/19
Designed:	EB
Drawn:	EB
Checked:	KH
DWG file:	6492-1319



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6492



Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- PZ1 Piezometer well (By Others)
- PZ-19A Piezometer
- PCE isoconcentration of 5µg/L
- Dashed boundaries are inferred

Notes:

1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)

GROUNDWATER PCE ISOCONCENTRATION MAP


Badger Cleaners
616 Oak Street
Baraboo, Wisconsin

Date:	2/3/20
Designed:	EB
Drawn:	EB
Checked:	RH
DWG file:	6492-1556



825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	3
Project	6492



Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- 825 Groundwater elevation contour
- 834.80 Groundwater elevation (feet above mean sea level)

APPROXIMATE SCALE: 1" = 300'

POTENTIOMETRIC SURFACE MAP NOVEMBER 25, 2019 Badger Cleaners 616 Oak Street Baraboo, Wisconsin		Figure 2 Project 6492										
825 North Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com												
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>Date:</td> <td>2/3/20</td> </tr> <tr> <td>Designed:</td> <td>EB</td> </tr> <tr> <td>Drawn:</td> <td>EB</td> </tr> <tr> <td>Checked:</td> <td>RH</td> </tr> <tr> <td>DWG file:</td> <td>6492-1557</td> </tr> </table>	Date:	2/3/20	Designed:	EB	Drawn:	EB	Checked:	RH	DWG file:	6492-1557		
Date:	2/3/20											
Designed:	EB											
Drawn:	EB											
Checked:	RH											
DWG file:	6492-1557											

ATTACHMENT 1

LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 07-Oct-19

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877A
Sample ID 6492 PZ-20A
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877A
Sample ID 6492 PZ-20A
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	117	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877B
Sample ID 6492 MW-12
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877B
Sample ID 6492 MW-12
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877C
Sample ID 6492 PZ-21A
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877C
Sample ID 6492 PZ-21A
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877D
Sample ID 6492 PZ-21B
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877D
Sample ID 6492 PZ-21B
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877E
Sample ID 6492 MW-13
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877E
Sample ID 6492 MW-13
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	118	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877F
Sample ID 6492 PZ-22A
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877F
Sample ID 6492 PZ-22A
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877G
Sample ID 6492 MW-5
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877G
Sample ID 6492 MW-5
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	122	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	124	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877H
Sample ID 6492 PZ-15A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877H
Sample ID 6492 PZ-15A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877I
Sample ID 6492 PZ-15B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877I
Sample ID 6492 PZ-15B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877J
Sample ID 6492 PZ-13A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	30.6	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877J
Sample ID 6492 PZ-13A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	0.33 "J"	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	113	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877K
Sample ID 6492 PZ-13B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/1/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/1/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/1/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/1/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/1/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/1/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/1/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/1/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/1/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/1/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/1/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/1/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/1/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/1/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/1/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/1/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/1/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/1/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/1/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/1/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/1/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/1/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/1/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/1/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/1/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/1/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/1/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/1/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/1/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/1/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/1/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/1/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/1/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/1/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/1/2019	CJR	1
Tetrachloroethene	41	ug/l	0.38	1.21	1	8260B		10/1/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/1/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877K
Sample ID 6492 PZ-13B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/1/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/1/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/1/2019	CJR	1
Trichloroethene (TCE)	0.36 "J"	ug/l	0.3	0.94	1	8260B		10/1/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/1/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/1/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/1/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/1/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/1/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/1/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/1/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/1/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/1/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		10/1/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877L
Sample ID 6492 MW-6
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877L
Sample ID 6492 MW-6
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877M
Sample ID 6492 PZ-14A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877M
Sample ID 6492 PZ-14A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877N
Sample ID 6492 PZ-14B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877N
Sample ID 6492 PZ-14B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 50368770
Sample ID 6492 MW-7
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	0.2 "J"	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 50368770
Sample ID 6492 MW-7
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877P
Sample ID 6492 PZ-12A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	0.42 "J"	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	13.8	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877P
Sample ID 6492 PZ-12A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Q
Sample ID 6492 PZ-12B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	0.74 "J"	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Q
Sample ID 6492 PZ-12B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877R
Sample ID 6492 PZ-6A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	0.51 "J"	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877R
Sample ID 6492 PZ-6A
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877S
Sample ID 6492 PZ-6B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/2/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/2/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/2/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/2/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/2/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/2/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/2/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/2/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/2/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/2/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/2/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/2/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/2/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/2/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/2/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/2/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/2/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/2/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/2/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/2/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/2/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/2/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/2/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/2/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/2/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/2/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/2/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/2/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/2/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/2/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/2/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/2/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/2/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/2/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/2/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/2/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/2/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877S
Sample ID 6492 PZ-6B
Sample Matrix Water
Sample Date 9/24/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/2/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/2/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/2/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/2/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/2/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/2/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/2/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/2/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/2/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/2/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		10/2/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		10/2/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		10/2/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/2/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877T
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	0.42 "J"	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	64	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877T
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	1.54	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877U
Sample ID 6492 PZ-3B
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	0.76 "J"	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	34	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877U
Sample ID 6492 PZ-3B
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877V
Sample ID 6492 MW-9
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	0.30 "J"	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877V
Sample ID 6492 MW-9
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877W
Sample ID 6492 PZ-7A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	10.6	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877W
Sample ID 6492 PZ-7A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	1.03	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877X
 Sample ID 6492 PZ-7B
 Sample Matrix Water
 Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	0.41 "J"	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.57 "J"	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	86	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877X
Sample ID 6492 PZ-7B
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	27.9	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Y
Sample ID 6492 PZ-7C
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Y
Sample ID 6492 PZ-7C
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Z
Sample ID 6492 PZ-5A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.60 "J"	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	42	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 5036877Z
Sample ID 6492 PZ-5A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877AA
Sample ID 6492 PZ-5B
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.32 "J"	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	4.2	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877AA
Sample ID 6492 PZ-5B
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877BB
Sample ID 6492 MW-10
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	0.69 "J"	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877BB
Sample ID 6492 MW-10
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877CC
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	56	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877CC
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	2.7	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877DD
Sample ID 6492 PZ-11A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877DD
Sample ID 6492 PZ-11A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877EE
Sample ID 6492 PZ-11B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	0.48 "J"	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877EE
Sample ID 6492 PZ-11B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877FF
Sample ID 6492 PZ-10A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877FF
Sample ID 6492 PZ-10A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877GG
Sample ID 6492 PZ-10B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877GG
Sample ID 6492 PZ-10B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877HH
Sample ID 6492 PZ-9A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877HH
Sample ID 6492 PZ-9A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877II
Sample ID 6492 PZ-9B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877II
Sample ID 6492 PZ-9B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877JJ
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.82	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	31.3	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877JJ
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	0.3 "J"	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877KK
Sample ID 6492 PZ-16B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	0.26 "J"	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	4.6	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877KK
Sample ID 6492 PZ-16B
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877LL
Sample ID 6492 MW-8
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	0.55 "J"	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877LL
Sample ID 6492 MW-8
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877MM
 Sample ID 6492 PZ-17A
 Sample Matrix Water
 Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		10/4/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		10/4/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		10/4/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		10/4/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		10/4/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		10/4/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		10/4/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		10/4/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		10/4/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		10/4/2019	CJR	1
Tetrachloroethene	289	ug/l	1.9	6.05	5	8260B		10/4/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877MM
Sample ID 6492 PZ-17A
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	1.9 "J"	ug/l	1.5	4.7	5	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		10/4/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		10/4/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			5	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			5	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			5	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			5	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877NN
Sample ID 6492 PZ-23A
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	0.8 "J"	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	129	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877NN
Sample ID 6492 PZ-23A
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	4.6	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 53687700
Sample ID 6492 PZ-23B
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	1.84	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 53687700
Sample ID 6492 PZ-23B
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877PP
Sample ID 6492 PZ-4A
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877QQ
Sample ID 6492 PZ-4B
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877RR
Sample ID 6492 PZ-8A
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877RR
Sample ID 6492 PZ-8A
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877SS
Sample ID 6492 PZ-8B
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/5/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/5/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/5/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/5/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/5/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/5/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/5/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/5/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/5/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/5/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/5/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/5/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/5/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/5/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/5/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/5/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/5/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/5/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/5/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/5/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/5/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/5/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/5/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/5/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/5/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/5/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/5/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/5/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/5/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/5/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/5/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/5/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/5/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/5/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/5/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/5/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877SS
Sample ID 6492 PZ-8B
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/5/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/5/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/5/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/5/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/5/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/5/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/5/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/5/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/5/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/5/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/5/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/5/2019	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/5/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/5/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877TT
Sample ID 6492 DUP 3
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.45 "J"	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	63	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877TT
Sample ID 6492 DUP 3
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	1.44	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877UU
Sample ID 6492 DUP 4
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	10.4	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877UU
Sample ID 6492 DUP 4
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	1.06	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877VV
Sample ID 6492 DUP 5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	5.0	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877VV
Sample ID 6492 DUP 5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877WW
 Sample ID 6492 DUP 6
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	277	ug/l	3.8	12.1	10	8260B		10/5/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877WW
Sample ID 6492 DUP 6
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	2.29	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877XX
Sample ID 6492 DUP 7
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	51	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877XX
Sample ID 6492 DUP 7
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	0.44 "J"	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877YY
Sample ID 6492 EB-4
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	0.67 "J"	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	0.93	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	0.44 "J"	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877YY
Sample ID 6492 EB-4
Sample Matrix Water
Sample Date 9/23/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877ZZ
 Sample ID 6492 EB-5
 Sample Matrix Water
 Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/3/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/3/2019	CJR	1
Bromodichloromethane	0.93 "J"	ug/l	0.33	1.06	1	8260B		10/3/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/3/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/3/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/3/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/3/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
Chloroform	1.04	ug/l	0.26	0.82	1	8260B		10/3/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/3/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/3/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/3/2019	CJR	1
Dibromochloromethane	0.49 "J"	ug/l	0.22	0.69	1	8260B		10/3/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/3/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/3/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/3/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/3/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/3/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/3/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/3/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/3/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/3/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/3/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/3/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/3/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/3/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/3/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/3/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/3/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/3/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/3/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/3/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/3/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/3/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/3/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/3/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/3/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/3/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 536877ZZ
Sample ID 6492 EB-5
Sample Matrix Water
Sample Date 9/25/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/3/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/3/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/3/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/3/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/3/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/3/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/3/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/3/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/3/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/3/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/3/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/3/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		10/3/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/3/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 56877AAA
Sample ID 6492 EB-6
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	0.88 "J"	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	0.92	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	0.51 "J"	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 56877AAA
Sample ID 6492 EB-6
Sample Matrix Water
Sample Date 9/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 56877BBB
Sample ID 6492 EB-7
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	0.96 "J"	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	1.11	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	0.5 "J"	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 56877BBB
Sample ID 6492 EB-7
Sample Matrix Water
Sample Date 9/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 56877CCC
Sample ID 6492 TB-2
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/4/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/4/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/4/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/4/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/4/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/4/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/4/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/4/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/4/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/4/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/4/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/4/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/4/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/4/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/4/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/4/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/4/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/4/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/4/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/4/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/4/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/4/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/4/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/4/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/4/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/4/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/4/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/4/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/4/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/4/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/4/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/4/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/4/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/4/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/4/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/4/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/4/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/4/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36877

Lab Code 56877CCC
Sample ID 6492 TB-2
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/4/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/4/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/4/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/4/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/4/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/4/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/4/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/4/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/4/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/4/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/4/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/4/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/4/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
Normal Turn Around _____

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: 6492
Sampler: (signature) [Signature]

Project (Name / Location): BADGER CLEANERS BARABOO, WI

Reports To: ROB HOVERMAN Invoice To: _____

Company: ENVIRONMENTAL FORENSICS Company: _____

Address: N16W33390 STATE ROAD D Address: _____

City State Zip: WAUKESHA, WI City State Zip: _____

Phone: 414 638 0060 Phone: _____

FAX: _____ FAX: _____

Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>5036877A</u>	<u>6492-P2-20A</u>	<u>9/23/19 1230</u>		X	N	3	<u>(TW)</u>													X			
<u>B</u>	<u>6492-MW-12</u>	<u>9/23/19 1316</u>		X	N	3	<u>GW</u>													X			
<u>C</u>	<u>6492-P2-21A</u>	<u>9/23/19 1415</u>		X	N	3	<u>GW</u>													X			
<u>D</u>	<u>6492-P2-21B</u>	<u>9/23/19 1455</u>		X	N	3	<u>GW</u>													X			
<u>E</u>	<u>6492-MW-13</u>	<u>9/23/19 1620</u>		X	N	3	<u>GW</u>													X			
<u>F</u>	<u>6492-P2-22A</u>	<u>9/23/19 1650</u>		X	N	3	<u>GW</u>													X			
<u>G</u>	<u>6492-MW-5</u>	<u>9/24/19 750</u>		X	N	3	<u>(TW)</u>													X			
<u>H</u>	<u>6492-P2-15A</u>	<u>9/24/19 820</u>		X	N	3	<u>GW</u>													X			
<u>I</u>	<u>6492-P2-15B</u>	<u>9/24/19 850</u>		X	N	3	<u>GW</u>													X			
<u>J</u>	<u>6492-P2-13A</u>	<u>9/24/19 1000</u>		X	N	3	<u>(TW)</u>													X			

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0885

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Chk
Temp. of Temp. Blank _____ °C On Ice: X
Cooler seal intact upon receipt: X Yes _____ No

Relinquished By: (sign) [Signature] Time 1140 Date 9/30/19
Received By: (sign) [Signature] Time _____ Date _____
Received in Laboratory By: [Signature] Time: 11:40 Date: 9/30/19



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
Normal Turn Around _____

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: **6495**
Sampler: (signature) *R/W*
Project (Name/Location): **BADGER CLEANERS**
Reports To: **R. HOVERMAN** Invoice To: _____
Company: **EURO FORENSICS** Company: _____
Address: **W6 N23390 Steele Road** Address: _____
City/State/Zip: **WATKINSHAM, WI 53158** City/State/Zip: _____
Phone: **4146300060** Phone: _____
FAX: _____ FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested										Other Analysis									
										DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID					
503687K	6492-P2-13B	9/24/19	1045		X	N	3	GW	HCl																				
	6492-PAW-6	9/24/19	1020		X	N	3	GW	HCl																				
	6492-P2-144	9/24/19	1320		X	N	2	GW	HCl																				
	6492-P2-14D	9/24/19	1300		X	N	3	GW	HCl																				
	6492-NU-7	9/24/19	1717		X	N	3	GW	HCl																				
	6492-P2-12A	9/24/19	1555		X	N	3	GW	HCl																				
	6492-P2-12B	9/24/19	1635		X	N	3	GW	HCl																				
	6492-P2-6A	9/24/19	1610		X	N	3	GW	HCl																				
	6492-P2-6B	9/24/19	1930		X	N	3	GW	HCl																				
	6492-P2-3A	9/25/19	6758		X	N	3	GW	HCl																				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **SLURRY**
Temp. of Temp. Blank °C On Ice
Cooler seal intact upon receipt: Yes No
Relinquished By: (sign) *B. Brown* Time **1140** Date **9/30/19**
Received By: (sign) *W. Clark* Time _____ Date _____
Received in Laboratory By: _____ Time: **1140** Date: **9/30/19**

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
Normal Turn Around _____

Lab I.D. # _____
Account No.: _____
Quote No.: _____

Project #: 6492
Sampler: (signature) [Signature]

Project (Name / Location): BADGER CEMETERY

Reports To: R. HOUERMAN

Company: ENVIAO FOREUSICS

Address: W6W23390 STATE RIDGE DR

City State Zip: WAUKESHA, WI 53188

Phone: 714 685-0600

FAX: _____

Invoice To: _____

Company: _____

Address: _____

City State Zip: _____

Phone: _____

FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>58187714</u>	<u>6492-P2-3B</u>	<u>9/25/19</u>	<u>0837</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-MW-9</u>	<u>9/25/19</u>	<u>0930</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-7A</u>	<u>9/25/19</u>	<u>1149</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-7B</u>	<u>9/25/19</u>	<u>1240</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-7C</u>	<u>9/25/19</u>	<u>1315</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-5A</u>	<u>9/25/19</u>	<u>1505</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-5B</u>	<u>9/25/19</u>	<u>1550</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-MW-10</u>	<u>9/25/19</u>	<u>1514</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-18A</u>	<u>9/25/19</u>	<u>1734</u>		X	N	3	<u>GW</u>	<u>HCl</u>													X		
	<u>6492-P2-11A</u>	<u>9/24/19</u>	<u>0840</u>		X	N	2	<u>GW</u>	<u>HCl</u>													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: [Signature]

Temp. of Temp. Blank: [Signature] °C On Ice: X

Cooler seal intact upon receipt: X Yes No

Relinquished By: (sign) [Signature]

Time 1140 Date 9/30/19

Received By: (sign) _____

Time _____ Date _____

Received in Laboratory By: [Signature]

Time 1140 Date 9/30/19

Time _____ Date _____

Time _____ Date _____

Time: 9:11:40 Date: 9/30/19

Time: 9:30/19 Date: 9/30/19

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
Normal Turn Around _____

Lab ID. # _____
Account No. : _____ Quote No.: _____
Project #: **6492**
Sampler: (signature) *PLH*

Project (Name / Location): **BADGEE CLEANERS, BARABOO, WI**
Reports To: **R. HEYERMAN** Invoice To: _____
Company: **EVRAO FOREURS** Company: _____
Address: **116123350 Spawe Road DR** Address: _____
City State Zip: **WAUKESHA WI** City State Zip: _____
Phone: **914-630-0000** Phone: _____
FAX: _____ FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	Other Analysis
5387EE	6492-PZ-11B	9/24/19	0900		X	N	2	GUW	HCl												X			
FP	6492-PZ-10A	9/24/19	1045		X	N	2	GUW	HCl												X			
GL	6492-PZ-10B	9/24/19	1121		X	N	2	GUW	HCl												X			
HH	6492-PZ-9A	9/24/19	1315		X	N	2	GUW	HCl												X			
IT	6492-PZ-9B	9/24/19	1240		X	N	2	GUW	HCl												X			
JI	6492-PZ-10A	9/24/19	1534		X	N	2	GUW	HCl												X			
KK	6492-PZ-10B	9/24/19	1445		X	N	2	GUW	HCl												X			
LL	6492-HWS	9/24/19	1700		X	N	2	GUW	HCl												X			
MM	6492-PZ-17A	9/24/19	1335		X	N	2	GUW	HCl												X			
NN	6492-PZ-23A	9/27/19	0805		X	N	2	GUW	HCl												X			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **Over**
Temp. of Temp. Blank: **4** °C On Ice: **X**
Cooler seal intact upon receipt: **X** Yes **___** No

Relinquished By: (sign) *[Signature]* Time **1140** Date **9/30/19**
Received By: (sign) *[Signature]* Time **9:40** Date **9/30/19**

Received in Laboratory By: *[Signature]* Time: _____ Date: _____



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
Normal Turn Around _____

Lab I.D. # _____
Account No. : _____ Quote No. : _____
Project #: 6492
Sampler: (signature) [Signature]

Project (Name / Location): BADGER CLEANERS, BARABOO, WI

Analysis Requested _____ Other Analysis _____

Reports To: R. HOVEAUX
Company: ENVIRO FORENSICS
Address: 216 W 23390 STATE ROAD DE
City State Zip: WAUWATUSA, WI
Phone: 414-630-0060
FAX: _____

Invoice To: _____
Company: _____
Address: _____
City State Zip: _____
Phone: _____
FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
538871	00	6492-72-23B	9/27/19	734	X	N	2	GW	HCl													X		
	PP	6492-P2-4A	9/27/19	1053	X	N	2	GW	HCl													X		
	QB	6492-P2-4B	9/27/19	1064	X	N	2	GW	HCl													X		
	RR	6492-P2-8A	9/27/19	1104	X	N	2	GW	HCl													X		
	SS	6492-P2-8B	9/27/19	1150	X	N	2	GW	HCl													X		
	TT	6492-DUP-3	-	-	X	N	3	GW	HCl													X		
	UV	6492-DUP-4	-	-	X	N	3	GW	HCl													X		
	VV	6492-DUP-5	-	-	X	N	2	GW	HCl													X		
	WW	6492-DUP-6	-	-	X	N	2	GW	HCl													X		
	XX	6492-DUP-7	-	-	X	N	3	GW	HCl													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Flat
Temp. of Temp. Blank: 9 °C On Ice: X
Cooler seal intact upon receipt: X Yes ___ No

Relinquished By: (sign) [Signature] Time 1140 Date 9/30/19
Received By: (sign) [Signature] Time _____ Date _____
Received in Laboratory By: [Signature] Time 11:00 Date 9/30/19



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
Normal Turn Around _____

Lab I.D. # _____
Account No.: _____
Quote No.: _____

Project #: 6492
Sampler: (signature) [Signature]

Project (Name / Location): BUDGER CREEKERS, BARABOO, WI

Reports To: R. Hoyerman

Company: EURO FORENSICS

Address: N16 W33390 Spore Ridge Dr

City State Zip: WAUKESHA, WI 53185

Phone: 4146300660

FAX: _____

Invoice To: _____

Company: _____

Address: _____

City State Zip: _____

Phone: _____

FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
53687794	4492-EB-4	9/23/19	1720		X	N	2	GW	HE1													X		
	ZL	4492-EB-5	9/23/19		X	N	2	GW	HE1													X		
	AAA	4492-EB-6	9/24/19		X	N	1	GW	HE1													X		
	BBB	4492-EB-7	9/27/19		X	N	2	GW	HE1													X		
	CCC	4492-TB-2	-		X	N	1	GW	HE1													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Flat
Temp. of Temp. Blank: 9 °C On Ice
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) [Signature] Time 11:40 Date 9/30/19
Received By: (sign) [Signature] Time _____ Date _____
Received in Laboratory By: [Signature] Time 1:40 Date 9/30/19

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 02-Oct-19

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829A
Sample ID 6492-MW-1
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		9/25/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		9/25/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		9/25/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		9/25/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		9/25/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829A
Sample ID 6492-MW-1
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		9/25/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		9/25/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		9/25/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		9/25/2019	CJR	1
Tetrachloroethene	700	ug/l	1.9	6.05	5	8260B		9/25/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		9/25/2019	CJR	1
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		9/25/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		9/25/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			5	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			5	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			5	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829B
 Sample ID 6492-MW-2
 Sample Matrix Water
 Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		9/25/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		9/25/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		9/25/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		9/25/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		9/25/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		9/25/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		9/25/2019	CJR	1
Tetrachloroethene	820	ug/l	3.8	12.1	10	8260B		9/25/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829B
Sample ID 6492-MW-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/25/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		9/25/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	99	REC %				10	8260B	9/25/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %				10	8260B	9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				10	8260B	9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				10	8260B	9/25/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829C
 Sample ID 6492-MW-3
 Sample Matrix Water
 Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		9/25/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		9/25/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		9/25/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		9/25/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		9/25/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		9/25/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		9/25/2019	CJR	1
Tetrachloroethene	1290	ug/l	3.8	12.1	10	8260B		9/25/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829C
Sample ID 6492-MW-3
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/25/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		9/25/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829D
Sample ID 6492-MW-4
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	4.5	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829D
Sample ID 6492-MW-4
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829E
Sample ID 6492-PZ-1
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	0.27 "J"	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	16.1	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829E
Sample ID 6492-PZ-1
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	0.42 "J"	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829F
Sample ID 6492-PZ-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	0.76 "J"	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	0.65	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829F
Sample ID 6492-PZ-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829G
Sample ID 6492-CCC-MW-2
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	6.5	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829G
Sample ID 6492-CCC-MW-2
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829H
Sample ID 6492-CCC-MW-6
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	87	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829H
Sample ID 6492-CCC-MW-6
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829I
Sample ID 6492-CCC-MW-8
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		9/25/2019	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		9/25/2019	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		9/25/2019	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		9/25/2019	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		9/25/2019	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		9/25/2019	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		9/25/2019	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		9/25/2019	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		9/25/2019	CJR	1
Tetrachloroethene	238	ug/l	1.9	6.05	5	8260B		9/25/2019	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829I
Sample ID 6492-CCC-MW-8
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	1.75 "J"	ug/l	1.5	4.7	5	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		9/25/2019	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		9/25/2019	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			5	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			5	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			5	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			5	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829J
Sample ID 6492-CCC-MW-1200
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		9/25/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		9/25/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		9/25/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		9/25/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		9/25/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		9/25/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		9/25/2019	CJR	1
Tetrachloroethene	750	ug/l	3.8	12.1	10	8260B		9/25/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829J
Sample ID 6492-CCC-MW-1200
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/25/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		9/25/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			10	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			10	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			10	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	99	REC %			10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829K
Sample ID 6492-CCC-PZ-10
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829K
Sample ID 6492-CCC-PZ-10
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829L
Sample ID 6492-CCC-PZ-100
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	2.93	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829L
Sample ID 6492-CCC-PZ-100
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829M
Sample ID 6492-CCC-PZ-1100
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		9/25/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		9/25/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		9/25/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		9/25/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		9/25/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		9/25/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		9/25/2019	CJR	1
Tetrachloroethene	1540	ug/l	3.8	12.1	10	8260B		9/25/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829M
Sample ID 6492-CCC-PZ-1100
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/25/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		9/25/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			10	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			10	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829N
Sample ID 6492-CCC-PZ-8
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 11	ug/l	11	35.5	50	8260B		9/25/2019	CJR	1
Bromobenzene	< 22	ug/l	22	69	50	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	53	50	8260B		9/25/2019	CJR	1
Bromoform	< 22.5	ug/l	22.5	72	50	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 12.5	ug/l	12.5	40	50	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 39.5	ug/l	39.5	126.5	50	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	112.5	50	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		9/25/2019	CJR	1
Chlorobenzene	< 13	ug/l	13	41.5	50	8260B		9/25/2019	CJR	1
Chloroethane	< 30.5	ug/l	30.5	97.5	50	8260B		9/25/2019	CJR	1
Chloroform	< 13	ug/l	13	41	50	8260B		9/25/2019	CJR	1
Chloromethane	< 27	ug/l	27	86	50	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 15.5	ug/l	15.5	49	50	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 13	ug/l	13	41.5	50	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	471.5	50	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 11	ug/l	11	34.5	50	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 35	ug/l	35	111	50	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 42.5	ug/l	42.5	135	50	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 43	ug/l	43	137	50	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 16	ug/l	16	51	50	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 12.5	ug/l	12.5	39	50	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 18	ug/l	18	57	50	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 21	ug/l	21	67	50	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	96	ug/l	18.5	58	50	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 17	ug/l	17	53.5	50	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 22	ug/l	22	69.5	50	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 15	ug/l	15	47	50	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 16	ug/l	16	50.5	50	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 13	ug/l	13	40.5	50	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 10.5	ug/l	10.5	33	50	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 17	ug/l	17	54.5	50	8260B		9/25/2019	CJR	1
Ethylbenzene	< 13	ug/l	13	41.5	50	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 67	ug/l	67	214	50	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 39	ug/l	39	123.5	50	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 12	ug/l	12	38	50	8260B		9/25/2019	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44.5	50	8260B		9/25/2019	CJR	1
Naphthalene	< 105	ug/l	105	332.5	50	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 30.5	ug/l	30.5	97.5	50	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48.5	50	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 17.5	ug/l	17.5	56.5	50	8260B		9/25/2019	CJR	1
Tetrachloroethene	8500	ug/l	19	60.5	50	8260B		9/25/2019	CJR	1
Toluene	< 9.5	ug/l	9.5	30	50	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 57.5	ug/l	57.5	183.5	50	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829N
Sample ID 6492-CCC-PZ-8
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 85.5	ug/l	85.5	271.5	50	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	52.5	50	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	66	50	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	61	ug/l	15	47	50	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 17.5	ug/l	17.5	55	50	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	127.5	50	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 31.5	ug/l	31.5	100	50	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		9/25/2019	CJR	1
m&p-Xylene	< 21.5	ug/l	21.5	69	50	8260B		9/25/2019	CJR	1
o-Xylene	< 14.5	ug/l	14.5	46.5	50	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			50	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			50	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			50	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	100	REC %			50	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 50368290
 Sample ID 6492-CCC-MW-10
 Sample Matrix Water
 Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 50368290
Sample ID 6492-CCC-MW-10
Sample Matrix Water
Sample Date 9/17/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829P
Sample ID 6492-DCC-MW-8
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/25/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/25/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/25/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/25/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/25/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/25/2019	CJR	1
Tetrachloroethene	13	ug/l	0.38	1.21	1	8260B		9/25/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829P
Sample ID 6492-DCC-MW-8
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/25/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/25/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829Q
Sample ID 6492-DCC-PZ-8
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.35 "J"	ug/l	0.22	0.71	1	8260B		9/25/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/25/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/25/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	16.9	ug/l	0.25	0.78	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/25/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/25/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	340	ug/l	2.8	8.9	10	8260B		9/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/25/2019	CJR	1
Tetrachloroethene	0.91 "J"	ug/l	0.38	1.21	1	8260B		9/25/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829Q
Sample ID 6492-DCC-PZ-8
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/25/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/25/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829R
Sample ID 6492-DCC-MW-7
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/25/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/25/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/25/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/25/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/25/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/25/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/25/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
Chloroform	0.32 "J"	ug/l	0.26	0.82	1	8260B		9/25/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/25/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/25/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/25/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/25/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/25/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/25/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/25/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/25/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/25/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/25/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/25/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/25/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/25/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/25/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/25/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/25/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/25/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/25/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/25/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/25/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/25/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/25/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/25/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/25/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/25/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/25/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/25/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/25/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/25/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/25/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829R
Sample ID 6492-DCC-MW-7
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/25/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/25/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/25/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/25/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/25/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/25/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/25/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/25/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/25/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/25/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/25/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/25/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/25/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		9/25/2019	CJR	1

Project # 6492 PO#2019-0885

Lab Code 5036829S

Sample ID 6492-EB-1

Sample Matrix Water

Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/24/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/24/2019	CJR	1
Bromodichloromethane	0.88 "J"	ug/l	0.33	1.06	1	8260B		9/24/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/24/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/24/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/24/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/24/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
Chloroform	0.95	ug/l	0.26	0.82	1	8260B		9/24/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/24/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/24/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/24/2019	CJR	1
Dibromochloromethane	0.49 "J"	ug/l	0.22	0.69	1	8260B		9/24/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/24/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/24/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/24/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/24/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/24/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/24/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/24/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/24/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/24/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/24/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/24/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/24/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/24/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/24/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/24/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/24/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/24/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/24/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/24/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/24/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/24/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/24/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/24/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/24/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/24/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829S
Sample ID 6492-EB-1
Sample Matrix Water
Sample Date 9/16/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/24/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/24/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/24/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/24/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/24/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/24/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/24/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/24/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/24/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/24/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/24/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		9/24/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/24/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/24/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829T
Sample ID 6492-EB-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/27/2019	CJR	1
Tetrachloroethene	0.58 "J"	ug/l	0.38	1.21	1	8260B		9/27/2019	CJR	1
Toluene	0.4 "J"	ug/l	0.19	0.6	1	8260B		9/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/27/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829T
Sample ID 6492-EB-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		9/27/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/27/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/27/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829U
 Sample ID 6492-EB-3
 Sample Matrix Water
 Sample Date 9/19/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/27/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		9/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/27/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829U
Sample ID 6492-EB-3
Sample Matrix Water
Sample Date 9/19/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/27/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		9/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/27/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/27/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829V
Sample ID 6492-DUP-1
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/28/2019	CJR	1
Tetrachloroethene	640	ug/l	3.8	12.1	10	8260B		9/30/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/28/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829V
Sample ID 6492-DUP-1
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/28/2019	CJR	1
Trichloroethene (TCE)	1.21	ug/l	0.3	0.94	1	8260B		9/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/28/2019	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		9/28/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		9/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/28/2019	CJR	1

Lab Code 5036829W
Sample ID 6492-DUP-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		9/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		9/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		9/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		9/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		9/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		9/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		9/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		9/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		9/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		9/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		9/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		9/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		9/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		9/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		9/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		9/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		9/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		9/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		9/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		9/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		9/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		9/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		9/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		9/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		9/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		9/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		9/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		9/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		9/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		9/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		9/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		9/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		9/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		9/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		9/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		9/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		9/28/2019	CJR	1
Tetrachloroethene	15.6	ug/l	0.38	1.21	1	8260B		9/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		9/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		9/28/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-0885

Invoice # E36829

Lab Code 5036829W
Sample ID 6492-DUP-2
Sample Matrix Water
Sample Date 9/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		9/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		9/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		9/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		9/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		9/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		9/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		9/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		9/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		9/28/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		9/28/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		9/28/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
 (Flushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. #	
Account No.:	Quote No.:
Project #: 6492	
Sampler: (signature) <i>Blm</i>	

Project (Name / Location): RADGER CLEAVERS BARABOO, WI	
Reports To: R HUESMANN	Invoice To:
Company: ENVIRO FORENSICS	Company:
Address: NW22390 STONE RIDGE DR	Address:
City State Zip: WAUKESHA, WI 53188	City State Zip:
Phone: 414 630 5060	Phone:
FAX:	FAX:

Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested										Other Analysis		PID/ FID
									DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	
5036829A	6492-MW-1	9/18/19 1400		X	N	3	GW	HCl													
	6492-MW-2	9/18/19 1500		X	N	3	GW	HCl													
	6492-MW-3	9/16/19 1620		X	N	3	GW	HCl													
	6492-MW-4	9/18/19 1125		X	N	3	GW	HCl													
	6492-PZ-1	9/18/19 1740		X	N	3	GW	HCl													
	6492-PZ-1	9/18/19 215		X	N	3	GW	HCl													
	6492-CCC-MW-2	9/17/19 1231		X	N	3	GW	HCl													
	6492-CCC-MW-4	9/17/19 1900		X	N	3	GW	HCl													
	6492-CCC-MW-4	9/17/19 1442		X	N	3	GW	HCl													
	6492-CCC-MW-124	9/16/19 1452		X	N	3	GW	HCl													

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0885

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: _____
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) <i>Blm</i>	Time	Date	Received By: (sign) <i>[Signature]</i>	Time	Date
Received in Laboratory By: <i>[Signature]</i>	9:15	9/23/19		9:15	9/23/19

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. #	Account No. : <u>6492</u>	Quote No.:	Project (Name / Location): <u>BADGER CLEARERS, BARABOO, WI</u>			Analysis Requested										Other Analysis													
Project #: <u>6492</u> Sampler: (signature) <u>[Signature]</u>	Reports To: <u>R. HOFFMAN</u>	Invoice To: _____	Company: <u>ENVIRO FORENSICS</u>	Address: _____	City State Zip: _____	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS										
Address: <u>N16W2390 Stone Ridge Dr</u>	City State Zip: <u>WAUWATSA, WI 53188</u>	Company: _____	Address: _____	City State Zip: _____	City State Zip: _____																								
Phone: <u>914 630 0000</u>	FAX: _____	Phone: _____	FAX: _____																										
Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation												PID/ FID								
<u>530829k</u>	<u>6492-CC-92-10</u>	<u>9/17/19</u>	<u>1807</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-CC-92-100</u>	<u>9/17/19</u>	<u>1125</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-CC-92-104</u>	<u>9/16/19</u>	<u>1610</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-CC-92-8</u>	<u>9/17/19</u>	<u>1550</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-CC-WW-70</u>	<u>9/17/19</u>	<u>1772</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-DC-WW-8</u>	<u>9/18/19</u>	<u>1015</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-DC-92-5</u>	<u>9/18/19</u>	<u>920</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-DC-WW-7</u>	<u>9/16/19</u>	<u>1812</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-EB-1</u>	<u>9/16/19</u>	<u>1835</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				
	<u>6492-EB-2</u>	<u>9/18/19</u>	<u>1740</u>		<input checked="checked" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>																				

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: flat
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time: 9:15 Date: 9/23/19
Received By: (sign) [Signature] Time: _____ Date: _____
Received in Laboratory By: _____ Time: 9:15 Date: 9/23/19



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____

Account No.: _____ Quote No.: _____

Project #: 6492

Sampler: (signature) RLK

Project (Name/Location): BADGER CLEANERS

Reports To: R. Hoyerman

Company: EURO FORENSICS

Address: NI6W23390 STATE RIDGE DR

City State Zip: WHAUKESHA, WI

Phone: 414 630 0060

FAX: _____

Invoice To: _____

Company: _____

Address: _____

City State Zip: _____

Phone: _____

FAX: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested										Other Analysis					
										DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID	FID
<u>50308294</u>	<u>1492-ES-3</u>	<u>7/9/19</u>	<u>830</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCl</u>																
<u>V</u>	<u>6492-DUP-1</u>	<u>9/8/19</u>	<u>-</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCl</u>																
<u>W</u>	<u>6492-DUP-2</u>	<u>9/8/19</u>	<u>-</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCl</u>																

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Airt

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time: 9:15 Date: 7/23/19

Received in Laboratory By: (sign) _____ Time: 9:15 Date: 7/23/19

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 18-Dec-19

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265A
Sample ID 6492 DCC-MW-7
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265A
Sample ID 6492 DCC-MW-7
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	1.49	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265B
Sample ID 6492 DCC-MW-8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	16.4	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265B
Sample ID 6492 DCC-MW-8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265C
Sample ID 6492 DCC-PZ8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.42	2	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.88	ug/l	0.88	2.76	2	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66	2.12	2	8260B		12/11/2019	CJR	1
Bromoform	< 0.9	ug/l	0.9	2.88	2	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.5	ug/l	0.5	1.6	2	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 1.58	ug/l	1.58	5.06	2	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 1.42	ug/l	1.42	4.5	2	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.52	ug/l	0.52	1.66	2	8260B		12/11/2019	CJR	1
Chloroethane	< 1.22	ug/l	1.22	3.9	2	8260B		12/11/2019	CJR	1
Chloroform	< 0.52	ug/l	0.52	1.64	2	8260B		12/11/2019	CJR	1
Chloromethane	< 1.08	ug/l	1.08	3.44	2	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.62	ug/l	0.62	1.96	2	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.52	ug/l	0.52	1.66	2	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 5.92	ug/l	5.92	18.86	2	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.44	ug/l	0.44	1.38	2	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 1.4	ug/l	1.4	4.44	2	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 1.7	ug/l	1.7	5.4	2	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 1.72	ug/l	1.72	5.48	2	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.64	ug/l	0.64	2.04	2	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	18.4	ug/l	0.5	1.56	2	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.72	ug/l	0.72	2.28	2	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.84	ug/l	0.84	2.68	2	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.32	2	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.14	2	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.88	ug/l	0.88	2.78	2	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.6	ug/l	0.6	1.88	2	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.64	ug/l	0.64	2.02	2	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.52	ug/l	0.52	1.62	2	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.42	ug/l	0.42	1.32	2	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.68	ug/l	0.68	2.18	2	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.52	ug/l	0.52	1.66	2	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 2.68	ug/l	2.68	8.56	2	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 1.56	ug/l	1.56	4.94	2	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.48	ug/l	0.48	1.52	2	8260B		12/11/2019	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	410	ug/l	0.56	1.78	2	8260B		12/11/2019	CJR	1
Naphthalene	< 4.2	ug/l	4.2	13.3	2	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 1.22	ug/l	1.22	3.9	2	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.6	ug/l	0.6	1.94	2	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.26	2	8260B		12/11/2019	CJR	1
Tetrachloroethene	1.06 "J"	ug/l	0.76	2.42	2	8260B		12/11/2019	CJR	1
Toluene	< 0.38	ug/l	0.38	1.2	2	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 2.3	ug/l	2.3	7.34	2	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265C
Sample ID 6492 DCC-PZ8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 3.42	ug/l	3.42	10.86	2	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.66	ug/l	0.66	2.1	2	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.84	ug/l	0.84	2.64	2	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.6	ug/l	0.6	1.88	2	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.7	ug/l	0.7	2.2	2	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5.1	2	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 1.26	ug/l	1.26	4	2	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.86	ug/l	0.86	2.76	2	8260B		12/11/2019	CJR	1
o-Xylene	< 0.58	ug/l	0.58	1.86	2	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			2	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			2	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			2	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	90	REC %			2	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265D
Sample ID 6492 CCC-MW-2
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	9.4	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265D
Sample ID 6492 CCC-MW-2
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265E
Sample ID 6492 CCC-MW-6
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	81	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265E
Sample ID 6492 CCC-MW-6
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265F
Sample ID 6492 CCC-MW-8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.42	2	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.88	ug/l	0.88	2.76	2	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66	2.12	2	8260B		12/11/2019	CJR	1
Bromoform	< 0.9	ug/l	0.9	2.88	2	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.5	ug/l	0.5	1.6	2	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 1.58	ug/l	1.58	5.06	2	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 1.42	ug/l	1.42	4.5	2	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.52	ug/l	0.52	1.66	2	8260B		12/11/2019	CJR	1
Chloroethane	< 1.22	ug/l	1.22	3.9	2	8260B		12/11/2019	CJR	1
Chloroform	< 0.52	ug/l	0.52	1.64	2	8260B		12/11/2019	CJR	1
Chloromethane	< 1.08	ug/l	1.08	3.44	2	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.62	ug/l	0.62	1.96	2	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.52	ug/l	0.52	1.66	2	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 5.92	ug/l	5.92	18.86	2	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.44	ug/l	0.44	1.38	2	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 1.4	ug/l	1.4	4.44	2	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 1.7	ug/l	1.7	5.4	2	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 1.72	ug/l	1.72	5.48	2	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.64	ug/l	0.64	2.04	2	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.5	ug/l	0.5	1.56	2	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.72	ug/l	0.72	2.28	2	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.84	ug/l	0.84	2.68	2	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.32	2	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.68	ug/l	0.68	2.14	2	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.88	ug/l	0.88	2.78	2	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.6	ug/l	0.6	1.88	2	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.64	ug/l	0.64	2.02	2	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.52	ug/l	0.52	1.62	2	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.42	ug/l	0.42	1.32	2	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.68	ug/l	0.68	2.18	2	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.52	ug/l	0.52	1.66	2	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 2.68	ug/l	2.68	8.56	2	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 1.56	ug/l	1.56	4.94	2	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.48	ug/l	0.48	1.52	2	8260B		12/11/2019	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.56	ug/l	0.56	1.78	2	8260B		12/11/2019	CJR	1
Naphthalene	< 4.2	ug/l	4.2	13.3	2	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 1.22	ug/l	1.22	3.9	2	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.6	ug/l	0.6	1.94	2	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.7	ug/l	0.7	2.26	2	8260B		12/11/2019	CJR	1
Tetrachloroethene	320	ug/l	0.76	2.42	2	8260B		12/11/2019	CJR	1
Toluene	< 0.38	ug/l	0.38	1.2	2	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 2.3	ug/l	2.3	7.34	2	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265F
Sample ID 6492 CCC-MW-8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 3.42	ug/l	3.42	10.86	2	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.66	ug/l	0.66	2.1	2	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.84	ug/l	0.84	2.64	2	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	2.38	ug/l	0.6	1.88	2	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.7	ug/l	0.7	2.2	2	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5.1	2	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 1.26	ug/l	1.26	4	2	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.86	ug/l	0.86	2.76	2	8260B		12/11/2019	CJR	1
o-Xylene	< 0.58	ug/l	0.58	1.86	2	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			2	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			2	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			2	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	112	REC %			2	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265G
Sample ID 6492 CCC-MW-10
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	1.13 "J"	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265G
Sample ID 6492 CCC-MW-10
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265H
Sample ID 6492 CCC-PZ-8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	77	ug/l	11	35.5	50	8260B		12/14/2019	CJR	1
Bromobenzene	< 22	ug/l	22	69	50	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 16.5	ug/l	16.5	53	50	8260B		12/14/2019	CJR	1
Bromoform	< 22.5	ug/l	22.5	72	50	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 12.5	ug/l	12.5	40	50	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 39.5	ug/l	39.5	126.5	50	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 35.5	ug/l	35.5	112.5	50	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 15.5	ug/l	15.5	49	50	8260B		12/14/2019	CJR	1
Chlorobenzene	< 13	ug/l	13	41.5	50	8260B		12/14/2019	CJR	1
Chloroethane	< 30.5	ug/l	30.5	97.5	50	8260B		12/14/2019	CJR	1
Chloroform	< 13	ug/l	13	41	50	8260B		12/14/2019	CJR	1
Chloromethane	< 27	ug/l	27	86	50	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 15.5	ug/l	15.5	49	50	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 13	ug/l	13	41.5	50	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 148	ug/l	148	471.5	50	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 11	ug/l	11	34.5	50	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 35	ug/l	35	111	50	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 42.5	ug/l	42.5	135	50	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 43	ug/l	43	137	50	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 16	ug/l	16	51	50	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 12.5	ug/l	12.5	39	50	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 18	ug/l	18	57	50	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 21	ug/l	21	67	50	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	32 "J"	ug/l	18.5	58	50	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 17	ug/l	17	53.5	50	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 22	ug/l	22	69.5	50	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 15	ug/l	15	47	50	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 16	ug/l	16	50.5	50	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 13	ug/l	13	40.5	50	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 10.5	ug/l	10.5	33	50	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 17	ug/l	17	54.5	50	8260B		12/14/2019	CJR	1
Ethylbenzene	< 13	ug/l	13	41.5	50	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 67	ug/l	67	214	50	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 39	ug/l	39	123.5	50	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 12	ug/l	12	38	50	8260B		12/14/2019	CJR	1
Methylene chloride	< 66	ug/l	66	210.5	50	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 14	ug/l	14	44.5	50	8260B		12/14/2019	CJR	1
Naphthalene	< 105	ug/l	105	332.5	50	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 30.5	ug/l	30.5	97.5	50	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 15	ug/l	15	48.5	50	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 17.5	ug/l	17.5	56.5	50	8260B		12/14/2019	CJR	1
Tetrachloroethene	5600	ug/l	19	60.5	50	8260B		12/14/2019	CJR	1
Toluene	< 9.5	ug/l	9.5	30	50	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 57.5	ug/l	57.5	183.5	50	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265H
Sample ID 6492 CCC-PZ-8
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 85.5	ug/l	85.5	271.5	50	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 16.5	ug/l	16.5	52.5	50	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 21	ug/l	21	66	50	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	104	ug/l	15	47	50	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 17.5	ug/l	17.5	55	50	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 40	ug/l	40	127.5	50	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 31.5	ug/l	31.5	100	50	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 10	ug/l	10	32.5	50	8260B		12/14/2019	CJR	1
m&p-Xylene	< 21.5	ug/l	21.5	69	50	8260B		12/14/2019	CJR	1
o-Xylene	< 14.5	ug/l	14.5	46.5	50	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			50	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			50	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	94	REC %			50	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			50	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265I
Sample ID 6492 CCC-PZ-100
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	4.8	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265I
Sample ID 6492 CCC-PZ-100
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265J
Sample ID 6492 CCC-PZ-1100
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		12/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		12/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		12/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		12/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		12/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		12/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		12/14/2019	CJR	1
Tetrachloroethene	640	ug/l	3.8	12.1	10	8260B		12/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265J
Sample ID 6492 CCC-PZ-1100
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		12/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			10	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	93	REC %			10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265K
Sample ID 6492 MW-1
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		12/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		12/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		12/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		12/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		12/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		12/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		12/14/2019	CJR	1
Tetrachloroethene	380	ug/l	3.8	12.1	10	8260B		12/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265K
Sample ID 6492 MW-1
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		12/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			10	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			10	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265L
Sample ID 6492 PZ-1
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	0.33 "J"	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	72	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	0.21 "J"	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265L
Sample ID 6492 PZ-1
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	0.77 "J"	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265M
Sample ID 6492 MW-2
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		12/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		12/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		12/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		12/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		12/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		12/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		12/14/2019	CJR	1
Tetrachloroethene	620	ug/l	3.8	12.1	10	8260B		12/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265M
Sample ID 6492 MW-2
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		12/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			10	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265N
Sample ID 6492 PZ-2
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	3.7	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265N
Sample ID 6492 PZ-2
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 50372650
Sample ID 6492 MW-3
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		12/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		12/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		12/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		12/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		12/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		12/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		12/14/2019	CJR	1
Tetrachloroethene	800	ug/l	3.8	12.1	10	8260B		12/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 50372650
Sample ID 6492 MW-3
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		12/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			10	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			10	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			10	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	96	REC %			10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265P
Sample ID 6492 MW-4
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	1.11 "J"	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265P
Sample ID 6492 MW-4
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265Q
Sample ID 6492 MW-5
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	0.67 "J"	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265Q
Sample ID 6492 MW-5
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265R
Sample ID 6492 MW-6
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	0.59 "J"	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265R
Sample ID 6492 MW-6
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265S
Sample ID 6492 MW-7
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	0.43 "J"	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265S
Sample ID 6492 MW-7
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265T
Sample ID 6492 MW-9
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265T
Sample ID 6492 MW-9
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265U
Sample ID 6492 PZ-9A
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265U
Sample ID 6492 PZ-9A
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	127	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	140	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265V
Sample ID 6492 PZ-9B
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265V
Sample ID 6492 PZ-9B
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	84	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265W
Sample ID 6492 PZ-7C
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265W
Sample ID 6492 PZ-7C
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265X
 Sample ID 6492 PZ-7B
 Sample Matrix Water
 Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.39 "J"	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	18.9	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265X
Sample ID 6492 PZ-7B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	6.7	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				1	8260B	12/11/2019	CJR	1
SUR - Toluene-d8	91	REC %				1	8260B	12/11/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %				1	8260B	12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %				1	8260B	12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265Y
Sample ID 6492 PZ-6A
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	0.4 "J"	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	3.4	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265Y
Sample ID 6492 PZ-6A
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265Z
Sample ID 6492 MW-8
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	4.2	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 5037265Z
Sample ID 6492 MW-8
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265AA
Sample ID 6492 PZ-17A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.8 "J"	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	50	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265AA
Sample ID 6492 PZ-17A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	14.4	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265BB
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	0.61 "J"	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	57	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265BB
Sample ID 6492 PZ-3A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	1.08	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265CC
Sample ID 6492 PZ-3B
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	0.67 "J"	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	20.1	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265CC
Sample ID 6492 PZ-3B
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %				1	8260B	12/11/2019	CJR	1
SUR - Toluene-d8	103	REC %				1	8260B	12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				1	8260B	12/11/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %				1	8260B	12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265DD
Sample ID 6492 MW-10
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	1.15 "J"	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265DD
Sample ID 6492 MW-10
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265EE
Sample ID 6492 CCC-MW-1200
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		12/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		12/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		12/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		12/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		12/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		12/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		12/14/2019	CJR	1
Tetrachloroethene	540	ug/l	3.8	12.1	10	8260B		12/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265EE
Sample ID 6492 CCC-MW-1200
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		12/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			10	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			10	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	94	REC %			10	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265FF
Sample ID 6492 PZ-6B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	0.48 "J"	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265FF
Sample ID 6492 PZ-6B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	130	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	139	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	87	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265GG
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	0.74 "J"	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	34	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265GG
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	0.30 "J"	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	123	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265HH
Sample ID 6492 PZ-16B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	0.44 "J"	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265HH
Sample ID 6492 PZ-16B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	89	REC %			1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265II
Sample ID 6492 PZ-8A
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265II
Sample ID 6492 PZ-8A
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265JJ
Sample ID 6492 PZ-8B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265JJ
Sample ID 6492 PZ-8B
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				1	8260B	12/12/2019	CJR	1
SUR - Toluene-d8	112	REC %				1	8260B	12/12/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %				1	8260B	12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %				1	8260B	12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265KK
Sample ID 6492 PZ-11A
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265KK
Sample ID 6492 PZ-11A
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	82	REC %			1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	114	REC %			1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	80	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265LL
Sample ID 6492 PZ-11B
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265LL
Sample ID 6492 PZ-11B
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265MM
Sample ID 6492 PZ-10A
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265MM
Sample ID 6492 PZ-10A
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265NN
Sample ID 6492 PZ-10B
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265NN
Sample ID 6492 PZ-10B
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 53726500
Sample ID 6492 EB-4
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 53726500
Sample ID 6492 EB-4
Sample Matrix Water
Sample Date 12/3/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265PP
Sample ID 6492 EB-5
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265PP
Sample ID 6492 EB-5
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265QQ
Sample ID 6492 EB-6
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265QQ
Sample ID 6492 EB-6
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265RR
Sample ID 6492 EB-7
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265RR
Sample ID 6492 EB-7
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265SS
Sample ID 6492 DUP-2
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		12/14/2019	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		12/14/2019	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		12/14/2019	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 3.7	ug/l	3.7	11.6	10	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		12/14/2019	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		12/14/2019	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		12/14/2019	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		12/14/2019	CJR	1
Tetrachloroethene	560	ug/l	3.8	12.1	10	8260B		12/14/2019	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265SS
Sample ID 6492 DUP-2
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		12/14/2019	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		12/14/2019	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	94	REC %			10	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265TT
 Sample ID 6492 DUP-3
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/12/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/12/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/12/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/12/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/12/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/12/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/12/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
Chloroform	0.39 "J"	ug/l	0.26	0.82	1	8260B		12/12/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/12/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/12/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/12/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/12/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/12/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/12/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/12/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/12/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/12/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/12/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/12/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/12/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/12/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/12/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/12/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/12/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/12/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/12/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/12/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/12/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/12/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/12/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/12/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/12/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/12/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/12/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/12/2019	CJR	1
Tetrachloroethene	75	ug/l	0.38	1.21	1	8260B		12/12/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/12/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265TT
Sample ID 6492 DUP-3
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/12/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/12/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/12/2019	CJR	1
Trichloroethene (TCE)	1.17	ug/l	0.3	0.94	1	8260B		12/12/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/12/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/12/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/12/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/12/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/12/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/12/2019	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		12/12/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		12/12/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B		12/12/2019	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		12/12/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265UU
Sample ID 6492 DUP-4
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	0.57 "J"	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	47	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265UU
Sample ID 6492 DUP-4
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	0.88 "J"	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265VV
Sample ID 6492 DUP-5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	16.5	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265VV
Sample ID 6492 DUP-5
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	2.69	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265WW
Sample ID 6492 DUP-6
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.7 "J"	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	53	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265WW
Sample ID 6492 DUP-6
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	14.7	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265XX
Sample ID 6492 DUP-7
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	0.46 "J"	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265XX
Sample ID 6492 DUP-7
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265YY
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	22.8	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265YY
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	1.56	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265ZZ
 Sample ID 6492 PZ-4A
 Sample Matrix Water
 Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	1.4	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 537265ZZ
Sample ID 6492 PZ-4A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265AAA
Sample ID 6492 PZ-4B
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/11/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/11/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/11/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/11/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/11/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/11/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/11/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/11/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/11/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/11/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/11/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/11/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/11/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/11/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/11/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/11/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/11/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/11/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/11/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/11/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/11/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/11/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/11/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/11/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/11/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/11/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/11/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/11/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/11/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/11/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/11/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/11/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/11/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/11/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/11/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/11/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/11/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265AAA
Sample ID 6492 PZ-4B
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/11/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/11/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/11/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/11/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/11/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/11/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/11/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/11/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/11/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/11/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		12/11/2019	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	8260B		12/11/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		12/11/2019	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		12/11/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265BBB
Sample ID 6492 PZ-5A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/13/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/13/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/13/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/13/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/13/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/13/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/13/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
Chloroform	0.48 "J"	ug/l	0.26	0.82	1	8260B		12/13/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/13/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/13/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/13/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/13/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/13/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/13/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/13/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/13/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/13/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/13/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/13/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/13/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/13/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/13/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/13/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/13/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/13/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/13/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/13/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/13/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/13/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/13/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/13/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/13/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/13/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/13/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/13/2019	CJR	1
Tetrachloroethene	148	ug/l	0.38	1.21	1	8260B		12/13/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/13/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265BBB
Sample ID 6492 PZ-5A
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/13/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/13/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/13/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/13/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/13/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/13/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/13/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/13/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/13/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/13/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/13/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/13/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/13/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/13/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265CCC
Sample ID 6492 PZ-5B
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	0.82 "J"	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265CCC
Sample ID 6492 PZ-5B
Sample Matrix Water
Sample Date 12/4/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265DDD
Sample ID 6492 MW-11
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	1.12 "J"	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	0.31 "J"	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265DDD
Sample ID 6492 MW-11
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265EEE
Sample ID 6492 PZ-19A
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	1.21	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265EEE
Sample ID 6492 PZ-19A
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265FFF
Sample ID 6492 PZ-23A
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	0.41 "J"	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	34	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265FFF
Sample ID 6492 PZ-23A
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	1.45	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265GGG
Sample ID 6492 PZ-23B
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/14/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/14/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/14/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/14/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/14/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/14/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/14/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/14/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/14/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/14/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/14/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/14/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/14/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/14/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/14/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/14/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/14/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/14/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/14/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/14/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/14/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/14/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/14/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/14/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/14/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/14/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/14/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/14/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/14/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/14/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/14/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/14/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/14/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/14/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/14/2019	CJR	1
Tetrachloroethene	1.7	ug/l	0.38	1.21	1	8260B		12/14/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/14/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265GGG
Sample ID 6492 PZ-23B
Sample Matrix Water
Sample Date 12/5/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/14/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/14/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/14/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/14/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/14/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/14/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/14/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/14/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/14/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/14/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		12/14/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/14/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/14/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/14/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265III
Sample ID 6492 CCC-PZ10
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/10/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/10/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/10/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/10/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/10/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/10/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/10/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/10/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/10/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/10/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/10/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/10/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/10/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/10/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/10/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/10/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/10/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/10/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/10/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/10/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/10/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/10/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/10/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/10/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/10/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/10/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/10/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/10/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/10/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/10/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/10/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/10/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/10/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/10/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/10/2019	CJR	1
Tetrachloroethene	0.79 "J"	ug/l	0.38	1.21	1	8260B		12/10/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/10/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/10/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37265

Lab Code 57265III
Sample ID 6492 CCC-PZ10
Sample Matrix Water
Sample Date 12/2/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/10/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/10/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/10/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/10/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/10/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/10/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/10/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/10/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/10/2019	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		12/10/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/10/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		12/10/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		12/10/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No.: _____
Project #: 6492
Sampler: (signature) K. Neighbors
Quote No.: _____

Project (Name / Location): BUDGET CLEANERS BARABOO, WI

Reports To: R. HOVERMAN Invoice To: _____

Company: ENVIRO FORENSICS Company: _____

Address: W16W03390 STONE RIDGE DR Address: _____

City State Zip: Waukesha WI 53013 City State Zip: _____

Phone: 414.630.6060 Phone: _____

FAX: _____ FAX: _____

Analysis Requested

Other Analysis

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	<input checked="" type="checkbox"/>
8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
5037265 A	6492-DCC-MW-7	12/19/19	1546		X	N	3	GLW	HCl	
	6492-DCC-MW-8	12/19/19	1335							
	6492-DCC-PZ-5	12/31/19	1230							
	6492-CCL-MW-2	12/19/19	1115							
	6492-CCL-MW-6	12/19/19	1000							
	6492-CCL-MW-8	12/19/19	1450							
	6492-CCL-MW-12	12/19/19	1440							
	6492-CCL-PZ-5	12/31/19	1540							
	6492-CCL-PZ-10	12/19/19	1247							
	6492-CCL-PZ-10A	12/19/19	1625							

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

DO# 2019-1088

Sample Integrity - To be completed by receiving lab.
Method of Shipment: se
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time _____ Date _____
Received By: (sign) Lain Cass Time _____ Date _____
Received in Laboratory By: (sign) _____ Time: 8:00 Date: 12/10/19

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No.: _____
Quote No.: _____
Project #: **6492**
Sampler: (signature) **K. Neighbors**

Project (Name / Location): **BADGER CLEANERS, BARABOO WI**

Analysis Requested

Other Analysis

Reports To: **R. Hoyerman**
Company: **ENVIRONMENTAL FORENSICS**
Address: **MILWAUKEE STEVE RIDGEBY STLG**
City/State/Zip: **Waukesha, WI 53113**
Phone: **414.630.6060**
FAX: _____

Invoice To:
Company:
Address:
City/State/Zip:
Phone:
FAX:

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	
8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
5037265K	6492-MW-1	12/5/19	1325		X	N	3	GW	HCl	
	6492-72-1	12/5/19	1505							
	6492-MW-2	12/5/19	1325							
	6492-P2-2	12/5/19	1000							
	6492-MW-3	12/5/19	1125							
	6492-MW-4	12/5/19	0900							
	6492-MW-5	12/3/19	0845							
	6492-MW-6	12/3/19	0946							
	6492-MW-7	12/3/19	1055							
	6492-MW-9	12/4/19	844							

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PC# 12/19-1068

Sample Integrity - To be completed by receiving lab.
Method of Shipment: _____
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time _____ Date _____
Received By: (sign) **Garb Cross** Time _____ Date _____
Received in Laboratory By: (sign) _____ Time: **8:00** Date: **12/10/19**

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____
Quote No.: _____
Project #: **6492**
Sampler: (signature) *A Duda*

Project (Name / Location): **BADGER CLOVERS, BARABOO WI**
Reports To: **R HOVERMAN**
Company: **EVU/PO FABRICS**
Address: **1411 W 23390 STATE RD DR STE 4**
City State Zip: **WAUKESHA, WI**
Phone: **414 630 0060**
FAX: _____

Analysis Requested: _____
Other Analysis: _____

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
5031265U	6492-P2-9A	12/1/19	1457		X	N	3	GW	HCl													X		
	6492-P2-9B	12/1/19	1532																					
	6492-P2-7C	12/3/19	0840																					
	6492-P2-7D	12/2/19	1057																					
	6492-P2-4H	12/6/19	1200																					
	6492-44W-8	12/4/19	0535																					
	6492-P2-17A	12/4/19	0913																					
	6492-P2-34	12/4/19	1016																					
	6492-P2-83	12/4/19	1050																					
	6492-44W-10	12/4/19	1227																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1088

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *[Signature]* Time: 12/9/19 Date: 1405 Received By: (sign) *[Signature]* Time: _____ Date: _____
Received in Laboratory By: *[Signature]* Time: 8:00 Date: 12/10/19

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: 6492
Sampler: (signature) K. Neighbors

Project (Name / Location): BATHEE CLEANERS BARABOO WI

Analysis Requested

Other Analysis

Reports To: R. Heuserman Invoice To: _____
Company: Envire Forensics Company: _____
Address: 1016 W23390 Stone Road De Steg Address: _____
City State Zip: WAUKESHA WI 53213 City State Zip: _____
Phone: 414.630.0000 Phone: _____
FAX: _____ FAX: _____

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	<input checked="" type="checkbox"/>
8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
<u>5372688</u>	<u>6492-DC-NW-120</u>	<u>12/5/19</u>	<u>1710</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCl</u>	
	<u>FF</u>	<u>6492-PZ-CB</u>	<u>12/5/19</u>	<u>1235</u>						
	<u>GL</u>	<u>6492-PZ-LCA</u>	<u>12/5/19</u>	<u>1415</u>						
	<u>HH</u>	<u>6492-PZ-LCB</u>	<u>12/3/19</u>	<u>1336</u>						
	<u>II</u>	<u>6492-PZ-8A</u>	<u>12/1/19</u>	<u>1535</u>						
	<u>IS</u>	<u>6492-PZ-8B</u>	<u>12/3/19</u>	<u>1612</u>						
	<u>KY</u>	<u>6492-PZ-11A</u>	<u>12/3/19</u>	<u>1055</u>						
	<u>LL</u>	<u>6492-PZ-11B</u>	<u>12/3/19</u>	<u>1055</u>						
	<u>MM</u>	<u>6492-PZ-10A</u>	<u>12/2/19</u>	<u>1300</u>						
	<u>NN</u>	<u>6492-PZ-10B</u>	<u>12/1/19</u>	<u>1340</u>						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO # 2019-1088

Sample Integrity - To be completed by receiving lab.
Method of Shipment: ice
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) <u>[Signature]</u>	Time: <u>1405</u>	Date: <u>12/9/19</u>	Received By: (sign) <u>[Signature]</u>	Time: _____	Date: _____
Received in Laboratory By: <u>[Signature]</u>	Time: <u>8:00</u>	Date: <u>12/10/19</u>			

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
 Normal Turn Around

Quote No.:

Project #: 6492

Sampler: (signature) *N Duda*

Project (Name / Location): *BARBER CLEVERS BARABEE WI*

Reports To: *R HOVERMAN*

Company: *ENVIRONMENTAL SERVICES*

Address: *MILWAUKEE STATE RIDGE DR STG*

City State Zip: *WILKESHA, WI 53113*

Phone: *414.630.0660*

FAX:

Invoice To:

Company:

Address:

City State Zip:

Phone:

FAX:

Analysis Requested

Other Analysis

DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	X
8-RCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/ FID
53726500	6492-EB-4	12/19	1605		X	N	3	GW	HCl	
	6492-EB-5	12/19	1545							
	6492-EB-6	12/19	1600							
	6492-EB-7	12/19	1550							
	6492-DUP-2									
	6492-DUP-3									
	6492-DUP-4									
	6492-DUP-5									
	6492-DUP-6									
	6492-DUP-7									

Comments/Special Instructions ('Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO#2019-1088

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *Seal*
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time: 1405 Date: 12/19 Received By: (sign) *[Signature]* Time: _____ Date: _____
Received in Laboratory By: *[Signature]* Time: 6:00 Date: 12/19



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
 Normal Turn Around

Lab ID. # _____
Account No.: _____ Quote No.: _____
Project #: **6492**
Sampler: (signature) *N Duba*

Project (Name / Location): **BADGER CLEVERS** **BARRAC, WI**

Reports To: **R Haverman** Invoice To: _____
Company: **ENVIRONMENTAL FORENSICS** Company: _____
Address: **N. W. 93390 Stone Ridge Dr** Address: _____
City/State/Zip: **Waukesha, WI 53188** City/State/Zip: _____
Phone: **414.630.0060** Phone: _____
FAX: _____ FAX: _____

Lab ID.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
537165TY	6492-444-P2-4A	12/4/19	1205		X	N	3	GLD	HCl													X		
AAA	6492-P2-4B	12/4/19	1430																					
BBB	6492-P2-5A	12/4/19	1508																					
CCC	6492-P2-5B	12/4/19	1540																					
DDD	6492-MW-11	12/5/19	0636																					
EEE	6492-P2-19A	12/5/19	0910																					
FFF	6492-P2-33A	12/5/19	0937																					
GLG	6492-P2-33B	12/5/19	1028																					
HNH	6492-EB-2	12/11/19	1601																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PD# 2019-1088

Sample Integrity - To be completed by receiving lab.
Method of Shipment: **GC**
Temp. of Temp. Blank: _____ °C On Ice: **X**
Cooler seal intact upon receipt: **X** Yes _____ No

Relinquished By: (sign) _____ Time _____ Date _____
Received By: (sign) **GOLDRESS** Time _____ Date _____

Received in Laboratory By: (sign) _____ Time: **8:00** Date: **12/6/19**

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
Normal Turn Around _____

Lab ID # _____
Account No: _____
Quote No.: _____
Project #: C493
Sampler (signature) _____

Project (Name / Location): BADGER CLEANERS
Reports To: R. HOWERMAN
Company: EnviroForensics
Address: 14403390 Stone Ridge Dr
City State Zip: WAUKESHA, WI 53158
Phone: 414 630 0000
FAX: _____

Invoice To: _____
Company: _____
Address: _____
City State Zip: _____
Phone: _____
FAX: _____

Lab ID	Sample ID	Collection Date / Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type / Matrix	Preservation
<u>5716SII</u>	<u>WH-CC-P2-10</u>	<u>12/19/19 15:40</u>		<u>X</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HC</u>
	<u>JIS WH-TR-7A</u>	<u>12/19/19 10:20</u>		<u>X</u>	<u>N</u>	<u>5</u>	<u>GW</u>	<u>L</u>

Comments/Special Instructions ("GW": Drinking Water "DW": Waste Water "WW": Soil "S": Air "A": Oil Sludge etc.)

DOH 2019-1085

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 542.2)	
VOC (EPA 8260)	<u>X</u>
8-RCRA METALS	<u>X</u>

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank: _____ °C On Ice: X
Cooler seal intact upon receipt: X Yes _____ No

Relinquished By (sign): [Signature] Time: _____ Date: 12/19/19 Received By (sign): [Signature] Time: _____ Date: 12/19/19
Received in Laboratory By: [Signature] Time: _____ Date: 12/10/19

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 06-Jan-20

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238A
Sample ID 6492-MW-12
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		12/6/2019	CJR	1 49
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		12/6/2019	CJR	1 49
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		12/6/2019	CJR	1 49
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		12/6/2019	CJR	1 49
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		12/6/2019	CJR	1 49
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		12/6/2019	CJR	1 49
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		12/6/2019	CJR	1 49
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		12/6/2019	CJR	1 49
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		12/6/2019	CJR	1 49
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		12/6/2019	CJR	1 49
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		12/6/2019	CJR	1 49
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		12/6/2019	CJR	1 49
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		12/6/2019	CJR	1 49
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		12/6/2019	CJR	1 49
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		12/6/2019	CJR	1 49
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		12/6/2019	CJR	1 49
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		12/6/2019	CJR	1 49
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		12/6/2019	CJR	1 49
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		12/6/2019	CJR	1 49
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		12/6/2019	CJR	1 49
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		12/6/2019	CJR	1 49
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		12/6/2019	CJR	1 49
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		12/6/2019	CJR	1 49
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		12/6/2019	CJR	1 49
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		12/6/2019	CJR	1 49

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238A
Sample ID 6492-MW-12
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		12/6/2019	CJR	1 49
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		12/6/2019	CJR	1 49
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		12/6/2019	CJR	1 49
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		12/6/2019	CJR	1 49
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		12/6/2019	CJR	1 49
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		12/6/2019	CJR	1 49
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		12/6/2019	CJR	1 49
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		12/6/2019	CJR	1 49
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		12/6/2019	CJR	1 49
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		12/6/2019	CJR	1 49
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		12/6/2019	CJR	1 49
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		12/6/2019	CJR	1 49
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		12/6/2019	CJR	1 49
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		12/6/2019	CJR	1 49
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		12/6/2019	CJR	1 49
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		12/6/2019	CJR	1 49
Tetrachloroethene	< 1.9	ug/l	1.9	6.05	5	8260B		12/6/2019	CJR	1 49
Toluene	< 0.95	ug/l	0.95	3	5	8260B		12/6/2019	CJR	1 49
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		12/6/2019	CJR	1 49
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		12/6/2019	CJR	1 49
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		12/6/2019	CJR	1 49
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		12/6/2019	CJR	1 49
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		12/6/2019	CJR	1 49
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		12/6/2019	CJR	1 49
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		12/6/2019	CJR	1 49
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		12/6/2019	CJR	1 49
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		12/6/2019	CJR	1 49
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		12/6/2019	CJR	1 49
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		12/6/2019	CJR	1 49
SUR - 4-Bromofluorobenzene	104	REC %			5	8260B		12/6/2019	CJR	1 49
SUR - Dibromofluoromethane	97	REC %			5	8260B		12/6/2019	CJR	1 49
SUR - 1,2-Dichloroethane-d4	101	REC %			5	8260B		12/6/2019	CJR	1 49
SUR - Toluene-d8	96	REC %			5	8260B		12/6/2019	CJR	1 49

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238B
Sample ID 6492-MW-13
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238B
Sample ID 6492-MW-13
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238C
Sample ID 6492-PZ-15A
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238C
Sample ID 6492-PZ-15A
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238D
Sample ID 6492-PZ-15B
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238D
Sample ID 6492-PZ-15B
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238E
Sample ID 6492-PZ-13A
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	0.35 "J"	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	68	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238E
Sample ID 6492-PZ-13A
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	1.81	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238F
Sample ID 6492-PZ-13B
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	80	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238F
Sample ID 6492-PZ-13B
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	1.38	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238G
Sample ID 6492-PZ-12A
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	0.57 "J"	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	39	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238G
Sample ID 6492-PZ-12A
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238H
Sample ID 6492-PZ-14A
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238H
Sample ID 6492-PZ-14A
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238I
Sample ID 6492-PZ-14B
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238I
Sample ID 6492-PZ-14B
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
 Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238J
 Sample ID 6492-PZ-12B
 Sample Matrix Water
 Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	4.7	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238J
Sample ID 6492-PZ-12B
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238K
Sample ID 6492-PZ-22A
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238K
Sample ID 6492-PZ-22A
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238L
Sample ID 6492-PZ-20
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238L
Sample ID 6492-PZ-20
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238M
Sample ID 6492-PZ-21A
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238M
Sample ID 6492-PZ-21A
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238N
Sample ID 6492-PZ-21B
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238N
Sample ID 6492-PZ-21B
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238O
Sample ID 6492-DUP-1
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/7/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/7/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/7/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/7/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/7/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/7/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/7/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/7/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/7/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/7/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/7/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/7/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/7/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/7/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/7/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/7/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/7/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/7/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/7/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/7/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/7/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/7/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/7/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/7/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/7/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/7/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/7/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/7/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/7/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/7/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/7/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/7/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/7/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/7/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/7/2019	CJR	1
Tetrachloroethene	73	ug/l	0.38	1.21	1	8260B		12/7/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/7/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 50372380
Sample ID 6492-DUP-1
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/7/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/7/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/7/2019	CJR	1
Trichloroethene (TCE)	1.2	ug/l	0.3	0.94	1	8260B		12/7/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/7/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/7/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/7/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/7/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/7/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/7/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		12/7/2019	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		12/7/2019	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/7/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/7/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238P
Sample ID 6492-EB-1
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238P
Sample ID 6492-EB-1
Sample Matrix Water
Sample Date 11/26/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238Q
Sample ID 6492-EB-3
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238Q
Sample ID 6492-EB-3
Sample Matrix Water
Sample Date 11/27/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238R
Sample ID TB-1
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		12/6/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		12/6/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		12/6/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		12/6/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		12/6/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		12/6/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		12/6/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		12/6/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		12/6/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		12/6/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		12/6/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		12/6/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		12/6/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		12/6/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		12/6/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		12/6/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		12/6/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		12/6/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		12/6/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		12/6/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		12/6/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		12/6/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		12/6/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		12/6/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		12/6/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		12/6/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		12/6/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		12/6/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		12/6/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/6/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		12/6/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		12/6/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		12/6/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		12/6/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		12/6/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		12/6/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		12/6/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		12/6/2019	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2019-1088

Invoice # E37238

Lab Code 5037238R
Sample ID TB-1
Sample Matrix Water
Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		12/6/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		12/6/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		12/6/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		12/6/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		12/6/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		12/6/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		12/6/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/6/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		12/6/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		12/6/2019	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		12/6/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		12/6/2019	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		12/6/2019	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/6/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

- 1 Laboratory QC within limits.
- 49 Sample diluted to compensate for matrix interference.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Flushes accepted only with prior authorization)
Normal Turn Around _____

Quote No.:

Project #: 6492

Sampler: (signature) N DUDA

Project (Name / Location): BADGER CLEAVERS

Reports To: R. HUBERMAN

Invoice To:

Company: ENVIROFOCUS

Company:

Address:

Address:

City State Zip:

City State Zip:

Phone: 262.510.0612

Phone:

FAX:

FAX:

Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
<u>50512358A</u>	<u>6492-MW-12</u>	<u>11/24/19 10:13</u>		X	N	3	GW	HCl													X		
	<u>6492-MW-13</u>	<u>11/24/19 13:25</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-15A</u>	<u>11/24/19 14:45</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-15B</u>	<u>11/24/19 15:21</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-13A</u>	<u>11/27/19 8:30</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-13b</u>	<u>11/27/19 9:01</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-12A</u>	<u>11/27/19 10:00</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-14A</u>	<u>11/27/19 11:23</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-14B</u>	<u>11/27/19 11:56</u>		X	N	3	GW	HCl													X		
	<u>6492-P2-12B</u>	<u>11/27/19 10:37</u>		X	N	3	GW	HCl													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PD# 2019-1088

Sample Integrity - To be completed by receiving lab.

Method of Shipment: CE

Temp. of Temp. Blank _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) [Signature]

[Signature]

Time 0541

Date 12/5/19

Received By: (sign)

GORD CROSS COLEBURN

Time

Date

Received in Laboratory By: [Signature]

[Signature]

Time: 8:00

Date: 12/6/19

CHAIN OF CUSTODY RECORD



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Chain # **N_o 303**
Page **2** of **2**

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
Normal Turn Around _____

Lab I.D. # _____

Account No. : _____ Quote No. : _____

Project #: **6492**

Sampler: (signature) **N Duda**

Project (Name / Location): **BADGER CLEARERS**

Reports To: **R. Hoyerman**

Company: **ENVIRONMENTAL FORENSICS**

Address: _____

City State Zip: _____

Phone: **262.510.0612**

FAX: _____

Invoice To: _____

Company: _____

Address: _____

City State Zip: _____

Phone: _____

FAX: _____

Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
5057238K	L	6492-P2-12A 11/26/19 1355		X	N	3	GW	HCl													X		
	W	6492-P2-20KA 11/26/19 1647		X	N	3	GW	HCl													X		
	N	6492-P2-21A 11/26/19 1837		X	N	3	GW	HCl													X		
	O	6492-P2-21B 11/26/19 1909		X	N	3	GW	HCl													X		
	P	6492-DUP-1		X	N	3	GW	HCl													X		
	Q	6492-EB-1 11/26/19 1520		X	N	3	GW	HCl													X		
	R	6492-EB-3 11/26/19 1715		X	N	3	GW	HCl													X		
	R	TB-1		X	N	1	GW	HCl													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-1088

Sample Integrity - To be completed by receiving lab.
Method of Shipment: SE
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time: _____ Date: _____
Received By: (sign) _____ Time: _____ Date: _____
Received in Laboratory By: (sign) _____ Time: 8:00 Date: 12/6/19

Time: 12/5/19 Date: 0541 Received By: (sign) _____ Time: _____ Date: _____
COLD CROSS COURIER