



February 17, 2021

Trevor Bannister
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

Subject: **2020 Annual Groundwater Monitoring Report**
Badger Cleaners
616 Oak Street
Baraboo, Wisconsin 53913
WDNR BRRTS#: 02-57-548538

Dear Mr. Bannister:

EnviroForensics, LLC (EnviroForensics) is pleased to present this *Annual Groundwater Monitoring Report* for the Badger Cleaners facility located at 616 Oak Street in Baraboo, Wisconsin (Site). Groundwater monitoring is ongoing as required by the Wisconsin Department of Natural Resources per Chapter NR 716 of the Wisconsin Administrative Code (WAC). Groundwater monitoring activities were performed to assess current groundwater conditions, including groundwater flow direction, and degree and extent of volatile organic compound (VOC) impacts.

BACKGROUND

The Site is located within an area of mixed residential and commercial land use in downtown Baraboo, Wisconsin. The site consists of a single parcel of approximately 2,740 square feet with a single-story commercial building of approximately 2,420 square feet. The building was primarily constructed between 1913 and 1922 and subsequently added on to after 1947. The building is constructed slab on grade on the east and west ends with a basement beneath the central portion, and the remainder of the property is a paved asphalt parking area. The Site is bound by commercial buildings to the north, east and south, and Oak Street to the west. The nearest surface water body is the Baraboo River located approximately 1,640 feet to the south of the Site. The Site layout is presented as **Figure 1**.

Site investigation activities have been on-going since the initial detection of VOCs in soil at the Site in 1995. Four (4) monitoring wells and two (2) piezometers were installed by a past consultant. Between December 2017 and October 2018, EnviroForensics installed nine (9)

Document: 6492-1297

N16 W23390 Stone Ridge Drive, Suite G, Waukesha, WI 53188 | P: 262-290-4001 | enviroforensics.com

water table wells and 38 piezometers to delineate and monitor groundwater plume conditions. A soil vapor extraction (SVE) system was started in January 2020 as reported in the Remediation Implementation Report dated July 27, 2020. A semi-annual report for operation, maintenance, and monitoring of the SVE system will be provided in a separate document.

GROUNDWATER MONITORING ACTIVITIES

Groundwater monitoring activities were performed by EnviroForensics on April 20–30, 2020, August 19–28, 2020 and October 25 – November 6, 2020. The monitoring events included groundwater elevation measurements and groundwater sample collection. The locations of all monitoring wells and piezometers are depicted on **Figure 1**.

Groundwater Elevation Measurements

Groundwater elevation data were collected during both events from the entire monitoring network which is comprised of 13 monitoring wells (MW-1 through MW-13) and 40 piezometers (PZ-1 through PZ-23B). Groundwater elevation data were also collected from two (2) monitoring wells installed for the investigation of Circus City Cleaners (BRRTS# 02-57-551681): CCC-MW-2 and CCC-MW-1200. The elevation of the Baraboo River has been collected and incorporated in the gauging data set and potentiometric surface modelling.

Monitoring well construction details are summarized in **Table 1**. Monitoring well covers and caps were removed at least 15 minutes prior to depth to water measurements to allow groundwater in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was measured using an electronic water level indicator and tabulated in **Table 2**.

Groundwater Sampling

Groundwater samples were collected from the entire well network during the April event while only select wells were sampled during the August and November events. A sampling plan is provided as **Table 3**. Low-flow groundwater sampling was conducted using a submersible pneumatic bladder pump for two-inch wells and a check valve for 1-inch wells to purge groundwater. The pump or check valve was deployed to extract water from the screened portion of each well and transport it into a flow-through cell apparatus at the surface. A multi-parameter field instrument was utilized to collect water quality measurements in a flow-through cell. The instrument measured groundwater geochemical parameters such as pH, oxidation-reduction potential, specific conductivity, temperature, turbidity, and dissolved oxygen. These parameters were monitored during purging to verify stabilization prior to

groundwater sample collection. The instrument probes were calibrated according to the manufacturer's recommendations prior to use.

During each event, one (1) duplicate sample per 10 samples, one (1) equipment blank per day were collected for quality control/quality assurance purposes, and one (1) trip blank accompanied each sample cooler. The samples were transmitted to a state-certified laboratory and analyzed for VOCs according to the United States Environmental Protection Agency SW-846 Test Method 8260B.

INVESTIGATION RESULTS

Groundwater Elevation and Flow Direction

Groundwater elevation data collected on April 20, 2020, August 19, 2020, and October 30, 2020, are summarized in **Table 2**. Historical data collected since the site investigation began in 2008 are also included in **Table 2** for reference. A water table contour map for each of the three events is presented on **Figures 2a-c**. The predominant groundwater flow direction appears to be toward the southeast, which is consistent with previous findings. A measurement of the Baraboo River surface elevation was collected and compared to groundwater elevation data. The data indicates the Baraboo River is gaining (i.e., receiving groundwater inflow through the riverbed) which is consistent with published groundwater table elevations and groundwater flow for Sauk County^{1,2}. As such, the upward gradient where the groundwater table intersects the Baraboo River may affect plume dynamics. However, the plume overall appears to dive with distance from the source and is present at least 65 feet below the river elevation (in PZ-13B). The downgradient extent of the plume appears to end near the river; the slight upward vertical gradient is unlikely to cause the plume to discharge to the river.

Groundwater Analytical Results

Groundwater analytical data are summarized on **Table 4** in which VOC concentrations are compared to public health standards listed in WAC Chapter NR 140. Historical data collected since the first round of groundwater monitoring (performed in 2008) are included in **Table 4** for reference. An isoconcentration map depicting the extent of PCE exceeding the enforcement standard (ES) is presented on **Figure 3**. The complete laboratory reports from the sampling events are provided in **Attachment 1**.

¹ Gotkowitz, M.B., and Zeiler, K.K., 2003b, Water-table elevation map of Sauk County, Wisconsin: Wisconsin Geological and Natural History Survey Miscellaneous Map 55-DI,

² Gotkowitz, M.B., Zeiler, K.K., Dunning, C.P., Thomas, K.C., and Lin, Y., 2005, Hydrogeology and Simulation of Groundwater Flow in Sauk County, Wisconsin Geological and Natural History Survey Bulletin 102

Compounds that were detected in Site monitoring wells at concentrations exceeding ESs or preventive action limits (PALs) in one or more samples were tetrachloroethene (PCE), trichloroethene (TCE), benzene, and chloroform. Cis-1,2-dichloroethene, methyl tert-butyl ether (MTBE, and toluene were detected at concentrations below their respective PALs.

Duplicate and equipment blank results associated with each monitoring event demonstrate that the sampling and decontamination methods did not affect analytical data quality. The relative percent difference (RPD) in duplicate samples was generally less than 10% of the sample results. One notable exception was the "J" flagged results in PZ-16A which had an RPD of 43% during the April event. Because the results are so near to the reporting limit and "J" flagged by the laboratory, it is unlikely to disqualify the analytical quality. VOCs were not detected in the equipment and trip blank samples.

Investigation-derived media (IDM) generated during this monitoring event, including purge water and decontamination fluid, was stored in sealed and labeled 55-gallon drums staged on-site until laboratory results were received. Once results were received, the IDM was discharged to the sewer for treatment by the Baraboo Sanitary Waste-Water Treatment Facility for treatment.

CONCLUSIONS AND RECOMMENDATIONS

The inferred direction of groundwater flow at the Site is toward the southeast and is consistent with previous monitoring events. The contaminant plume in groundwater has been fully defined and extends southeast approximately 2,200 feet in the direction of groundwater flow with at least 75 feet of vertical migration. The affected groundwater is not used as a potable resource and potential discharge to the Baraboo River is below applicable standards. The limited amount or absence of PCE daughter products (i.e., cis-1,2-DCE, trans-1,2-dichloroethene, and/or vinyl chloride) in the samples indicate natural attenuation of the groundwater plume is not occurring. Near source wells appear to have a slightly decreasing concentration trend of PCE, while downgradient wells have a slightly increasing concentration trend for PCE. Groundwater monitoring should be continued in 2021 to further evaluate these trends over time. EnviroForensics recommends following the monitoring plan presented in **Table 3**. The WDNR will be notified of any proposed changes to the monitoring plan.



Please contact us if you have any questions about the information presented in this report.

Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Rob Hoverman".

Rob Hoverman, LPG
Senior Project Manager

Copy: Dave Bieno, Portage Cleaners (d.b.a) Badger Cleaners, Inc.

List of Attachments

- Table 1: Monitoring Well Construction
- Table 2: Groundwater Elevation Data
- Table 3: Groundwater Monitoring Plan
- Table 4: Monitoring Well Analytical Results

- Figure 1: Monitoring Well Location Map
- Figure 2a: Potentiometric Surface Map – April 20, 2020
- Figure 2b: Potentiometric Surface Map – August 19, 2020
- Figure 2c: Potentiometric Surface Map – October 30, 2020
- Figure 3: Groundwater PCE Isoconcentration Map

Attachment 1: Laboratory Analytical Reports



TABLES

TABLE 1
MONITORING WELL CONSTRUCTION
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

Well ID	Date Installed	Consultant	Well Diameter (inches)	Northing	Easting	Ground Elevation (feet AMSL)	TOC Elevation (feet AMSL)	Top Screen Elevation (feet AMSL)	Bottom Screen Elevation (feet AMSL)	Screened Interval (feet bgs)	Total Depth (feet bgs)
MW-1	3/24/2008	Northern Environmental	2	536,403.99	2,036,994.42	880.46	879.90	834.46	824.46	46 - 56	56
MW-2	3/25/2008		2	536,418.70	2,037,022.94	878.97	878.55	833.97	823.97	45 - 55	55
MW-3	3/26/2008		2	536,436.12	2,037,011.36	878.86	878.17	835.86	825.86	43 - 53	53
MW-4	8/14/2013		2	536,399.94	2,037,148.96	879.36	878.92	834.36	824.36	45 - 55	55
MW-5	9/19/2018	EnviroForensics	2	534,781.99	2,038,983.60	834.60	834.33	829.60	819.60	5 - 15	15
MW-6	9/19/2018		2	534,871.57	2,038,503.24	831.48	831.16	826.48	816.48	5 - 15	15
MW-7	9/19/2018		2	535,131.18	2,038,157.48	857.24	856.90	832.24	817.24	25 - 40	40
MW-8	9/24/2018		1	535,855.36	2,037,692.35	876.56	874.34	831.56	821.56	45 - 55	55
MW-9	9/25/2018		2	536,061.67	2,037,309.81	880.14	879.80	835.14	825.14	45 - 55	55
MW-10	10/2/2018		1	536,537.31	2,037,071.15	877.28	876.94	829.28	819.28	48 - 58	58
MW-11	10/10/2018		1	536,289.92	2,036,845.92	883.70	883.41	835.70	825.70	48 - 58	58
MW-12	10/17/2018		1	534,267.54	2,038,736.19	829.00	828.46	824.00	814.00	5 - 15	15
MW-13	10/18/2018		1	534,310.40	2,039,454.41	827.20	826.90	822.20	812.20	5 - 15	15
PZ1	8/14/2013	Northern Environmental	2	536,221.30	2,037,194.88	880.77	880.43	795.77	790.77	85 - 90	90
PZ2	8/15/2013		2	536,406.91	2,037,148.57	879.45	878.90	814.45	809.45	65 - 70	70
PZ-3A	12/17/2017	EnviroForensics	1	536,058.34	2,037,310.43	880.22	879.69	795.22	790.22	85 - 90	90
PZ-3B	12/17/2017		1	536,058.44	2,037,310.25	880.22	879.64	770.22	765.22	110 - 115	115
PZ-4A	2/28/2018		1	535,973.80	2,037,349.10	879.88	879.41	794.88	789.88	85 - 90	90
PZ-4B	2/28/2018		1	536,173.90	2,037,603.65	879.88	879.45	770.88	765.88	109 - 114	114
PZ-5A	3/2/2018		1	536,537.88	2,036,809.19	878.25	877.71	793.25	788.25	85 - 90	90
PZ-5B	3/2/2018		1	536,538.05	2,036,809.13	878.25	877.70	768.25	763.25	110 - 115	115
PZ-6A	3/7/2018		1	535,440.41	2,037,802.27	863.62	863.06	778.62	773.62	85 - 90	90
PZ-6B	3/7/2018		1	535,440.61	2,037,802.33	863.62	863.03	753.62	748.62	110 - 115	115
PZ-7A	3/8/2018		1	535,473.40	2,038,080.87	866.21	865.63	781.21	776.21	85 - 90	90
PZ-7B	3/8/2018		1	535,473.23	2,038,080.78	866.21	865.67	756.21	751.21	110 - 115	115
PZ-7C	10/5/2018		2	535,473.69	2,038,075.74	866.16	865.79	679.16	674.16	187 - 192	192
PZ-8A	3/12/2018		1	535,829.50	2,037,976.53	875.77	875.24	790.77	785.77	85 - 90	90
PZ-8B	3/12/2018		1	535,829.37	2,037,976.43	875.77	875.27	765.77	760.77	110 - 115	115
PZ-9A	3/14/2018		1	535,498.12	2,038,507.26	873.95	873.40	788.95	783.95	85 - 90	90
PZ-9B	3/14/2018		1	535,498.28	2,038,507.38	873.95	873.43	763.95	758.95	110 - 115	115
PZ-10A	3/15/2018		1	535,135.07	2,038,543.26	870.99	870.41	785.99	780.99	85 - 90	90
PZ-10B	3/15/2018		1	535,134.99	2,038,543.09	870.99	870.41	760.99	755.99	110 - 115	115
PZ-11A	3/19/2018		1	535,150.92	2,038,762.00	869.32	868.73	784.32	779.32	85 - 90	90
PZ-11B	3/19/2018		1	535,150.75	2,038,761.91	869.32	868.68	759.32	754.32	110 - 115	115
PZ-12A	3/21/2018		1	535,130.99	2,038,160.11	857.40	856.82	772.40	767.40	85 - 90	90
PZ-12B	3/21/2018		1	535,130.85	2,038,160.25	857.40	856.77	747.40	742.40	110 - 115	115
PZ-13A	3/22/2018		1	534,871.53	2,038,500.55	831.48	830.77	781.48	776.48	50 - 55	55
PZ-13B	3/22/2018		1	534,871.37	2,038,500.40	831.48	830.78	756.48	751.48	75 - 80	80
PZ-14A	3/27/2018		1	534,876.85	2,038,205.82	831.87	831.28	781.87	776.87	50 - 55	55
PZ-14B	3/27/2018		1	534,876.91	2,038,205.59	831.87	831.29	756.87	751.87	75 - 80	80
PZ-15A	9/18/2018		1	534,782.49	2,038,980.55	834.59	834.21	784.59	779.59	50 - 55	55
PZ-15B	9/18/2018		1	534,782.44	2,038,980.76	834.59	834.09	759.59	754.59	75 - 80	80
PZ-16A	9/21/2018		1	535,625.25	2,037,800.19	869.19	868.61	784.19	779.19	85 - 90	90
PZ-16B	9/21/2018		1	535,624.99	2,037,800.19	869.19	868.72	759.19	754.19	110 - 115	115
PZ-17A	9/24/2018		1	535,855.63	2,037,692.22	876.56	874.26	766.56	761.56	110 - 115	115
PZ-18A	10/2/2018		1	536,537.47	2,037,071.22	879.47	876.90	794.47	789.47	85 - 90	90
PZ-19A	10/10/2018		1	536,290.14	2,036,845.94	883.70	883.45	798.70	793.70	85 - 90	90
PZ-20A	10/17/2018		1	534,267.73	2,038,736.40	829.00	828.57	764.00	759.00	65 - 70	70
PZ-21A	10/17/2018		1	534,257.22	2,039,051.18	827.66	827.36	777.66	772.66	50 - 55	55
PZ-21B	10/17/2018		1	534,257.08	2,039,051.27	827.66	827.46	752.66	747.66	75 - 80	80
PZ-22A	10/18/2018		1	534,310.33	2,039,454.59	827.20	826.93	752.20	747.20	75 - 80	80
PZ-23A	11/28/2018		1	536,412.90	2,037,026.30	878.97	878.60	793.97	788.97	85 - 90	90
PZ-23B	11/28/2018		1	536,412.72	2,037,026.12	878.97	878.60	763.97	753.97	115 - 125	120
DCC-MW-7	3/10/1995	METCO	2	536,587.58	2,036,511.63	877.89	877.20	839.89	824.89	38 - 53	53
DCC-MW-8	1/11/2010	METCO	2	536,580.84	2,036,462.79	877.42	877.20	835.42	825.42	42 - 52	52
DCC-PZ-8	2/16/2019	METCO	2	536,581.02	2,036,458.25	877.29	877.07	815.29	810.29	62 - 67	67
CCC-MW-2	8/18/2009	METCO	2	536,876.94	2,036,331.89	876.20	875.80	841.20	826.20	35 - 50	50
CCC-MW-6	8/18/2009	METCO	2	536,878.05	2,036,271.22	876.73	876.29	841.73	826.73	35 - 50	50
CCC-MW-8	8/18/2009	METCO	2	536,937.98	2,036,455.81	876.56	876.02	841.56	826.56	35 - 50	50
CCC-MW-10	8/18/2009	METCO	2	536,874.43	2,036,649.49	879.47	878.98	844.47	829.47	35 - 50	50
CCC-MW-1200	6/17/2010	Bonestroo, Inc.	2	536,888.65	2,036,161.97	877.73	877.17	842.73	827.73	35 - 50	50
CCC-PZ-8	8/18/2009	METCO	2	536,927.37	2,036,448.95	876.20	875.49	816.20	811.20	60 - 65	65
CCC-PZ-10	6/30/2010	METCO	2	536,882.33	2,036,544.72	877.87	877.35	817.87	812.87	60 - 65	65
CCC-PZ-100	7/9/2009	Bonestroo, Inc.	2	536,877.36	2,036,335.65	876.16	875.70	817.16	812.16	59 - 64	64
CCC-PZ-1100	7/6/2010	Bonestroo, Inc.	2	536,887.24	2,036,164.84	877.73	877.32	817.73	812.73	60 - 65	65

Coordinates are referenced to Wisconsin State Plane, NAD 27, Southern Zone

AMSL = above mean sea level

bgs = below ground surface

NA = Not Available

TOC = top of casing

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

Well ID				Date:	4/3/2008	4/17/2008	8/14/2013	8/15/2013	8/27/2013	12/3/2013	4/17/2018	9/27/2018	2/19/2019	5/6/2019	9/13/2019	11/25/2019	4/20/2020	8/19/2020	10/30/2020		
	Min	Max	Average	TOC Elevation																	
MW1	Depth to Water (Feet Below TOC)	44.79	49.52	47.15	879.9	49.52	49.36	49.11	49.06	49.11	49.37	NM	46.96	46.29	45.86	45.36	45.10	44.79	45.19	45.03	
	GW Elevation (AMSL)	830.38	835.11	832.75		830.38	830.54	830.79	830.84	830.79	830.53		832.94	833.61	834.04	834.54	834.80	835.11	834.71	834.87	
Well ID	Min	Max	Average	TOC Elevation	878.55	47.98	47.81	47.56	47.55	47.55	47.80	NM	45.31	44.76	44.35	43.87	43.47	43.26	43.71	43.50	
	Depth to Water (Feet Below TOC)	43.26	47.98	45.61		830.57	830.74	830.99	831.00	831.00	830.75		833.24	833.79	834.20	834.68	835.08	835.29	834.84	835.05	
MW2	Min	Max	Average	TOC Elevation	878.17	47.53	47.41	47.25	47.25	47.20	47.45	NM	NM	44.41	43.88	43.55	43.20	43.29	43.39	43.20	
	GW Elevation (AMSL)	830.64	834.97	832.86		830.64	830.76	830.92	830.92	830.97	830.72		833.76	834.29	834.62	834.97	834.88	834.78	834.97		
Well ID	Min	Max	Average	TOC Elevation	878.6	42.31	44.92	43.81	Not Installed	44.92	44.44	43.99	43.70	43.40	43.92	42.31	43.21	42.31	42.31		
	Depth to Water (Feet Below TOC)	833.68	836.29	834.79		833.68	834.16	834.61					833.68	834.16	834.61	834.90	835.20	834.68	836.29		
PZ-23A	Min	Max	Average	TOC Elevation	878.6	43.43	44.92	44.05	Not Installed	44.92	44.43	44.04	43.95	43.43	43.95	43.62	43.95	43.62	43.95		
	GW Elevation (AMSL)	833.68	835.17	834.55		833.68	834.17	834.56		833.68	834.17	834.56	834.65	835.17	834.65	834.98					
Well ID	Min	Max	Average	TOC Elevation	878.6	43.93	48.39	45.68	Not Installed	47.96	48.12	48.39	NM	46.05	45.38	45.87	44.44	44.24	43.93	44.33	44.12
	Depth to Water (Feet Below TOC)	830.53	834.99	833.24		830.53	830.80	830.53		830.96	830.80	832.87		833.54	833.05	834.48	834.68	834.99	834.59	834.80	
PZ-23B	Min	Max	Average	TOC Elevation	878.6	43.43	44.92	44.05	Not Installed	48.21	48.50	NM	36.81	NM	45.06	44.60	44.19	44.05	44.52	44.33	44.33
	GW Elevation (AMSL)	833.68	835.17	834.55		833.68	834.17	834.56		830.69	830.40	842.09	833.84	834.30	834.71	834.85	834.38	834.57			
Well ID	Min	Max	Average	TOC Elevation	878.92	43.81	48.50	44.47	Not Installed	47.96	48.12	48.39	NM	46.05	45.38	45.87	44.44	44.24	43.93	44.33	44.12
	Depth to Water (Feet Below TOC)	830.40	834.85	833.47		830.40	830.80	830.53		830.96	830.80	832.87		833.54	833.05	834.48	834.68	834.99	834.59	834.80	
Well ID	Min	Max	Average	TOC Elevation	878.90	43.81	48.50	44.47	Not Installed	48.21	48.50	NM	36.81	NM	45.06	44.60	44.19	44.05	44.52	44.33	44.33
	Depth to Water (Feet Below TOC)	824.63	829.82	825.58		824.63	829.82	825.58		824.63	829.82	825.58	829.82	824.80	824.83	825.00	824.97	824.63	825.02		
Well ID	Min	Max	Average	TOC Elevation	834.33	4.51	9.70	8.75	Not Installed	9.45	9.13	8.79	8.75	8.81	9.22	8.84	9.22	8.84	9.22	8.84	
	Depth to Water (Feet Below TOC)	824.76	825.46	825.21		824.76	825.08	825.21		824.76	825.08	825.21	825.46	825.46	825.40	825.46	825.40	824.99	825.37		
Well ID	Min	Max	Average	TOC Elevation	834.09	4.51	9.70	8.75	Not Installed	9.45	9.13	8.79	8.75	8.81	9.22	8.84	9.22	8.84	9.22	8.84	
	Depth to Water (Feet Below TOC)	824.70	825.42	825.12		824.70	825.13	825.41		824.70	825.13	825.41	824.76	825.42	825.42	825.42	825.42	825.01	825.39		
Well ID	Min	Max	Average	TOC Elevation	831.16	4.51	9.70	8.75	Not Installed	5.11	4.51	4.41	4.26	4.23	4.71	4.30	4.51	4.51	4.51	4.30	
	Depth to Water (Feet Below TOC)	826.05	826.93	826.66		826.05	826.65	826.66		826.05	826.65	826.75	826.90	826.93	826.45	826.45	826.45	826.45			
Well ID	Min	Max	Average	TOC Elevation	830.77	4.51	9.70	8.75	Not Installed	5.35	4.70	4.63	4.12	3.91	3.76	3.77	4.19	4.19	3.83	3.83	
	Depth to Water (Feet Below TOC)	825.42	827.01	826.52		825.42	826.07	826.14		825.42	826.07	826.14	826.65	826.86	827.01	827.00	826.58	826.94			
Well ID	Min	Max	Average	TOC Elevation	830.78	4.51	9.70	8.75	Not Installed	5.40	4.68	4.65	4.10	3.73	3.75	3.73	4.21	4.21	3.81	3.81	
	Depth to Water (Feet Below TOC)	825.38	827.05	826.55		825.38	826.10	826.13		825.38	826.10	826.13	826.68	827.05	827.03	827.05	826.57	826.97			
Well ID	Min	Max	Average	TOC Elevation	856.90	4.51	9.70	8.75	Not Installed	28.83	28.79	28.07	27.77	27.75	28.15	27.95	28.15	27.95	28.15	27.95	
	Depth to Water (Feet Below TOC)	828.07	829.15	828.71		828.07	828.11	828.83		828.07	828.11	828.83	829.13	829.15	828.75	828.75	828.75	828.95			
Well ID	Min	Max	Average	TOC Elevation	856.82	4.51	9.70	8.75	Not Installed	29.73	29.16	28.89	28.39	28.16	27.94	27.93	28.34	27.97	27.97	27.97	
	Depth to Water (Feet Below TOC)	827.09	828.89	828.32		827.09	827.66	827.93		827.09	827.66	827.93	828.43	828.66	828.88	828.89	828.48	828.85			
Well ID	Min	Max	Average	TOC Elevation	856.77	4.51	9.70	8.75	Not Installed	29.70	29.09	28.80	28.33	28.10	27.57	27.85	28.28	28.28	28.00	28.00	
	Depth to Water (Feet Below TOC)	827.07	829.20	828.36		827.07	827.68	827.97		827.07	827.68	827.97	828.44	828.67	829.20	828.92	828.49	828.77			

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

Well ID				Date:	4/3/2008	4/17/2008	8/14/2013	8/15/2013	8/27/2013	12/3/2013	4/17/2018	9/27/2018	2/19/2019	5/6/2019	9/13/2019	11/25/2019	4/20/2020	8/19/2020	10/30/2020			
	Min	Max	Average	TOC Elevation																		
MW-8	Depth to Water (Feet Below TOC)	41.78	43.00	42.24	874.34	Not Installed										43.00	42.77	42.21	41.89	41.78	42.13	41.89
	GW Elevation (AMSL)	831.34	832.56	832.10												831.34	831.57	832.13	832.45	832.56	832.21	832.45
Well ID	Min	Max	Average	TOC Elevation	874.26	Not Installed										43.09	42.65	42.18	41.87	41.75	42.15	41.88
	Depth to Water (Feet Below TOC)	41.75	43.09	42.22												831.17	831.61	832.08	832.39	832.51	832.11	832.38
PZ-17A	Min	Max	Average	TOC Elevation	879.80	Not Installed										45.51	46.76	45.20	44.06	45.95	46.23	46.05
	Depth to Water (Feet Below TOC)	44.06	46.76	45.68												834.29	833.04	834.60	835.74	833.85	833.57	833.75
Well ID	Min	Max	Average	TOC Elevation	879.69	Not Installed										48.73	48.07	45.09	46.94	46.52	46.25	46.00
	Depth to Water (Feet Below TOC)	45.09	48.73	46.69												830.96	831.62	834.60	832.75	833.17	833.44	833.69
PZ-3A	Min	Max	Average	TOC Elevation	879.64	Not Installed										833.49	834.39	832.67	833.04	833.31	833.61	833.37
	Depth to Water (Feet Below TOC)	45.25	48.73	46.73												830.91	831.62	834.39	832.67	833.04	833.31	833.37
Well ID	Min	Max	Average	TOC Elevation	876.94	Not Installed										43.08	42.60	42.11	41.77	41.64	42.03	41.86
	Depth to Water (Feet Below TOC)	41.64	43.08	42.16												833.86	834.34	834.83	835.17	835.30	834.91	835.08
PZ-18A	Min	Max	Average	TOC Elevation	876.90	Not Installed										43.08	42.56	42.20	41.87	41.78	42.00	41.83
	Depth to Water (Feet Below TOC)	41.78	43.08	42.19												833.82	834.34	834.70	835.03	835.12	834.90	835.07
Well ID	Min	Max	Average	TOC Elevation	868.61	Not Installed										38.25	37.71	37.41	37.12	37.02	37.41	37.14
	Depth to Water (Feet Below TOC)	37.02	38.25	37.44												830.36	830.90	831.20	831.49	831.59	831.20	831.47
PZ-16B	Min	Max	Average	TOC Elevation	868.72	Not Installed										38.33	37.82	37.28	37.21	37.15	37.52	37.25
	Depth to Water (Feet Below TOC)	37.15	38.33	37.51												830.39	830.90	831.44	831.51	831.57	831.20	831.47
Well ID	Min	Max	Average	TOC Elevation	883.41	Not Installed										49.50	49.06	46.68	48.40	48.26	44.48	48.24
	Depth to Water (Feet Below TOC)	44.48	49.50	47.80												833.91	834.35	836.73	835.01	835.15	838.93	835.17
PZ-19A	Min	Max	Average	TOC Elevation	883.45	Not Installed										49.61	49.15	46.65	48.46	48.10	44.87	48.33
	Depth to Water (Feet Below TOC)	44.87	49.61	47.88												833.84	834.30	836.80	834.99	835.35	838.58	835.12
Well ID	Min	Max	Average	TOC Elevation	824.00	Not Installed										4.07	3.45	3.44	3.28	3.40	3.91	3.38
	Depth to Water (Feet Below TOC)	3.28	4.07	3.56												819.93	820.55	820.56	820.72	820.60	820.09	820.62
PZ-20A	Min	Max	Average	TOC Elevation	828.57	Not Installed										3.87	3.64	3.05	2.92	3.98	3.43	3.04
	Depth to Water (Feet Below TOC)	2.92	3.98	3.42												824.70	824.93	825.52	825.65	824.59	825.14	825.53
Well ID	Min	Max	Average	TOC Elevation	822.20	Not Installed										5.16	4.52	4.25	5.49	4.79	5.10	4.63
	Depth to Water (Feet Below TOC)	4.25	5.49	4.85												817.04	817.68	817.95	816.71	817.41	817.10	817.57
PZ-22A	Min	Max	Average	TOC Elevation	826.93	Not Installed										4.98	4.62	4.37	4.30	4.40	4.91	4.39
	Depth to Water (Feet Below TOC)	4.30	4.98	4.57												821.95	822.31	822.56	822.63	822.53	822.02	822.54
Well ID	Min	Max	Average	TOC Elevation	880.43	Not Installed										50.08	50.43	NM	48.00	47.24	46.86	46.59
	Depth to Water (Feet Below TOC)	45.95	50.43	47.40												830.35	830.00	832.43	833.19	833.57	833.84	834.48
PZ-4A	Min	Max	Average	TOC Elevation	879.41	Not Installed										48.83	48.14	47.54	47.02	46.69	46.42	46.48
	Depth to Water (Feet Below TOC)	46.37	48.83	47.11												830.58	831.27	831.87	832.39	832.72	832.99	832.93
Well ID	Min	Max	Average	TOC Elevation	879.45	Not Installed										48.83	48.19	47.71	47.05	46.67	46.45	46.42
	Depth to Water (Feet Below TOC)	46.20	48.83	47.13												830.62	831.26	831.74	832.40	832.78	833.00	833.25
PZ-4B	Min	Max	Average	TOC Elevation	832.32	Not Installed										830.62	833.25	832.32				

TABLE 2
GROUNDWATER ELEVATION DATA
 Badger Cleaners
 616 Oak Street, Baraboo, WI 53913

Well ID				Date:	TOC Elevation	4/3/2008	4/17/2008	8/14/2013	8/15/2013	8/27/2013	12/3/2013	4/17/2018	9/27/2018	2/19/2019	5/6/2019	9/13/2019	11/25/2019	4/20/2020	8/19/2020	10/30/2020	
	Min	Max	Average																		
PZ-5A	Depth to Water (Feet Below TOC)	42.03	44.96	43.09	877.71	Not Installed							44.96	44.24	43.60	43.10	42.66	42.35	42.03	42.53	42.30
	GW Elevation (AMSL)	832.75	835.68	834.62									832.75	833.47	834.11	834.61	835.05	835.36	835.68	835.18	835.41
PZ-5B	Depth to Water (Feet Below TOC)	41.95	44.96	43.05	877.70	Not Installed							44.96	44.30	43.58	43.05	42.62	42.28	41.95	42.50	42.25
	GW Elevation (AMSL)	832.74	835.75	834.65									832.74	833.40	834.12	834.65	835.08	835.42	835.75	835.20	835.45
PZ-6A	Depth to Water (Feet Below TOC)	32.25	34.43	33.02	863.06	Not Installed							34.43	34.05	33.59	32.89	32.55	32.36	32.25	32.71	32.34
	GW Elevation (AMSL)	828.63	830.81	830.04									828.63	829.01	829.47	830.17	830.51	830.70	830.81	830.35	830.72
PZ-6B	Depth to Water (Feet Below TOC)	32.24	34.39	32.99	863.03	Not Installed							34.39	34.00	33.35	32.88	32.59	32.47	32.24	32.68	32.34
	GW Elevation (AMSL)	828.64	830.79	830.04									828.64	829.03	829.68	830.15	830.44	830.56	830.79	830.35	830.69
PZ-7A	Depth to Water (Feet Below TOC)	33.71	37.72	35.89	865.63	Not Installed							37.72	33.71	36.60	36.04	35.71	35.50	35.46	35.80	36.47
	GW Elevation (AMSL)	827.91	831.92	829.74									827.91	831.92	829.03	829.59	829.92	830.13	830.17	829.83	829.16
PZ-7B	Depth to Water (Feet Below TOC)	33.83	37.73	35.93	865.67	Not Installed							37.73	33.83	36.57	36.10	35.75	35.50	35.50	35.92	36.49
	GW Elevation (AMSL)	827.94	831.84	829.74									827.94	831.84	829.10	829.57	829.92	830.17	830.17	829.75	829.18
PZ-7C	Depth to Water (Feet Below TOC)	34.91	36.15	35.54	865.79	Not Installed							36.15	36.10	35.33	34.96	34.91	35.41	35.41	35.92	
	GW Elevation (AMSL)	829.64	830.88	830.25									829.64	829.69	830.46	830.83	830.88	830.38	829.87		
PZ-8A	Depth to Water (Feet Below TOC)	43.68	46.08	44.51	875.24	Not Installed							46.08	45.82	44.90	44.44	44.07	43.76	43.68	44.10	43.76
	GW Elevation (AMSL)	829.16	831.56	830.73									829.16	829.42	830.34	830.80	831.17	831.48	831.56	831.14	831.48
PZ-8B	Depth to Water (Feet Below TOC)	43.80	46.08	44.47	875.27	Not Installed							46.08	45.38	44.94	44.47	43.80	43.81	43.81	44.09	43.82
	GW Elevation (AMSL)	829.19	831.47	830.80									829.19	829.89	830.33	830.80	831.47	831.46	831.46	831.18	831.45
PZ-9A	Depth to Water (Feet Below TOC)	44.07	46.05	44.71	873.40	Not Installed							46.05	45.49	45.14	44.68	44.30	44.07	44.09	44.43	44.14
	GW Elevation (AMSL)	827.35	829.33	828.69									827.35	827.91	828.26	828.72	829.10	829.33	829.31	828.97	829.26
PZ-9B	Depth to Water (Feet Below TOC)	44.03	46.05	44.70	873.43	Not Installed							46.05	45.39	45.22	44.66	44.32	44.06	44.03	44.45	44.15
	GW Elevation (AMSL)	827.38	829.40	828.73									827.38	828.04	828.21	828.77	829.11	829.37	829.40	828.98	829.28
PZ-10A	Depth to Water (Feet Below TOC)	42.42	44.42	43.16	870.41	Not Installed							44.10	43.34	43.39	42.91	42.59	44.42	42.42	42.83	42.47
	GW Elevation (AMSL)	825.99	827.99	827.25									826.31	827.07	827.02	827.50	827.82	825.99	827.99	827.58	827.94
PZ-10B	Depth to Water (Feet Below TOC)	42.20	44.16	42.94	870.41	Not Installed							44.16	43.51	43.49	42.85	42.56	42.20	42.39	42.81	42.50
	GW Elevation (AMSL)	826.25	828.21	827.47									826.25	826.90	826.92	827.56	827.85	828.21	828.02	827.60	827.91
PZ-11A	Depth to Water (Feet Below TOC)	41.31	43.15	41.87	868.73	Not Installed							43.15	42.40	42.19	41.80	41.50	41.31	41.32	41.72	41.40
	GW Elevation (AMSL)	825.58	827.42	826.86									825.58	826.33	826.54	826.93	827.23	827.42	827.41	827.01	827.33
PZ-11B	Depth to Water (Feet Below TOC)	41.20	43.09	41.82	868.68	Not Installed							43.09	42.30	42.33	41.75	41.42	41.20	41.28	41.68	41.34
	GW Elevation (AMSL)	825.59	827.48	826.86									825.59	826.38	826.35	826.93	827.26	827.48	827.40	827.00	827.34
PZ-14A	Depth to Water (Feet Below TOC)	3.40	5.07	3.94	831.28	Not Installed							5.07	4.71	4.35	3.79	3.49	3.42	3.40	3.81	3.43
	GW Elevation (AMSL)	826.21	827.88	827.34									826.21	826.57	826.93	827.49	827.79	827.86	827.88	827.47	827.85
PZ-14B	Depth to Water (Feet Below TOC)	3.38	5.08	3.92	831.29	Not Installed							5.08	4.65	4.30	3.75	3.52	3.38	3.40	3.81	3.43
	GW Elevation (AMSL)	826.21	827.91	827.37									826.21	826.64	826.99	827.54	827.77	827.91	827.89	827.48	827.86
PZ-21A	Depth to Water (Feet Below TOC)	3.34	4.15	3.63	827.36	Not Installed							4.15	3.60	3.34	3.40	3.45	3.94	3.50		
	GW Elevation (AMSL)	823.21	824.02	823.73									823.21	823.76	824.02	823.96	823.91	823.42	823.86		

TABLE 2
GROUNDWATER ELEVATION DATA

TOC = Top Of Casing

AMSL = Above Mean Sea Level

NM = Not Measured

Table 3
Groundwater Monitoring Plan
Badger Cleaners
616 Oak Street, Baraboo, Wisconsin

Well ID	Average PCE Concentration	No. of Samples	Qualitative Trend	Sampling Schedule
MW1	670	8	Decreasing	Tri-annually
MW2	1675	10	Decreasing	Tri-annually
PZ-23A	121	5	Stable	Tri-annually
PZ-23B	2.1	5	Stable	Annually
MW3	1,609	8	Decreasing	Tri-annually
MW4	7	7	No Trend	Tri-annually
PZ2	2.8	7	No Trend	Tri-annually
MW-5	<0.38	5	Stable	Annually
PZ-15A	<0.38	5	Stable	Annually
PZ-15B	<0.38	5	Stable	Annually
MW-6	<0.38	5	Stable	Annually
PZ-13A	46	5	Increasing	Tri-annually
PZ-13B	39	5	Increasing	Tri-annually
PZ-16A	21	5	Increasing	Tri-annually
PZ-16B	15	5	No Trend	Tri-annually
MW-7	<0.38	5	Stable	Annually
PZ-12A	16.45	5	Increasing	Tri-annually
PZ-12B	2	5	Increasing	Tri-annually
MW-8	2.68	5	No Trend	Annually
PZ-17A	116.9	5	No Trend	Tri-annually
MW-9	<0.38	5	Stable	Annually
PZ-3A	51	5	No Trend	Tri-annually
PZ-3B	33	5	No Trend	Tri-annually
MW-10	0.66	5	Increasing	Tri-annually
PZ-18A	25.5	5	No Trend	Tri-annually
MW-11	0.63	4	No Trend	Annually
PZ-19A	1.6	4	Increasing	Annually
MW-12	<0.38	5	Stable	Annually
PZ-20A	<0.38	5	Stable	Annually
MW-13	<0.38	5	Stable	Annually
PZ-22A	<0.38	5	Stable	Annually
PZ1	63	7	No Trend	Tri-annually
PZ-4A	1.27	5	Decreasing	Annually
PZ-4B	<0.38	5	Stable	Annually
PZ-5A	83.3	5	Increasing	Tri-annually
PZ-5B	11.1	5	No Trend	Tri-annually
PZ-6A	2.08	5	Increasing	Tri-annually
PZ-6B	0.41	5	Increasing	Annually
PZ-7A	19.8	5	No Trend	Tri-annually
PZ-7B	44.8	5	No Trend	Tri-annually
PZ-7C	<0.38	5	Stable	Annually
PZ-8A	<0.38	5	Stable	Annually
PZ-8B	<0.38	5	Stable	Annually
PZ-9A	<0.38	5	Stable	Annually
PZ-9B	<0.38	5	Stable	Annually
PZ-10A	0.55	5	Stable	Annually
PZ-10B	<0.38	5	Stable	Annually
PZ-11A	<0.38	5	Stable	Annually
PZ-11B	<0.38	5	Stable	Annually
PZ-14A	<0.38	5	Stable	Annually
PZ-14B	<0.38	5	Stable	Annually
PZ-21A	<0.38	5	Stable	Annually
PZ-21B	<0.38	5	Stable	Annually
Enforcement Standard	5			
Preventative Action Limit	0.5			

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloroethane	Chloroform	Dibromoethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Total
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
MW1	46-56	04/17/08	506	1.53	<0.44	<0.61	<0.2	0.24 J	NLRA	<0.47	NLRA	NLRA	NLRA	NLRA	<0.39	
		08/27/13	880	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		12/03/13	920	<3.3	<3.8	<3.5	<1.8	<2.4	NLRA	<2.8	NLRA	NLRA	NLRA	NLRA	<6.9	
		02/21/19	520	0.49 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	920	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<1.25	<1.4	<10.5	<1.75	<0.95
		09/18/19	700	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<1.25	<1.4	<10.5	<1.75	<0.95
		12/05/19	380	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		04/29/20	520	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		08/25/20	510	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		DUP 8/25/20	430	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		11/15/20	266	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
MW2	45-55	4/17/2008	2,280	4.5	<0.44	<0.61	<0.2	0.28 J	NLRA	0.5 J	NLRA	NLRA	NLRA	NLRA	1.0 J	
		08/27/13	2,460	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		8/27/2013	2,540	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		12/03/13	2,390	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		12/3/2013	2,340	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		02/21/19	1,150	1.7	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	1,310	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		09/18/19	820	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		12/05/19	620	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		DUP 12/5/2019	560	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		DUP 4/29/20	630	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		08/24/20	680	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		11/05/20	360	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		DUP 11/5/20	350	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
PZ-23A	85-90	03/01/19	143	6.9	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	0.51 J	<2.1	<0.35	<0.19
		05/15/19	126	2.55	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	0.71 J	<0.25	0.65 J	<2.1	<0.35	<0.19
		09/27/19	129	4.6	<0.37	<0.34	<0.2	<0.22	<0.33	0.81 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		12/05/19	34	1.45	<0.37	<0.34	<0.2	<0.22	<0.33	0.41 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		04/23/20	173	14.5	<0.39	<0.37	<0.2	<0.33	<0.33	0.55 J	<0.23	<0.39	0.59 J	<1.1	<0.88	<0.26
		08/26/20	93	67	<0.39	<0.37	<0.2	<0.33	<0.33	0.55 J	<0.23	<0.39	0.91 J	<1.1	<0.88	<0.26
		11/05/20	87	155	0.91 J	<0.37	<0.2	0.96 J	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
PZ-23B	115-120	03/01/19	0.90 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	0.25 J	<2.1	<0.35	<0.19
		05/15/19	3.7	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	0.71 J	<0.25	0.65 J	<2.1	<0.35	<0.19
		09/27/19	1.84	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.81 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		12/05/19	1.7	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		04/23/20	1.21	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
MW3	43-53	04/17/08	2,770	<23.5	<22	<30.5	<10	<12	NLRA	<23.5	NLRA	NLRA	NLRA	NLRA	<19.5	
		08/27/13	2,250	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		12/03/13	2,460	<16.5	<19	<17.5	<9	<12	NLRA	<14	NLRA	NLRA	NLRA	NLRA	<34.5	
		02/21/19	1,130	1.42	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	1,170	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		09/18/19	1,290	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		12/05/19	800	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		04/29/20	1,000	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		08/24/20	1,630	<2.35	<1.95	<1.85	<1	<1.65	<1.65	<2.2	<1.15	<1.95	<2.35	<5.5	<4.4	<1.3
		11/06/20	640	<4.7	<3.9	<3.7	<2	<3.3	<3.3	<4.4	<2.3	<3.9	<4.7	<11	<8.8	<2.6
MW4	45-44	08/27/13	9.4	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	<0.69	
		12/03/13	9.5	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	<0.69	
		02/21/19	8.9	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	3.8	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		09/18/19	4.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		12/05/19	1,11 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		04/29/20	0.76 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
PZ2	65-70	08/27/13	2,51	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	<0.69	
		12/03/13	2,52	<0.33	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	<0.69	
		02/19/19	1,169	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/09/19	3.2	0.83 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		09/18/19	0.76 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		12/05/19	3.7	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
MW-5	5-15	02/20/19														

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloroethane	Chloroform	Dibromoethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Volume		
			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800		
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800		
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160		
PZ-15B	75-80	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		11/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		04/22/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
MW-6	5-15	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		12/03/19	0.59 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
PZ-13A	50-55	04/30/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		02/20/19	15	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/08/19	38	0.49 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/24/19	30.6	0.33 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		11/27/19	68.0	1.81	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	0.35 J	<2.1	<0.35	<0.19		
		04/22/20	76.0	7.4	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		08/25/20	28.5	2.76	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		11/03/20	20.5	1.83	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
PZ-13B	75-80	02/20/19	4.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/08/19	3.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/24/19	41	0.36 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		11/27/19	80	1.38	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		DUP 11/27/2019	73	1.2	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		04/22/20	65	3.5	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.27 J		
		DUP 4/22/2020	61	3.4	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.27 J		
		08/25/20	57	13.2	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.27 J		
		11/04/20	43	11.5	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
PZ-16A	85-90	03/01/19	2.8	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/14/19	18	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.51 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/26/19	31.3	0.33 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.82	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		12/03/19	34.0	0.33 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.74 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		04/27/20	16.7	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.27 J		
		08/26/20	161	0.73 J	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.27 J		
		11/04/20	107	0.88 J	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
PZ-16B	110-115	03/01/19	0.39 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/14/19	56	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.47 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/26/19	4.6	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.26 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		12/03/19	0.44 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		DUP 12/3/2019	0.46 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/27/20	0.93 J	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		DUP 4/27/2020	0.66 J	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		08/26/20	109	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		11/04/20	171	0.55 J	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
MW-7	25-40	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		11/27/19	39	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.42 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		04/24/20	26	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	0.57 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
PZ-12A	85-90	08/25/20	11.4	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	0.63 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		11/03/20	6.2	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26		
		02/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/09/19	1.35	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		09/24/19	13.8	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.42 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
PZ-12B	110-115	04/24/20	4.7	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<b								

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloroethane	Chloroform	Dibromochloroethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Volume	
			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800	
Enforcement Standard																	
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160	
PZ-3A	85-90	02/28/19	22.4	0.70 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	84	1.68	<0.37	<0.34	<0.2	<0.22	<0.33	0.33	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	64	1.54	<0.37	<0.34	<0.2	<0.22	<0.33	0.42 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/04/19	57	1.08	<0.37	<0.34	<0.2	<0.22	<0.33	0.61 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		DUP 12/4/2019	47	0.88 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.57 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/24/20	56	1.12 J	<0.39	<0.37	<0.2	<0.22	<0.33	0.67 J	<0.23	<0.25	<0.28	<2.1	<0.35	<0.26	
		DUP 4/24/2020	57	1.25 J	<0.39	<0.37	<0.2	<0.22	<0.33	0.62 J	<0.23	<0.25	<0.28	<2.1	<0.35	<0.26	
		08/26/20	30	0.82	<0.39	<0.37	<0.2	<0.22	<0.33	0.45 J	<0.23	<0.25	<0.28	<2.1	<0.35	<0.26	
		11/05/20	44	0.88 J	<0.39	<0.37	<0.2	<0.22	<0.33	<0.44	<0.23	<0.25	<0.28	<2.1	<0.35	<0.26	
PZ-3B	110-115	02/28/19	27.2	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.56 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	74	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.83	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	34	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.76 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/04/19	20.1	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.67 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/24/20	9.5	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	0.53 J	<0.23	<0.25	<0.28	<2.1	<0.35	<0.19	
		08/26/20	4.7	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	0.53 J	<0.23	<0.25	<0.28	<2.1	<0.35	<0.26	
		11/05/20	5.1	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	0.44 J	<0.23	<0.25	<0.28	<2.1	<0.35	<0.26	
MW-10	48-58	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/14/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	0.69 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/04/19	1.15 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/21/20	0.72 J	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		08/27/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		10/30/20	0.52 J	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
PZ-18A	85-90	02/28/19	3.2	5.4	<0.39	<0.37	<0.2	<0.22	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		05/14/19	63	5.5	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	56	2.7	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/04/19	22.8	1.56	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/21/20	7.9	0.61 J	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.32 J
		08/27/20	6.9	1.46 J	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.32 J
		10/30/20	7.7	0.94 J	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
MW-11	48-58	02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.48 J	
		05/15/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	Not sampled														
		12/05/19	1.12 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.31 J	
		04/22/20	0.78 J	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
PZ-19A	85-90	03/01/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	0.82 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	Not sampled														
MW-12	5-15	02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.21 J	
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/23/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		11/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/24/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	0.26 J
		02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.77	
		09/23/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		11/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/24/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
MW-13	5-15	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/23/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		11/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/24/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
PZ-22A	75-80	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.90	
		09/23/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25</td					

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloroethane	Chloroform	Dibromochloroethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Volume	
			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800	
Enforcement Standard																	
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160	
PZ1	85-90	08/27/13	49	3.45	<0.38	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69	
		12/03/13	153	0.96 J	0.58 J	<0.35	<0.18	<0.24	NLRA	<0.28	NLRA	NLRA	NLRA	NLRA	NLRA	<0.69	
		02/19/19	26.8	0.47 J	<0.37	<0.34	<0.2	<0.22	0.42 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/09/19	22.5	0.42 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.29 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/18/19	16.1	0.42 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.27 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/05/19	72.0	0.77 J	<0.37	<0.34	<0.2	<0.22	<0.33	0.33 J	<0.22	<0.25	<0.28	<2.1	<0.35	0.21 J	
		DUP 12/5/2019	75.0	1.17	<0.37	<0.34	<0.2	<0.22	<0.33	0.39 J	<0.22	<0.25	<0.28	<2.1	<0.35	0.21 J	
		04/29/20	104	1.13 J	<0.39	<0.37	<0.2	<0.22	<0.33	0.57 J	<0.22	<0.39	<0.47	<1.1	<0.88	<0.26	
		DUP 4/29/2020	98	1.13 J	<0.39	<0.37	<0.2	<0.22	<0.33	0.57 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		08/25/20	23.6	1.07 J	<0.39	<0.37	<0.2	<0.22	<0.33	0.46 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		DUP 8/25/2020	27.2	1.55	<0.39	<0.37	<0.2	<0.22	<0.33	0.52 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		11/04/20	163	3.2	<0.39	<0.37	<0.2	<0.22	<0.33	0.45 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		DUP 11/4/2020	172	3.4	<0.39	<0.37	<0.2	<0.22	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
PZ-4A	85-90	02/28/19	1.05 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/14/19	2.08	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/27/19	1.4	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/04/19	1.4	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-4B	109-114	04/27/20	0.42 J	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.71 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/14/19	0.47 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-5A	85-90	12/04/19	0.46 J	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		02/28/19	11.9	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.41 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	0.71 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.66 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	42	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.60 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-5B	110-115	12/04/19	148	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.48 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/21/20	214	0.49 J	<0.39	<0.37	<0.4	<0.33	<0.33	0.45 J	<0.23	<0.39	<0.47	<1.1	<0.88	0.62 J	
		08/27/20	115	<0.94	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.88	<0.46	<0.78	<0.94	<2.2	<1.76	<0.52
		11/04/20	150	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
PZ-6A	85-90	02/28/19	1.03 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.45 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/15/19	6.3	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.62 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	4.2	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.32 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/04/19	0.82 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-6B	110-115	04/21/20	33.0	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		08/27/20	1.2	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		11/04/20	10	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26
		02/27/19	0.50 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-6C	85-90	05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/24/19	0.51 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.33 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/03/19	3.40	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.4 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/23/20	5.60	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	0.48 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
PZ-6D	110-115	08/27/20	3.12	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	0.46 J	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		11/03/20	21.3	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
		02/28/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-6E	110-115	09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/03/19	0.48 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		04/23/20	1.72	<0.47	<0.39	<0.37	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		02/27/19	13.9	2.67	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
PZ-6F	110-115	05/09/19	38	9.0	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/25/19	10.6	1.03	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/03/19	DUP 12/3/2019	16.5	2.69	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		04/23/20	16.8	4.7	<0.39	<0.37	<0.2	<0.22	<0.33	<0.26	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26	
PZ-7A	85-90	DUP 4/23/2020	16.5	5.4	<0.39	<0.37	<0.2	<0.22	<0.33	<0.26	<0.23	<0.39	<0.47	<			

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloroethane	Chloroform	Dibromochloroethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Volume			
			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800			
Enforcement Standard																			
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160			
PZ-7B	110-115	02/27/19	12.4	3.9	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	0.25 J	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/09/19	89	35	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	0.65 J	1.04	<2.1	<0.35	<0.19			
		09/25/19	86	27.9	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	0.41 J	0.57 J	<2.1	<0.35	<0.19			
		12/03/19	19	6.7	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	0.39 J	<2.1	<0.35	<0.19			
		04/23/20	17.9	7.3	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		08/27/20	13.4	5	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
PZ-7C	187-192	11/03/20	22.7	7.9	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.36	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19		
		05/07/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/25/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		12/03/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-8A	85-90	04/23/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-8B	110-115	12/03/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		04/27/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-9A	85-90	09/26/19	0.45 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	0.25 J			
		09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		12/02/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		04/27/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
PZ-9B	110-115	02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		12/02/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-10A	85-90	04/28/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/21/19	0.70 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/08/19	0.96 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-10B	110-115	12/02/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		04/27/20	0.35 J	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/08/19	0.60 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-11B	110-115	09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		12/02/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		04/27/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-11A	85-90	05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/26/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		12/02/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		04/28/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
PZ-14A	50-55	02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		11/27/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-14B	75-80	04/22/20	<0.33	<0.47	<0.39	<0.37	<0.2	<0.33	<0.33	<0.44	<0.23	<0.39	<0.47	<1.1	<0.88	<0.26			
		02/21/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		05/08/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
		09/24/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19			
PZ-21A	50-55	11/27/19	<0.38	<0.3	<0.37	<0.3													

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloroethane	Chloroform	Dibromoethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Volume	
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800	
DCC-MW-7	38-53	02/20/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.33 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.4 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/16/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.32 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/02/19	1.49	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	0.33 J	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
DCC-MW-8	42-52	02/21/19	25.6	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/09/19	32	0.43 J	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	0.22	0.39 J	4.5	<2.1	<0.35	<0.19	
		09/18/19	13	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		12/03/19	16.4	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
DCC-PZ-8	62-67	02/21/19	<1.9	<1.5	<1.85	<1.7	<1	<1.1	<0.33	<1.3	<0.22	8.2	172	<2.1	<0.35	<0.95	
		05/09/19	<0.76	<0.6	<0.73	<0.68	<0.2	<0.44	<0.66	<0.52	<0.44	17	350	<4.2	<0.7	<0.38	
		09/18/19	0.91 J	<0.3	<0.37	<0.26	<0.2	0.35 J	<0.33	<0.26	<0.22	16.9	346	<2.1	<0.35	<0.19	
		12/03/19	1.06 J	<0.6	<0.73	<0.68	<0.2	<0.44	<0.66	<0.52	<0.44	18.4	410	<4.2	<0.7	<0.38	
CCC-MW2	35-50	08/18/09	34	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51	
		11/30/09	38	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<2.4	NLRA	<0.5	<1.7	NLRA	<0.51	
		06/30/10	44	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72	
		09/30/10	34	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72	
CCC-MW6	35-50	12/23/10	37	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72	
		02/22/19	2.37	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/14/19	11.9	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/17/19	6.5	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
CCC-MW8	35-50	12/04/19	9.4	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		08/18/09	91	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51	
		11/30/09	124	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<2.4	NLRA	<0.5	<1.7	NLRA	<0.51	
		06/30/10	115	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72	
CCC-MW6	35-50	09/30/10	93	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72	
		12/23/10	103	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72	
		02/22/19	85	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/10/19	97	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
CCC-MW8	35-50	09/17/19	87	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.2	<0.35	<0.19	
		12/04/19	81	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.2	<0.35	<0.19	
		08/18/09	760	<19.5	<34	<30.5	<10	<20.5	<20.5	<24	<38	NLRA	<2.5	<85	NLRA	<25.5	
		11/30/09	970	<3.9	<6.8	<6.1	<2	<4.1	<4.1	<4.8	<7.6	NLRA	<5	<17	NLRA	<5.1	
CCC-MW10	35-50	06/30/10	1,150	<3.9	<7.8	<13	<1.9	<3.8	<6.4	<3.2	<11	NLRA	<2.5	<24	NLRA	<7.2	
		09/30/10	1,220	<39	<78	<130	<19	<3.8	<6.4	<32	<110	NLRA	<2.5	<240	NLRA	<72	
		12/23/10	1,120	<19.5	<39	<65	<9.5	<38	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36	
		02/22/19	300	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<0.25	<1.4	<10.5	<1.75	<0.95	
CCC-MW1200	35-50	05/10/19	510	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<0.25	<1.4	<10.5	<1.75	<0.95	
		09/17/19	238	1,75 J	<1.5	<1.85	<1.7	<1	<1.1	<1.65	<1.3	<1.1	<1.25	<1.4	<10.5	<1.75	<0.95
		12/03/19	320	2.38	<0.74	<0.68	<0.4	<0.44	<0.66	<0.52	<0.64	<0.5	<0.56	<4.20	<0.84	<0.38	
		11/30/09	<0.42	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51	
CCC-MW1200	35-50	12/23/10	<0.43	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<2.4	NLRA	<0.72	
		02/22/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/17/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
CCC-PZ8	60-65	12/05/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		06/30/10	4,300	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36	
		09/01/19	4,000	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36	
		12/23/10	2,780	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36	
CCC-PZ8	60-65	03/01/19	680	0.78 J	<0.37	<0.34	<0.2	<0.22	0.38 J	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		05/14/19	1,110	0.96	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19	
		09/16/19	750	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9	
		12/05/19	540	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9	
CCC-PZ8	60-65	08/18/09	9,800	153	<68	<61	<20	540	<76	<48	<41	NLRA	440	<170	NLRA	<51	
		11/30/09	11,100	197	<68	<61	<20	850	<76	<48	<41	NLRA	810	<170	NLRA	<51	
		06/30/10	1,780	46 J	<78	<130	<19	<38	<110	<32	<64	NLRA	35 J	<240	NLRA	<72	
		09/30/10	9,600	108	<39	<65	<9.5	174	<55	<16	<64	NLRA	74	<120	NLRA	<36	
CCC-PZ8	60-65	12/23/10	9,300	89	<39	<65	<										

TABLE 4
MONITORING WELL ANALYTICAL RESULTS
 Badger Cleaners
 616 Oak Street, Baraboo, Wisconsin

Monitoring Well Sample ID	Screened Interval (feet bgs)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Benzene	Bromodichloromethane	Chloroform	Dibromochloromethane	1,2-Dichloroethane	Methyl tert-butyl ether (MTBE)	Naphthalene	1,1,1,2-Tetrachloroethane	Total
Enforcement Standard			5	5	70	100	0.2	5	0.6	6	60	5	60	100	70	800
Preventative Action Limit			0.5	0.5	7	20	0.02	0.5	0.06	0.6	6	0.5	12	10	7	160
CCC-PZ-10	60-65	06/22/10	2.2	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<0.25	NLRA	<0.72
		09/30/10	<0.43	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<0.25	NLRA	<0.72
		12/23/10	<0.43	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.28	<0.25	NLRA	<0.72
		02/22/19										Not sampled				
		05/10/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		09/17/19	<0.38	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		12/02/19	0.79 J	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		08/18/09	15.8	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		11/30/09	14.4	<0.39	<0.68	<0.61	<0.2	<0.41	<0.41	<0.48	<0.76	NLRA	<0.5	<1.7	NLRA	<0.51
		06/30/10	12.2	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
CCC-PZ100	59-64	09/30/10	11.0	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		12/23/10	11.9	<0.39	<0.78	<1.3	<0.19	<0.38	<0.64	<0.32	<1.1	NLRA	<0.25	<2.4	NLRA	<0.72
		02/22/19	3.6	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		05/14/19	2.57	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		09/17/19	2.93	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		12/04/19	4.80	<0.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	<0.35	<0.19
		06/30/10	2.050	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
CCC-PZ1100	60-65	09/30/10	4.100	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		12/23/10	4.300	<19.5	<39	<65	<9.5	<19	<32	<16	<55	NLRA	<12.5	<120	NLRA	<36
		03/01/19	9.300	1.3	<0.37	<0.34	<0.2	<0.22	<0.33	<0.26	<0.22	<0.25	<0.28	<2.1	0.50 J	<0.19
		05/14/19	890	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3.5	<1.9
		09/16/19	1,540	<4	<3.7	<3.4	<3	<2.3	<3.4	<2.6	<2.2	<2.5	<2.8	<22	<3.6	<1.10
		12/05/19	640	<3	<3.7	<3.4	<2	<2.2	<3.3	<2.6	<2.2	<2.5	<2.8	<21	<3	<1.9

Notes:

µg/L = micrograms per liter

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and orange shaded values are above Public Health Enforcement Standards

Bolded and blue shaded values are above Public Health Preventive Action Limits

Samples/constituents not shown are below laboratory reporting limits

J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit

NLRA = No laboratory results available

DCC = Dicks Car Care Well (BRRTS# 03-57-258614)

CCC = Circus City Cleaner Well (BRRTS# 02-57-551681)




FIGURES

Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- PZ1 Piezometer well (By Others)
- PZ-19A Piezometer

Notes:

1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)




Legend

- MW1 Monitoring well (By Others)
- MW-1 Monitoring well
- PZ1 Piezometer well (By Others)
- PZ-19A Piezometer
- PCE isoconcentration of 5µg/L
- Dashed boundaries are inferred

Notes:

1. DCC = Dicks Car Car well (BRRTS 03-57-258614)
2. CCC = Circus City Cleaner well (BRRTS 03-57-258614)





ATTACHMENT 1

LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 04-May-20

Project Name	BADGER CLEANERS							Invoice #	E37820		
Project #	6492 PO#2020-1517										
Lab Code	5037820A										
Sample ID	6492-MW-10										
Sample Matrix	Water										
Sample Date	4/21/2020										
	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic											
VOC's											
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1	
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1	
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1	
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1	
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1	
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1	
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1	
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1	
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1	
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1	
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1	
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1	
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1	
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1	
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1	
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1	
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1	
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1	
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1	
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1	
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1	
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1	
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1	
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1	
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1	

Project Name BADGER CLEANERS**Invoice #** E37820**Project #** 6492 PO#2020-1517**Lab Code** 5037820A**Sample ID** 6492-MW-10**Sample Matrix** Water**Sample Date** 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	0.72 "J"	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820B

Sample ID 6492-PZ-18A

Sample Matrix Water

Sample Date 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	7.9	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	0.32 "J"	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820B

Sample ID 6492-PZ-18A

Sample Matrix Water

Sample Date 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethene (TCE)	0.61 "J"	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820C

Sample ID 6492-PZ-5A

Sample Matrix Water

Sample Date 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	0.45 "J"	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	214	ug/l	3.3	10	10	8260B		5/2/2020	CJR	1
Toluene	0.62 "J"	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820C

Sample ID 6492-PZ-5A

Sample Matrix Water

Sample Date 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	0.49 "J"	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820D

Sample ID 6492-PZ-5B

Sample Matrix Water

Sample Date 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	43	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820D

Sample ID 6492-PZ-5B

Sample Matrix Water

Sample Date 4/21/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820E

Sample ID 6492-MW-11

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	0.78 "J"	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820E

Sample ID 6492-MW-11

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820F

Sample ID 6492-PZ-19A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	3.2	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	0.28 "J"	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820F

Sample ID 6492-PZ-19A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820G

Sample ID 6492-PZ-13A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	76	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820G

Sample ID 6492-PZ-13A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethylene (TCE)	7.4	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820H

Sample ID 6492-PZ-13B

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		4/30/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		4/30/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		4/30/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/30/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		4/30/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		4/30/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		4/30/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		4/30/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/30/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		4/30/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		4/30/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		4/30/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		4/30/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		4/30/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		4/30/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		4/30/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		4/30/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		4/30/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		4/30/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		4/30/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/30/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		4/30/2020	CJR	1
Tetrachloroethene	65	ug/l	0.33	1	1	8260B		4/30/2020	CJR	1
Toluene	0.27 "J"	ug/l	0.26	0.83	1	8260B		4/30/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820H

Sample ID 6492-PZ-13B

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		4/30/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		4/30/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		4/30/2020	CJR	1
Trichloroethylene (TCE)	3.5	ug/l	0.47	1.5	1	8260B		4/30/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		4/30/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/30/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		4/30/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		4/30/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		4/30/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		4/30/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		4/30/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		4/30/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		4/30/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		4/30/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820I

Sample ID 6492-PZ-15A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820I

Sample ID 6492-PZ-15A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820J

Sample ID 6492-PZ-15B

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820J

Sample ID 6492-PZ-15B

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820K

Sample ID 6492-PZ-14A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820K

Sample ID 6492-PZ-14A

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820L

Sample ID 6492-PZ-14B

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820L

Sample ID 6492-PZ-14B

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820M

Sample ID 6492-PZ-6A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	0.48 "J"	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	5.6	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820M

Sample ID 6492-PZ-6A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820N

Sample ID 6492-PZ-6B

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	1.72	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820N

Sample ID 6492-PZ-6B

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820O

Sample ID 6492-PZ-7A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	16.8	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820O

Sample ID 6492-PZ-7A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	4.7	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820P

Sample ID 6492-PZ-7B

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	17.9	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820P

Sample ID 6492-PZ-7B

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	7.3	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820Q

Sample ID 6492-PZ-7C

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820Q

Sample ID 6492-PZ-7C

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820R

Sample ID 6492-PZ-17A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	1.13 "J"	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	40	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820R

Sample ID 6492-PZ-17A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	33	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820S

Sample ID 6492-MW-8

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	0.86 "J"	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820S

Sample ID 6492-MW-8

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820T

Sample ID 6492-PZ-23A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/1/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/1/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/1/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/1/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
Chloroform	0.55 "J"	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/1/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/1/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/1/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/1/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/1/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/1/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/1/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/1/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/1/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/1/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/1/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/1/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/1/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/1/2020	CJR	1
Methyl tert-butyl ether (MTBE)	0.59 "J"	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/1/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/1/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/1/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/1/2020	CJR	1
Tetrachloroethene	173	ug/l	0.33	1	1	8260B		5/1/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/1/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820T

Sample ID 6492-PZ-23A

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/1/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/1/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/1/2020	CJR	1
Trichloroethylene (TCE)	14.5	ug/l	0.47	1.5	1	8260B		5/1/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/1/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/1/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/1/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/1/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/1/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/1/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/1/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/1/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/1/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		5/1/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820U

Sample ID 6492-PZ-23B

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	1.21	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820U

Sample ID 6492-PZ-23B

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS**Invoice #** E37820**Project #** 6492 PO#2020-1517**Lab Code** 5037820V**Sample ID** 6492-PZ-3A**Sample Matrix** Water**Sample Date** 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	0.67 "J"	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	56	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820V

Sample ID 6492-PZ-3A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	1.12 "J"	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820W

Sample ID 6492-PZ-3B

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	0.53 "J"	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	9.5	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820W

Sample ID 6492-PZ-3B

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820X

Sample ID 6492-PZ-12A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	0.63 "J"	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	25.5	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820X

Sample ID 6492-PZ-12A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820Y

Sample ID 6492-PZ-12B

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	3.4	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820Y

Sample ID 6492-PZ-12B

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820Z

Sample ID 6492-PZ-22A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 5037820Z

Sample ID 6492-PZ-22A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820AA

Sample ID 6492-MW-13

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820AA

Sample ID 6492-MW-13

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820BB

Sample ID 6492-PZ-21A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820BB

Sample ID 6492-PZ-21A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820CC

Sample ID 6492-PZ-21B

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820CC

Sample ID 6492-PZ-21B

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820DD

Sample ID 6492-PZ-20A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	0.26 "J"	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820DD

Sample ID 6492-PZ-20A

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820EE

Sample ID 6492-MW-12

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820EE

Sample ID 6492-MW-12

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820FF

Sample ID 6492-DUP-1

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	61	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820FF

Sample ID 6492-DUP-1

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	3.4	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS**Invoice #** E37820**Project #** 6492 PO#2020-1517**Lab Code** 537820GG**Sample ID** 6492-DUP-2**Sample Matrix** Water**Sample Date** 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	16.5	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820GG

Sample ID 6492-DUP-2

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	5.4	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820HH

Sample ID 6492-DUP-3

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	0.62 "J"	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	57	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820HH

Sample ID 6492-DUP-3

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethene (TCE)	1.25 "J"	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820II

Sample ID 6492-EB-1

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820II

Sample ID 6492-EB-1

Sample Matrix Water

Sample Date 4/22/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	86	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820JJ

Sample ID 6492-EB-2

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820JJ

Sample ID 6492-EB-2

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820KK

Sample ID 6492-EB-3

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820KK

Sample ID 6492-EB-3

Sample Matrix Water

Sample Date 4/23/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820LL

Sample ID 6492-EB-4

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	0.67 "J"	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820LL

Sample ID 6492-EB-4

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820MM

Sample ID 6492-TB-1

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/2/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/2/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/2/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/2/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/2/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/2/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/2/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/2/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/2/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/2/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/2/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/2/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/2/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/2/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/2/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/2/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/2/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/2/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/2/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/2/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/2/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/2/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/2/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/2/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/2/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37820

Project # 6492 PO#2020-1517

Lab Code 537820MM

Sample ID 6492-TB-1

Sample Matrix Water

Sample Date 4/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/2/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/2/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/2/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/2/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/2/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/2/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/2/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/2/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/2/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/2/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/2/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/2/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/2/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		5/2/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



CHAIN OF STUDY RECORD

Lab ID #

QUOTE #:

Project #: 14493

Sampler: (signature)

Project (Name / Location): Babbler Cleaners - Berabee, WI	
Reports To:	R. HAVEMAN
Company:	EuroForensics
Address:	116 W 33rd St., Suite R, West Des Moines, IA 50314
City State Zip:	WAKESMA
Phone:	414 430 0040
Email:	R.HAVEMAN@EUFORNSKS.COM

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required:
(Rushes accepted only with prior authorization) Normal Turn Around

Analysis Requested

Lab ID.	Sample ID.	Collection Date	Time	Filtered	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	
S03-1820A	14493-0040-10	4/21/20	1535	N	3	GW	HCl																
B	14493-02-15A	4/21/20	1615	N	2	GW	HCl																X
C	14493-02-5A	4/21/20	1725	N	2	GW	HCl																X
D	14493-02-53	4/21/20	1516	N	2	GW	HCl																X
E	14493-02-11	4/22/20	052	N	2	GW	HCl																X
F	14493-02-19A	4/22/20	1625	N	2	GW	HCl																X
G	14493-02-13A	4/22/20	1140	N	3	GW	HCl																X
H	14493-02-13B	4/22/20	1220	N	3	GW	HCl																X
I	14493-02-15A	4/22/20	1325	N	2	GW	HCl																X
J	14493-02-15B	4/22/20	1350	N	2	GW	HCl																X
K	14493-02-14A	4/23/20	1615	N	2	GW	HCl																X
L	14493-02-14B	4/23/20	1650	N	2	GW	HCl																X

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO # 2020-1517

Sample Integrity - To be completed by receiving lab.

Method of Shipment: GroundTemp. of Temp. Blank: 4°C On Ice: XCooler seal intact upon receipt: Yes NoChain # No 40544
Page 1 of 4

Time: 8:00 Date: 4/28/20

Relinquished By: (sign) R. Have Time: 4/27/20 Date: 7:30 Received By: (sign) LawlerReceived in Laboratory By: (sign) R. Have Time: 8:00 Date: 4/28/20

CHAIN OF STUDY RECORD

Lab I.D. #

QUOTE #:

Project #: 6492

Sampler: (signature)

Chain # No 40545
Page 8 of 4

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required:
 (Rushes accepted only with prior authorization)

 Normal Turn AroundProject (Name / Location): **BANDIER CLEANERS, BARABOO WI**Reports To: **R HOWERMAN**Company **EVIDENT FORENSICS**Address **110 W 33RD ST STE R, RIVERDALE**City State Zip **MILWAUKEE, WI 53188**Phone **414 630 0060**Email **rhowerman@enviroforensics.com**

Analysis Requested

Other Analysis

Analysis Requested	Other Analysis
<input type="checkbox"/> DRO (Mod DRO Sep 95)	
<input type="checkbox"/> GRO (Mod GRO Sep 95)	
<input type="checkbox"/> LEAD	
<input type="checkbox"/> NITRATE/NITRITE	
<input type="checkbox"/> OIL & GREASE	
<input type="checkbox"/> PAH (EPA 8270)	
<input type="checkbox"/> PCB	
<input type="checkbox"/> PVOC (EPA 8021)	
<input type="checkbox"/> PVOC + NAPHTHALENE	
<input type="checkbox"/> SULFATE	
<input type="checkbox"/> TOTAL SUSPENDED SOLIDS	
<input checked="" type="checkbox"/> VOC DW (EPA 524.2)	
<input type="checkbox"/> VOC (EPA 8260)	
<input type="checkbox"/> VOC AIR (TO - 15)	
<input type="checkbox"/> 8-RCRA METALS	

PID/
FID

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
S037820M	6492-R2-64	4/23/20	935	/	2	GRO	HCl	
N	6492-R2-60			1010				
O	6492-R2-7A			1146				
P	6492-R2-7B			1713				
Q	6492-R2-7C			1305				
R	6492-R2-17A			1557				
S	6492-R2-17B			1530				
T	6492-R2-23A			1740				
U	6492-R2-23B			1810				
V	6492-R2-3A	4/24/20	826					
W	6492-R2-3B			904				
X	6492-R2-12A			1010				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 2020-1517

Sample Integrity - To be completed by receiving lab.

Method of Shipment: **USPS**Temp. of Temp. Blank: **50** °C On Ice: **X**Cooler seal intact upon receipt: **X** Yes No

L. Miller (sign) Time **7:30** Date **4/27/20**

Received By: (sign) **C. Cawley** Time Date

Time: **8:00** Date: **4/28/20**

CHAIN OF STUDY RECORD

Chain # No 40546
Page 3 of 4

Synergy

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Lab I.D. #	QUOTE #:
Project #: L4192	Sampler: (signature)

Project (Name / Location): BADER CLEANERS, BAZAAR, WI	
Reports To: R. HOWERMAN	Invoice To:
Company ENVIRONMENTAL	Company
Address 116 W 33rd St	Address
City State Zip STONE RIDGE DR WAUKESHA, WI	City State Zip
Phone 414 630 6060	Phone
Email R.HOWERMAN@ENVIRONMENTAL.COM	Email

Sample Handling Request	
Rush Analysis (Rushes accepted only with prior authorization)	Date Required: Normal Turn Around

		Analysis Requested		Other Analysis	
				DRO (Mod DRO Sep 95)	
				GRO (Mod GRO Sep 95)	
				LEAD	
				NITRATE/NITRITE	
				OIL & GREASE	
				PAH (EPA 8270)	
				PCB	
				PVOC (EPA 8021)	
				PVOC + NAPHTHALENE	
				SULFATE	
				TOTAL SUSPENDED SOLIDS	
				VOC DW (EPA 524.2)	
				VOC (EPA 8260)	
				VOC AIR (TO - 15)	
				8-RCCA METALS	
				PID/FID	

Lab ID.	Sample ID.	Collection Date	Filtered Time	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
5037820	64192 - P2-10B	4/24/20	10:15	~	2	GW	HCl
Z	64192 - P2-#2A		12:45	1			
AA	64192 - MW-13		12:20				
BB	64192 - P2-31A		13:55				
CC	64192 - P2-31B		14:23				
DD	64192 - P2-20A		15:03				
EE	64192 - MW-12		15:38				
FF	64192 - PUP-1	4/23/20	-				
GG	64192 - DUP-2	4/23/20	-				
HH	64192 - DUP-3	4/24	-				
II	64192 - EB-1	4/22/20	9:40	✓			
JJ	64192 - EB-2	4/23/20	9:58	✓			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

P6A 8020-1517

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign)	Time 7:30	Date 15/17	Received By: (sign) Counter	Time	Date
Method of Shipment: <u>C</u>						
Temp. of Temp. Blank: <u>°C On Ice</u>						
Cooler seal intact upon receipt: Yes No						
Received in Laboratory By: <u>John Doe</u>						
Time: 8:00						
Date: 4/28/2022						

synergy

Chain # No 40543

Lab I.D. #
QUOTE #:
Project #: 6492
Sampler: (signature) 

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Project (Name / Location): BUDGER CLEVERS, BIRABER, WI										Analysis Requested		Other Analysis			
Reports To:	R Hoverman			Invoice To:											
Company:	ENVIRO FORENSICS			Company											
Address:	Newell's State Ridge Dr.			Address											
City State Zip:	WATERTON, WI 53188			City State Zip											
Phone:	414-380-0000			Phone											
Email:	r.hoverman@enviroforensics.com			Email											
Lab I.D.	Sample I.D.	Collection Date	Collection Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID							
531820- L	6492-EB-3 L 6492-ED-4 L 6492-TB-1	4/23/20 4/24/20	1035 1130	N N	2 2 1	GW GW	HCl HCl		DRO (Mod DRO Sep 95)						
									GRO (Mod GRO Sep 95)						
									LEAD						
									NITRATE/NITRITE						
									OIL & GREASE						
									PAH (EPA 8270)						
									PCB						
									PVOC (EPA 8021)						
									PVOC + NAPHTHALENE						
									SULFATE						
									TOTAL SUSPENDED SOLIDS						
									VOC DW (EPA 524.2)						
								X	VOC (EPA 8260)						
								X	VOC AIR (TO - 15)						
									8-RCRA METALS						
Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)															
PO# 2020-1517															
Sample Integrity - To be completed by receiving lab.				Received By/ (sign)		Time		Date		Received By: (sign)		Time		Date	
Method of Shipment:				DHL		7:30		4/28/20		Carrier					
Temp. of Temp. Blank:				°C On Ice:											
Cooler seal intact upon receipt:				X Yes		No									
Received in Laboratory By: J. R. R.															
Time: 8:00 Date: 4/28/20															

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 11-May-20

Project Name	BADGER CLEANERS								Invoice #	E37850	
Project #	6492 PO#2020-1517										
Lab Code	5037850A										
Sample ID	6492-MW-1										
Sample Matrix	Water										
Sample Date	4/29/2020										
	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic											
VOC's											
Benzene	< 1.65	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1	
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		5/7/2020	CJR	1	
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1	
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		5/7/2020	CJR	1	
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		5/7/2020	CJR	1	
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1	
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		5/7/2020	CJR	1	
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/7/2020	CJR	1	
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		5/7/2020	CJR	1	
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		5/7/2020	CJR	1	
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		5/7/2020	CJR	1	
Chloromethane	< 4	ug/l	4	12.5	5	8260B		5/7/2020	CJR	1	
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1	
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		5/7/2020	CJR	1	
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		5/7/2020	CJR	1	
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		5/7/2020	CJR	1	
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1	
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		5/7/2020	CJR	1	
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1	
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		5/7/2020	CJR	1	
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		5/7/2020	CJR	1	
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		5/7/2020	CJR	1	
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		5/7/2020	CJR	1	
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		5/7/2020	CJR	1	
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		5/7/2020	CJR	1	

Project Name BADGER CLEANERS**Invoice #** E37850**Project #** 6492 PO#2020-1517**Lab Code** 5037850A**Sample ID** 6492-MW-1**Sample Matrix** Water**Sample Date** 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		5/7/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		5/7/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		5/7/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		5/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		5/7/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		5/7/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		5/7/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		5/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		5/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		5/7/2020	CJR	1
Tetrachloroethene	520	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		5/7/2020	CJR	1
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		5/7/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		5/7/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		5/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		5/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		5/7/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		5/7/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		5/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	128	REC %			5	8260B		5/7/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			5	8260B		5/7/2020	CJR	1
SUR - Toluene-d8	107	REC %			5	8260B		5/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			5	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850B

Sample ID 6492-MW-2

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		5/7/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		5/7/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		5/7/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		5/7/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/7/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		5/7/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		5/7/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		5/7/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		5/7/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		5/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		5/7/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		5/7/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		5/7/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		5/7/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		5/7/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		5/7/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		5/7/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		5/7/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		5/7/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		5/7/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		5/7/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		5/7/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		5/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		5/7/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		5/7/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		5/7/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		5/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		5/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		5/7/2020	CJR	1
Tetrachloroethene	840	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850B

Sample ID 6492-MW-2

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		5/7/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		5/7/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		5/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		5/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		5/7/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		5/7/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		5/7/2020	CJR	1
SUR - Toluene-d8	107	REC %			5	8260B		5/7/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			5	8260B		5/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	128	REC %			5	8260B		5/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			5	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850C

Sample ID 6492-MW-3

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		5/7/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		5/7/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		5/7/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		5/7/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/7/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		5/7/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		5/7/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		5/7/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		5/7/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		5/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		5/7/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		5/7/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		5/7/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		5/7/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		5/7/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		5/7/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		5/7/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		5/7/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		5/7/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		5/7/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		5/7/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		5/7/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		5/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		5/7/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		5/7/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		5/7/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		5/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		5/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		5/7/2020	CJR	1
Tetrachloroethene	1000	ug/l	1.65	5	5	8260B		5/7/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850C

Sample ID 6492-MW-3

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		5/7/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		5/7/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		5/7/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/7/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		5/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		5/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/7/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		5/7/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		5/7/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		5/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	8260B		5/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	152	REC %			5	8260B		5/7/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			5	8260B		5/7/2020	CJR	1
SUR - Toluene-d8	107	REC %			5	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850D

Sample ID 6492-MW-4

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/5/2020	CJR	1
Tetrachloroethene	5.6	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850D

Sample ID 6492-MW-4

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		5/5/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/5/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850E

Sample ID 6492-MW-5

Sample Matrix Water

Sample Date 4/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850E

Sample ID 6492-MW-5

Sample Matrix Water

Sample Date 4/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/5/2020	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		5/5/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850F

Sample ID 6492-MW-6

Sample Matrix Water

Sample Date 4/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850F

Sample ID 6492-MW-6

Sample Matrix Water

Sample Date 4/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		5/5/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850G

Sample ID 6492-MW-7

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/5/2020	CJR	1
Tetrachloroethene	0.35 "J"	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850G

Sample ID 6492-MW-7

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		5/5/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		5/5/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850H

Sample ID 6492-PZ-1

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	0.57 "J"	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	104	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850H

Sample ID 6492-PZ-1

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethylene (TCE)	1.13 "J"	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850I

Sample ID 6492-PZ-2

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	1.83	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850I

Sample ID 6492-PZ-2

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850J

Sample ID 6492-TB-2

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850J

Sample ID 6492-TB-2

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/5/2020	CJR	1
SUR - Dibromofluoromethane	87	REC %			1	8260B		5/5/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850K

Sample ID 6492-EB-5

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850K

Sample ID 6492-EB-5

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/5/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		5/5/2020	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/5/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/5/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850L

Sample ID 6492-PZ-16A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	16.7	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850L

Sample ID 6492-PZ-16A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850M

Sample ID 6492-PZ-16B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	0.93 "J"	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850M

Sample ID 6492-PZ-16B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850N

Sample ID 6492-PZ-10A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	0.35 "J"	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850N

Sample ID 6492-PZ-10A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850O

Sample ID 6492-PZ-10B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850O

Sample ID 6492-PZ-10B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850P

Sample ID 6492-PZ-8A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850P

Sample ID 6492-PZ-8A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850Q

Sample ID 6492-PZ-8B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850Q

Sample ID 6492-PZ-8B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850R

Sample ID 6492-PZ-4A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	0.42 "J"	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850R

Sample ID 6492-PZ-4A

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850S

Sample ID 6492-PZ-4B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	0.46 "J"	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850S

Sample ID 6492-PZ-4B

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850T

Sample ID 6492-PZ-11A

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850T

Sample ID 6492-PZ-11A

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850U

Sample ID 6492-PZ-11B

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850U

Sample ID 6492-PZ-11B

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850V

Sample ID 6492-PZ-9A

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850V

Sample ID 6492-PZ-9A

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850W

Sample ID 6492-PZ-9B

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850W

Sample ID 6492-PZ-9B

Sample Matrix Water

Sample Date 4/28/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	128	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850X

Sample ID 6492-EB-6

Sample Matrix Water

Sample Date 4/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/7/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/7/2020	CJR	1
Bromodichloromethane	0.46 "J"	ug/l	0.33	1	1	8260B		5/7/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/7/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/7/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/7/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/7/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/7/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/7/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/7/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/7/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/7/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/7/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/7/2020	CJR	1
Dibromochloromethane	0.30 "J"	ug/l	0.23	0.74	1	8260B		5/7/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/7/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/7/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/7/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/7/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/7/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/7/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/7/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/7/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/7/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/7/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/7/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/7/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/7/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/7/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/7/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/7/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/7/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/7/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/7/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/7/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/7/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		5/7/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850X

Sample ID 6492-EB-6

Sample Matrix Water

Sample Date 4/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/7/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/7/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/7/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/7/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/7/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/7/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/7/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		5/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/7/2020	CJR	1
SUR - Dibromofluoromethane	87	REC %			1	8260B		5/7/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/7/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850Y

Sample ID 6492-DUP-4

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		5/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		5/6/2020	CJR	1
Tetrachloroethene	0.66 "J"	ug/l	0.33	1	1	8260B		5/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850Y

Sample ID 6492-DUP-4

Sample Matrix Water

Sample Date 4/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		5/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		5/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	114	REC %			1	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850Z

Sample ID 6492-DUP-5

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		5/6/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		5/6/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		5/6/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		5/6/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		5/6/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		5/6/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 3.9	ug/l	3.9	12	10	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		5/6/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		5/6/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		5/6/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		5/6/2020	CJR	1
Tetrachloroethene	630	ug/l	3.3	10	10	8260B		5/6/2020	CJR	3
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 5037850Z

Sample ID 6492-DUP-5

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		5/6/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		5/6/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	101	REC %			10	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			10	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			10	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			10	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 537850AA

Sample ID 6492-DUP-6

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		5/6/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		5/6/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		5/6/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		5/6/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		5/6/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/6/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		5/6/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		5/6/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		5/6/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		5/6/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		5/6/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		5/6/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		5/6/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		5/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		5/6/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		5/6/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		5/6/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		5/6/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		5/6/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		5/6/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		5/6/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		5/6/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		5/6/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		5/6/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		5/6/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		5/6/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		5/6/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		5/6/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		5/6/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		5/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		5/6/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/6/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		5/6/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/6/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		5/6/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		5/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/6/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		5/6/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		5/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		5/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		5/6/2020	CJR	1
Tetrachloroethene	98	ug/l	1.65	5	5	8260B		5/6/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		5/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		5/6/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E37850

Project # 6492 PO#2020-1517

Lab Code 537850AA

Sample ID 6492-DUP-6

Sample Matrix Water

Sample Date 4/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		5/6/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		5/6/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		5/6/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		5/6/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		5/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		5/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		5/6/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		5/6/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		5/6/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		5/6/2020	CJR	1
SUR - Toluene-d8	103	REC %			5	8260B		5/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			5	8260B		5/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	122	REC %			5	8260B		5/6/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			5	8260B		5/6/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

3 The matrix spike not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



CHAIN OF STUDY RECORD

Chain # No 40547

Synergy

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • msynergy@wi.twcbc.com

Lab I.D. #	QUOTE #:
Project #: 6492-	Date:
Sampler: (signature)	<i>JL</i>

Project (Name / Location): *Babcock Cleaners, Baraboo, WI*

Reports To: R. Hogenboom

Company *ENVIRONMENTAL SCIENCES*

Address *116 W 23rd St Stee Ridge Dr*

City State Zip *WAUKESHA WI 53188*

Phone *414.630.5060*

Email *R.Hogenboom@envsci.com*

Sample Handling Request	
Rush Analysis (Rushes accepted only with prior authorization)	Date Required: Normal Turn Around

Analysis Requested							
Other Analysis							
Lab I.D.	Sample I.D.	Collection Date	Filtered Time	No. of Y/N	Containers	Sample Type (Matrix)*	Preservation
5037850 A	6492 - MW-1	4/29/02	12/8	N	2	6W	HCl
B	6492 - MW-2		1030		7		
C	6492 - MW-3		1120				
D	6492 - MW-4		1405				
E	6492 - MW-5	4/29/02	803				
F	6492 - MW-6		451				
G	6492 - MW-7	4/29/02	1637				
H	6492 - P21		1519				
I	6492 - P22		1325				
J	6492 - TB-2		-	-	1	CW	-
K	6492 - EB-5	4/29/02	600	N	2		HCl

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO # 2620-157

Sample Integrity - To be completed by receiving lab.	Relinquished By: (sign) <i>JL</i>	Time <i>5/4/02</i>	Date <i>8/5</i>	Received By: (sign) <i>Lew</i>	Time	Date
Method of Shipment: <i>GC</i>						
Temp. of Temp. Blank: _____ °C On ice: <i>X</i>						
Cooler seal intact upon receipt: <i>X</i> Yes <i>X</i> No						
Received in Laboratory By: <i>JL Lew</i>						
Time: <i>8:00</i>						
Date: <i>5/5/02</i>						

CHAIN OF STUDY RECORD

Chain # No 40548

Synergy Environmental Lab, Inc.

Lab I.D. #	QUOTE #:
Project #: 6492	Rush Analysis Date Required: _____
Sampler: (signature) QM	(Rushes accepted only with prior authorization)

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request	
Rush Analysis	Date Required: _____
Normal Turn Around	

Project (Name / Location): **BADGER CLEANERS, BARABOO WI**

Reports To: R. HOWERMAN	Invoice To:
Company EnviroForensics	Company
Address 116 W 33rd Stne Suite Dr	Address
City State Zip Doussett, WI 53388	City State Zip
Phone 414-630-0060	Phone
Email r.howerman@enviroforensics.com	Email

Analysis Requested	Other Analysis
DRO (Mod DRO Sep 95)	
GRO (Mod GRO Sep 95)	
LEAD	
NITRATE/NITRITE	
OIL & GREASE	
PAH (EPA 8270)	
PCB	
PVOC (EPA 8021)	
PVOC + NAPHTHALENE	
SULFATE	
TOTAL SUSPENDED SOLIDS	
VOC DW (EPA 524.2)	
VOC (EPA 8260)	
VOC AIR (TO - 15)	
8-RCRA METALS	
PID/V FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered	No. of Containers	Sample Type (Matrix)*	Preservation
S037850L	6492-P2-16A	4/27/20	13:44	X	2	Circles	H2O
M	6492-P2-16B	4/27/20	12:46				
N	6492-P2-16A	4/27/20	14:55				
O	6492-P2-16B	4/26	14:26				
P	6492-P2-8A	4/26	15:54				
Q	6492-P2-8B	4/28					
R	6492-P2-8A	4/28					
S	6492-P2-4P	4/28	16:41				
T	6492-P2-4P	4/28	17:40				
U	6492-P2-11A	4/28/20	9:30				
V	6492-P2-11B	4/28/20	10:04				
W	6492-P2-9A	4/28/20	10:55				
	6492-P2-9B	4/28/20	11:30				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 26206-1517

Sample Integrity - To be completed by receiving lab.

Method of Shipment: L

Temp. of Temp. Blank: _____ °C On Ice: X

Cooler seal intact upon receipt: Yes No

Received By: (sign)
John P.

Time: 8:00
Date: 5/5/20

Received By: (sign)
John P.

Time: 8:00
Date: 5/5/20

CHAIN OF STUDY RECORD

Chain # No 40556
Page 3 of 3**Synergy**
Environmental Lab, Inc.

Lab I.D. #
QUOTE #:
Project #: 6492
Sampler: (signature) *RJH*

Project (Name / Location): **BUBBLE CLEANERS, BURBANK WI**

Reports To: **R. HOWE-WAY**
 Company **ENVIRO FORENSICS**

Address **411 W 93rd St Suite R-1000 De**
 City State Zip **MILWAUKEE WI 53185**

Phone **414 630 0000**

Email **rhowe@enviroforensics.com**

Invoice To:
 Company

Address

City State Zip

Phone

Email

Sample Handling Request	
Rush Analysis (Rushes accepted only with prior authorization)	Date Required: Normal Turn Around

		Analysis Requested		Other Analysis	
Lab I.D.	Sample I.D.	Collection Date	Filtered Time	No. of Containers	Sample Type (Matrix)*
6492-850X	6492-EB-4	4/30	8:10	1	GRO HCl
X	6492-DUP-4	4/30	-	1	DRO (Mod DRO Sep 95)
Z	6492-DUP-5	4/30	-	1	GRO (Mod GRO Sep 95)
X	6492-DUP-6	4/30	-	1	LEAD
					NITRATE/NITRITE
					OIL & GREASE
					PAH (EPA 8270)
					PCB
					PVOC (EPA 8021)
					PVOC + NAPHTHALENE
					SULFATE
					TOTAL SUSPENDED SOLIDS
					VOC DW (EPA 524.2)
					VOC (EPA 8260)
					VOC AIR (TO - 15)
					8-RCRA METALS
					PID/FID

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

96-2020-1517

Sample Integrity - To be completed by receiving lab.

Method of Shipment: *SC*

Temp. of Temp. Blank: _____ °C On Ice: *X*

Cooler seal intact upon receipt: Yes No

Received By: (sign) *RJH* Time: 8:15 Date: 5/12/20

Received By: (sign) *RJH* Time: 8:00 Date: 5/12/20

Received By: (sign) *RJH* Time: 8:00 Date: 5/12/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 09-Sep-20

Project Name BADGER CLEANERS/BARABOO
Project # 6492 PO#20201861

Invoice # E38399

Lab Code 5038399A
Sample ID 6492 PZ-1
Sample Matrix Water
Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	0.46 "J"	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399A

Sample ID 6492 PZ-1

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	23.6	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	1.07 "J"	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399B

Sample ID 6492 PZ-2

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	2.44	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399B

Sample ID 6492 PZ-2

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399C

Sample ID 6492 PZ-3A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	0.45 "J"	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	30	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399C

Sample ID 6492 PZ-3A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	0.82 "J"	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399D

Sample ID 6492 PZ-3B

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	4.7	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399D

Sample ID 6492 PZ-3B

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399E

Sample ID 6492 PZ-5A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.66	ug/l	0.66	2	2	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.52	ug/l	0.52	1.68	2	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.66	ug/l	0.66	2	2	8260B		9/3/2020	CJR	1
Bromoform	< 1.3	ug/l	1.3	4.2	2	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 1.22	ug/l	1.22	3.8	2	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.64	ug/l	0.64	2	2	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.56	ug/l	0.56	1.78	2	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.62	ug/l	0.62	1.96	2	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.78	ug/l	0.78	2.4	2	8260B		9/3/2020	CJR	1
Chloroethane	< 2.2	ug/l	2.2	7.2	2	8260B		9/3/2020	CJR	1
Chloroform	< 0.88	ug/l	0.88	2.8	2	8260B		9/3/2020	CJR	1
Chloromethane	< 1.6	ug/l	1.6	5	2	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.64	ug/l	0.64	2	2	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.6	ug/l	0.6	1.92	2	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 1.64	ug/l	1.64	5.2	2	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.46	ug/l	0.46	1.48	2	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.72	ug/l	0.72	2.2	2	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.62	ug/l	0.62	1.96	2	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.64	ug/l	0.64	2	2	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.9	ug/l	0.9	2.8	2	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.78	ug/l	0.78	2.6	2	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.92	ug/l	0.92	3	2	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 1	ug/l	1	3.2	2	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.78	ug/l	0.78	2.4	2	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.74	ug/l	0.74	2.4	2	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.76	ug/l	0.76	2.4	2	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.7	ug/l	0.7	2.2	2	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.6	ug/l	0.6	1.88	2	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.72	ug/l	0.72	2.2	2	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.68	ug/l	0.68	2.2	2	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.48	ug/l	0.48	1.5	2	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.64	ug/l	0.64	2	2	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 1.44	ug/l	1.44	4.6	2	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.64	ug/l	0.64	2	2	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.94	ug/l	0.94	3	2	8260B		9/3/2020	CJR	1
Methylene chloride	< 2.64	ug/l	2.64	8.42	2	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.94	ug/l	0.94	3	2	8260B		9/3/2020	CJR	1
Naphthalene	< 2.2	ug/l	2.2	7.2	2	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.66	ug/l	0.66	2.2	2	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.74	ug/l	0.74	2.4	2	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 1.76	ug/l	1.76	6.6	2	8260B		9/3/2020	CJR	1
Tetrachloroethene	115	ug/l	0.66	2	2	8260B		9/3/2020	CJR	1
Toluene	< 0.52	ug/l	0.52	1.66	2	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.88	ug/l	0.88	2.8	2	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399E

Sample ID 6492 PZ-5A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 2	ug/l	2	6.4	2	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.6	ug/l	0.6	1.9	2	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.72	ug/l	0.72	2.2	2	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.94	ug/l	0.94	3	2	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.84	ug/l	0.84	2.6	2	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.6	ug/l	0.6	1.92	2	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.64	ug/l	0.64	2	2	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.4	ug/l	0.4	1.3	2	8260B		9/3/2020	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.6	2	8260B		9/3/2020	CJR	1
o-Xylene	< 0.76	ug/l	0.76	2.4	2	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			2	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			2	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			2	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	101	REC %			2	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399F

Sample ID 6492 PZ-5B

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	1.2	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399F

Sample ID 6492 PZ-5B

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399G

Sample ID 6492 PZ-6A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	0.46 "J"	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	3.12	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399G

Sample ID 6492 PZ-6A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399H

Sample ID 6492 PZ-7A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	14	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399H

Sample ID 6492 PZ-7A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	1.19 "J"	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399I

Sample ID 6492 PZ-7B

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	13.4	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399I

Sample ID 6492 PZ-7B

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethylene (TCE)	5	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399J

Sample ID 6492 PZ-12A

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	11.4	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399J

Sample ID 6492 PZ-12A

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399K

Sample ID 6492 PZ-12B

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	50	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399K

Sample ID 6492 PZ-12B

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399L

Sample ID 6492 PZ-13A

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	25.5	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399L

Sample ID 6492 PZ-13A

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethylene (TCE)	2.76	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO
Project # 6492 PO#20201861

Invoice # E38399

Lab Code 5038399M

Sample ID 6492 PZ-13B

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	57	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399M

Sample ID 6492 PZ-13B

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethylene (TCE)	13.2	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO
Project # 6492 PO#20201861

Invoice # E38399

Lab Code 5038399N
Sample ID 6492 PZ-16A
Sample Matrix Water
Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	161	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399N

Sample ID 6492 PZ-16A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	0.73 "J"	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399O

Sample ID 6492 PZ-16B

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	109	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399O

Sample ID 6492 PZ-16B

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399P

Sample ID 6492 PZ-17A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	0.61 "J"	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	112	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399P

Sample ID 6492 PZ-17A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethylene (TCE)	46	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO
Project # 6492 PO#20201861

Invoice # E38399

Lab Code 5038399Q
Sample ID 6492 PZ-18A
Sample Matrix Water
Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	6.9	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399Q

Sample ID 6492 PZ-18A

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	1.46 "J"	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399R

Sample ID 6492 PZ-23A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/3/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	0.91 "J"	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/3/2020	CJR	1
Tetrachloroethene	93	ug/l	0.33	1	1	8260B		9/3/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399R

Sample ID 6492 PZ-23A

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/3/2020	CJR	1
Trichloroethylene (TCE)	67	ug/l	0.47	1.5	1	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/3/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/3/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399S

Sample ID 6492 MW-1

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		9/3/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		9/3/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		9/3/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		9/3/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		9/3/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		9/3/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		9/3/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		9/3/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		9/3/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		9/3/2020	CJR	1
Tetrachloroethene	510	ug/l	1.65	5	5	8260B		9/3/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399S

Sample ID 6492 MW-1

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		9/3/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		9/3/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			5	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			5	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			5	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	98	REC %			5	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399T

Sample ID 6492 MW-2

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	8260B		9/3/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	8260B		9/3/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		9/3/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	8260B		9/3/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	8260B		9/3/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	8260B		9/3/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	8260B		9/3/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	8260B		9/3/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	8260B		9/3/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	8260B		9/3/2020	CJR	1
Tetrachloroethene	680	ug/l	1.65	5	5	8260B		9/3/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399T

Sample ID 6492 MW-2

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		9/3/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	8260B		9/3/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			5	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	103	REC %			5	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			5	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			5	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399U

Sample ID 6492 MW-3

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	8260B		9/3/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	8260B		9/3/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	8260B		9/3/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	8260B		9/3/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	8260B		9/3/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	8260B		9/3/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	8260B		9/3/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		9/3/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	8260B		9/3/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	8260B		9/3/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	8260B		9/3/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	8260B		9/3/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	8260B		9/3/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	8260B		9/3/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	8260B		9/3/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	8260B		9/3/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	8260B		9/3/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	8260B		9/3/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	8260B		9/3/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	8260B		9/3/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	8260B		9/3/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	8260B		9/3/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	8260B		9/3/2020	CJR	1
cis-1,2-Dichloroethene	< 3.9	ug/l	3.9	12	10	8260B		9/3/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	8260B		9/3/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	8260B		9/3/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	8260B		9/3/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	8260B		9/3/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	8260B		9/3/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	8260B		9/3/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	8260B		9/3/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		9/3/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	8260B		9/3/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	8260B		9/3/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	8260B		9/3/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		9/3/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	8260B		9/3/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	8260B		9/3/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	8260B		9/3/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	8260B		9/3/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	8260B		9/3/2020	CJR	1
Tetrachloroethene	1630	ug/l	3.3	10	10	8260B		9/3/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	8260B		9/3/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399U

Sample ID 6492 MW-3

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	8260B		9/3/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	8260B		9/3/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	8260B		9/3/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	8260B		9/3/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	8260B		9/3/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	8260B		9/3/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	8260B		9/3/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		9/3/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	8260B		9/3/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	8260B		9/3/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			10	8260B		9/3/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			10	8260B		9/3/2020	CJR	1
SUR - Toluene-d8	103	REC %			10	8260B		9/3/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		9/3/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399V

Sample ID 6492 MW-4

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	7.5	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399V

Sample ID 6492 MW-4

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399W

Sample ID 6492 MW-10

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/5/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/5/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/5/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/5/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/5/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/5/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/5/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/5/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/5/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/5/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/5/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/5/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/5/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/5/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/5/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/5/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/5/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/5/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/5/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/5/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/5/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/5/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/5/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/5/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/5/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/5/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/5/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/5/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/5/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/5/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/5/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/5/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/5/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/5/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/5/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/5/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/5/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/5/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/5/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/5/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		9/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/5/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/5/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399W

Sample ID 6492 MW-10

Sample Matrix Water

Sample Date 8/27/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/5/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/5/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/5/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/5/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/5/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/5/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/5/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/5/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/5/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/5/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/5/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		9/5/2020	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/5/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		9/5/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399X

Sample ID 6492 EB-1

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	0.3 "J"	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399X

Sample ID 6492 EB-1

Sample Matrix Water

Sample Date 8/24/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethylene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399Y

Sample ID 6492 EB-2

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399Y

Sample ID 6492 EB-2

Sample Matrix Water

Sample Date 8/25/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	87	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399Z

Sample ID 6492 EB-3

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 5038399Z

Sample ID 6492 EB-3

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399AA

Sample ID 6492 EB-4

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	0.48 "J"	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399AA

Sample ID 6492 EB-4

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399BB

Sample ID 6492 DUP-1

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	0.52 "J"	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	27.2	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399BB

Sample ID 6492 DUP-1

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethylene (TCE)	1.55	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399CC

Sample ID 6492 DUP-2

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	430	ug/l	3.3	1	10	8260B		9/5/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399CC

Sample ID 6492 DUP-2

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	88	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO
Project # 6492 PO#20201861

Invoice # E38399

Lab Code 538399DD

Sample ID 6492 DUP-3

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		9/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		9/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		9/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		9/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		9/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		9/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		9/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		9/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		9/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		9/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		9/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		9/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		9/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		9/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		9/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		9/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		9/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		9/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		9/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		9/4/2020	CJR	1
Tetrachloroethene	13.7	ug/l	0.33	1	1	8260B		9/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		9/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/4/2020	CJR	1

Project Name BADGER CLEANERS/BARABOO

Invoice # E38399

Project # 6492 PO#20201861

Lab Code 538399DD

Sample ID 6492 DUP-3

Sample Matrix Water

Sample Date 8/26/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		9/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		9/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		9/4/2020	CJR	1
Trichloroethene (TCE)	1.08 "J"	ug/l	0.47	1.5	1	8260B		9/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		9/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		9/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		9/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		9/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		9/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		9/4/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		9/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		9/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		9/4/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/4/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



CHAIN OF STUDY RECORD

Lab I.D. #

QUOTE #:

Project #: **6492**

Sampler: (signature)

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Environmental Lab, Inc.

Chain # No 40261
Page 1 of 3

Sample Handling Request
Rush Analysis Date Required:
(Rushes accepted only with prior authorization)

Normal Turn Around

Project (Name / Location): **Badger Cleaners | Baraboo, WI**Reports To: **D. Hoverman**Company **Enviro Forensics**

Address

City State Zip

Phone

Email

Analysis Requested**Other Analysis**

DRO (Mod DRO Sep 95)
GRO (Mod GRO Sep 95)
LEAD
NITRATE/NITRITE
OIL & GREASE
PAH (EPA 8270)
PCB
PVOC (EPA 8021)
PVOC + NAPHTHALENE
SULFATE
TOTAL SUSPENDED SOLIDS
VOC DW (EPA 524.2)
VOC (EPA 8260)
VOC AIR (TO - 15)
8-RCRA METALS

PID/
FID

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
503839A	6492-P2-1	8/25	0924	2	4	GW	HCl	
B	6492-P2-2	8/24	1616	2	5	GW		
C	6492-P2-3A	8/26	1444	2	5	GW		
D	6492-P2-3B	8/26	1515	2	5	GW		
E	6492-P2-5A	8/27	1051	2	5	GW		
F	6492-P2-5B	8/27	1051/30	2	5	GW		
G	6492-P2-6A	8/27	1235	2				
H	6492-P2-7A	8/27	1412	2				
I	6492-P2-7B	8/27	1450	2				
J	6492-P2-12A	8/25	1535	2				
K	6492-P2-12B	8/25	1635	2				
L	6492-P2-13A	8/25	1253	2				

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO 2020 1501

Sample Integrity - To be completed by receiving lab.

Method of Shipment: BoxTemp. of Temp. Blank: 0°C On IceCooler seal intact upon receipt: Yes No

Received in Laboratory By: <u>David R.</u>	Time: <u>10:00</u>	Date: <u>8/29/20</u>
Relinquished By: (sign) <u>R. H.</u>	Time <u>18:18</u>	Date <u>8/29/20</u>
Received By: (sign) <u>ColdCrust</u>	Time	Date

CHAIN OF STUDY RECORD

Chain # No 40098
Page 2 of 3

Synergy

Lab I.D. #

QUOTE #:

Project #: 6492

Sampler: (signature)

Project (Name / Location): **Melody Che Badger Cleaners / Baraboo, WI**

Reports To: **P. Hoverman**

Company **EnviroForensics**

Address

City State Zip

Phone

Email

Sample Handling Request						
Rush Analysis Date Required: (Rushes accepted only with prior authorization)						
Normal Turn Around						

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914

920-830-2455 • mrsynergy@wi.twcbc.com

Lab I.D.	Sample I.D.	Collection		Filtered	No. of Containers	Sample Type (Matrix)*	Preservation	Analysis Requested		Other Analysis	PID/FID
		Date	Time					DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)		
503839M	6492 - PZ-13B	8/25	1418	2	2	H2O	H2O				
N	6492 - PZ-16A	8/26	1500	2	2	H2O	H2O				
O	6492 - PZ-16B	8/26	1254	2	2	H2O	H2O				
P	6492 - PZ-17A	8/26	0936	2	2	H2O	H2O				
Q	6492 - PZ-18A	8/27	0933	2	2	H2O	H2O				
R	6492 - PZ-23A	8/26	1050	2	2	H2O	H2O				
S	6492 - PW-1	8/25	1633	2	2	H2O	H2O				
T	6492 - PW-2	8/24	1325	2	2	H2O	H2O				
U	6492 - PW-3	8/24	1452	2	2	H2O	H2O				
V	6492 - MN-4	8/24	1725	2	2	H2O	H2O				
W	6492 - MN-10	8/24	0905	2	2	H2O	H2O				
X	6492 - EB-1	8/24	1736	2	2	H2O	H2O				

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: **CS**

Temp. of Temp. Blank: _____ °C On Ice: **X**

Cooler seal intact upon receipt: **X** Yes **No**

Relinquished By: (sign)

Time

Date

Received By: (sign)

Time

Date

Received in Laboratory By:

Time

Date

12/16

8/26/00

10:00

8/29/00

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 06-Nov-20

Project Name BADGER CLEANERS
Project # 6492 PO#2020-2012

Invoice # E38708

Lab Code 5038708A
Sample ID 6492-MW-10
Sample Matrix Water
Sample Date 10/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		11/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		11/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		11/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		11/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		11/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		11/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		11/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		11/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		11/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		11/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		11/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		11/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		11/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		11/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		11/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		11/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		11/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		11/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		11/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		11/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		11/4/2020	CJR	1

Project Name BADGER CLEANERS**Invoice #** E38708**Project #** 6492 PO#2020-2012**Lab Code** 5038708A**Sample ID** 6492-MW-10**Sample Matrix** Water**Sample Date** 10/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		11/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		11/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		11/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		11/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		11/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		11/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		11/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		11/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		11/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		11/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		11/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		11/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		11/4/2020	CJR	1
Tetrachloroethene	0.52 "J"	ug/l	0.33	1	1	8260B		11/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		11/4/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		11/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		11/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		11/4/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		11/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		11/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		11/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		11/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		11/4/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		11/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		11/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		11/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		11/4/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38708

Project # 6492 PO#2020-2012

Lab Code 5038708B

Sample ID 6492-PZ-18A

Sample Matrix Water

Sample Date 10/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	8260B		11/4/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		11/4/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	8260B		11/4/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		11/4/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		11/4/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		11/4/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		11/4/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		11/4/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		11/4/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		11/4/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		11/4/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		11/4/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		11/4/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		11/4/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		11/4/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		11/4/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		11/4/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		11/4/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		11/4/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		11/4/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		11/4/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		11/4/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		11/4/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		11/4/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		11/4/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		11/4/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		11/4/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		11/4/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		11/4/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		11/4/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		11/4/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		11/4/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		11/4/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		11/4/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		11/4/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		11/4/2020	CJR	1
Tetrachloroethene	7.7	ug/l	0.33	1	1	8260B		11/4/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		11/4/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		11/4/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38708

Project # 6492 PO#2020-2012

Lab Code 5038708B

Sample ID 6492-PZ-18A

Sample Matrix Water

Sample Date 10/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		11/4/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		11/4/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		11/4/2020	CJR	1
Trichloroethylene (TCE)	0.94 "J"	ug/l	0.47	1.5	1	8260B		11/4/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		11/4/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		11/4/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		11/4/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		11/4/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		11/4/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		11/4/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		11/4/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		11/4/2020	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		11/4/2020	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		11/4/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ROB HOVERMAN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 16-Nov-20

Project Name	BADGER CLEANERS								Invoice #	E38749	
Project #	6492 PO#2020-2012										
Lab Code	5038749A										
Sample ID	6492 MW-1										
Sample Matrix	Water										
Sample Date	11/5/2020										
	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
Organic											
VOC's											
Benzene	< 1.65	ug/l	1.65	5	5	624			CJR	1	
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	624			CJR	1	
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	624			CJR	1	
Bromoform	< 3.25	ug/l	3.25	10.5	5	624			CJR	1	
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	624			CJR	1	
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	624			CJR	1	
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	624			CJR	1	
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	624			CJR	1	
Chlorobenzene	< 1.95	ug/l	1.95	6	5	624			CJR	1	
Chloroethane	< 5.5	ug/l	5.5	18	5	624			CJR	1	
Chloroform	< 2.2	ug/l	2.2	7	5	624			CJR	1	
Chloromethane	< 4	ug/l	4	12.5	5	624			CJR	1	
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	624			CJR	1	
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	624			CJR	1	
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	624			CJR	1	
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	624			CJR	1	
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	624			CJR	1	
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	624			CJR	1	
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	624			CJR	1	
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	624			CJR	1	
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	624			CJR	1	
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	624			CJR	1	
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	624			CJR	1	
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	624			CJR	1	
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	624			CJR	1	

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749A

Sample ID 6492 MW-1

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	624		11/14/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	624		11/14/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	624		11/14/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	624		11/14/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	624		11/14/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	624		11/14/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	624		11/14/2020	CJR	1
Tetrachloroethene	266	ug/l	1.65	5	5	624		11/14/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	624		11/14/2020	CJR	1
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	624		11/14/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	624		11/14/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			5	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	94	REC %			5	624		11/14/2020	CJR	1
SUR - Toluene-d8	112	REC %			5	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749B

Sample ID 6492 MW-2

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.65	ug/l	1.65	5	5	624		11/14/2020	CJR	1
Bromobenzene	< 1.3	ug/l	1.3	4.2	5	624		11/14/2020	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5	5	624		11/14/2020	CJR	1
Bromoform	< 3.25	ug/l	3.25	10.5	5	624		11/14/2020	CJR	1
tert-Butylbenzene	< 3.05	ug/l	3.05	9.5	5	624		11/14/2020	CJR	1
sec-Butylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
n-Butylbenzene	< 1.4	ug/l	1.4	4.45	5	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	624		11/14/2020	CJR	1
Chlorobenzene	< 1.95	ug/l	1.95	6	5	624		11/14/2020	CJR	1
Chloroethane	< 5.5	ug/l	5.5	18	5	624		11/14/2020	CJR	1
Chloroform	< 2.2	ug/l	2.2	7	5	624		11/14/2020	CJR	1
Chloromethane	< 4	ug/l	4	12.5	5	624		11/14/2020	CJR	1
2-Chlorotoluene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
4-Chlorotoluene	< 1.5	ug/l	1.5	4.8	5	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 4.1	ug/l	4.1	13	5	624		11/14/2020	CJR	1
Dibromochloromethane	< 1.15	ug/l	1.15	3.7	5	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 1.8	ug/l	1.8	5.5	5	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 1.55	ug/l	1.55	4.9	5	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 2.25	ug/l	2.25	7	5	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 1.95	ug/l	1.95	6.5	5	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 2.3	ug/l	2.3	7.5	5	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 2.5	ug/l	2.5	8	5	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 1.95	ug/l	1.95	6	5	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 1.85	ug/l	1.85	6	5	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 1.9	ug/l	1.9	6	5	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 1.75	ug/l	1.75	5.5	5	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 1.5	ug/l	1.5	4.7	5	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 1.8	ug/l	1.8	5.5	5	624		11/14/2020	CJR	1
Di-isopropyl ether	< 1.7	ug/l	1.7	5.5	5	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 1.2	ug/l	1.2	3.75	5	624		11/14/2020	CJR	1
Ethylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 3.6	ug/l	3.6	11.5	5	624		11/14/2020	CJR	1
Isopropylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 2.35	ug/l	2.35	7.5	5	624		11/14/2020	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.35	ug/l	2.35	7.5	5	624		11/14/2020	CJR	1
Naphthalene	< 5.5	ug/l	5.5	18	5	624		11/14/2020	CJR	1
n-Propylbenzene	< 1.65	ug/l	1.65	5.5	5	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 1.85	ug/l	1.85	6	5	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 4.4	ug/l	4.4	16.5	5	624		11/14/2020	CJR	1
Tetrachloroethene	360	ug/l	1.65	5	5	624		11/14/2020	CJR	1
Toluene	< 1.3	ug/l	1.3	4.15	5	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 2.2	ug/l	2.2	7	5	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749B

Sample ID 6492 MW-2

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 5	ug/l	5	16	5	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 1.5	ug/l	1.5	4.75	5	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 1.8	ug/l	1.8	5.5	5	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 2.35	ug/l	2.35	7.5	5	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 2.1	ug/l	2.1	6.5	5	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	5	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 1.6	ug/l	1.6	5	5	624		11/14/2020	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	624		11/14/2020	CJR	1
m&p-Xylene	< 5.5	ug/l	5.5	16.5	5	624		11/14/2020	CJR	1
o-Xylene	< 1.9	ug/l	1.9	6	5	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			5	624		11/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			5	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			5	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			5	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749C

Sample ID 6492 PZ-23A

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.96 "J"	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	0.91 "J"	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	87	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749C

Sample ID 6492 PZ-23A

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	155	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	81	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	108	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749D

Sample ID 6492 MW-3

Sample Matrix Water

Sample Date 11/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 3.3	ug/l	3.3	10	10	624		11/14/2020	CJR	1
Bromobenzene	< 2.6	ug/l	2.6	8.4	10	624		11/14/2020	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10	10	624		11/14/2020	CJR	1
Bromoform	< 6.5	ug/l	6.5	21	10	624		11/14/2020	CJR	1
tert-Butylbenzene	< 6.1	ug/l	6.1	19	10	624		11/14/2020	CJR	1
sec-Butylbenzene	< 3.2	ug/l	3.2	10	10	624		11/14/2020	CJR	1
n-Butylbenzene	< 2.8	ug/l	2.8	8.9	10	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	624		11/14/2020	CJR	1
Chlorobenzene	< 3.9	ug/l	3.9	12	10	624		11/14/2020	CJR	1
Chloroethane	< 11	ug/l	11	36	10	624		11/14/2020	CJR	1
Chloroform	< 4.4	ug/l	4.4	14	10	624		11/14/2020	CJR	1
Chloromethane	< 8	ug/l	8	25	10	624		11/14/2020	CJR	1
2-Chlorotoluene	< 3.2	ug/l	3.2	10	10	624		11/14/2020	CJR	1
4-Chlorotoluene	< 3	ug/l	3	9.6	10	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 8.2	ug/l	8.2	26	10	624		11/14/2020	CJR	1
Dibromochloromethane	< 2.3	ug/l	2.3	7.4	10	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 3.6	ug/l	3.6	11	10	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 3.1	ug/l	3.1	9.8	10	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 3.2	ug/l	3.2	10	10	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 4.5	ug/l	4.5	14	10	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 3.9	ug/l	3.9	13	10	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 4.6	ug/l	4.6	15	10	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 5	ug/l	5	16	10	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 3.9	ug/l	3.9	12	10	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 3.7	ug/l	3.7	12	10	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 3.8	ug/l	3.8	12	10	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 3.5	ug/l	3.5	11	10	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 3	ug/l	3	9.4	10	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 3.6	ug/l	3.6	11	10	624		11/14/2020	CJR	1
Di-isopropyl ether	< 3.4	ug/l	3.4	11	10	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 2.4	ug/l	2.4	7.5	10	624		11/14/2020	CJR	1
Ethylbenzene	< 3.2	ug/l	3.2	10	10	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 7.2	ug/l	7.2	23	10	624		11/14/2020	CJR	1
Isopropylbenzene	< 3.2	ug/l	3.2	10	10	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 4.7	ug/l	4.7	15	10	624		11/14/2020	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 4.7	ug/l	4.7	15	10	624		11/14/2020	CJR	1
Naphthalene	< 11	ug/l	11	36	10	624		11/14/2020	CJR	1
n-Propylbenzene	< 3.3	ug/l	3.3	11	10	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 3.7	ug/l	3.7	12	10	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 8.8	ug/l	8.8	33	10	624		11/14/2020	CJR	1
Tetrachloroethene	640	ug/l	3.3	10	10	624		11/14/2020	CJR	1
Toluene	< 2.6	ug/l	2.6	8.3	10	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 4.4	ug/l	4.4	14	10	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749D

Sample ID 6492 MW-3

Sample Matrix Water

Sample Date 11/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 10	ug/l	10	32	10	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 3	ug/l	3	9.5	10	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 3.6	ug/l	3.6	11	10	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 4.7	ug/l	4.7	15	10	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 4.2	ug/l	4.2	13	10	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 3	ug/l	3	9.6	10	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 3.2	ug/l	3.2	10	10	624		11/14/2020	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	624		11/14/2020	CJR	1
m&p-Xylene	< 11	ug/l	11	33	10	624		11/14/2020	CJR	1
o-Xylene	< 3.8	ug/l	3.8	12	10	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			10	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			10	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			10	624		11/14/2020	CJR	1
SUR - Toluene-d8	113	REC %			10	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749E

Sample ID 6492 MW-4

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	10.2	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749E

Sample ID 6492 MW-4

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	80	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749F

Sample ID 6492 PZ-2

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	3.7	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749F

Sample ID 6492 PZ-2

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	77	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749G

Sample ID 6492 PZ-13A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	20.5	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749G

Sample ID 6492 PZ-13A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethylene (TCE)	1.83	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	86	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749H

Sample ID 6492 PZ-13B

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	43	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749H

Sample ID 6492 PZ-13B

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	11.5	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	87	REC %			1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749I

Sample ID 6492 PZ-16A

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	107	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749I

Sample ID 6492 PZ-16A

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethylene (TCE)	0.88 "J"	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	86	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749J

Sample ID 6492 PZ-16B

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	171	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749J

Sample ID 6492 PZ-16B

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	0.55 "J"	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	79	REC %			1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749K

Sample ID 6492 PZ-12A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	6.2	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749K

Sample ID 6492 PZ-12A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	91	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	107	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749L

Sample ID 6492 PZ-12B

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	0.9 "J"	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749L

Sample ID 6492 PZ-12B

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	86	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749M

Sample ID 6492 PZ-17A

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	0.85 "J"	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	60	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749M

Sample ID 6492 PZ-17A

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethylene (TCE)	39	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	86	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749N

Sample ID 6492 PZ-3A

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	44	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749N

Sample ID 6492 PZ-3A

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethylene (TCE)	0.88 "J"	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	84	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	81	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749O

Sample ID 6492 PZ-3B

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	0.44 "J"	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	5.1	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749O

Sample ID 6492 PZ-3B

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	86	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749P

Sample ID 6492 PZ-1

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	0.45 "J"	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	163	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749P

Sample ID 6492 PZ-1

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethylene (TCE)	3.2	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	88	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749Q

Sample ID 6492 PZ-5A

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	150	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749Q

Sample ID 6492 PZ-5A

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	85	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	88	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749R

Sample ID 6492 PZ-5B

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	10	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749R

Sample ID 6492 PZ-5B

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	83	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	87	REC %			1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749S

Sample ID 6492 PZ-6A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	21.3	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749S

Sample ID 6492 PZ-6A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2020-2012
Lab Code 5038749T
Sample ID 6492 PZ-7A
Sample Matrix Water
Sample Date 11/3/2020

Invoice # E38749

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	5.6	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749T

Sample ID 6492 PZ-7A

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749U

Sample ID 6492 PZ-7B

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	22.7	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749U

Sample ID 6492 PZ-7B

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethylene (TCE)	7.9	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749V

Sample ID 6492 DUP-1

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	5.7	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749V

Sample ID 6492 DUP-1

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethylene (TCE)	0.53 "J"	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749W

Sample ID 6492 DUP-2

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	172	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749W

Sample ID 6492 DUP-2

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethylene (TCE)	3.4	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	113	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749X

Sample ID 6492 DUP-3

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/14/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/14/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/14/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/14/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/14/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/14/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/14/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/14/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/14/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/14/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/14/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/14/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/14/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/14/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/14/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/14/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/14/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/14/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/14/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/14/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/14/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/14/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/14/2020	CJR	1
Tetrachloroethene	350	ug/l	0.33	1	1	624		11/14/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/14/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749X

Sample ID 6492 DUP-3

Sample Matrix Water

Sample Date 11/5/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/14/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/14/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/14/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/14/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/14/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/14/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/14/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/14/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/14/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/14/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	624		11/14/2020	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	624		11/14/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	624		11/14/2020	CJR	1
SUR - Toluene-d8	115	REC %			1	624		11/14/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749Y

Sample ID 6492 EB-1

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	0.42 "J"	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749Y

Sample ID 6492 EB-1

Sample Matrix Water

Sample Date 11/3/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749Z

Sample ID 6492 EB-2

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	0.48 "J"	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 5038749Z

Sample ID 6492 EB-2

Sample Matrix Water

Sample Date 11/4/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	111	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 538749AA

Sample ID 6492 EB-3

Sample Matrix Water

Sample Date 11/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	0.42 "J"	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 538749AA

Sample ID 6492 EB-3

Sample Matrix Water

Sample Date 11/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	112	REC %			1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 538749BB

Sample ID 6492 EB-4

Sample Matrix Water

Sample Date 11/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	0.4 "J"	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 538749BB

Sample ID 6492 EB-4

Sample Matrix Water

Sample Date 11/6/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	624		11/13/2020	CJR	1
SUR - Toluene-d8	110	REC %			1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS

Invoice # E38749

Project # 6492 PO#2020-2012

Lab Code 538749CC

Sample ID 6492 TRIP BLANK

Sample Matrix Water

Sample Date 10/30/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	624		11/13/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	624		11/13/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	624		11/13/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	624		11/13/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	624		11/13/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	624		11/13/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	624		11/13/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	624		11/13/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	624		11/13/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	624		11/13/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	624		11/13/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	624		11/13/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	624		11/13/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	624		11/13/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	624		11/13/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	624		11/13/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	624		11/13/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	624		11/13/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	624		11/13/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	624		11/13/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	624		11/13/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	624		11/13/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	624		11/13/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1	1	624		11/13/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	624		11/13/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	624		11/13/2020	CJR	1

Project Name BADGER CLEANERS
Project # 6492 PO#2020-2012
Lab Code 538749CC
Sample ID 6492 TRIP BLANK
Sample Matrix Water
Sample Date 10/30/2020

Invoice # E38749

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	624		11/13/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	624		11/13/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	624		11/13/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	624		11/13/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	624		11/13/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	624		11/13/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	624		11/13/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	624		11/13/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	624		11/13/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	624		11/13/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	624		11/13/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	624		11/13/2020	CJR	1
SUR - 4-Bromofluorobenzene	91	REC %			1	624		11/13/2020	CJR	1
SUR - Dibromofluoromethane	90	REC %			1	624		11/13/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

CHAIN OF STUDY RECORD

Lab ID. #

QUOTE #:

Project #: C0492

Sampler: (signature) RTR

Project (Name / Location): Badger Cleaners

Reports To: R. Hoverman

Company EnviroForensics

Address 116023390 Stone Ridge Dr

City State Zip Waukesha, WI 53188

Phone 414-630-0060

Email rhoverman@enviroforensics.com
Email accounts payable@enviroforensics.com

Analysis Requested

Rush Analysis Date Required:
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Other Analysis

PID/FID

Synergy

Environmental Lab, Inc.

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com
 Chain # No 3827c
 Page 1 of 3

Lab ID.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	Sample Handling Request	
								Rush Analysis	Date Required:
S038749A	6492-MuS-1	11-5-20	15:28	N	2	GW	HCL	X	X
B	6492-MuS-2	11-5-20	13:39	N	2	GW	HCL	X	X
C	6492-PZ-23A	11-5-20	12:28	N	2	GW	HCL	X	X
D	6492-MuS-3	11-6-20	8:32	N	2	GW	HCL	X	X
E	6492-MuS-4	11-5-20	10:48	N	2	GW	HCL	X	X
F	6492-PZ-2	11-5-20	11:16	N	2	GW	HCL	X	X
G	6492-PZ-13A	11-3-20	14:55	N	2	GW	HCL	X	X
H	6492-PZ-13B	11-4-20	8:36	N	2	GW	HCL	X	X
I	6492-PZ-16A	11-4-20	13:15	N	2	GW	HCL	X	X
J	6492-PZ-16B	11-4-20	14:03	N	2	GW	HCL	X	X
K	6492-PZ-12A	11-3-20	9:33	N	2	GW	HCL	X	X
L	6492-PZ-12B	11-3-20	10:15	N	2	GW	HCL	X	X

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO # 2030-2012

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Temp. of Temp. Blank: _____ °C On Ice: Cooler seal intact upon receipt: Yes No

Requisitioned By: (sign)

Time

Date

Received By: (sign)

Time

Date

Gold Coats

10:37

11/9/20

X

8:00

11/10/20

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

X

CHAIN OF EVIDENCE RECORD

Chain # No 3828C
Page 2 of 3**Synergy***Environmental Lab, Inc.*

www.synergy-lab.net

1990 Prospect Ct. • Appleton, WI 54914

920-830-2455 • mrsynergy@wi.lwcbc.com

Lab I.D. #	QUOTE #:
Project #: 6492	Sampler: (signature)
R. Hoverman	
Company Enviro Forensics	Invoice To:
Address 1016 Waukesha Rd	Company
City State Zip Waukesha, WI 53186	Address
Phone 414-636-0060	City State Zip
Email rhoverman@enviroforensics.com	Phone

Project (Name / Location): **Badger Cleaners**

Analysis Requested

Other Analysis

<input type="checkbox"/> Rush Analysis	Date Required:
(Rushes accepted only with prior authorization)	
<input checked="" type="checkbox"/> Normal Turn Around	

Lab I.D.	Sample I.D.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	PID/FID
6492-P2-1A	11-4-10 9:37	D		2	GRO	HCL		X
6492-P2-3A	11-5-10 8:50	D		2	GRO	HCL		X
6492-P2-3B	11-5-10 9:37	D		2	GRO	HCL		X
R311-6-20	6492-P2-10	10-3-10	-	2	GRO	HCL		X
P	6492-P2-1	11-4-10	15:15	N	2	GRO	HCL	X
Q	6492-P2-5A	11-4-10	6:42	N	2	GRO	HCL	X
R	6492-P2-5B	11-4-10	11:26	N	2	GRO	HCL	X
S	6492-P2-6A	11-3-10	11:14	N	2	GRO	HCL	X
T	6492-P2-7A	11-3-10	11:29	N	2	GRO	HCL	X
U	6492-P2-7B	11-3-10	13:33	N	2	GRO	HCL	X
V	6492-DUP-1	11-3-10	-	N	2	GRO	HCL	X
W	6492-DUP-1	11-4-10	-	N	2	GRO	HCL	X

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 7020-7012

Sample Integrity - To be completed by receiving lab.

Method of Shipment:

Temp. of Temp. Blank: _____ °C On Ice: _____

Cooler seal intact upon receipt: Yes No

Received By: (sign)

Time

Date

Received By: (sign)

Time

Date

Received in Laboratory By: (signature)

Time: 8:00

Date: 11/10/2012

CHAIN OF STUDY RECORD

Chain # No 3828
Page 3 of 3**Synergy***Environmental Lab, Inc.*

Lab ID. #

QUOTE #:

Project #: 60492

Sampler: (signature) R. TProject (Name / Location): **Badger Cleaners**Reports To: **R. Haekman**Company **EnviroForensics**Address **1626 W 23rd St, Stone Ridge DR**City State Zip **Waukesha, WI 53188**Phone **414-630-0060**Email **r.haekman@enviroforensics.com**

Invoice To:

Company

Address

City State Zip

Phone

Analysis Requested

Other Analysis

		Sample Handling Request			
				Rush Analysis	Date Required:
				(Rushes accepted only with prior authorization)	
<input checked="" type="checkbox"/> Normal Turn Around					

Lab ID.	Sample ID.	Collection Date	Time	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/FID
60492-TRIP-3	60492-TRIP-3	11-5-10	-	N	2	GRO	HCL			X													
60492-EB-1	60492-EB-1	11-3-10	15:10	N	2	GRO	HCL			X													
60492-EB-2	60492-EB-2	11-4-10	15:30	N	2	GRO	HCL			X													
AA	60492-EB-3	11-6-10	8:45	N	2	GRO	HCL			X													
BB	60492-EB-4	11-6-10	8:50	N	2	GRO	HCL			X													
60492-TRIP-4	60492-TRIP-4	11-6-10	9:10	N	2	GRO	HCL			X													
SC	60492-TRIP-BLANK-20	-	-	N	1	GRO	HCL			X													

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 2020-2012

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Temp. of Temp. Blank: °C On Ice: Cooler seal intact upon receipt: Yes NoReinforced By: (sign) J. Haekman

Time 1037 Date 11/9/20

Received By: (sign) J. Haekman

Time 8:00 Date 11/10/20