

MGE Substation
~~Not Yet Assigned~~
09-13-548833
Engineering & Science

JCR07

22



January 11, 2007

Ms. Wendy Weihemuller
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

**SUBJECT: Notification of Hazardous Substance Discharge
MGE Substation, 722 East Main Street, Madison, Wisconsin
BT² Project #3284**

Dear Wendy:

Mr. Michael Ricciardi of MGE asked us to send this letter to you following a conversation he had with Ted Amman this morning regarding the discovery of contaminated fill material at the MGE substation located at 722 East Main Street in the City of Madison. MGE encountered fill material that appeared to consist primarily of ash and cinders during trenching for utility construction on the substation property. Laboratory analysis of the fill material detected the presence of contamination, including concentrations of diesel range organics (DRO), benzene, arsenic, and lead greater than NR 720 generic, non-industrial residual contaminant levels (RCLs).

Although contamination is present in the fill material, we believe that investigation of the extent of the fill material and associated contaminants is not practical or necessary at this time for the following reasons:

- The contamination appears likely to be related to the historical fill material rather than a specific release at this property;
- The appearance of the fill material encountered on the property is similar to fill that is encountered in many areas of the isthmus;
- The site will remain in use as a substation for the foreseeable future;
- The site is located in an industrial/commercial area and is largely surrounded by other reported release sites (see attached figure and table); and
- The excavated material has been stockpiled and will be disposed in a landfill following landfill acceptance.

Background

MGE encountered non-native soil during trenching for electric conduit installation at the Main Street Substation and requested BT²'s assistance in properly managing the soil. BT² collected a sample of the excavated material as the excavation was proceeding on December 13, 2006 for laboratory analysis. All of the excavated material is stockpiled on and under plastic sheeting pending landfill acceptance. The estimated volume of contaminated soil is approximately 200 cubic yards.

TestAmerica analyzed the fill material for landfill waste profile parameters as well as: total metals, volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs), gasoline range organics (GRO) and DRO. A copy of the laboratory data report is attached. The contaminants detected in the total (non-TCLP) analyses included the metals arsenic, barium, chromium, lead, and mercury; petroleum-

Ms. Wendy Weihemuller

January 11, 2007

Page 2

related VOCs including benzene and naphthalene; solvent-related VOCs including 2-butanone (methyl ethyl ketone), cis-1,2 dichloroethylene, and trichloroethylene; and relatively low concentrations of PAHs. Based on the relative proportions of the detected contaminants, the fill material does not appear to be directly associated with the manufactured gas plant (MGP)-impacted soil at the northeast portion of the substation that was addressed during a previous remediation effort. The portion of the substation where the recent trenching occurred was most recently used as a transformer laydown yard. The types of fill materials observed in the trench are excavation are similar to those BT² encountered in excavation activities for other projects located at 701 East Washington Avenue, beneath the roadway in the 700 block of East Washington Avenue, and in the right-of-way adjacent to 736 East Washington Avenue.

Based on the nature and location of the fill materials encountered MGE believes that further investigation of the fill is not necessary at this time. Please do not hesitate to contact me if require any additional information regarding this site.

Sincerely,
BT², Inc.



Eric Oelkers, P.G.
Senior Hydrogeologist

Enclosures: TestAmerica Laboratory Report WPL0444 dated January 29, 2006
Listing of Nearby R&R Sites
Map of Nearby R&R Sites


cc: Michael Ricciardi, MGE

PP/wp/REV

i:\3284\correspondence - agency\weihemuller_release notif cover_070110_ltr.doc

**Summary Listing of Investigated and/or Contaminated Properties
Near 722 East Main Street (Based on WDNR GIS Data)
BT² Project 3284**

Site Name	Address	WDNR BRRTS ID	Map ID #
Marge's Amoco	735 E. Washington Ave	03-13-099172	1
Bosben Partnership	701 E. Washington Ave.	03-13-279262	2
MGE	Livingston & Main	02-13-001567	3
MGE	650 E. Main St.	03-13-116690	4
MGE	645 E. Main St.	03-13-118401	5
Capitol Heat & Power Plant	624 E. Main St.	03-13-187147	6
Don Miller Pontiac East	815 E. Washington Ave.	03-13-000293	7
Don Miller Pontiac GMC	815 E. Washington Ave.	03-13-529237	8
Don Miller Pontiac East	754. E. Washington Ave.	03-13-000561	9
Reynolds Transfer and Storage	736. E. Washington Ave.	03-13-002737	10
Rowley Schlimgen	702 E. Washington Ave.	03-13-001662	11
Rowley Schlimgen	648 E. Washington Ave.	03-13-000397	12
Don Miller Pontiac East	823-835 E. Mifflin St.	03-13-001167	13
MGE Blount Street Station	Main & Blount	Misc. spills	14



MAP OF REPORTED RELEASE SITES NEAR 722 E. MAIN ST.

TestAmerica

ANALYTICAL TESTING CORPORATION

Watertown Division
602 Commerce Drive
Watertown, WI 53094

Phone 920-261-1660 or 800-833-7036
Fax 920-261-8120

WRLO447 DM

Client Name BT, Inc Client #: _____
 Address: 2830 Dairy Drive
 City/State/Zip Code: Madison WI 53718
 Project Manager: Eric Oelkers
 Telephone Number: 608 216-7341 Fax: 608 224-2830
 Sampler Name: (Print Name) John Mason / Eric Oelkers
 Sampler Signature: Eric Oelkers

Project Name: MGE Main St. Substation
 Project #: 3284
 Site/Location ID: Madison State: WI
 Report To: Eric Oelkers
 Invoice To: Same
 Quote #: _____ PO#: _____

TAT Standard _____
 Rush (surcharges may apply) _____
 Date Needed: _____
 Fax Results: Y N

SAMPLE ID WC-1

Date Sampled: _____
 Time Sampled: _____

Date: 12/13/06 Time: 9:30
 Location: CN

Field Filtered: _____
 G = Grab, C = Composite

Matrix: _____
 SL - Sludge DW - Drinking Water
 GW - Groundwater S - Soil/Solid
 WW - Wastewater Specify Other _____

Preservation & # of Containers:
 HNO₃ _____
 HCl _____
 NaOH _____
 H₂SO₄ _____
 Methanol _____
 None _____
 Other (Specify) _____

Analyze For	Date Sampled	Time Sampled	Field Filtered	Matrix	Preservation & # of Containers	QC Deliverables								
						None	Level 2 (Batch QC)	Level 3	Level 4	Other:	REMARKS			
(LRO, VOC)	X													
PAAH	X													
Waste Mgt. Du. Rep/cold	X													
BRCMA Metals (10%ls)	X													

Special Instructions: Use TPL Extraction for Pooled B as indicated (i.e. metals will be run both totals and TPL)

Relinquished By: [Signature] Date: 12/14/06 Time: _____
 Relinquished By: [Signature] Date: 12/14/06 Time: 5:15
 Relinquished By: [Signature] Date: _____ Time: _____

Received By: [Signature] Date: 12/14/06 Time: 5:15
 Received By: _____ Date: _____ Time: _____
 Received By: [Signature] Date: 12-14-06 Time: 09:27

LABORATORY COMMENTS:
 Init Lab Temp: Ice
 Rec Lab Temp: _____
 Custody Seals: Y N N/A
 Bottles Supplied by Test America: [Signature]
 Method of Shipment: _____

December 29, 2006

Client: BT2, INC.
2830 Dairy Drive
Madison, WI 53718

Work Order: WPL0444
Project Name: Protocol B
Project Number: 3284 MGE Main St. Substation

Attn: Mr. Eric Oelkers

Date Received: 12/14/06

An executed copy of the chain of custody is also included as an addendum to this report.

If you have any questions relating to this analytical report, please contact your Laboratory Project Manager at 1-800-833-7036


SAMPLE IDENTIFICATION	LAB NUMBER	COLLECTION DATE AND TIME
WC-1	WPL0444-01	12/13/06 09:30

SW 8082, SW 8270C, SW 6010B, ASTM D808, SW Ch7, SW 7470A, SW 1311 analysis performed at Lab ID: 999917160
Wisconsin Certification Number: 128053530

The Chain of Custody, 1 page, is included and is an integral part of this report.

Unless subcontracted, volatiles analyses (including VOC, PVO, GRO, BTEX, and TPH gasoline) performed by TestAmerica Watertown at 1101 Industrial Drive, Units 9&10. All other analyses performed at the address shown in the heading of this report.

Approved By:



TestAmerica - Watertown, WI
Brian DeJong For Dan F. Milewsky
Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

ANALYTICAL REPORT

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WPL0444-01 (WC-1 - Soil)						Sampled: 12/13/06 09:30			
General Chemistry Parameters									
% Solids	77		%	NA	1	12/15/06 16:10	KLS	6120468	SW 5035
Flashpoint	>200		°F	NA	1	12/15/06 10:16	jej	6120438	SW 1010
Paint Filter Liquids	ND		mL	NA	1	12/15/06 10:19	jej	6120439	SW 9095
pH	6.10		pH Units	NA	1	12/15/06 08:50	jsm	6120430	SW 9045C
Specific Gravity	1.6		N/A	NA	1	12/15/06 10:20	jej	6120440	SM 2710F
Metals									
Arsenic	11		mg/kg dry	2.2	1	12/20/06 18:11	gaf	6120563	SW 6010B
Barium	61		mg/kg dry	0.11	1	12/20/06 18:11	gaf	6120563	SW 6010B
Cadmium	2.0		mg/kg dry	0.10	1	12/20/06 18:11	gaf	6120563	SW 6010B
Chromium	13		mg/kg dry	0.18	1	12/20/06 18:11	gaf	6120563	SW 6010B
Lead	77		mg/kg dry	1.2	1	12/20/06 18:11	gaf	6120563	SW 6010B
Mercury	0.053		mg/kg dry	0.0100	1	12/21/06 09:41	tdc	6120571	EPA 245.5
Selenium	<5.2		mg/kg dry	4.0	1	12/20/06 18:11	gaf	6120563	SW 6010B
Silver	<0.14		mg/kg dry	0.11	1	12/20/06 18:11	gaf	6120563	SW 6010B
UST ANALYSIS PARAMETERS									
Diesel Range Organics	21000		mg/kg dry	5.0	228	12/20/06 08:14	JTS	6120474	WDNR DRO
Gasoline Range Organics	92	QU	mg/kg dry	5.0	1	12/21/06 04:08	EML	6120566	WDNR GRO
VOCs by SW8260B									
Benzene	53		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Bromobenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Bromochloromethane	<45		ug/kg dry	35	1	12/19/06 19:08	aba	6120538	SW 8260B
Bromodichloromethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Bromoform	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Bromomethane	<130		ug/kg dry	100	1	12/19/06 19:08	aba	6120538	SW 8260B
2-Butanone (MEK)	650		ug/kg dry	250	1	12/19/06 19:08	aba	6120538	SW 8260B
n-Butylbenzene	180		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
sec-Butylbenzene	150		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
tert-Butylbenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Carbon Tetrachloride	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Chlorobenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Chlorodibromomethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Chloroethane	<65		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
Chloroform	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Chloromethane	<65		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
2-Chlorotoluene	<65		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
4-Chlorotoluene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2-Dibromo-3-chloropropane	<130		ug/kg dry	100	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2-Dibromoethane (EDB)	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Dibromomethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2-Dichlorobenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,3-Dichlorobenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,4-Dichlorobenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Dichlorodifluoromethane	<65		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1-Dichloroethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2-Dichloroethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1-Dichloroethene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
cis-1,2-Dichloroethene	66		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
trans-1,2-Dichloroethene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2-Dichloropropane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WPL0444-01RE1 (WC-1 - Soil) - cont.						Sampled: 12/13/06 09:30			
VOCs by SW8260B - cont.									
1,3-Dichloropropane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
2,2-Dichloropropane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1-Dichloropropene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
cis-1,3-Dichloropropene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
trans-1,3-Dichloropropene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
2,3-Dichloropropene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Isopropyl Ether	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Ethylbenzene	110		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Hexachlorobutadiene	<45		ug/kg dry	35	1	12/19/06 19:08	aba	6120538	SW 8260B
Isopropylbenzene	110		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
p-Isopropyltoluene	120		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Methylene Chloride	<65		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
Methyl tert-Butyl Ether	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Naphthalene	470		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
n-Propylbenzene	130		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Styrene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1,1,2-Tetrachloroethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1,2,2-Tetrachloroethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Tetrachloroethene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Toluene	87		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2,3-Trichlorobenzene	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2,4-Trichlorobenzene	<32	R2	ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1,1-Trichloroethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,1,2-Trichloroethane	<45		ug/kg dry	35	1	12/19/06 19:08	aba	6120538	SW 8260B
Trichloroethene	92		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Trichlorofluoromethane	<32		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2,3-Trichloropropane	<65		ug/kg dry	50	1	12/19/06 19:08	aba	6120538	SW 8260B
1,2,4-Trimethylbenzene	280		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
1,3,5-Trimethylbenzene	81		ug/kg dry	25	1	12/19/06 19:08	aba	6120538	SW 8260B
Vinyl chloride	<45		ug/kg dry	35	1	12/19/06 19:08	aba	6120538	SW 8260B
Xylenes, total	320		ug/kg dry	85	1	12/19/06 19:08	aba	6120538	SW 8260B
Surr: Dibromofluoromethane (82-112%)	97 %								
Surr: Toluene-d8 (91-106%)	102 %								
Surr: 4-Bromofluorobenzene (89-110%)	97 %								
PNAs by SW8310									
Acenaphthene	<1300		ug/kg dry	50	20	12/26/06 23:38	Cin	6120489	SW 8310
Acenaphthylene	<2200		ug/kg dry	85	20	12/26/06 23:38	Cin	6120489	SW 8310
Anthracene	1400		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Benzo (a) anthracene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Benzo (b) fluoranthene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Benzo (k) fluoranthene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Benzo (a) pyrene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Benzo (g,h,i) perylene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Chrysene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Dibenzo (a,h) anthracene	<190		ug/kg dry	7.5	20	12/26/06 23:38	Cin	6120489	SW 8310
Fluoranthene	2900		ug/kg dry	10	20	12/26/06 23:38	Cin	6120489	SW 8310
Fluorene	2100		ug/kg dry	10	20	12/26/06 23:38	Cin	6120489	SW 8310
Indeno (1,2,3-cd) pyrene	<130		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
1-Methylnaphthalene	2000		ug/kg dry	30	20	12/26/06 23:38	Cin	6120489	SW 8310
2-Methylnaphthalene	2400		ug/kg dry	25	20	12/26/06 23:38	Cin	6120489	SW 8310
Naphthalene	<780		ug/kg dry	30	20	12/26/06 23:38	Cin	6120489	SW 8310
Phenanthrene	3000		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WPL0444-01 (WC-1 - Soil) - cont.						Sampled: 12/13/06 09:30			
PNAs by SW8310 - cont.									
Pyrene	320		ug/kg dry	5.0	20	12/26/06 23:38	Cin	6120489	SW 8310
Surr: 2-Fluorobiphenyl (62-124%)	0.00 %	Z3							
TCLP VOCs by SW 1311/8260B									
Benzene	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
2-Butanone (MEK)	<0.20		mg/L	0.20	20	12/23/06 05:09	MAE	6120657	SW 8260B
Carbon Tetrachloride	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
Chlorobenzene	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
Chloroform	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
1,2-Dichloroethane	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
1,1-Dichloroethene	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
Tetrachloroethene	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
Trichloroethene	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
Vinyl chloride	<0.020		mg/L	0.020	20	12/23/06 05:09	MAE	6120657	SW 8260B
Surr: Dibromofluoromethane (89-119%)	100 %								
Surr: Toluene-d8 (91-109%)	99 %								
Surr: 4-Bromofluorobenzene (89-114%)	100 %								
TCLP ZHE Extraction by SW 1311									
Extraction	Yes		YesNo	NA	1	12/20/06 13:53	jts	6120539	SW 1311
Toxicity Characteristic Leaching Procedure (TCLP) by EPA Method 1311									
Date of Inorganics Rotation	Yes		YesNo	NA	1	12/19/06 09:57	tb	6120301	EPA 1311
Date of Semivolatile Organics Rotation	Yes		YesNo	NA	1	12/19/06 09:57	tb	6120301	EPA 1311
General Chemistry									
Reactive Cyanide	<0.130	G33	mg/kg wet	0.13	1	12/21/06 13:25	KM	6120332	EPA 9014 Ch 7
Reactive Sulfide	<6.50	G33	mg/kg wet	6.50	1	12/26/06 15:38	cs	6120333	EPA 9034 Ch 7
Percent Chlorine	<0.100		%	0.10	1	12/19/06 11:45	cs	6120314	ASTMD808^
TCLP Metals by EPA 1311/6000/7000 Series Methods									
Arsenic	<0.0500		mg/l	0.050	1	12/19/06 16:45	km	6120306	EPA 6010B
Barium	1.22		mg/l	0.10	1	12/19/06 16:45	km	6120306	EPA 6010B
Cadmium	<0.00500		mg/l	0.0050	1	12/19/06 16:45	km	6120306	EPA 6010B
Chromium	<0.0100		mg/l	0.0100	1	12/19/06 16:45	km	6120306	EPA 6010B
Copper	<0.0500		mg/l	0.050	1	12/19/06 16:45	km	6120306	EPA 6010B
Nickel	0.0834		mg/l	0.050	1	12/19/06 16:45	km	6120306	EPA 6010B
Selenium	<0.0500		mg/l	0.050	1	12/19/06 16:45	km	6120306	EPA 6010B
Silver	<0.0500		mg/l	0.050	1	12/19/06 16:45	km	6120306	EPA 6010B
Zinc	1.33		mg/l	0.10	1	12/19/06 16:45	km	6120306	EPA 6010B
Lead	0.0500		mg/l	0.0050	1	12/19/06 17:31	SS.	6120306	EPA 7421
Mercury	<0.000200	QC	mg/l	0.00020	1	12/19/06 15:30	SS	6120307	EPA 7470A
Polychlorinated Biphenyls by EPA Method 8082									
PCB-1016	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
PCB-1221	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
PCB-1232	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
PCB-1242	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
PCB-1248	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
PCB-1254	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
PCB-1260	<25.0		ug/kg wet	2.50	10.3	12/27/06 13:53	rel	6120285	EPA 8082
Surr: Tetrachloro-meta-xylene (20-110%)	25.2 %								
Surr: Decachlorobiphenyl (20-110%)	35.6 %								
TCLP Semivolatiles by EPA Methods 1311/8270C									
o-Cresol	<15.0		mg/l	20.0	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
m,p-Cresols	<15.0		mg/l	20.0	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Cresol	<15.0		mg/l	20.0	0.75	12/19/06 21:35	ig	6120305	EPA 8270C

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

Analyte	Sample Result	Data Qualifiers	Units	MRL	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: WPL0444-01 (WC-1 - Soil) - cont.						Sampled: 12/13/06 09:30			
TCLP Semivolatiles by EPA Methods 1311/8270C - cont.									
1,4-Dichlorobenzene	<0.563		mg/l	0.75	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
2,4-Dinitrotoluene	<0.0150		mg/l	0.020	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Hexachlorobenzene	<0.0150		mg/l	0.020	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Hexachlorobutadiene	<0.0375		mg/l	0.050	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Hexachloroethane	<0.225		mg/l	0.30	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Nitrobenzene	<0.150		mg/l	0.20	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Pentachlorophenol	<7.50		mg/l	10.0	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Pyridine	<0.375		mg/l	0.50	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Phenol	<7.50		mg/l	10.0	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
2,4,5-Trichlorophenol	<30.0		mg/l	40.0	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
2,4,6-Trichlorophenol	<0.150		mg/l	0.20	0.75	12/19/06 21:35	ig	6120305	EPA 8270C
Surr: 2-Fluorophenol (10-110%)	34.6 %								
Surr: Phenol-d6 (10-110%)	21.0 %								
Surr: Nitrobenzene-d5 (10-116%)	60.0 %								
Surr: 2-Fluorobiphenyl (10-119%)	51.2 %								
Surr: 2,4,6-Tribromophenol (10-114%)	57.2 %								
Surr: p-Terphenyl-d14 (10-135%)	62.8 %								

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Vol	Date	Analyst	Extraction Method
PNA's by SW8310							
SW 8310	6120489	WPL0444-01	25	4	12/19/06 06:57	WMH	SW 3550B
UST ANALYSIS PARAMETERS							
WDNR DRO	6120474	WPL0444-01	26	6	12/15/06 11:30	WMH	Default Prep GC-Sen

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Arsenic	6120563			mg/kg wet	N/A	2.2	<2.2							
Barium	6120563			mg/kg wet	N/A	0.11	<0.11							
Cadmium	6120563			mg/kg wet	N/A	0.10	<0.10							
Chromium	6120563			mg/kg wet	N/A	0.18	<0.18							
Lead	6120563			mg/kg wet	N/A	1.2	<1.2							
Selenium	6120563			mg/kg wet	N/A	4.0	<4.0							
Silver	6120563			mg/kg wet	N/A	0.11	<0.11							
Mercury	6120571			mg/kg wet	N/A	0.0100	<0.010							
UST ANALYSIS PARAMETERS														
Diesel Range Organics	6120474			mg/kg wet	N/A	5.0	<5.0							
Gasoline Range Organics	6120566			mg/kg wet	N/A	5.0	<5.0							
VOCs by SW8260B														
Benzene	6120538			ug/kg wet	N/A	25	<25							
Bromobenzene	6120538			ug/kg wet	N/A	25	<25							
Bromochloromethane	6120538			ug/kg wet	N/A	35	<35							
Bromodichloromethane	6120538			ug/kg wet	N/A	25	<25							
Bromoform	6120538			ug/kg wet	N/A	25	<25							
Bromomethane	6120538			ug/kg wet	N/A	100	<100							
n-Butylbenzene	6120538			ug/kg wet	N/A	25	<25							
sec-Butylbenzene	6120538			ug/kg wet	N/A	25	<25							
tert-Butylbenzene	6120538			ug/kg wet	N/A	25	<25							
Carbon Tetrachloride	6120538			ug/kg wet	N/A	25	<25							
Chlorobenzene	6120538			ug/kg wet	N/A	25	<25							
Chlorodibromomethane	6120538			ug/kg wet	N/A	25	<25							
Chloroethane	6120538			ug/kg wet	N/A	50	<50							
Chloroform	6120538			ug/kg wet	N/A	25	<25							
Chloromethane	6120538			ug/kg wet	N/A	50	<50							
2-Chlorotoluene	6120538			ug/kg wet	N/A	50	<50							
4-Chlorotoluene	6120538			ug/kg wet	N/A	25	<25							
1,2-Dibromo-3-chloropropane	6120538			ug/kg wet	N/A	50	<100							
1,2-Dibromoethane (EDB)	6120538			ug/kg wet	N/A	25	<25							
Dibromomethane	6120538			ug/kg wet	N/A	25	<25							
1,2-Dichlorobenzene	6120538			ug/kg wet	N/A	25	<25							
1,3-Dichlorobenzene	6120538			ug/kg wet	N/A	25	<25							
1,4-Dichlorobenzene	6120538			ug/kg wet	N/A	25	<25							
Dichlorodifluoromethane	6120538			ug/kg wet	N/A	50	<50							
1,1-Dichloroethane	6120538			ug/kg wet	N/A	25	<25							
1,2-Dichloroethane	6120538			ug/kg wet	N/A	25	<25							
1,1-Dichloroethene	6120538			ug/kg wet	N/A	25	<25							
cis-1,2-Dichloroethene	6120538			ug/kg wet	N/A	25	<25							
trans-1,2-Dichloroethene	6120538			ug/kg wet	N/A	25	<25							
1,2-Dichloropropane	6120538			ug/kg wet	N/A	25	<25							
1,3-Dichloropropane	6120538			ug/kg wet	N/A	25	<25							
2,2-Dichloropropane	6120538			ug/kg wet	N/A	25	<25							
1,1-Dichloropropene	6120538			ug/kg wet	N/A	25	<25							

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
cis-1,3-Dichloropropene	6120538			ug/kg wet	N/A	25	<25						
trans-1,3-Dichloropropene	6120538			ug/kg wet	N/A	25	<25						
2,3-Dichloropropene	6120538			ug/kg wet	N/A	25	<25						
Isopropyl Ether	6120538			ug/kg wet	N/A	25	<25						
Ethylbenzene	6120538			ug/kg wet	N/A	25	<25						
Hexachlorobutadiene	6120538			ug/kg wet	N/A	35	<35						
Isopropylbenzene	6120538			ug/kg wet	N/A	25	<25						
p-Isopropyltoluene	6120538			ug/kg wet	N/A	25	<25						
Methylene Chloride	6120538			ug/kg wet	N/A	50	<50						
Methyl tert-Butyl Ether	6120538			ug/kg wet	N/A	25	<25						
Naphthalene	6120538			ug/kg wet	N/A	50	<50						
n-Propylbenzene	6120538			ug/kg wet	N/A	25	<25						
Styrene	6120538			ug/kg wet	N/A	25	<25						
1,1,1,2-Tetrachloroethane	6120538			ug/kg wet	N/A	25	<25						
1,1,2,2-Tetrachloroethane	6120538			ug/kg wet	N/A	25	<25						
Tetrachloroethene	6120538			ug/kg wet	N/A	25	<25						
Toluene	6120538			ug/kg wet	N/A	25	<25						
1,2,3-Trichlorobenzene	6120538			ug/kg wet	N/A	25	<25						
1,2,4-Trichlorobenzene	6120538			ug/kg wet	N/A	25	<25						R2
1,1,1-Trichloroethane	6120538			ug/kg wet	N/A	25	<25						
1,1,2-Trichloroethane	6120538			ug/kg wet	N/A	35	<35						
Trichloroethene	6120538			ug/kg wet	N/A	25	<25						
Trichlorofluoromethane	6120538			ug/kg wet	N/A	25	<25						
1,2,3-Trichloropropane	6120538			ug/kg wet	N/A	50	<50						
1,2,4-Trimethylbenzene	6120538			ug/kg wet	N/A	25	<25						
1,3,5-Trimethylbenzene	6120538			ug/kg wet	N/A	25	<25						
Vinyl chloride	6120538			ug/kg wet	N/A	35	<35						
Xylenes, total	6120538			ug/kg wet	N/A	85	<85						
Surrogate: Dibromofluoromethane	6120538			ug/kg wet				99		82-112			
Surrogate: Toluene-d8	6120538			ug/kg wet				100		91-106			
Surrogate: 4-Bromofluorobenzene	6120538			ug/kg wet				96		89-110			
PNAs by SW8310													
Acenaphthene	6120489			ug/kg wet	N/A	50	<50						
Acenaphthylene	6120489			ug/kg wet	N/A	85	<85						
Anthracene	6120489			ug/kg wet	N/A	5.0	<5.0						
Benzo (a) anthracene	6120489			ug/kg wet	N/A	5.0	<5.0						
Benzo (b) fluoranthene	6120489			ug/kg wet	N/A	5.0	<5.0						
Benzo (k) fluoranthene	6120489			ug/kg wet	N/A	5.0	<5.0						
Benzo (a) pyrene	6120489			ug/kg wet	N/A	5.0	<5.0						
Benzo (g,h,i) perylene	6120489			ug/kg wet	N/A	5.0	<5.0						
Chrysene	6120489			ug/kg wet	N/A	5.0	<5.0						
Dibenzo (a,h) anthracene	6120489			ug/kg wet	N/A	7.5	<7.5						
Fluoranthene	6120489			ug/kg wet	N/A	10	<10						
Fluorene	6120489			ug/kg wet	N/A	10	<10						

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
PNAs by SW8310														
Indeno (1,2,3-cd) pyrene	6120489			ug/kg wet	N/A	5.0	<5.0							
1-Methylnaphthalene	6120489			ug/kg wet	N/A	30	<30							
2-Methylnaphthalene	6120489			ug/kg wet	N/A	25	<25							
Naphthalene	6120489			ug/kg wet	N/A	30	<30							
Phenanthrene	6120489			ug/kg wet	N/A	5.0	<5.0							
Pyrene	6120489			ug/kg wet	N/A	5.0	<5.0							
Surrogate: 2-Fluorobiphenyl	6120489			ug/kg wet						96		62-124		
TCLP VOCs by SW 1311/8260B														
Benzene	6120657			mg/L	N/A	0.020	<0.020							
2-Butanone (MEK)	6120657			mg/L	N/A	0.20	<0.20							
Carbon Tetrachloride	6120657			mg/L	N/A	0.020	<0.020							
Chlorobenzene	6120657			mg/L	N/A	0.020	<0.020							
Chloroform	6120657			mg/L	N/A	0.020	<0.020							
1,2-Dichloroethane	6120657			mg/L	N/A	0.020	<0.020							
1,1-Dichloroethene	6120657			mg/L	N/A	0.020	<0.020							
Tetrachloroethene	6120657			mg/L	N/A	0.020	<0.020							
Trichloroethene	6120657			mg/L	N/A	0.020	<0.020							
Vinyl chloride	6120657			mg/L	N/A	0.020	<0.020							
Surrogate: Dibromofluoromethane	6120657			mg/L						100		89-119		
Surrogate: Toluene-d8	6120657			mg/L						99		91-109		
Surrogate: 4-Bromofluorobenzene	6120657			mg/L						99		89-114		
TCLP ZHE Extraction by SW 1311														
Extraction	6120539			YesNo	N/A	N/A	ND							
General Chemistry														
Percent Chlorine	6120314			%	N/A	0.10	<0.100							
Reactive Cyanide	6120332			mg/kg wet	N/A	0.13	<0.130							
Reactive Sulfide	6120333			mg/kg wet	N/A	6.50	<6.50							
TCLP Metals by EPA 1311/6000/7000 Series Methods														
Arsenic	6120306			mg/l	N/A	0.050	<0.0500							
Barium	6120306			mg/l	N/A	0.10	<0.100							
Cadmium	6120306			mg/l	N/A	0.0050	<0.00500							
Chromium	6120306			mg/l	N/A	0.0100	<0.0100							
Copper	6120306			mg/l	N/A	0.050	<0.0500							
Nickel	6120306			mg/l	N/A	0.050	<0.0500							
Selenium	6120306			mg/l	N/A	0.050	<0.0500							
Silver	6120306			mg/l	N/A	0.050	<0.0500							
Zinc	6120306			mg/l	N/A	0.10	<0.100							
Lead	6120306			mg/l	N/A	0.0050	<0.00500							
Mercury	6120307			mg/l	N/A	0.00020	<0.00020							

BT2, INC.
 2830 Dairy Drive
 Madison, WI 53718
 Mr. Eric Oelkers

Work Order: WPL0444
 Project: Protocol B
 Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
 Reported: 12/29/06 10:30

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Polychlorinated Biphenyls by EPA Method 8082														
PCB-1016	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1221	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1232	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1242	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1248	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1254	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1260	6120285			ug/kg wet	N/A	2.50	<25.0							
Surrogate: Tetrachloro-meta-xylene	6120285			ug/kg wet						56			20-110	
Surrogate: Decachlorobiphenyl	6120285			ug/kg wet						74			20-110	
PCB-1016	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1221	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1232	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1242	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1248	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1254	6120285			ug/kg wet	N/A	2.50	<25.0							
PCB-1260	6120285			ug/kg wet	N/A	2.50	<25.0							
Surrogate: Tetrachloro-meta-xylene	6120285			ug/kg wet						62			20-110	
Surrogate: Decachlorobiphenyl	6120285			ug/kg wet						79			20-110	

BT2, INC.
 2830 Dairy Drive
 Madison, WI 53718
 Mr. Eric Oelkers

Work Order: WPL0444
 Project: Protocol B
 Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
 Reported: 12/29/06 10:30

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
TCLP Semivolatiles by EPA Methods 1311/8270C														
Phenol	6120305			mg/l	N/A	10.0	ND							
Surrogate: 2-Fluorophenol	6120305			mg/l					29		10-110			
Surrogate: Phenol-d6	6120305			mg/l					20		10-110			
Surrogate: Nitrobenzene-d5	6120305			mg/l					47		10-116			
Surrogate: 2-Fluorobiphenyl	6120305			mg/l					43		10-119			
Surrogate: 2,4,6-Tribromophenol	6120305			mg/l					49		10-114			
Surrogate: p-Terphenyl-d14	6120305			mg/l					51		10-135			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals														
Arsenic	6L20014		5.0000	mg/L	N/A	N/A	5.06		101		90-110			
Cadmium	6L20014		5.0000	mg/L	N/A	N/A	5.22		104		90-110			
Chromium	6L20014		5.0000	mg/L	N/A	N/A	5.10		102		90-110			
Lead	6L20014		5.0000	mg/L	N/A	N/A	5.09		102		90-110			
Selenium	6L20014		5.0000	mg/L	N/A	N/A	5.05		101		90-110			
Mercury	6L21008		5.0000	mg/kg wet	N/A	N/A	4.90		98		90-110			
UST ANALYSIS PARAMETERS														
Diesel Range Organics	6L19008		1000.0	mg/kg wet	N/A	N/A	1090		109		80-120			
Diesel Range Organics	6L19008		1000.0	mg/kg wet	N/A	N/A	1040		104		80-120			
Diesel Range Organics	6L19008		1000.0	mg/kg wet	N/A	N/A	1090		109		80-120			
Gasoline Range Organics	6L20011		20.000	mg/kg wet	N/A	N/A	19.4		97		80-120			
VOCs by SW8260B														
Benzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2660		106		80-120			
Bromobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2710		108		80-120			
Bromochloromethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2620		105		80-120			
Bromodichloromethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2670		107		80-120			
Bromoform	6L19011		2500.0	ug/kg wet	N/A	N/A	2790		112		80-120			
Bromomethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2320		93		80-120			
n-Butylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2840		114		80-120			
sec-Butylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2780		111		80-120			
tert-Butylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2770		111		80-120			
Carbon Tetrachloride	6L19011		2500.0	ug/kg wet	N/A	N/A	2770		111		80-120			
Chlorobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2680		107		80-120			
Chlorodibromomethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2770		111		80-120			
Chloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2270		91		80-120			
Chloroform	6L19011		2500.0	ug/kg wet	N/A	N/A	2690		108		80-120			
Chloromethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2470		99		80-120			
2-Chlorotoluene	6L19011		2500.0	ug/kg wet	N/A	N/A	2770		111		80-120			
4-Chlorotoluene	6L19011		2500.0	ug/kg wet	N/A	N/A	2740		110		80-120			
1,2-Dibromo-3-chloropropane	6L19011		2500.0	ug/kg wet	N/A	N/A	2530		101		80-120			
1,2-Dibromoethane (EDB)	6L19011		2500.0	ug/kg wet	N/A	N/A	2720		109		80-120			
Dibromomethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2680		107		80-120			
1,2-Dichlorobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2700		108		80-120			
1,3-Dichlorobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2770		111		80-120			
1,4-Dichlorobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2700		108		80-120			
Dichlorodifluoromethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2570		103		80-120			
1,1-Dichloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2720		109		80-120			
1,2-Dichloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2600		104		80-120			
1,1-Dichloroethene	6L19011		2500.0	ug/kg wet	N/A	N/A	2470		99		80-120			
cis-1,2-Dichloroethene	6L19011		2500.0	ug/kg wet	N/A	N/A	2680		107		80-120			
trans-1,2-Dichloroethene	6L19011		2500.0	ug/kg wet	N/A	N/A	2470		99		80-120			
1,2-Dichloropropane	6L19011		2500.0	ug/kg wet	N/A	N/A	2570		103		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B													
1,3-Dichloropropane	6L19011		2500.0	ug/kg wet	N/A	N/A	2680	107		80-120			
2,2-Dichloropropane	6L19011		2500.0	ug/kg wet	N/A	N/A	2780	111		80-120			
1,1-Dichloropropene	6L19011		2500.0	ug/kg wet	N/A	N/A	2700	108		80-120			
cis-1,3-Dichloropropene	6L19011		2500.0	ug/kg wet	N/A	N/A	2670	107		80-120			
trans-1,3-Dichloropropene	6L19011		2500.0	ug/kg wet	N/A	N/A	2680	107		80-120			
2,3-Dichloropropene	6L19011		2500.0	ug/kg wet	N/A	N/A	2700	108		80-120			
Isopropyl Ether	6L19011		2500.0	ug/kg wet	N/A	N/A	2760	110		80-120			
Ethylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2760	110		80-120			
Hexachlorobutadiene	6L19011		2500.0	ug/kg wet	N/A	N/A	2800	112		80-120			
Isopropylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2820	113		80-120			
p-Isopropyltoluene	6L19011		2500.0	ug/kg wet	N/A	N/A	2850	114		80-120			
Methylene Chloride	6L19011		2500.0	ug/kg wet	N/A	N/A	2350	94		80-120			
Methyl tert-Butyl Ether	6L19011		2500.0	ug/kg wet	N/A	N/A	2600	104		80-120			
Naphthalene	6L19011		2500.0	ug/kg wet	N/A	N/A	2730	109		80-120			
n-Propylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2760	110		80-120			
Styrene	6L19011		2500.0	ug/kg wet	N/A	N/A	2780	111		80-120			
1,1,1,2-Tetrachloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2800	112		80-120			
1,1,2,2-Tetrachloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2540	102		80-120			
Tetrachloroethene	6L19011		2500.0	ug/kg wet	N/A	N/A	2840	114		80-120			
Toluene	6L19011		2500.0	ug/kg wet	N/A	N/A	2740	110		80-120			
1,2,3-Trichlorobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2830	113		80-120			
1,2,4-Trichlorobenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2850	114		80-120			R2
1,1,1-Trichloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2720	109		80-120			
1,1,2-Trichloroethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2670	107		80-120			
Trichloroethene	6L19011		2500.0	ug/kg wet	N/A	N/A	2660	106		80-120			
Trichlorofluoromethane	6L19011		2500.0	ug/kg wet	N/A	N/A	2210	88		80-120			
1,2,3-Trichloropropane	6L19011		2500.0	ug/kg wet	N/A	N/A	2570	103		80-120			
1,2,4-Trimethylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2840	114		80-120			
1,3,5-Trimethylbenzene	6L19011		2500.0	ug/kg wet	N/A	N/A	2850	114		80-120			
Vinyl chloride	6L19011		2500.0	ug/kg wet	N/A	N/A	2520	101		80-120			
Xylenes, total	6L19011		7500.0	ug/kg wet	N/A	N/A	8040	107		80-120			
Surrogate: Dibromofluoromethane	6L19011			ug/kg wet				97		80-120			
Surrogate: Toluene-d8	6L19011			ug/kg wet				100		80-120			
Surrogate: 4-Bromofluorobenzene	6L19011			ug/kg wet				101		80-120			
Benzene	6L22009		50.000	ug/L	N/A	N/A	47.3	95		80-120			
Bromobenzene	6L22009		50.000	ug/L	N/A	N/A	48.1	96		80-120			
Bromochloromethane	6L22009		50.000	ug/L	N/A	N/A	45.5	91		80-120			
Bromodichloromethane	6L22009		50.000	ug/L	N/A	N/A	50.3	101		80-120			
Bromoform	6L22009		50.000	ug/L	N/A	N/A	48.2	96		80-120			
Bromomethane	6L22009		50.000	ug/L	N/A	N/A	54.6	109		80-120			
n-Butylbenzene	6L22009		50.000	ug/L	N/A	N/A	49.8	100		80-120			
sec-Butylbenzene	6L22009		50.000	ug/L	N/A	N/A	46.7	93		80-120			
tert-Butylbenzene	6L22009		50.000	ug/L	N/A	N/A	47.3	95		80-120			
Carbon Tetrachloride	6L22009		50.000	ug/L	N/A	N/A	56.8	114		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
Chlorobenzene	6L22009		50.000	ug/L	N/A	N/A	47.8		96		80-120			
Chlorodibromomethane	6L22009		50.000	ug/L	N/A	N/A	49.1		98		80-120			
Chloroethane	6L22009		50.000	ug/L	N/A	N/A	47.3		95		80-120			
Chloroform	6L22009		50.000	ug/L	N/A	N/A	48.3		97		80-120			
Chloromethane	6L22009		50.000	ug/L	N/A	N/A	43.7		87		80-120			
2-Chlorotoluene	6L22009		50.000	ug/L	N/A	N/A	49.6		99		80-120			
4-Chlorotoluene	6L22009		50.000	ug/L	N/A	N/A	45.9		92		80-120			
1,2-Dibromo-3-chloropropane	6L22009		50.000	ug/L	N/A	N/A	45.6		91		80-120			
1,2-Dibromoethane (EDB)	6L22009		50.000	ug/L	N/A	N/A	48.4		97		80-120			
Dibromomethane	6L22009		50.000	ug/L	N/A	N/A	48.5		97		80-120			
1,2-Dichlorobenzene	6L22009		50.000	ug/L	N/A	N/A	47.0		94		80-120			
1,3-Dichlorobenzene	6L22009		50.000	ug/L	N/A	N/A	46.4		93		80-120			
1,4-Dichlorobenzene	6L22009		50.000	ug/L	N/A	N/A	45.7		91		80-120			
Dichlorodifluoromethane	6L22009		50.000	ug/L	N/A	N/A	38.8		78		80-120			C4
1,1-Dichloroethane	6L22009		50.000	ug/L	N/A	N/A	48.6		97		80-120			
1,2-Dichloroethane	6L22009		50.000	ug/L	N/A	N/A	48.3		97		80-120			
1,1-Dichloroethene	6L22009		50.000	ug/L	N/A	N/A	45.8		92		80-120			
cis-1,2-Dichloroethene	6L22009		50.000	ug/L	N/A	N/A	47.9		96		80-120			
trans-1,2-Dichloroethene	6L22009		50.000	ug/L	N/A	N/A	47.2		94		80-120			
1,2-Dichloropropane	6L22009		50.000	ug/L	N/A	N/A	48.6		97		80-120			
1,3-Dichloropropane	6L22009		50.000	ug/L	N/A	N/A	49.0		98		80-120			
2,2-Dichloropropane	6L22009		50.000	ug/L	N/A	N/A	43.1		86		80-120			
1,1-Dichloropropene	6L22009		50.000	ug/L	N/A	N/A	46.3		93		80-120			
cis-1,3-Dichloropropene	6L22009		50.000	ug/L	N/A	N/A	48.6		97		80-120			
trans-1,3-Dichloropropene	6L22009		50.000	ug/L	N/A	N/A	48.6		97		80-120			
Isopropyl Ether	6L22009		50.000	ug/L	N/A	N/A	47.4		95		80-120			
Ethylbenzene	6L22009		50.000	ug/L	N/A	N/A	47.8		96		80-120			
Hexachlorobutadiene	6L22009		50.000	ug/L	N/A	N/A	47.5		95		80-120			
Isopropylbenzene	6L22009		50.000	ug/L	N/A	N/A	47.9		96		80-120			
p-Isopropyltoluene	6L22009		50.000	ug/L	N/A	N/A	48.6		97		80-120			
Methylene Chloride	6L22009		50.000	ug/L	N/A	N/A	46.5		93		80-120			
Methyl tert-Butyl Ether	6L22009		50.000	ug/L	N/A	N/A	47.3		95		80-120			
Naphthalene	6L22009		50.000	ug/L	N/A	N/A	55.8		112		80-120			
n-Propylbenzene	6L22009		50.000	ug/L	N/A	N/A	48.0		96		80-120			
Styrene	6L22009		50.000	ug/L	N/A	N/A	48.6		97		80-120			
1,1,1,2-Tetrachloroethane	6L22009		50.000	ug/L	N/A	N/A	49.8		100		80-120			
1,1,2,2-Tetrachloroethane	6L22009		50.000	ug/L	N/A	N/A	48.2		96		80-120			
Tetrachloroethene	6L22009		50.000	ug/L	N/A	N/A	47.4		95		80-120			
Toluene	6L22009		50.000	ug/L	N/A	N/A	48.0		96		80-120			
1,2,3-Trichlorobenzene	6L22009		50.000	ug/L	N/A	N/A	52.2		104		80-120			
1,2,4-Trichlorobenzene	6L22009		50.000	ug/L	N/A	N/A	51.5		103		80-120			
1,1,1-Trichloroethane	6L22009		50.000	ug/L	N/A	N/A	47.4		95		80-120			
1,1,2-Trichloroethane	6L22009		50.000	ug/L	N/A	N/A	48.5		97		80-120			
Trichloroethene	6L22009		50.000	ug/L	N/A	N/A	47.9		96		80-120			
Trichlorofluoromethane	6L22009		50.000	ug/L	N/A	N/A	44.0		88		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

CCV QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
1,2,3-Trichloropropane	6L22009		50.000	ug/L	N/A	N/A	48.1		96		80-120			
1,2,4-Trimethylbenzene	6L22009		50.000	ug/L	N/A	N/A	50.3		101		80-120			
1,3,5-Trimethylbenzene	6L22009		50.000	ug/L	N/A	N/A	49.1		98		80-120			
Vinyl chloride	6L22009		50.000	ug/L	N/A	N/A	46.0		92		80-120			
Xylenes, Total	6L22009		150.00	ug/L	N/A	N/A	142		95		80-120			
Surrogate: Dibromofluoromethane	6L22009			ug/L					98		80-120			
Surrogate: Toluene-d8	6L22009			ug/L					99		80-120			
Surrogate: 4-Bromofluorobenzene	6L22009			ug/L					100		80-120			
PNAs by SW8310														
Acenaphthene	6L26007		5.0000	ug/L	N/A	N/A	4.83		97		85-115			
Acenaphthylene	6L26007		10.000	ug/L	N/A	N/A	9.94		99		85-115			
Anthracene	6L26007		0.50000	ug/L	N/A	N/A	0.506		101		85-115			
Benzo (a) anthracene	6L26007		0.50000	ug/L	N/A	N/A	0.460		92		85-115			
Benzo (b) fluoranthene	6L26007		1.0000	ug/L	N/A	N/A	1.01		101		85-115			
Benzo (k) fluoranthene	6L26007		0.50000	ug/L	N/A	N/A	0.504		101		85-115			
Benzo (a) pyrene	6L26007		0.50000	ug/L	N/A	N/A	0.510		102		85-115			
Benzo (g,h,i) perylene	6L26007		1.0000	ug/L	N/A	N/A	1.03		103		85-115			
Chrysene	6L26007		0.50000	ug/L	N/A	N/A	0.470		94		85-115			
Dibenzo (a,h) anthracene	6L26007		1.0000	ug/L	N/A	N/A	1.02		102		85-115			
Fluoranthene	6L26007		1.0000	ug/L	N/A	N/A	0.957		96		85-115			
Fluorene	6L26007		1.0000	ug/L	N/A	N/A	0.990		99		85-115			
Indeno (1,2,3-cd) pyrene	6L26007		0.50000	ug/L	N/A	N/A	0.487		97		85-115			
1-Methylnaphthalene	6L26007		5.0000	ug/L	N/A	N/A	4.88		98		85-115			
2-Methylnaphthalene	6L26007		5.0000	ug/L	N/A	N/A	4.63		93		85-115			
Naphthalene	6L26007		5.0000	ug/L	N/A	N/A	4.79		96		85-115			
Phenanthrene	6L26007		0.50000	ug/L	N/A	N/A	0.500		100		85-115			
Pyrene	6L26007		0.50000	ug/L	N/A	N/A	0.476		95		85-115			
Surrogate: 2-Fluorobiphenyl	6L26007			ug/L					100		85-115			
TCLP VOCs by SW 1311/8260B														
Benzene	6L22009		50.000	mg/L	N/A	N/A	47.3		95		80-120			
2-Butanone (MEK)	6L22009		50.000	mg/L	N/A	N/A	46.4		93		80-120			
Carbon Tetrachloride	6L22009		50.000	mg/L	N/A	N/A	56.8		114		80-120			
Chlorobenzene	6L22009		50.000	mg/L	N/A	N/A	47.8		96		80-120			
Chloroform	6L22009		50.000	mg/L	N/A	N/A	48.3		97		80-120			
1,2-Dichloroethane	6L22009		50.000	mg/L	N/A	N/A	48.3		97		80-120			
1,1-Dichloroethene	6L22009		50.000	mg/L	N/A	N/A	45.8		92		80-120			
Tetrachloroethene	6L22009		50.000	mg/L	N/A	N/A	47.4		95		80-120			
Trichloroethene	6L22009		50.000	mg/L	N/A	N/A	47.9		96		80-120			
Vinyl chloride	6L22009		50.000	mg/L	N/A	N/A	46.0		92		80-120			
Surrogate: Dibromofluoromethane	6L22009			mg/L					98		80-120			
Surrogate: Toluene-d8	6L22009			mg/L					99		80-120			
Surrogate: 4-Bromofluorobenzene	6L22009			mg/L					100		80-120			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry Parameters													
QC Source Sample: WPL0438-01													
Flashpoint	6120438	131		°F	N/A	N/A	138				5	200	
QC Source Sample: WPL0438-02													
Flashpoint	6120438	136		°F	N/A	N/A	135				1	200	
QC Source Sample: WPL0433-04													
% Solids	6120468	84		%	N/A	N/A	83.0				1	20	
QC Source Sample: WPL0444-01													
% Solids	6120468	77		%	N/A	N/A	77.3				0	20	
Metals													
QC Source Sample: WPL0511-04													
Arsenic	6120563	3.0		mg/kg dry	N/A	2.2	2.19				31	21	R2
Barium	6120563	20		mg/kg dry	N/A	0.11	23.4				16	32	
Cadmium	6120563	0.14		mg/kg dry	N/A	0.10	0.173				21	18	R2
Chromium	6120563	2.5		mg/kg dry	N/A	0.18	3.15				23	21	R2
Lead	6120563	2.0		mg/kg dry	N/A	1.2	2.17				8	18	
Selenium	6120563	<4.0		mg/kg dry	N/A	4.0	<4.2					21	
Silver	6120563	<0.11		mg/kg dry	N/A	0.11	<0.11					30	
QC Source Sample: WPL0545-01													
Mercury	6120571	0.016		mg/kg dry	N/A	0.0100	0.0114				34	24	R2
General Chemistry													
QC Source Sample: B612189-01													
Percent Chlorine	6120314	0.0490		%	N/A	0.10	0.0499				2	10	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup		% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
							Result	Result						
Metals														
Arsenic	6120563		50.000	mg/kg wet	N/A	2.2	42.5		85		85-112			
Barium	6120563		25.000	mg/kg wet	N/A	0.11	21.0		84		78-110			
Cadmium	6120563		25.000	mg/kg wet	N/A	0.10	21.7		87		83-109			
Chromium	6120563		25.000	mg/kg wet	N/A	0.18	21.9		88		84-110			
Lead	6120563		50.000	mg/kg wet	N/A	1.2	43.6		87		84-110			
Selenium	6120563		100.00	mg/kg wet	N/A	4.0	85.4		85		79-104			
Silver	6120563		25.000	mg/kg wet	N/A	0.11	22.0		88		74-116			
Mercury	6120571		0.25000	mg/kg wet	N/A	0.0100	0.253		101		76-133			
UST ANALYSIS PARAMETERS														
Diesel Range Organics	6120474		80.000	mg/kg wet	N/A	5.0	84.5	89.2	106	112	70-120	5	20	
Gasoline Range Organics	6120566		50.000	mg/kg wet	N/A	N/A	48.6	45.5	97	91	80-120	7	20	
VOCs by SW8260B														
Benzene	6120538		2500.0	ug/kg wet	N/A	N/A	2710	2660	108	106	64-124	2	29	
Bromobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2730	2630	109	105	70-130	4	20	
Bromochloromethane	6120538		2500.0	ug/kg wet	N/A	N/A	2650	2510	106	100	70-130	5	20	
Bromodichloromethane	6120538		2500.0	ug/kg wet	N/A	N/A	2730	2560	109	102	70-130	6	20	
Bromoform	6120538		2500.0	ug/kg wet	N/A	N/A	2830	2590	113	104	70-130	9	20	
Bromomethane	6120538		2500.0	ug/kg wet	N/A	N/A	2520	2570	101	103	70-130	2	20	
n-Butylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2730	2490	109	100	70-130	9	20	
sec-Butylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2700	2670	108	107	70-130	1	20	
tert-Butylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2660	2670	106	107	70-130	0	20	
Carbon Tetrachloride	6120538		2500.0	ug/kg wet	N/A	N/A	2760	2650	110	106	70-130	4	20	
Chlorobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2640	2550	106	102	80-123	3	17	
Chlorodibromomethane	6120538		2500.0	ug/kg wet	N/A	N/A	2790	2680	112	107	70-130	4	20	
Chloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2360	2380	94	95	70-130	1	20	
Chloroform	6120538		2500.0	ug/kg wet	N/A	N/A	2660	2610	106	104	70-130	2	20	
Chloromethane	6120538		2500.0	ug/kg wet	N/A	N/A	2830	2850	113	114	70-130	1	20	
2-Chlorotoluene	6120538		2500.0	ug/kg wet	N/A	N/A	2680	2590	107	104	70-130	3	20	
4-Chlorotoluene	6120538		2500.0	ug/kg wet	N/A	N/A	2710	2510	108	100	70-130	8	20	
1,2-Dibromo-3-chloropropane	6120538		2500.0	ug/kg wet	N/A	N/A	2690	2550	108	102	70-130	5	20	
1,2-Dibromoethane (EDB)	6120538		2500.0	ug/kg wet	N/A	N/A	2740	2660	110	106	70-130	3	20	
Dibromomethane	6120538		2500.0	ug/kg wet	N/A	N/A	2750	2650	110	106	70-130	4	20	
1,2-Dichlorobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2690	2530	108	101	70-130	6	20	
1,3-Dichlorobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2710	2480	108	99	70-130	9	20	
1,4-Dichlorobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2690	2420	108	97	70-130	11	20	
Dichlorodifluoromethane	6120538		2500.0	ug/kg wet	N/A	N/A	3020	2870	121	115	70-130	5	20	
1,1-Dichloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2650	2610	106	104	70-130	2	20	
1,2-Dichloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2670	2520	107	101	70-130	6	20	
1,1-Dichloroethene	6120538		2500.0	ug/kg wet	N/A	N/A	2440	2410	98	96	43-141	1	44	
cis-1,2-Dichloroethene	6120538		2500.0	ug/kg wet	N/A	N/A	2680	2580	107	103	70-130	4	20	
trans-1,2-Dichloroethene	6120538		2500.0	ug/kg wet	N/A	N/A	2520	2440	101	98	70-130	3	20	
1,2-Dichloropropane	6120538		2500.0	ug/kg wet	N/A	N/A	2550	2440	102	98	70-130	4	20	
1,3-Dichloropropane	6120538		2500.0	ug/kg wet	N/A	N/A	2690	2680	108	107	70-130	0	20	
2,2-Dichloropropane	6120538		2500.0	ug/kg wet	N/A	N/A	2770	2590	111	104	70-130	7	20	
1,1-Dichloropropene	6120538		2500.0	ug/kg wet	N/A	N/A	2620	2550	105	102	70-130	3	20	

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
VOCs by SW8260B														
cis-1,3-Dichloropropene	6120538		2500.0	ug/kg wet	N/A	N/A	2700	2550	108	102	70-130	6	20	
trans-1,3-Dichloropropene	6120538		2500.0	ug/kg wet	N/A	N/A	2820	2550	113	102	70-130	10	20	
Ethylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2680	2630	107	105	79-122	2	17	
Hexachlorobutadiene	6120538		2500.0	ug/kg wet	N/A	N/A	2830	2610	113	104	70-130	8	20	
Isopropylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2730	2630	109	105	70-130	4	20	
p-Isopropyltoluene	6120538		2500.0	ug/kg wet	N/A	N/A	2760	2650	110	106	70-130	4	20	
Methylene Chloride	6120538		2500.0	ug/kg wet	N/A	N/A	2430	2380	97	95	70-130	2	20	
Methyl tert-Butyl Ether	6120538		2406.2	ug/kg wet	N/A	N/A	2630	2240	109	93	55-137	16	36	
Naphthalene	6120538		2500.0	ug/kg wet	N/A	N/A	2920	2770	117	111	70-130	5	20	
n-Propylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2700	2590	108	104	70-130	4	20	
Styrene	6120538		2500.0	ug/kg wet	N/A	N/A	2750	2650	110	106	70-130	4	20	
1,1,1,2-Tetrachloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2750	2670	110	107	70-130	3	20	
1,1,2,2-Tetrachloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2550	2500	102	100	70-130	2	20	
Tetrachloroethene	6120538		2500.0	ug/kg wet	N/A	N/A	2670	2610	107	104	70-130	2	20	
Toluene	6120538		2500.0	ug/kg wet	N/A	N/A	2700	2700	108	108	78-120	0	18	
1,2,3-Trichlorobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2930	2500	117	100	70-130	16	20	
1,2,4-Trichlorobenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2950	2330	118	93	70-130	23	20	R2
1,1,1-Trichloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2710	2630	108	105	70-130	3	20	
1,1,2-Trichloroethane	6120538		2500.0	ug/kg wet	N/A	N/A	2630	2590	105	104	70-130	2	20	
Trichloroethene	6120538		2500.0	ug/kg wet	N/A	N/A	2660	2530	106	101	78-124	5	20	
Trichlorofluoromethane	6120538		2500.0	ug/kg wet	N/A	N/A	2110	2120	84	85	70-130	1	20	
1,2,3-Trichloropropane	6120538		2500.0	ug/kg wet	N/A	N/A	2670	2550	107	102	70-130	5	20	
1,2,4-Trimethylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2790	2620	112	105	75-128	6	20	
1,3,5-Trimethylbenzene	6120538		2500.0	ug/kg wet	N/A	N/A	2810	2700	112	108	76-127	4	19	
Vinyl chloride	6120538		2500.0	ug/kg wet	N/A	N/A	2700	2690	108	108	70-130	0	20	
Xylenes, total	6120538		7500.0	ug/kg wet	N/A	N/A	7960	7710	106	103	79-122	3	17	
Surrogate: Dibromofluoromethane	6120538			ug/kg wet					101	99	82-112			
Surrogate: Toluene-d8	6120538			ug/kg wet					101	102	91-106			
Surrogate: 4-Bromofluorobenzene	6120538			ug/kg wet					102	100	89-110			
PNAs by SW8310														
Acenaphthene	6120489		400.00	ug/kg wet	N/A	50	385		96		68-111			
Acenaphthylene	6120489		800.00	ug/kg wet	N/A	85	820		102		70-110			
Anthracene	6120489		40.000	ug/kg wet	N/A	5.0	43.8		110		69-119			
Benzo (a) anthracene	6120489		40.000	ug/kg wet	N/A	5.0	42.9		107		64-122			
Benzo (b) fluoranthene	6120489		80.000	ug/kg wet	N/A	5.0	96.4		120		78-127			
Benzo (k) fluoranthene	6120489		40.000	ug/kg wet	N/A	5.0	48.3		121		81-127			
Benzo (a) pyrene	6120489		40.000	ug/kg wet	N/A	5.0	42.1		105		71-121			
Benzo (g,h,i) perylene	6120489		80.000	ug/kg wet	N/A	5.0	89.1		111		66-132			
Chrysene	6120489		40.000	ug/kg wet	N/A	5.0	44.5		111		72-119			
Dibenzo (a,h) anthracene	6120489		80.000	ug/kg wet	N/A	7.5	94.1		118		65-136			
Fluoranthene	6120489		80.000	ug/kg wet	N/A	10	90.8		114		68-129			
Fluorene	6120489		80.000	ug/kg wet	N/A	10	83.5		104		64-120			
Indeno (1,2,3-cd) pyrene	6120489		40.000	ug/kg wet	N/A	5.0	44.3		111		64-131			
1-Methylnaphthalene	6120489		400.00	ug/kg wet	N/A	30	391		98		69-106			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup		% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
							Result	Result						
PNAs by SW8310														
2-Methylnaphthalene	6120489		400.00	ug/kg wet	N/A	25	318		80		62-105			
Naphthalene	6120489		400.00	ug/kg wet	N/A	30	407		102		68-109			
Phenanthrene	6120489		40.000	ug/kg wet	N/A	5.0	46.8		117		73-125			
Pyrene	6120489		40.000	ug/kg wet	N/A	5.0	44.0		110		74-125			
Surrogate: 2-Fluorobiphenyl	6120489			ug/kg wet					97		61-115			
General Chemistry														
Percent Chlorine	6120314		0.986	%	N/A	0.10	0.917		93		83.7-110			
Reactive Cyanide	6120332		11.3	mg/kg wet	N/A	0.13	10.3		91		57.6-110			
Reactive Sulfide	6120333		29.3	mg/kg wet	N/A	6.50	27.5		94		14.6-150			
TCLP Metals by EPA 1311/6000/7000 Series Methods														
Arsenic	6120306		0.200	mg/l	N/A	0.050	0.205		102		87.3-115			
Barium	6120306		0.500	mg/l	N/A	0.10	0.490		98		89.9-110			
Cadmium	6120306		0.200	mg/l	N/A	0.0050	0.203		102		90-110			
Chromium	6120306		0.200	mg/l	N/A	0.0100	0.196		98		88.4-110			
Copper	6120306		0.200	mg/l	N/A	0.050	0.218		109		88.9-113			
Nickel	6120306		0.200	mg/l	N/A	0.050	0.207		104		90-111			
Selenium	6120306		0.200	mg/l	N/A	0.050	0.234		117		89.9-120			
Silver	6120306		0.100	mg/l	N/A	0.050	0.107		107		84.7-112			
Zinc	6120306		0.500	mg/l	N/A	0.10	0.527		105		90-110			
Lead	6120306		0.0300	mg/l	N/A	0.0050	0.0211		70		58.7-115			
Mercury	6120307		0.00150	mg/l	N/A	0.00020	0.00163		109		84.2-130			
Polychlorinated Biphenyls by EPA Method 8082														
PCB-1016	6120285		85.3	ug/kg wet	N/A	2.50	52.0		61		40-120			
PCB-1260	6120285		85.3	ug/kg wet	N/A	2.50	51.4		60		30-130			
Surrogate: Tetrachloro-meta-xylene	6120285			ug/kg wet					57		20-110			
Surrogate: Decachlorobiphenyl	6120285			ug/kg wet					66		20-110			
PCB-1016	6120285		85.3	ug/kg wet	N/A	2.50	70.5		83		40-120			
PCB-1260	6120285		85.3	ug/kg wet	N/A	2.50	75.2		88		30-130			
Surrogate: Tetrachloro-meta-xylene	6120285			ug/kg wet					72		20-110			
Surrogate: Decachlorobiphenyl	6120285			ug/kg wet					101		20-110			

BT2, INC.
 2830 Dairy Drive
 Madison, WI 53718
 Mr. Eric Oelkers

Work Order: WPL0444
 Project: Protocol B
 Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
 Reported: 12/29/06 10:30

LCS/LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
TCLP Semivolatiles by EPA Methods 1311/8270C														
Phenol	6120305		0.502	mg/l	N/A	10.0	0.119		24		10-110			
Surrogate: 2-Fluorophenol	6120305			mg/l					34		10-110			
Surrogate: Phenol-d6	6120305			mg/l					21		10-110			
Surrogate: Nitrobenzene-d5	6120305			mg/l					58		10-116			
Surrogate: 2-Fluorobiphenyl	6120305			mg/l					51		10-119			
Surrogate: 2,4,6-Tribromophenol	6120305			mg/l					57		10-114			
Surrogate: p-Terphenyl-d14	6120305			mg/l					67		10-135			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
Metals													
QC Source Sample: WPL0449-01													
Arsenic	6120563	4.0	114.68	mg/kg dry	N/A	2.2	106	110	89	92	67-127	4	21
Barium	6120563	530	57.339	mg/kg dry	N/A	0.11	583	581	92	89	57-124	0	32
Cadmium	6120563	2.0	57.339	mg/kg dry	N/A	0.10	47.8	49.3	80	82	65-118	3	18
Chromium	6120563	26	57.339	mg/kg dry	N/A	0.18	65.0	66.1	68	70	63-122	2	21
Lead	6120563	53	114.68	mg/kg dry	N/A	1.2	146	147	81	82	67-120	1	18
Selenium	6120563	7.4	229.36	mg/kg dry	N/A	4.0	218	227	92	96	63-120	4	21
Silver	6120563	12	57.339	mg/kg dry	N/A	0.11	60.3	60.5	84	85	65-121	0	30
QC Source Sample: WPL0579-03													
Mercury	6120571	0.14	0.26940	mg/kg dry	N/A	0.0100	0.414	0.436	102	110	56-140	5	24
PNAs by SW8310													
QC Source Sample: WPL0514-02													
Acenaphthene	6120489	0.0	436.68	ug/kg dry	N/A	50	432	454	99	104	57-121	5	33
Acenaphthylene	6120489	0.0	873.36	ug/kg dry	N/A	85	900	924	103	106	64-116	3	26
Anthracene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	46.9	46.9	107	107	57-128	0	47
Benzo (a) anthracene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	46.3	45.8	106	105	35-152	1	32
Benzo (b) fluoranthene	6120489	0.0	87.336	ug/kg dry	N/A	5.0	103	103	118	118	51-151	0	23
Benzo (k) fluoranthene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	51.6	51.5	118	118	54-157	0	25
Benzo (a) pyrene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	48.6	47.7	111	109	45-146	2	30
Benzo (g,h,i) perylene	6120489	0.0	87.336	ug/kg dry	N/A	5.0	102	100	117	115	62-144	2	22
Chrysene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	47.8	47.8	109	109	49-139	0	24
Dibenzo (a,h) anthracene	6120489	0.0	87.336	ug/kg dry	N/A	7.5	102	102	117	117	71-135	0	16
Fluoranthene	6120489	0.0	87.336	ug/kg dry	N/A	10	97.2	97.8	111	112	58-142	1	28
Fluorene	6120489	0.0	87.336	ug/kg dry	N/A	10	88.8	93.3	102	107	53-127	5	34
Indeno (1,2,3-cd) pyrene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	49.4	49.1	113	112	50-151	1	24
1-Methylnaphthalene	6120489	0.0	436.68	ug/kg dry	N/A	30	411	444	94	102	66-110	8	22
2-Methylnaphthalene	6120489	0.0	436.68	ug/kg dry	N/A	25	377	418	86	96	46-118	10	33
Naphthalene	6120489	0.0	436.68	ug/kg dry	N/A	30	428	444	98	102	60-119	4	34
Phenanthrene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	50.7	51.6	116	118	52-148	2	37
Pyrene	6120489	0.0	43.668	ug/kg dry	N/A	5.0	46.2	46.2	106	106	41-154	0	43
Surrogate: 2-Fluorobiphenyl	6120489			ug/kg dry					76	89	55-120		
TCLP VOCs by SW 1311/8260B													
QC Source Sample: WPL0444-01													
Benzene	6120657	<0.020	50.000	mg/L	N/A	N/A	49.9	48.9	100	98	80-121	2	11
2-Butanone (MEK)	6120657	<0.20	50.000	mg/L	N/A	N/A	48.3	48.2	97	96	70-130	0	20
Carbon Tetrachloride	6120657	<0.020	50.000	mg/L	N/A	N/A	59.7	58.0	119	116	70-130	3	20
Chlorobenzene	6120657	<0.020	50.000	mg/L	N/A	N/A	49.7	48.8	99	98	85-116	2	9
Chloroform	6120657	<0.020	50.000	mg/L	N/A	N/A	51.6	50.8	103	102	70-130	2	20
1,2-Dichloroethane	6120657	<0.020	50.000	mg/L	N/A	N/A	51.5	50.6	103	101	70-130	2	20
1,1-Dichloroethene	6120657	<0.020	50.000	mg/L	N/A	N/A	49.6	48.2	99	96	72-131	3	17
Tetrachloroethene	6120657	<0.020	50.000	mg/L	N/A	N/A	48.9	47.6	98	95	70-130	3	20
Trichloroethene	6120657	<0.020	50.000	mg/L	N/A	N/A	50.6	48.6	101	97	80-117	4	13
Vinyl chloride	6120657	<0.020	50.000	mg/L	N/A	N/A	47.7	47.7	95	95	0-200	0	200
Surrogate: Dibromofluoromethane	6120657			mg/L					99	99	89-119		
Surrogate: Toluene-d8	6120657			mg/L					98	98	91-109		
Surrogate: 4-Bromofluorobenzene	6120657			mg/L					98	99	89-114		

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	MRL	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
General Chemistry														
QC Source Sample: WPL0444-01														
Reactive Cyanide	6120332	<0.13	26.9	mg/kg wet	N/A	0.13	20.9	25.9	78	97	36.4-110	21	40	
QC Source Sample: WPL0444-01														
Reactive Sulfide	6120333	4.95	69.8	mg/kg wet	N/A	6.50	53.6	58.8	70	78	10-144	9	28.8	
TCLP Metals by EPA 1311/6000/7000 Series Methods														
QC Source Sample: B612189-01														
Arsenic	6120306	<0.050	0.200	mg/l	N/A	0.050	0.193	0.196	97	98	89.6-113	2	10	
Barium	6120306	0.572	0.500	mg/l	N/A	0.10	1.11	1.12	108	110	83.2-110	1	10	
Cadmium	6120306	0.0107	0.200	mg/l	N/A	0.0050	0.215	0.221	102	105	87.1-111	3	10	
Chromium	6120306	0.0895	0.200	mg/l	N/A	0.0100	0.296	0.300	103	105	82-110	1	10	
Copper	6120306	<0.050	0.200	mg/l	N/A	0.050	0.217	0.224	108	112	89-115	3	10	
Nickel	6120306	0.00860	0.200	mg/l	N/A	0.050	0.213	0.216	102	104	86.6-114	1	10	
Selenium	6120306	<0.050	0.200	mg/l	N/A	0.050	0.194	0.206	97	103	90-122	6	10	
Silver	6120306	<0.050	0.100	mg/l	N/A	0.050	0.106	0.110	106	110	81.8-118	4	13	
Zinc	6120306	0.301	0.500	mg/l	N/A	0.10	0.834	0.844	107	109	84.7-115	1	10	
Lead	6120306	<0.0050	0.0300	mg/l	N/A	0.0050	0.0188	0.0190	63	63	27.5-127	1	18.6	
QC Source Sample: B612189-01														
Mercury	6120307	0.000148	0.00150	mg/l	N/A	0.00020	0.00222	0.00192	138	118	80.3-128	15	10	
Polychlorinated Biphenyls by EPA Method 8082														
QC Source Sample: B612146-18														
PCB-1016	6120285	<2.50	98.3	ug/kg dry	N/A	2.50	41.2	36.6	42	38	20-115	12	30	
PCB-1260	6120285	<2.50	98.3	ug/kg dry	N/A	2.50	42.7	45.6	43	48	20-120	7	30	
Surrogate: Tetrachloro-meta-xylene	6120285			ug/kg dry					42	41	20-110			
Surrogate: Decachlorobiphenyl	6120285			ug/kg dry					46	54	20-110			
QC Source Sample: B612146-18RE1														
PCB-1016	6120285	<2.50	98.3	ug/kg dry	N/A	2.50	72.7	68.2	74	71	20-115	6	30	
PCB-1260	6120285	<2.50	98.3	ug/kg dry	N/A	2.50	59.0	56.3	60	59	20-120	5	30	
Surrogate: Tetrachloro-meta-xylene	6120285			ug/kg dry					53	51	20-110			
Surrogate: Decachlorobiphenyl	6120285			ug/kg dry					68	67	20-110			

BT2, INC.
 2830 Dairy Drive
 Madison, WI 53718
 Mr. Eric Oelkers

Work Order: WPL0444
 Project: Protocol B
 Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
 Reported: 12/29/06 10:30

MATRIX SPIKE/MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	Units	MDL	LOQ	Result	Dup Result	% REC	Dup %REC	% REC Limits	RPD RPD	RPD Limit	Q
TCLP Semivolatiles by EPA Methods 1311/8270C														
QC Source Sample: B612189-01														
Phenol	6120305	<10.0	0.502	mg/l	N/A	10.0	0.112	0.111	22	22	10-110	1	40	
Surrogate: 2-Fluorophenol	6120305			mg/l					32	32	10-110			
Surrogate: Phenol-d6	6120305			mg/l					20	20	10-110			
Surrogate: Nitrobenzene-d5	6120305			mg/l					57	56	10-116			
Surrogate: 2-Fluorobiphenyl	6120305			mg/l					51	50	10-119			
Surrogate: 2,4,6-Tribromophenol	6120305			mg/l					55	54	10-114			
Surrogate: p-Terphenyl-d14	6120305			mg/l					63	60	10-135			

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

CERTIFICATION SUMMARY

TestAmerica - Watertown, WI

Method	Matrix	Nelac	Wisconsin
ASTM D808	Solid/Soil		
EPA 245.5	Solid/Soil		X
SM 2710F	Solid/Soil		
SW 1010	Solid/Soil		X
SW 1311	Solid/Soil		X
SW 5035	Solid/Soil	X	X
SW 6010B	Solid/Soil	X	X
SW 7470A	Solid/Soil		X
SW 8082	Solid/Soil		
SW 8260B	Solid/Soil	X	X
SW 8270C	Solid/Soil		
SW 8310	Solid/Soil	X	X
SW 9045C	Solid/Soil		
SW 9095	Solid/Soil		
SW Ch7	Solid/Soil		
WDNR DRO	Solid/Soil	X	X
WDNR GRO	Solid/Soil	X	X

Subcontracted Laboratories

GREAT LAKES ANALYTICAL - Buffalo Grove NELAC Cert #100261, Wisconsin Cert #999917160, Illinois Cert #100261

1380 Busch Parkway - Buffalo Grove, IL 60089

Method Performed: ASTMD808^
Samples: WPL0444-01

Method Performed: EPA 1311
Samples: WPL0444-01

Method Performed: EPA 6010B
Samples: WPL0444-01

Method Performed: EPA 7421
Samples: WPL0444-01

Method Performed: EPA 7470A
Samples: WPL0444-01

Method Performed: EPA 8082
Samples: WPL0444-01RE1

Method Performed: EPA 8270C
Samples: WPL0444-01

Method Performed: EPA 9014 Ch 7
Samples: WPL0444-01

Method Performed: EPA 9034 Ch 7
Samples: WPL0444-01

TestAmerica - Watertown, WI
Brian DeJong For Dan F. Milewsky
Project Manager

BT2, INC.
2830 Dairy Drive
Madison, WI 53718
Mr. Eric Oelkers

Work Order: WPL0444
Project: Protocol B
Project Number: 3284 MGE Main St. Substation

Received: 12/14/06
Reported: 12/29/06 10:30

CERTIFICATION SUMMARY

Subcontracted Laboratories


GREAT LAKES ANALYTICAL - Buffalo Grove NELAC Cert #100261, Wisconsin Cert #999917160, Illinois Cert #100261
1380 Busch Parkway - Buffalo Grove, IL 60089

DATA QUALIFIERS AND DEFINITIONS

>200 >200
C4 Calibration Verification recovery was below the method control limit for this analyte.
G33 The method does not specify a hold time for this analysis. Sample preparation and analysis commenced as soon as possible.
QC The result for one or more quality control measurements associated with this sample did not meet the laboratory and/or source method acceptance criteria.
QU Unquantitated hydrocarbons present in the sample outside of the reported carbon range.
R2 The RPD exceeded the acceptance limit.
Z3 The sample required a dilution due to the nature of the sample matrix. Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

ADDITIONAL COMMENTS

Results are reported on a wet weight basis unless otherwise noted.



Engineering & Science

FAX COVER SHEET

To: Wendy Weihemuller	Fax #: 275-3338
From: Eric Oelkers	Proj. #: 3284
Date: January 17, 2007	Pages: 31 (Including this cover sheet)


**** Please notify us immediately if you do not receive facsimile in full.**

Subject: Analytical Results for Fill Material at MGE Substation
Comments: Please see attached letter. A copy will follow by mail.

Hard copy to follow under separate cover. This is the only copy you will receive.

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone, and return the original message to us at the above address via U.S. Postal Service. Thank you.

I:\3284\Correspondence - Agency\Weihemuller_results fax_070111.doc



January 11, 2007

Ms. Wendy Weihemuller
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg, WI 53711

**SUBJECT: Notification of Hazardous Substance Discharge
MGE Substation, 722 East Main Street, Madison, Wisconsin
BT² Project #3284**

Dear Wendy:

Mr. Michael Ricciardi of MGE asked us to send this letter to you following a conversation he had with Ted Amman this morning regarding the discovery of contaminated fill material at the MGE substation located at 722 East Main Street in the City of Madison. MGE encountered fill material that appeared to consist primarily of ash and cinders during trenching for utility construction on the substation property. Laboratory analysis of the fill material detected the presence of contamination, including concentrations of diesel range organics (DRO), benzene, arsenic, and lead greater than NR 720 generic, non-industrial residual contaminant levels (RCLs).

Although contamination is present in the fill material, we believe that investigation of the extent of the fill material and associated contaminants is not practical or necessary at this time for the following reasons:

- The contamination appears likely to be related to the historical fill material rather than a specific release at this property;
- The appearance of the fill material encountered on the property is similar to fill that is encountered in many areas of the isthmus;
- The site will remain in use as a substation for the foreseeable future;
- The site is located in an industrial/commercial area and is largely surrounded by other reported release sites (see attached figure and table); and
- The excavated material has been stockpiled and will be disposed in a landfill following landfill acceptance.

Background

MGE encountered non-native soil during trenching for electric conduit installation at the Main Street Substation and requested BT²'s assistance in properly managing the soil. BT² collected a sample of the excavated material as the excavation was proceeding on December 13, 2006 for laboratory analysis. All of the excavated material is stockpiled on and under plastic sheeting pending landfill acceptance. The estimated volume of contaminated soil is approximately 200 cubic yards.

TestAmerica analyzed the fill material for landfill waste profile parameters as well as: total metals, volatile organic compounds (VOCs), polycyclic aromatic hydrocarbons (PAHs), gasoline range organics (GRO) and DRO. A copy of the laboratory data report is attached. The contaminants detected in the total (non-TCLP) analyses included the metals arsenic, barium, chromium, lead, and mercury; petroleum-

Ms. Wendy Weihemuller
January 11, 2007
Page 2

related VOCs including benzene and naphthalene; solvent-related VOCs including 2-butanone (methyl ethyl ketone), cis-1,2 dichloroethylene, and trichloroethylene; and relatively low concentrations of PAHs. Based on the relative proportions of the detected contaminants, the fill material does not appear to be directly associated with the manufactured gas plant (MGP)-impacted soil at the northeast portion of the substation that was addressed during a previous remediation effort. The portion of the substation where the recent trenching occurred was most recently used as a transformer laydown yard. The types of fill materials observed in the trench are excavation are similar to those BT² encountered in excavation activities for other projects located at 701 East Washington Avenue, beneath the roadway in the 700 block of East Washington Avenue, and in the right-of-way adjacent to 736 East Washington Avenue.

Based on the nature and location of the fill materials encountered MGE believes that further investigation of the fill is not necessary at this time. Please do not hesitate to contact me if require any additional information regarding this site.

Sincerely,
BT², Inc.



Eric Oelkers, P.G.
Senior Hydrogeologist

Enclosures: TestAmerica Laboratory Report WPL0444 dated January 29, 2006
Listing of Nearby R&R Sites
Map of Nearby R&R Sites

cc: Michael Ricciardi, MGE

PP/wp/REV
i:\3284\correspondence - agency\weihemuller_release notif cover_070110_ltr.doc

**Summary Listing of Investigated and/or Contaminated Properties
Near 722 East Main Street (Based on WDNR GIS Data)
BT² Project 3284**

Site Name	Address	WDNR BRRTS ID	Map ID #
Marge's Amoco	735 E. Washington Ave	03-13-099172	1
Bosben Partnership	701 E. Washington Ave.	03-13-279262	2
MGE	Livingston & Main	02-13-001567	3
MGE	650 E. Main St.	03-13-116690	4
MGE	645 E. Main St.	03-13-118401	5
Capitol Heat & Power Plant	624 E. Main St.	03-13-187147	6
Don Miller Pontiac East	815 E. Washington Ave.	03-13-000293	7
Don Miller Pontiac GMC	815 E. Washington Ave.	03-13-529237	8
Don Miller Pontiac East	754 E. Washington Ave.	03-13-000561	9
Reynolds Transfer and Storage	736 E. Washington Ave.	03-13-002737	10
Rowley Schlimgen	702 E. Washington Ave.	03-13-001662	11
Rowley Schlimgen	648 E. Washington Ave.	03-13-000397	12
Don Miller Pontiac East	823-835 E. Mifflin St.	03-13-001167	13
MGE Blount Street Station	Main & Blount	Misc. spills	14