

Rec'd WDNR /SE HQ
08/03/11

LIMITED SITE ASSESSMENT
CLARE CENTRAL
1003 AND 1033 WEST ATKINSON AVENUE
MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN

TERRACON PROJECT NO. 38067034
AUGUST 16, 2006

Prepared for:

DRAPER AND KRAMER

Established 1893

33 WEST MONROE, SUITE 1900
CHICAGO, ILLINOIS 60603

Prepared by:

Terracon
APPLETON, WISCONSIN



August 16, 2006

Ms. Lee Oller
Draper and Kramer, Inc.
33 West Monroe, Suite 1900
Chicago, IL 60603

Terracon Consultants, Inc.
3011B East Capitol Drive
Appleton, Wisconsin 54911
Phone 920.993.9096
Fax 920.993.9108
www.terracon.com

Telephone: (312) 795-2322
Fax: (312) 346-6531

Re: Limited Site Assessment
Clare Central
1003 and 1033 West Atkinson Avenue
Milwaukee, Milwaukee County, Wisconsin
Project No. 38067034

Dear Ms. Oller:

Terracon Consultants, Inc. (Terracon) is pleased to submit the attached Limited Site Assessment (LSA) report for the above-referenced site. This assessment was performed in accordance with Terracon's Proposal Number 3806111, dated May 3, 2006, and approved by Draper and Kramer, Inc. on July 5, 2006.

We appreciate the opportunity to perform these services for Draper and Kramer, Inc. Please contact either of the undersigned at (920) 993-9096 if you have questions regarding the information provided in the report.

Sincerely,

Terracon

Brett A. Losey
Environmental Scientist

Mylan A. Koski Jr.
Environmental Department Manager

BAL/MAK/BRS:bal\N:\Projects\2006\38067034\38067034.LSAReport.ClareCentral.doc

Attachment

Copy To: File

TABLE OF CONTENTS

| | <u>Page</u> |
|--------------------------------------------------|-------------|
| 1.0 INTRODUCTION | 1 |
| 1.1 Site Description | 1 |
| 1.2 Scope of Work..... | 1 |
| 1.3 Standard of Care | 2 |
| 1.4 Additional Scope Limitations | 2 |
| 1.5 Reliance | 3 |
| 2.0 FIELD ACTIVITIES | 3 |
| 2.1 Soil Assessment..... | 3 |
| 2.2 Groundwater Assessment..... | 4 |
| 3.0 RESULTS AND DISCUSSION | 5 |
| 3.1 Soil Analytical Data | 5 |
| 3.2 Groundwater Analytical Data..... | 6 |
| 4.0 CONCLUSIONS AND RECOMMENDATIONS | 6 |
| 5.0 GENERAL COMMENTS | 6 |

APPENDIX A - SITE MAPS

Figure 1 – Site Location Map

Figure 2 – Site Diagram

APPENDIX B - TABLES

Table 1 - Soil Analytical Summary (DRO and VOC)

Table 2 - Soil Analytical Summary (RCRA Metals and PCB)

Table 3 - Groundwater Analytical Summary (VOC and RCRA Metals)

Table 4 - Groundwater Analytical Summary (PAH)

APPENDIX C - SOIL BORING LOGS AND ABANDONMENT FORMS

APPENDIX D - LABORATORY ANALYTICAL REPORTS

LIMITED SITE ASSESSMENT

**CLARE CENTRAL
1003 AND 1033 WEST ATKINSON AVENUE
MILWAUKEE, MILWAUKEE COUNTY, WISCONSIN**

**TERRACON PROJECT NO. 38067034
AUGUST 16, 2006**

1.0 INTRODUCTION

1.1 Site Description

| | |
|---------------------------------|------------------------------------|
| Site Name | Clare Central |
| Site Location/Address | 1003 and 1033 West Atkinson Avenue |
| General Site Description | Two 8-unit apartment buildings |

The site location is depicted on Figure 1 of Appendix A, which was reproduced from a portion of a USGS 7.5-minute series topographic map.

1.2 Scope of Work

Terracon Consultants, Inc. (Terracon) has completed Limited Site Assessment (LSA) activities at the Clare Central property located in Milwaukee, Milwaukee County, Wisconsin. At Draper and Kramer, Inc.'s request, the LSA activities were completed based upon the findings of a Phase I Environmental Site Assessment (ESA) report dated April 26, 2006, prepared by others. The objective of the LSA activities was to assess whether the following recognized environmental conditions (REC) identified in the above-referenced Phase I ESA report have impacted the subject site:

- A review of the Sanborn Fire Insurance Maps, historical city directories, and historical aerial photographs for the Clare Central site revealed that an automatic control manufacturing facility, a wire and iron works factory, and an automotive service facility were historically located on the subject property. Also, a historical gasoline filling station and a dry cleaning business were identified in the northeast and northwest adjoining properties, respectively. The former operations of the automatic control manufacturing facility, the wire and iron works factory, and the automotive service facility on the subject site each constitute RECs to the subject site. In addition, the presence of a historical filling station and historical dry cleaning business located in the northeast and northwest adjoining properties, respectively, each constitute RECs to the subject site. Additional

assessment of the soil and groundwater at the site to evaluate the potential of soil and/or groundwater impacts as a result of a release of petroleum-based products and solvents is recommended.

- A review of the environmental database revealed that a historical leaking underground storage tank (LUST) facility was located at property adjacent to and northwest of the site. Representatives of the Wisconsin Department of Natural Resources (WDNR) were contacted regarding the LUST facility. The representatives reportedly stated that the WDNR was notified of a release in August 2003, with soil impact and possible groundwater impact. Also, possible contamination in the right-of-way was indicated. In 2003, the historical USTs were removed. Subsequent post-excavation soil sampling in 2003 indicated gasoline range organic (GRO) levels in excess of WDNR cleanup criteria. No groundwater samples were taken. WDNR requested a cleanup in 2003. However, no further investigations or remediations have been conducted since 2003. Based upon the distance of the LUST facility from the site, the LUST site constitutes a REC to the subject site. Additional assessment of the soil and groundwater to evaluate the potential of soil and/or groundwater impacts as a result of a release from LUST site is recommended.

1.3 Standard of Care

Terracon's services were performed in a manner consistent with generally accepted practices of the profession undertaken in similar studies in the same geographical area during the same time period. Terracon makes no warranties, either express or implied, regarding the findings, conclusions or recommendations. Please note that Terracon does not warrant the work of laboratories, regulatory agencies or other third parties supplying information used in the preparation of the report. These LSA services were performed in accordance with the scope of work agreed with you, our client, as reflected in our proposal and were not restricted by ASTM E1903-97.

1.4 Additional Scope Limitations

Findings, conclusions and recommendations resulting from these services are based upon information derived from the on-site activities and other services performed under this scope of work; such information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, non-detectable or not present during these services, and we cannot represent that the site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during this LSA. Subsurface conditions may vary from those encountered at specific probes or wells or during other surveys, tests, assessments, investigations or exploratory services; the data, interpretations, findings, and our recommendations are based solely upon data obtained at the time and

within the scope of these services.

1.5 Reliance

This report has been prepared for the exclusive use Draper and Kramer, Inc., and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the site) is prohibited without the express written authorization of Draper and Kramer, Inc. and Terracon. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the proposal, LSA report, and Terracon's Terms and Conditions. The limitation of liability defined in the terms and conditions is the aggregate limit of Terracon's liability to the client and all relying parties unless otherwise agreed in writing.

2.0 FIELD ACTIVITIES

2.1 Soil Assessment

Terracon mobilized to the subject site on July 20 and 21, 2006 to advance six soil borings (TCN-GP-1 through TCN-GP-6). Each push-probe boring was advanced to a depth of approximately 16 feet below ground surface (bgs) with the exception of boring TCN-GP-2, which was advanced to a depth of 19 feet bgs to facilitate collecting a groundwater sample. Each boring was advanced using a truck-mounted push-probe rig. Soil samples were collected continuously over the depth of each boring location using a 4-foot long, 2-inch diameter macro core barrel sampler. Each 4-foot length of sample was collected with a new disposable liner inserted within the sampler. Probing equipment was decontaminated between use at each probe location using a high pressure washer. The soil type and characteristics were logged and a discrete sample was collected at each approximate two foot interval. A Site Diagram depicting the location of the borings advanced at the site relative to site features is included as Figure 2 of Appendix A.

Soil samples were screened on-site using a photoionization detector (PID) (Thermo Environmental Instruments Model 580B OVM) to indicate the presence of volatile organic compounds (VOC). The PID was calibrated according to the manufacturer's instructions using isobutylene gas at a concentration of 100 parts per million (ppm).

Terracon's soil sampling program involved submitting one soil sample from each soil probe for laboratory analysis. The sampling program included submitting the soil sample exhibiting the highest PID reading, or if elevated PID readings were not observed, the soil sample collected from a depth just above the apparent water table was submitted for laboratory analysis. The soil samples were submitted for analysis of VOCs, Resource

Conservation and Recovery Act (RCRA) metals, diesel range organics (DRO), and polychlorinated byphenols (PCB). In addition, an aliquot of each selected sample interval submitted to the laboratory for analysis of DRO was also submitted "on-hold", for potential polycyclic aromatic hydrocarbons (PAH) analysis. If laboratory results of the sample submitted for analysis DRO resulted in a concentration greater than 100 milligrams per kilogram (mg/kg), Terracon would then have requested the laboratory to analyze the sample for PAHs.

The soil samples were collected in laboratory supplied containers, placed in an ice chest to cool to approximately four degrees Celsius (4°C), and transported under chain-of-custody (COC) protocol to Synergy Environmental Lab of Appleton, Wisconsin (Synergy) for analysis. A summary of compounds detected in the soil samples are included in Tables 1 and 2 of Appendix B. Upon completion of sampling, borings TCN-GP-1, TCN-GP-4, and TCN-GP-5 were abandoned per NR 141, Wisconsin Administrative Code (WAC). Boring logs and abandonment forms are included in Appendix C. Laboratory reports and chain-of-custody forms are included as Appendix D.

2.2 Groundwater Assessment

At the terminal depth of borings TCN-GP-2, TCN-GP-3, and TCN-GP-6, temporary wells were placed within the boreholes. The temporary well consisted of a 5-foot long, 10-slot, 1-inch diameter polyvinyl chloride (PVC) well screen with a 1-inch diameter riser pipe that extended to the ground surface.

Following their installation, Terracon attempted to collect a groundwater sample from each well. However, immediately after their installation, groundwater was not observed within the temporary wells. As such, Terracon allowed the temporary wells to remain in place for groundwater to accumulate in the borings. An annular space seal consisting of bentonite was placed around the riser pipe to prevent surface runoff water from entering the borehole.

Terracon returned to the site on July 26, 2006 to collect groundwater samples from the temporary wells. Terracon's groundwater sampling program involved submitting one groundwater sample collected from each temporary well for laboratory analysis. Groundwater samples were collected by inserting new disposable polyethylene sample tubing into each temporary well and using a peristaltic pump to draw groundwater through the tubing. At the time of the field activities on July 26, 2006, groundwater had not yet accumulated in boring TCN-GP-3. As such, groundwater was not collected from this boring.

The groundwater sampling program included submitting the groundwater samples for laboratory analysis of RCRA metals, PAHs, and VOCs. Those groundwater samples submitted for laboratory analysis of RCRA metals were filtered in the field to remove sediment using a disposable 0.45 micron filter cup. The groundwater samples were

collected in laboratory supplied containers, placed in an ice chest to cool to approximately 4°C, and transported under COC protocol to Synergy for analysis. A summary of compounds detected in the groundwater samples is included in Tables 3 and 4 of Appendix B. Upon completion of groundwater sampling activities, the borings were abandoned per requirements of NR 141, WAC.

3.0 RESULTS AND DISCUSSION

3.1 Soil Analytical Data

The laboratory analytical data indicates that PCBs and DRO were not detected above method detection limits (MDL) at the site. According to the laboratory analytical data, VOCs were detected in the soil samples collected from the 10-foot interval of borings TCN-GP-2 and TCN-GP-5. VOCs were not detected in the soil samples collected from the remaining borings. To evaluate the concentrations of the detected VOCs, Terracon compared the concentrations to the residual contaminant levels (RCL) listed in NR 720.09, WAC. For those compounds not listed in NR 720.09, WAC, Terracon calculated site specific RCLs using the United States Environmental Protection Agency (EPA) Soil Screening guidance for Chemicals website (http://risk.lsd.ornl.gov/calc_start.shtml). Wisconsin default parameters were utilized per Wisconsin Department of Natural Resources (WDNR) Guidance Document RR-682, Determining Residual Contaminance Levels Using the EPA Soil Screening Level Web Site, dated January 11, 2002. Of the VOCs detected, benzene, cis-1,2-dichloroethene, trans-1,2-dichloroethene, toluene, trichloroethene, and total xylenes were detected above their respective soil to groundwater pathway RCLs.

Analytical data for the soil samples collected from the site indicate the presence of arsenic, barium, chromium, and lead above MDLs. Arsenic was detected above the NR 720.11, WAC, direct contact RCL in each boring at this site. In addition, total chromium was detected above the NR 720.11, WAC, RCL for hexavalent chromium, but below the NR 720.11, WAC, RCL for trivalent chromium. The concentrations of metals appear consistent with background concentrations in the area. The remaining compounds were detected at concentration below their respective RCLs.

Terracon compared applicable concentrations of RCRA metals at the site to the generic soil background values provided through the United States (U.S.) Department of Energy (DOE) Risk Assessment Information System website (<http://risk.1sd.ornl.gov/cgi-bin/background/generic>). According to the listed general soil background levels for clay and clay loamy soils, similar to that encountered during assessment activities at this site, the concentrations of arsenic, barium, chromium, and lead detected in the soil samples are within or below the ranges expected based on the soil type.

3.2 Groundwater Analytical Data

According to the laboratory analytical data, VOCs were detected above MDLs in the groundwater samples collected from boring TCN-GP-2. Of those VOCs detected, benzene, 1,1-dichloroethene, cis-1,2-dichloroethene, trichloroethene, and vinyl chloride were detected above their NR 140, WAC, enforcement standards (ES). Four other compounds were detected above their respective NR, 140, WAC, preventive action limit (PAL), but below their respective NR 140, WAC, ES. The concentrations of the remaining VOCs were below their respective MDLs.

The laboratory analytical data indicates the presence of 14 PAHs above MDLs in the groundwater samples collected at the site. Of the PAHs detected, benzo(a)pyrene and benzo(b)fluoranthene were detected above their respective NR 140, WAC, ES in the groundwater samples collected from borings TCN-GP-2 and TCN-GP-6. In addition, chrysene was detected above its NR 140, WAC, PAL in the groundwater sample collected from boring TCN-GP-2 and above its NR 140, WAC, ES in the groundwater sample collected from boring TCN-GP-6. The remaining PAHs were below their respective NR 140, WAC, PALs in the groundwater samples collected at the site.

According to the analytical data, selenium and barium were detected above MDLs in the groundwater samples collected from borings TCN-GP-2 and TCN-GP-6. In addition, lead was detected above MDLs in the groundwater sample collected from boring TCN-GP-6. The concentrations of each of these metals are below their respective NR 140, WAC, ES. However, the concentration of selenium and lead are above their respective NR 140, WAC, PAL.

The temporary probes advanced during these assessment activities are not equivalent to NR 141, WAC monitoring wells. As such, groundwater analytical data may not be directly comparable to the groundwater standards listed in NR 140, WAC.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the findings of this assessment, soil and groundwater impacts appear to be present at the site. As such, the identified impacts at the site should be reported by the site owner to WDNR, as required by Wisconsin Statute 292.11. WDNR will likely then require additional assessment activities at the site to determine the extent and magnitude of the impacts.


5.0 GENERAL COMMENTS

The analysis and opinions expressed in this report are based upon data obtained from the


previous assessments and laboratory chemical analyses at the indicated locations or from other information discussed in this report. This report does not reflect variations in subsurface stratigraphy, hydrogeology, and contaminant distribution that may occur across the site. Actual subsurface conditions may vary and may not become evident without further assessment.

This report is prepared for the exclusive use of our client for specific application to the project discussed and has been prepared in accordance with generally accepted environmental engineering practices. No warranties, express or implied are intended or made. In the event any changes in the nature or location of suspected sources of contamination as outlined in this report are observed, the conclusions and recommendations contained in this report shall not be valid unless these changes are reviewed and the opinions of this report are modified or verified in writing by Terracon.

UNITED STATES - DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY



SCALE 1:24 000



MILWAUKEE QUADRANGLE
 WISCONSIN - MILWAUKEE COUNTY
 7.5 MINUTE SERIES (TOPOGRAPHIC)



| | | |
|----------------------------------------------------------------------------------------------------------|-------------------|----------------------|
| SITE LOCATION MAP TELOS PROPERTIES CLARE CENTRAL 1000 WEST ATKINSON AVENUE MILWAUKEE, WISCONSIN | | |
| Project Mngr: | MAK | Project No. 38067034 |
| Designed By: | AJP | Scale: AS SHOWN |
| Checked By: | BAL | Date: 8/9/06 |
| Approved By: | BRS | Drawn By: AJP (38) |
| File Name: | 38067034.1000.dwg | Figure No. 1 |

3011B E. Capitol Drive
 Appleton, WI 54911

DIA GRAM IS FOR GENERAL LOCATION ONLY,
 AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES



LEGEND

- SOIL & GROUNDWATER PROBE LOCATION
- SOIL PROBE LOCATION

APPROXIMATE SCALE: 1" = 50'

DIAGRAM IS FOR GENERAL LOCATION ONLY,
AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES



SITE DIAGRAM
TELOS PROPERTIES CLARE CENTRAL
 1000 WEST ATKINSON AVENUE
 MILWAUKEE, WISCONSIN

| | | | | |
|---------------|----------------|---------|-------------|----------|
| Project Mngr: | MAK | | Project No. | 38067034 |
| Designed By: | AJP | | Scale: | 1" = 50' |
| Checked By: | BAL | | Date: | 8/2/06 |
| Approved By: | BRS | | Drawn By: | AJP (38) |
| File Name: | 38067034sm.dwg | Layout1 | Figure No. | 2 |

3011B E. Capitol Drive
Appleton, WI 54911

Table 1

Telos Properties
Clare Central
Milwaukee, Wisconsin
Terracon Project No. 38067034

Soil Analytical Summary - DRO and VOCs

| Sample Location (Depth in Feet) | Sample Date | DRO | VOCs | | | | | | | | | |
|------------------------------------|------------------------------------|-----------------------|---------|------------------------|--------------------------|--------------|------------------|---------|-----------------|------------------------|-----------------|--------------|
| | | Diesel Range Organics | Benzene | cis-1,2-Dichloroethene | trans-1,2-Dichloroethene | Ethylbenzene | isopropylbenzene | Toluene | Trichloroethene | 1,2,4-Trimethylbenzene | Xylenes (Total) | |
| Units | | mg/kg | µg/kg | | | | | | | | | |
| Telos Property | NR 720, WAC, RCL ¹ | 100 | 5.5 | NE | NE | 2,900 | NE | 1,500 | NE | NE | 4,100 | |
| | NR 720.19, WAC, SSRCL ² | NE | NE | 27 | 98 | NE | 37,000 | NE | 3.7 | 28,000 | NE | |
| Clare Central | TCN-GP-1(6) | 7/20/2006 | <10 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <50 |
| | TCN-GP-2(10) | 7/20/2006 | <10 | 99 | 6,100 | 119 | 1,950 | 29 | 2,970 | 180,000 | 44 | 4,210 |
| | TCN-GP-3(6) | 7/21/2006 | <10 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <50 |
| | TCN-GP-4(2) | 7/21/2006 | <10 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <50 |
| | TCN-GP-5(10) | 7/20/2006 | <10 | <25 | 640 | 47 | <25 | <25 | <25 | 680 | <25 | <50 |
| | TCN-GP-6(6) | 7/21/2006 | <10 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <25 | <50 |

NOTES:

¹ NR 720, Wisconsin Administrative Code (WAC), Generic Residual Contaminant Level (RCL) for Protection of Groundwater

² NR 720.19, WAC, Soil Leaching to Groundwater, Site Specific Residual Contaminant Level (SSRCL) from USEPA Soil Screening Guidance for Chemicals website utilizing default parameters per WDNR publication RR-682

Bold values indicate compound was detected above listed criteria

" < " Indicates compound was not detected above the listed method detection limit

"NE" Indicates standard not established

Table 2

Telos Properties LSA
Clare Central
Milwaukee, Wisconsin
Terracon Project No. 38067034

Soil Analytical Summary - Metals and PCBs

| Sample Location (Depth in Feet) | Sample Date | Metals | | | | Polychlorinated Biphenyls | | | | | | | | |
|------------------------------------|--------------------------------------------------|-----------------|----------------|---------------------------------------|--------------|---------------------------|----------|----------|----------|----------|----------|----------|------------|--------|
| | | Arsenic (Total) | Barium (Total) | Chromium (Total) ⁵ | Lead (Total) | PCB-1248 | PCB-1232 | PCB-1016 | PCB-1221 | PCB-1242 | PCB-1254 | PCB-1260 | Total PCBs | |
| Telos Property | Units | mg/kg | | | | mg/kg | | | | | | | | |
| | NR 720.11, WAC, Direct Contact, RCL ³ | 0.039 | NE | 14 ⁷ / 16,000 ⁷ | 50 | NE | NE | NE | NE | NE | NE | NE | NE | |
| Clare Central | TCN-GP-1(6) | 7/21/2006 | 4.5 | 38 | 16 | 6.6 | <0.0056 | <0.0072 | <0.002 | <0.0056 | <0.0049 | <0.056 | <0.0028 | <0.056 |
| | TCN-GP-2(10) | 7/21/2006 | 5.0 | 31 | 14 | 8.0 | <0.0056 | <0.0072 | <0.002 | <0.0056 | <0.0049 | <0.056 | <0.0028 | <0.056 |
| | TCN-GP-3(6) | 7/21/2006 | 5.5 | 25 | 14 | 7.1 | <0.0056 | <0.0072 | <0.002 | <0.0056 | <0.0049 | <0.056 | <0.0028 | <0.056 |
| | TCN-GP-4((2) | 7/21/2006 | 5.9 | 81 | 35 | 10 | <0.0056 | <0.0072 | <0.002 | <0.0056 | <0.0049 | <0.056 | <0.0028 | <0.056 |
| | TCN-GP-5(10) | 7/21/2006 | 4.7 | 37 | 15 | 7.6 | <0.0056 | <0.0072 | <0.002 | <0.0056 | <0.0049 | <0.056 | <0.0028 | <0.056 |
| | TCN-GP-6(6) | 7/21/2006 | 10 | 26 | 14 | 14 | <0.0056 | <0.0072 | <0.002 | <0.0056 | <0.0049 | <0.056 | <0.0028 | <0.056 |

NOTES:

¹ NR 720, Wisconsin Administrative Code (WAC), Generic Residual Contaminant Level (RCL) for Protection of Groundwater

² NR 720.19, WAC, Soil Leaching to Groundwater, Site Specific Residual Contaminant Level (SSRCL) from USEPA Soil Screening Guidance for Chemicals website utilizing default parameters per WDNR publication RR-682

³ NR 720, WAC, Non-Industrial Direct Contact, RCL

⁴ Refers to United States Federal Toxic Substances Control Act (TSCA) 40 C.F.R. §761, Subpart D and 40 C.F.R. §761, Subpart G Standards or Criteria

⁵ Concentrations reported by analytical laboratory are for total chromium, including hexavalent chromium plus trivalent chromium, of which trivalent is likely to be the primary form detected

⁶ NR 720, WAC, Non-Industrial Direct Contact, RCL for hexavalent chromium

⁷ NR 720, WAC, Non-Industrial Direct Contact, RCL for trivalent chromium

Bold values indicate compound was detected above listed criteria

"<" indicates compound was not detected above the listed method detection limit

"NE" Indicates standard not established

"NA" Indicates standard not applicable

"mg/kg" Indicates milligrams per kilogram

Table 3

Telos Properties LSA
 Clare Central
 Milwaukee, Wisconsin
 Terracon Project No. 38067034

Groundwater Analytical Summary - VOCs

| Sample Location | Sample Date | Volatile Organic Compounds (VOC) | | | | | | | | | | | | | Metals | | | | |
|-----------------|-------------------------------|----------------------------------|-------------|--------------------|--------------------|--------------------|------------------------|--------------------------|--------------|----------|-----------------------|-----------------|----------------|----------|----------|--------|------|------|------|
| | | Benzene | Chloroform | 1,2-Dichloroethane | 1,1-Dichloroethane | 1,1-Dichloroethene | cis-1,2-Dichloroethene | trans-1,2-Dichloroethene | Ethylbenzene | Toluene | 1,1,2-Trichloroethene | Trichloroethene | Vinyl Chloride | Xylene | Selenium | Barium | Lead | | |
| Units | | µg/L | | | | | | | | mg/L | | µg/L | | | mg/L | | µg/L | mg/L | µg/L |
| Telos Property | NR 140, WAC, PAL ¹ | 0.5 | 0.6 | 0.5 | 85 | 0.7 | 7 | 20 | 140 | 0.2 | 0.5 | 0.5 | 0.06 | 1 | NE | 0.4 | 1.5 | | |
| | NR 140, WAC, ES ² | 5 | 6 | 5 | 850 | 7 | 70 | 100 | 700 | 1 | 5 | 5 | 0.6 | 10 | NE | 2 | 15 | | |
| Clare Central | TCN-GP-2 | 37 | 0.82 | 2.12 | 5.9 | 7.8 | 1,900 | 79 | 37 | 0.079 | 2.82 | 8,100 | 19.2 | 0.0241 | 30 | 98 | <4.1 | | |
| | TCN-GP-6 | <0.17 | <0.61 | <0.72 | <0.22 | <0.3 | <0.5 | <0.65 | <0.2 | <0.00059 | <0.36 | <0.39 | <0.11 | <0.00018 | 27 | 110 | 7.3 | | |

NOTES:

¹NR 140, Wisconsin Administrative Code, Preventative Action Limit (PAL)

²NR 140, Wisconsin Administrative Code, Enforcement Standard (ES)

"µg/L" Indicates micrograms per liter

"mg/L" Indicates milligrams per liter

Bold values indicate compound detected above the listed Preventative Action Limit (PAL)

Bold and highlighted values indicate compound detected above the listed Enforcement Standard (ES)

" < " Indicates compound not detected above the listed laboratory method detection limit

Table 4

Telos Properties LSA
Clare Central
Milwaukee, Wisconsin
Terracon Project No. 38067034

Groundwater Analytical Summary - VOCs

| | | | Polycyclic Aromatic Hydrocarbons (PAH) | | | | | | | | | | | | | |
|-----------------|-------------------------------|-----------|----------------------------------------|--------------------|----------------|----------------------|--------------------|----------------------|-------------|------------------------|--------------|------------------------|---------------------|-------------|--------------|--------|
| Sample Location | Sample Date | | Anthracene | Benzo(a)anthracene | Benzo(a)pyrene | Benzo(b)fluoranthene | Benzo(ghi)perylene | Benzo(k)fluoranthene | Chrysene | Dibenzo(a,h)anthracene | Fluoranthene | Indeno(1,2,3-cd)pyrene | 2-Methylnaphthalene | Naphthalene | Phenanthrene | Pyrene |
| | | Units | µg/L | | | | | | | | | | | | | |
| Telos Property | NR 140, WAC, PAL ¹ | | 600 | NE | 0.02 | 0.02 | NE | NE | 0.02 | NE | 80 | NE | NE | 8 | NE | 50 |
| | NR 140, WAC, ES ² | | 3,000 | NE | 0.2 | 0.2 | NE | NE | 0.2 | NE | 400 | NE | NE | 40 | NE | 250 |
| Clare Central | TCN-GP-2 | 7/26/2006 | 0.017 | 0.13 | 0.22 | 0.3 | 0.34 | 0.12 | 0.16 | 0.29 | 0.21 | 0.21 | <0.021 | 0.028 | 0.11 | 0.17 |
| | TCN-GP-6 | 7/26/2006 | <0.087 | 0.40 | 0.40 | 0.60 | 0.35 | 0.21 | 0.43 | <0.060 | 0.77 | 0.22 | 0.20 | <0.187 | 0.41 | 0.57 |

NOTES:

¹ NR 140, Wisconsin Administrative Code, Preventative Action Limit (PAL)

² NR 140, Wisconsin Administrative Code, Enforcement Standard (ES)

"ug/L" indicates micrograms per liter

Bold values indicate compound detected above the listed Preventative Action Limit (PAL)

Bold and highlighted values indicate compound detected above the listed Enforcement Standard (ES)

" - " Indicates compound not analyzed

" < " Indicates compound not detected above the listed laboratory method detection limit


" NE " Indicates standard not established

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------|--|
| Facility/Project Name Telos Properties (38067034) | | License/Permit/Monitoring Number | | Boring Number TCN-GP-1 | |
| Boring Drilled By: Name of crew chief (first, last) and Firm Dan Bendorf Probe Technologies, Inc. | | Date Drilling Started 7/21/2006 | | Date Drilling Completed 7/21/2006 | |
| Drilling Method GeoProbe | | WI Unique Well No. | | DNR Well ID No. | |
| Common Well Name | | Final Static Water Level Feet MSL | | Surface Elevation Feet MSL | |
| Borehole Diameter 2.00 inches | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> | | Local Grid Location | |
| State Plane N, E S/C/N | | Lat _____" | | <input type="checkbox"/> N <input type="checkbox"/> E | |
| SW 1/4 of NW 1/4 of Section 8, T 7 N, R 22 E | | Long _____" | | Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W | |
| Facility ID | | County Milwaukee | | County Code 41 | |
| | | | | Civil Town/City/ or Village Milwaukee | |

| Sample Number and Type | Length Att. & Recovered (in) | Blow Counts | Depth In Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/(pH) | Soil Properties | | | | | | RQD/ Comments |
|------------------------|------------------------------|-------------|---------------|--------------------------------------------------------------------|------|-------------|--------------|----------|----------------------|------------------|--------------|------------------|-------|--|---------------|
| | | | | | | | | | Compressive Strength | Moisture Content | Liquid Limit | Plasticity Index | P 200 | | |
| PP-1 | 48 | | 1 | ASPHALT | | | | | | | | | | | |
| | 48 | | 1 | GRAVEL & SAND - White, wet | GW | | | | | | | | | | |
| PP-2 | 48 | | 2 | CLAY W/SILT, trace fine GRAVEL & SAND - Brown to dark brown, moist | | | | 0 | | | | | | | |
| | 48 | | 4 | | CL | | | 0 | | | | | | | |
| | | | 5 | | | | | 0 | | | | | | | |
| | | | 7 | CLAY W/SILT - brown, moist | CL | | | 0 | | | | | | | |
| PP-3 | 48 | | 8 | CLAY W/SILT - Brown, wet | | | | 0 | | | | | | | |
| | 48 | | 9 | | | | | 0 | | | | | | | |
| PP-4 | 48 | | 10 | | CL | | | 0 | | | | | | | |
| | 48 | | 12 | CLAY W/SILT - Gray, wet | | | | 0 | | | | | | | |
| | | | 13 | | | | | 0 | | | | | | | |
| | | | 14 | | CL | | | 0 | | | | | | | |
| | | | 15 | | | | | 0 | | | | | | | |
| | | | 16 | EOB - 16' | | | | 0 | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **Terracon Consultants, Inc.** Tel: 920-993-9096
3011B E. Capitol Dr. Appleton, WI 54911 Fax: 920-993-9108

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

WI Unique Well No. _____ DNR Well ID No. _____ County _____ Facility Name Clare Central

Common Well Name TCN-GP-1 Gov't Lot # (if applicable) _____ Facility ID _____ License/Permit/Monitoring No. _____

1/4 / 1/4 _____ 1/4 _____ Section _____ Township _____ Range _____ E W Street Address of Well 1003 W. Atkinson Ave.

Well Location ft. / M (Local Grid) Datum _____ City/Village or Town Milwaukee

Zone _____ Present Well Owner _____ Original Well Owner _____

WTM- UTM- Latitude/Longitude- State Plane- S C N Street Address or Route of Present Owner _____

Local Grid Origin ft. / M Datum _____ City _____ State _____ ZIP Code _____

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

Reason For Abandonment Finished Sampling WI Unique Well No. of Replacement Well _____

Monitoring Well Water Well Borehole / Drillhole Original Construction Date _____
 If a Well Construction Report is available, please attach. _____

Construction Type: Drilled Driven (Sandpoint) Dug Other (specify): Cooper

Formation Type: Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 16 Casing Diameter (in.) 2

Lower Drillhole Diameter (in.) _____ Casing Depth (ft.) _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used To Fill Well / Drillhole

| Material | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------------------|----------------|-----------|-------------------------------------------------|-------------------------|
| <u>Bentonite Chips</u> | <u>Surface</u> | <u>16</u> | <u>1/3</u> | |

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Sealing Work Probe Technologies, Inc Date of Abandonment 7/20/06 Date Received _____ Noted By _____

Street or Route W1225 S. Shore Dr. Telephone Number (262) 495 2349 Comments _____

City Palmyra State WI ZIP Code 53156 Signature of Person Doing Work [Signature] Date Signed 8/15/06

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| Facility/Project Name Telos Properties (38067034) | | License/Permit/Monitoring Number | | Boring Number TCN-GP-2 | |
| Boring Drilled By: Name of crew chief (first, last) and Firm Dan Bendorf Probe Technologies, Inc. | | | Date Drilling Started 7/20/2006 | Date Drilling Completed 7/20/2006 | Drilling Method GeoProbe |
| WI Unique Well No. | DNR Well ID No. | Common Well Name | Final Static Water Level Feet MSL | Surface Elevation Feet MSL | Borehole Diameter 2.00 inches |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N | | | Lat _____" | Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W | |
| SW 1/4 of NW 1/4 of Section 8, T 7 N, R 22 E | | | Long _____" | | |
| Facility ID | County Milwaukee | County Code 41 | Civil Town/City/ or Village Milwaukee | | |

| Sample Number and Type | Length Att. & Recovered (in) | Blow Counts | Depth In Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/(pH) | Soil Properties | | | | | | RQD/ Comments |
|------------------------|------------------------------|-------------|---------------|---------------------------------------------------------------|------|-------------|--------------|----------|----------------------|------------------|--------------|------------------|-------|--|---------------|
| | | | | | | | | | Compressive Strength | Moisture Content | Liquid Limit | Plasticity Index | P 200 | | |
| | 48 36 | | 1 | ASPHALT | | | | | | | | | | | |
| | | | 1 | CONCRETE | | | | | | | | | | | |
| | | | 2 | CLAY W/SILT, trace GRAVEL - Brownish black, moist | CL | | | 3.9 | | | | | | | |
| | | | 3 | CLAY W/SILT, trace fine SAND - Brown, moist | CL | | | | | | | | | | |
| | 48 48 | | 4 | CLAY W/SILT, trace fine SAND & GRAVEL - Brown, moist | | | | 4.7 | | | | | | | |
| | | | 5 | | | | | | | | | | | | |
| | | | 6 | | | | | 15.6 | | | | | | | |
| | | | 7 | | | | | | | | | | | | |
| | 48 48 | | 8 | | CL | | | 70.1 | | | | | | | |
| | | | 9 | | | | | | | | | | | | |
| | | | 10 | | | | | | | | | | | | |
| | | | 11 | | | | | | | | | | | | |
| | | | 12 | | | | | 1182 | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature *[Signature]* Firm **Terracon Consultants, Inc.** Tel: 920-993-9096
3011B E. Capitol Dr. Appleton, WI 54911 Fax: 920-993-9108

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other:

1. General Information **2. Facility / Owner Information**

| | | | | | | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------|----------|------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|----------|
| WI Unique Well No. | | DNR Well ID No. | | County | | Facility Name <i>Clare Central</i> | |
| Common Well Name <i>TCN-6P-2</i> | | Gov't Lot # (if applicable) | | Facility ID | | License/Permit/Monitoring No. | |
| 1/4 | 1/4 | Section | Township | Range | <input type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well <i>1003 W. Atkinson Ave.</i> | |
| Well Location <input checked="" type="checkbox"/> R <input type="checkbox"/> M (Local Grid <input type="checkbox"/>) | | Datum | | City/Village or Town <i>Milwaukee</i> | | Present Well Owner | |
| WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/> <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Zone | | Original Well Owner | | Street Address or Route of Present Owner | |
| Local Grid Origin <input checked="" type="checkbox"/> R <input type="checkbox"/> M | | Datum | | City | | State | ZIP Code |
| WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/> <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Zone | | City | | State | ZIP Code |

Reason For Abandonment *Finished Sampling* WI Unique Well No. of Replacement Well

3. Well / Drillhole / Borehole Information

| | |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| <input type="checkbox"/> Monitoring Well | Original Construction Date |
| <input type="checkbox"/> Water Well | If a Well Construction Report is available, please attach. |
| <input checked="" type="checkbox"/> Borehole / Drillhole | |
| Construction Type: | |
| <input type="checkbox"/> Drilled | <input type="checkbox"/> Driven (Sandpoint) |
| <input checked="" type="checkbox"/> Other (specify): <i>Geoprobe</i> | <input type="checkbox"/> Dug |
| Formation Type: | |
| <input checked="" type="checkbox"/> Unconsolidated Formation | <input type="checkbox"/> Bedrock |
| Total Well Depth From Groundsurface (ft.) <i>210 19</i> | Casing Diameter (in.) <i>2</i> |
| Lower Drillhole Diameter (in.) | Casing Depth (ft.) |
| Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | |
| If yes, to what depth (feet)? | Depth to Water (feet) |

4. Pump, Liner, Screen, Casing & Sealing Material

| | |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| Pump and piping removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Liner(s) removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Screen removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Casing left in place? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Was casing cut off below surface? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Did sealing material rise to surface? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Did material settle after 24 hours? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |
| If yes, was hole retopped? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| If bentonite chips were used, were they hydrated with water from a known safe source? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain):

Sealing Materials

Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

Bentonite Chips

| From (ft.) | To (ft.) | No. Yards (Sacks Sealant or Volume (circle one)) | Mix Ratio or Mud Weight |
|------------|-------------|--------------------------------------------------|-------------------------|
| Surface | <i>2019</i> | <i>13</i> | |
| | <i>BAL</i> | | |

6. Comments

7. Supervision of Work **DNR Use Only**

| | | | | |
|--------------------------------------------------------------------------------|--------------------|-------------------------------------------|--------------------------------------------------|-------------------------------|
| Name of Person or Firm Doing Sealing Work <i>Terracon Consultants, Inc.</i> | | Date of Abandonment <i>7/26/06</i> | Date Received | Noted By |
| Street or Route <i>3011 B E. Capitol Dr.</i> | | Telephone Number <i>(920) 993 9096</i> | Comments | |
| City <i>Appleton</i> | State <i>WI</i> | ZIP Code <i>54911</i> | Signature of Person Doing Work <i>Bert...</i> | Date Signed <i>8/15/06</i> |

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|-----------------------------------------|
| Facility/Project Name Telos Properties (38067034) | | License/Permit/Monitoring Number | | Boring Number TCN-GP-3 | |
| Boring Drilled By: Name of crew chief (first, last) and Firm Dan Bendorf Probe Technologies, Inc. | | | Date Drilling Started 7/21/2006 | Date Drilling Completed 7/21/2006 | Drilling Method GeoProbe |
| WI Unique Well No. | DNR Well ID No. | Common Well Name | Final Static Water Level Feet MSL | Surface Elevation Feet MSL | Borehole Diameter 2.00 inches |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N | | | Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E <input type="checkbox"/> S <input type="checkbox"/> W | | |
| SW 1/4 of NW 1/4 of Section 8, T 7 N, R 22 E | | | Lat _____ Long _____ | | |
| Facility ID | County Milwaukee | County Code 41 | Civil Town/City/ or Village Milwaukee | | |

| Sample Number and Type | Length Att. & Recovered (in) | Blow Counts | Depth In Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/(pH) | Soil Properties | | | | | | | RQD/Comments |
|------------------------|------------------------------|-------------|---------------|--------------------------------------------------------------------------------|------|-------------|--------------|----------|----------------------|------------------|--------------|------------------|-------|--|--|--------------|
| | | | | | | | | | Compressive Strength | Moisture Content | Liquid Limit | Plasticity Index | P 200 | | | |
| PP-1 | 48 48 | | 1 | CLAY W/SILT, trace SAND & GRAVEL - Brownish black w/grass & rootlets, moist | CL | | | | | | | | | | | |
| | | | 2 | | | | | | | | | | | | | |
| PP-2 | 48 48 | | 4 | CLAY W/SILT & SAND, trace GRAVEL - Brown, moist | CL | | | | | | | | | | | |
| | | | 5 | | | | | | | | | | | | | |
| PP-3 | 48 48 | | 8 | CLAY W/SILT & SAND, trace GRAVEL - Brownish gray, moist | CL | | | | | | | | | | | |
| | | | 9 | | | | | | | | | | | | | |
| PP-4 | 48 48 | | 10 | CLAY W/SILT & SAND, trace GRAVEL - Gray, moist | CL | | | | | | | | | | | |
| | | | 11 | | | | | | | | | | | | | |
| | | | 12 | | | | | | | | | | | | | |
| | | | 13 | | | | | | | | | | | | | |
| | | | 14 | | | | | | | | | | | | | |
| | | | 15 | | | | | | | | | | | | | |
| | | | 16 | | | | | | | | | | | | | |
| | | | | EOB - 16' | | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature Firm **Terracon Consultants, Inc.** Tel: 920-993-9096
3011B E. Capitol Dr. Appleton, WI 54911 Fax: 920-993-9108

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other:

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County _____
 Common Well Name TCN-6P-3 Gov't Lot # (if applicable) _____
 1/4 1/4 Section Township Range E W
 N S W
 Well Location ft. / M (Local Grid) Datum _____
 _____ N / S _____ E / W _____
 Zone
 WTM- UTM- Latitude/Longitude- State Plane- S C N
 Local Grid Origin ft. / M Datum _____
 _____ N _____ E / W _____
 Zone
 WTM- UTM- Latitude/Longitude- State Plane- S C N

2. Facility / Owner Information

Facility Name Clare Central
 Facility ID _____ License/Permit/Monitoring No. _____
 Street Address of Well 1003 W. Atkinson Ave.
 City/Village or Town Milwaukee
 Present Well Owner _____ Original Well Owner _____
 Street Address or Route of Present Owner _____
 City _____ State _____ ZIP Code _____

3. Well / Drillhole / Borehole Information

Reason For Abandonment Finished Sampling WI Unique Well No. of Replacement Well _____
 Monitoring Well Water Well Borehole / Drillhole
 Original Construction Date _____
 If a Well Construction Report is available, please attach. _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobe
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Groundsurface (ft.) 16 Casing Diameter (in.) 2
 Lower Drillhole Diameter (in.) _____ Casing Depth (ft.) _____
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? _____ Depth to Water (feet) _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____
 Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used To Fill Well / Drillhole

| Material | From (ft.) | To (ft.) | No. Yards (Sacks Sealant or Volume (Circle one)) | Mix Ratio or Mud Weight |
|------------------------|----------------|-----------|--------------------------------------------------|-------------------------|
| <u>Bentonite Chips</u> | <u>Surface</u> | <u>16</u> | <u>1/3</u> | |
| | | | | |
| | | | | |

6. Comments

7. Supervision of Work

| | | | |
|--------------------------------------------------------------------------------|-------------------------------------------|--------------------------|-----------------------------------------------------|
| Name of Person or Firm Doing Sealing Work <u>Terracon Consultants, Inc.</u> | Date of Abandonment <u>7/26/06</u> | DNR Use Only | |
| Street or Route <u>3011 B E. Capitol Dr.</u> | Telephone Number <u>(920) 993 9096</u> | Date Received | Noted By |
| City <u>Appleton</u> | State <u>WI</u> | ZIP Code <u>54911</u> | Signature of Person Doing Work <u>Brett J...</u> |
| | | | Date Signed <u>8/15/06</u> |

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------|--|
| Facility/Project Name Telos Properties (38067034) | | License/Permit/Monitoring Number | | Boring Number TCN-GP-4 | |
| Boring Drilled By: Name of crew chief (first, last) and Firm Dan Bendorf Probe Technologies, Inc. | | Date Drilling Started 7/21/2006 | | Date Drilling Completed 7/21/2006 | |
| Drilling Method GeoProbe | | WI Unique Well No. | | DNR Well ID No. | |
| Common Well Name | | Final Static Water Level Feet MSL | | Surface Elevation Feet MSL | |
| Borehole Diameter 2.00 inches | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> | | Local Grid Location | |
| State Plane N, E S/C/N | | Lat _____" | | <input type="checkbox"/> N <input type="checkbox"/> E | |
| SW 1/4 of NW 1/4 of Section 8, T 7 N, R 22 E | | Long _____" | | Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W | |
| Facility ID | | County Milwaukee | | County Code 41 | |
| | | Civil Town/City/ or Village Milwaukee | | | |

| Sample Number and Type | Length Att. & Recovered (in) | Blow Counts | Depth In Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/(pH) | Soil Properties | | | | | | RQD/ Comments | |
|------------------------|------------------------------|-------------|---------------|----------------------------------------------------------------|------|-------------|--------------|----------|----------------------|------------------|--------------|------------------|-------|--|---------------|--|
| | | | | | | | | | Compressive Strength | Moisture Content | Liquid Limit | Plasticity Index | P 200 | | | |
| PP-1 | 48 48 | | 1 | CLAY & SILT, trace SAND - Black, trace grass & rootlets, moist | CL | | | 4.7 | | | | | | | | |
| | | | 2 | CLAY & SILT, trace fine SAND & GRAVEL - Brown, moist | | | | | | | | | | | | |
| PP-2 | 48 48 | | 4 | | CL | | | | | 0 | | | | | | |
| | | | 5 | | | | | | | | | | | | | |
| PP-3 | 48 48 | | 8 | | CL | | | | | 0 | | | | | | |
| | | | 9 | | | | | | | | | | | | | |
| PP-4 | 48 48 | | 10 | CLAY & SILT, trace fine SAND & GRAVEL - Gray, wet | CL | | | | | 0 | | | | | | |
| | | | 11 | | | | | | | | | | | | | |
| | | | 12 | | | | | | | | | | | | | |
| | | | 13 | | | | | | | | | | | | | |
| | | | 16 | EOB - 16' | | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

| | | |
|---------------|--------------------------------------------------------------------------------------|----------------------------------------|
| Signature | Firm Terracon Consultants, Inc. 3011B E. Capitol Dr. Appleton, WI 54911 | Tel: 920-993-9096 Fax: 920-993-9108 |
|---------------|--------------------------------------------------------------------------------------|----------------------------------------|

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to: Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | | | | | | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------|--|
| WI Unique Well No. _____ | | | DNR Well ID No. _____ | | County _____ | | Facility Name Clare Central | | | | | | |
| Common Well Name TCN-6P-4 | | | Gov't Lot # (if applicable) _____ | | | Facility ID _____ | | License/Permit/Monitoring No. _____ | | | | | |
| 1/4 | 1/4 | Section _____ | Township _____ | Range _____ | <input type="checkbox"/> E | Street Address of Well 1003 W. Atkinson Ave. | | | | | | | |
| Well Location <input checked="" type="checkbox"/> R / <input checked="" type="checkbox"/> M (Local Grid <input type="checkbox"/>) | | | | Datum _____ | | City/Village or Town Milwaukee | | Present Well Owner _____ | | Original Well Owner _____ | | | |
| WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> | | Latitude/Longitude- <input type="checkbox"/> | | State Plane- <input type="checkbox"/> | | <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Street Address or Route of Present Owner _____ | | City _____ State _____ ZIP Code _____ | | | |
| Local Grid Origin <input checked="" type="checkbox"/> R / <input checked="" type="checkbox"/> M | | Datum _____ | | Zone _____ | | WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> | | Latitude/Longitude- <input type="checkbox"/> | | State Plane- <input type="checkbox"/> | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Reason For Abandonment Finished Sampling | | WI Unique Well No. of Replacement Well _____ | | WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> | | Latitude/Longitude- <input type="checkbox"/> | | State Plane- <input type="checkbox"/> | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Original Construction Date _____ | | If a Well Construction Report is available, please attach. _____ | | WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> | | Latitude/Longitude- <input type="checkbox"/> | | State Plane- <input type="checkbox"/> | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | | Other (specify): Geoprobe | | WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> | | Latitude/Longitude- <input type="checkbox"/> | | State Plane- <input type="checkbox"/> | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | | Total Well Depth From Groundsurface (ft.) 16 | | Casing Diameter (in.) 2 | | Lower Drillhole Diameter (in.) _____ | | Casing Depth (ft.) _____ | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | | If yes, to what depth (feet)? _____ | | Depth to Water (feet) _____ | | Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped | | Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | | If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips | | | |
| <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry | | 5. Material Used To Fill Well / Drillhole Bentonite Chips | | From (ft.) Surface | | To (ft.) 16 | | No. Yards (Sacks Sealant or Volume (Circle one)) 1/3 | | Mix Ratio or Mud Weight _____ | |

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

| | | | | | | | | | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <input type="checkbox"/> Monitoring Well | | Original Construction Date _____ | | Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Screen removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Casing left in place? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Was casing cut off below surface? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Water Well | | If a Well Construction Report is available, please attach. _____ | | Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | | Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | | If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped | |
| <input checked="" type="checkbox"/> Borehole / Drillhole | | Construction Type: <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | | Other (specify): Geoprobe | | Other (Explain): _____ | | Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips | | For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry | | 5. Material Used To Fill Well / Drillhole Bentonite Chips | |
| Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | | Total Well Depth From Groundsurface (ft.) 16 | | Casing Diameter (in.) 2 | | Lower Drillhole Diameter (in.) _____ | | Casing Depth (ft.) _____ | | From (ft.) Surface | | To (ft.) 16 | |
| Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | | If yes, to what depth (feet)? _____ | | Depth to Water (feet) _____ | | Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | | Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | | If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | | If bentonite chips were used, were they hydrated with water from a known safe source? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Required Method of Placing Sealing Material: <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped | | Other (Explain): _____ | | Sealing Materials: <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Clay-Sand Slurry (11 lb./gal. wt.) <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite-Sand Slurry " " <input type="checkbox"/> Concrete <input checked="" type="checkbox"/> Bentonite Chips | | For Monitoring Wells and Monitoring Well Boreholes Only: <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry | | 5. Material Used To Fill Well / Drillhole Bentonite Chips | | From (ft.) Surface | | To (ft.) 16 | |
| 5. Material Used To Fill Well / Drillhole Bentonite Chips | | From (ft.) Surface | | To (ft.) 16 | | No. Yards (Sacks Sealant or Volume (Circle one)) 1/3 | | Mix Ratio or Mud Weight _____ | | 6. Comments _____ | | 7. Supervision of Work | |

5. Material Used To Fill Well / Drillhole **6. Comments**





6. Comments

7. Supervision of Work **DNR Use Only**


| | | | | | | | | |
|-----------------------------------------------------------------------------|--|--------------------|-------------------------------------------|------------------------------------------------------|---------------------|--|-------------------------------|--|
| Name of Person or Firm Doing Sealing Work Probe Technologies, Inc | | | Date of Abandonment 7/21/06 | | Date Received _____ | | Noted By _____ | |
| Street or Route W1225 S. Shore Dr. | | | Telephone Number (262) 495 2349 | | Comments _____ | | | |
| City Palmyra | | State WI | ZIP Code 53156 | Signature of Person Doing Work <i>[Signature]</i> | | | Date Signed 8/15/06 | |

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | | | |
|-----------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------|--|
| Facility/Project Name Telos Properties (38067034) | | License/Permit/Monitoring Number | | Boring Number TCN-GP-5 | |
| Boring Drilled By: Name of crew chief (first, last) and Firm Dan Bendorf Probe Technologies, Inc. | | Date Drilling Started 7/20/2006 | | Date Drilling Completed 7/20/2006 | |
| Drilling Method GeoProbe | | WI Unique Well No. | | DNR Well ID No. | |
| Common Well Name | | Final Static Water Level Feet MSL | | Surface Elevation Feet MSL | |
| Borehole Diameter 2.00 inches | | Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> | | Local Grid Location | |
| State Plane SW 1/4 of NW 1/4 of Section 8, T 7 N, R 22 E | | Lat _____" | | <input type="checkbox"/> N <input type="checkbox"/> E | |
| Long _____" | | Feet <input type="checkbox"/> S | | Feet <input type="checkbox"/> W | |
| Facility ID | | County Milwaukee | | County Code 41 | |
| | | Civil Town/City/ or Village Milwaukee | | | |

| Sample Number and Type | Length Att. & Recovered (in) | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/(pH) | Soil Properties | | | | | | | RQD/ Comments |
|------------------------|------------------------------|-------------|---------------|-------------------------------------------------------------------|------|-------------------------------------------------------------------------------------|--------------|----------|----------------------|------------------|--------------|------------------|-------|--|--|---------------|
| | | | | | | | | | Compressive Strength | Moisture Content | Liquid Limit | Plasticity Index | P 200 | | | |
| PP-1 | 48 48 | | 1 | CLAY W/SILT & SAND - Brown, trace organics, grass & rootlets, dry | CL |  | | 0 | | | | | | | | |
| | | | 2 | CLAY W/SILT & SAND, trace fine GRAVEL - Brown, dry | | | | | | | | | | | | |
| PP-2 | 48 48 | | 4 | | CL |  | | 2.5 | | | | | | | | |
| | | | 5 | | | | | | | | | | | | | |
| PP-3 | 48 48 | | 8 | CLAY W/SILT & SAND, trace fine GRAVEL - Brown, moist | CL |  | | 13.4 | | | | | | | | |
| | | | 9 | | | | | | | | | | | | | |
| PP-4 | 48 48 | | 12 | CLAY W/SILT & SAND, trace fine GRAVEL - Gray, wet | CL |  | | 36.6 | | | | | | | | |
| | | | 13 | | | | | | | | | | | | | |
| | | | 16 | EOB - 16' | | | | | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature:  Firm: Terracon Consultants, Inc.
3011B E. Capitol Dr. Appleton, WI 54911
Tel: 920-993-9096 Fax: 920-993-9108

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information

WI Unique Well No. _____ DNR Well ID No. _____ County _____

Common Well Name TCN-6P-5 Gov't Lot # (if applicable) _____

1/4 / 1/4 Section Township Range E W
 N S E W

Well Location ft. / M (Local Grid) Datum _____
 Zone _____

WTM- UTM- Latitude/Longitude- State Plane- S C N

Local Grid Origin ft. / M Datum _____
 Zone _____

WTM- UTM- Latitude/Longitude- State Plane- S C N

Reason For Abandonment Finished Sampling WI Unique Well No. of Replacement Well _____

3. Well / Drillhole / Borehole Information

Monitoring Well Water Well Borehole / Drillhole
 Original Construction Date _____
 If a Well Construction Report is available, please attach. _____

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): Geoprobe

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Groundsurface (ft.) 16 Casing Diameter (in.) 2

Lower Drillhole Diameter (in.) _____ Casing Depth (ft.) _____

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? _____ Depth to Water (feet) _____

5. Material Used To Fill Well / Drillhole

Bentonite Chips

2. Facility / Owner Information

Facility Name Clare Central

Facility ID _____ License/Permit/Monitoring No. _____

Street Address of Well 1003 W. Atkinson Ave.

City/Village or Town Milwaukee

Present Well Owner _____ Original Well Owner _____

Street Address or Route of Present Owner _____

City _____ State _____ ZIP Code _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials
 Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)
 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " "
 Concrete Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

| From (ft.) | To (ft.) | No. Yards (Sacks Sealant or Volume (circle one)) | Mix Ratio or Mud Weight |
|------------|----------|--------------------------------------------------|-------------------------|
| Surface | 16 | 1/3 | |
| | | | |
| | | | |

6. Comments

7. Supervision of Work


| Name of Person or Firm Doing Sealing Work | | Date of Abandonment | DNR Use Only | |
|-------------------------------------------|-----------|-----------------------|--------------------------------------------|----------------|
| <u>Probe Technologies, Inc</u> | | <u>7/20/06</u> | Date Received | Noted By |
| Street or Route | | Telephone Number | Comments | |
| <u>W1225 S. Shore Dr.</u> | | <u>(262) 495 2349</u> | | |
| City | State | ZIP Code | Signature of Person Doing Work | Date Signed |
| <u>Palmyra</u> | <u>WI</u> | <u>53156</u> | <u>Brett J. ... for Probe Technologies</u> | <u>8/15/06</u> |

Route To: Watershed/Wastewater Waste Management
Remediation/Redevelopment Other

| | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------|--|-----------------------------------------------------------------|--|
| Facility/Project Name Telos Properties (38067034) | | License/Permit/Monitoring Number | | Boring Number TCN-GP-6 | |
| Boring Drilled By: Name of crew chief (first, last) and Firm Dan Bendorf Probe Technologies, Inc. | | Date Drilling Started 7/21/2006 | | Date Drilling Completed 7/21/2006 | |
| Drilling Method GeoProbe | | WI Unique Well No. | | DNR Well ID No. | |
| Common Well Name | | Final Static Water Level Feet MSL | | Surface Elevation Feet MSL | |
| Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input type="checkbox"/> | | Local Grid Location | | Borehole Diameter 2.00 inches | |
| State Plane N, E S/C/N | | Lat _____" | | <input type="checkbox"/> N <input type="checkbox"/> E | |
| SW 1/4 of NW 1/4 of Section 8, T 7 N, R 22 E | | Long _____" | | Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W | |
| Facility ID | | County Milwaukee | | County Code 41 | |
| | | Civil Town/City/ or Village Milwaukee | | | |

| Sample Number and Type | Length Att. & Recovered (in) | Blow Counts | Depth in Feet | Soil/Rock Description And Geologic Origin For Each Major Unit | USCS | Graphic Log | Well Diagram | PID/(pH) | Soil Properties | | | | | | | RQD/ Comments |
|------------------------|------------------------------|-------------|---------------|----------------------------------------------------------------|------|-------------|--------------|----------|----------------------|------------------|--------------|------------------|-------|--|--|---------------|
| | | | | | | | | | Compressive Strength | Moisture Content | Liquid Limit | Plasticity Index | P 200 | | | |
| PP-1 | 48 48 | | 1 | CLAY W/SILT, trace SAND - Black, trace grass & rootlets, moist | CL | | | 0 | | | | | | | | |
| | | | 2 | CLAY W/SILT & SAND, trace fine GRAVEL - Brown, dry | CL | | | | | | | | | | | 0 |
| PP-2 | 48 48 | | 4 | CLAY W/SILT, trace SAND & fine GRAVEL - Brown, wet | CL | | | 0 | | | | | | | | |
| | | | 5 | | CL | | | | | | | | | | | 0 |
| PP-3 | 48 48 | | 8 | CLAY W/SILT, trace SAND & fine GRAVEL - Brown, wet | CL | | | 0 | | | | | | | | |
| | | | 9 | | CL | | | | | | | | | | | 0 |
| PP-4 | 48 48 | | 12 | CLAY W/SILT, trace SAND & fine GRAVEL - Gray, wet | CL | | | 0 | | | | | | | | |
| | | | 13 | | CL | | | | | | | | | | | 0 |
| | | | 16 | EOB - 16' | | | | 0 | | | | | | | | |

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature  Firm **Terracon Consultants, Inc.** Tel: 920-993-9096
3011B E. Capitol Dr. Appleton, WI 54911 Fax: 920-993-9108

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Route to:

Drinking Water Watershed/Wastewater Waste Management Remediation/Redevelopment Other: _____

1. General Information **2. Facility / Owner Information**

| | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|----------------------------------------|-------------------------------------------------------------|--------------------------------------------------------|
| WI Unique Well No. | DNR Well ID No. | County | Facility Name Clare Central | |
| Common Well Name TCN- GP-6 | | Gov't Lot # (if applicable) | Facility ID | License/Permit/Monitoring No. |
| 1/4 / 1/4 | Section | Township | Range <input type="checkbox"/> E <input type="checkbox"/> W | Street Address of Well 1003 W. Atkinson Ave. |
| Well Location <input type="checkbox"/> ft. / <input type="checkbox"/> M (Local Grid <input type="checkbox"/>) | | Datum | | City/Village or Town Milwaukee |
| WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Zone | | Present Well Owner |
| Local Grid Origin <input type="checkbox"/> ft. / <input type="checkbox"/> M | | Datum | | Original Well Owner |
| WTM- <input type="checkbox"/> UTM- <input type="checkbox"/> Latitude/Longitude- <input type="checkbox"/> State Plane- <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Zone | | Street Address or Route of Present Owner |
| Reason For Abandonment Finished Sampling | | WI Unique Well No. of Replacement Well | | City |
| State Plane- <input type="checkbox"/> S <input type="checkbox"/> C <input type="checkbox"/> N | | Zone | | State |
| Local Grid Origin <input type="checkbox"/> ft. / <input type="checkbox"/> M | | Datum | | ZIP Code |

3. Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

| | | | |
|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--|
| <input type="checkbox"/> Monitoring Well | Original Construction Date | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Water Well | If a Well Construction Report is available, please attach. | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Borehole / Drillhole | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Construction Type: | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Other (specify): Geoprobe | | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Formation Type: | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Total Well Depth From Groundsurface (ft.) 16 | Casing Diameter (in.) 2 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Lower Drillhole Diameter (in.) | Casing Depth (ft.) | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Was well annular space grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| If yes, to what depth (feet)? | Depth to Water (feet) | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |

| 5. Material Used To Fill Well / Drillhole | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|-------------------------------------------|------------|-----------|-------------------------------------------------|-------------------------|
| Bentonite Chips | Surface | 16 | 1/3 | |
| | | | | |

6. Comments

7. Supervision of Work **DNR Use Only**

| | | | |
|--------------------------------------------------------------------------------|-------------------------------------------|--------------------------|------------------------------------------------------|
| Name of Person or Firm Doing Sealing Work Terracon Consultants, Inc. | Date of Abandonment 7/26/06 | Date Received | Noted By |
| Street or Route 3011 B E. Capitol Dr. | Telephone Number (920) 993 9096 | Comments | |
| City Appleton | State WI | ZIP Code 54911 | Signature of Person Doing Work <i>[Signature]</i> |
| | | | Date Signed 8/15/06 |

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

MYLAN KOSKI
TERRACON
3011B E. Capitol Drive
APPLETON WI 54911

Report 07-Aug-06

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857A
Sample ID TCN-GP-1(6)
Sample Soil
Sample Date 7/20/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------|----------|-------|-------|-------|-----|-----------|-----------|---------|------|
| General | | | | | | | | | |
| General | | | | | | | | | |
| Solids Percent | 86.8 | % | | | 1 | 5021 | 7/27/2006 | CJR | 1 |
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Mercury, Total | < 0.2 | mg/kg | 0.04 | 0.2 | 1 | 7471 | 7/26/2006 | SE | 1 |
| Arsenic, Total | 4.5 | mg/kg | 0.036 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Barium, Total | 38 | mg/kg | 0.025 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Cadmium, Total | < 0.5 | mg/kg | 0.012 | 0.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Chromium, Total | 16 | mg/kg | 0.025 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Lead, Total | 6.6 | mg/kg | 0.035 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Selenium, Total | < 2.5 | mg/kg | 0.041 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Silver, Total | < 2.5 | mg/kg | 0.019 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| General | | | | | | | | | |
| Diesel Range Organics | < 10 | mg/kg | 0.72 | 2.3 | 1 | DRO95 | 7/26/2006 | MJR | 1 |
| PCB'S | | | | | | | | | |
| PCB-1232 | < 0.0072 | mg/kg | 0.007 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1242 | < 0.0049 | mg/kg | 0.004 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1221 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1016 | < 0.002 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1260 | < 0.0028 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1248 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1254 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| VOC's | | | | | | | | | |
| Benzene | < 25 | ug/kg | 5.2 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromobenzene | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromodichloromethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromoform | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857A
Sample ID TCN-GP-1(6)
Sample Soil
Sample Date 7/20/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|--------|-------|-----|-----|-----|--------|-----------|---------|------|
| tert-Butylbenzene | <25 | ug/kg | 5.6 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| sec-Butylbenzene | <25 | ug/kg | 8 | 26 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| n-Butylbenzene | <25 | ug/kg | 20 | 65 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Carbon Tetrachloride | <25 | ug/kg | 8.7 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chlorobenzene | <25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroethane | <25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroform | <25 | ug/kg | 5.9 | 19 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloromethane | <25 | ug/kg | 8.4 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2-Chlorotoluene | <25 | ug/kg | 5.1 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 4-Chlorotoluene | <25 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | <25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dibromochloromethane | <25 | ug/kg | 17 | 54 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | <25 | ug/kg | 22 | 72 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | <25 | ug/kg | 19 | 59 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | <25 | ug/kg | 20 | 64 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dichlorodifluoromethane | <25 | ug/kg | 10 | 32 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloroethane | <25 | ug/kg | 11 | 36 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethane | <25 | ug/kg | 9 | 29 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethene | <25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | <25 | ug/kg | 16 | 51 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | <25 | ug/kg | 8.9 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloropropane | <25 | ug/kg | 11 | 34 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2,2-Dichloropropane | <25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichloropropane | <25 | ug/kg | 14 | 45 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Di-isopropyl ether | <25 | ug/kg | 3.9 | 12 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | <25 | ug/kg | 15 | 49 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Ethylbenzene | <25 | ug/kg | 9.8 | 31 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Hexachlorobutadiene | <25 | ug/kg | 12 | 38 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Isopropylbenzene | <25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| p-Isopropyltoluene | <25 | ug/kg | 15 | 47 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methylene chloride | <25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | <25 | ug/kg | 17 | 55 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Naphthalene | <25 | ug/kg | 16 | 52 | 1 | 8260B | 7/27/2006 | CJR | 2 |
| n-Propylbenzene | <25 | ug/kg | 12 | 40 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | <25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | <25 | ug/kg | 24 | 76 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Tetrachloroethene | <25 | ug/kg | 18 | 58 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Toluene | <25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | <25 | ug/kg | 25 | 80 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | <25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | <25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | <25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichloroethene (TCE) | <25 | ug/kg | 20 | 63 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichlorofluoromethane | <25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | <25 | ug/kg | 7.9 | 25 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | <25 | ug/kg | 8.6 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Vinyl Chloride | <25 | ug/kg | 5.5 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| m&p-Xylene | <50 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| o-Xylene | <25 | ug/kg | 8.8 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857B
Sample ID TCN-GP-2(10)
Sample Soil
Sample Date 7/20/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------------|----------|-------|-------|-------|-----|-----------|-----------|---------|------|
| General | | | | | | | | | |
| General | | | | | | | | | |
| Solids Percent | 86.1 | % | | | 1 | 5021 | 7/27/2006 | CJR | 1 |
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Mercury, Total | < 0.2 | mg/kg | 0.04 | 0.2 | 1 | 7471 | 7/26/2006 | SE | 1 |
| Arsenic, Total | 5.0 | mg/kg | 0.036 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Barium, Total | 31 | mg/kg | 0.025 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Cadmium, Total | < 0.5 | mg/kg | 0.012 | 0.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Chromium, Total | 14 | mg/kg | 0.025 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Lead, Total | 8.0 | mg/kg | 0.035 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Selenium, Total | < 2.5 | mg/kg | 0.041 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Silver, Total | < 2.5 | mg/kg | 0.019 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| General | | | | | | | | | |
| Diesel Range Organics | < 10 | mg/kg | 0.72 | 2.3 | 1 | DRO95 | 7/26/2006 | MJR | 1 |
| PCB'S | | | | | | | | | |
| PCB-1248 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1232 | < 0.0072 | mg/kg | 0.007 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1016 | < 0.002 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1221 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1242 | < 0.0049 | mg/kg | 0.004 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1254 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1260 | < 0.0028 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| VOC's | | | | | | | | | |
| Benzene | 99 | ug/kg | 5.2 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromobenzene | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromodichloromethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromoform | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| tert-Butylbenzene | < 25 | ug/kg | 5.6 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| sec-Butylbenzene | < 25 | ug/kg | 8 | 26 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| n-Butylbenzene | < 25 | ug/kg | 20 | 65 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Carbon Tetrachloride | < 25 | ug/kg | 8.7 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroform | < 25 | ug/kg | 5.9 | 19 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloromethane | < 25 | ug/kg | 8.4 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2-Chlorotoluene | < 25 | ug/kg | 5.1 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 4-Chlorotoluene | < 25 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dibromochloromethane | < 25 | ug/kg | 17 | 54 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 25 | ug/kg | 22 | 72 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 25 | ug/kg | 19 | 59 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 25 | ug/kg | 20 | 64 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 25 | ug/kg | 10 | 32 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloroethane | < 25 | ug/kg | 11 | 36 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethane | < 25 | ug/kg | 9 | 29 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethene | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | 6100 | ug/kg | 16 | 51 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | 119 | ug/kg | 8.9 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 25 | ug/kg | 11 | 34 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 25 | ug/kg | 14 | 45 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857B
Sample ID TCN-GP-2(10)
Sample Soil
Sample Date 7/20/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|----------|-------|------|------|-----|--------|-----------|---------|------|
| Di-isopropyl ether | < 25 | ug/kg | 3.9 | 12 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 25 | ug/kg | 15 | 49 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Ethylbenzene | 1950 | ug/kg | 9.8 | 31 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Hexachlorobutadiene | < 25 | ug/kg | 12 | 38 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Isopropylbenzene | 28.7 "J" | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| p-Isopropyltoluene | < 25 | ug/kg | 15 | 47 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methylene chloride | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 25 | ug/kg | 17 | 55 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Naphthalene | < 25 | ug/kg | 16 | 52 | 1 | 8260B | 7/27/2006 | CJR | 2 |
| n-Propylbenzene | < 25 | ug/kg | 12 | 40 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2-Tetrachloroethane | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 25 | ug/kg | 24 | 76 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Tetrachloroethene | < 25 | ug/kg | 18 | 58 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Toluene | 2970 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 25 | ug/kg | 25 | 80 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichloroethene (TCE) | 180000 | ug/kg | 1000 | 3200 | 50 | 8260B | 7/28/2006 | CJR | 1 |
| Trichlorofluoromethane | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | 44 | ug/kg | 7.9 | 25 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 25 | ug/kg | 8.6 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Vinyl Chloride | < 25 | ug/kg | 5.5 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| m&p-Xylene | 1290 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| o-Xylene | 2920 | ug/kg | 8.8 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Lab 5013857C
Sample ID TCN-GP-3(6)
Sample Soil
Sample Date 7/21/2006

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------|----------|-------|-------|-------|-----|-----------|-----------|---------|------|
| General | | | | | | | | | |
| General | | | | | | | | | |
| Solids Percent | 91.3 | % | | | 1 | 5021 | 7/27/2006 | CJR | 1 |
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Mercury, Total | < 0.2 | mg/kg | 0.04 | 0.2 | 1 | 7471 | 7/26/2006 | SE | 1 |
| Arsenic, Total | 5.5 | mg/kg | 0.036 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Barium, Total | 25 | mg/kg | 0.025 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Cadmium, Total | < 0.5 | mg/kg | 0.012 | 0.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Chromium, Total | 14 | mg/kg | 0.025 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Lead, Total | 7.1 | mg/kg | 0.035 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Selenium, Total | < 2.5 | mg/kg | 0.041 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Silver, Total | < 2.5 | mg/kg | 0.019 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| General | | | | | | | | | |
| Diesel Range Organics | < 10 | mg/kg | 0.72 | 2.3 | 1 | DRO95 | 7/26/2006 | MJR | 1 |
| PCB'S | | | | | | | | | |
| PCB-1260 | < 0.0028 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1254 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1221 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1248 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1232 | < 0.0072 | mg/kg | 0.007 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857C
Sample ID TCN-GP-3(6)
Sample Soil
Sample Date 7/21/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|----------|-------|-------|-------|-----|----------|-----------|---------|------|
| PCB-1016 | < 0.002 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1242 | < 0.0049 | mg/kg | 0.004 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| VOC's | | | | | | | | | |
| Benzene | < 25 | ug/kg | 5.2 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromobenzene | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromodichloromethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromoform | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| tert-Butylbenzene | < 25 | ug/kg | 5.6 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| sec-Butylbenzene | < 25 | ug/kg | 8 | 26 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| n-Butylbenzene | < 25 | ug/kg | 20 | 65 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Carbon Tetrachloride | < 25 | ug/kg | 8.7 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroform | < 25 | ug/kg | 5.9 | 19 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloromethane | < 25 | ug/kg | 8.4 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2-Chlorotoluene | < 25 | ug/kg | 5.1 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 4-Chlorotoluene | < 25 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dibromochloromethane | < 25 | ug/kg | 17 | 54 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 25 | ug/kg | 22 | 72 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 25 | ug/kg | 19 | 59 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 25 | ug/kg | 20 | 64 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 25 | ug/kg | 10 | 32 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloroethane | < 25 | ug/kg | 11 | 36 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethane | < 25 | ug/kg | 9 | 29 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethene | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | < 25 | ug/kg | 16 | 51 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | < 25 | ug/kg | 8.9 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 25 | ug/kg | 11 | 34 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 25 | ug/kg | 14 | 45 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Di-isopropyl ether | < 25 | ug/kg | 3.9 | 12 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 25 | ug/kg | 15 | 49 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Ethylbenzene | < 25 | ug/kg | 9.8 | 31 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Hexachlorobutadiene | < 25 | ug/kg | 12 | 38 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Isopropylbenzene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| p-Isopropyltoluene | < 25 | ug/kg | 15 | 47 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methylene chloride | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 25 | ug/kg | 17 | 55 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Naphthalene | < 25 | ug/kg | 16 | 52 | 1 | 8260B | 7/27/2006 | CJR | 2 |
| n-Propylbenzene | < 25 | ug/kg | 12 | 40 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 25 | ug/kg | 24 | 76 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Tetrachloroethene | < 25 | ug/kg | 18 | 58 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Toluene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 25 | ug/kg | 25 | 80 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichloroethene (TCE) | < 25 | ug/kg | 20 | 63 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Trichlorofluoromethane | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 25 | ug/kg | 7.9 | 25 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 25 | ug/kg | 8.6 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Vinyl Chloride | < 25 | ug/kg | 5.5 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| m&p-Xylene | < 50 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| o-Xylene | < 25 | ug/kg | 8.8 | 28 | 1 | 8260B | 7/28/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857D
Sample ID TCN-GP-4(2)
Sample Soil
Sample Date 7/21/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------------|----------|-------|-------|-------|-----|-----------|-----------|---------|------|
| General | | | | | | | | | |
| General | | | | | | | | | |
| Solids Percent | 86.2 | % | | | 1 | 5021 | 7/27/2006 | CJR | 1 |
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Mercury, Total | < 0.2 | mg/kg | 0.04 | 0.2 | 1 | 7471 | 7/26/2006 | SE | 1 |
| Arsenic, Total | 5.9 | mg/kg | 0.036 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Barium, Total | 81 | mg/kg | 0.025 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Cadmium, Total | < 0.5 | mg/kg | 0.012 | 0.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Chromium, Total | 35 | mg/kg | 0.025 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Lead, Total | 10 | mg/kg | 0.035 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Selenium, Total | < 2.5 | mg/kg | 0.041 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Silver, Total | < 2.5 | mg/kg | 0.019 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| General | | | | | | | | | |
| Diesel Range Organics | < 10 | mg/kg | 0.72 | 2.3 | 1 | DRO95 | 7/26/2006 | MJR | 1 |
| PCB'S | | | | | | | | | |
| PCB-1221 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1242 | < 0.0049 | mg/kg | 0.004 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1248 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1016 | < 0.002 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1254 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1260 | < 0.0028 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1232 | < 0.0072 | mg/kg | 0.007 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| VOC's | | | | | | | | | |
| Benzene | < 25 | ug/kg | 5.2 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromobenzene | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromodichloromethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromoform | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| tert-Butylbenzene | < 25 | ug/kg | 5.6 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| sec-Butylbenzene | < 25 | ug/kg | 8 | 26 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| n-Butylbenzene | < 25 | ug/kg | 20 | 65 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Carbon Tetrachloride | < 25 | ug/kg | 8.7 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroform | < 25 | ug/kg | 5.9 | 19 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloromethane | < 25 | ug/kg | 8.4 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2-Chlorotoluene | < 25 | ug/kg | 5.1 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 4-Chlorotoluene | < 25 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dibromochloromethane | < 25 | ug/kg | 17 | 54 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 25 | ug/kg | 22 | 72 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 25 | ug/kg | 19 | 59 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 25 | ug/kg | 20 | 64 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 25 | ug/kg | 10 | 32 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloroethane | < 25 | ug/kg | 11 | 36 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethane | < 25 | ug/kg | 9 | 29 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethene | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | < 25 | ug/kg | 16 | 51 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | < 25 | ug/kg | 8.9 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 25 | ug/kg | 11 | 34 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 25 | ug/kg | 14 | 45 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857D
Sample ID TCN-GP-4(2)
Sample Soil
Sample Date 7/21/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|--------|-------|-----|-----|-----|--------|-----------|---------|------|
| Di-isopropyl ether | < 25 | ug/kg | 3.9 | 12 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 25 | ug/kg | 15 | 49 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Ethylbenzene | < 25 | ug/kg | 9.8 | 31 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Hexachlorobutadiene | < 25 | ug/kg | 12 | 38 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Isopropylbenzene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| p-Isopropyltoluene | < 25 | ug/kg | 15 | 47 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methylene chloride | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 25 | ug/kg | 17 | 55 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Naphthalene | < 25 | ug/kg | 16 | 52 | 1 | 8260B | 7/27/2006 | CJR | 2 |
| n-Propylbenzene | < 25 | ug/kg | 12 | 40 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 25 | ug/kg | 24 | 76 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Tetrachloroethene | < 25 | ug/kg | 18 | 58 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Toluene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 25 | ug/kg | 25 | 80 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichloroethene (TCE) | < 25 | ug/kg | 20 | 63 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichlorofluoromethane | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 25 | ug/kg | 7.9 | 25 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 25 | ug/kg | 8.6 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Vinyl Chloride | < 25 | ug/kg | 5.5 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| m&p-Xylene | < 50 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| o-Xylene | < 25 | ug/kg | 8.8 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Lab 5013857E
Sample ID TCN-GP-5(10)
Sample Soil
Sample Date 7/20/2006

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------|----------|-------|-------|-------|-----|-----------|-----------|---------|------|
| General | | | | | | | | | |
| General | | | | | | | | | |
| Solids Percent | 87.2 | % | | | 1 | 5021 | 7/27/2006 | CJR | 1 |
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Mercury, Total | < 0.2 | mg/kg | 0.04 | 0.2 | 1 | 7471 | 7/26/2006 | SE | 1 |
| Arsenic, Total | 4.7 | mg/kg | 0.036 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Barium, Total | 37 | mg/kg | 0.025 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Cadmium, Total | < 0.5 | mg/kg | 0.012 | 0.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Chromium, Total | 15 | mg/kg | 0.025 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Lead, Total | 7.6 | mg/kg | 0.035 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Selenium, Total | < 2.5 | mg/kg | 0.041 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Silver, Total | < 2.5 | mg/kg | 0.019 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| General | | | | | | | | | |
| Diesel Range Organics | < 10 | mg/kg | 0.72 | 2.3 | 1 | DRO95 | 7/26/2006 | MJR | 1 |
| PCB'S | | | | | | | | | |
| PCB-1016 | < 0.002 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1221 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1260 | < 0.0028 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1248 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1242 | < 0.0049 | mg/kg | 0.004 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857E
Sample ID TCN-GP-5(10)
Sample Soil
Sample Date 7/20/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|----------|-------|-------|-------|-----|----------|-----------|---------|------|
| PCB-1254 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1232 | < 0.0072 | mg/kg | 0.007 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| VOC's | | | | | | | | | |
| Benzene | < 25 | ug/kg | 5.2 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromobenzene | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromodichloromethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Bromoform | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| tert-Butylbenzene | < 25 | ug/kg | 5.6 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| sec-Butylbenzene | < 25 | ug/kg | 8 | 26 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| n-Butylbenzene | < 25 | ug/kg | 20 | 65 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Carbon Tetrachloride | < 25 | ug/kg | 8.7 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloroform | < 25 | ug/kg | 5.9 | 19 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Chloromethane | < 25 | ug/kg | 8.4 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2-Chlorotoluene | < 25 | ug/kg | 5.1 | 16 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 4-Chlorotoluene | < 25 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dibromochloromethane | < 25 | ug/kg | 17 | 54 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 25 | ug/kg | 22 | 72 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 25 | ug/kg | 19 | 59 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 25 | ug/kg | 20 | 64 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 25 | ug/kg | 10 | 32 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloroethane | < 25 | ug/kg | 11 | 36 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethane | < 25 | ug/kg | 9 | 29 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1-Dichloroethene | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | 640 | ug/kg | 16 | 51 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | 47 | ug/kg | 8.9 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 25 | ug/kg | 11 | 34 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 25 | ug/kg | 14 | 45 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Di-isopropyl ether | < 25 | ug/kg | 3.9 | 12 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 25 | ug/kg | 15 | 49 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Ethylbenzene | < 25 | ug/kg | 9.8 | 31 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Hexachlorobutadiene | < 25 | ug/kg | 12 | 38 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Isopropylbenzene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| p-Isopropyltoluene | < 25 | ug/kg | 15 | 47 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methylene chloride | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 25 | ug/kg | 17 | 55 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Naphthalene | < 25 | ug/kg | 16 | 52 | 1 | 8260B | 7/27/2006 | CJR | 2 |
| n-Propylbenzene | < 25 | ug/kg | 12 | 40 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 25 | ug/kg | 24 | 76 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Tetrachloroethene | < 25 | ug/kg | 18 | 58 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Toluene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 25 | ug/kg | 25 | 80 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichloroethene (TCE) | 680 | ug/kg | 20 | 63 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Trichlorofluoromethane | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 25 | ug/kg | 7.9 | 25 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 25 | ug/kg | 8.6 | 27 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| Vinyl Chloride | < 25 | ug/kg | 5.5 | 18 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| m&p-Xylene | < 50 | ug/kg | 17 | 53 | 1 | 8260B | 7/27/2006 | CJR | 1 |
| o-Xylene | < 25 | ug/kg | 8.8 | 28 | 1 | 8260B | 7/27/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857F
Sample ID TCN-GP-6(6)
Sample Soil
Sample Date 7/21/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------------|----------|-------|-------|-------|-----|-----------|-----------|---------|------|
| General | | | | | | | | | |
| General | | | | | | | | | |
| Solids Percent | 87.2 | % | | | 1 | 5021 | 7/27/2006 | CJR | 1 |
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Mercury, Total | < 0.2 | mg/kg | 0.04 | 0.2 | 1 | 7471 | 7/26/2006 | SE | 1 |
| Arsenic, Total | 10 | mg/kg | 0.036 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Barium, Total | 26 | mg/kg | 0.025 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Cadmium, Total | < 0.5 | mg/kg | 0.012 | 0.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Chromium, Total | 14 | mg/kg | 0.025 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Lead, Total | 14 | mg/kg | 0.035 | 5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Selenium, Total | < 2.5 | mg/kg | 0.041 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Silver, Total | < 2.5 | mg/kg | 0.019 | 2.5 | 1 | EPA 6010B | 7/27/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| General | | | | | | | | | |
| Diesel Range Organics | < 10 | mg/kg | 0.72 | 2.3 | 1 | DRO95 | 7/26/2006 | MJR | 1 |
| PCB'S | | | | | | | | | |
| PCB-1248 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1242 | < 0.0049 | mg/kg | 0.004 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1254 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1221 | < 0.0056 | mg/kg | 0.005 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1260 | < 0.0028 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1016 | < 0.002 | mg/kg | 0.002 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| PCB-1232 | < 0.0072 | mg/kg | 0.007 | 0.017 | 1 | EPA 8082 | 7/27/2006 | ESC | 1 |
| VOC's | | | | | | | | | |
| Benzene | < 25 | ug/kg | 5.2 | 16 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Bromobenzene | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Bromodichloromethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Bromoform | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| tert-Butylbenzene | < 25 | ug/kg | 5.6 | 18 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| sec-Butylbenzene | < 25 | ug/kg | 8 | 26 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| n-Butylbenzene | < 25 | ug/kg | 20 | 65 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Carbon Tetrachloride | < 25 | ug/kg | 8.7 | 28 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Chlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Chloroethane | < 25 | ug/kg | 13 | 42 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Chloroform | < 25 | ug/kg | 5.9 | 19 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Chloromethane | < 25 | ug/kg | 8.4 | 27 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 2-Chlorotoluene | < 25 | ug/kg | 5.1 | 16 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 4-Chlorotoluene | < 25 | ug/kg | 17 | 53 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Dibromochloromethane | < 25 | ug/kg | 17 | 54 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 25 | ug/kg | 22 | 72 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 25 | ug/kg | 19 | 59 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 25 | ug/kg | 20 | 64 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 25 | ug/kg | 10 | 32 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2-Dichloroethane | < 25 | ug/kg | 11 | 36 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,1-Dichloroethane | < 25 | ug/kg | 9 | 29 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,1-Dichloroethene | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | < 25 | ug/kg | 16 | 51 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | < 25 | ug/kg | 8.9 | 28 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 25 | ug/kg | 11 | 34 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 25 | ug/kg | 14 | 45 | 1 | 8260B | 7/28/2006 | CJR | 1 |

Project Name CLARE CENTRAL LSA/WI
Project # 38067034
Lab 5013857F
Sample ID TCN-GP-6(6)
Sample Soil
Sample Date 7/21/2006

Invoice # E13857

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|--------|-------|-----|-----|-----|--------|-----------|---------|------|
| Di-isopropyl ether | < 25 | ug/kg | 3.9 | 12 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 25 | ug/kg | 15 | 49 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Ethylbenzene | < 25 | ug/kg | 9.8 | 31 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Hexachlorobutadiene | < 25 | ug/kg | 12 | 38 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Isopropylbenzene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| p-Isopropyltoluene | < 25 | ug/kg | 15 | 47 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Methylene chloride | < 25 | ug/kg | 19 | 61 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 25 | ug/kg | 17 | 55 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Naphthalene | < 25 | ug/kg | 16 | 52 | 1 | 8260B | 7/28/2006 | CJR | 2 |
| n-Propylbenzene | < 25 | ug/kg | 12 | 40 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 25 | ug/kg | 15 | 48 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 25 | ug/kg | 24 | 76 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Tetrachloroethene | < 25 | ug/kg | 18 | 58 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Toluene | < 25 | ug/kg | 12 | 39 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 25 | ug/kg | 25 | 80 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 25 | ug/kg | 21 | 66 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | < 25 | ug/kg | 18 | 57 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Trichloroethene (TCE) | < 25 | ug/kg | 20 | 63 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Trichlorofluoromethane | < 25 | ug/kg | 11 | 35 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 25 | ug/kg | 7.9 | 25 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 25 | ug/kg | 8.6 | 27 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| Vinyl Chloride | < 25 | ug/kg | 5.5 | 18 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| m&p-Xylene | < 50 | ug/kg | 17 | 53 | 1 | 8260B | 7/28/2006 | CJR | 1 |
| o-Xylene | < 25 | ug/kg | 8.8 | 28 | 1 | 8260B | 7/28/2006 | CJR | 1 |

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

| Code | Comment |
|------|-------------------------------------------------------------------|
| 1 | Laboratory QC within limits. |
| 2 | Relative percent difference failed for laboratory spiked samples. |

Authorized Signature *Michael J. Ricker*

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

Chain # 7005

Page 1 of 1

 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

| | |
|--------------------------------|------------|
| Lab I.D. # | |
| Account No.: | Quote No.: |
| Project #: 380067034 | |
| Sampler: (signature) Brad Gray | |

| | |
|---------------------------------------------------|-----------------|
| Project (Name / Location): Clare Control LSA / WI | |
| Reports To: Brett Loscy | Invoice To: |
| Company Terracon | Company: |
| Address 301B E Capital Dr. | Address: |
| City State Zip Appleton, WI 54911 | City State Zip: |
| Phone 920 993 9046 | Phone: |
| FAX: | FAX: |

| Analysis Requested | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| DRO (Mod DRO Sep 95) GRO (Mod GRO Sep 95) PVOC (EPA 8021) VOC (EPA 8260) VOC DW (EPA 524.2) PAH (EPA 8270) Total Suspended Solids Lead PCBs MRTELs | Other Analysis PID/ FID |

| Lab I.D. | Sample I.D. | Collection Date | Time | Comp | Grab | Filtered Y/N | No. of Containers | Sample Type (Matrix)* | Preservation | DRO (Mod DRO Sep 95) | GRO (Mod GRO Sep 95) | PVOC (EPA 8021) | VOC (EPA 8260) | VOC DW (EPA 524.2) | PAH (EPA 8270) | Total Suspended Solids | Lead | PCBs | MRTELs | PID/ FID |
|----------|--------------|-----------------|------|------|------|--------------|-------------------|-----------------------|--------------|----------------------|----------------------|-----------------|----------------|--------------------|----------------|------------------------|------|------|--------|-------------|
| | TEN-CP-1 (1) | 7/24/06 | 1455 | | X | N | 4 | Soil | Max 1 hr | X | | X | | | | | | X | X | |
| | TEN-CP-2 (1) | 7/24/06 | 1550 | | | | | | | | | | | | | | | | | |
| | TEN-CP-3 (6) | 7/24/06 | 950 | | | | | | | | | | | | | | | | | |
| | TEN-CP-4 (2) | 7/24/06 | 845 | | | | | | | | | | | | | | | | | |
| | TEN-CP-5 (1) | 7/24/06 | 1615 | | | | | | | | | | | | | | | | | |
| | TEN-CP-6 (6) | 7/24/06 | 915 | | | | | | | | | | | | | | | | | |

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
 Please hold PAH analysis until further notice.

| | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------|---------|---------------------|-------|------|
| Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>Express</u> Temp. of Temp. Blank: _____ °C On Ice: <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Relinquished By: (sign) | Time | Date | Received By: (sign) | Time | Date |
| | <u>Brett Loscy</u> | 9:30 | 7/24/06 | | | |
| | Received in Laboratory By: <u>[Signature]</u> | Time: | Date: | Time: | Date: | |
| | | | | | | |

Synergy Environmental Lab, Inc.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRETT LOSEY
TERRACON
3011B E. Capitol Drive
APPLETON WI 54911

Report 15-Aug-06

Project Name CLARE CENTRAL
Project # 38067034
Lab 5013881A
Sample ID TCN-GP-2
Sample Water
Sample Date

Invoice # E13881

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|------------------------|-----------|------|-------|-------|-----|-----------|----------|---------|------|
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Cadmium, dissolved | < 0.7 | ug/l | 0.7 | 5 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Chromium, Dissolved | < 3.1 | ug/l | 3.1 | 10 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Mercury, dissolved | < 0.066 | ug/l | 0.066 | 0.2 | 1 | 7470A | 8/3/2006 | ESC | 1 |
| Selenium, dissolved | 30 | ug/l | 7.2 | 20 | 1 | EPA 6010B | 8/4/2006 | ESC | 1 |
| Silver, dissolved | < 3 | ug/l | 3 | 10 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Barium, Dissolved | 98 | ug/l | 1.6 | 5 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Arsenic, Dissolved | < 7.4 | ug/l | 7.4 | 20 | 1 | EPA 6010B | 8/4/2006 | ESC | 1 |
| Lead, Dissolved | < 4.1 | ug/l | 4.1 | 5 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| PAH SIM | | | | | | | | | |
| Acenaphthene | < 0.016 | ug/l | 0.016 | 0.05 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Acenaphthylene | < 0.012 | ug/l | 0.012 | 0.039 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Anthracene | 0.017 "J" | ug/l | 0.013 | 0.04 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(a)anthracene | 0.13 | ug/l | 0.012 | 0.037 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(a)pyrene | 0.22 | ug/l | 0.008 | 0.026 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(b)fluoranthene | 0.30 | ug/l | 0.009 | 0.029 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(g,h,i)perylene | 0.34 | ug/l | 0.01 | 0.033 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(k)fluoranthene | 0.12 | ug/l | 0.009 | 0.029 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Chrysene | 0.16 | ug/l | 0.011 | 0.035 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Dibenzo(a,h)anthracene | 0.029 | ug/l | 0.009 | 0.029 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Fluoranthene | 0.21 | ug/l | 0.011 | 0.034 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Fluorene | < 0.015 | ug/l | 0.015 | 0.046 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Indeno(1,2,3-cd)pyrene | 0.21 | ug/l | 0.015 | 0.047 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| 1-Methyl naphthalene | < 0.018 | ug/l | 0.018 | 0.058 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| 2-Methyl naphthalene | < 0.021 | ug/l | 0.021 | 0.067 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Naphthalene | 0.028 "J" | ug/l | 0.028 | 0.089 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Phenanthrene | 0.11 | ug/l | 0.011 | 0.035 | 1 | M8270 | 8/1/2006 | MJR | 1 |
| Pyrene | 0.17 | ug/l | 0.01 | 0.032 | 1 | M8270 | 8/1/2006 | MJR | 1 |

Project Name CLARE CENTRAL
Project # 38067034
Lab 5013881A
Sample ID TCN-GP-2
Sample Water
Sample Date

Invoice # E13881

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|----------|------|-------|------|-----|--------|-----------|---------|------|
| VOC's | | | | | | | | | |
| Benzene | 37 | ug/l | 0.17 | 0.53 | 1 | 8260B | 7/29/2006 | CJR | 3 64 |
| Bromobenzene | < 0.62 | ug/l | 0.62 | 2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Bromodichloromethane | < 0.82 | ug/l | 0.82 | 2.6 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Bromoform | < 0.3 | ug/l | 0.3 | 0.97 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| tert-Butylbenzene | < 0.6 | ug/l | 0.6 | 1.9 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| sec-Butylbenzene | < 0.76 | ug/l | 0.76 | 2.4 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| n-Butylbenzene | < 1.1 | ug/l | 1.1 | 3.5 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Carbon Tetrachloride | < 0.52 | ug/l | 0.52 | 1.7 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Chlorobenzene | < 0.56 | ug/l | 0.56 | 1.8 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Chloroethane | < 0.54 | ug/l | 0.54 | 1.7 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Chloroform | 0.82 "J" | ug/l | 0.61 | 1.9 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Chloromethane | < 0.91 | ug/l | 0.91 | 2.9 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 2-Chlorotoluene | < 1.1 | ug/l | 1.1 | 3.4 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 4-Chlorotoluene | < 0.62 | ug/l | 0.62 | 2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 2.5 | ug/l | 2.5 | 8.1 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Dibromochloromethane | < 0.65 | ug/l | 0.65 | 2.1 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 0.72 | ug/l | 0.72 | 2.3 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 0.69 | ug/l | 0.69 | 2.2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 0.5 | ug/l | 0.5 | 1.6 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2-Dichloroethane | 2.12 "J" | ug/l | 0.72 | 2.3 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,1-Dichloroethane | 5.9 | ug/l | 0.22 | 0.69 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,1-Dichloroethene | 7.8 | ug/l | 0.3 | 0.97 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | 1900 | ug/l | 50 | 160 | 100 | 8260B | 8/1/2006 | CJR | 1 |
| trans-1,2-Dichloroethene | 79 | ug/l | 0.65 | 2.1 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 0.21 | ug/l | 0.21 | 0.67 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 1.2 | ug/l | 1.2 | 4 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 0.67 | ug/l | 0.67 | 2.1 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Di-isopropyl ether | < 0.079 | ug/l | 0.079 | 0.25 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 0.21 | ug/l | 0.21 | 0.67 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Ethylbenzene | 37 | ug/l | 0.2 | 0.62 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Hexachlorobutadiene | < 2.1 | ug/l | 2.1 | 6.7 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Isopropylbenzene | < 0.99 | ug/l | 0.99 | 3.2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| p-Isopropyltoluene | < 0.81 | ug/l | 0.81 | 2.6 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Methylene chloride | < 0.61 | ug/l | 0.61 | 1.9 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.34 | ug/l | 0.34 | 1.1 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Naphthalene | < 2.2 | ug/l | 2.2 | 6.8 | 1 | 8260B | 7/29/2006 | CJR | 4 |
| n-Propylbenzene | < 0.61 | ug/l | 0.61 | 2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 0.89 | ug/l | 0.89 | 2.8 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 0.48 | ug/l | 0.48 | 1.5 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Tetrachloroethene | < 0.37 | ug/l | 0.37 | 1.2 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Toluene | 79 | ug/l | 0.59 | 1.9 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 1.5 | ug/l | 1.5 | 4.8 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.42 | ug/l | 0.42 | 1.3 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | 2.82 | ug/l | 0.36 | 1.1 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Trichloroethene (TCE) | 8100 | ug/l | 39 | 130 | 100 | 8260B | 8/1/2006 | CJR | 1 |
| Trichlorofluoromethane | < 0.22 | ug/l | 0.22 | 0.71 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.16 | ug/l | 0.16 | 0.5 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 1.2 | ug/l | 1.2 | 3.7 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| Vinyl Chloride | 19.2 | ug/l | 0.11 | 0.35 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| m&p-Xylene | 8.9 | ug/l | 1.1 | 3.4 | 1 | 8260B | 7/29/2006 | CJR | 1 |
| o-Xylene | 15.2 | ug/l | 0.18 | 0.56 | 1 | 8260B | 7/29/2006 | CJR | 1 |

Project Name CLARE CENTRAL
Project # 38067034
Lab 5013881B
Sample ID TCN-GP-6
Sample Water
Sample Date

Invoice # E13881

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|-----------------------------|----------|------|-------|-------|-------|-----------|----------|---------|------|
| Inorganic | | | | | | | | | |
| Metals | | | | | | | | | |
| Cadmium, dissolved | < 0.7 | ug/l | 0.7 | 5 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Chromium, Dissolved | < 3.1 | ug/l | 3.1 | 10 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Selenium, dissolved | 27 | ug/l | 7.2 | 20 | 1 | EPA 6010B | 8/4/2006 | ESC | 1 |
| Silver, dissolved | < 3 | ug/l | 3 | 10 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Barium, Dissolved | 110 | ug/l | 1.6 | 5 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Arsenic, Dissolved | < 7.4 | ug/l | 7.4 | 20 | 1 | EPA 6010B | 8/4/2006 | ESC | 1 |
| Lead, Dissolved | 7.3 | ug/l | 4.1 | 5 | 1 | EPA 6010B | 8/3/2006 | ESC | 1 |
| Organic | | | | | | | | | |
| PAH SIM | | | | | | | | | |
| Acenaphthene | < 0.11 | ug/l | 0.106 | 0.333 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Acenaphthylene | < 0.080 | ug/l | 0.080 | 0.260 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Anthracene | < 0.087 | ug/l | 0.086 | 0.266 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(a)anthracene | 0.40 | ug/l | 0.080 | 0.246 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(a)pyrene | 0.40 | ug/l | 0.053 | 0.173 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(b)fluoranthene | 0.60 | ug/l | 0.060 | 0.193 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(g,h,i)perylene | 0.35 | ug/l | 0.066 | 0.220 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Benzo(k)fluoranthene | 0.21 | ug/l | 0.060 | 0.193 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Chrysene | 0.43 | ug/l | 0.073 | 0.233 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Dibenzo(a,h)anthracene | < 0.060 | ug/l | 0.060 | 0.193 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Fluoranthene | 0.77 | ug/l | 0.073 | 0.226 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Fluorene | < 0.10 | ug/l | 0.100 | 0.306 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Indeno(1,2,3-cd)pyrene | 0.22 "J" | ug/l | 0.100 | 0.313 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| 1-Methyl naphthalene | < 0.12 | ug/l | 0.120 | 0.386 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| 2-Methyl naphthalene | 0.20 "J" | ug/l | 0.140 | 0.446 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Naphthalene | < 0.187 | ug/l | 0.186 | 0.593 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Phenanthrene | 0.41 | ug/l | 0.073 | 0.233 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| Pyrene | 0.57 | ug/l | 0.066 | 0.213 | 6.670 | M8270 | 8/1/2006 | MJR | 1 |
| VOC's | | | | | | | | | |
| Benzene | < 0.17 | ug/l | 0.17 | 0.53 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Bromobenzene | < 0.62 | ug/l | 0.62 | 2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Bromodichloromethane | < 0.82 | ug/l | 0.82 | 2.6 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Bromoform | < 0.3 | ug/l | 0.3 | 0.97 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| tert-Butylbenzene | < 0.6 | ug/l | 0.6 | 1.9 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| sec-Butylbenzene | < 0.76 | ug/l | 0.76 | 2.4 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| n-Butylbenzene | < 1.1 | ug/l | 1.1 | 3.5 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Carbon Tetrachloride | < 0.52 | ug/l | 0.52 | 1.7 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Chlorobenzene | < 0.56 | ug/l | 0.56 | 1.8 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Chloroethane | < 0.54 | ug/l | 0.54 | 1.7 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Chloroform | < 0.61 | ug/l | 0.61 | 1.9 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Chloromethane | < 0.91 | ug/l | 0.91 | 2.9 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 2-Chlorotoluene | < 1.1 | ug/l | 1.1 | 3.4 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 4-Chlorotoluene | < 0.62 | ug/l | 0.62 | 2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2-Dibromo-3-chloropropane | < 2.5 | ug/l | 2.5 | 8.1 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Dibromochloromethane | < 0.65 | ug/l | 0.65 | 2.1 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,4-Dichlorobenzene | < 0.68 | ug/l | 0.68 | 2.2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,3-Dichlorobenzene | < 0.72 | ug/l | 0.72 | 2.3 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2-Dichlorobenzene | < 0.69 | ug/l | 0.69 | 2.2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Dichlorodifluoromethane | < 0.5 | ug/l | 0.5 | 1.6 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2-Dichloroethane | < 0.72 | ug/l | 0.72 | 2.3 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,1-Dichloroethane | < 0.22 | ug/l | 0.22 | 0.69 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,1-Dichloroethene | < 0.3 | ug/l | 0.3 | 0.97 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| cis-1,2-Dichloroethene | < 0.5 | ug/l | 0.5 | 1.6 | 1 | 8260B | 8/1/2006 | CJR | 1 |

Project Name CLARE CENTRAL
Project # 38067034
Lab 5013881B
Sample ID TCN-GP-6
Sample Water
Sample Date

Invoice # E13881

| | Result | Unit | LOD | LOQ | Dil | Method | Run | Analyst | Code |
|--------------------------------|---------|------|-------|------|-----|--------|----------|---------|------|
| trans-1,2-Dichloroethene | < 0.65 | ug/l | 0.65 | 2.1 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2-Dichloropropane | < 0.21 | ug/l | 0.21 | 0.67 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 2,2-Dichloropropane | < 1.2 | ug/l | 1.2 | 4 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,3-Dichloropropane | < 0.67 | ug/l | 0.67 | 2.1 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Di-isopropyl ether | < 0.079 | ug/l | 0.079 | 0.25 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| EDB (1,2-Dibromoethane) | < 0.21 | ug/l | 0.21 | 0.67 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Ethylbenzene | < 0.2 | ug/l | 0.2 | 0.62 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Hexachlorobutadiene | < 2.1 | ug/l | 2.1 | 6.7 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Isopropylbenzene | < 0.99 | ug/l | 0.99 | 3.2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| p-Isopropyltoluene | < 0.81 | ug/l | 0.81 | 2.6 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Methylene chloride | < 0.61 | ug/l | 0.61 | 1.9 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Methyl tert-butyl ether (MTBE) | < 0.34 | ug/l | 0.34 | 1.1 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Naphthalene | < 2.2 | ug/l | 2.2 | 6.8 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| n-Propylbenzene | < 0.61 | ug/l | 0.61 | 2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,1,2,2-Tetrachloroethane | < 0.89 | ug/l | 0.89 | 2.8 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,1,1,2-Tetrachloroethane | < 0.48 | ug/l | 0.48 | 1.5 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Tetrachloroethene | < 0.37 | ug/l | 0.37 | 1.2 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Toluene | < 0.59 | ug/l | 0.59 | 1.9 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2,4-Trichlorobenzene | < 1.5 | ug/l | 1.5 | 4.8 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2,3-Trichlorobenzene | < 1.4 | ug/l | 1.4 | 4.4 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,1,1-Trichloroethane | < 0.42 | ug/l | 0.42 | 1.3 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,1,2-Trichloroethane | < 0.36 | ug/l | 0.36 | 1.1 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Trichloroethene (TCE) | < 0.39 | ug/l | 0.39 | 1.3 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Trichlorofluoromethane | < 0.22 | ug/l | 0.22 | 0.71 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,2,4-Trimethylbenzene | < 0.16 | ug/l | 0.16 | 0.5 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| 1,3,5-Trimethylbenzene | < 1.2 | ug/l | 1.2 | 3.7 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| Vinyl Chloride | < 0.11 | ug/l | 0.11 | 0.35 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| m&p-Xylene | < 1.1 | ug/l | 1.1 | 3.4 | 1 | 8260B | 8/1/2006 | CJR | 1 |
| o-Xylene | < 0.18 | ug/l | 0.18 | 0.56 | 1 | 8260B | 8/1/2006 | CJR | 1 |

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

- 1 Laboratory QC within limits.
- 3 The matrix spike not within established limits.
- 4 The continuing calibration standard not within established limits.
- 64 Spike recovery failed due to matrix interference. Sample results unaffected.

Authorized Signature *Michael J. Ricker*

CHAIN OF CUSTODY RECORD

Synergy

Chain #

4821

Page 1 of 1

Environmental Lab, LLC.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required 8/11/06
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No.: _____ Quote No.: _____
 Project #: 38007034
 Sampler: (signature) Bret Lacey

Project (Name / Location): Clare Central [WI]

| Reports To: <u>Bret Lacey</u> | | Invoice To: <u>Clare Central</u> | |
|------------------------------------------|--|----------------------------------|--|
| Company <u>Tenneco</u> | | Company <u>Tenneco</u> | |
| Address <u>3011B E. Capitol Dr.</u> | | Address _____ | |
| City State Zip <u>Appleton, WI 54911</u> | | City State Zip _____ | |
| Phone <u>9209939096</u> | | Phone _____ | |
| FAX _____ | | FAX _____ | |

Analysis Requested

Other Analysis

| Lab I.D. | Sample I.D. | Collection Date | Time | Comp | Grab | Filtered Y/N | No. of Containers | Sample Type (Matrix)* | Preservation | DRO (Mod DRO Sep 95) | GRO (Mod GRO Sep 95) | PVOC (EPA 8021) | VOC (EPA 8260) | VOC DW (EPA 524.2) | PAH (EPA 8270) | Total Suspended Solids | Lead | PID/FID |
|----------|----------------|-----------------|--------------|------|----------|--------------|-------------------|-----------------------|----------------|----------------------|----------------------|-----------------|----------------|--------------------|----------------|------------------------|------|---------|
| | <u>TCN-GP2</u> | | <u>12:00</u> | | <u>X</u> | <u>Y/N</u> | <u>1</u> | <u>60</u> | <u>11/1/06</u> | | | | <u>X</u> | <u>X</u> | | | | |
| | <u>TCN-GP6</u> | | <u>12:30</u> | | <u>X</u> | <u>Y/N</u> | <u>1</u> | <u>1</u> | <u>1</u> | | | | <u>X</u> | <u>X</u> | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
Please RUSH VOC + PAH
per request from client

| | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------------|------------|---------------------------|------------|------------|
| Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>Hand Delivered</u> Temp. of Temp. Blank: _____ °C On Ice: <u>X</u> Cooler seal intact upon receipt: <u>X</u> Yes _____ No | Relinquished By: (sign) _____ | Time _____ | Date _____ | Received By: (sign) _____ | Time _____ | Date _____ |
| | Received in Laboratory By: <u>[Signature]</u> | | | | | |
| | Time: <u>8:30 AM</u> | | | Date: <u>7/28/06</u> | | |

Mylotta, Pamela A - DNR

From: Margie Kidder [margaretk@stclaremgt.org]
Sent: Wednesday, August 03, 2011 2:49 PM
To: Mylotta, Pamela A - DNR
Subject: RP letter - City of Milwaukee
Attachments: 38067034 LSARReport ClareCentral.pdf

Hi Pam,

For a financial audit footnote disclosure, I was wondering if you could share a copy of the RP letter that was sent to the City of Milwaukee?

You may or may not be aware, that GAAP requires us to fully disclose any environmental issues in the footnotes of our audited financial statements. Since I am aware that there is a potential of another RP out there, I would like to include that possibility for in my footnote. I just need that letter as backup and don't think I need to actually disclose the name in the footnote, nor would I unless GAAP required it.

Also, attached is what I have from 2006. It is the LSAR, which I think is the Phase one. If it is not, or you need something else, please do not hesitate to contact me.

Thank you!

Margie

Margaret Kidder
St. Clare Management
Executive Director
1545 S. Layton Blvd, Milwaukee, WI 53215
Office 414.385.5328 Fax 414.385.5333



Please consider the environment before printing this e-mail