



June 22, 2007

Mr. Bill Bartlett  
34196 Meridian Street  
Muscoda, WI 53573

AUG 29 2007

Re: Phase II Environmental Site Assessment  
Weber's Dry Cleaners, 711 Church Street, Richland Center, WI

Dear Mr. Bartlett:

This letter report presents the results of soil and groundwater sampling conducted during a Phase II Environmental Site Assessment conducted at the Weber's Dry Cleaners site in Richland Center. The purpose of the site assessment was to assess a recognized environmental condition (REC) identified during the Phase I, specifically property use as a dry cleaner business.

#### Phase II ESA Scope of Work

- Four soil borings were advanced to collect both soil and groundwater samples on June 8, 2007. The results of these borings are discussed below.
- On June 18, 2007, MSA conducted a review of the Department of Natural Resources project file for the Bill's Service Station project. Tetrachloroethene was detected in a monitoring well located northwest of the Weber's Dry Cleaner property in Gage Street, at concentrations of 6.2 and 1.8 ug/L in two samples collected in 1998 and 2000, respectively. It was not detected in any of the other monitoring wells at the Bill's Service Station property, located immediately west of the subject property.

#### Results

On June 8, 2007, Soil Essentials of New Glarus, Wisconsin, under the direction of MSA Professional Services, Inc. (MSA), advanced four soil borings at the Weber's Dry Cleaners site using a geoprobe sampler. Both soil and groundwater samples were collected from all four borings. The locations of the borings, labeled B-1 through B-4, are shown on Figure 3 – Soil Boring Locations, attached. Borings B-1 through B-3 were installed on the west property line; B-4 was installed near the northeast corner of the property. All four borings were advanced to 18 feet below the ground surface. Groundwater was present at approximately 14.5 to 15 feet below the ground surface.

Subsurface geology consisted of interbedded silty sand and silty clay to a depth of approximately six feet below the ground surface, underlain by a silty sand which graded downward to a poorly graded sand. The sand unit appeared to be weathered sandstone bedrock, based on the alternating bands of tan and brown color typical of the bedrock in the area.

#### Offices in Illinois, Iowa, Minnesota, and Wisconsin

---

1230 SOUTH BOULEVARD • BARABOO, WI 53913-2791  
608.356.2771 • 1.800.362.4505 • FAX: 608.356.2770  
[www.msa-ps.com](http://www.msa-ps.com)

Mr. Bill Bartlett  
June 22, 2007

Continuous soil samples were collected at two-foot intervals in the four borings, and logged for geology and moisture content. An organic vapor measurement was collected for each sample with a Thermo Environmental Instruments Model 580B photoionization meter, calibrated to a 250 ppm isobutylene standard. Soil boring logs illustrating the geology at each boring along with the organic vapor readings are attached.

Two of the soil samples were submitted for laboratory analysis of volatile organic compounds using EPA Method 8260. The samples corresponded to the 0 to 2 foot interval at B-2 and the 2 to 4 foot interval at B-4. Detected compounds are tabulated below:

	EPA Residential Direct Contact Limit (in mg/kg)	B-2 (0 to 2 feet) (in mg/kg)	B-4 (2 to 4 feet) (in mg/kg)
Acetone	14,000	< 0.26	0.27
Chloroform	0.22	0.017	< 0.014
Methylene Chloride	9.1	0.15 (B)	0.081 (B)
Tetrachloroethene	0.48	<b>4.9</b>	0.090

(B) = compound also detected in associated laboratory method blank

BOLD = exceeds regulatory standard

Tetrachloroethene, used in the dry cleaning business as a cleaning solvent (also known as perchloroethylene, PCE or "PERC") was detected in both soil samples. The concentration in the sample at B-2 exceeded the Environmental Protection Agency residential soil direct contact limit of 0.48 mg/kg with a concentration of 4.9 mg/kg.

Groundwater samples were collected from all four borings. The geoprobe sampler was advanced several feet into the water table, and approximately two liters of water were removed from the sampler using a peristaltic pump prior to sampling. The samples were collected directly from the pump tubing, with new tubing installed prior to collection of each sample to prevent cross contamination between the borings. The groundwater sample results for detected compounds are tabulated below:

	Tetrachloroethene (in ug/L)	Trichloroethene (in ug/L)
NR 140 Enforcement Standard	5.0	5.0
NR 140 Preventive Action Limit	0.5	0.5
B-1	<b>240</b>	<b>1.5</b>
B-2	<b>110</b>	0.19
B-3	<b>97</b>	0.29
B-4	<b>140</b>	<b>2.0</b>

Page 3

Mr. Bill Bartlett  
June 22, 2007


Tetrachloroethene was detected in all four borings at concentrations above the Wisconsin Administrative Code NR 140 enforcement standard of 5.0 ug/L. The highest concentration was at B-1 where the result was 240 ug/L. Trichloroethene was also detected in all four borings, but at concentrations below the enforcement standard.

Based on these results, it appears that a release of tetrachloroethene has occurred at the Weber's Dry Cleaners property at some point in the past. Additional investigation would be necessary to confirm the source of the release, determine the groundwater flow direction, identify the nature and extent of the contamination, and to determine an appropriate remedial response.

Section 292.11, Wis. Stats., also known as the "spills law" requires that a person who possesses or controls a hazardous substance which is discharged or who causes the discharge of a hazardous substance shall notify the Department of Natural Resources immediately of any discharge not exempted by law. In addition, the responsible party must take the actions necessary to restore the environment to the extent practicable. Therefore, this type of release is reportable by the responsible party to the WDNR to comply with the "spills law" requirements. The spills coordinator for the South Central Region of DNR is Ted Amman, and he can be reached at 608-275-3332.

Bill, thank you for the opportunity to provide this service to you. Please do not hesitate to call Richard Lyster or me if you have any questions, or if you wish to discuss this project further.


Sincerely,



Jayne A. Englebert, P.G.  
Senior Hydrogeologist

JAE:tjr  
cc: Richard Lyster, MSA

Attachments: Figure 1 – Site Location Map  
Figure 2 – Site Layout Map  
Figure 3 – Soil Boring Locations  
Soil Boring Logs  
Borehole Abandonment Forms  
Laboratory Report – CT Laboratories, Baraboo, Wisconsin




2000 0 2000  
SCALE IN FEET



**Richland Center Quadrangle  
Wisconsin - Richland Co.  
7.5 Minute Series (Topographic)**

SW/4 Richland Center 15 Minute Quadrangle  
Contour Interval 20 Feet  
1983


PROJECT  
LOCATION



**MSA**  
PROFESSIONAL SERVICES

TRANSPORTATION • MUNICIPAL • REMEDIATION  
DEVELOPMENT • ENVIRONMENTAL  
120 South Boulevard Baraboo, WI 53913  
608-356-2771 1-800-363-6565 Fax 608-356-2770

**FIGURE 1  
SITE LOCATION MAP**  
WEBER'S DRY CLEANERS  
711 S. CHURCH STREET, RICHLAND CENTER, WISCONSIN  
211169AA




20 0 20  
SCALE IN FEET

#### LEGEND

- POWER POLE
- MANHOLE
- RAILING
- OHE — OVERHEAD ELECTRIC
- P/L PROPERTY LINE

FIGURE 2

SITE LAYOUT MAP		
WEBER'S DRY CLEANERS 711 S. CHURCH STREET RICHLAND CENTER, WISCONSIN		
<b>MSA</b> <small>PROFESSIONAL SERVICES</small>		
TRANSPORTATION • MUNICIPAL • REMEDIATION DEVELOPMENT • ENVIRONMENTAL		
1220 South Boulevard Baraboo, WI 53913 608-356-3771 1-800-363-4866 Fax: 608-356-2779		
DRAWN BY	RHM	DATE 5-7-07
CHECKED BY		SCALE AS NOTED
SHEET _____ of _____ FILE NO. 213369AB		



#### LEGEND

- B1 ● SOIL BORING
- POWER POLE
- MANHOLE
- OHE — OVERHEAD ELECTRIC
- P/L — PROPERTY LINE

FIGURE 3

**SOIL BORING LOCATIONS**  
WEBER'S DRY CLEANERS  
711 S. CHURCH STREET  
RICHLAND CENTER, WISCONSIN



TRANSPORTATION • MUNICIPAL • REMEDIATION  
DEVELOPMENT • ENVIRONMENTAL  
2290 South Boulevard, Milwaukee, WI 53213  
608-366-5771 1-800-363-5666 Fax: 608-366-2779

DRAWN BY	RHM	DATE	6-19-07
CHECKED BY		SCALE	AS NOTED

SHEET ..... OF .....  
FILE NO.  
213369AC

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name <b>Weber's Dry Cleaners</b>			License/Permit/Monitoring Number		Boring Number <b>B-1</b>										
Boring Drilled By: Name of crew chief (first, last) and Firm <b>Cory Anderson Soil Essentials</b>			Date Drilling Started <b>6/8/2007</b>	Date Drilling Completed <b>6/8/2007</b>	Drilling Method <b>geoprobe</b>										
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 1.5 inches										
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input type="checkbox"/>			Local Grid Location												
State Plane N, E S/C/N 1/4 of 1/4 of Section , T N, R			Lat °   '   "	Long °   '   "	□ N Feet □ S Feet □ W										
Facility ID		County Richland	County Code 53	Civil Town/City/ or Village Richland Center											
Number and Type of Sample	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit			U S C S	Graphic Log	Well Diagram	P/D/FID	Soil Properties				RQD/ Comments
				Compressive Strength	Moisture Content	Liquid Limit					Plasticity Index	P 200			
1 CS	24 4		1	Concrete surface Little recovery from 0 to 4 feet, very loose material, gravelly						0					
2 CS	24 18		2							0					
3 CS	24 18		3							0					
3 CS	24 18		4	Brown Silty Clay			CL			0					
3 CS	24 18		5	Brown Silty Sand			SM			0					
3 CS	24 18		6	Brown Silty Clay			CL			0					
4 CS	24 16		7	Brown Silty Sand			SM			0					
5 CS	24 16		8	Weathered Sandstone Bedrock, brown and tan layers, some silt			SP			0					
6 CS	24 16		9							0					
			10							0					
			11							0					
			12							0					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm **MSA Professional Services, Inc.**

1230 South Boulevard Baraboo, WI 53913

Tel: 608-356-2771

Fax: 608-356-2770

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

### Boring Number

B-1

Use **only** as an attachment to Form 4400-122.

Page 2 of 2

Sample	Number and Type	Length Att. & Recovered (m)	Blow Counts	Depth in Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Soil Properties				RQD/ Comments	
									PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
7 CS		24 16		13	Weathered Sandstone Bedrock, brown and tan layers, some silt				0					
8 CS		24 16		14 15		SP			0					
9 CS		24 20		16 17 18					0.6					

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name Weber's Dry Cleaners			License/Permit/Monitoring Number		Boring Number B-2						
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Anderson Soil Essentials			Date Drilling Started 6/8/2007	Date Drilling Completed 6/8/2007	Drilling Method geoprobe						
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 1.5 inches						
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input type="checkbox"/>			Lat <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	Local Grid Location							
State Plane 1/4 of      1/4 of Section , T N, R			Long <input type="text"/> ° <input type="text"/> ' <input type="text"/> "	<input type="checkbox"/> N Feet <input type="checkbox"/> S	<input type="checkbox"/> E Feet <input type="checkbox"/> W						
Facility ID		County Richland	County Code 53	Civil Town/City/ or Village Richland Center							
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)			USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	
1 CS	24 12		Concrete surface. Black Silt	ML		1.3					
2 CS	24 16		1 Brown Silty Clay	CL		0					
3 CS	24 20		2 3 4 5			0					
4 CS	24 20		6 Brown Silty Sand	SM		0.3					
5 CS	24 18		7 Brown Silty Clay Sand, some silt	CL		0					
6 CS	24 18		8 9 10 11	SP		0					
			12								

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm MSA Professional Services, Inc.

1230 South Boulevard Baraboo, WI 53913

Tel: 608-356-2771

Fax: 608-356-2770

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-2

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name Weber's Dry Cleaners			License/Permit/Monitoring Number		Boring Number B-3							
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Anderson Soil Essentials			Date Drilling Started 6/8/2007	Date Drilling Completed 6/8/2007	Drilling Method geoprobe							
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 1.5 inches							
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input type="checkbox"/> State Plane N, E S/C/N 1/4 of 1/4 of Section , T N, R			Lat ° ' " Long ° ' "	Local Grid Location <input type="checkbox"/> N Feet <input type="checkbox"/> S Feet <input type="checkbox"/> W								
Facility ID		County Richland	County Code 53	Civil Town/City/ or Village Richland Center								
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit		Soil Properties				RQD/Comments		
				U S C S	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content		Liquid Limit	Plasticity Index
1 CS	24 20		1	Grass surface, with topsoil Brown Silty Clay			0					
2 CS	24 20		2			CL		0				
3 CS	24 18		3					0				
4 CS	24 18		4					0				
5 CS	24 16		5					0				
6 CS	24 16		6	Brown Silty Sand		SM		0				
			7	Brown Silty Clay		CL		0				
			8	Sand, brown and tan layers				0				
			9			SP		0				
			10					0				
			11					0				
			12					0				

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm MSA Professional Services, Inc.  
1230 South Boulevard Baraboo, WI 53913

Tel: 608-356-2771

Fax: 608-356-2770

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-3

Use only as an attachment to Form 4400-122.

Page 2 of 2

Route To: Watershed/Wastewater  Waste Management   
Remediation/Redevelopment  Other

Page 1 of 2

Facility/Project Name Weber's Dry Cleaners			License/Permit/Monitoring Number			Boring Number B-4							
Boring Drilled By: Name of crew chief (first, last) and Firm Cory Anderson Soil Essentials			Date Drilling Started 6/8/2007	Date Drilling Completed 6/8/2007	Drilling Method geoprobe								
WI Unique Well No.	DNR Well ID No.	Common Well Name	Final Static Water Level Feet MSL	Surface Elevation Feet MSL	Borehole Diameter 1.5 inches								
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Boring Location <input type="checkbox"/>			Local Grid Location										
State Plane 1/4 of      1/4 of Section , T N, R			Lat °   '   "	Long °   '   "	<input type="checkbox"/> N Feet	<input type="checkbox"/> E Feet							
Facility ID		County Richland	County Code 53	Civil Town/City/ or Village Richland Center									
Sample		Blow Counts	Depth In Feet	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	Soil Properties					RQD/ Comments
Number and Type	Length Att. & Recovered (in)							PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	
1 CS	24 18			Grass surface, topsoil Brown Silty Clay	CL			0					
2 CS	24 18				CL			0					
3 CS	24 16				CL			0					
4 CS	24 16			Sand, some brown silty sand, less silt with depth.	SP			0.6					
5 CS	24 16				SP			0					
6 CS	24 16				SP			0					

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm MSA Professional Services, Inc.  
1230 South Boulevard Baraboo, WI 53913

Tel: 608-356-2771

Fax: 608-356-2770

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Boring Number B-4

Use **only** as an attachment to Form 4400-122.

Page 2 of 2

**Notice:** Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY /OWNER INFORMATION</b>	
WI Unique Well No.	DNR Well ID No.	County Richland	Facility Name Weber's Dry Cleaners	Facility ID License/Permit/Monitoring No.
Common Well Name <u>B-1</u> Gov't Lot (if applicable)			Street Address of Well <u>711 Church Street</u>	
Grid Location ____ 1/4 of ____ 1/4 of Sec. ____ ; T. ____ N; R. ____ E ____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			City, Village, or Town <u>Richland Center</u>	
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Well Location <input type="checkbox"/>			Present Well Owner <u>James Weber</u>	Original Owner
Lat <u>°</u> <u>'</u> <u>"</u> Long <u>°</u> <u>'</u> <u>"</u> or State Plane ft. N. ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner <u>711 Church Street</u>	
Reason For Abandonment Completed Soil Sampling		WI Unique Well No. of Replacement Well		
		<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>		

Original Construction Date <u>6/8/2007</u>	If a Well Construction Report is available, please attach.		Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole			Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug			Screen Removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable
<input type="checkbox"/> Other (Specify) _____			Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No
Total Well Depth (ft) (From ground surface) <u>18.0</u>	Casing Diameter (in.) Casing Depth (ft.) <u>18.0</u>	Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Lower Drillhole Diameter (in.) _____			Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No
If Yes, To What Depth? _____ Feet			
Depth to Water (Feet) <u>15.0</u>			Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips)
Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite		For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	

(5) Sealing Material Used	From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight
Bentonite Chips	Surface	<u>9</u>	<u>15 #</u>
Granular Bentonite		<u>9</u>	<u>18</u>

(6) Comments \_\_\_\_\_

(7) Name of Person or Firm Doing Sealing Work Soil Essentials		Date of Abandonment <u>6/8/07</u>
Signature of Person Doing Work		Date Signed
Street or Route	Telephone Number	
City, State, Zip Code <u>New Glarus, WI</u>		

<b>FOR DNR OR COUNTY USE ONLY</b>	
Date Received	Noted By
Comments	

**Notice:** Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY /OWNER INFORMATION</b>						
WI Unique Well No.	DNR Well ID No.	County Richland	Facility Name Weber's Dry Cleaners						
Common Well Name <u>B-2</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.					
Grid Location ____ 1/4 of ____ 1/4 of Sec. ____ ; T. ____ N; R. ____ <input type="checkbox"/> E ____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well 711 Church Street						
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Well Location <input type="checkbox"/>			City, Village, or Town Richland Center						
Lat <u>        °        '        "</u>	Long <u>        °        '        "</u>	or <u>            S    C    N</u>	Present Well Owner James Weber	Original Owner					
State Plane _____ ft. N. _____ ft. E. <input type="checkbox"/> <input type="checkbox"/> Zone			Street Address or Route of Owner 711 Church Street						
Reason For Abandonment <u>Completed Soil Sampling</u>	WI Unique Well No. of Replacement Well		City, State, Zip Code Richland Center, WI						
<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>			<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>						
Original Construction Date <u>6/8/2007</u> <input type="checkbox"/> Monitoring Well      If a Well Construction Report is available, please attach. <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No						
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) _____			Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No						
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips)						
Total Well Depth (ft.) <u>18.0</u> Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____			Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite						
Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet			For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry						
Depth to Water (Feet) <u>14.5</u>									
<b>(5) Sealing Material Used</b>			From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight				
Bentonite Chips			Surface	<u>9</u>	<u>15#</u>				
Granular Bentonite				<u>9</u>	<u>18</u>				
(6) Comments _____									
(7) Name of Person or Firm Doing Sealing Work Soil Essentials			Date of Abandonment <u>6/8/07</u>						
Signature of Person Doing Work			Date Signed						
Street or Route		Telephone Number							
City, State, Zip Code New Glarus, WI		<b>FOR DNR OR COUNTY USE ONLY</b> <table border="1"> <tr> <td>Date Received</td> <td>Noted By</td> </tr> <tr> <td colspan="2">Comments</td> </tr> </table>				Date Received	Noted By	Comments	
Date Received	Noted By								
Comments									

**Notice:** Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY /OWNER INFORMATION</b>		
WI Unique Well No.	DNR Well ID No.	County Richland	Facility Name Weber's Dry Cleaners		
Common Well Name <u>B-3</u> Gov't Lot (if applicable)			Facility ID	License/Permit/Monitoring No.	
Grid Location ____/4 of Sec. ____ ; T. ____ N; R. ____ <input type="checkbox"/> E ____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S., ____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Street Address of Well <u>711 Church Street</u>		
Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Well Location <input type="checkbox"/>			City, Village, or Town <u>Richland Center</u>		
Lat <u>43° 15' 00"</u> or State Plane <u>ft. N.</u>	Long <u>075° 45' 00"</u> or <u>ft. E.</u> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Zone	Present Well Owner <u>James Weber</u>	Original Owner		
Reason For Abandonment <u>Completed Soil Sampling</u>	WI Unique Well No. of Replacement Well	Street Address or Route of Owner <u>711 Church Street</u>	City, State, Zip Code <u>Richland Center, WI</u>		
<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>			<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>		
Original Construction Date <u>6/8/2007</u>			Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
<input type="checkbox"/> Monitoring Well <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole			Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable		
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug			Screen Removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable		
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock			Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Total Well Depth (ft) <u>18.0</u> Casing Diameter (in.) _____ (From ground surface) Casing Depth (ft.) _____			Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Lower Drillhole Diameter (in.) _____			Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown			Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
If Yes, To What Depth? _____ Feet			If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No		
Depth to Water (Feet) <u>14.5</u>			Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) (Bentonite Chips)		
(5) Sealing Material Used			Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	For monitoring wells and monitoring well boreholes only <input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry	
Bentonite Chips			Surface <u>9</u> <u>15#</u>		
Granular Bentonite			<u>9</u> <u>18</u> <u>15#</u>		
(6) Comments _____					
(7) Name of Person or Firm Doing Sealing Work Soil Essentials			Date of Abandonment <u>6/8/07</u>		
Signature of Person Doing Work			Date Signed		
Street or Route		Telephone Number			
City, State, Zip Code <u>New Glarus, WI</u>		<b>FOR DNR OR COUNTY USE ONLY</b>			
		<b>Date Received</b>		<b>Noted By</b>	
		<b>Comments</b>			

**Notice:** Please complete Form 3300-5 and return it to the appropriate DNR office and bureau. Completion of this report is required by chs. 160, 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291, 292, 293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See the instructions for more information.

Route to:  Drinking Water  Watershed/Wastewater  Waste Management  Remediation/Redevelopment  Other \_\_\_\_\_

<b>(1) GENERAL INFORMATION</b>			<b>(2) FACILITY / OWNER INFORMATION</b>									
WI Unique Well No.	DNR Well ID No.	County Richland	Facility Name Weber's Dry Cleaners	Facility ID _____		License/Permit/Monitoring No. _____						
Common Well Name <u>B-4</u> Gov't Lot (if applicable)			Street Address of Well <u>711 Church Street</u>			City, Village, or Town <u>Richland Center</u>						
Grid Location ____ 1/4 of ____ 1/4 of Sec. ____ ; T. ____ N; R. ____ E ____ ft. <input type="checkbox"/> N. <input type="checkbox"/> S. ____ ft. <input type="checkbox"/> E. <input type="checkbox"/> W.			Local Grid Origin <input checked="" type="checkbox"/> (estimated: <input checked="" type="checkbox"/> ) or Well Location <input type="checkbox"/>			Present Well Owner <u>James Weber</u>						
Lat <u>        °        '        "</u>	Long <u>        °        '        "</u>	or S C N	Street Address or Route of Owner <u>711 Church Street</u>			Original Owner _____						
State Plane _____ ft, N. _____ ft, E. <input type="checkbox"/> <input type="checkbox"/> Zone			City, State, Zip Code <u>Richland Center, WI</u>									
Reason For Abandonment <u>Completed Soil Sampling</u>	WI Unique Well No. of Replacement Well											
<b>(3) WELL/DRILLHOLE/BOREHOLE INFORMATION</b>						<b>(4) PUMP, LINER, SCREEN, CASING, &amp; SEALING MATERIAL</b>						
Original Construction Date <u>6/8/2007</u> <input type="checkbox"/> Monitoring Well      If a Well Construction Report is available, please attach. <input type="checkbox"/> Water Well <input checked="" type="checkbox"/> Drillhole / Borehole						Pump & Piping Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Liner(s) Removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable Screen Removed? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable Casing Left in Place? <input type="checkbox"/> Yes <input type="checkbox"/> No						
Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (Specify) _____						Was Casing Cut Off Below Surface? <input type="checkbox"/> Yes <input type="checkbox"/> No Did Sealing Material Rise to Surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Did Material Settle After 24 Hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If Yes, Was Hole Retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No						
Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock						Required Method of Placing Sealing Material <input checked="" type="checkbox"/> Conductor Pipe - Gravity <input type="checkbox"/> Conductor Pipe - Pumped <input type="checkbox"/> Screened & Poured <input type="checkbox"/> Other (Explain) <u>(Bentonite Chips)</u>						
Total Well Depth (ft) <u>18.0</u> Casing Diameter (in.) _____ (From ground surface)      Casing Depth (ft.) _____						Sealing Materials <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Clay-Sand Slurry <input type="checkbox"/> Bentonite-Sand Slurry <input checked="" type="checkbox"/> Chipped Bentonite	For monitoring wells and monitoring well boreholes only					
Lower Drillhole Diameter (in.) _____ Was Well Annular Space Grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown If Yes, To What Depth? _____ Feet							<input type="checkbox"/> Bentonite Chips <input checked="" type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite-Cement Grout <input type="checkbox"/> Bentonite - Sand Slurry					
Depth to Water (Feet) <u>15.0</u>												
<b>(5) Sealing Material Used</b>						From (Ft.)	To (Ft.)	Mix Ratio or Mud Weight				
Bentonite Chips						Surface	<u>9</u>	<u>15#</u>				
Granular Bentonite						<u>9</u>	<u>18</u>	<u>15#</u>				
(6) Comments _____												
(7) Name of Person or Firm Doing Sealing Work Soil Essentials			Date of Abandonment <u>6/8/07</u>			<b>FOR DNR OR COUNTY USE ONLY</b> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding: 2px;"><b>Date Received</b></td> <td style="padding: 2px;"><b>Noted By</b></td> </tr> <tr> <td colspan="2" style="padding: 2px;">Comments</td> </tr> </table>			<b>Date Received</b>	<b>Noted By</b>	Comments	
<b>Date Received</b>	<b>Noted By</b>											
Comments												
Signature of Person Doing Work			Date Signed									
Street or Route		Telephone Number										
City, State, Zip Code <u>New Glarus, WI</u>												

## ANALYTICAL REPORT

Page 1 of 14

MSA PROFESSIONAL SERVICES  
 JAYNE ENGLEBERT  
 1230 SOUTH BLVD  
 BARABOO, WI 53913

Project Name: WEBER'S DRY CLEANERS  
 Contract #: 1269  
 Project #: 213369  
 Folder #: 60738  
 Purchase Order #: \_\_\_\_\_  
 Arrival Temperature: See COC  
 Report Date: 6/18/2007  
 Date Received: 6/8/2007  
 Reprint Date:

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
<b>Organic Results</b>										
Acetone	<7.0 ug/L		7.0	22	1.0		6/15/2007	RLD	EPA 8260B	
Benzene	<0.16 ug/L		0.16	0.55	1.0		6/15/2007	RLD	EPA 8260B	
Bromobenzene	<0.30 ug/L		0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
Bromochloromethane	<0.21 ug/L		0.21	0.72	1.0		6/15/2007	RLD	EPA 8260B	
Bromodichloromethane	<0.19 ug/L		0.19	0.62	1.0		6/15/2007	RLD	EPA 8260B	
Bromoform	<0.50 ug/L		0.50	1.5	1.0		6/15/2007	RLD	EPA 8260B	
Bromomethane	<0.40 ug/L		0.40	1.3	1.0		6/15/2007	RLD	EPA 8260B	
2-Butanone	<4.0 ug/L		4.0	14	1.0		6/15/2007	RLD	EPA 8260B	
n-Butylbenzene	<0.24 ug/L		0.24	0.79	1.0		6/15/2007	RLD	EPA 8260B	
sec-Butylbenzene	<0.29 ug/L		0.29	0.98	1.0		6/15/2007	RLD	EPA 8260B	
tert-Butylbenzene	<0.23 ug/L		0.23	0.76	1.0		6/15/2007	RLD	EPA 8260B	
Carbon disulfide	<0.50 ug/L		0.50	1.5	1.0		6/15/2007	RLD	EPA 8260B	
Carbon tetrachloride	<0.40 ug/L		0.40	1.3	1.0		6/15/2007	RLD	EPA 8260B	
Chlorobenzene	<0.30 ug/L		0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
Dibromochloromethane	<0.23 ug/L		0.23	0.76	1.0		6/15/2007	RLD	EPA 8260B	
Chloroethane	<0.40 ug/L		0.40	1.3	1.0		6/15/2007	RLD	EPA 8260B	
Chloroform	<0.22 ug/L		0.22	0.72	1.0		6/15/2007	RLD	EPA 8260B	
Chloromethane	<0.30 ug/L		0.30	1.0	1.0		6/15/2007	RLD	EPA 8260B	
2-Chlorotoluene	<0.30 ug/L		0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
4-Chlorotoluene	<0.30 ug/L		0.30	1.0	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dibromo-3-chloropropane	<0.40 ug/L		0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dibromoethane	<0.13 ug/L		0.13	0.43	1.0		6/15/2007	RLD	EPA 8260B	
Dibromomethane	<0.40 ug/L		0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#:	Sample Description: B-1						Sampled:	6/8/2007	0950	
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
1,2-Dichlorobenzene	<0.40	ug/L	0.40	1.4	1.0		6/15/2007	RLD	EPA 8260B	
1,3-Dichlorobenzene	<0.40	ug/L	0.40	1.2	1.0		6/15/2007	RLD	EPA 8260B	
1,4-Dichlorobenzene	<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloroethane	<0.40	ug/L	0.40	1.4	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dichloroethane	<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloroethene	<0.40	ug/L	0.40	1.3	1.0		6/15/2007	RLD	EPA 8260B	
cis-1,2-Dichloroethene	<0.40	ug/L	0.40	1.2	1.0		6/15/2007	RLD	EPA 8260B	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.8	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dichloropropane	<0.21	ug/L	0.21	0.71	1.0		6/15/2007	RLD	EPA 8260B	
1,3-Dichloropropane	<0.19	ug/L	0.19	0.65	1.0		6/15/2007	RLD	EPA 8260B	
2,2-Dichloropropane	<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloropropene	<0.50	ug/L	0.50	1.8	1.0		6/15/2007	RLD	EPA 8260B	
cis-1,3-Dichloropropene	<0.14	ug/L	0.14	0.47	1.0		6/15/2007	RLD	EPA 8260B	
trans-1,3-Dichloropropene	<0.14	ug/L	0.14	0.45	1.0		6/15/2007	RLD	EPA 8260B	
Diisopropyl ether	<0.50	ug/L	0.50	1.7	1.0		6/15/2007	RLD	EPA 8260B	
Ethylbenzene	<0.28	ug/L	0.28	0.94	1.0		6/15/2007	RLD	EPA 8260B	
Hexachlorobutadiene	<0.60	ug/L	0.60	2.1	1.0		6/15/2007	RLD	EPA 8260B	
2-Hexanone	<4.0	ug/L	4.0	13	1.0		6/15/2007	RLD	EPA 8260B	
Isopropylbenzene	<0.20	ug/L	0.20	0.67	1.0		6/15/2007	RLD	EPA 8260B	
p-Isopropyltoluene	<0.17	ug/L	0.17	0.56	1.0		6/15/2007	RLD	EPA 8260B	
Methyl tert-butyl ether	<0.23	ug/L	0.23	0.76	1.0		6/15/2007	RLD	EPA 8260B	
4-Methyl-2-pentanone	<3.0	ug/L	3.0	10	1.0		6/15/2007	RLD	EPA 8260B	
Methylene chloride	<0.50	ug/L	0.50	1.5	1.0		6/15/2007	RLD	EPA 8260B	
Naphthalene	<0.60	ug/L	0.60	1.8	1.0		6/15/2007	RLD	EPA 8260B	
n-Propylbenzene	<0.20	ug/L	0.20	0.68	1.0		6/15/2007	RLD	EPA 8260B	
Styrene	<0.30	ug/L	0.30	1.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,1,2-Tetrachloroethane	<0.60	ug/L	0.60	2.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,2,2-Tetrachloroethane	<0.14	ug/L	0.14	0.46	1.0		6/15/2007	RLD	EPA 8260B	
Tetrachloroethene	240	ug/L	4.0	13	10.0		6/16/2007	APG	EPA 8260B	
Tetrahydrofuran	<4.0	ug/L	4.0	12	1.0		6/15/2007	RLD	EPA 8260B	
Toluene	<0.20	ug/L	0.20	0.68	1.0		6/15/2007	RLD	EPA 8260B	
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1.0		6/15/2007	RLD	EPA 8260B	
1,2,4-Trichlorobenzene	<0.40	ug/L	0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,1,1-Trichloroethane	<0.60	ug/L	0.60	2.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,2-Trichloroethane	<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
Trichloroethene	1.5	ug/L	0.15	0.48	1.0		6/15/2007	RLD	EPA 8260B	

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#: 477261	Sample Description: B-1							Sampled: 6/8/2007 0950		
-----------------	-------------------------	--	--	--	--	--	--	------------------------	--	--

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Trichlorofluoromethane	<0.40	ug/L	0.40	1.4	1.0			6/15/2007	RLD	EPA 8260B
1,2,3-Trichloropropane	<0.30	ug/L	0.30	1.1	1.0			6/15/2007	RLD	EPA 8260B
1,2,4-Trimethylbenzene	<0.24	ug/L	0.24	0.81	1.0			6/15/2007	RLD	EPA 8260B
1,3,5-Trimethylbenzene	<0.19	ug/L	0.19	0.63	1.0			6/15/2007	RLD	EPA 8260B
Vinyl chloride	<0.15	ug/L	0.15	0.49	1.0			6/15/2007	RLD	EPA 8260B
m & p-Xylene	<0.50	ug/L	0.50	1.6	1.0			6/15/2007	RLD	EPA 8260B
o-Xylene	<0.50	ug/L	0.50	1.6	1.0			6/15/2007	RLD	EPA 8260B

CT Lab#: 477270	Sample Description: B-2							Sampled: 6/8/2007 1030		
-----------------	-------------------------	--	--	--	--	--	--	------------------------	--	--

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

### Organic Results

Acetone	<7.0	ug/L	7.0	22	1.0			6/15/2007	RLD	EPA 8260B
Benzene	<0.16	ug/L	0.16	0.55	1.0			6/15/2007	RLD	EPA 8260B
Bromobenzene	<0.30	ug/L	0.30	1.1	1.0			6/15/2007	RLD	EPA 8260B
Bromochloromethane	<0.21	ug/L	0.21	0.72	1.0			6/15/2007	RLD	EPA 8260B
Bromodichloromethane	<0.19	ug/L	0.19	0.62	1.0			6/15/2007	RLD	EPA 8260B
Bromoform	<0.50	ug/L	0.50	1.5	1.0			6/15/2007	RLD	EPA 8260B
Bromomethane	<0.40	ug/L	0.40	1.3	1.0			6/15/2007	RLD	EPA 8260B
2-Butanone	<4.0	ug/L	4.0	14	1.0			6/15/2007	RLD	EPA 8260B
n-Butylbenzene	<0.24	ug/L	0.24	0.79	1.0			6/15/2007	RLD	EPA 8260B
sec-Butylbenzene	<0.29	ug/L	0.29	0.98	1.0			6/15/2007	RLD	EPA 8260B
tert-Butylbenzene	<0.23	ug/L	0.23	0.76	1.0			6/15/2007	RLD	EPA 8260B
Carbon disulfide	<0.50	ug/L	0.50	1.5	1.0			6/15/2007	RLD	EPA 8260B
Carbon tetrachloride	<0.40	ug/L	0.40	1.3	1.0			6/15/2007	RLD	EPA 8260B
Chlorobenzene	<0.30	ug/L	0.30	1.1	1.0			6/15/2007	RLD	EPA 8260B
Dibromochloromethane	<0.23	ug/L	0.23	0.76	1.0			6/15/2007	RLD	EPA 8260B
Chloroethane	<0.40	ug/L	0.40	1.3	1.0			6/15/2007	RLD	EPA 8260B
Chloroform	<0.22	ug/L	0.22	0.72	1.0			6/15/2007	RLD	EPA 8260B
Chloromethane	<0.30	ug/L	0.30	1.0	1.0			6/15/2007	RLD	EPA 8260B
2-Chlorotoluene	<0.30	ug/L	0.30	1.1	1.0			6/15/2007	RLD	EPA 8260B
4-Chlorotoluene	<0.30	ug/L	0.30	1.0	1.0			6/15/2007	RLD	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.40	ug/L	0.40	1.5	1.0			6/15/2007	RLD	EPA 8260B
1,2-Dibromoethane	<0.13	ug/L	0.13	0.43	1.0			6/15/2007	RLD	EPA 8260B
Dibromomethane	<0.40	ug/L	0.40	1.5	1.0			6/15/2007	RLD	EPA 8260B
1,2-Dichlorobenzene	<0.40	ug/L	0.40	1.4	1.0			6/15/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#:	Sample Description: B-2						Sampled:	6/8/2007	1030	
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
1,3-Dichlorobenzene	<0.40	ug/L	0.40	1.2	1.0		6/15/2007	RLD	EPA 8260B	
1,4-Dichlorobenzene	<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloroethane	<0.40	ug/L	0.40	1.4	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dichloroethane	<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloroethene	<0.40	ug/L	0.40	1.3	1.0		6/15/2007	RLD	EPA 8260B	
cis-1,2-Dichloroethene	<0.40	ug/L	0.40	1.2	1.0		6/15/2007	RLD	EPA 8260B	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.8	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dichloropropane	<0.21	ug/L	0.21	0.71	1.0		6/15/2007	RLD	EPA 8260B	
1,3-Dichloropropane	<0.19	ug/L	0.19	0.65	1.0		6/15/2007	RLD	EPA 8260B	
2,2-Dichloropropane	<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloropropene	<0.50	ug/L	0.50	1.8	1.0		6/15/2007	RLD	EPA 8260B	
cis-1,3-Dichloropropene	<0.14	ug/L	0.14	0.47	1.0		6/15/2007	RLD	EPA 8260B	
trans-1,3-Dichloropropene	<0.14	ug/L	0.14	0.45	1.0		6/15/2007	RLD	EPA 8260B	
Diisopropyl ether	<0.50	ug/L	0.50	1.7	1.0		6/15/2007	RLD	EPA 8260B	
Ethylbenzene	<0.28	ug/L	0.28	0.94	1.0		6/15/2007	RLD	EPA 8260B	
Hexachlorobutadiene	<0.60	ug/L	0.60	2.1	1.0		6/15/2007	RLD	EPA 8260B	
2-Hexanone	<4.0	ug/L	4.0	13	1.0		6/15/2007	RLD	EPA 8260B	
Isopropylbenzene	<0.20	ug/L	0.20	0.67	1.0		6/15/2007	RLD	EPA 8260B	
p-Isopropyltoluene	<0.17	ug/L	0.17	0.56	1.0		6/15/2007	RLD	EPA 8260B	
Methyl tert-butyl ether	<0.23	ug/L	0.23	0.76	1.0		6/15/2007	RLD	EPA 8260B	
4-Methyl-2-pentanone	<3.0	ug/L	3.0	10	1.0		6/15/2007	RLD	EPA 8260B	
Methylene chloride	<0.50	ug/L	0.50	1.5	1.0		6/15/2007	RLD	EPA 8260B	
Naphthalene	<0.60	ug/L	0.60	1.8	1.0		6/15/2007	RLD	EPA 8260B	
n-Propylbenzene	<0.20	ug/L	0.20	0.68	1.0		6/15/2007	RLD	EPA 8260B	
Styrene	<0.30	ug/L	0.30	1.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,1,2-Tetrachloroethane	<0.60	ug/L	0.60	2.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,2,2-Tetrachloroethane	<0.14	ug/L	0.14	0.46	1.0		6/15/2007	RLD	EPA 8260B	
Tetrachloroethene	110	ug/L	4.0	13	10.0		6/16/2007	APG	EPA 8260B	
Tetrahydrofuran	<4.0	ug/L	4.0	12	1.0		6/15/2007	RLD	EPA 8260B	
Toluene	<0.20	ug/L	0.20	0.68	1.0		6/15/2007	RLD	EPA 8260B	
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1.0		6/15/2007	RLD	EPA 8260B	
1,2,4-Trichlorobenzene	<0.40	ug/L	0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,1,1-Trichloroethane	<0.60	ug/L	0.60	2.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,2-Trichloroethane	<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
Trichloroethene	0.19	ug/L	0.15 *	0.48	1.0		6/15/2007	RLD	EPA 8260B	
Trichlorofluoromethane	<0.40	ug/L	0.40	1.4	1.0		6/15/2007	RLD	EPA 8260B	

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#:	Sample Description: B-2						Sampled: 6/8/2007 1030			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
1,2,3-Trichloropropane	<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,2,4-Trimethylbenzene	<0.24	ug/L	0.24	0.81	1.0		6/15/2007	RLD	EPA 8260B	
1,3,5-Trimethylbenzene	<0.19	ug/L	0.19	0.63	1.0		6/15/2007	RLD	EPA 8260B	
Vinyl chloride	<0.15	ug/L	0.15	0.49	1.0		6/15/2007	RLD	EPA 8260B	
m & p-Xylene	<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
o-Xylene	<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	

CT Lab#:	Sample Description: B-2 0-2						Sampled: 6/8/2007 1005			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method

### Inorganic Results

Solids, Percent	83.7 %	N/A	N/A	1.0		6/11/2007	CER	EPA 5030A
-----------------	--------	-----	-----	-----	--	-----------	-----	-----------

### Organic Results

Acetone	<0.26	mg/kg	0.26	0.88	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Benzene	<0.0084	mg/kg	0.0084	0.030	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromobenzene	<0.011	mg/kg	0.011	0.038	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromoform	<0.013	mg/kg	0.013	0.043	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromochloromethane	<0.011	mg/kg	0.011	0.036	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromodichloromethane	<0.016	mg/kg	0.016	0.051	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromomethane	<0.029	mg/kg	0.029	0.096	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
2-Butanone	<0.17	mg/kg	0.17	0.54	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
n-Butylbenzene	<0.0096	mg/kg	0.0096	0.030	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
sec-Butylbenzene	<0.0084	mg/kg	0.0084	0.029	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
tert-Butylbenzene	<0.0096	mg/kg	0.0096	0.033	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chlorobenzene	<0.036	mg/kg	0.036	0.13	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroform	<0.024	mg/kg	0.024	0.079	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroethane	<0.0084	mg/kg	0.0084	0.029	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroethylene	<0.013	mg/kg	0.013	0.043	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroethane	<0.030	mg/kg	0.030	0.096	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroform	0.017	mg/kg	0.013 *	0.043	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloromethane	<0.012	mg/kg	0.012	0.038	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
2-Chlorotoluene	<0.018	mg/kg	0.018	0.059	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
4-Chlorotoluene	<0.0084	mg/kg	0.0084	0.026	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.026	mg/kg	0.026	0.088	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dibromoethane	<0.012	mg/kg	0.012	0.041	1.0	6/11/2007	6/13/2007	APG	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#: 477271		Sample Description: B-2 0-2						Sampled: 6/8/2007 1005			
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Dibromomethane		<0.020 mg/kg		0.020	0.068	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dichlorobenzene		<0.011 mg/kg		0.011	0.035	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,3-Dichlorobenzene		<0.014 mg/kg		0.014	0.045	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,4-Dichlorobenzene		<0.0072 mg/kg		0.0072	0.024	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Dichlorodifluoromethane		<0.017 mg/kg		0.017	0.057	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1-Dichloroethane		<0.0096 mg/kg		0.0096	0.031	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dichloroethane		<0.0084 mg/kg		0.0084	0.029	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1-Dichloroethene		<0.020 mg/kg		0.020	0.066	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
cis-1,2-Dichloroethene		<0.0096 mg/kg		0.0096	0.031	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
trans-1,2-Dichloroethene		<0.020 mg/kg		0.020	0.067	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dichloropropane		<0.011 mg/kg		0.011	0.036	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,3-Dichloropropane		<0.0060 mg/kg		0.0060	0.018	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
2,2-Dichloropropane		<0.011 mg/kg		0.011	0.036	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1-Dichloropropene		<0.013 mg/kg		0.013	0.045	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
cis-1,3-Dichloropropene		<0.012 mg/kg		0.012	0.038	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
trans-1,3-Dichloropropene		<0.012 mg/kg		0.012	0.042	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Diisopropyl ether		<0.0072 mg/kg		0.0072	0.025	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Ethylbenzene		<0.0084 mg/kg		0.0084	0.027	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Hexachlorobutadiene		<0.020 mg/kg		0.020	0.067	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
2-Hexanone		<0.11 mg/kg		0.11	0.35	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Isopropylbenzene		<0.016 mg/kg		0.016	0.051	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
p-Isopropyltoluene		<0.0084 mg/kg		0.0084	0.027	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Methyl tert-butyl ether		<0.011 mg/kg		0.011	0.036	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
4-Methyl-2-pentanone		<0.096 mg/kg		0.096	0.32	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Methylene chloride		0.15 mg/kg		0.026	0.086	1.0	B	6/11/2007	6/13/2007	APG	EPA 8260B
Naphthalene		<0.030 mg/kg		0.030	0.10	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
n-Propylbenzene		<0.014 mg/kg		0.014	0.050	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Styrene		<0.0060 mg/kg		0.0060	0.020	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,1,2-Tetrachloroethane		<0.011 mg/kg		0.011	0.035	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,2,2-Tetrachloroethane		<0.014 mg/kg		0.014	0.048	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Tetrachloroethene		4.9 mg/kg		0.054	0.18	5.0	Q	6/11/2007	6/13/2007	APG	EPA 8260B
Tetrahydrofuran		<0.16 mg/kg		0.16	0.51	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Toluene		<0.011 mg/kg		0.011	0.037	1.0	Q	6/11/2007	6/13/2007	APG	EPA 8260B
1,2,3-Trichlorobenzene		<0.020 mg/kg		0.020	0.063	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2,4-Trichlorobenzene		<0.014 mg/kg		0.014	0.047	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,1-Trichloroethane		<0.014 mg/kg		0.014	0.049	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,2-Trichloroethane		<0.024 mg/kg		0.024	0.078	1.0		6/11/2007	6/13/2007	APG	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#: 477271		Sample Description: B-2 0-2						Sampled: 6/8/2007 1005			
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Trichloroethene		<0.013 mg/kg		0.013	0.043	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Trichlorofluoromethane		<0.022 mg/kg		0.022	0.069	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2,3-Trichloropropane		<0.016 mg/kg		0.016	0.054	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2,4-Trimethylbenzene		<0.0072 mg/kg		0.0072	0.025	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,3,5-Trimethylbenzene		<0.0084 mg/kg		0.0084	0.029	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Vinyl chloride		<0.011 mg/kg		0.011	0.035	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
m & p-Xylene		<0.018 mg/kg		0.018	0.057	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
o-Xylene		<0.016 mg/kg		0.016	0.051	1.0		6/11/2007	6/13/2007	APG	EPA 8260B

CT Lab#: 477272		Sample Description: B-3						Sampled: 6/8/2007 1100			
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method

### Organic Results

Acetone	<7.0 ug/L	7.0	22	1.0				6/15/2007	RLD	EPA 8260B
Benzene	<0.16 ug/L	0.16	0.55	1.0				6/15/2007	RLD	EPA 8260B
Bromobenzene	<0.30 ug/L	0.30	1.1	1.0				6/15/2007	RLD	EPA 8260B
Bromoform	<0.21 ug/L	0.21	0.72	1.0				6/15/2007	RLD	EPA 8260B
Bromodichloromethane	<0.19 ug/L	0.19	0.62	1.0				6/15/2007	RLD	EPA 8260B
Bromoform	<0.50 ug/L	0.50	1.5	1.0				6/15/2007	RLD	EPA 8260B
Bromomethane	<0.40 ug/L	0.40	1.3	1.0				6/15/2007	RLD	EPA 8260B
2-Butanone	<4.0 ug/L	4.0	14	1.0				6/15/2007	RLD	EPA 8260B
n-Butylbenzene	<0.24 ug/L	0.24	0.79	1.0				6/15/2007	RLD	EPA 8260B
sec-Butylbenzene	<0.29 ug/L	0.29	0.98	1.0				6/15/2007	RLD	EPA 8260B
tert-Butylbenzene	<0.23 ug/L	0.23	0.76	1.0				6/15/2007	RLD	EPA 8260B
Carbon disulfide	<0.50 ug/L	0.50	1.5	1.0				6/15/2007	RLD	EPA 8260B
Carbon tetrachloride	<0.40 ug/L	0.40	1.3	1.0				6/15/2007	RLD	EPA 8260B
Chlorobenzene	<0.30 ug/L	0.30	1.1	1.0				6/15/2007	RLD	EPA 8260B
Dibromochloromethane	<0.23 ug/L	0.23	0.76	1.0				6/15/2007	RLD	EPA 8260B
Chloroethane	<0.40 ug/L	0.40	1.3	1.0				6/15/2007	RLD	EPA 8260B
Chloroform	<0.22 ug/L	0.22	0.72	1.0				6/15/2007	RLD	EPA 8260B
Chloromethane	0.95 ug/L	0.30 *	1.0	1.0	A			6/15/2007	RLD	EPA 8260B
2-Chlorotoluene	<0.30 ug/L	0.30	1.1	1.0				6/15/2007	RLD	EPA 8260B
4-Chlorotoluene	<0.30 ug/L	0.30	1.0	1.0				6/15/2007	RLD	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.40 ug/L	0.40	1.5	1.0				6/15/2007	RLD	EPA 8260B
1,2-Dibromoethane	<0.13 ug/L	0.13	0.43	1.0				6/15/2007	RLD	EPA 8260B
Dibromomethane	<0.40 ug/L	0.40	1.5	1.0				6/15/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#:	477272	Sample Description: B-3						Sampled:	6/8/2007	1100	
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
1,2-Dichlorobenzene		<0.40	ug/L	0.40	1.4	1.0		6/15/2007	RLD	EPA 8260B	
1,3-Dichlorobenzene		<0.40	ug/L	0.40	1.2	1.0		6/15/2007	RLD	EPA 8260B	
1,4-Dichlorobenzene		<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
Dichlorodifluoromethane		<0.40	ug/L	0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloroethane		<0.40	ug/L	0.40	1.4	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dichloroethane		<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloroethene		<0.40	ug/L	0.40	1.3	1.0		6/15/2007	RLD	EPA 8260B	
cis-1,2-Dichloroethene		<0.40	ug/L	0.40	1.2	1.0		6/15/2007	RLD	EPA 8260B	
trans-1,2-Dichloroethene		<0.50	ug/L	0.50	1.8	1.0		6/15/2007	RLD	EPA 8260B	
1,2-Dichloropropane		<0.21	ug/L	0.21	0.71	1.0		6/15/2007	RLD	EPA 8260B	
1,3-Dichloropropane		<0.19	ug/L	0.19	0.65	1.0		6/15/2007	RLD	EPA 8260B	
2,2-Dichloropropane		<0.30	ug/L	0.30	1.1	1.0		6/15/2007	RLD	EPA 8260B	
1,1-Dichloropropene		<0.50	ug/L	0.50	1.8	1.0		6/15/2007	RLD	EPA 8260B	
cis-1,3-Dichloropropene		<0.14	ug/L	0.14	0.47	1.0		6/15/2007	RLD	EPA 8260B	
trans-1,3-Dichloropropene		<0.14	ug/L	0.14	0.45	1.0		6/15/2007	RLD	EPA 8260B	
Diisopropyl ether		<0.50	ug/L	0.50	1.7	1.0		6/15/2007	RLD	EPA 8260B	
Ethylbenzene		<0.28	ug/L	0.28	0.94	1.0		6/15/2007	RLD	EPA 8260B	
Hexachlorobutadiene		<0.60	ug/L	0.60	2.1	1.0		6/15/2007	RLD	EPA 8260B	
2-Hexanone		<4.0	ug/L	4.0	13	1.0		6/15/2007	RLD	EPA 8260B	
Isopropylbenzene		<0.20	ug/L	0.20	0.67	1.0		6/15/2007	RLD	EPA 8260B	
p-Isopropyltoluene		<0.17	ug/L	0.17	0.56	1.0		6/15/2007	RLD	EPA 8260B	
Methyl tert-butyl ether		<0.23	ug/L	0.23	0.76	1.0		6/15/2007	RLD	EPA 8260B	
4-Methyl-2-pentanone		<3.0	ug/L	3.0	10	1.0		6/15/2007	RLD	EPA 8260B	
Methylene chloride		<0.50	ug/L	0.50	1.5	1.0		6/15/2007	RLD	EPA 8260B	
Naphthalene		<0.60	ug/L	0.60	1.8	1.0		6/15/2007	RLD	EPA 8260B	
n-Propylbenzene		<0.20	ug/L	0.20	0.68	1.0		6/15/2007	RLD	EPA 8260B	
Styrene		<0.30	ug/L	0.30	1.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,1,2-Tetrachloroethane		<0.60	ug/L	0.60	2.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,2,2-Tetrachloroethane		<0.14	ug/L	0.14	0.46	1.0		6/15/2007	RLD	EPA 8260B	
Tetrachloroethene		97	ug/L	4.0	13	10.0		6/16/2007	APG	EPA 8260B	
Tetrahydrofuran		<4.0	ug/L	4.0	12	1.0		6/15/2007	RLD	EPA 8260B	
Toluene		<0.20	ug/L	0.20	0.68	1.0		6/15/2007	RLD	EPA 8260B	
1,2,3-Trichlorobenzene		<0.50	ug/L	0.50	1.7	1.0		6/15/2007	RLD	EPA 8260B	
1,2,4-Trichlorobenzene		<0.40	ug/L	0.40	1.5	1.0		6/15/2007	RLD	EPA 8260B	
1,1,1-Trichloroethane		<0.60	ug/L	0.60	2.0	1.0		6/15/2007	RLD	EPA 8260B	
1,1,2-Trichloroethane		<0.50	ug/L	0.50	1.6	1.0		6/15/2007	RLD	EPA 8260B	
Trichloroethene		0.29	ug/L	0.15 *	0.48	1.0		6/15/2007	RLD	EPA 8260B	

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#: 477272	Sample Description: B-3							Sampled: 6/8/2007 1100		
-----------------	-------------------------	--	--	--	--	--	--	------------------------	--	--

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Trichlorofluoromethane	<0.40	ug/L	0.40	1.4	1.0			6/15/2007	RLD	EPA 8260B
1,2,3-Trichloropropane	<0.30	ug/L	0.30	1.1	1.0			6/15/2007	RLD	EPA 8260B
1,2,4-Trimethylbenzene	<0.24	ug/L	0.24	0.81	1.0			6/15/2007	RLD	EPA 8260B
1,3,5-Trimethylbenzene	<0.19	ug/L	0.19	0.63	1.0			6/15/2007	RLD	EPA 8260B
Vinyl chloride	<0.15	ug/L	0.15	0.49	1.0			6/15/2007	RLD	EPA 8260B
m & p-Xylene	<0.50	ug/L	0.50	1.6	1.0			6/15/2007	RLD	EPA 8260B
o-Xylene	<0.50	ug/L	0.50	1.6	1.0			6/15/2007	RLD	EPA 8260B

CT Lab#: 477273	Sample Description: B-4							Sampled: 6/8/2007 1145		
-----------------	-------------------------	--	--	--	--	--	--	------------------------	--	--

Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
---------	--------	-------	-----	-----	----------	-----------	-----------	---------------	---------	--------

### Organic Results

Acetone	<7.0	ug/L	7.0	22	1.0			6/16/2007	RLD	EPA 8260B
Benzene	<0.16	ug/L	0.16	0.55	1.0			6/16/2007	RLD	EPA 8260B
Bromobenzene	<0.30	ug/L	0.30	1.1	1.0			6/16/2007	RLD	EPA 8260B
Bromochloromethane	<0.21	ug/L	0.21	0.72	1.0			6/16/2007	RLD	EPA 8260B
Bromodichloromethane	<0.19	ug/L	0.19	0.62	1.0			6/16/2007	RLD	EPA 8260B
Bromoform	<0.50	ug/L	0.50	1.5	1.0			6/16/2007	RLD	EPA 8260B
Bromomethane	<0.40	ug/L	0.40	1.3	1.0			6/16/2007	RLD	EPA 8260B
2-Butanone	<4.0	ug/L	4.0	14	1.0			6/16/2007	RLD	EPA 8260B
n-Butylbenzene	<0.24	ug/L	0.24	0.79	1.0			6/16/2007	RLD	EPA 8260B
sec-Butylbenzene	<0.29	ug/L	0.29	0.98	1.0			6/16/2007	RLD	EPA 8260B
tert-Butylbenzene	<0.23	ug/L	0.23	0.76	1.0			6/16/2007	RLD	EPA 8260B
Carbon disulfide	<0.50	ug/L	0.50	1.5	1.0			6/16/2007	RLD	EPA 8260B
Carbon tetrachloride	<0.40	ug/L	0.40	1.3	1.0			6/16/2007	RLD	EPA 8260B
Chlorobenzene	<0.30	ug/L	0.30	1.1	1.0			6/16/2007	RLD	EPA 8260B
Dibromochloromethane	<0.23	ug/L	0.23	0.76	1.0			6/16/2007	RLD	EPA 8260B
Chloroethane	<0.40	ug/L	0.40	1.3	1.0			6/16/2007	RLD	EPA 8260B
Chloroform	<0.22	ug/L	0.22	0.72	1.0			6/16/2007	RLD	EPA 8260B
Chloromethane	<0.30	ug/L	0.30	1.0	1.0			6/16/2007	RLD	EPA 8260B
2-Chlorotoluene	<0.30	ug/L	0.30	1.1	1.0			6/16/2007	RLD	EPA 8260B
4-Chlorotoluene	<0.30	ug/L	0.30	1.0	1.0			6/16/2007	RLD	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.40	ug/L	0.40	1.5	1.0			6/16/2007	RLD	EPA 8260B
1,2-Dibromoethane	<0.13	ug/L	0.13	0.43	1.0			6/16/2007	RLD	EPA 8260B
Dibromomethane	<0.40	ug/L	0.40	1.5	1.0			6/16/2007	RLD	EPA 8260B
1,2-Dichlorobenzene	<0.40	ug/L	0.40	1.4	1.0			6/16/2007	RLD	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#:	Sample Description: B-4						Sampled: 6/8/2007 1145			
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
1,3-Dichlorobenzene	<0.40	ug/L	0.40	1.2	1.0		6/16/2007	RLD	EPA 8260B	
1,4-Dichlorobenzene	<0.50	ug/L	0.50	1.6	1.0		6/16/2007	RLD	EPA 8260B	
Dichlorodifluoromethane	<0.40	ug/L	0.40	1.5	1.0		6/16/2007	RLD	EPA 8260B	
1,1-Dichloroethane	<0.40	ug/L	0.40	1.4	1.0		6/16/2007	RLD	EPA 8260B	
1,2-Dichloroethane	<0.30	ug/L	0.30	1.1	1.0		6/16/2007	RLD	EPA 8260B	
1,1-Dichloroethene	<0.40	ug/L	0.40	1.3	1.0		6/16/2007	RLD	EPA 8260B	
cis-1,2-Dichloroethene	2.3	ug/L	0.40	1.2	1.0		6/16/2007	RLD	EPA 8260B	
trans-1,2-Dichloroethene	<0.50	ug/L	0.50	1.8	1.0		6/16/2007	RLD	EPA 8260B	
1,2-Dichloropropane	<0.21	ug/L	0.21	0.71	1.0		6/16/2007	RLD	EPA 8260B	
1,3-Dichloropropane	<0.19	ug/L	0.19	0.65	1.0		6/16/2007	RLD	EPA 8260B	
2,2-Dichloropropane	<0.30	ug/L	0.30	1.1	1.0		6/16/2007	RLD	EPA 8260B	
1,1-Dichloropropene	<0.50	ug/L	0.50	1.8	1.0		6/16/2007	RLD	EPA 8260B	
cis-1,3-Dichloropropene	<0.14	ug/L	0.14	0.47	1.0		6/16/2007	RLD	EPA 8260B	
trans-1,3-Dichloropropene	<0.14	ug/L	0.14	0.45	1.0		6/16/2007	RLD	EPA 8260B	
Diisopropyl ether	<0.50	ug/L	0.50	1.7	1.0		6/16/2007	RLD	EPA 8260B	
Ethylbenzene	<0.28	ug/L	0.28	0.94	1.0		6/16/2007	RLD	EPA 8260B	
Hexachlorobutadiene	<0.60	ug/L	0.60	2.1	1.0		6/16/2007	RLD	EPA 8260B	
2-Hexanone	<4.0	ug/L	4.0	13	1.0		6/16/2007	RLD	EPA 8260B	
Isopropylbenzene	<0.20	ug/L	0.20	0.67	1.0		6/16/2007	RLD	EPA 8260B	
p-Isopropyltoluene	<0.17	ug/L	0.17	0.56	1.0		6/16/2007	RLD	EPA 8260B	
Methyl tert-butyl ether	<0.23	ug/L	0.23	0.76	1.0		6/16/2007	RLD	EPA 8260B	
4-Methyl-2-pentanone	<3.0	ug/L	3.0	10	1.0		6/16/2007	RLD	EPA 8260B	
Methylene chloride	<0.50	ug/L	0.50	1.5	1.0		6/16/2007	RLD	EPA 8260B	
Naphthalene	<0.60	ug/L	0.60	1.8	1.0		6/16/2007	RLD	EPA 8260B	
n-Propylbenzene	<0.20	ug/L	0.20	0.68	1.0		6/16/2007	RLD	EPA 8260B	
Styrene	<0.30	ug/L	0.30	1.0	1.0		6/16/2007	RLD	EPA 8260B	
1,1,1,2-Tetrachloroethane	<0.60	ug/L	0.60	2.0	1.0		6/16/2007	RLD	EPA 8260B	
1,1,2,2-Tetrachloroethane	<0.14	ug/L	0.14	0.46	1.0		6/16/2007	RLD	EPA 8260B	
Tetrachloroethene	140	ug/L	0.40	1.3	1.0	X	6/16/2007	RLD	EPA 8260B	
Tetrahydrofuran	<4.0	ug/L	4.0	12	1.0		6/16/2007	RLD	EPA 8260B	
Toluene	<0.20	ug/L	0.20	0.68	1.0		6/16/2007	RLD	EPA 8260B	
1,2,3-Trichlorobenzene	<0.50	ug/L	0.50	1.7	1.0		6/16/2007	RLD	EPA 8260B	
1,2,4-Trichlorobenzene	<0.40	ug/L	0.40	1.5	1.0		6/16/2007	RLD	EPA 8260B	
1,1,1-Trichloroethane	<0.60	ug/L	0.60	2.0	1.0		6/16/2007	RLD	EPA 8260B	
1,1,2-Trichloroethane	<0.50	ug/L	0.50	1.6	1.0		6/16/2007	RLD	EPA 8260B	
Trichloroethene	2.0	ug/L	0.15	0.48	1.0		6/16/2007	RLD	EPA 8260B	
Trichlorofluoromethane	<0.40	ug/L	0.40	1.4	1.0		6/16/2007	RLD	EPA 8260B	

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#: 477273		Sample Description: B-4						Sampled: 6/8/2007 1145			
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
1,2,3-Trichloropropane		<0.30	ug/L	0.30	1.1	1.0		6/16/2007	RLD	EPA 8260B	
1,2,4-Trimethylbenzene		<0.24	ug/L	0.24	0.81	1.0		6/16/2007	RLD	EPA 8260B	
1,3,5-Trimethylbenzene		<0.19	ug/L	0.19	0.63	1.0		6/16/2007	RLD	EPA 8260B	
Vinyl chloride		<0.15	ug/L	0.15	0.49	1.0		6/16/2007	RLD	EPA 8260B	
m & p-Xylene		<0.50	ug/L	0.50	1.6	1.0		6/16/2007	RLD	EPA 8260B	
o-Xylene		<0.50	ug/L	0.50	1.6	1.0		6/16/2007	RLD	EPA 8260B	

CT Lab#: 477274		Sample Description: B-4 2-4						Sampled: 6/8/2007 1118			
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method

### Inorganic Results

Solids, Percent	80.3 %	N/A	N/A	1.0		6/11/2007	CER	EPA 5030A
-----------------	--------	-----	-----	-----	--	-----------	-----	-----------

### Organic Results

Acetone	0.27 mg/kg	0.27 *	0.92	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Benzene	<0.0087 mg/kg	0.0087	0.031	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromobenzene	<0.011 mg/kg	0.011	0.040	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromoform	<0.014 mg/kg	0.014	0.045	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromochloromethane	<0.011 mg/kg	0.011	0.037	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromodichloromethane	<0.011 mg/kg	0.011	0.037	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromoform	<0.016 mg/kg	0.016	0.054	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Bromomethane	<0.030 mg/kg	0.030	0.10	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
2-Butanone	<0.17 mg/kg	0.17	0.56	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
n-Butylbenzene	<0.010 mg/kg	0.010	0.031	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
sec-Butylbenzene	<0.0087 mg/kg	0.0087	0.030	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
tert-Butylbenzene	<0.010 mg/kg	0.010	0.035	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Carbon disulfide	<0.037 mg/kg	0.037	0.14	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Carbon tetrachloride	<0.025 mg/kg	0.025	0.082	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chlorobenzene	<0.0087 mg/kg	0.0087	0.030	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Dibromochloromethane	<0.014 mg/kg	0.014	0.045	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroethane	<0.031 mg/kg	0.031	0.10	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloroform	<0.014 mg/kg	0.014	0.045	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
Chloromethane	<0.012 mg/kg	0.012	0.040	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
2-Chlorotoluene	<0.019 mg/kg	0.019	0.061	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
4-Chlorotoluene	<0.0087 mg/kg	0.0087	0.027	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dibromo-3-chloropropane	<0.027 mg/kg	0.027	0.092	1.0	6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dibromoethane	<0.012 mg/kg	0.012	0.042	1.0	6/11/2007	6/13/2007	APG	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#:	Sample Description: B-4 2-4						Sampled:	6/8/2007	1118	
Analyte	Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Dibromomethane	<0.021 mg/kg		0.021	0.071	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dichlorobenzene	<0.011 mg/kg		0.011	0.036	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,3-Dichlorobenzene	<0.015 mg/kg		0.015	0.047	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,4-Dichlorobenzene	<0.0075 mg/kg		0.0075	0.025	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Dichlorodifluoromethane	<0.017 mg/kg		0.017	0.060	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1-Dichloroethane	<0.010 mg/kg		0.010	0.032	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dichloroethane	<0.0087 mg/kg		0.0087	0.030	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1-Dichloroethene	<0.021 mg/kg		0.021	0.068	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
cis-1,2-Dichloroethene	<0.010 mg/kg		0.010	0.032	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
trans-1,2-Dichloroethene	<0.021 mg/kg		0.021	0.070	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2-Dichloropropane	<0.011 mg/kg		0.011	0.037	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,3-Dichloropropane	<0.0062 mg/kg		0.0062	0.019	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
2,2-Dichloropropane	<0.011 mg/kg		0.011	0.037	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1-Dichloropropene	<0.014 mg/kg		0.014	0.047	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
cis-1,3-Dichloropropene	<0.012 mg/kg		0.012	0.040	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
trans-1,3-Dichloropropene	<0.012 mg/kg		0.012	0.044	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Diisopropyl ether	<0.0075 mg/kg		0.0075	0.026	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Ethylbenzene	<0.0087 mg/kg		0.0087	0.029	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Hexachlorobutadiene	<0.021 mg/kg		0.021	0.070	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
2-Hexanone	<0.11 mg/kg		0.11	0.36	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Isopropylbenzene	<0.016 mg/kg		0.016	0.054	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
p-Isopropyltoluene	<0.0087 mg/kg		0.0087	0.029	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Methyl tert-butyl ether	<0.011 mg/kg		0.011	0.037	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
4-Methyl-2-pentanone	<0.10 mg/kg		0.10	0.34	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Methylene chloride	0.081 mg/kg		0.027 *	0.090	1.0	B	6/11/2007	6/13/2007	APG	EPA 8260B
Naphthalene	<0.031 mg/kg		0.031	0.10	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
n-Propylbenzene	<0.015 mg/kg		0.015	0.052	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Styrene	<0.0062 mg/kg		0.0062	0.021	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,1,2-Tetrachloroethane	<0.011 mg/kg		0.011	0.036	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,2,2-Tetrachloroethane	<0.015 mg/kg		0.015	0.050	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Tetrachloroethene	0.090 mg/kg		0.011	0.037	1.0	Q	6/11/2007	6/13/2007	APG	EPA 8260B
Tetrahydrofuran	<0.16 mg/kg		0.16	0.54	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Toluene	<0.011 mg/kg		0.011	0.039	1.0	Q	6/11/2007	6/13/2007	APG	EPA 8260B
1,2,3-Trichlorobenzene	<0.021 mg/kg		0.021	0.066	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2,4-Trichlorobenzene	<0.015 mg/kg		0.015	0.049	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,1-Trichloroethane	<0.015 mg/kg		0.015	0.051	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,1,2-Trichloroethane	<0.025 mg/kg		0.025	0.081	1.0		6/11/2007	6/13/2007	APG	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



CT Lab#: 477274		Sample Description: B-4 2-4						Sampled: 6/8/2007 1118			
Analyte		Result	Units	LOD	LOQ	Dilution	Qualifier	Prep Date	Analysis Date	Analyst	Method
Trichloroethene		<0.014 mg/kg		0.014	0.045	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Trichlorofluoromethane		<0.022 mg/kg		0.022	0.072	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2,3-Trichloropropane		<0.016 mg/kg		0.016	0.056	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,2,4-Trimethylbenzene		<0.0075 mg/kg		0.0075	0.026	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
1,3,5-Trimethylbenzene		<0.0087 mg/kg		0.0087	0.030	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
Vinyl chloride		<0.011 mg/kg		0.011	0.036	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
m & p-Xylene		<0.019 mg/kg		0.019	0.060	1.0		6/11/2007	6/13/2007	APG	EPA 8260B
o-Xylene		<0.016 mg/kg		0.016	0.054	1.0		6/11/2007	6/13/2007	APG	EPA 8260B

WI DNR Lab Certification Number: 15-7066030  
 DATCP Certification Number: 105-000289  
 LA NELAP Certification Number: 04091



---

**Notes regarding entire Chain of Custody:**

---

Notes: \* Indicates Value in between LOD and LOQ.

All samples were received intact and properly preserved unless otherwise noted. The results reported relate only to the samples tested. This report shall not be reproduced, except in full, without written approval of this laboratory. The Chain of Custody is attached.

This report satisfies the requirements of your project but has not been prepared to comply with NELAP reporting requirements.

*[Signature]*  
Submitted by: \_\_\_\_\_

Eric T. Korthals  
Project Manager  
608-356-2760

---

**QC Qualifiers**

<b>Code</b>	<b>Description</b>
A	Analyte averaged calibration criteria within acceptable limits.
B	Analyte detected in associated Method Blank.
C	Toxicity present in BOD sample.
D	Diluted Out.
E	Safe, No Total Coliform detected.
F	Unsafe, Total Coliform detected, no E. Coli detected.
G	Unsafe, Total Coliform detected and E. Coli detected.
H	Holding time exceeded.
J	Estimated value.
L	Significant peaks were detected outside the chromatographic window.
M	Matrix spike and/or Matrix Spike Duplicate recovery outside acceptance limits.
N	Insufficient BOD oxygen depletion.
O	Complete BOD oxygen depletion.
P	Concentration of analyte differs more than 40% between primary and confirmation analysis.
Q	Laboratory Control Sample outside acceptance limits.
R	See Narrative at end of report.
S	Surrogate standard recovery outside acceptance limits due to apparent matrix effects.
T	Sample received with improper preservation or temperature.
V	Raised Quantitation or Reporting Limit due to limited sample amount or dilution for matrix background interference.
W	Sample amount received was below program minimum.
X	Analyte exceeded calibration range.
Y	Replicate/Duplicate precision outside acceptance limits.
Z	Calibration criteria exceeded.

COC

UST Chain of Custody

Page 1 of 1

Company Name: MSA Project Contact: Jayne Englebert Telephone: 356-2771 Project Name: Weber's Dry Cleaners Project Number: 213369 Project Location (State): WI Sampled By (Print): J. Englebert		 <p>Commonwealth Technology, Inc. 1230 Lange Court Baraboo, WI 53913 Phone: 800-228-3012 608-356-2760 Fax: 608-</p>		<p>***** Folder #: 60738 Company: MSA PROFESSIONAL S Project: WEBER'S DRY CLEANER Logged By: SAZ PM: ETK *****</p>		<p>Mail Report To: Jayne Englebert Company: msa Address: 1230 South Blvd City/State/Zip: Baraboo, WI 53913</p>																											
<p>Regulatory Program (circle): UST RCRA SDWA NPDES Solid Waste Other _____</p>		<p>**Matrix S - Soil A - Air Slg - SI GW - Groundwater SW - Surface W WW - Waste Water M - Misc W DW - Drinking Water</p>				<p>Invoce To: Same Company: Address: City/State/Zip: P.O. No.: Quote No.:</p>																											
<p>Turnaround Time <input checked="" type="checkbox"/> Normal _____ RUSH * Date Needed: _____</p> <p>* Notify lab prior to sending in RUSH Sucharges: 24 hr 200% 2-3 days 100% 4-9 days 50% Surcharges subject to change without notice.</p>		<p>WDNR Well ID #</p>		<p>** Matrix: DRO GRO GROUP VOC PVOC Lead Cadmium VOC 8021 LUST VOC 8021 Non LUST PAH % Solids</p>		<table border="1"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Total No. of Containers</td><td>Total No. of Cont. Rec'd</td><td>Preservation*</td><td>For lab use only</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Submission#:</td> </tr> </table>											Total No. of Containers	Total No. of Cont. Rec'd	Preservation*	For lab use only													Submission#:
									Total No. of Containers	Total No. of Cont. Rec'd	Preservation*	For lab use only																					
												Submission#:																					
<p>Landfill License Number n/a</p>																																	
Collection		Field Screen	Field ID	Grab/ Comp	Sample I.D.	Filt'd Y/N	Fill in Spaces with bottles per test							CTI Lab ID #																			
Date	Time																																
6-2-2007	950	-	-	G	B-1	N	gw			X	3		3	B 477261																			
11	1030	-	-	G	B-2	N	gw				3		3	B 477270																			
11	1005	1.3	-	G	B-2 0-2	N	S				1	1	2	F/A 477271																			
11	1100	-	-	G	B-3	N	gw				3		3	B 477272																			
11	1145	-	-	G	B-4	N	gw				3		3	B 477273																			
11	1118	0.0	-	G	B-4 2-4	N	S				1	1	2	F/A 477274																			
Relinquished By (Signature)		Date/Time		Received By (Signature)		Sample Shipped Via: UPS Fed.Exp. Courier U.S. Mail Dunham's X Hand Other _____							* Preservation Code A=None B=HCL C=H2SO4 D=HNO3 E=Encore F=Methanol G=NaOH O=Other _____																				
Jayne A. Englebert		6/18/07 2:15pm		SAZ		Sample Receipt Temp. 70° Checked By 11:40 y/s																											
Relinquished By (Signature)		Date/Time		Received By (Signature)																													
		6/18/07 14:20		SAZ																													