



April 3, 2019

Mr. Patrick McAdams
McAdams Realty Oconomowoc, LLP
110 South Regency Circle
Oconomowoc, WI 53066

Subject: Environmental sampling results
BRTTS #: 02-68-551911

Dear Mr. McAdams:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, EnviroForensics, LLC (EnviroForensics) is providing the results of groundwater samples collected from your property located at 36929 Plank Road in Oconomowoc, Wisconsin. The groundwater samples were collected from seven (7) monitoring wells (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, and MW-11) on March 18, 2019. The locations of the monitoring wells are shown on attached **Figure 1**. The sampling activities are part of an environmental investigation being performed at the former One Hour Martinizing (OHM) of Oconomowoc, formerly located at 36929 Plank Road, Oconomowoc, Wisconsin at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products collectively known as chlorinated volatile organic compounds (CVOCs).

The Responsible Party is:

Mr. Brian Cass
OHM Holdings, Inc.
W229 N2494 Hwy F
Waukesha, WI 53186
Telephone: 262-521-9710

Sampling Results

The laboratory results of groundwater samples collected since groundwater remedial injections were performed are summarized and compared to public health criteria in attached **Table 1**. An excerpt from the laboratory report that relates to the groundwater samples collected from the monitoring wells in March, 2019 is also attached.


As can be seen in **Table 1**, the wells monitored in March continue to contain chlorinated compounds at concentrations that exceed either the WDNR public health enforcement standard (ES) or the public health preventative action limit (PAL) for those compounds. The exception is well MW-2, which has not contained CVOCs during the post-remedial sampling period.

Since injecting groundwater remedial amendments in late June of 2018, we continue to see reductions in contaminant concentrations primarily in the source area wells MW-1 and MW-5, but also in some neighboring wells such as MW-2 and MW-3, and in downgradient well MW-11.

Table 1 also provides the oxidation-reduction potential (ORP) values measured in the wells over time. Microbes that degrade CVOCs thrive in reduced conditions (lacking oxygen). Positive values of ORP indicate an oxygenated environment and negative values indicate a reducing environment suitable for CVOC degradation. As can be seen, the ORP values are transitioning from positive values to negative values in many wells near or within the source areas which is favorable for further degradation of the chlorinated compounds. We will sample all of the site wells during the next quarterly groundwater monitoring event scheduled for June, 2019.

If you have any questions or concerns, please contact me at 414-982-3988 or by email at wfassbender@enviroforensics.com. The WDNR project manager, Jim Delwiche, can be reached at 262-574-2145. We greatly appreciate your help and patience with this matter.


Sincerely,
EnviroForensics, LLC

A handwritten signature in black ink that reads "Wayne P. Fassbender".


Wayne Fassbender, PG, PMP
Senior Project Manager

Attachments: Figure 1: Monitoring Well Location Map
Table 1: Groundwater Geochemical Data Summary
Analytical Report for Groundwater Samples

Copy: Brian Cass, OHM Holdings, Inc.
James Delwiche, Wisconsin Department of Natural Resources



- Legend**
- Property boundary
 - MW-1 Monitoring well sample location



MONITORING WELL LOCATION MAP															
Martinizing Dry Cleaning 36929 Plank Road Oconomowoc, WI															
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Date:</td><td>5/1/15</td></tr> <tr><td>Designed:</td><td>EB</td></tr> <tr><td>Drawn:</td><td>EB</td></tr> <tr><td>Checked:</td><td>KH</td></tr> <tr><td>DWG file:</td><td>6143-0135</td></tr> </table>	Date:	5/1/15	Designed:	EB	Drawn:	EB	Checked:	KH	DWG file:	6143-0135	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;"></td> <td style="text-align: center;">Figure 1</td> </tr> <tr> <td style="text-align: center;"> ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. <small>602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</small> </td> <td style="text-align: center;">Project 6143</td> </tr> </table>		Figure 1	ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. <small>602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</small>	Project 6143
Date:	5/1/15														
Designed:	EB														
Drawn:	EB														
Checked:	KH														
DWG file:	6143-0135														
	Figure 1														
ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. <small>602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</small>	Project 6143														

TABLE 1
GROUNDWATER GEOCHEMICAL DATA SUMMARY
Former One Hour Martinizing Cleaners
Oconomowoc, Wisconsin

Monitoring Well Identification	Sample Date	Injection Pre/Post	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl chloride	Oxidation-Reduction Potential
Units			µg/L	µg/L	µg/L	µg/L	µg/L	mV
Preventive Action Limit			0.5	0.5	7	20	0.02	NA
Enforcement Standard			5	5	70	100	0.2	NA
MW-1	*5/18/2018	Pre	44	1.38	<0.37	<0.34	<0.2	62
	8/29/2018	Post	3.2	0.59 J	0.50 J	<0.34	<0.2	-58
	11/28/2018		9.7	7.0	19.5	<0.34	0.8	-109
	3/18/2019		2.7	0.49 J	20.5	<0.34	7.3	-107
MW-2	5/18/2018	Pre	4.7	<0.3	<0.37	<0.34	<0.2	62
	8/29/2018	Post	<0.38	<0.3	<0.37	<0.34	<0.2	-120
	11/28/2018		<0.38	<0.3	<0.37	<0.34	<0.2	-148
	3/18/2019		<0.38	<0.3	<0.37	<0.34	<0.2	-140
MW-3	5/18/2018	Pre	99	<0.3	<0.37	<0.34	<0.2	232
	8/30/2018	Post	43	<0.3	0.47 J	<0.34	<0.2	12
	11/27/2018		54	0.89 J	<0.37	<0.34	<0.2	-14
	3/18/2019		44	0.72 J	<0.37	<0.34	<0.2	38
MW-4	5/18/2018	Pre	30.1	<0.3	<0.37	<0.34	<0.2	47
	8/29/2018	Post	35	<0.3	<0.37	<0.34	<0.2	173
	11/27/2018		52	<0.3	<0.37	<0.38	<0.2	20
	3/18/2019		33	<0.3	<0.37	<0.34	<0.2	13
MW-5	5/18/2018	Pre	99	<0.3	<0.37	<0.34	<0.2	46
	8/29/2018	Post	43	<0.3	0.47 J	<0.34	<0.2	35
	11/28/2018		39	0.58 J	0.61 J	<0.34	<0.2	-123
	3/18/2019		27.2	0.83 J	<0.37	<0.34	<0.2	-60.00
MW-6	5/18/2018	Pre	55	0.62 J	<0.37	<0.34	<0.2	212
	8/29/2018	Post	27	<0.3	<0.37	<0.34	<0.2	184
	11/27/2018		36	<0.3	<0.37	<0.34	<0.2	22
	3/18/2019		27.2	0.83 J	<0.37	<0.34	<0.2	-54
MW-11	5/18/2018	Pre	20.6	0.35 J	0.76 J	<0.34	<0.2	31
	8/29/2018	Post	26.9	<0.3	<0.37	<0.34	<0.2	170
	11/27/2018		<0.38	<0.3	<0.37	<0.34	<0.2	60
	3/18/2019		1.37	<0.3	0.46 J	<0.34	<0.2	9

Notes:

Bolded values are above laboratory detection limits

Bolded and orange shaded values are above Public Health Enforcement Standards

Bolded and blue shaded values are above Public Health Preventive Action Limits

J=Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit

-- = Not Analyzed or meter malfunction

µg/L = micrograms per liter

mg/L = milligrams per liter

mV = millivolts

µS/cm = microSiemens

NTU = nephelometric turbidity unit

S.U. = standard unit

NA = not applicable

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

WAYNE FASSBENDER
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 26-Mar-19

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898A
Sample ID 6143 MW-1
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	20.5	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898A
Sample ID 6143 MW-1
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	2.66	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	0.49 "J"	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	7.3	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898B
Sample ID 6143 MW-2
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898B
Sample ID 6143 MW-2
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	119	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
 Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898C
 Sample ID 6143 MW-3
 Sample Matrix Water
 Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	44	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898C
Sample ID 6143 MW-3
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	0.72 "J"	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
 Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898D
 Sample ID 6143 MW-4
 Sample Matrix Water
 Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	33	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898D
Sample ID 6143 MW-4
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898E
Sample ID 6143 MW-5
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	27.2	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898E
Sample ID 6143 MW-5
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	0.83 "J"	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	116	REC %			1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
 Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898F
 Sample ID 6143 MW-6
 Sample Matrix Water
 Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	35	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898F
Sample ID 6143 MW-6
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
 Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898G
 Sample ID 6143 MW-11
 Sample Matrix Water
 Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	0.46 "J"	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	1.37	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898G
Sample ID 6143 MW-11
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898H
Sample ID 6143 EB-1
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898H
Sample ID 6143 EB-1
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898I
Sample ID 6143 DUP-1
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	33	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898I
Sample ID 6143 DUP-1
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
 Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898J
 Sample ID 6143 TB
 Sample Matrix Water
 Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/22/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/22/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/22/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/22/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/22/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/22/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/22/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/22/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/22/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/22/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/22/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/22/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/22/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/22/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/22/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/22/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/22/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/22/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/22/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/22/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/22/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/22/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/22/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/22/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/22/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/22/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/22/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/22/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/22/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/22/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/22/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/22/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/22/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/22/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/22/2019	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/22/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/22/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/22/2019	CJR	1

Project Name OHM-OCONOMOWOC
Project # 6143 PO#2019-0219

Invoice # E35898

Lab Code 5035898J
Sample ID 6143 TB
Sample Matrix Water
Sample Date 3/18/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/22/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/22/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/22/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/22/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/22/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/22/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/22/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/22/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/22/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/22/2019	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		3/22/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		3/22/2019	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		3/22/2019	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		3/22/2019	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

CHAIN OF CUSTODY RECORD

Synergy

Environmental Lab, Inc.

Chain # **Nº 315**

Page 1 of 1

Sample Handling Request

Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Lab I.D. #	
Account No. :	Quote No. :
Project #: 6143	
Sampler: (signature)	

Project (Name / Location): OHM-OCOMONOCUC, WI	
Reports To: W. Fassbender / K. Heinstand / N. Duda	Invoice To:
Company Enviroforensics	Company:
Address N116 W23390 Stone Ridge Dr.	Address:
City State Zip Wauchocha, WI 53188	City State Zip:
Phone 612-616-7450	Phone:
FAX:	FAX:

Analysis Requested											Other Analysis				
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5025898A	6143-MW-1	3-18	1027		X	N	3	GW	HCL
B	6143-MW-2		945						
C	6143-MW-3		1414						
D	6143-MW-4		1320						
E	6143-MW-5		1233						
F	6143-MW-6		1115						
G	6143-MW-11		900						
H	6143-EB-1		1337						
I	6143-DUP-1		-						
J	6143-TB		-				1		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2019-0219

Sample Integrity - To be completed by receiving lab.

Method of Shipment: Co

Temp. of Temp. Blank ____ °C On Ice:

Cooler seal intact upon receipt: Yes ____ No

Relinquished By: (sign)

Time

Date

Received By: (sign) Synergy Courier

Time

Date

16:15

3/19/19

16:15

3/19/19

Received in Laboratory By:

Time: 8:00

Date: 3/20/19