



November 30, 2020

Mr. John Tessman
1207 Superior Avenue
Tomah, WI 54460

Subject: Approval of Updated Sewer Vapor Assessment Cost Request, 122 East Oak Street, Sparta
DNR BRRTS Activity #02-42-551921

Dear Mr. Tessman:

Your proposed change order is approved. You may proceed with the proposed work. The Department of Natural Resources (DNR) received the proposal titled Cost Estimate Sewer Vapor Sample Assessment prepared by REI Engineering and submitted on your behalf on November 30, 2020.

Work approved under this scope includes investigating and testing sewer vapors using method TO-15 for chlorinated volatile organic compounds. A Sewer vapor pathway report will also be generated to summarize the results of the work performed. Cost approved for this change order is \$3,718.00 for consulting and \$500.00 for sub-contractors, for a total of \$4,218.00 approved for consulting and sub-contractor costs.

Please be aware that you are required to comply with all applicable statutes and administrative rules including the Wis. Admin. Code NR 700 series.

This approval does not guarantee the reimbursement of costs under the Dry Cleaner Environmental Response Program (DERP). Reimbursement is contingent upon availability of funding and a final determination regarding the eligibility of costs at the time of claim review.

If you have any questions regarding the content of this letter, please contact me at 715-492-2304 or matthewa.thompson@wisconsin.gov.

Sincerely,

Matt Thompson
Hydrogeologist

Remediation & Redevelopment Program

cc: Dave Larsen, REI, via email
DERP Fund Manager – Fitchburg