



December 4, 2018

Steve Klinke
Klinke Cleaners
4518 Monona Drive
Madison, Wisconsin 53716

**Subject: 2018 Groundwater Monitoring Summary Report
Klinke Cleaners
4518 Monona Drive
Madison, Wisconsin
BRRTS# 02-13-551928**

Dear Mr. Klinke:

EnviroForensics, LLC (EnviroForensics) is pleased to provide this *2018 Groundwater Monitoring Summary Report* for the Klinke Cleaners site located at 4518 Monona Drive in Madison, Wisconsin (Site). Site characterization and remediation activities were conducted by EnviroForensics as required by the Wisconsin Department of Natural Resources (WDNR) per the NR 700 rule series of the Wisconsin Administrative Code (WAC).

EnviroForensics conducted the groundwater monitoring activities in accordance with the *Long-Term Groundwater Monitoring Plan*, dated August 11, 2017. The objectives of long-term groundwater monitoring are to:

- Evaluate performance of the groundwater remedy; and
- Demonstrate that the groundwater plume is stable or receding.

BACKGROUND

The stratigraphy encountered at the Site consists of unconsolidated sediment overlying Cambrian sandstones and dolostones. The unconsolidated sediment encountered at the Site is primarily silt and clay overlying sand and gravel at some locations below 4 feet below ground surface (bgs). Bedrock is encountered at roughly 7 to 11 feet bgs, and is comprised of poorly cemented silty sandstone that transitions into dolomitic siltstone, followed by sandstone with interbedded siltstone and glauconitic attributes. The water table is typically encountered at approximately 50 feet bgs at the Site.

The contaminants of concern (COCs) at the Site are the dry cleaning solvent tetrachloroethene (PCE) and its associated degradation products including trichloroethene (TCE) cis-1,2-

Document: 6404-1341
EnviroForensics, LLC
N16 W23390 Stone Ridge Drive, Suite G
Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875

dichloroethene, and vinyl chloride. Remedial actions were implemented to address subsurface contamination resulting from the release of PCE. The remedial actions selected for the Site were:

- Soil Excavation
- Soil (and rock) vapor extraction (SVE);
- In-situ sorption and biodegradation using PlumeStop®; and
- Bio-augmented enhanced reductive dechlorination (ERD).

The SVE system operated from January 2016 through June 2018, and removed more than 500 pounds of PCE. The SVE system is currently being pulsed (i.e., operated intermittently) to maximize mass removal, with permanent shut-down expected next year. The full-scale injection of PlumeStop® and ERD products occurred during July and August 2016.

In addition to the selected remedial actions, contaminant mass was also removed via an interim action excavation completed in 2010 and soil removal that occurred during reconstruction of Monona Drive in 2013. The timing of remedial actions with respect to groundwater concentration trends at select monitoring wells is depicted in the charts in **Attachment 1**.

GROUNDWATER MONITORING ACTIVITIES

EnviroForensics performed the spring and fall 2018 monitoring events during March 8-14 and October 17-19, 2018, respectively. Monitoring activities included groundwater elevation measurements and sample collection from the corresponding monitoring well lists presented in **Table 1**. The locations of the monitoring wells are shown on **Figure 1** and monitoring well construction details are provided on **Table 2**.

Groundwater Elevation Measurements

Monitoring well covers and caps were removed at least 15 minutes prior to collecting groundwater elevation measurements to allow groundwater in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was measured to the nearest 0.01 feet using an electronic water level indicator and recorded on the Groundwater Field Sampling Forms (**Attachment 2**). Water table and piezometric surface elevations were measured across the entire monitoring well network on March 8, 2018 for purposes of evaluating gradients and groundwater flow direction(s). During the fall 2018 sampling event, elevation measurements were collected only from monitoring wells designated for sampling.

Groundwater Sampling

Groundwater purging and sample collection from the monitoring wells was conducted using standard low-flow methods. The 2-inch diameter monitoring wells were purged and sampled

using a bladder pump. The continuous multi-channel tubing (CMT) wells were purged and sampled using a Solinst® Model 408M micro double-valve pump manufactured specifically for CMT sampling applications. Geochemical parameters were measured during purging using a multi-parameter water quality meter equipped with a flow-through cell apparatus. The parameters measured included pH, oxidation-reduction potential (ORP), specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored throughout purging to verify stabilization prior to groundwater sample collection. Water quality data was recorded on the Groundwater Field Sampling Forms presented in **Attachment 2**.

Following purging, groundwater samples were discharged directly into laboratory provided containers. Samples were immediately placed into a cooler containing ice pending lab provided courier transport to the laboratory for analysis. For quality assurance/ quality control (QA/QC) purposes, duplicate and equipment blank samples were collected at a rate of one (1) per ten (10) monitoring wells samples, and one (1) trip blank sample was sent with each cooler. All samples were submitted to Synergy Environmental Lab, Inc. for analysis of volatile organic compounds (VOCs) according to EPA Method 8260.

Purge water was pumped through the existing carbon treatment vessel associated with the SVE System located on site and discharged to the sanitary sewer under a City of Madison permit.

MONITORING RESULTS

Groundwater Elevation and Flow Direction

Groundwater elevation data collected in 2018 are summarized in **Table 3**. Previous data collected since 2010 are included in **Table 3** for reference. Depth to water was measured at all wells in the monitoring network on March 8, 2018. A water table contour map generated using that data is depicted on **Figure 2**. The indicated groundwater flow direction is toward the northwest, which is consistent with previous monitoring events. The water table elevation drops approximately 3.5 feet between the Site and monitoring well MW-22A, indicating a horizontal hydraulic gradient of 0.002. A downward vertical gradient ranging from -0.002 to -0.017 was observed at all downgradient well nests (i.e., MW-18, -22, -23, and MW-24).

Groundwater elevations have been exhibiting an upward trend since 2015. The elevations measured on October 17, 2018 were the highest recorded since the monitoring wells were installed. Late summer/early fall was particularly wet in southern Wisconsin, and the high water table may be a result of enhanced recharge to the bedrock aquifer.

Groundwater Sample Analytical Results

Groundwater analytical data are summarized and compared to public health criteria listed in WAC Chapter NR 140 on **Table 4**. Previous analytical data reported since 2010 are included in **Table 4** for reference. The complete laboratory reports are provided in **Attachment 3**.

Contaminant concentrations associated with the spring and fall 2018 monitoring events are illustrated on **Figures 3 and 4**, respectively, along with the distribution of PCE impacts represented by iso-concentration contours.

Compounds that were detected at concentrations exceeding enforcement standards (ESs) in one or more samples in 2018 were PCE, TCE, cis-1,2-dichloroethene (cis-1,2-DCE), and vinyl chloride. Benzene was detected in one of the samples collected from MW-1 at an estimated concentration above the preventive action limit (PAL) but below the ES. Benzene is not related to PCE or any dry cleaning operations. No other compounds were detected at concentrations above public health criteria. Duplicate and field blank results associated with both monitoring events demonstrated that the sampling and decontamination methods did not affect analytical data quality.

As shown on **Figure 4**, PCE concentrations have decreased considerably within the target groundwater treatment area. As of October 2018, PCE concentrations were below the enforcement standard (ES) of 5.0 micrograms per liter ($\mu\text{g/L}$) at MW-4, MW-7, MW-8, and CMT-3 (Port 2). PCE concentrations at MW-1, MW-3, and MW-5 have continued to exhibit decreasing trends and are nearing the ES. Likewise, the concentrations of daughter products (i.e., TCE, DCE, and vinyl chloride) have also decreased in treatment area monitoring wells (specifically MW-2, MW-4, MW-5, and MW-7) following the expected spike that occurred several months after remedial injections in 2016.

Charts depicting PCE or multiple COC concentration trends in select monitoring wells are presented in **Attachment 1**. The timing of implementation of remedial actions is shown on the charts for reference. Changes in PCE concentration relative to the baseline concentrations (i.e., the initial concentration following installation) at monitoring wells within the treatment area are as follows:

- MW-1: 8,930 $\mu\text{g/L}$ in October 2010 to 17.5 $\mu\text{g/L}$ (-99.7%)
- MW-2: 931 $\mu\text{g/L}$ in October 2010 to 330 $\mu\text{g/L}$ (-64.6%)
- MW-3: 197 $\mu\text{g/L}$ in October 2010 to 7.3 $\mu\text{g/L}$ (-96.3%)
- MW-4: 1,490 $\mu\text{g/L}$ in October 2010 to 0.84 $\mu\text{g/L}$ (-99.9%)
- MW-7: 368 $\mu\text{g/L}$ in June 2011 to 0.60 $\mu\text{g/L}$ (-99.8%)
- CMT-3 Port 2: 440 $\mu\text{g/L}$ in January 2014 to 1.1 $\mu\text{g/L}$ (-99.8%)

Notable decreases in PCE concentration relative to baseline have also been observed at monitoring wells outside the treatment area, including:

- MW-5 near the south wall of Monona Grove High School: -96.7%
- MW-8 on the west side of Monona Drive: -99.5%

Additionally, samples collected from downgradient monitoring wells MW-18 and MW-22, which are located along the centerline of the plume, have also exhibited consistent decreasing PCE concentration trends.

SUMMARY

The current groundwater monitoring data demonstrate that the combination of remedial actions implemented at the Site in 2016 (i.e., soil excavation, SVE, sorption and biodegradation, and ERD) have substantially reduced the concentrations of VOCs in groundwater. Post-remediation monitoring results to date can be summarized as follows:

- The PCE concentrations in monitoring wells within the injection treatment areas (MW-1, MW-3, MW-4, MW-7, and CMT-3 Port 2) have decreased by 96.3% to 99.9% following remedial actions.
- Substantial decreases in PCE concentration have also been observed at several monitoring locations outside the treatment areas and along the centerline of the downgradient plume.
- The concentrations of PCE daughter compounds TCE, cis-1,2-DCE, and vinyl chloride have decreased in several wells following spikes that occurred as a result of ERD substrate injections.

The data also indicate that reducing conditions created by the remedial injections remain present, which will continue to promote contaminant capture and reductive dechlorination processes.

The next monitoring event will be conducted in April 2019. Groundwater samples will be collected from the monitoring wells in the 'Spring 2019' list in **Table 1**. We appreciate the opportunity to submit this Groundwater Monitoring Summary Report and look forward to continuing to provide services on this project. Please contact us if you have any questions.

Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Brian Kappen".

Brian Kappen, PG
Project Manager

cc: Mike Schmoller, Wisconsin Department of Natural Resources

List of Attachments:

Table 1: Long-Term Monitoring Well Sampling Schedule

Table 2: Monitoring Well Construction Details

Table 3: Groundwater Elevation Data Summary

Table 4: Summary of Monitoring Well Sample Analytical Results

Figure 1: Monitoring Well Location Map

Figure 2: Water Table Contour Map – March 2018

Figure 3: Groundwater Sample Analytical Results and Distribution of PCE Impacts
– March 2018

Figure 4: Groundwater Sample Analytical Results and Distribution of PCE Impacts
– October 2018

Attachment 1: Groundwater VOC Concentration Trend Charts

Attachment 2: Groundwater Field Sampling Forms

Attachment 3: Laboratory Analytical Reports

TABLES

TABLE 1
LONG-TERM MONITORING WELL SAMPLING SCHEDULE

Klinke Clothing Care, Inc.
Madison, Wisconsin

Monitoring Well I.D.	Top of Casing Elevation (feet amsl)	Port #	Total Depth (feet bgs)	Screened Interval (feet bgs)	Fall 2017	Spring 2018	Fall 2018	Spring 2019	Spring 2020	Closure
MW-1	901.59	NA	57.6	47.6 - 57.6	X	X	X	X	X	X
MW-2	901.10	NA	57.6	47.6 - 57.6	X	X	X	X	X	X
MW-3	900.66	NA	57.0	47.0 - 57.0	X	X	X	X	X	X
MW-4	901.03	NA	57.8	47.8 - 57.8	X	X	X	X	X	X
MW-5	900.18	NA	58.5	43.5 - 58.5	X	X	X	X	X	X
MW-6	899.58	NA	57.4	42.4 - 57.4		X		X	X	X
MW-7	899.68	NA	57.3	42.3 - 57.3	X	X	X	X	X	X
MW-8	896.70	NA	55.6	40.6 - 55.6	X	X	X	X	X	X
MW-9	904.25	NA	65.0	50.0 - 65.0	X	X	X	X	X	X
MW-13	898.12	NA	54.9	44.9 - 54.9		X		X	X	X
MW-14	896.52	NA	54.9	44.9 - 54.9		X		X	X	X
MW-15	896.99	NA	81.2	71.2 - 81.2						X
MW-16	897.96	NA	81.2	71.2 - 81.2		X		X	X	X
MW-17	887.59	NA	76.1	66.1 - 76.1						X
MW-18A	889.39	NA	60.0	50.0 - 60.0		X				X
MW-18	889.11	NA	90.9	80.9 - 90.9	X	X	X	X	X	X
MW-18C	889.52	NA	115.0	105.0 - 115.0		X				X
MW-19	876.17	NA	85.2	75.2 - 85.2						X
MW-20	850.92	NA	54.6	44.6 - 54.6						X
MW-21	852.83	NA	52.7	42.7 - 52.7		X		X	X	X
MW-22A	867.65	NA	37.9	27.9 - 37.9		X		X	X	X
MW-22	867.68	NA	63.4	53.4 - 63.4	X	X	X	X	X	X
MW-22C	867.48	NA	89.9	79.9 - 89.9		X		X	X	X
MW-23A	867.60	NA	37.7	27.7 - 37.7		X		X	X	X
MW-23B	867.70	NA	62.3	52.3 - 62.3						X
MW-23C	867.64	NA	93.0	83.0 - 93.0						X
MW-24A	876.28	NA	46.9	36.9 - 46.9						X
MW-24B	876.43	NA	71.7	61.7 - 71.7						X
MW-24C	876.18	NA	101.7	91.7 - 101.7						X
CMT-3	900.29	2	55.4	50.4 - 55.4	X		X			X
		3	75.3	70.3 - 75.3						X
		4	93.5	88.5 - 93.5						
		5	Obstructed							
		6	Obstructed							
		7	167.2	167.1 - 167.2						
CMT-10	891.41	1	65.8	60.8 - 65.8						
		2	87.8	82.8 - 87.8		X		X	X	X
		3	109.6	104.6 - 109.6						
		4	131.5	126.5 - 131.5		X				X
		5	153.6	148.6 - 153.6						
		6	175.0	170.0 - 175.0		X				X
		7	193.6	193.5 - 193.6						
CMT-11	901.72	2	57.8	52.8 - 57.8		X		X	X	X
		3	85.7	80.7 - 85.7						
		4	115.4	110.4 - 115.4		X				X
		5	146.8	141.8 - 146.8						
		6	176.9	171.9 - 176.9		X				X
		7	200.0	199.9 - 200.0						
CMT-12	899.90	2	55.1	50.1 - 55.1		X		X	X	X
		3	84.4	79.4 - 84.4						
		4	117.8	112.8 - 117.8		X				X
		5	143.1	138.1 - 143.1						
		6	172.8	167.8 - 172.8		X				X
		7	200.0	199.9 - 200.0						
Total Samples					11	29	11	21	21	40

Notes:

bgs = below ground surface

amsl = feet above mean sea level

X = Sample collected for VOC analysis

TABLE 2
MONITORING WELL CONSTRUCTION DETAILS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well I.D.	Installation Date	Drilling Method	Drilling Contractor	Northing ^{1,2}	Easting ^{1,2}	Well Diameter (inches)	Top of Casing Elevation (feet amsl)	Ground Elevation (feet amsl)	Port #	Total Depth (feet bgs)	Screened Interval (feet bgs)	Screened Interval (feet amsl)
MW-1	10/13/2010	HSA/ Air Rotary	Badger State Drilling	391,099.86	2,148,770.95	2	901.59	901.98	NA	57.6	47.6 - 57.6	854.4 - 844.4
MW-2	10/14/2010	HSA/ Air Rotary	Badger State Drilling	391,051.20	2,148,884.82	2	901.10	901.47	NA	57.6	47.6 - 57.6	853.9 - 843.9
MW-3	10/14/2010	HSA/ Air Rotary	Badger State Drilling	390,994.20	2,148,778.42	2	900.66	900.92	NA	57.0	47.0 - 57.0	853.9 - 843.9
MW-4	10/15/2010	HSA/ Air Rotary	Badger State Drilling	391,047.96	2,148,675.35	2	901.03	901.63	NA	57.8	47.8 - 57.8	853.8 - 843.8
MW-5	6/10/2011	HSA/ Air Rotary	Badger State Drilling	391,244.16	2,148,762.05	2	900.18	900.56	NA	58.5	43.5 - 58.5	857.1 - 842.1
MW-6	6/13/2011	HSA/ Air Rotary	Badger State Drilling	390,955.00	2,148,987.92	2	899.58	899.90	NA	57.4	42.4 - 57.4	857.5 - 842.5
MW-7	6/16/2011	HSA/ Air Rotary	Badger State Drilling	390,880.86	2,148,691.15	2	899.68	899.96	NA	57.3	42.3 - 57.3	857.7 - 842.7
MW-8	6/14/2011	HSA/ Air Rotary	Badger State Drilling	390,807.71	2,148,531.08	2	896.70	897.06	NA	55.6	40.6 - 55.6	856.4 - 841.4
MW-9	6/15/2011	HSA/ Air Rotary	Badger State Drilling	391,194.39	2,148,530.08	2	904.25	904.71	NA	65.0	50.0 - 65.0	854.7 - 839.7
MW-13	11/21/2014	HSA/ Air Rotary	Badger State Drilling	390,624.08	2,148,841.77	2	898.12	898.60	NA	54.9	44.9 - 54.9	853.7 - 843.7
MW-14	12/12/2014	HSA/ Air Rotary	Badger State Drilling	390,799.26	2,149,085.24	2	896.52	896.81	NA	54.9	44.9 - 54.9	852.0 - 842.0
MW-15	11/18/2014	HSA/ Mud Rotary	Badger State Drilling	391,692.09	2,148,662.28	2	896.99	897.32	NA	81.2	71.2 - 81.2	826.1 - 816.1
MW-16	11/13/2014	HSA/ Mud Rotary	Badger State Drilling	391,118.71	2,148,256.75	2	897.96	898.26	NA	81.2	71.2 - 81.2	827.1 - 817.1
MW-17	11/13/2014	HSA/ Mud Rotary	Badger State Drilling	390,951.91	2,147,980.45	2	887.59	887.88	NA	76.1	66.1 - 76.1	821.8 - 811.8
MW-18A	2/12/2015	Mud Rotary	Ground Source	391,746.00	2,148,196.82	1	889.39	889.83	NA	60.0	50.0 - 60.0	839.8 - 829.8
MW-18	11/11/2014	HSA/ Mud Rotary	Badger State Drilling	391,746.13	2,148,191.74	2	889.11	889.65	NA	90.9	80.9 - 90.9	808.8 - 798.8
MW-18C	2/12/2015	Mud Rotary	Ground Source	391,746.00	2,148,196.82	1	889.52	889.83	NA	115.0	105.0 - 115.0	784.9 - 774.9
MW-19	11/26/2014	HSA/ Mud Rotary	Badger State Drilling	391,186.98	2,147,615.60	2	876.17	876.48	NA	85.2	75.2 - 85.2	801.3 - 791.3
MW-20	11/20/2014	HSA/ Mud Rotary	Badger State Drilling	391,494.44	2,147,230.72	2	850.92	851.21	NA	54.6	44.6 - 54.6	806.6 - 796.6
MW-21	11/14/2014	HSA/ Mud Rotary	Badger State Drilling	391,720.95	2,147,457.85	2	852.83	853.27	NA	52.7	42.7 - 52.7	810.5 - 800.5
MW-22A	2/13/2015	Mud Rotary	Ground Source	392,302.62	2,147,903.85	1	867.65	867.89	NA	37.9	27.9 - 37.9	840.0 - 830.0
MW-22	12/9/2014	HSA/ Mud Rotary	Badger State Drilling	392,309.85	2,147,908.95	2	867.68	867.98	NA	63.4	53.4 - 63.4	814.6 - 804.6
MW-22C	2/13/2015	Mud Rotary	Ground Source	392,302.62	2,147,903.85	1	867.48	867.89	NA	89.9	79.9 - 89.9	788.0 - 778.0
MW-23A	2/10/2015	Mud Rotary	Ground Source	392,748.14	2,148,110.38	1	867.60	867.90	NA	37.7	27.7 - 37.7	840.2 - 830.2
MW-23B	2/10/2015	Mud Rotary	Ground Source	392,748.14	2,148,110.38	1	867.70	867.90	NA	62.3	52.3 - 62.3	815.6 - 805.6
MW-23C	2/10/2015	Mud Rotary	Ground Source	392,748.14	2,148,110.38	1	867.64	867.90	NA	93.0	83.0 - 93.0	784.9 - 774.9
MW-24A	2/16/2015	Mud Rotary	Ground Source	392,429.11	2,148,499.41	1	876.28	876.67	NA	46.9	36.9 - 46.9	839.8 - 829.8
MW-24B	2/16/2015	Mud Rotary	Ground Source	392,429.11	2,148,499.41	1	876.43	876.67	NA	71.7	61.7 - 71.7	815.0 - 805.0
MW-24C	2/16/2015	Mud Rotary	Ground Source	392,429.11	2,148,499.41	1	876.18	876.67	NA	101.7	91.7 - 101.7	785.0 - 775.0
CMT-3	10/19/2013	Sonic	Major Drilling	390,958.49	2,148,754.86	0.375	900.29	900.81	2	55.4	50.4 - 55.4	850.5 - 845.5
									3	75.3	70.3 - 75.3	830.5 - 825.5
									4	93.5	88.5 - 93.5	812.4 - 807.4
									5	Obstructed		
									6	Obstructed		
7	167.2	167.1 - 167.2	733.7 - 733.6									
CMT-10	11/3/2013	Sonic	Major Drilling	391,356.83	2,147,958.68	0.375	891.41	892.10	1	65.8	60.8 - 65.8	831.3 - 826.3
									2	87.8	82.8 - 87.8	809.3 - 804.3
									3	109.6	104.6 - 109.6	787.5 - 782.5
									4	131.5	126.5 - 131.5	765.6 - 760.6
									5	153.6	148.6 - 153.6	743.5 - 738.5
									6	175.0	170.0 - 175.0	722.1 - 717.1
									7	193.6	193.5 - 193.6	698.6 - 698.5
CMT-11	12/5/2013	Mud Rotary	North Star Drilling	391,004.06	2,148,955.36	0.375	901.72	901.87	2	57.8	52.8 - 57.8	849.1 - 844.1
									3	85.7	80.7 - 85.7	821.2 - 816.2
									4	115.4	110.4 - 115.4	791.5 - 786.5
									5	146.8	141.8 - 146.8	760.1 - 755.1
									6	176.9	171.9 - 176.9	730.0 - 725.0
									7	200.0	199.9 - 200.0	702.0 - 701.9
									CMT-12	12/11/2013	Mud Rotary	North Star Drilling
3	84.4	79.4 - 84.4	820.8 - 815.8									
4	117.8	112.8 - 117.8	787.4 - 782.4									
5	143.1	138.1 - 143.1	762.1 - 757.1									
6	172.8	167.8 - 172.8	732.4 - 727.4									
7	200.0	199.9 - 200.0	700.3 - 700.2									

Notes:

¹ Wisconsin State Plane, Southern Zone, NAD83

² The coordinates listed for MW-1 through MW-7 are estimatec

bgs = below ground surface

amsl = feet above mean sea level

HSA = Hollow-stem auger

NA = Not Applicable

**TABLE 3
GROUNDWATER ELEVATION DATA SUMMARY**

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well I.D.	Screen Depth (feet)	Date	Top of Casing Elevation (amsl)	Depth to Water (feet)	Groundwater Elevation (feet amsl)			
MW-1	47.6-57.6	10/15/2010	901.59	49.71	851.88			
		1/18/2011		51.27	850.32			
		6/22/2011		49.17	852.42			
		9/29/2011		52.33	849.26			
		4/2/2012		53.53	848.06			
		1/13/2014		52.76	848.83			
		8/13/2014		49.98	851.61			
		1/15/2015		51.61	849.98			
		2/20/2015		52.68	848.91			
		10/4/2016		49.83	851.76			
		3/8/2017		50.74	850.85			
		10/2/2017		46.77	854.82			
		3/7/2018		49.53	852.06			
MW-2	47.6-57.6	10/15/2010	901.10	49.14	851.96			
		1/18/2011		50.68	850.42			
		6/22/2011		49.54	851.56			
		9/29/2011		51.72	849.38			
		4/2/2012		52.97	848.13			
		1/13/2014		52.25	848.85			
		8/13/2014		49.35	851.75			
		1/15/2015		51.41	849.69			
		2/20/2015		52.13	848.97			
		10/4/2016		49.88	851.22			
		3/7/2017		49.19	851.91			
		10/2/2017		47.09	854.01			
		3/7/2018		49.45	851.65			
10/19/2018	45.06	856.04						
MW-3	47.0-57.0	10/15/2010	900.66	48.72	851.94			
		1/18/2011		50.30	850.36			
		6/22/2011		49.11	851.55			
		9/29/2011		51.33	849.33			
		4/2/2012		52.59	848.07			
		1/13/2014		51.85	848.81			
		8/13/2014		48.98	851.68			
		1/15/2015		51.02	849.64			
		2/20/2015		51.76	848.90			
		10/4/2016		49.17	851.49			
		3/8/2017		48.52	852.14			
		10/2/2017		46.82	853.84			
		3/7/2018		49.05	851.61			
10/19/2018	45.92	854.74						
MW-4	47.8-57.8	10/15/2010	901.03	49.25	851.78			
		1/18/2011		50.73	850.30			
		6/22/2011		49.58	851.45			
		9/29/2011		51.79	849.24			
		4/2/2012		52.97	848.06			
		1/13/2014		51.96	849.07			
		8/13/2014		49.43	851.60			
		1/15/2015		51.45	849.58			
		2/20/2015		52.15	848.88			
		10/4/2016		49.78	851.25			
		3/8/2017		49.18	851.85			
		10/2/2017		47.31	853.72			
		3/7/2018		49.56	851.47			
MW-5	43.5-58.5	6/15/2011	900.18	49.02	851.16			
		6/22/2011		49.18	851.00			
		9/29/2011		51.20	848.98			
		4/2/2012		52.39	847.79			
		1/13/2014		51.75	848.43			
		8/13/2014		48.98	851.20			
		1/15/2015		50.56	849.62			
		2/20/2015		51.61	848.57			
		10/4/2016		49.18	851.00			
		3/8/2017		48.52	851.66			
		10/2/2017		46.65	853.53			
		3/7/2018		48.86	851.32			
		10/19/2018		44.39	855.79			
MW-6	42.4-57.4	6/15/2011	899.58	47.77	851.81			
		6/22/2011		47.79	851.79			
		9/29/2011		50.02	849.56			
		4/2/2012		51.31	848.27			
		1/13/2014		50.55	849.03			
		8/13/2014		47.66	851.92			
		1/15/2015		49.37	850.21			
		2/20/2015		50.45	849.13			
		10/4/2016		48.14	851.44			
		3/12/2018		47.82	851.76			
		MW-7		42.3-57.3	6/15/2011	899.68	47.99	851.69
					6/22/2011		48.04	851.64
					9/29/2011		50.19	849.49
4/2/2012	51.44		848.24					
1/13/2014	50.78		848.90					
8/13/2014	47.81		851.87					
1/15/2015	49.61		850.07					
2/20/2015	50.64		849.04					
10/4/2016	48.35		851.33					
3/8/2017	47.67		852.01					
10/2/2017	45.71		853.97					
3/7/2018	47.98		851.70					
10/17/2018	44.68		855.00					

**TABLE 3
GROUNDWATER ELEVATION DATA SUMMARY**

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well I.D.	Screen Depth (feet)	Date	Top of Casing Elevation (amsl)	Depth to Water (feet)	Groundwater Elevation (feet amsl)
MW-8	40.6-55.6	6/15/2011	896.70	44.75	851.95
		6/22/2011		45.02	851.68
		9/29/2011		45.38	851.32
		4/2/2012		48.55	848.15
		1/13/2014		Not Located	
		8/13/2014		Not Located	
		12/16/2014		45.73	850.97
		1/15/2015		45.97	850.73
		2/20/2015		46.16	850.54
		10/4/2016		44.58	852.12
		3/8/2017		44.36	852.34
		10/2/2017		42.77	853.93
		3/7/2018		44.72	851.98
10/17/2018	41.77	854.93			
MW-9	50.0-65.0	6/15/2011	904.25	54.70	849.55
		6/22/2011		54.73	849.52
		9/29/2011		56.66	847.59
		4/2/2012		57.66	846.59
		1/13/2014		Not Located	
		8/13/2014		Not Located	
		12/16/2014		55.09	849.16
		1/15/2015		55.33	848.92
		2/20/2015		56.20	848.05
		10/4/2016		53.99	850.26
		3/8/2017		53.18	851.07
		10/2/2017		50.43	853.82
		3/7/2018		53.59	850.66
10/17/2018	50.51	853.74			
MW-13	44.9-54.9	12/16/2014	898.12	47.81	850.31
		1/15/2015		47.35	850.77
		2/20/2015		49.05	849.07
		3/7/2018		46.41	851.71
MW-14	44.9-54.9	12/16/2014	896.52	46.11	852.01
		1/15/2015		46.34	851.78
		2/20/2015		47.50	850.62
		3/7/2018		44.75	853.37
MW-15	71.2-81.2	12/16/2014	896.99	48.77	848.22
		1/15/2015		48.97	848.02
		2/20/2015		49.75	847.24
		3/7/2018		47.74	849.25
MW-16	71.2-81.2	12/16/2014	897.96	49.59	848.37
		1/15/2015		49.81	848.15
		2/20/2015		50.61	847.35
		3/7/2018		48.52	849.44
MW-17	66.1-76.1	12/16/2014	887.59	47.42	840.17
		1/15/2015		47.66	839.93
		2/20/2015		40.18	847.41
		3/7/2018		38.15	849.44
MW-18A	50.0-60.0	2/20/2015	889.39	42.46	846.93
		3/14/2018		40.70	848.69
MW-18	80.9-90.9	12/16/2014	889.11	41.31	847.80
		1/15/2015		41.54	847.57
		2/20/2015		42.22	846.89
		10/4/2016		40.31	848.80
		10/2/2017		39.14	849.97
		3/7/2018		40.35	848.76
10/17/2018	37.78	851.33			
MW-18C	105.0-115.0	2/20/2015	889.52	42.48	847.04
		3/14/2018		40.95	848.57
MW-19	75.2-85.2	12/16/2014	876.17	28.49	847.68
		1/15/2015		28.59	847.58
		2/20/2015		29.41	846.76
		3/7/2018		27.46	848.71
MW-20	44.6-54.6	12/16/2014	850.92	3.32	847.60
		1/15/2015		3.61	847.31
		2/20/2015		4.19	846.73
		3/7/2018		2.36	848.56
MW-21	42.7-52.7	12/16/2014	852.83	5.20	847.63
		1/15/2015		5.51	847.32
		2/20/2015		6.09	846.74
		3/7/2018		4.25	848.58
MW-22A	27.9-37.9	2/20/2015	867.65	21.35	846.30
		3/7/2018		19.68	847.97
MW-22	53.4-63.4	12/16/2014	867.68	20.49	847.19
		1/15/2015		20.69	846.99
		2/20/2015		21.28	846.40
		10/2/2017		18.27	849.41
		3/7/2018		19.30	848.38
		10/17/2018		19.25	848.43
MW-22C	79.9-89.9	2/20/2015	867.48	21.15	846.33
		3/7/2018		19.35	848.13
MW-23A	27.7-37.7	2/20/2015	867.60	21.82	845.78
		3/7/2018		20.27	847.33
MW-23B	52.3-62.3	2/20/2015	867.70	21.70	846.00
		3/7/2018		19.93	847.77
MW-23C	83.0-93.0	2/20/2015	867.64	21.70	845.94
		3/7/2018		20.01	847.63
MW-24A	36.9-46.9	2/20/2015	876.28	29.77	846.51
		3/7/2018		27.98	848.30
MW-24B	61.7-71.7	2/20/2015	876.43	29.77	846.66
		3/7/2018		27.93	848.50
MW-24C	91.7-101.7	2/20/2015	876.18	29.43	846.75
		3/7/2018		27.77	848.41

**TABLE 3
GROUNDWATER ELEVATION DATA SUMMARY**

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well I.D.	Screen Depth (feet)	Date	Top of Casing Elevation (amsl)	Depth to Water (feet)	Groundwater Elevation (feet amsl)
CMT-3	2 (50.4-55.4)	1/13/2014	900.29	51.46	848.83
		8/13/2014		48.73	851.56
		12/16/2014		49.57	850.72
		1/15/2015		50.45	849.84
		2/20/2015		51.52	848.77
		10/4/2016		48.99	851.30
		3/7/2017		48.64	851.65
		10/2/2017		46.67	853.62
		3/7/2018		48.70	851.59
	3 (70.3-75.3)	1/13/2014		52.45	847.84
		8/13/2014		50.00	850.29
		2/20/2015		52.46	847.83
		10/4/2016		50.29	850.00
		3/7/2017		49.76	850.53
	4 (88.5-93.5)	3/7/2018		49.76	850.53
		1/13/2014		41.55	858.74
		8/13/2014		51.18	849.11
		2/20/2015		48.82	851.47
	5 (120.0-125.0)	3/7/2018		53.41	846.88
		1/13/2014		Obstructed @ 16'	
		3/7/2018		Obstructed @ 24'	
6 (145.0-150.0)	1/13/2014	59.09	841.20		
	3/7/2018	59.88	840.41		
	1/13/2014	58.45	841.84		
7 (167.1-167.2)	8/13/2014	57.18	843.11		
	2/20/2015	44.43	846.98		
	3/7/2018	42.43	848.98		
	12/16/2014	43.44	847.97		
CMT-10	1 (60.8-65.8)	1/15/2015	43.68	847.73	
		2/27/2015	44.61	846.80	
		3/7/2018	42.57	848.84	
		1/13/2014	44.48	846.93	
		8/13/2014	42.51	848.90	
	2 (82.8-87.8)	2/27/2015	44.71	846.70	
		3/7/2018	42.74	848.67	
		1/13/2014	44.50	846.91	
	3 (104.6-109.6)	8/13/2014	42.53	848.88	
		2/27/2015	44.71	846.70	
		3/7/2018	42.69	848.72	
	4 (126.5-131.5)	1/13/2014	44.54	846.87	
		8/13/2014	42.57	848.84	
		2/27/2015	44.73	846.68	
		3/7/2018	42.78	848.63	
	5 (148.6-153.6)	1/13/2014	48.60	842.81	
		8/13/2014	48.29	843.12	
		2/27/2015	48.49	842.92	
		3/7/2018	47.16	844.25	
	6 (170.0-175.0)	1/13/2014	49.67	841.74	
		8/13/2014	48.58	842.83	
2/27/2015		48.66	842.75		
3/7/2018		47.46	843.95		
7 (193.5-193.6)	1/13/2014	44.54	846.87		
	8/13/2014	46.67	844.74		
	2/27/2015	44.73	846.68		
	3/7/2018	42.64	848.77		
CMT-11	2 (52.8-57.8)	1/13/2014	52.49	849.23	
		8/13/2014	49.00	852.72	
		12/16/2014	52.44	849.28	
		1/15/2015	51.91	849.81	
		2/20/2015	52.64	849.08	
		10/4/2016	50.34	851.38	
		3/7/2017	49.78	851.94	
	3/7/2018	50.02	851.70		
	3 (80.7-85.7)	1/13/2014	53.91	847.81	
		8/13/2014	51.79	849.93	
		2/20/2015	54.02	847.70	
		10/4/2016	52.05	849.67	
		3/7/2017	51.25	850.47	
	4 (110.4-115.4)	3/7/2018	51.76	849.96	
		1/13/2014	54.15	847.57	
		8/13/2014	51.15	850.57	
		2/20/2015	54.00	847.72	
		3/7/2018	52.05	849.67	
		1/13/2014	57.93	843.79	
	5 (141.8-146.8)	8/13/2014	56.59	845.13	
		2/20/2015	57.23	844.49	
3/7/2018		55.06	846.66		
6 (171.9-176.9)	1/13/2014	64.69	837.03		
	8/13/2014	61.40	840.32		
	2/20/2015	61.73	839.99		
	3/7/2018	58.19	843.53		
7 (199.9-200.0)	1/13/2014	65.08	836.64		
	8/13/2014	61.25	840.47		
	2/20/2015	60.81	840.91		
	3/7/2018	58.41	843.31		

**TABLE 3
GROUNDWATER ELEVATION DATA SUMMARY**

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well I.D.	Screen Depth (feet)	Date	Top of Casing Elevation (amsl)	Depth to Water (feet)	Groundwater Elevation (feet amsl)
CMT-12	2 (50.1-55.1)	1/13/2014	899.90	50.25	849.65
		8/13/2014		48.01	851.89
		12/16/2014		49.64	850.26
		1/15/2015		50.21	849.69
		2/20/2015		50.86	849.04
		10/4/2016		48.52	851.38
		3/8/2017		47.91	851.99
		3/7/2018		48.11	851.79
	3 (79.4-84.4)	1/13/2014		51.25	848.65
		8/13/2014		49.92	849.98
		10/4/2016		50.34	849.56
		3/8/2017		49.86	850.04
	4 (112.8-117.8)	3/7/2018		49.91	849.99
		1/13/2014		51.70	848.20
		8/13/2014		50.50	849.40
	5 (138.1-143.1)	3/7/2018		50.45	849.45
		1/13/2014		55.30	844.60
		8/13/2014		53.73	846.17
		2/20/2015		54.87	845.03
		3/7/2018		51.02	848.88
	6 (167.8-172.8)	1/13/2014		61.78	838.12
		8/13/2014		58.91	840.99
		2/20/2015		58.30	841.60
		3/7/2018		53.32	846.58
	7 (199.9-200.0)	1/13/2014		16.10	883.80
		8/13/2014		59.02	840.88
		2/20/2015		58.42	841.48
		3/7/2018		55.58	844.32

Notes:

ft bgs = feet below ground surface
amsl = feet above mean sea level

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
6243-MW-1	47.1-57.1	10/15/2010	8,930	<96.0	<166	<178	<36.0	ND	<82	ND	ND	<260	ND	ND	ND	<72	<108	ND	ND	ND	<86.0	<180	<194	ND	<360	
		1/25/2011	5,790	ND	<104	ND	ND	ND	<51.2	ND	ND	ND	ND	ND	ND	ND	<93.8	<67.5	ND	ND	ND	<53.8	ND	<121	ND	<225
		6/22/2011	6,400	ND	<41.5	ND	ND	ND	<20.5	ND	ND	ND	ND	ND	ND	ND	<18	<27	ND	ND	ND	257	ND	<48.5	ND	<90
		9/29/2011	5,130	ND	<41.5	ND	ND	ND	<20.5	ND	ND	ND	ND	ND	ND	ND	<18	<20.5	ND	ND	ND	<21.5	ND	<48.5	ND	<90
		4/4/2012	3,180	2.51	4.15	<0.500	<0.500	ND	ND	ND	ND	<0.500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.23	ND	ND	ND
		1/22/2014	3,200	<16.5	<19	<17.5	<9	ND	<12	ND	ND	<14	ND	ND	ND	ND	<20.5	<27.5	ND	ND	ND	<25	<16.5	<110	ND	<66
		8/13/2014	4,600	<3.3	ND	ND	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2
		2/17/2015	4,000	27	4.5	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
		11/11/2015	3,000	5.2	1.5	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	NA	<5.0	<1.0	<1.0	<1.0	<3.0
		4/7/2016	2,530	9.7	4.7	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	1.47 J	<1.0	NA	<5.0	<1.0	<1.0	<1.0	<3.0
		7/12/2016	880	<23.5	<22.5	<27	<8.5	ND	<22	<23	<23	<21.5	ND	<22.5	ND	<24	<35.5	<41	<55	ND	ND	<65	<42	<80	<22	<155
		10/5/2016	169	7.9 J	4.6 J	<2.6	<1.8	NA	<5.0	<5.0	<5.0	<25.0	NA	<5.0	<1.8	<1.7	<5.0	<1.4	<5.0	NA	NA	<2.3	<5.0	<5.0	<5.0	<15
		3/8/2017	79.1	0.40 J	0.32 J	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	NA	<0.23	<0.50	<0.50	<0.50	<1.5
		10/3/2017	43.1	3.2	41.7	<0.26	11.4	NA	2.0	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	NA	<0.23	<0.50	<0.50	<0.50	<0.50
		3/11/2018	24.9	3.2 J	243	<3.4	36	NA	<2.2	<3.3	<4.5	<2.6	NA	<2.2	<2.2	<2.5	<2.6	<7.8	<2.4	NA	NA	<13.2	<3.3	<8	<1.9	<7.2
10/17/2018	17.5	1.8	43	0.64 J	5.8	NA	0.52 J	<0.33	<0.45	<0.26	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	NA	<1.32	<0.33	<0.8	<0.19	<0.72		
6243-MW-2	47.0-57.0	10/15/2010	931	<4.8	<8.3	<8.9	<1.8	ND	<4.1	ND	ND	<13.0	ND	ND	ND	<3.6	<5.4	ND	ND	ND	<4.8	<9.0	<9.7	ND	<18	
		1/25/2011	472	ND	<4.2	ND	ND	ND	<2.0	ND	ND	ND	ND	ND	ND	<1.8	<2.7	ND	ND	ND	2.9J	ND	<4.8	ND	<9.0	
		6/22/2011	1,110	ND	<4.2	ND	ND	ND	<2.0	ND	ND	ND	ND	ND	ND	<1.8	<2.7	ND	ND	ND	18.2	ND	<4.8	ND	<9.0	
		9/29/2011	521	ND	<8.3	ND	ND	ND	<4.1	ND	ND	ND	ND	ND	ND	<3.6	<5.4	ND	ND	ND	<4.3	ND	<9.7	ND	<18	
		4/4/2012	220	<0.500	1.54	<0.500	<0.500	ND	ND	ND	ND	0.650 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND
		1/20/2014	420	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	ND	<5	<3.3	<22	ND	<13.2
		8/14/2014	242	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2
		2/16/2015	380	<0.50	1.0	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
		11/12/2015	1,300	1.5	3.4	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	NA	<5.0	<1.0	<1.0	<1.0	<3.0
		10/4/2016	1,000	8.5 J	3.5 J	<2.6	<1.8	NA	<5.0	<5.0	<5.0	<25.0	NA	<5.0	<1.8	<1.7	<5.0	<1.4	<5.0	NA	NA	<2.3	<5.0	<5.0	<5.0	<15
		3/7/2017	331	267	744	6.0 J	59.2	NA	<5.0	<5.0	<5.0	<25.0	NA	<5.0	<1.8	<1.7	<5.0	<1.4	<5.0	NA	NA	<2.3	<5.0	<5.0	<5.0	<15
		10/2/2017	56.9	1.1	1.5	<0.26	0.20 J	NA	<5.0	<0.50	<0.50	<2.50	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	NA	<0.23	<0.50	<0.50	<0.50	<0.50
		3/13/2018	370	11.8	6.9	<0.34	3.13	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	NA	<1.32	<0.33	<0.8	<0.19	<0.72
10/19/2018	330	14.6	5.2 J	<3.4	3.9 J	NA	<2.2	<3.3	<4.5	<2.6	NA	<2.2	NA	<2.5	<2.6	<7.8	<2.4	NA	NA	<13.2	<3.3	<8	<1.9	<7.2		

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)		
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000		
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400		
6243-MW-3	46.6-56.6	10/15/2010	197	<0.48	<0.83	<0.89	<0.18	ND	<0.41	ND	ND	<1.3	ND	ND	ND	<0.36	<0.54	ND	ND	ND	<0.43	<0.90	<0.97	ND	<1.8		
		1/25/2011	855	ND	<8.3	ND	ND	ND	ND	<4.1	ND	ND	ND	ND	ND	ND	<3.6	<5.4	ND	ND	ND	<4.3	ND	<9.7	ND	<18	
		6/22/2011	569	ND	<8.3	ND	ND	ND	ND	<4.1	ND	ND	ND	ND	ND	ND	<3.6	<5.4	ND	ND	ND	18.8	ND	<9.7	ND	<18	
		9/29/2011	873	ND	<4.2	ND	ND	ND	ND	<2.0	ND	ND	ND	ND	ND	ND	<1.8	<2.7	ND	ND	ND	<2.2	ND	<4.8	ND	<9.0	
		4/3/2012	713	0.630 J	0.920 J	<0.500	<0.500	ND	ND	ND	ND	0.560 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND	ND
		1/22/2014	690	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	ND	<13.2	
		8/14/2014	222	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		2/16/2015	950	0.77	<0.50	<0.50	<0.50	<10	<1.0	1.7	<1.0	1.3	ND	1.7	ND	ND	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
		11/12/2015	150	<1.0	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	NA	<5.0	<1.0	<1.0	<1.0	<3.0
		1/7/2016	281	<4.7	<4.5	<5.4	<1.7	NA	<4.4	<4.6	<4.6	<4.3	NA	<4.5	NA	<4.8	<7.1	<8.2	<11	NA	<13	<8.4	<16	<4.4	<31		
		2/5/2016	174	<2.35	<2.25	<2.7	<0.85	NA	<2.2	<2.3	<2.3	<2.15	NA	<2.25	NA	<2.4	<3.55	<4.1	<5.5	NA	<6.5	<4.2	<8	<2.2	<15.5		
		3/7/2016	182	2.86	<0.45	<0.54	<0.17	NA	<0.44	<0.46	<0.46	<0.43	NA	<0.45	NA	<0.48	<0.71	<0.82	<1.1	NA	<1.3	<0.84	<1.6	<0.44	<3.1		
		4/7/2016	580	1.7	0.53 J	<0.54	<0.17	NA	<0.44	<0.46	<0.46	<0.43	NA	<0.45	NA	<0.48	<0.71	<0.82	<1.1	NA	<1.3	<0.84	<1.6	<0.44	<3.1		
		7/12/2016	159	<4.7	<4.5	<5.4	<1.7	NA	<4.4	<4.6	<4.6	<4.3	NA	<4.5	NA	<4.8	<7.1	<8.2	<11	NA	<13	<8.4	<16	<4.4	<31		
		10/5/2016	83.9	9.3	196	2.4	1.1	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5	
		3/8/2017	45	0.83 J	0.76 J	<0.26	1.1	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5	
		10/2/2017	30.8	0.43 J	1.4	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5	
3/11/2018	284	72	17.5	<3.4	8.1	NA	<2.2	<3.3	<4.5	<2.6	NA	<2.2	<2.2	<2.5	<2.6	<7.8	<2.4	NA	<13.2	<3.3	<8.0	<1.9	<7.2				
10/19/2018	7.3	3.2	2.9	<0.34	2.48	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72				
6243-MW-4	47.1-57.1	10/15/2010	1,490	<9.6	<16.6	<17.8	<3.6	ND	<8.2	ND	ND	<26.0	ND	ND	ND	<7.2	<10.8	ND	ND	ND	<8.6	<18.0	<19.4	ND	<36		
		1/25/2011	1,940	ND	<33.2	ND	ND	ND	<16.4	ND	ND	ND	ND	ND	ND	ND	<14.4	<21.6	ND	ND	ND	<17.2	ND	<38.8	ND	<72	
		6/22/2011	3,160	ND	<16.6	ND	ND	ND	<8.2	ND	ND	ND	ND	ND	ND	ND	<7.2	<10.8	ND	ND	ND	10.1 J	ND	<19.4	ND	<36	
		9/29/2011	2,320	ND	<16.6	ND	ND	ND	<8.2	ND	ND	ND	ND	ND	ND	ND	<7.2	<10.8	ND	ND	ND	<8.6	ND	<19.4	ND	<36	
		4/4/2012	1,010	1.38	1.26	<0.500	<0.500	ND	ND	ND	ND	<0.500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND	
		1/22/2014	730	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	ND	<13.2	
		8/14/2014	340	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		2/17/2015	2,100	4.8	4.0	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
		11/12/2015	600	1.7	1.2	<10	<1.0	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<1.0	<3.0	
		2/5/2016	760	<4.7	<4.5	<5.4	<1.7	NA	<4.4	<4.6	<4.6	<4.3	NA	<4.5	NA	<4.8	<7.1	<8.2	<11	NA	<13	<8.4	<16	<4.4	<31		
		7/12/2016	540	<4.7	<4.5	<5.4	<1.7	NA	<4.4	<4.6	<4.6	<4.3	NA	<4.5	NA	<4.8	<7.1	<8.2	<11	NA	<13	<8.4	<16	<4.4	<31		
		10/4/2016	121	296	1,070	<2.6	2.9 J	NA	<5.0	NA	<5.0	<25.0	NA	<5.0	<1.8	<2.4	<5.0	<1.4	<5.0	NA	<2.3	<5.0	<5.0	<5.0	<5.0	<15	
		3/8/2017	327	75.4	498	2.4 J	18.5	NA	<1.2	<1.2	<1.2	<6.2	NA	<1.2	<0.44	<0.42	<1.2	NA	<1.2	<1.2	<1.2	<1.2	<6.3	NA	<1.3	<0.40	
		10/2/2017	8.0	2.9	117	1.1 J	26.5	NA	<1.2	<1.2	<1.2	<6.2	NA	<1.2	<0.44	<0.42	<1.2	<0.36	<1.2	NA	<0.58	<1.2	<1.2	<1.2	<1.2	<1.2	
3/12/2018	232	50	109	<3.4	37	NA	<2.2	<3.3	<4.5	<2.6	NA	<2.2	<2.2	<2.5	<2.6	<7.8	<2.4	NA	<13.2	<3.3	<8.0	<1.9	<7.2				
10/17/2018	0.84 J	1.3	10	<0.34	10.7	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72				

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
6243-MW-5	43.0-58.0	6/22/2011	366	ND	<2.1	ND	ND	ND	<1.0	ND	ND	ND	ND	ND	ND	<0.9	<1.4	ND	ND	ND	<1.1	ND	<2.4	ND	<4.5	
		9/29/2011	255	ND	<2.1	ND	ND	ND	ND	<1.0	ND	ND	ND	ND	ND	ND	<0.9	<1.4	ND	ND	ND	<1.1	ND	<2.4	ND	<4.5
		4/3/2012	193	<0.500	<0.500	<0.500	<0.500	ND	ND	ND	ND	0.650 J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND
		1/20/2014	191	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	ND	<13.2
		8/13/2014	126	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<0.2	<0.69	<01.32
		2/16/2015	110	<0.50	1.2	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<2.0
		10/6/2016	18	<0.33	<0.26	<0.26	<0.18	NA	<0.50	NA	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	NA	<0.50	<0.18	0.31 J	<0.50	<0.50	<0.50	<1.5
		3/8/2017	76.7	0.50 J	<0.26	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	NA	<0.50	<0.18	<0.23	<0.50	<0.50	<0.50	<1.5
		10/3/2017	35.9	<0.33	0.38 J	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50
		3/13/2018	58	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
10/19/2018	12.1	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72			
6243-MW-6	41.7-56.7	6/22/2011	134	ND	<0.83	ND	ND	ND	<0.41	ND	ND	ND	ND	ND	ND	<0.75	<0.54	ND	ND	ND	<0.43	ND	<0.97	ND	<1.8	
		9/29/2011	180	ND	<0.83	ND	ND	ND	<0.41	ND	ND	ND	ND	ND	ND	<0.75	<0.54	ND	ND	ND	<0.43	ND	<0.97	ND	<1.8	
		4/3/2012	85	<0.500	<0.500	<0.500	<0.500	ND	ND	ND	ND	<0.500	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND
		1/20/2014	299	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	ND	<13.2
		8/13/2014	200	<0.33	<0.38	<0.35	<0.18	ND	<0.24	0.49 J	ND	0.38 J	ND	ND	ND	<0.41	<0.55	ND	ND	ND	ND	<0.5	<0.33	<0.2	<0.69	<1.32
		2/16/2015	410	<0.50	0.98	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
		3/12/2018	194	<1.5	<1.85	<1.7	<1	NA	<1.1	<1.65	<2.25	<1.3	NA	<1.1	<1.1	<1.25	<1.3	<3.9	<1.2	NA	<6.6	<1.65	<4	<0.95	<3.60	
6243-MW-7	41.6-56.6	6/22/2011	368	ND	6.2	ND	ND	ND	<1.0	ND	ND	ND	ND	ND	ND	<0.90	<1.4	ND	ND	ND	<1.1	ND	<2.4	ND	<4.5	
		9/29/2011	382	ND	12.5	ND	ND	ND	<1.0	ND	ND	ND	ND	ND	ND	<0.90	<1.4	ND	ND	ND	<1.1	ND	<2.4	ND	<4.5	
		4/3/2012	306	1.09	9.27	<0.500	<0.500	ND	ND	ND	ND	<0.500	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND	ND
		1/22/2014	720	<3.3	11.7 J	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	ND	<5	<3.3	<22	ND	<13.2
		8/14/2014	3,500	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2
		2/17/2015	1,700	<5.0	22	<5.0	<5.0	<100	<10	<10	<10	<10	ND	<10	ND	<10	<10	ND	<10	<10	<10	<50	<10	<10	<10	<20
		11/12/2015	450	1.0	4.9	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0	
		10/5/2016	191	<3.3	3.3 J	<2.6	<1.8	NA	<5.0	<5.0	<5.0	<25.0	NA	<5.0	<1.8	<1.7	<5.0	<1.4	<5.0	NA	<2.3	<1.8	<5.0	<5.0	<5.0	<15
		3/8/2017	304	182	149	<0.64	1.9 J	NA	<1.2	<1.2	<1.2	<6.2	NA	<1.2	<0.44	<0.42	<1.2	<0.36	<1.2	NA	<0.58	<1.2	<1.2	<1.2	<3.7	
		10/3/2017	9.5	0.37 J	34.7	<0.26	8.2	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.43	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	
3/13/2018	82	4.0	5.0	<0.34	14.3	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72			
10/17/2018	0.60 J	<0.3	0.60 J	<0.34	2.41	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72			

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
6243-MW-8	40.6-55.6	6/22/2011	368	ND	<2.1	<0.500	<0.500	ND	7.6	ND	ND	<0.500	ND	ND	ND	1.7J	3.2	ND	ND	ND	<1.1	<0.500	5	ND	4.9J	
		9/29/2011	342	ND	<2.1	ND	ND	ND	ND	<1.0	ND	ND	ND	ND	ND	ND	<0.9	<1.4	ND	ND	ND	<1.1	ND	<2.4	ND	<4.5
		4/3/2012	193	<0.500	<0.500	<0.500	<0.500	ND	ND	ND	ND	ND	<0.500	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND
		12/17/2014	2,400	<5.0	<5.0	<5.0	<5.0	ND	<10	<10	<10	<10	<10	ND	<10	ND	<10	<10	ND	ND	ND	<50	<10	<10	<10	<20
		2/17/2015	1,400	<5.0	18	<5.0	<5.0	<100	<10	<10	<10	<10	<10	ND	<10	ND	<10	<10	ND	<10	<10	<50	<10	<10	<10	<20
		11/11/2015	71	<1.0	<1.0	<1.0	<1.0	<10	62	<1.0	<1.0	<1.0	<1.0	8.2	<1.0	7.1	11	7.0	2.0	NA	<1.0	<5.0	<1.0	<1.0	<1.0	37
		10/6/2016	2.4	<0.33	<0.26	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.43	<0.17	<0.50	<0.14	<0.50	NA	0.26 J	<0.50	<0.50	<0.50	<0.50	<1.50
		3/8/2017	18.4	<0.33	<0.26	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	0.47 J	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.50
		10/2/2017	4.1	<0.33	<0.26	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.50
		3/12/2018	5.9	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	0.40 J	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
10/17/2018	1.84	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	0.44 J	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72			
6243-MW-9	50.0-65.0	6/22/2011	1,340	ND	<8.3	<0.500	<0.500	ND	<4.1	ND	ND	<0.500	ND	ND	ND	<3.6	<5.4	ND	ND	ND	57.9	<0.500	<9.7	ND	<18	
		9/29/2011	1,780	ND	<8.3	ND	ND	ND	<4.1	ND	ND	ND	ND	ND	ND	<3.6	<5.4	ND	ND	ND	<4.3	ND	<9.7	ND	<18	
		4/4/2012	1,180	1.38	1.45	<0.500	<0.500	ND	ND	ND	ND	<0.500	ND	ND	ND	ND	ND	ND	ND	ND	ND	<0.500	ND	ND	ND	
		12/17/2014	1,800	<2.5	<2.5	<2.5	<2.5	ND	<5.0	<5.0	<5.0	<5.0	ND	<5.0	ND	<5.0	<5.0	ND	ND	ND	<25	<5.0	<5.0	<5.0	<10	
		2/17/2015	830	<2.5	11	<2.5	<2.5	<50	<5.0	<5.0	<5.0	<5.0	ND	<5.0	ND	<5.0	<5.0	ND	<5.0	<5.0	<25	<5.0	<5.0	<5.0	<10	
		11/11/2015	730	2.4	1.8	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0	
		3/7/2016	550	2.8	3.11	<0.54	<0.17	NA	<0.44	<0.46	<0.46	<0.43	NA	<0.45	NA	<0.48	<0.71	<0.82	<1.1	NA	<1.3	<0.84	<1.6	<0.44	<3.1	
		5/10/2016	241	0.80 J	0.98 J	<0.54	<0.17	NA	<0.44	<0.46	<0.46	<0.43	NA	<0.45	NA	<0.48	<0.71	<0.82	<1.1	NA	<1.3	<0.84	<1.6	<0.44	<3.1	
		7/12/2016	600	<4.7	<4.5	<5.4	<1.7	NA	<4.4	<4.6	<4.6	<4.3	NA	<4.5	NA	<4.8	<7.1	<8.2	<11	NA	<13	<8.4	<16	<4.4	<31	
		10/4/2016	468	2.3 J	<1.3	<1.3	<0.88	NA	<2.5	<2.5	<2.5	<12.5	NA	<2.5	NA	<0.84	<2.5	<0.72	<2.5	NA	<1.2	<2.5	<2.5	<2.5	<7.5	
		3/8/2017	800	4.3 J	11.5	<1.3	<0.88	NA	<2.5	<2.5	<2.5	<12.5	NA	<2.5	<0.89	<0.84	<2.5	<0.72	<2.5	NA	<1.2	<2.5	<2.5	<2.5	<7.5	
		10/2/2017	210	2.2	7.1	<0.26	0.70 J	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	
		3/12/2018	510	7.0 J	8.4 J	<3.4	<2	NA	<2.2	<3.3	<4.5	<2.6	NA	<2.2	<2.2	<2.5	<2.6	<7.8	<2.4	NA	<13.2	<3.3	<8.0	<1.9	<7.2	
10/17/2018	239	6.2	6.1	<1.7	1.35 J	NA	<1.1	<1.65	<2.25	<1.3	NA	<1.1	NA	<1.25	<1.3	<3.9	<1.2	NA	<6.6	<1.75	<4	<0.95	<3.6			
MW-13	44.9-54.9	12/17/2014	46	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	51	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
		3/13/2018	20.7	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-14	44.9-54.9	12/17/2014	22	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
		3/11/2018	0.97 J	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-15	71.2-81.2	12/17/2014	<0.50	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
MW-16	71.2-81.2	12/17/2014	7.5	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	<0.50	<0.5	<0.5	<0.5	<0.5	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
		3/11/2018	5.8	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
MW-17	66.1-76.1	12/17/2014	<0.50	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
MW-18A	50.0-60.0	2/18/2015	39	<0.50	<0.50	<0.50	<0.50	<10	<1.0	1.1	<1.0	1.8	ND	<1.0	ND	<1.0	<1.0	ND	2.7	<1.0	<5.0	<1.0	<1.0	1.9	<2.0	
		3/14/2018	39	0.49 J	1.94	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-18	80.9-90.9	12/17/2014	130	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/17/2015	110	<0.50	1.1	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
		10/3/2017	26.3	<0.33	0.72 J	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<1.0	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	
		3/11/2018	85	0.45 J	0.53 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	0.29 J	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
		10/17/2018	30.4	0.42 J	0.41 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	0.38 J	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-18C	105.0-115.0	2/18/2015	3.2	<0.50	<0.50	<0.50	<0.50	<10	<1.0	1.6	<1.0	4.8	ND	1.8	ND	<1.0	<1.0	ND	1.4	<1.0	<5.0	<1.0	<1.0	1.1	<2.0	
		3/14/2018	97	0.89 J	3.3	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-19	75.2-85.2	12/17/2014	<0.50	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
MW-20	44.6-54.6	12/16/2014	<0.50	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
MW-21	42.7-52.7	12/16/2014	17	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		2/16/2015	10	<1.0	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		3/11/2018	1.33	0.45 J	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	0.29 J	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-22A	27.9-37.9	2/18/2015	71	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
		3/12/2018	19.2	<0.3	0.62 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-22	53.4-63.4	12/16/2014	430	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0	
		1/13/2015	410	<0.5	<0.5	<0.5	<0.5	ND	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	ND	ND	<5.0	<1.0	<1.0	<1.0	<2.0
		2/17/2015	360	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0
		10/3/2017	97.2	<0.66	<0.51	<0.51	<0.35	NA	<1.0	<1.0	<1.0	<5.0	ND	<1.0	<0.36	<0.34	<1.0	<0.29	<1.0	NA	<0.47	<1.0	<1.0	<1.0	<1.0	
		3/11/2018	83	0.55 J	0.57 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	0.26 J	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
MW-22C	79.9-89.9	10/17/2018	55	<0.3	<0.34	<0.34	<0.2	NA	<0.22	<0.33	<0.45	0.31 J	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
		2/18/2015	98	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
MW-23A	27.7-37.7	3/12/2018	51	0.35 J	1.12 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
		2/17/2015	18	<0.50	<0.50	<0.50	<0.50	<10	<1.0	1.1	<1.0	1.2	ND	<1.0	ND	<1.0	<1.0	ND	1.8	<1.0	<5.0	<1.0	<1.0	1.6	<2.0	
MW-23B	52.3-62.3	2/17/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
MW-23C	83.0-93.0	2/17/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
MW-24A	36.9-46.9	2/18/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	1.4	<1.0	2.0	ND	<1.0	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	
MW-24B	61.7-71.7	2/18/2015	<0.50	<0.50	<0.50	<0.50	<0.50	10	<1.0	1.3	<1.0	2.1	ND	<1.0	ND	<1.0	<1.0	ND	1.3	1.7	<5.0	<1.0	<1.0	1.5	<2.0	
MW-24C	91.7-101.7	2/18/2015	<0.50	<0.50	<0.50	<0.50	<0.50	<10	<1.0	1.8	<1.0	1.9	ND	1.5	ND	<1.0	<1.0	ND	<1.0	<1.0	<5.0	<1.0	<1.0	<1.0	<2.0	

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS
 Klinke Clothing Care, Inc.
 4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
6243-CMT-3	2 (50.4-55.4)	1/13/2014	440	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/18/2014	88	<0.33	<0.38	<0.35	<0.18	ND	<0.24	1.27	ND	0.60 J	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/12/2015	340	<1.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		11/12/2015	160	<1.0	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		1/7/2016	26.5	<0.47	<0.45	<0.54	<0.17	NA	<0.44	<0.46	<0.46	<0.43	NA	<0.45	NA	<0.48	<0.71	<0.82	<1.1	NA	<1.3	<0.84	<1.6	<0.44	<3.1	
		3/7/2016	159	<0.47	<0.45	<0.54	<0.17	NA	<0.44	<0.46	<0.46	<0.43	NA	<0.45	NA	<0.48	<0.71	<0.82	<1.1	NA	<1.3	<0.84	<1.6	<0.44	<3.1	
		10/4/2016	43.5	<0.33	<0.26	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5
		3/7/2017	16.2	0.84 J	58.5	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5
		10/2/2017	4.8	0.70 J	35.9	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5
	10/19/2018	1.1 J	0.39 J	10.6	<0.34	<0.18	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	NA	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72		
	3 (70.3-75.3)	1/13/2014	470	3.4 J	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/18/2014	25.3	<0.33	<0.38	<0.35	<0.18	ND	<0.24	0.74 J	0.37 J	0.33 J	ND	0.86	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		11/12/2015	100	<1.0	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<3.0	
		10/4/2016	78.8	29.8	18.4	<0.26	0.18 J	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<1.5	
		3/7/2017	3.0	<0.83	232	<0.57	1.4 J	NA	<1.2	<1.2	<1.2	<6.2	NA	<1.2	<0.44	<0.42	<1.2	NA	<1.2	<1.2	<1.2	<1.2	<6.3	NA	<1.3	<0.40
	4 (88.5-93.5)	1/13/2014	13	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<5.5	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		8/18/2014	50	0.33 J	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<5.5	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/12/2015	130	4.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<3.0	
		11/12/2015	2.6	1.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<3.0	
	5 (120.0-125.0)	1/13/2014	Obstructed																							
	6 (145.0-150.0)	1/13/2014	Obstructed																							
	7 (167.1-167.2)	1/13/2014	187	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/18/2014	9.3	0.35 J	<0.38	<0.35	<0.18	ND	0.60 J	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/12/2015	79	6.1	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<3.0	

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400
6243-CMT-10	1 (60.8-65.8)	1/15/2014	1.28	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/14/2014	3.4	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		3/12/2015	14	<1.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0
	2 (82.8-87.8)	1/15/2014	55	0.42 J	0.70 J	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/14/2014	71	0.44 J	0.89 J	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		3/12/2015	74	<1.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0
	3 (104.6-109.6)	1/15/2014	3.2	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/14/2014	17.9	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		3/14/2018	9.1	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72
	4 (126.5-131.5)	1/15/2014	2.2	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/14/2014	4.1	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		3/12/2015	14	<1.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<3.0
		3/14/2018	2.54	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72
	5 (148.6-153.6)	1/15/2014	1.57	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/14/2014	4.4	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
	6 (170.0-175.0)	1/15/2014	1.53	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/15/2014	7.0	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		3/14/2018	3.4	<0.3	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72
	7 (193.5-193.6)	1/15/2014	2.95	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32
		8/15/2014	3.4	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin

Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
6243-CMT-11	2 (52.8-57.8)	1/14/2014	178	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/15/2014	440	<1.65	3.3 J	<1.75	<0.9	ND	<1.2	ND	ND	<1.4	ND	ND	ND	<2.05	<2.75	ND	ND	ND	<2.5	<1.65	<11	<3.45	<6.6	
		3/11/2015	370	1.0	3.5	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		11/11/2015	320	<1.0	1.4	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		10/5/2016	286	0.44 J	1.4	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	NA	<0.50	<0.50	<0.50	<0.50
		3/7/2017	61.5	1.5	0.54 J	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	NA	<0.50	<0.50	<0.50	<0.50
	3 (80.7-85.7)	1/14/2014	21.7	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/15/2014	13	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		11/11/2015	120	<1.0	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		10/5/2016	56.8	<0.33	<0.26	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	NA	<0.50	<0.50	<0.50	<0.50
		3/7/2017	64.2	0.92 J	0.29 J	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	NA	<0.50	<0.50	<0.50	<0.50
	4 (110.4-115.4)	1/14/2014	12.4	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/15/2014	11.2	0.39 J	0.69 J	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/11/2015	32	<1.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		3/13/2018 *	2.84	0.82 J	0.75 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
	5 (141.8-146.8)	1/14/2014	6.7	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/15/2014	2.53	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/11/2015	18	<1.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
	6 (171.9-176.9)	1/14/2014	8.4	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2	
		8/15/2014	1.61	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/13/2018	1.65	0.30 J	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
7 (199.9-200.0)	1/14/2014	6.5	<3.3	<3.8	<3.5	<1.8	ND	<2.4	ND	ND	<2.8	ND	ND	ND	<4.1	<5.5	ND	ND	ND	<5	<3.3	<22	<6.9	<13.2		
	8/15/2014	1.38	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32		

TABLE 4
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS

Klinke Clothing Care, Inc.
4518 Monona Drive, Madison, Wisconsin


Monitoring Well Sample ID	Screen Depth (feet)	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Acetone	Benzene	Bromodichloromethane	Bromoform	Chloroform	Cyclohexane	Dibromochloromethane	1,2-Dibromoethane	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	4-Methyl-2-pentanone	Methylene Chloride	1,1,1-Trichloroethane	1,2,4-Trimethylbenzene	Toluene	Xylene (total)	
Public Health Enforcement Standard (ug/l)			5	5	70	100	0.2	9,000	5	0.6	4.4	6	NE	60	0.05	5	700	NE	NE	NE	5	200	480	1,000	2,000	
Public Health Preventive Action Limit (ug/l)			0.5	0.5	7	20	0.02	1,800	0.5	0.06	0.44	0.6	NE	6	0.005	0.5	140	NE	NE	NE	0.5	40	96	200	400	
6243-CMT-12	2 (50.1-55.1)	1/13/2014	153	<0.33	<0.38	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		8/14/2014	450	5.0	1.43	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/11/2015	850	1.6	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		11/11/2015	760	2.6	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		3/8/2017	55.3	0.96 J	1.3	<26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5
	3 (79.4-84.4)	1/16/2014	13.9	<0.33	<0.38	<0.35	<0.18	ND	0.49 J	ND	ND	0.29 J	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	204	<0.69	<1.32
		8/14/2014	19.3	2.18	<0.38	<0.35	<0.18	ND	<0.24	0.52 J	<0.35	0.30 J	ND	0.66 J	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/11/2015	92	2.9	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		11/11/2015	66	3.8	<1.0	<1.0	<1.0	<10	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	<1.0	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		10/6/2016	32.6	15.7	1.3	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5
		3/8/2017	57.4	12.3	4.0	<0.26	<0.18	NA	<0.50	<0.50	<0.50	<2.5	NA	<0.50	<0.18	<0.17	<0.50	<0.14	<0.50	NA	<0.23	<0.50	<0.50	<0.50	<0.50	<1.5
	4 (112.8-117.8)	1/16/2014	2.47	<0.33	<0.38	<0.35	<0.18	ND	0.60 J	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	1.27 J	<0.69	<1.32
		8/14/2014	2.7	0.63 J	0.46 J	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/11/2015	17	3.0	<1.0	<1.0	<1.0	<10.0	<1.0	<1.0	<1.0	<1.0	<1.0	ND	<1.0	ND	<1.0	<1.0	ND	NA	<1.0	<5.0	<1.0	<1.0	<1.0	<3.0
		3/13/2018 *	7.0	1.79	0.83 J	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
	5 (138.1-143.1)	1/16/2014	1.4	<0.33	<0.38	<0.35	<0.18	ND	0.41 J	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		8/14/2014	6.7	0.93 J	0.84 J	<0.35	<0.18	ND	0.28 J	ND	ND	0.38 J	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
	6 (167.8-172.8)	1/16/2014	0.77 J	<0.33	<0.38	<0.35	<0.18	ND	0.35 J	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		8/14/2014	1.26	<0.33	<0.38	<0.35	<0.18	ND	0.24 J	ND	ND	0.35 J	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32	
		3/13/2018	2.89	0.46 J	<0.37	<0.34	<0.2	NA	<0.22	<0.33	<0.45	<0.26	NA	<0.22	<0.22	<0.25	<0.26	<0.78	<0.24	NA	<1.32	<0.33	<0.8	<0.19	<0.72	
	7 (199.9-200.0)	1/20/2014	2.61	<0.33	<0.38	<0.35	<0.18	ND	0.34 J	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	4.8	<1.32	
8/14/2014		1.49	0.36 J	0.44 J	<0.35	<0.18	ND	<0.24	ND	ND	<0.28	ND	ND	ND	<0.41	<0.55	ND	ND	ND	<0.5	<0.33	<2.2	<0.69	<1.32		

Notes:
ug/l = micrograms per liter
Samples analyzed using EPA SW-846 Method 8260B
Organic

Bolded and shaded blue values are above Public Health Enforcement Standards
Bolded and shaded orange values are above Public Health Preventive Action Limits
Bolded values are above detection limits

* = Trichlorofluoromethane was detected in this sample at an estimated concentration less than 1 µg/L
J = Analyte concentration between the laboratory Reporting Limit and laboratory Method Detection Limit
NA = Not Analyzed
ND = Not detected above laboratory detection limit
NE = Not Established

FIGURES



Legend

- MW-1 Monitoring Well Location
- Historical Laundries
- Klinke Cleaners Facility
- Potential Past PCE usage

No.	Date	Revision	Approved


825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Date: 9/21/15
 Designed: EB
 Drawn: EB
 Checked: BK
 DWG file: 6404-0193

MONITORING WELL LOCATION MAP

Klinke Cleaners
 4518 Monona Dr.
 Madison, WI

Figure	1
Project	6404



Legend

- MW-1 Monitoring Well Location
- 848.50 Groundwater elevation contour
- 852.06 Groundwater elevation (feet above mean sea level)


No.	Date	Revision	Approved

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Date:	4/3/18
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6404-1050

WATER TABLE CONTOUR MAP
 MARCH 2018
 Klinke Cleaners
 4518 Monona Dr.
 Madison, WI

Figure	2
Project	6243



Note:
 130 = PCE Concentration in ug/L
 (data collected March 2018)

Analyte	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5

Note:
 1. All results reported in units of micrograms per liter (ug/L)
 2. PCE = Tetrachloroethene
 3. Contours based on depth of highest detection
 4. J = Estimated concentration between the method detection limit and reporting limit
 5. NS = No sample collected
 6. The distribution of impacts depicted on this figure incorporates historical data from wells not sampled during March 2018.

PCE isoconcentration >10 ug/L
 PCE isoconcentration >100 ug/L
 Dashed boundaries are inferred


No.	Date	Revision	Approved



Date: 4/3/18
 Designed: EB
 Drawn: EB
 Checked: BK
 DWG file: 6404-1038

GROUNDWATER SAMPLE ANALYTICAL RESULTS AND DISTRIBUTION OF PCE IMPACTS - MARCH 2018
 Klinke Cleaners
 4518 Monona Dr.
 Madison, WI

Figure
3
Project
6404



Legend

MW-1 Monitoring Well Location

Historical Dry Cleaners

Klinke Cleaners Facility

Potential Past PCE usage

Note:
12.1 = PCE Concentration in ug/L
(data collected October 2018)

Analyte	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5

- Note:
- All results reported in units of micrograms per liter (ug/L)
 - PCE = Tetrachloroethene
 - Contours based on depth of highest detection
 - J = Estimated concentration between the method detection limit and reporting limit
 - NS = No sample collected
 - The distribution of impacts depicted on this figure incorporates historical data from wells not sampled during October 2018.

PCE isoconcentration >10 ug/L
 PCE isoconcentration >100 ug/L
 - - - - - Dashed boundaries are inferred

No.	Date	Revision	Approved

ENVIROforensics
 825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Date: 11/26/18
 Designed: EB
 Drawn: EB
 Checked: BK
 DWG file: 6404-1352


GROUNDWATER SAMPLE ANALYTICAL RESULTS AND DISTRIBUTION OF PCE IMPACTS - OCTOBER 2018
 Klinke Cleaners
 4518 Monona Dr.
 Madison, WI

Figure
4
Project
6404


ATTACHMENT 1

GROUNDWATER VOC CONCENTRATION TREND CHARTS


MW-1 PCE Concentration Trend




MW-2 VOC Concentration Trends




MW-3 VOC Concentration Trends




MW-4 VOC Concentration Trends



MW-7 VOC Concentration Trends



CMT-3 Port 2 PCE Concentration Trend



ATTACHMENT 2

GROUNDWATER FIELD SAMPLING FORMS

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-1
 Sample ID 6404-MW-1
 Screened Interval 47.6-57.6
 Sampler (print) K. Heinslead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.6 feet
 Depth to Water 49.53 feet
 Well Diameter 2 inches
 Casing Volume 1.3 gallons
 Volume Removed 1.8 gallons
 Total No. of Casing Volumes Removed 1.4
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1255	10.62	6.44	0.787	25	187	0.00	57.93	200	1000
1300	11.32	6.42	0.757	10	65.2	0.00	57.93	200	1000
1305	10.20	6.47	0.774	-1	53.9	0.00	57.93	200	1000
1310	10.33	6.56	0.760	-14	46.2	0.00	57.93	200	1000
1315	10.42	6.71	0.777	-31	33.8	0.00	57.93	200	1000
1320	10.33	6.77	0.785	-39	27.1	0.00	57.93	200	1000
1325	10.36	6.78	0.801	-40	27.1	0.00	57.93	200	1000

PURGE! START Date 3/13/18 Time 1245

SAMPLING: FINISH Date 3/13/18 Time 1330

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	6	N	-	Dup-3	-

NOTES:

Sampler Signature: [Signature] Date: 3/13/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-2
 Sample ID 6404-MW-2
 Screened Interval 47.6-57.6
 Sampler (print) K. Vander Heiden

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.6 feet
 Depth to Water 49.45 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 52.6

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1625</u> <u>3/11/18</u>	<u>11.01</u>	<u>7.12</u>	<u>6.10</u>	<u>91</u>	<u>438</u>	<u>6.74</u>	<u>49.86</u>	<u>180</u>	
<u>1630</u>	<u>11.08</u>	<u>7.15</u>	<u>6.12</u>	<u>112</u>	<u>485</u>	<u>0.91</u>	<u>49.83</u>	<u>160</u>	
<u>1635</u>	<u>11.02</u>	<u>7.15</u>	<u>6.15</u>	<u>111</u>	<u>137</u>	<u>1.03</u>	<u>49.84</u>	<u>140</u>	
<u>1640</u>	<u>10.69</u>	<u>7.16</u>	<u>6.09</u>	<u>125</u>	<u>91.3</u>	<u>0.66</u>	<u>49.84</u>	<u>140</u>	
<u>1645</u>	<u>10-</u>	<u>7.15</u>	<u>6.13</u>	<u>108</u>	<u>142</u>	<u>0.45</u>	<u>49.84</u>	<u>140</u>	

PURGE!: START Date 3/11/18 Time 1630

SAMPLING: FINISH Date 3/11/18 Time 1650

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	6	N	-	DUP-1	-

NOTES: CRS observed in purge contents

DUP-1

Sampler Signature: [Signature] Date: 3/11/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-3
 Sample ID 6404-MW-3
 Screened Interval 47-57
 Sampler (print) _____

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57 feet
 Depth to Water 49.05 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/11/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 52

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1706</u>	<u>10.23</u>	<u>7.26</u>	<u>7.85</u>	<u>-22</u>	<u>290</u>	<u>1.18</u>	<u>49.50</u>	<u>100</u>	
<u>1713</u>	<u>10.58</u>	<u>7.23</u>	<u>8.13</u>	<u>-110</u>	<u>149</u>	<u>0.87</u>	<u>49.83</u>	<u>140</u>	
<u>1718</u>	<u>11.11</u>	<u>7.20</u>	<u>8.19</u>	<u>-146</u>	<u>129</u>	<u>0.07</u>	<u>50.11</u>	<u>140</u>	
<u>1723</u>	<u>11.21</u>	<u>7.19</u>	<u>8.18</u>	<u>-152</u>	<u>129</u>	<u>0.15</u>	<u>50.32</u>	<u>120</u>	
<u>1728</u>	<u>11.21</u>	<u>7.20</u>	<u>8.15</u>	<u>-151</u>	<u>137</u>	<u>0.14</u>	<u>50.40</u>	<u>120</u>	

PURGE¹: START Date 3/11/18 Time 1706

SAMPLING: FINISH Date 3/11/18 Time 1730

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>u</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES: CRS in purge contents

EB-1 @ 1735

Sampler Signature: _____

Date: 3/11/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
PROJECT NO 6404
CLIENT/CONTACT Rich Klinke

Well ID MW-4
Sample ID 6404-MW-4
Screened Interval 47.8 - 57.8
Sampler (print) K. Heimstaed

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.8 feet
Depth to Water 49.56 feet
Well Diameter 2 inches
Casing Volume 1.3 gallons
Volume Removed 1.2 gallons
Total No. of Casing Volumes Removed 0.9
Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump x
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1835	9.63	7.58	1.74	-65	144	0.418	49.72	150	750
1840	11.21	7.50	0.797	-138	19.0	0.00	49.72	150	750
1845	11.30	7.47	0.857	-143	10.2	0.00	49.72	150	750
1850	11.24	7.45	0.912	-146	7.50	0.00	49.72	150	750
1855	11.30	7.43	0.975	-149	5.57	0.00	49.72	150	750
1900	11.31	7.44	0.982	-150	5.60	0.00	49.72	150	750

PURGE: START Date 3/12/18 Time 1830

SAMPLING: FINISH Date 3/12/18 Time 1905

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	6	N	-	Dup-2	-

NOTES:

Sampler Signature: [Signature]

Date: 3/12/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-5
 Sample ID 6404-MW-5
 Screened Interval 43.5-58.5
 Sampler (print) K. Heinstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 58.5 feet
 Depth to Water 48.86 feet
 Well Diameter 2 inches
 Casing Volume 1.6 gallons
 Volume Removed 1.6 gallons
 Total No. of Casing Volumes Removed 1
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
530	7.79	7.60	1.20	89	293	7.50	49.12	200	1000
535	10.73	7.55	1.14	119	181	7.76	49.12	200	1000
540	11.01	7.55	1.09	123	132	6.92	49.12	200	1000
545	11.21	7.54	1.00	123	94.3	4.76	49.12	200	1000
550	11.22	7.54	0.994	123	90.3	4.48	49.12	200	1000
555	11.24	7.53	0.992	123	86.6	4.35	49.12	200	1000

PURGE¹: START Date 3/14/18 Time 525

SAMPLING: FINISH Date 3/14/18 Time 600

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/14/18
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID Mw-6
 Sample ID 6404-Mw-6
 Screened Interval 42.4-57.4
 Sampler (print) K. Humstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.4 feet
 Depth to Water 47.82 feet
 Well Diameter 2 inches
 Casing Volume 1.6 gallons
 Volume Removed 1.1 gallons
 Total No. of Casing Volumes Removed 0.69
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1735	10.45	7.60	0.665	223	562	6.08	47.91	150	750
1740	10.26	7.52	0.656	231	247	7.31	47.91	150	750
1745	10.36	7.50	0.676	239	112	7.50	47.91	150	750
1750	10.35	7.49	0.695	243	49.0	7.41	47.91	150	750
1755	10.34	7.49	0.696	245	23.3	7.40	47.91	150	750
1800	10.33	7.48	0.698	246	22.8	7.41	47.91	150	750

PURGE¹: START Date 3/12/18 Time 1730

SAMPLING: FINISH Date 3/12/18 Time 1805

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	2	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/12/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-7
 Sample ID 6404-MW-7
 Screened Interval 42.3-57.3
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.3 feet
 Depth to Water 47.98 feet
 Well Diameter 2 inches
 Casing Volume 1.5 gallons
 Volume Removed 1.6 gallons
 Total No. of Casing Volumes Removed 1.2
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1445</u>	<u>8.53</u>	<u>6.91</u>	<u>4.77</u>	<u>-80</u>	<u>1000</u>	<u>0.86</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>
<u>1450</u>	<u>8.76</u>	<u>6.94</u>	<u>4.64</u>	<u>-134</u>	<u>631</u>	<u>0.00</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>
<u>1455</u>	<u>9.45</u>	<u>6.98</u>	<u>4.83</u>	<u>-217</u>	<u>739</u>	<u>0.00</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>
<u>1500</u>	<u>9.90</u>	<u>6.99</u>	<u>4.83</u>	<u>-236</u>	<u>136</u>	<u>0.00</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>
<u>1505</u>	<u>10.19</u>	<u>7.02</u>	<u>4.78</u>	<u>-246</u>	<u>90.8</u>	<u>0.00</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>
<u>1510</u>	<u>10.20</u>	<u>7.02</u>	<u>4.68</u>	<u>-253</u>	<u>84.5</u>	<u>0.00</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>
<u>1515</u>	<u>10.22</u>	<u>7.01</u>	<u>4.61</u>	<u>-255</u>	<u>76.4</u>	<u>0.00</u>	<u>48.48</u>	<u>200</u>	<u>1000</u>

PURGE: START Date 3/13/18 Time 1435

SAMPLING: FINISH Date 3/13/18 Time 1520

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	<u>N</u>	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/13/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-8
 Sample ID 6404-MW-8
 Screened Interval 40.6-55.6
 Sampler (print) K. Heinstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 55.6 feet
 Depth to Water 44.72 feet
 Well Diameter 2 inches
 Casing Volume 1.8 gallons
 Volume Removed 1.1 gallons
 Total No. of Casing Volumes Removed 0.67
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1420	10.86	7.56	2.90	208	86.0	8.57	44.86	~150	750
1425	10.94	7.54	2.84	215	131	8.06	44.86	150	750
1430	10.92	7.54	2.87	220	60.8	7.81	44.86	150	750
1435	10.96	7.54	2.87	223	34.1	7.62	44.86	150	750
1440	10.97	7.54	2.87	224	25.3	7.51	44.86	150	750
1445	10.97	7.53	2.86	224	24.1	7.47	44.86	150	750
14									

PURGE: START Date 3/12/18 Time 1415

SAMPLING: FINISH Date 3/12/18 Time 1455

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature]

Date: 3/12/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-9
 Sample ID 6404-MW-9
 Screened Interval 50-65
 Sampler (print) K. Heinstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 65.00 feet
 Depth to Water 53.59 feet
 Well Diameter 2 inches
 Casing Volume 1.9 gallons
 Volume Removed 1.2 gallons
 Total No. of Casing Volumes Removed 0.63
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1325	11.26	7.49	3.23	159	194	0.60	54.11	150	750
1330	11.67	7.45	2.82	169	53.8	0.80	54.11	150	750
1335	11.73	7.45	2.43	125	25.9	1.60	54.11	150	750
1340	11.61	7.45	2.27	116	24.8	0.41	54.11	150	750
1345	11.59	7.45	2.24	115	23.1	0.45	54.11	150	750
1350	11.56	7.45	2.20	115	20.8	0.43	54.11	150	750
1355	11.55	7.44	2.19	115	20.1	0.44	54.11	150	750

PURGE: START Date 3/12/18 Time 1320

SAMPLING: FINISH Date 3/12/18 Time 1400

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	2	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/12/18
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-13
 Sample ID 6404-MW-13
 Screened Interval 44.9-54.9
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 54.90 feet
 Depth to Water 46.41 feet
 Well Diameter 2 inches
 Casing Volume 1.4 gallons
 Volume Removed 1.2 gallons
 Total No. of Casing Volumes Removed 0.86
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>720</u>	<u>10.52</u>	<u>7.64</u>	<u>1.05</u>	<u>230</u>	<u>437</u>	<u>7.95</u>	<u>46.67</u>	<u>150</u>	<u>750</u>
<u>725</u>	<u>10.50</u>	<u>7.60</u>	<u>1.05</u>	<u>242</u>	<u>495</u>	<u>7.84</u>	<u>46.67</u>	<u>150</u>	<u>750</u>
<u>730</u>	<u>10.53</u>	<u>7.60</u>	<u>1.06</u>	<u>244</u>	<u>135</u>	<u>7.88</u>	<u>46.67</u>	<u>150</u>	<u>750</u>
<u>735</u>	<u>10.59</u>	<u>7.60</u>	<u>1.06</u>	<u>246</u>	<u>111</u>	<u>7.85</u>	<u>46.67</u>	<u>150</u>	<u>750</u>
<u>740</u>	<u>10.62</u>	<u>7.61</u>	<u>1.06</u>	<u>247</u>	<u>104</u>	<u>7.85</u>	<u>46.67</u>	<u>150</u>	<u>750</u>
<u>745</u>	<u>10.65</u>	<u>7.61</u>	<u>1.06</u>	<u>248</u>	<u>102</u>	<u>7.84</u>	<u>46.67</u>	<u>150</u>	<u>750</u>

PURGE: START Date 3/13/18 Time 710

SAMPLING: FINISH Date 3/13/18 Time 750

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

Sampler Signature: [Signature] Date: 3/13/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-14
 Sample ID 6404-MW-14
 Screened Interval 44.9-54.9
 Sampler (print) K. Vander Heiden

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 54.9 feet
 Depth to Water 44.75 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/11/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 49.9

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1534</u>	<u>10.72</u>	<u>7.66</u>	<u>0.558</u>	<u>315</u>	<u>67</u>	<u>18.28</u>	<u>44.92</u>	<u>160</u>	
<u>1539</u>	<u>10.79</u>	<u>7.59</u>	<u>0.554</u>	<u>327</u>	<u>67</u>	<u>7.90</u>	<u>44.90</u>	<u>140</u>	
<u>1544</u>	<u>10.73</u>	<u>7.58</u>	<u>0.554</u>	<u>332</u>	<u>24</u>	<u>7.68</u>	<u>44.89</u>	<u>140</u>	
<u>1549</u>	<u>10.51</u>	<u>7.55</u>	<u>0.553</u>	<u>342</u>	<u>11.3</u>	<u>7.34</u>	<u>44.88</u>	<u>140</u>	
<u>1554</u>	<u>10.52</u>	<u>7.55</u>	<u>0.552</u>	<u>343</u>	<u>6.90</u>	<u>7.29</u>	<u>44.88</u>	<u>140</u>	

PURGE¹: START Date 3/11/18 Time 1528

SAMPLING: FINISH Date 3/11/18 Time 1600

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] **Date:** 3/11/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-16
 Sample ID 6404-MW-16
 Screened Interval 71.2-81.2
 Sampler (print) K. Vander Heiden

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 81.2 feet
 Depth to Water 78.52 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 76.2

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1324</u>	<u>10.75</u>	<u>7.95</u>	<u>0.860</u>	<u>301</u>	<u>648</u>	<u>3.41</u>	<u>48.65</u>	<u>140</u>	
<u>1329</u>	<u>10.59</u>	<u>7.82</u>	<u>0.892</u>	<u>296</u>	<u>313</u>	<u>1.53</u>	<u>49.70</u>	<u>140</u>	
<u>1334</u>	<u>10.09</u>	<u>7.77</u>	<u>0.909</u>	<u>290</u>	<u>151</u>	<u>0.87</u>	<u>50.38</u>	<u>120</u>	
<u>1339</u>	<u>9.73</u>	<u>7.76</u>	<u>0.914</u>	<u>285</u>	<u>129</u>	<u>0.58</u>	<u>51.04</u>	<u>120</u>	
<u>1344</u>	<u>9.59</u>	<u>7.76</u>	<u>0.914</u>	<u>276</u>	<u>122</u>	<u>0.34</u>	<u>51.37</u>	<u>140</u>	

PURGE: START Date 3/11/18 Time 1319

SAMPLING: FINISH Date 3/11/18 Time 1350

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES: Drawdown Exceedance

Sampler Signature: [Signature] Date: 3/11/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
PROJECT NO. 6404
CLIENT/CONTACT Rich Klinke

Well ID MW-18
Sample ID 6404-MW-18
Screened Interval 50-60
Sampler (print) K. Vander Heiden

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 60 feet
Depth to Water 40.35 feet
Well Diameter 2 inches
Casing Volume _____ gallons
Volume Removed _____ gallons
Total No. of Casing Volumes Removed _____
Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump x
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) 55

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1240	10.64	7.83	0.608	234	0	16.44	40.43	160	
1245	11.13	7.63	0.684	261	0	5.62	40.46	140	
1250	11.02	7.60	0.714	275	618	5.52	40.42	140	
1255	10.80	7.59	0.724	285	396	5.40	40.43	140	
1300	10.44	7.59	0.724	293	310	5.29	40.43	140	

PURGE: START Date 3/11/18 Time 1232
SAMPLING: FINISH Date 3/11/18 Time 1305

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES: purge contents clay/silt-rich.
[Signature]
Date: 3/11/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-18A
 Sample ID 6404-MW-18A
 Screened Interval 50-60
 Sampler (print) K. Heinstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 60 feet
 Depth to Water 40.70 feet
 Well Diameter 1 inches
 Casing Volume 3.1 gallons
 Volume Removed 0.7 gallons
 Total No. of Casing Volumes Removed 0.2
 Date 3/14/18
14

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1430	12.17	7.59	1.70	152	0.00	6.76	41.75	100	500
1435	11.95	7.60	1.71	157	0.00	4.82	41.75	100	500
1440	11.82	7.88	1.72	162	0.00	8.01	41.75	100	500
1445	11.69	7.58	1.73	164	0.00	7.80	41.75	100	500
1450	11.65	7.59	1.74	166	0.00	7.59	41.75	100	500
1455	11.55	7.59	1.74	169	636	7.33			

PURGE: START Date 3/14/18 Time 1410

SAMPLING: FINISH Date 3/14/18 Time 1500

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/14/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-18C
 Sample ID 6404-MW-18C
 Screened Interval 105-115
 Sampler (print) K. Hammstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 115 feet
 Depth to Water 40.95 feet
 Well Diameter 1 inches
 Casing Volume 3.0 gallons
 Volume Removed 0.8 gallons
 Total No. of Casing Volumes Removed 0.3
 Date 3/14/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1550	13.97	7.73	3.03	143	264	15.22	40.95	100	500
1555	13.34	7.81	1.87	171	220	14.62	40.95	100	500
1600	12.30	7.82	1.54	179	141	15.60	40.95	100	300
1605	12.34	7.82	1.06	182	32.5	12.86	40.95	100	500
1610	11.99	7.80	0.957	187	62.7	10.01	40.95	100	500
1615	11.84	7.79	0.921	188	53.0	9.91	40.95	100	500

PURGE¹: START Date 3/14/18 Time 1530

SAMPLING: FINISH Date 3/14/18 Time 1620

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/14/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-21
 Sample ID 6404-MW-21
 Screened Interval 42.7-52.7
 Sampler (print) A. Vander Heide

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 52.7 feet
 Depth to Water 4.25 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/8/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 47.7

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1312	6.69	7.28	0.8	250	60.4	7.07	4.30	180	
1317	6.20	7.23	0.873	254	60.8	6.61	4.32	100	
1322	5.74	7.16	0.998	276	413	6.42	4.31	80	
1327	5.66	7.13	1.01	292	206	6.56	4.31	160	
1332	5.55	7.09	1.02	307	196	6.47	4.30	190	

PURGE¹: START Date 3/8/18 Time 12:58

SAMPLING: FINISH Date 3/8/18 Time 1:35

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] **Date:** 3/8/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-22
 Sample ID 6404-MW-22
 Screened Interval 27.9-37.9
 Sampler (print) K. Vander Heiden

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 37.9 feet
 Depth to Water 19.30 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 32.9

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.


Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1412</u>	<u>5.35</u>	<u>7.06</u>	<u>0.771</u>	<u>344</u>	<u>0</u>	<u>4.50</u>	<u>19.42</u>	<u>200</u>	
<u>1417</u>	<u>5.30</u>	<u>7.05</u>	<u>0.774</u>	<u>346</u>	<u>0</u>	<u>4.05</u>	<u>19.43</u>	<u>80</u>	
<u>1422</u>	<u>5.15</u>	<u>7.03</u>	<u>0.775</u>	<u>350</u>	<u>NA</u>	<u>5.20</u>	<u>19.46</u>	<u>120</u>	
<u>1427</u>	<u>6.33</u>	<u>6.97</u>	<u>0.773</u>	<u>355</u>	<u>NA</u>	<u>4.41</u>	<u>19.48</u>	<u>120</u>	
<u>1432</u>	<u>7.05</u>	<u>6.97</u>	<u>0.778</u>	<u>357</u>	<u>NA</u>	<u>3.96</u>	<u>19.49</u>	<u>120</u>	

PURGE: START Date 3/8/18 Time 1402

SAMPLING: FINISH Date 3/8/18 Time 1435

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES: purge contents murky (silty clays, turbidity not measuring)

Sampler Signature: 

Date: 3/8/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-22A
 Sample ID 6404-MW-22A
 Screened Interval 27.9 - 37.9
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 37.90 feet
 Depth to Water 19.68 feet
 Well Diameter 1 inches
 Casing Volume 0.74 gallons
 Volume Removed 1.4 gallons
 Total No. of Casing Volumes Removed 1.9
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1110	Begin Purging								
1125	8.56	7.70	2.09	235	41000	4.26	20.18	150	750
1130	8.05	7.60	2.25	238	41000	3.30	20.18	150	750
1135	7.99	7.59	2.25	238	41000	3.15	20.18	150	750
1140	8.06	7.59	2.26	239	41000	3.24	20.18	150	750
1145	8.11	7.58	2.27	239	41000	3.15	20.18	150	750
1150	8.15	7.58	2.27	240	41000	3.09	20.18	150	750
1155	8.17	7.59	2.28	240	41000	3.03	20.18	150	750

PURGE: START Date 3/12/18 Time 1110

SAMPLING: FINISH Date 3/12/18 Time 1200

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] **Date:** 3/12/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-22C
 Sample ID 12104-MW-22C
 Screened Interval 79.9-89.9
 Sampler (print) K. Heunstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 89.90 feet
 Depth to Water 19.35 feet
 Well Diameter 1 inches
 Casing Volume 2.9 gallons
 Volume Removed 0.92 gallons
 Total No. of Casing Volumes Removed 0.32
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1215									
1225	7.55	8.09	0.531	233	1000	5.48	19.62	100	500
1230	7.14	7.76	0.536	242	357	5.67	19.62	100	500
1235	7.11	7.76	0.534	243	199	5.67	19.62	100	500
1240	7.16	7.75	0.532	244	124	5.62	19.62	100	500
1245	7.20	7.75	0.531	244	71.0	5.59	19.62	100	500
1250	7.25	7.76	0.530	245	65.5	5.56	19.62	100	500

PURGE¹: START Date 3/12/18 Time 1215

SAMPLING: FINISH Date 3/12/18 Time 1255

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] **Date:** 3/12/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID MW-23A
 Sample ID 6404-MW-23A
 Screened Interval 27.5-37.5
 Sampler (print) K. Helmstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 37.70 feet
 Depth to Water 20.27 feet
 Well Diameter 1 inches
 Casing Volume 0.71 gallons
 Volume Removed 1.1 gallons
 Total No. of Casing Volumes Removed 1.5
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1000									
1025	10.50	7.76	0.821	485	41000	5.56	20.46	~75	375
1030	8.31	7.59	0.966	217	41000	4.39	20.46	~150	750
1035	7.89	7.56	0.988	214	41000	4.22	20.46	~150	750
1040	7.93	7.54	1.00	219	41000	4.08	20.46	~150	750
1045	7.74	7.54	1.00	222	41000	3.90	20.46	~150	750
1050	7.72	7.54	1.00	223	41000	3.82	20.46	~150	750

PURGE: START Date 3/12/18 Time 1000

SAMPLING: FINISH Date 3/12/18 Time 1055

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	NA	-	-

NOTES: Turbidity not measuring, sample cloudy

Sampler Signature: [Signature] Date: 3/12/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID 6404 CMT-10-3
 Sample ID 6404-CMT-10-3
 Screened Interval 104.6-109.6
 Sampler (print) K. Heimsstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 109.6 feet
 Depth to Water 42.69 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed 0.7 gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1255	10.03	7.93	0.702	107	101	4.93	NA	100	500
1300	10.20	7.76	0.614	113	60.4	4.85	NA	100	500
1305	10.13	7.75	0.573	116	38.6	5.33	NA	100	500
1310	10.28	7.76	0.574	119	31.0	5.43	NA	100	500
1315	10.35	7.75	0.552	120	30.2	5.68	NA	100	500
1320									

PURGE!: START Date 3/14/18 Time 1245

SAMPLING: FINISH Date 3/14/18 Time 1325

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature]

Date: 3/14/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID CMT-10-4
 Sample ID 6404-CMT-10-4
 Screened Interval 126.5 - 131.5
 Sampler (print) K. Heunstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 131.5 feet
 Depth to Water 42.78 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed 0.8 gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
845	4.15	7.77	1.26	87	-	9.14	NA	100	500
850	5.13	7.65	1.26	50	-	8.45	NA	100	500
855	5.44	7.65	1.24	51	-	8.68	NA	100	500
900	5.71	7.65	1.18	63	-	9.11	NA	100	500
905	5.36	7.66	1.13	74	-	8.80	NA	100	500
910	5.37	7.67	1.10	79	-	8.95	NA	100	500

PURGE: START Date 3/14/18 Time 840

SAMPLING: FINISH Date 3/14/18 Time 915

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	2	-	-	-

NOTES:

Sampler Signature: [Signature] **Date:** 3/14/18

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID CMT-10-6
 Sample ID 6404-CMT-10-6
 Screened Interval 170-175
 Sampler (print) K. Heimsstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 175 feet
 Depth to Water 47.46 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed 0.3 gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
730	6.12	8.23	0.913	75	-	11.38	NA	25	125 250
740	5.84	8.30	1.02	91	-	11.77	NA	25	125 250
750	5.92	8.30	1.13	90	-	12.37	NA	25	125 250
800	5.93	8.37	1.24	95	-	12.15	NA	25	125 250
810	5.67	8.35	1.23	93	-	11.72	NA	25	125 250

PURGE¹: START Date 3/14/18 Time 700
 SAMPLING: FINISH Date 3/14/18 Time 820

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/14/18
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID CMT-11-2
 Sample ID 6404-CMT-11-2
 Screened Interval 52.8-57.8
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.8 feet
 Depth to Water 50.02 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
	Insufficient water to purge						NA		

PURGE: START Date 3/13/18 Time _____

SAMPLING: FINISH Date 3/13/18 Time _____

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	.	--	-	--

NOTES:

Sampler Signature: *[Signature]* **Date:** 3/13/18

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO 6404
 CLIENT/CONTACT Rich Klinke

Well ID CMT-11-4
 Sample ID 6404-CMT-11-4
 Screened Interval 110.4 - 115.4
 Sampler (print) K. Helmsstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 115.4 feet
 Depth to Water 52.05 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed 6.92 gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1035	7.41	7.68	0.486	1	124	8.93	NA	100	500
1040	7.82	7.85	0.475	-20	143	8.65	NA	100	500
1045	8.16	7.83	0.491	-23	175	7.84	NA	100	500
1050	8.60	7.82	0.570	-11	535	7.10	AA	100	500
1055	8.63	7.78	0.632	33	365	7.97	N/A	100	500
1100	8.63	7.76	0.654	75	143	10.66	N/A	100	500
1105	8.59	7.76	0.644	90	98.4	7.44	NA	100	500

PURGE: START Date 3/13/18 Time 1025
 SAMPLING: FINISH Date 3/13/18 Time 1110

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] **Date:** 3/13/18
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
 PROJECT NO. 6404
 CLIENT/CONTACT Rich Klinke

Well ID CMT-11-6
 Sample ID 6904-CMT-11-6
 Screened Interval 171.9-176.9
 Sampler (print) K. Heinstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 176.9 feet
 Depth to Water 58.9 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed 1.2 gallons
 Total No. of Casing Volumes Removed _____
 Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
920	8.14	7.77	0.680	81	8.53	11.27	NA	~100	500
925	8.47	7.76	0.676	32	4.62	3.27	NA	100	500
930	8.67	7.80	0.675	4	2.37	2.14	NA	100	500
935	8.70	7.79	0.674	16	22.5	2.08	NA	100	500
940	8.70	7.76	0.677	36	127	2.51	NA	100	500
945	8.73	7.74	0.677	56	270	2.91	NA	100	500
950	8.70	7.72	0.676	85	518	3.94	NA	100	500
955	8.76	7.71	0.680	110	792	4.60	NA	100	500
1000	8.79	7.70	0.680	135	826	5.13	NA	100	500

PURGE: START Date 3/13/18 Time 910

SAMPLING: FINISH Date 3/13/18 Time 1005

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	-	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/13/18
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
PROJECT NO. 6404
CLIENT/CONTACT Rich Klinke

Well ID CMT-12-4
Sample ID 6404-CMT-12-4
Screened Interval 112.8 - 117.8
Sampler (print) K. Hemstead

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 917.8 feet
Depth to Water 50.45 feet
Well Diameter _____ inches
Casing Volume _____ gallons
Volume Removed 0.8 gallons
Total No. of Casing Volumes Removed _____
Date 3/7/16

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump x
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
2015	7.10	7.75	0.787	-47	36.4	1.55	NA	100	500
2020	7.95	7.73	0.740	-23	47.1	1.28	NA	100	500
2025	8.23	7.74	0.693	10	39.2	2.39	NA	100	500
2030	8.04	7.75	0.681	21	34.5	2.58	NA	100	500
2035	8.21	7.75	0.675	28	30.8	2.95	NA	100	500
2040	8.52	7.74	0.656	43	23.4	3.23	NA	100	500

PURGE¹: START Date 3/13/18 Time 1000 2000

SAMPLING: FINISH Date 3/13/18 Time 2045

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	N	=	-	-

NOTES:

Sampler Signature: [Signature] Date: 3/13/18

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Clothing Care
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI 53711
PROJECT NO. 6404
CLIENT/CONTACT Rich Klinke

Well ID CMT-12-6
Sample ID 6404-CMT-12-6
Screened Interval 167.8 - 172.8
Sampler (print) K. Humstead

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 172.8 feet
Depth to Water 53.32 feet
Well Diameter 4 inches
Casing Volume _____ gallons
Volume Removed 0.8 gallons
Total No. of Casing Volumes Removed _____
Date 3/7/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well

SAMPLING METHOD:

Low-Flow x
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump x
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1920 <u>925</u>	<u>7.65</u>	<u>7.78</u>	<u>0.814</u>	<u>-114</u>	<u>29.6</u>	<u>7.07</u>	<u>NA</u>	<u>100</u>	<u>500</u>
1925	<u>8.32</u>	<u>7.82</u>	<u>0.774</u>	<u>-143</u>	<u>11.7</u>	<u>2.14</u>	<u>NA</u>	<u>100</u>	<u>500</u>
1930	<u>8.48</u>	<u>7.84</u>	<u>0.745</u>	<u>-161</u>	<u>7.79</u>	<u>1.32</u>	<u>NA</u>	<u>100</u>	<u>500</u>
1935	<u>8.57</u>	<u>7.76</u>	<u>0.731</u>	<u>-156</u>	<u>8.14</u>	<u>1.55</u>	<u>NA</u>	<u>100</u>	<u>500</u>
1940	<u>8.62</u>	<u>7.74</u>	<u>0.723</u>	<u>-134</u>	<u>21.0</u>	<u>2.73</u>	<u>NA</u>	<u>100</u>	<u>500</u>
1945	<u>8.64</u>	<u>7.73</u>	<u>0.722</u>	<u>-130</u>	<u>23.9</u>	<u>3.03</u>	<u>NA</u>	<u>100</u>	<u>500</u>

PURGE: START Date 03/13/18 Time 720 1920
SAMPLING: FINISH Date 3/13/18 Time 1950

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	<u>N</u>			

NOTES:

Sampler Signature: [Signature] Date: 3/13/18
1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
PROJECT NO. 6404
CLIENT/CONTACT Rich & Steve Klinke

Well ID MW-1
Sample ID 6404-MW-1
Screened Interval 47.6-57.6
Sampler (print) K. Heimstead

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth NM feet
Depth to Water NM feet
Well Diameter 2 inches
Casing Volume - gallons
Volume Removed 0.92 gallons
Total No. of Casing Volumes Removed -
Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump X
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1350	12.19	6.23	1.06	9	433	0.82	NM	~100	500
1355	12.27	6.06	1.03	-3	199	0.93	NM	~100	500
1400	12.34	6.07	1.03	-14	80.5	0.76	NM	~100	500
1405	12.32	6.18	1.07	-34	45.0	0.92	NM	~100	500
1410	12.30	6.24	1.10	-45	38.5	0.72	NM	~100	500
1415	12.31	6.38	1.10	-63	30.6	0.81	NM	~100	500
1420	12.26	6.35	1.08	-73	26.1	0.89	NM	~100	500

PURGE: START Date 10-17-18 Time 1345
SAMPLING: FINISH Date 10-17-18 Time 1425

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-

NOTES:

NM = Not measured due to broken water level indicator

Sampler Signature: [Signature]

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
PROJECT NO. 6404
CLIENT/CONTACT Rich & Steve Klinke

Well ID MW-2
Sample ID 6404-MW-2
Screened Interval 47.6-57.6
Sampler (print) K. Vander Heide

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 57.6 feet
Depth to Water 45.06 feet
Well Diameter 2 inches
Casing Volume _____ gallons
Volume Removed _____ gallons
Total No. of Casing Volumes Removed _____
Date 10/19/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump X
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) 52.6

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1655	13.64	7.17	4.01	36	676	3.36	45.10	120	600
1700	13.04	7.08	4.08	12	252	0.82	45.12	120	1200
1705	12.85	7.03	3.79	22	217	0.45	45.14	140	1800
1710	12.88	7.04	3.37	21	212	0.35	45.15	120	2400
1715	12.87	7.03	3.30	18	198	0.23	45.15	120	3000
1720	12.87	7.03	3.18	16	186	0.25	45.16	120	3600

PURGE: START Date 10/19/18 Time 1650
SAMPLING: FINISH Date 10/19/18 Time 1725 / 1730 (DUP-2)

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	6	-	N	DUP-2	-

NOTES: *DUP-2 Injection contents present during purge

Sampler Signature: [Signature]

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners Well ID CMT-3(2) Pump Placement:
 LOCATION/ADDRESS 4518 Monona Drive Sample ID 6404-CMT-3-2 - If water level is above top of well screen, place pump in middle of well screen.
Madison, WI Screened Interval 50.4-55.4 - If water level is below top of well screen, place pump in middle of water column.
 PROJECT NO. 6404 Sampler (print) K. VanderHeide

CLIENT/CONTACT Rich & Steve Klinke

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 55.4 feet
 Depth to Water NA feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 10/19/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other X
 Pump Depth (ft below TOC) (if applicable) 34.9

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1845	13.57	7.80	1.88	-103	21.9	14.06	NA	140	700
1850	13.77	7.62	1.86	-103	87.1	13.65		140	1400
1855	13.11	7.59	1.85	-102	87.4	13.71		120	2000
1900	13.04	7.57	1.88	-103	60.5	13.69		120	2600
1905	12.85	7.58	1.87	-103	40.4	13.73		100	3100
1910	12.74	7.57	1.87	-103	43.1	13.69	↓	100	3600

PURGE: START Date 10/19/18 Time 1830
 SAMPLING: FINISH Date 10/19/18 Time 1915

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-
ethane/ethane/methane	40mL	VOA	HCL	1	-	N	-	-

NOTES: Very foul odor during purge

- Sampler Signature: _____
- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 - Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME: Klinke Cleaners Well ID: MW-4 Pump Placement: _____
 LOCATION/ADDRESS: 4518 Monona Drive Sample ID: 6404-MW-4 - If water level is above top of well screen, place pump in middle of well screen.
Madison, WI Screened Interval: 47.8 - 57.8 - If water level is below top of well screen, place pump in middle of water column.
 PROJECT NO.: 6404 Sampler (print): K. Heimstead

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth NM feet
 Depth to Water NM feet
 Well Diameter 2 inches
 Casing Volume 0.77 gallons
 Volume Removed 0.66 gallons
 Total No. of Casing Volumes Removed -
 Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1240	12.83	7.26	1.03	-95	61.6	2.62	NM	~100	500
1245	12.49	7.19	0.978	-110	72.8	2.94	NM	~100	500
1250	12.52	7.17	0.958	-115	13.9	2.76	NM	~100	500
1255	12.50	7.19	0.940	-119	13.4	2.69	NM	~100	500
1300	12.43	7.20	0.934	-121	11.5	0.90	NM	~100	500
1305	12.42	7.21	0.928	-122	10.7	0.91	NM	~100	500

PURGE: START Date 10-17-18 Time 1235
 SAMPLING: FINISH Date 10-17-18 Time 1310

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	6	-	N	Dup-1	-

NOTES: Purge water black NM = Not Measured due to broken water level indicator

Sampler Signature: [Signature]

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
PROJECT NO. 6404
CLIENT/CONTACT Rich & Steve Klinke

Well ID mw-5
Sample ID 6404-mw-5
Screened Interval 43.5-58.5
Sampler (print) K. Vander Heiden

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 58.5 feet
Depth to Water 44.39 feet
Well Diameter 2 inches
Casing Volume _____ gallons
Volume Removed _____ gallons
Total No. of Casing Volumes Removed _____
Date 10/19/18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) 51.0

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1605	13.76	8.19	0.998	78	391	17.61	44.43	160	800
1610	13.26	7.75	0.974	91	245	13.09	44.39	160	1600
1615	13.07	7.53	0.932	101	197	7.15	44.40	160	2400
1620	12.99	7.44	0.905	104	199	5.12	44.40	160	3200
1625	12.94	7.38	0.896	107	194	4.56	44.39	160	4000
1630	12.90	7.34	0.887	109	188	4.44	44.39	160	4800

PURGE: START Date 10/19/18 Time 1600
SAMPLING: FINISH Date 10/19/18 Time 1635

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-

NOTES:

Sampler Signature:

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
 PROJECT NO. 6404
 CLIENT/CONTACT Rich & Steve Klinke

Well ID MW-7
 Sample ID 6404-MW-7
 Screened Interval 42.3-57.3
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 56.71 feet
 Depth to Water 44.68 feet
 Well Diameter 2 inches
 Casing Volume 1.96 gallons
 Volume Removed 1.58 gallons
 Total No. of Casing Volumes Removed 0.81
 Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1505	12.41	6.82	2.22	-46	1000	6.18	45.83	~200	1000
1510	12.44	6.71	1.62	-65	521	1.27	45.82	~200	1000
1515	12.46	6.71	1.40	-78	314	0.61	45.83	~200	1000
1530	12.51	6.71	1.27	-88	201	0.23	45.83	~200	1000
1535	12.47	6.76	1.17	-97	144	0.89	45.83	~200	1000
1540	12.48	6.76	1.10	-102	116	0.73	45.82	~200	1000
1545	12.47	6.77	1.09	-103	109	0.90	45.82	~200	1000


PURGE: START Date 10-17-18 Time 1500
 SAMPLING: FINISH Date 10-17-18 Time 1550

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-

NOTES:

Purge water black.

Sampler Signature:



- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME	<u>Klinke Cleaners</u>	Well ID	<u>MW-8</u>	Pump Placement:
LOCATION/ADDRESS	<u>4518 Monona Drive</u> <u>Madison, WI</u>	Sample ID	<u>MW-8</u>	- If water level is above top of well screen, place pump in middle of well screen.
PROJECT NO.	<u>6404</u>	Screened Interval	<u>40.6 - 50.6 ^{55.6} KW</u>	- If water level is below top of well screen, place pump in middle of water column.
CLIENT/CONTACT	<u>Rich & Steve Klinke</u>	Sampler (print)	<u>K. Heimstead</u>	

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 55.34 feet
 Depth to Water 41.77 feet
 Well Diameter 2 inches
 Casing Volume 2.21 gallons
 Volume Removed 1.58 gallons
 Total No. of Casing Volumes Removed 0.71
 Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1130</u>	<u>11.98</u>	<u>7.30</u>	<u>1.90</u>	<u>110</u>	<u>210</u>	<u>13.11</u>	<u>41.82</u>	<u>200</u>	<u>1000</u>
<u>1135</u>	<u>11.90</u>	<u>7.20</u>	<u>1.84</u>	<u>113</u>	<u>97.9</u>	<u>13.06</u>	<u>41.83</u>	<u>200</u>	<u>1000</u>
<u>1140</u>	<u>11.88</u>	<u>7.25</u>	<u>1.80</u>	<u>115</u>	<u>41.9</u>	<u>14.00</u>	<u>41.82</u>	<u>200</u>	<u>1000</u>
<u>1145</u>	<u>11.96</u>	<u>7.24</u>	<u>1.93</u>	<u>116</u>	<u>26.7</u>	<u>23.00</u>	<u>41.82</u>	<u>200</u>	<u>1000</u>
<u>1150</u>	<u>11.96</u>	<u>7.24</u>	<u>1.97</u>	<u>116</u>	<u>20.7</u>	<u>11.02</u>	<u>41.81</u>	<u>200</u>	<u>1000</u>
<u>1155</u>	<u>12.00</u>	<u>7.24</u>	<u>1.99</u>	<u>117</u>	<u>20.4</u>	<u>20.79</u>	<u>41.82</u>	<u>200</u>	<u>1000</u>

PURGE: START Date 10-17-18 Time 1125
 SAMPLING: FINISH Date 10-17-18 Time 1200

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40 mL</u>	<u>VOA</u>	<u>HCL</u>	<u>3</u>	<u>-</u>	<u>N</u>	<u>-</u>	<u>-</u>

NOTES:

- Sampler Signature: K. Heimstead
- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 - Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
 PROJECT NO. 6404
 CLIENT/CONTACT Rich & Steve Klinke

Well ID MW-9
 Sample ID 6404-MW-9
 Screened Interval 50-65
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 64.51 feet
 Depth to Water 50.51 feet
 Well Diameter 2 inches
 Casing Volume 2.28 gallons
 Volume Removed 1.58 gallons
 Total No. of Casing Volumes Removed 0.69
 Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1025	12.03	7.10	3.31	99	0.0	0.70	50.58	~200	1000
1030	12.14	7.19	2.77	86	342	2.05	50.58	~200	1000
1035	12.18	7.19	2.68	88	250	0.45	50.59	~200	1000
1040	12.27	7.20	2.65	89	184	0.33	50.59	~200	1000
1045	12.06	7.21	2.61	90	146	0.79	50.60	~200	1000
1050	12.07	7.22	2.44	90	133	0.95	50.60	~200	1000

PURGE: START Date 10-17-18 Time 1020
 SAMPLING: FINISH Date 10-17-18 Time 1055

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-

NOTES:

Purge water black.

Sampler Signature:

[Handwritten Signature]

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
 PROJECT NO. 6404
 CLIENT/CONTACT Rich & Steve Klinke

Well ID MW-18
 Sample ID 6404-MW-18
 Screened Interval _____
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 87.10 feet
 Depth to Water 37.78 feet
 Well Diameter 2 inches
 Casing Volume 8.36 gallons
 Volume Removed 1.58 gallons
 Total No. of Casing Volumes Removed 0.19
 Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1605	14.16	7.26	0.771	-56	0.0	9.90	37.78	200	1000
1610	13.29	7.11	1.09	-39	0.0	11.14	37.91	200	1000
1615	12.92	7.19	1.20	-27	621	8.57	37.91	200	1000
1620	12.78	7.22	1.20	-18	409	8.80	37.90	200	1000
1625	12.81	7.25	1.17	-10	266	9.07	37.90	200	1000
1630	12.62	7.25	1.13	-6	77.1	9.82	37.90	200	1000

PURGE: START Date 10-17-18 Time 1600
 SAMPLING: FINISH Date 10-17-18 Time 1635

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-

NOTES:

Sampler Signature: [Signature]
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS 4518 Monona Drive
Madison, WI
 PROJECT NO. 6404
 CLIENT/CONTACT Rich & Steve Klinke

Well ID MW-22
 Sample ID 6404-MW-22
 Screened Interval 53.4 - 63.4
 Sampler (print) K. Heimstead

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 63.40 feet
 Depth to Water 19.25 feet
 Well Diameter 2 inches
 Casing Volume 0.68 gallons
 Volume Removed 1.58 gallons
 Total No. of Casing Volumes Removed 2.3
 Date 10-17-18

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
9:20	11.45	8.03	0.927	104	0.0	11.98	19.25	~200	1000
9:25	10.97	7.55	0.954	114	725	8.28	19.25	~200	1000
9:30	11.01	7.43	0.958	117	777	8.01	19.25	~200	1000
9:35	10.90	7.39	0.959	118	485	11.15	19.25	~200	1000
9:40	10.94	7.35	0.960	119	352	11.15	19.25	~200	1000
9:45	11.01	7.34	0.959	121	286	9.05	19.25	~200	1000

PURGE: START Date 10-17-18 Time 9:15
 SAMPLING: FINISH Date 10-17-18 Time 9:50

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40 mL	VOA	HCL	3	-	N	-	-

NOTES:

DO Measurement @ 9:40 in %

Sampler Signature:

[Handwritten Signature]

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

ATTACHMENT 3
LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
825 N. CAPITOL AVENUE
INDIANAPOLIS, IN 46204

Report Date 19-Mar-18

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345A
Sample ID 6404-MW-2
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	6.9	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345A
Sample ID 6404-MW-2
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B	3/16/2018	3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B	3/16/2018	3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B	3/16/2018	3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B	3/16/2018	3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B	3/16/2018	3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B	3/16/2018	3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B	3/16/2018	3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B	3/16/2018	3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B	3/16/2018	3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B	3/16/2018	3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B	3/16/2018	3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B	3/16/2018	3/16/2018	CJR	1
Tetrachloroethene	370	ug/l	3.8	12.1	10	8260B	3/16/2018	3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B	3/16/2018	3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B	3/16/2018	3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B	3/16/2018	3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B	3/16/2018	3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B	3/16/2018	3/16/2018	CJR	1
Trichloroethene (TCE)	11.8	ug/l	0.3	0.94	1	8260B	3/16/2018	3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B	3/16/2018	3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B	3/16/2018	3/16/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B	3/16/2018	3/16/2018	CJR	1
Vinyl Chloride	3.13	ug/l	0.2	0.65	1	8260B	3/16/2018	3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B	3/16/2018	3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B	3/16/2018	3/16/2018	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B	3/16/2018	3/16/2018	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B	3/16/2018	3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	3/16/2018	3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B	3/16/2018	3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345B
 Sample ID 6404-MW-3
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		3/16/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		3/16/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		3/16/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/16/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		3/16/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		3/16/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	17.5	ug/l	3.7	11.6	10	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		3/16/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		3/16/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		3/16/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		3/16/2018	CJR	1
Tetrachloroethene	284	ug/l	3.8	12.1	10	8260B		3/16/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	72	ug/l	3	9.4	10	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345B
Sample ID 6404-MW-3
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		3/16/2018	CJR	1
Vinyl Chloride	8.1	ug/l	2	6.5	10	8260B		3/16/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		3/16/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			10	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			10	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	104	REC %			10	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	102	REC %			10	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345C
 Sample ID 6404-MW-14
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	0.97 "J"	ug/l	0.38	1.21	1	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345C
Sample ID 6404-MW-14
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63		2 1	8260B		3/16/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345D
 Sample ID 6404-MW-16
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	5.8	ug/l	0.38	1.21	1	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345D
Sample ID 6404-MW-16
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/16/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %			1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345E
 Sample ID 6404-MW-18
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	0.53 "J"	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	85	ug/l	0.38	1.21	1	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	0.45 "J"	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345E
Sample ID 6404-MW-18
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/16/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345F
 Sample ID 6404-MW-21
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	0.29 "J"	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	1.33	ug/l	0.38	1.21	1	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345F
Sample ID 6404-MW-21
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/16/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345G
 Sample ID 6404-MW-22
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	0.26 "J"	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	0.57 "J"	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	83	ug/l	0.38	1.21	1	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	0.55 "J"	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345G
Sample ID 6404-MW-22
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/16/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345H
 Sample ID 6404-DUP-1
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	6.7	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	380	ug/l	3.8	12.1	10	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	13.6	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345H
Sample ID 6404-DUP-1
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/16/2018	CJR	1
Vinyl Chloride	3.4	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345I
 Sample ID 6404-EB-1
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/15/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/15/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/15/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/15/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/15/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/15/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/15/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/15/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/15/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/15/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/15/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/15/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/15/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/15/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/15/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/15/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/15/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/15/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/15/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/15/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/15/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/15/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/15/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/15/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/15/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/15/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/15/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/15/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/15/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/15/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/15/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/15/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/15/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/15/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/15/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/15/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/15/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/15/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/15/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/15/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/15/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/15/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/15/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/15/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/15/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/15/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/15/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/15/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/15/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/15/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345I
Sample ID 6404-EB-1
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/15/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/15/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/15/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/15/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/15/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/15/2018	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		3/15/2018	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/15/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345J
 Sample ID 6404-TB
 Sample Matrix Water
 Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/15/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/15/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/15/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/15/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/15/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/15/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/15/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/15/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/15/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/15/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/15/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/15/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/15/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/15/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/15/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/15/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/15/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/15/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/15/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/15/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/15/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/15/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/15/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/15/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/15/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/15/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/15/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/15/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/15/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/15/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/15/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/15/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/15/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/15/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/15/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/15/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/15/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/15/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/15/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/15/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/15/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/15/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/15/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/15/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/15/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/15/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/15/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/15/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/15/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/15/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-0372

Invoice # E34345

Lab Code 5034345J
Sample ID 6404-TB
Sample Matrix Water
Sample Date 3/11/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B	3/15/2018	3/15/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B	3/15/2018	3/15/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B	3/15/2018	3/15/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B	3/15/2018	3/15/2018	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B	3/15/2018	3/15/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B	3/15/2018	3/15/2018	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B	3/15/2018	3/15/2018	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B	3/15/2018	3/15/2018	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: **6404**
 Sampler: (signature) *[Signature]*

Project (Name / Location): **Klinke Cleaners / Monona**
 Reports To: _____ Invoice To: _____
 Company: _____ Company: _____
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: _____ Phone: _____
 FAX: _____ FAX: _____

Analysis Requested										Other Analysis											
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-RCRA METALS							PID/ FID	
											X										
											X										
											X										
											X										
											X										
											X										
											X										
											X										
											X										
											X										
											X										
											X										

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
S031345A	6404-mw-2	3/11	1650		X	N	3	GW	HCL
B	6404-mw-3	3/11	1730		X	N	3	GW	HCL
C	6404-mw-14	3/11	1600		X	N	3	GW	HCL
D	6404-mw-16	3/11	1350		X	N	3	GW	HCL
E	6404-mw-18	3/11	1305		X	N	3	GW	HCL
F	6404-mw-21	3/8	1335		X	N	3	GW	HCL
G	6404-mw-22	3/8	1435		X	N	3	GW	HCL
H	6404-DUP-1	3/11	/		X	N	3	GW	HCL
I	6404-EB-1	3/11	1735		X	N	3	GW	HCL
J	6404-TB	3/11	/		X	N	1	GW	HCL

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.

Method of Shipment: GC

Temp. of Temp. Blank _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) <i>[Signature]</i>	Time <u>2115</u>	Date <u>3/11/18</u>	Received By: (sign) <i>[Signature]</i>	Time <u>2115</u>	Date <u>3/11/18</u>
<i>[Signature]</i>	<u>1601</u>	<u>3/13/18</u>			

Received in Laboratory By: *[Signature]* Time: 8:00 Date: 3/14/18

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
825 N. CAPITOL AVENUE
INDIANAPOLIS, IN 46204

Report Date 22-Mar-18

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363A
Sample ID 6404-MW-1
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		3/20/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		3/20/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		3/20/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		3/20/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		3/20/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	243	ug/l	3.7	11.6	10	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363A
Sample ID 6404-MW-1
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B	3/20/2018	3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B	3/20/2018	3/20/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B	3/20/2018	3/20/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B	3/20/2018	3/20/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B	3/20/2018	3/20/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B	3/20/2018	3/20/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B	3/20/2018	3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B	3/20/2018	3/20/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B	3/20/2018	3/20/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B	3/20/2018	3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B	3/20/2018	3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B	3/20/2018	3/20/2018	CJR	1
Tetrachloroethene	24.9	ug/l	3.8	12.1	10	8260B	3/20/2018	3/20/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B	3/20/2018	3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B	3/20/2018	3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B	3/20/2018	3/20/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B	3/20/2018	3/20/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B	3/20/2018	3/20/2018	CJR	1
Trichloroethene (TCE)	3.2 "J"	ug/l	3	9.4	10	8260B	3/20/2018	3/20/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B	3/20/2018	3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B	3/20/2018	3/20/2018	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B	3/20/2018	3/20/2018	CJR	1
Vinyl Chloride	36	ug/l	2	6.5	10	8260B	3/20/2018	3/20/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B	3/20/2018	3/20/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Dibromofluoromethane	114	REC %			10	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Toluene-d8	93	REC %			10	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			10	8260B	3/20/2018	3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363B
 Sample ID 6404-MW-4
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		3/20/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		3/20/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		3/20/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		3/20/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		3/20/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	109	ug/l	3.7	11.6	10	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		3/20/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		3/20/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		3/20/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		3/20/2018	CJR	1
Tetrachloroethene	232	ug/l	3.8	12.1	10	8260B		3/20/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	50	ug/l	3	9.4	10	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363B
Sample ID 6404-MW-4
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		3/20/2018	CJR	1
Vinyl Chloride	37	ug/l	2	6.5	10	8260B		3/20/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		3/20/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			10	8260B		3/20/2018	CJR	1
SUR - Toluene-d8	92	REC %			10	8260B		3/20/2018	CJR	1
SUR - Dibromofluoromethane	113	REC %			10	8260B		3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363C
 Sample ID 6404-MW-5
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	58	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363C
Sample ID 6404-MW-5
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	115	REC %			1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363D
 Sample ID 6404-MW-6
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		3/20/2018	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		3/20/2018	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		3/20/2018	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		3/20/2018	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		3/20/2018	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		3/20/2018	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	< 1.85	ug/l	1.85	5.8	5	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		3/20/2018	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		3/20/2018	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		3/20/2018	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		3/20/2018	CJR	1
Tetrachloroethene	194	ug/l	1.9	6.05	5	8260B		3/20/2018	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 1.5	ug/l	1.5	4.7	5	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363D
Sample ID 6404-MW-6
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		3/20/2018	CJR	1
Vinyl Chloride	< 1	ug/l	1	3.25	5	8260B		3/20/2018	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		3/20/2018	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			5	8260B		3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			5	8260B		3/20/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			5	8260B		3/20/2018	CJR	1
SUR - Toluene-d8	92	REC %			5	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363E
 Sample ID 6404-MW-7
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	5.0	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	82	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	4.0	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363E
Sample ID 6404-MW-7
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B	3/20/2018	3/20/2018	CJR	1
Vinyl Chloride	14.3	ug/l	0.2	0.65	1	8260B	3/20/2018	3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B	3/20/2018	3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363F
 Sample ID 6404-MW-8
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	0.40 "J"	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	5.9	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363F
Sample ID 6404-MW-8
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/20/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/20/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/20/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363G
 Sample ID 6404-MW-9
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		3/20/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		3/20/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		3/20/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		3/20/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		3/20/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	8.4 "J"	ug/l	3.7	11.6	10	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		3/20/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		3/20/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		3/20/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		3/20/2018	CJR	1
Tetrachloroethene	510	ug/l	3.8	12.1	10	8260B		3/20/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	7.0 "J"	ug/l	3	9.4	10	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363G
Sample ID 6404-MW-9
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		3/20/2018	CJR	1
Vinyl Chloride	< 2	ug/l	2	6.5	10	8260B		3/20/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		3/20/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		3/20/2018	CJR	1
SUR - Dibromofluoromethane	103	REC %			10	8260B		3/20/2018	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			10	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363H
 Sample ID 6404-MW-13
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	20.7	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363H
Sample ID 6404-MW-13
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B	3/20/2018	3/20/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B	3/20/2018	3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B	3/20/2018	3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363I
 Sample ID 6404-MW-18A
 Sample Matrix Water
 Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	1.94	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	39	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	0.49 "J"	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363I
Sample ID 6404-MW-18A
Sample Matrix Water
Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363J
 Sample ID 6404-MW-18C
 Sample Matrix Water
 Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	3.3	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	97	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	0.89 "J"	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363J
Sample ID 6404-MW-18C
Sample Matrix Water
Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363K
 Sample ID 6404-MW-22A
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	0.62 "J"	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	19.2	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363K
Sample ID 6404-MW-22A
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/20/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B		3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/20/2018	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		3/20/2018	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363L
 Sample ID 6404-MW-22C
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	1.12 "J"	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	51	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	0.35 "J"	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363L
Sample ID 6404-MW-22C
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363M
 Sample ID 6404-MW-23A
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	0.46 "J"	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363M
Sample ID 6404-MW-23A
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B	3/20/2018	3/20/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B	3/20/2018	3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B	3/20/2018	3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363N
 Sample ID 6404-CMT-10-3
 Sample Matrix Water
 Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	9.1	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363N
Sample ID 6404-CMT-10-3
Sample Matrix Water
Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/20/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	104	REC %			1	8260B		3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/20/2018	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		3/20/2018	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 50343630
 Sample ID 6404-CMT-10-4
 Sample Matrix Water
 Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	2.54	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 50343630
Sample ID 6404-CMT-10-4
Sample Matrix Water
Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63		2 1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	91	REC %			1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363P
 Sample ID 6404-CMT-10-6
 Sample Matrix Water
 Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	3.4	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363P
Sample ID 6404-CMT-10-6
Sample Matrix Water
Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63		2 1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363Q
 Sample ID 6404-CMT-11-4
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	0.75 "J"	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	2.84	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	0.82 "J"	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	0.71 "J"	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363Q
Sample ID 6404-CMT-11-4
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63		2 1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	94	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	110	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363R
 Sample ID 6404-CMT-11-6
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	1.65	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	0.30 "J"	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363R
Sample ID 6404-CMT-11-6
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363S
 Sample ID 6404-CMT-12-4
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	0.83 "J"	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	7.0	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	1.79	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	0.79 "J"	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363S
Sample ID 6404-CMT-12-4
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	113	REC %			1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	90	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363T
 Sample ID 6404-CMT-12-6
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/21/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/21/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/21/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/21/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/21/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/21/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/21/2018	CJR	1
Tetrachloroethene	2.89	ug/l	0.38	1.21	1	8260B		3/21/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	0.46 "J"	ug/l	0.3	0.94	1	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363T
Sample ID 6404-CMT-12-6
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/21/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/21/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/21/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	112	REC %			1	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363U
 Sample ID 6404-EB-2
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/16/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/16/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/16/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/16/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/16/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/16/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/16/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/16/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/16/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/16/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/16/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/16/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/16/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/16/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/16/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/16/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/16/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/16/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/16/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/16/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/16/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/16/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/16/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/16/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/16/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/16/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/16/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/16/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/16/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/16/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/16/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/16/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/16/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/16/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/16/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/16/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/16/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/16/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/16/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/16/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/16/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/16/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/16/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363U
Sample ID 6404-EB-2
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		3/16/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		3/16/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		3/16/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		3/16/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	110	REC %			1	8260B		3/16/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		3/16/2018	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		3/16/2018	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/16/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363V
 Sample ID 6404-EB-3
 Sample Matrix Water
 Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		3/20/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		3/20/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		3/20/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		3/20/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		3/20/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		3/20/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		3/20/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		3/20/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		3/20/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		3/20/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		3/20/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		3/20/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		3/20/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		3/20/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		3/20/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		3/20/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		3/20/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		3/20/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		3/20/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		3/20/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		3/20/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		3/20/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		3/20/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		3/20/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		3/20/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		3/20/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		3/20/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		3/20/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		3/20/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		3/20/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		3/20/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		3/20/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		3/20/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		3/20/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		3/20/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		3/20/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		3/20/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		3/20/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		3/20/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		3/20/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		3/20/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		3/20/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		3/20/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363V
Sample ID 6404-EB-3
Sample Matrix Water
Sample Date 3/14/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B	3/20/2018	3/20/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B	3/20/2018	3/20/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B	3/20/2018	3/20/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	109	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1
SUR - Toluene-d8	93	REC %			1	8260B	3/20/2018	3/20/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363W
 Sample ID 6404-DUP-2
 Sample Matrix Water
 Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		3/21/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		3/21/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		3/21/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/21/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		3/21/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		3/21/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	100	ug/l	3.7	11.6	10	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		3/21/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		3/21/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		3/21/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		3/21/2018	CJR	1
Tetrachloroethene	234	ug/l	3.8	12.1	10	8260B		3/21/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	49	ug/l	3	9.4	10	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363W
Sample ID 6404-DUP-2
Sample Matrix Water
Sample Date 3/12/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		3/21/2018	CJR	1
Vinyl Chloride	33	ug/l	2	6.5	10	8260B		3/21/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		3/21/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	92	REC %			10	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			10	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			10	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	109	REC %			10	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
 Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363X
 Sample ID 6404-DUP-3
 Sample Matrix Water
 Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		3/21/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		3/21/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		3/21/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		3/21/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		3/21/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		3/21/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		3/21/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		3/21/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/21/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		3/21/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		3/21/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		3/21/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		3/21/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		3/21/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		3/21/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		3/21/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		3/21/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		3/21/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		3/21/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		3/21/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		3/21/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		3/21/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		3/21/2018	CJR	1
cis-1,2-Dichloroethene	235	ug/l	3.7	11.6	10	8260B		3/21/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		3/21/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		3/21/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		3/21/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		3/21/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		3/21/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		3/21/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		3/21/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		3/21/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		3/21/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		3/21/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		3/21/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		3/21/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		3/21/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		3/21/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		3/21/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		3/21/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		3/21/2018	CJR	1
Tetrachloroethene	24.9	ug/l	3.8	12.1	10	8260B		3/21/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		3/21/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		3/21/2018	CJR	1
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		3/21/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		3/21/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		3/21/2018	CJR	1
Trichloroethene (TCE)	< 3	ug/l	3	9.4	10	8260B		3/21/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		3/21/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		3/21/2018	CJR	1

Project Name KLINKE CLOTHING CARE
Project # P0#2018-0372

Invoice # E34363

Lab Code 5034363X
Sample ID 6404-DUP-3
Sample Matrix Water
Sample Date 3/13/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		3/21/2018	CJR	1
Vinyl Chloride	27.3	ug/l	2	6.5	10	8260B		3/21/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		3/21/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		3/21/2018	CJR	1
SUR - Toluene-d8	92	REC %			10	8260B		3/21/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	112	REC %			10	8260B		3/21/2018	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			10	8260B		3/21/2018	CJR	1
SUR - Dibromofluoromethane	114	REC %			10	8260B		3/21/2018	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Synergy

Environmental Lab, Inc.

Chain # **N^o 303**

Page 1 of 3

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: _____
 Sampler: (signature) *[Signature]*

Project (Name / Location): *Klinker Clothing Care / Monona, WI*
 Reports To: *B. Kopper / K. Heinstead* Invoice To: _____
 Company: *EnviroForensics* Company: _____
 Address: *216 W23390 Stone Ridge Dr. Suite 2* Address: _____
 City State Zip: *Waukesha, WI 53188* City State Zip: _____
 Phone: *317-972-7870* Phone: _____
 FAX: _____ FAX: _____

Analysis Requested		Other Analysis												
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5034363 A	6404-MW-1	3/13/18	1330		X	N	3	GW	HCl
B	6404-MW-4	3/12/18	1905		X	N	3	GW	HCl
C	6404-MW-5	3/13/18	600		X	N	3	GW	HCl
D	6404-MW-6	3/12/18	1805		X	N	3	GW	HCl
E	6404-MW-7	3/13/18	1520		X	N	3	GW	HCl
F	6404-MW-8	3/12/18	1455		X	N	3	GW	HCl
G	6404-MW-9	3/12/18	1400		X	N	3	GW	HCl
H	6404-MW-13	3/13/18	750		X	N	3	GW	HCl
I	6404-MW-18A	3/14/18	1500		X	N	3	GW	HCl
J	6404-MW-18C	3/14/18	1620		X	N	3	GW	HCl

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
 PO 2018-0372

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *GC*
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *[Signature]* Time *1612* Date *3/15/18*
 Received By: (sign) *[Signature]* Time *4:12* Date *3/15/18*

Received in Laboratory By: *[Signature]* Time: *8:00* Date: *3/16/18*

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: 6404
Sampler: (signature) *[Signature]*

Project (Name / Location): *Klink clothing care / Menasha, WI*
Reports To: *B. Koppen / K. Heimstead* Invoice To: _____
Company: *EnviroForensics* Company: _____
Address: *N16 W23390 Stone Ridge Dr. Site 6* Address: _____
City State Zip: *Waukesha WI 53188* City State Zip: _____
Phone: *317-972-7870* Phone: _____
FAX: _____ FAX: _____

Analysis Requested										Other Analysis											
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS							PID/ FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
5034363 k	6404-MW-22A	3/12/18	1200		X	N	3	GW	HCL
L	6404-MW-22C	3/12/18	1255		X	N	3	GW	HCL
M	6404-MW-23A	3/12/18	1055		X	N	3	GW	HCL
N	6404-CMT-10-3	3/14/18	1325		X	N	3	GW	HCL
O	6404-CMT-10-4	3/14/18	915		X	N	3	GW	HCL
P	6404-CMT-10-6	3/14/18	820		X	N	3	GW	HCL
Q	6404-CMT-11-4	3/13/18	1110		X	N	3	GW	HCL
R	6404-CMT-11-6	3/13/18	1005		X	N	3	GW	HCL
S	6404-CMT-12-4	3/13/18	2045		X	N	3	GW	HCL
T	6404-CMT-12-6	3/13/18	1950		X	N	3	GW	HCL

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO 2018-0372

Sample Integrity - To be completed by receiving lab.
Method of Shipment: *GC*
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time 1612 Date 3/15/18
Received By: (sign) *[Signature]* Time 4:12 Date 3/15/18
Received in Laboratory By: *[Signature]* Time 8:00 Date 3/16/18

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
825 N. CAPITOL AVENUE
INDIANAPOLIS. IN 46204

Report Date 08-Nov-18

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397A
Sample ID 6404 MW-1
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.52 "J"	ug/l	0.22	0.71	1	8260B		10/29/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/29/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/29/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/29/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/29/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/29/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/29/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/29/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/29/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/29/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/29/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/29/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/29/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/29/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/29/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/29/2018	CJR	1
cis-1,2-Dichloroethene	43	ug/l	0.37	1.16	1	8260B		10/29/2018	CJR	1
trans-1,2-Dichloroethene	0.64 "J"	ug/l	0.34	1.07	1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397A
Sample ID 6404 MW-1
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/29/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/29/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/29/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/29/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/29/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/29/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/29/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/29/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/29/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/29/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/29/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/29/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/29/2018	CJR	1
Tetrachloroethene	17.5	ug/l	0.38	1.21	1	8260B		10/29/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/29/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/29/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/29/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/29/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/29/2018	CJR	1
Trichloroethene (TCE)	1.8	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/29/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/29/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/29/2018	CJR	1
Vinyl Chloride	5.8	ug/l	0.2	0.65	1	8260B		10/29/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/29/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/29/2018	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/29/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/29/2018	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		10/29/2018	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397B
Sample ID 6404 MW-2
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		10/26/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		10/26/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/26/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		10/26/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		10/26/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		10/26/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	5.2 "J"	ug/l	3.7	11.6	10	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		10/26/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		10/26/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		10/26/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		10/26/2018	CJR	1
Tetrachloroethene	330	ug/l	3.8	12.1	10	8260B		10/26/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397B
Sample ID 6404 MW-2
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	14.6	ug/l	3	9.4	10	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		10/26/2018	CJR	1
Vinyl Chloride	3.9 "J"	ug/l	2	6.5	10	8260B		10/26/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		10/26/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	100	REC %			10	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			10	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			10	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	99	REC %			10	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397C
Sample ID 6404 MW-3
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/29/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/29/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/29/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/29/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/29/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/29/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/29/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/29/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/29/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/29/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/29/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/29/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/29/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/29/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/29/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/29/2018	CJR	1
cis-1,2-Dichloroethene	2.9	ug/l	0.37	1.16	1	8260B		10/29/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/29/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/29/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/29/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/29/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/29/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/29/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/29/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/29/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/29/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/29/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/29/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/29/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/29/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/29/2018	CJR	1
Tetrachloroethene	7.3	ug/l	0.38	1.21	1	8260B		10/29/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/29/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397C
Sample ID 6404 MW-3
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/29/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/29/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/29/2018	CJR	1
Trichloroethene (TCE)	3.2	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/29/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/29/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/29/2018	CJR	1
Vinyl Chloride	2.48	ug/l	0.2	0.65	1	8260B		10/29/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/29/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/29/2018	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/29/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/29/2018	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		10/29/2018	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397D
Sample ID 6404 MW-4
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/29/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/29/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/29/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/29/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/29/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/29/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/29/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/29/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/29/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/29/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/29/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/29/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/29/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/29/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/29/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/29/2018	CJR	1
cis-1,2-Dichloroethene	10	ug/l	0.37	1.16	1	8260B		10/29/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/29/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/29/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/29/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/29/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/29/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/29/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/29/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/29/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/29/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/29/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/29/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/29/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/29/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/29/2018	CJR	1
Tetrachloroethene	0.84 "J"	ug/l	0.38	1.21	1	8260B		10/29/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/29/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397D
Sample ID 6404 MW-4
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/29/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/29/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/29/2018	CJR	1
Trichloroethene (TCE)	1.32	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/29/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/29/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/29/2018	CJR	1
Vinyl Chloride	10.7	ug/l	0.2	0.65	1	8260B		10/29/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/29/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/29/2018	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/29/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		10/29/2018	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		10/29/2018	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397E
Sample ID 6404 MW-5
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/27/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/27/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/27/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/27/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/27/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/27/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/27/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/27/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/27/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/27/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/27/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/27/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/27/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/27/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/27/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/27/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/27/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/27/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/27/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/27/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/27/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/27/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/27/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/27/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/27/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/27/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/27/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/27/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/27/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/27/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/27/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/27/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/27/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/27/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/27/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/27/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/27/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/27/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/27/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/27/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/27/2018	CJR	1
Tetrachloroethene	12.1	ug/l	0.38	1.21	1	8260B		10/27/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/27/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/27/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397E
Sample ID 6404 MW-5
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/27/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/27/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/27/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/27/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/27/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/27/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/27/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/27/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/27/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/27/2018	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		10/27/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		10/27/2018	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/27/2018	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/27/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397F
Sample ID 6404 MW-7
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/29/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/29/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/29/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/29/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/29/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/29/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/29/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/29/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/29/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/29/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/29/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/29/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/29/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/29/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/29/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/29/2018	CJR	1
cis-1,2-Dichloroethene	0.60 "J"	ug/l	0.37	1.16	1	8260B		10/29/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/29/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/29/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/29/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/29/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/29/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/29/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/29/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/29/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/29/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/29/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/29/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/29/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/29/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/29/2018	CJR	1
Tetrachloroethene	0.60 "J"	ug/l	0.38	1.21	1	8260B		10/29/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/29/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397F
Sample ID 6404 MW-7
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/29/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/29/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/29/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/29/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/29/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/29/2018	CJR	1
Vinyl Chloride	2.41	ug/l	0.2	0.65	1	8260B		10/29/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/29/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/29/2018	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/29/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		10/29/2018	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		10/29/2018	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397G
Sample ID 6404 MW-8
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/27/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/27/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/27/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/27/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/27/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/27/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/27/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/27/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/27/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/27/2018	CJR	1
Chloroform	0.44 "J"	ug/l	0.26	0.82	1	8260B		10/27/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/27/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/27/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/27/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/27/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/27/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/27/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/27/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/27/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/27/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/27/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/27/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/27/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/27/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/27/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/27/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/27/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/27/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/27/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/27/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/27/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/27/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/27/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/27/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/27/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/27/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/27/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/27/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/27/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/27/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/27/2018	CJR	1
Tetrachloroethene	1.84	ug/l	0.38	1.21	1	8260B		10/27/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/27/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/27/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397G
Sample ID 6404 MW-8
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/27/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/27/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/27/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/27/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/27/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/27/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/27/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/27/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/27/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/27/2018	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/27/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		10/27/2018	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		10/27/2018	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/27/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397H
 Sample ID 6404 MW-9
 Sample Matrix Water
 Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 1.1	ug/l	1.1	3.55	5	8260B		10/26/2018	CJR	1
Bromobenzene	< 2.2	ug/l	2.2	6.9	5	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 1.65	ug/l	1.65	5.3	5	8260B		10/26/2018	CJR	1
Bromoform	< 2.25	ug/l	2.25	7.2	5	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 1.25	ug/l	1.25	4	5	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 3.95	ug/l	3.95	12.65	5	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 3.55	ug/l	3.55	11.25	5	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 1.55	ug/l	1.55	4.9	5	8260B		10/26/2018	CJR	1
Chlorobenzene	< 1.3	ug/l	1.3	4.15	5	8260B		10/26/2018	CJR	1
Chloroethane	< 3.05	ug/l	3.05	9.75	5	8260B		10/26/2018	CJR	1
Chloroform	< 1.3	ug/l	1.3	4.1	5	8260B		10/26/2018	CJR	1
Chloromethane	< 2.7	ug/l	2.7	8.6	5	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 1.55	ug/l	1.55	4.9	5	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 1.3	ug/l	1.3	4.15	5	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 14.8	ug/l	14.8	47.15	5	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 1.1	ug/l	1.1	3.45	5	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 3.5	ug/l	3.5	11.1	5	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 4.25	ug/l	4.25	13.5	5	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 4.3	ug/l	4.3	13.7	5	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 1.6	ug/l	1.6	5.1	5	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 1.25	ug/l	1.25	3.9	5	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 1.8	ug/l	1.8	5.7	5	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 2.1	ug/l	2.1	6.7	5	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	6.1	ug/l	1.85	5.8	5	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 1.7	ug/l	1.7	5.35	5	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 2.2	ug/l	2.2	6.95	5	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 1.5	ug/l	1.5	4.7	5	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 1.6	ug/l	1.6	5.05	5	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 1.3	ug/l	1.3	4.05	5	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 1.05	ug/l	1.05	3.3	5	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 1.7	ug/l	1.7	5.45	5	8260B		10/26/2018	CJR	1
Ethylbenzene	< 1.3	ug/l	1.3	4.15	5	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 6.7	ug/l	6.7	21.4	5	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 3.9	ug/l	3.9	12.35	5	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 1.2	ug/l	1.2	3.8	5	8260B		10/26/2018	CJR	1
Methylene chloride	< 6.6	ug/l	6.6	21.05	5	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.4	ug/l	1.4	4.45	5	8260B		10/26/2018	CJR	1
Naphthalene	< 10.5	ug/l	10.5	33.25	5	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 3.05	ug/l	3.05	9.75	5	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 1.5	ug/l	1.5	4.85	5	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 1.75	ug/l	1.75	5.65	5	8260B		10/26/2018	CJR	1
Tetrachloroethene	239	ug/l	1.9	6.05	5	8260B		10/26/2018	CJR	1
Toluene	< 0.95	ug/l	0.95	3	5	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 5.75	ug/l	5.75	18.35	5	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397H
Sample ID 6404 MW-9
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 8.55	ug/l	8.55	27.15	5	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 1.65	ug/l	1.65	5.25	5	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 2.1	ug/l	2.1	6.6	5	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	6.2	ug/l	1.5	4.7	5	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 1.75	ug/l	1.75	5.5	5	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 4	ug/l	4	12.75	5	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 3.15	ug/l	3.15	10	5	8260B		10/26/2018	CJR	1
Vinyl Chloride	1.35 "J"	ug/l	1	3.25	5	8260B		10/26/2018	CJR	1
m&p-Xylene	< 2.15	ug/l	2.15	6.9	5	8260B		10/26/2018	CJR	1
o-Xylene	< 1.45	ug/l	1.45	4.65	5	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			5	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			5	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	96	REC %			5	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	101	REC %			5	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397I
 Sample ID 6404 MW-18
 Sample Matrix Water
 Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/26/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/26/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
Chloroform	0.38 "J"	ug/l	0.26	0.82	1	8260B		10/26/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	0.41 "J"	ug/l	0.37	1.16	1	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/26/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/26/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/26/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/26/2018	CJR	1
Tetrachloroethene	30.4	ug/l	0.38	1.21	1	8260B		10/26/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397I
Sample ID 6404 MW-18
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	0.42 "J"	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/26/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/26/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/26/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397J
Sample ID 6404 MW-22
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/26/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/26/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
Chloroform	0.31 "J"	ug/l	0.26	0.82	1	8260B		10/26/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/26/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/26/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/26/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/26/2018	CJR	1
Tetrachloroethene	55	ug/l	0.38	1.21	1	8260B		10/26/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397J
Sample ID 6404 MW-22
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/26/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/26/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/26/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397K
Sample ID 6404 CMT-3-2
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
GASES										
Ethane	< 0.5	ug/l	0.5	1.5	1	8015		11/8/2018	MJR	1
Ethene	< 0.5	ug/l	0.5	1.5	1	8015		11/8/2018	MJR	1
Methane	500	ug/l	1	3	1	8015		11/8/2018	MJR	1
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/26/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/26/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/26/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	10.6	ug/l	0.37	1.16	1	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/26/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/26/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/26/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397K
Sample ID 6404 CMT-3-2
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/26/2018	CJR	1
Tetrachloroethene	1.1 "J"	ug/l	0.38	1.21	1	8260B		10/26/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/26/2018	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	0.39 "J"	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/26/2018	CJR	1
Vinyl Chloride	0.56 "J"	ug/l	0.2	0.65	1	8260B		10/26/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/26/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397L
Sample ID 6404 DUP-1
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/29/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/29/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/29/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/29/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/29/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/29/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/29/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/29/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/29/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/29/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/29/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/29/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/29/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/29/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/29/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/29/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/29/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/29/2018	CJR	1
cis-1,2-Dichloroethene	9.7	ug/l	0.37	1.16	1	8260B		10/29/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/29/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/29/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/29/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/29/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/29/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/29/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/29/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/29/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/29/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/29/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/29/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/29/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/29/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/29/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/29/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/29/2018	CJR	1
Tetrachloroethene	0.84 "J"	ug/l	0.38	1.21	1	8260B		10/29/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/29/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397L
Sample ID 6404 DUP-1
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/29/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/29/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/29/2018	CJR	1
Trichloroethene (TCE)	1.29	ug/l	0.3	0.94	1	8260B		10/29/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/29/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/29/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/29/2018	CJR	1
Vinyl Chloride	10.3	ug/l	0.2	0.65	1	8260B		10/29/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/29/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/29/2018	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		10/29/2018	CJR	1
SUR - Toluene-d8	96	REC %			1	8260B		10/29/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		10/29/2018	CJR	1
SUR - 4-Bromofluorobenzene	93	REC %			1	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397M
Sample ID 6404 EB-1
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/26/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/26/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/26/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/26/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/26/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/26/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/26/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/26/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397M
Sample ID 6404 EB-1
Sample Matrix Water
Sample Date 10/17/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/26/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/26/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/26/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397N
Sample ID 6404 DUP-2
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.2	ug/l	2.2	7.1	10	8260B		10/29/2018	CJR	1
Bromobenzene	< 4.4	ug/l	4.4	13.8	10	8260B		10/29/2018	CJR	1
Bromodichloromethane	< 3.3	ug/l	3.3	10.6	10	8260B		10/29/2018	CJR	1
Bromoform	< 4.5	ug/l	4.5	14.4	10	8260B		10/29/2018	CJR	1
tert-Butylbenzene	< 2.5	ug/l	2.5	8	10	8260B		10/29/2018	CJR	1
sec-Butylbenzene	< 7.9	ug/l	7.9	25.3	10	8260B		10/29/2018	CJR	1
n-Butylbenzene	< 7.1	ug/l	7.1	22.5	10	8260B		10/29/2018	CJR	1
Carbon Tetrachloride	< 3.1	ug/l	3.1	9.8	10	8260B		10/29/2018	CJR	1
Chlorobenzene	< 2.6	ug/l	2.6	8.3	10	8260B		10/29/2018	CJR	1
Chloroethane	< 6.1	ug/l	6.1	19.5	10	8260B		10/29/2018	CJR	1
Chloroform	< 2.6	ug/l	2.6	8.2	10	8260B		10/29/2018	CJR	1
Chloromethane	< 5.4	ug/l	5.4	17.2	10	8260B		10/29/2018	CJR	1
2-Chlorotoluene	< 3.1	ug/l	3.1	9.8	10	8260B		10/29/2018	CJR	1
4-Chlorotoluene	< 2.6	ug/l	2.6	8.3	10	8260B		10/29/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 29.6	ug/l	29.6	94.3	10	8260B		10/29/2018	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	6.9	10	8260B		10/29/2018	CJR	1
1,4-Dichlorobenzene	< 7	ug/l	7	22.2	10	8260B		10/29/2018	CJR	1
1,3-Dichlorobenzene	< 8.5	ug/l	8.5	27	10	8260B		10/29/2018	CJR	1
1,2-Dichlorobenzene	< 8.6	ug/l	8.6	27.4	10	8260B		10/29/2018	CJR	1
Dichlorodifluoromethane	< 3.2	ug/l	3.2	10.2	10	8260B		10/29/2018	CJR	1
1,2-Dichloroethane	< 2.5	ug/l	2.5	7.8	10	8260B		10/29/2018	CJR	1
1,1-Dichloroethane	< 3.6	ug/l	3.6	11.4	10	8260B		10/29/2018	CJR	1
1,1-Dichloroethene	< 4.2	ug/l	4.2	13.4	10	8260B		10/29/2018	CJR	1
cis-1,2-Dichloroethene	4.9 "J"	ug/l	3.7	11.6	10	8260B		10/29/2018	CJR	1
trans-1,2-Dichloroethene	< 3.4	ug/l	3.4	10.7	10	8260B		10/29/2018	CJR	1
1,2-Dichloropropane	< 4.4	ug/l	4.4	13.9	10	8260B		10/29/2018	CJR	1
1,3-Dichloropropane	< 3	ug/l	3	9.4	10	8260B		10/29/2018	CJR	1
trans-1,3-Dichloropropene	< 3.2	ug/l	3.2	10.1	10	8260B		10/29/2018	CJR	1
cis-1,3-Dichloropropene	< 2.6	ug/l	2.6	8.1	10	8260B		10/29/2018	CJR	1
Di-isopropyl ether	< 2.1	ug/l	2.1	6.6	10	8260B		10/29/2018	CJR	1
EDB (1,2-Dibromoethane)	< 3.4	ug/l	3.4	10.9	10	8260B		10/29/2018	CJR	1
Ethylbenzene	< 2.6	ug/l	2.6	8.3	10	8260B		10/29/2018	CJR	1
Hexachlorobutadiene	< 13.4	ug/l	13.4	42.8	10	8260B		10/29/2018	CJR	1
Isopropylbenzene	< 7.8	ug/l	7.8	24.7	10	8260B		10/29/2018	CJR	1
p-Isopropyltoluene	< 2.4	ug/l	2.4	7.6	10	8260B		10/29/2018	CJR	1
Methylene chloride	< 13.2	ug/l	13.2	42.1	10	8260B		10/29/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.8	ug/l	2.8	8.9	10	8260B		10/29/2018	CJR	1
Naphthalene	< 21	ug/l	21	66.5	10	8260B		10/29/2018	CJR	1
n-Propylbenzene	< 6.1	ug/l	6.1	19.5	10	8260B		10/29/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 3	ug/l	3	9.7	10	8260B		10/29/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 3.5	ug/l	3.5	11.3	10	8260B		10/29/2018	CJR	1
Tetrachloroethene	298	ug/l	3.8	12.1	10	8260B		10/29/2018	CJR	1
Toluene	< 1.9	ug/l	1.9	6	10	8260B		10/29/2018	CJR	1
1,2,4-Trichlorobenzene	< 11.5	ug/l	11.5	36.7	10	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397N
Sample ID 6404 DUP-2
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 17.1	ug/l	17.1	54.3	10	8260B		10/29/2018	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10.5	10	8260B		10/29/2018	CJR	1
1,1,2-Trichloroethane	< 4.2	ug/l	4.2	13.2	10	8260B		10/29/2018	CJR	1
Trichloroethene (TCE)	12.6	ug/l	3	9.4	10	8260B		10/29/2018	CJR	1
Trichlorofluoromethane	< 3.5	ug/l	3.5	11	10	8260B		10/29/2018	CJR	1
1,2,4-Trimethylbenzene	< 8	ug/l	8	25.5	10	8260B		10/29/2018	CJR	1
1,3,5-Trimethylbenzene	< 6.3	ug/l	6.3	20	10	8260B		10/29/2018	CJR	1
Vinyl Chloride	3.4 "J"	ug/l	2	6.5	10	8260B		10/29/2018	CJR	1
m&p-Xylene	< 4.3	ug/l	4.3	13.8	10	8260B		10/29/2018	CJR	1
o-Xylene	< 2.9	ug/l	2.9	9.3	10	8260B		10/29/2018	CJR	1
SUR - Dibromofluoromethane	105	REC %			10	8260B		10/29/2018	CJR	1
SUR - Toluene-d8	97	REC %			10	8260B		10/29/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			10	8260B		10/29/2018	CJR	1
SUR - 4-Bromofluorobenzene	89	REC %			10	8260B		10/29/2018	CJR	1

Project Name KLINKE CLEANERS
 Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 50353970
 Sample ID 6404 EB-2
 Sample Matrix Water
 Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/26/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/26/2018	CJR	1
Bromodichloromethane	0.69 "J"	ug/l	0.33	1.06	1	8260B		10/26/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
Chloroform	2.46	ug/l	0.26	0.82	1	8260B		10/26/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/26/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/26/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/26/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/26/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/26/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 50353970
Sample ID 6404 EB-2
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/26/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/26/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/26/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397P
Sample ID TRIP BLANK
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		10/26/2018	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		10/26/2018	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		10/26/2018	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		10/26/2018	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		10/26/2018	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		10/26/2018	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		10/26/2018	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		10/26/2018	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		10/26/2018	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		10/26/2018	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		10/26/2018	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		10/26/2018	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		10/26/2018	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		10/26/2018	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		10/26/2018	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		10/26/2018	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		10/26/2018	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		10/26/2018	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		10/26/2018	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		10/26/2018	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		10/26/2018	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		10/26/2018	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		10/26/2018	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		10/26/2018	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		10/26/2018	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		10/26/2018	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		10/26/2018	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		10/26/2018	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		10/26/2018	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		10/26/2018	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		10/26/2018	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		10/26/2018	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		10/26/2018	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		10/26/2018	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		10/26/2018	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		10/26/2018	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		10/26/2018	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		10/26/2018	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2018-1335

Invoice # E35397

Lab Code 5035397P
Sample ID TRIP BLANK
Sample Matrix Water
Sample Date 10/19/2018

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		10/26/2018	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		10/26/2018	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		10/26/2018	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		10/26/2018	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		10/26/2018	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		10/26/2018	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		10/26/2018	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		10/26/2018	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		10/26/2018	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		10/26/2018	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		10/26/2018	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		10/26/2018	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		10/26/2018	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		10/26/2018	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

BJK

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: **6404**
Sampler: (signature) *H. H. [unclear]*

Project (Name / Location): **Klinke Cleaners / Monona, WI**
Reports To: **B. Kappen** Invoice To: _____
Company: **EnviroForensics** Company: _____
Address: **N16 W23390 Stone Ridge Dr. Suite 6** Address: _____
City State Zip: **Waukesha WI 53188** City State Zip: _____
Phone: **317-972-7870** Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID
5035597A	6404-MW-1	10-17-18	1425		X	N	3	GW	HCL															
B	6404-MW-2	10/19	1725		X	N	3	GW	HCL													X		
C	6404-MW-3	10/19	1845		X	N	3	GW	HCL													X		
D	6404-MW-4	10-17-18	1310		X	N	3	GW	HCL													X		
E	6404-MW-5	10/19	1635		X	N	3	GW	HCL													X		
F	6404-MW-7	10-17-18	1550		X	N	3	GW	HCL													X		
G	6404-MW-8	10-17-18	1200		X	N	3	GW	HCL													X		
H	6404-MW-9	10-17-18	1055		X	N	3	GW	HCL													X		
I	6404-MW-18	10-17-18	1635		X	N	3	GW	HCL													X		
J	6404-MW-22	10-17-18	950		X	N	3	GW	HCL													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO# 2018-1335

Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>Geo</u> Temp. of Temp. Blank _____ °C On Ice: <input checked="" type="checkbox"/> Cooler seal intact upon receipt: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	<i>[Signature]</i>	0800	10/22/18	lab courier	1630	10/22/18
	<u>lab courier</u>	1630	10/22/18			
Received in Laboratory By: <i>[Signature]</i>	Time: 8:00	Date: 10/23/18				

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. #
Account No.: Quote No.:
Project #: 6404
Sampler: (signature) Kyle H. Tull

Project (Name / Location): Klinke Cleaners / Monona, WI
Reports To: B. Kappen
Company: Enviro Forensics
Address: 216 W 235th Stone Ridge Dr. Suite 2A
City State Zip: Waukesha WI 53188
Phone: 317-972-7870
FAX:

Analysis Requested		Other Analysis	
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	Ethene, Ethane, Methane
NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	
PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	
SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524-2)	
VOC (EPA 8260)	VOC (EPA 8260)	8-PCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
S055397K	6404-CMT-3-2	10/19	1915		X	N	4	GW	HCl
L	6404-Dup-1	10-17-18	-		X	N	3	GW	HCl
M	6404-EB-1	10-17-18	1325		X	N	3	GW	HCl
N	6404-Dup-2	10/19	-		X	N	3	GW	HCl
O	6404-EB-2	10/19	1820		X	N	2	GW	HCl
P	TRIP BLANK						1		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
PO # 2018-1335

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 0800 Date 10/22/18
Received By: (sign) lab courier Time 1630 Date 10/22/18
Received in Laboratory By: [Signature] Time: 8:00 Date: 10/23/18