



September 15, 2019

Jeff Carr
Facilities Supervisor
Monona Grove School District
5301 Monona Drive
Monona, WI 53716-3126

**Subject: Environmental Sampling Results
BRRTS# 02-13-551928**

Dear Mr. Carr:

In accordance with the Access Agreement between the Monona Grove School District and Klinke Clothing Care, Corp. dated August 7, 2012 and related amendments, EnviroForensics, LLC (EnviroForensics) is providing the attached sampling results associated with groundwater samples collected from Monona Grove School District property located at 4400 Monona Drive, Monona, Wisconsin (the "Property"). The sampling activities were conducted at the direction of the Wisconsin Department of Natural Resources (WDNR) as part of an environmental investigation being performed for Klinke Cleaners located at 4518 Monona Drive Madison, Wisconsin. The WDNR has assigned the following identification number to the Klinke Cleaners site: BRRTS# 02-13-551928. The chemicals of concern for the investigation are the solvent tetrachloroethene (PCE) and its associated breakdown products.

Sampling Results

Groundwater samples were collected from monitoring wells MW-5, MW-6, and CMT-12. The monitoring well locations are shown on the attached **Figure 1**. The analytical results of the samples are summarized on **Table 1** (attached), along with all prior monitoring results. An excerpt from the laboratory report that relates to the samples is also attached.

As listed on **Table 1**, PCE was detected in groundwater samples collected from MW-5 and MW-6 at concentrations of 13.4 micrograms per liter ($\mu\text{g/l}$) and 30.9 $\mu\text{g/l}$, respectively. These concentrations exceed the WDNR groundwater enforcement standard (ES) of 5 $\mu\text{g/l}$; however, the concentrations are low with respect to historical results from those monitoring wells. The sample collected from CMT-12 (Port 3) contained PCE at a concentration of 97 $\mu\text{g/l}$, and trichloroethene (TCE) at a concentration of 3.7 $\mu\text{g/l}$, which is less than the ES for TCE of 5 $\mu\text{g/l}$. No other compounds were detected in the groundwater samples.

Document: 6404-1754



We will contact you prior to any subsequent work on the Property. If you have any questions or concerns, please contact me at 414-326-4412 or by email at bkappen@enviroforensics.com. The WDNR project manager, Mike Schmoller, can be reached at 608-275-3303.

We greatly appreciate your assistance with this matter.

Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Brian Kappen".


Brian Kappen, PG
Project Manager


Copy: Steve Klinke, Klinke Cleaners
Mike Schmoller, Wisconsin Department of Natural Resources

Attachments:

Site Layout Map
Monitoring Well Analytical Results Summary
Groundwater Laboratory Analytical Report Excerpt

Legend

- MW-1  Monitoring Well Location
-  City of Madison Sanitary Sewer
-  City of Monona Sanitary Sewer



SITE LAYOUT MAP	
Klinke Cleaners 4518 Monona Dr. Madison, WI	
	Figure 1
	Project 6404
825 N. Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com	

Date:	3/30/18
Designed:	EB
Drawn:	KH
Checked:	BK
DWG file:	6404-1033

TABLE 1
MONITORING WELL ANALYTICAL RESULTS SUMMARY

Monona Grove High School

Klinke Cleaners

Madison, Wisconsin

Monitoring Well ID	Port Number & Depth (feet)	Date Sampled	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	Benzene	Bromodichloromethane	Chloroform	Methylene Chloride	Toluene
MW-5	(48-58)	6/22/2011	366	ND	<2.1	<1.0	ND	ND	<1.1	ND
		9/29/2011	255	ND	<2.1	<1.0	ND	ND	<1.1	ND
		4/3/2012	193	<0.500	<0.500	ND	ND	0.650 J	ND	ND
		1/20/2014	191	<3.3	<3.8	<2.4	ND	<2.8	<5	ND
		8/13/2014	126	<0.33	<0.38	<0.24	ND	<0.28	<0.5	<0.69
		2/16/2015	110	<0.50	1.2	<1.0	<1.0	<1.0	<5.0	<1.0
		10/6/2016	18	<0.33	<0.26	<0.50	ND	<2.5	0.31 J	<0.50
		3/8/2017	76.7	0.50 J	<0.26	<0.50	<0.50	<2.5	<0.23	<0.50
		10/3/2017	35.9	<0.33	0.38 J	<0.5	<0.50	<2.5	<0.23	<0.5
		3/13/2018	58	<0.3	<0.37	<0.22	<0.33	<0.26	<1.32	<0.19
		10/19/2018	12.1	<0.3	<0.37	<0.22	<0.33	<0.26	<1.32	<0.19
8/20/2019	13.4	<0.3	<0.37	<0.22	<0.33	<0.26	<1.32	<0.19		
MW-6	41.7-56.7	6/22/2011	134	ND	<0.83	<0.41	ND	ND	<0.43	ND
		9/29/2011	180	ND	<0.83	<0.41	ND	ND	<0.43	ND
		4/3/2012	85	<0.500	<0.500	ND	ND	<0.500	ND	ND
		1/20/2014	299	<3.3	<3.8	<2.4	ND	<2.8	<5	ND
		8/13/2014	200	<0.33	<0.38	<0.24	0.49 J	0.38 J	<0.5	<0.69
		2/16/2015	410	<0.50	0.98	<1.0	<1.0	<1.0	<5.0	<1.0
		3/12/2018	194	<1.5	<1.85	<1.1	<1.65	<1.3	<6.6	<0.95
		8/21/2019	30.9	<0.3	<0.37	<0.22	<0.33	<0.26	<1.32	<0.19
CMT-12	2 (50.1-55.1)	1/13/2014	153	<0.33	<0.38	<0.24	ND	<0.28	<0.5	<0.69
		8/14/2014	450	5.0	1.43	<0.24	ND	<0.28	<0.5	<0.69
		3/11/2015	850	1.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
		11/11/2015	760	2.6	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
		3/8/2017	55.3	0.96 J	1.3	<0.50	<0.50	<2.5	<0.23	<0.50
	3 (79.4-84.4)	1/16/2014	13.9	<0.33	<0.38	0.49 J	ND	0.29 J	<0.5	204
		8/14/2014	19.3	2.18	<0.38	<0.24	0.52 J	0.30 J	<0.5	<0.69
		3/11/2015	92	2.9	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
		11/11/2015	66	3.8	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
		10/6/2016	32.6	15.7	1.3	<0.50	<0.50	<2.5	<0.23	<0.50
		3/8/2017	57.4	12.3	4.0	<0.50	<0.50	<2.5	<0.23	<0.50
		8/19/2019	97	3.7	2.36	<0.22	<0.33	0.32 J	<1.32	<0.19
	4 (112.8-117.8)	1/16/2014	2.47	<0.33	<0.38	0.60 J	ND	<0.28	<0.5	1.27 J
		8/14/2014	2.7	0.63 J	0.46 J	<0.24	ND	<0.28	<0.5	<0.69
		3/11/2015	17	3.0	<1.0	<1.0	<1.0	<1.0	<5.0	<1.0
		3/13/2018 *	7.0	1.8	0.83 J	<0.22	<0.33	<0.26	<1.32	<0.19
	5 (138.1-143.1)	1/16/2014	1.4	<0.33	<0.38	0.41 J	ND	<0.28	<0.5	<0.69
		8/14/2014	6.7	0.93 J	0.84 J	0.28 J	ND	0.38 J	<0.5	<0.69
	6 (167.8-172.8)	1/16/2014	0.77 J	<0.33	<0.38	0.35 J	ND	<0.28	<0.5	<0.69
		8/14/2014	1.26	<0.33	<0.38	0.24 J	ND	0.35 J	<0.5	<0.69
		3/13/2018	2.89	0.46 J	<0.37	<0.22	<0.33	<0.26	<1.32	<0.19
	7 (199.9-200.0)	1/20/2014	2.61	<0.33	<0.38	0.34 J	ND	<0.28	<0.5	4.8
		8/14/2014	1.49	0.36 J	0.44 J	<0.24	ND	<0.28	<0.5	<0.69
Enforcement Standards (µg/l)			5	5	70	5	0.6	6	5	1,000
Preventive Action Limits (µg/l)			0.5	0.5	7	0.5	0.06	0.6	0.5	200

Notes:

Samples analyzed using EPA SW-846 Method 8260B

Concentrations are reported in units of micrograms per liter (µg/L)

Bolded values are above detection limits

Bolded and Shaded values are above Public Health Enforcement Standards

Bolded and Shaded values are above Public Health Preventive Action Levels

* = Trichlorofluoromethane was detected in this sample at an estimated concentration of 0.79 µg/L

J = Analyte concentration detected between the laboratory Reporting Limit and Method Detection Limit

ND = Not detected above laboratory detection limit

Project Name KLINKE CLEANERS
Project # 6404 PO#2019-0791

Invoice # E36673

Lab Code 5036673G
Sample ID 6404 CMT-12-3
Sample Matrix Water
Sample Date 8/19/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		8/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		8/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		8/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		8/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		8/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		8/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		8/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		8/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		8/27/2019	CJR	1
Chloroform	0.32 "J"	ug/l	0.26	0.82	1	8260B		8/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		8/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		8/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		8/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		8/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		8/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		8/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		8/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		8/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		8/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		8/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		8/27/2019	CJR	1
cis-1,2-Dichloroethene	2.36	ug/l	0.37	1.16	1	8260B		8/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		8/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		8/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		8/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		8/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		8/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		8/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		8/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		8/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		8/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		8/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		8/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		8/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		8/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		8/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		8/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		8/27/2019	CJR	1
Tetrachloroethene	97	ug/l	0.38	1.21	1	8260B		8/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		8/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		8/27/2019	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2019-0791

Invoice # E36673

Lab Code 5036673G
Sample ID 6404 CMT-12-3
Sample Matrix Water
Sample Date 8/19/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		8/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		8/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		8/27/2019	CJR	1
Trichloroethene (TCE)	3.7	ug/l	0.3	0.94	1	8260B		8/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		8/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		8/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		8/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		8/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		8/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/27/2019	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		8/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		8/27/2019	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		8/27/2019	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2019-0791

Invoice # E36673

Lab Code 5036673P
Sample ID 6404 MW-5
Sample Matrix Water
Sample Date 8/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		8/27/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		8/27/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		8/27/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		8/27/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		8/27/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		8/27/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		8/27/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/27/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		8/27/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		8/27/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		8/27/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		8/27/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		8/27/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/27/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		8/27/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		8/27/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		8/27/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		8/27/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		8/27/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		8/27/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		8/27/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		8/27/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		8/27/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		8/27/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		8/27/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		8/27/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		8/27/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		8/27/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		8/27/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		8/27/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		8/27/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		8/27/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		8/27/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		8/27/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		8/27/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/27/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		8/27/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		8/27/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		8/27/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		8/27/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		8/27/2019	CJR	1
Tetrachloroethene	13.4	ug/l	0.38	1.21	1	8260B		8/27/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		8/27/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		8/27/2019	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2019-0791

Invoice # E36673

Lab Code 5036673P
Sample ID 6404 MW-5
Sample Matrix Water
Sample Date 8/20/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		8/27/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		8/27/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		8/27/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		8/27/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		8/27/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		8/27/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		8/27/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/27/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		8/27/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		8/27/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	82	REC %			1	8260B		8/27/2019	CJR	1
SUR - 4-Bromofluorobenzene	94	REC %			1	8260B		8/27/2019	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		8/27/2019	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		8/27/2019	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2019-0791

Invoice # E36673

Lab Code 5036673U
Sample ID 6404 MW-6
Sample Matrix Water
Sample Date 8/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		8/28/2019	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		8/28/2019	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		8/28/2019	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		8/28/2019	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		8/28/2019	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		8/28/2019	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		8/28/2019	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/28/2019	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		8/28/2019	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		8/28/2019	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		8/28/2019	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		8/28/2019	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		8/28/2019	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/28/2019	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		8/28/2019	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		8/28/2019	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		8/28/2019	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		8/28/2019	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		8/28/2019	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		8/28/2019	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		8/28/2019	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		8/28/2019	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		8/28/2019	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		8/28/2019	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		8/28/2019	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		8/28/2019	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		8/28/2019	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		8/28/2019	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		8/28/2019	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		8/28/2019	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		8/28/2019	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		8/28/2019	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		8/28/2019	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		8/28/2019	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		8/28/2019	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/28/2019	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		8/28/2019	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		8/28/2019	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		8/28/2019	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		8/28/2019	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		8/28/2019	CJR	1
Tetrachloroethene	30.9	ug/l	0.38	1.21	1	8260B		8/28/2019	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		8/28/2019	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		8/28/2019	CJR	1

Project Name KLINKE CLEANERS
Project # 6404 PO#2019-0791

Invoice # E36673

Lab Code 5036673U
Sample ID 6404 MW-6
Sample Matrix Water
Sample Date 8/21/2019

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		8/28/2019	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		8/28/2019	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		8/28/2019	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		8/28/2019	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		8/28/2019	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		8/28/2019	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		8/28/2019	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/28/2019	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		8/28/2019	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		8/28/2019	CJR	1
SUR - 4-Bromofluorobenzene	92	REC %			1	8260B		8/28/2019	CJR	1
SUR - Dibromofluoromethane	109	REC %			1	8260B		8/28/2019	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		8/28/2019	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		8/28/2019	CJR	1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: **6404**
 Sampler: (signature) *[Signature]*

Project (Name / Location): **Klinke Cleaners**
 Reports To: **B. Kappen** Invoice To: **accounts payable@enviroforensics.com**
 Company: **Enviroforensics** Company: **Enviroforensics, LLC**
 Address: _____ Address: _____
 City State Zip: **Waukesha, W** City State Zip: **Indianapolis, IN**
 Phone: **262-290-4001** Phone: **317-972-7870**
 FAX: _____ FAX: _____

Analysis Requested										Other Analysis				
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-RCRA METALS	PID/ FID
												X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		
											X	X		

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation
50310673A	6404-MW-23A	8/19/19	925		X	N	3	GW	HCl
B	6404-MW-22C	8/19/19	1135		X	N	3	GW	HCl
C	6404-MW-22A	8/19/19	1250		X	N	3	GW	HCl
D	6404-DPP-1	8/19/19	1200		X	N	3	GW	HCl
E	6404-MW-22	8/19/19	1335		X	N	3	GW	HCl
F	6404-CMT-11-3	8/19/19	1615		X	N	3	GW	HCl
G	6404-CMT-12-3	8/19/19	1740		X	N	3	GW	HCl
H	6404-CMT-10-2	8/19/19	1920		X	N	3	GW	HCl
I	6404-MW-21	8/20/19	845		X	N	3	GW	HCl
J	6404-MW-14	8/20/19	1105		X	N	3	GW	HCl

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO # 209-0791
Standard rates - direct client-pay project.

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Car
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *[Signature]* Time 1100 Date 8/22/19
 Received By: (sign) Gold Cross Courier Time 1100 Date 8/22/19
 Received in Laboratory By: *[Signature]* Time: 8:00 Date: 8/23/19

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: **6404**
Sampler: (signature) *B. J. [Signature]*

Project (Name / Location): **6404 Klinke Cleaners**

Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	
5036673k	6404-MW-18	8/20/19	1220		X	N	3	GW	HCl																
L	6404-MW-13	8/20/19	1345		X	N	3	GW	HCl																
M	6404-EB-1	8/20/19	1400		X	N	3	GW	HCl																
N	6404-MW-9	8/20/19	1530		X	N	3	GW	HCl																
O	6404-DUP-2	8/20/19	1200		X	N	3	GW	HCl																
P	6404-MW-5	8/20/19	1655		X	N	3	GW	HCl																
Q	6404-MW-1	8/20/19	1830		X	N	3	GW	HCl																
R	6404-MW-16	8/20/19	1900		X	N	3	GW	HCl																
S	6404-MW-7	8/21/19	810		X	N	3	GW	HCl																
T	6404-MW-4	8/21/19	910		X	N	3	GW	HCl																

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: be
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *B. J. [Signature]* Time 1100 Date 8/22/19
Received By: (sign) *Gold Cross Courier* Time 1100 Date 8/22/19
Received in Laboratory By: *[Signature]* Time: 8:00 Date: 8/23/19

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #: 6404
Sampler: (signature) [Signature]

Project (Name / Location): Klinke Cleaners

Reports To: _____ Invoice To: _____
Company: _____ Company: _____
Address: _____ Address: _____
City State Zip: _____ City State Zip: _____
Phone: _____ Phone: _____
FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection Date Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID	
5036673U	6404-MW-6	8/24/19 1015		X	N	3	GW	HCl																
V	6404-MW-8	8/24/19 1125		X	N	3	GW	HCl																
W	6404-EB-2	8/24/19 1200		X	N	3	GW	HCl																
X	6404-MW-3	8/24/19 1240		X	N	3	GW	HCl																
Y	6404-MW-2	8/24/19 1335		X	N	3	GW	HCl																
Z	6404-TB-1					1 X																		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 1100 Date 8/22/19
Received By: (sign) Gold Cross Courier Time 1100 Date 8/22/19

Received in Laboratory By: [Signature] Time: 8:00 Date: 8/23/19