



June 29, 2021

Cindy Koepke, P.G.
Hydrogeologist – Remediation & Redevelopment Program
Wisconsin Department of Natural Resources
3911 Fish Hatchery Road
Fitchburg WI 53711

**Re: Groundwater Monitoring Report
Klinke Cleaners
1295 N. Sherman Avenue
Madison, Wisconsin
BRRTS#: 02-13-551965**

Dear Ms. Koepke:

EnviroForensics LLC (EnviroForensics) is pleased to provide this report regarding recent groundwater monitoring activities performed at the Klinke Cleaners (Klinke) facility located at 1295 N. Sherman Avenue in Madison, Wisconsin (Site). The monitoring activities were performed in accordance with Wisconsin Department of Natural Resources (WDNR) regulations and guidance, and as described in the *Groundwater Monitoring Work Plan and DERF Change Order #6*, dated November 12, 2019.

The contaminants of concern in groundwater at the Site are the dry cleaning solvent tetrachloroethene (PCE) and its degradation compounds. The purpose of the groundwater monitoring was to evaluate contaminant concentration trends in groundwater following the July 2019 interim action excavation, which was designed to remove the PCE source in soil.

SITE DESCRIPTION

The Site is located at 1295 N. Sherman Avenue within an area of mixed residential and commercial land use in the City of Madison, Wisconsin. The Site layout map is presented as **Figure 1**. The Site consists of a slab-on-grade, one-story, commercial building and asphalt paved parking area with drive thru service. The Site is bound by Aberg Avenue to the north, a multi-tenant commercial building to the east, a large asphalt commercial parking lot to the south (Northgate shopping center), and Sherman Avenue to the west. The nearest surface water body is Lake Mendota located approximately 2,300 feet to the west of the site.

According to reports of previous consultants, the property operated as a gasoline service station from the 1950's to the late 1970's or early 1980's. The property has been utilized for dry cleaning services since the early 1990s. Tetrachloroethene (PCE) was the main dry cleaning

Document: 6274-0629

solvent used in the cleaning process until its use was discontinued in 2003. The Site currently uses a silicon-based solution for the cleaning process.

A separate former dry cleaner location called Laundry Land, identified by BRRTS #02-13-552183, was located in the Northgate shopping center approximately 500 feet south of the Site. Historically, the plume originating at Laundry Land extended toward the north beneath the majority of the shopping center parking lot.

Groundwater Monitoring Network

The groundwater monitoring network consists of four (4) well nests, each with one (1) water table well designated MW-1 through MW-4 and one (1) corresponding piezometer designated PZ-1 through PZ-4. The well nest locations are depicted on **Figure 1**. The water table wells were constructed with 10-foot long well screens that are set at depths intersecting the water table. The piezometers were constructed with 5-foot long screens set at least 20 feet below the screened intervals of the water table wells. All monitoring wells and piezometers were constructed of 2-inch ID Schedule 40 PVC riser and 0.010-inch slotted well screen. Monitoring well and piezometer construction information is presented in **Table 1**.

GROUNDWATER MONITORING ACTIVITIES

Four (4) groundwater monitoring events were performed between February 2020 and April 2021. Each event included groundwater elevation measurements and sample collection. Water table and piezometric surface elevation was measured at all existing monitoring wells/piezometers during each event. Monitoring well caps were removed at least 15 minutes prior to collecting measurements to allow the water level in the monitoring wells to equilibrate with atmospheric pressure. The depth to water in each well was then measured to the nearest 0.01 foot using an electronic water level indicator and recorded in the field notebook and sampling form.

Samples were collected from well nests MW-1/PZ-1, MW-2/PZ-2, and MW-3/PZ-3 during each event. Additionally, samples were collected from well nest MW-4/PZ-4 during the first monitoring event only. Samples were collected using standard low flow (minimal drawdown) groundwater sampling procedures. A multi-parameter water quality meter was used to measure temperature, pH, oxidation-reduction potential (ORP), specific conductance, and dissolved oxygen to verify stabilization prior to groundwater sample collection. Data collected during the sampling activities were documented on field sampling forms, provided as **Attachment 1**.

One (1) duplicate sample and one (1) equipment blank were collected during each monitoring event, and a trip blank sample was transported with each sample cooler for quality assurance/quality control (QA/QC) purposes. The groundwater samples were transmitted to Synergy Environmental Laboratory in Appleton, Wisconsin and analyzed for volatile organic compounds (VOCs) according to U.S. EPA Method 8260.

Purge water was stored on-Site in sealed and labeled 55-gallon steel drums. The water will be profiled and transported off-site for proper disposal.

GROUNDWATER MONITORING RESULTS

For the purposes of this report, the “monitoring period” is February 2020 to April 2021. Four (4) post-excavation monitoring events were completed during this span of time.

Groundwater Elevation and Flow Direction

Groundwater elevation measurements are summarized on **Table 2**. Depth to water ranged from approximately 13 to 19 feet below ground surface (bgs) across the Site during the monitoring period. The water table reached a high in the middle of 2020 due to a wet spring. Over the course of the project (i.e., since May 2013), groundwater elevations in each well and piezometer have varied by approximately 2.6 to 2.8 feet.

Water table contour maps and piezometric surface contour maps for July 29, 2020 and April 27, 2021 are presented on **Figures 2 through 5**, respectively. Overall, measurements indicate a slight water table gradient toward with south/southeast, with a minimum of 0.0004 ft/ft and a maximum of 0.003 ft/ft. The piezometric surface is nearly flat, with a very slight, variable gradient from south to southwest. Overall, the groundwater flow direction indicated by the past four (4) groundwater monitoring events is south.

During the most recent monitoring event in April 2021, the vertical hydraulic gradients calculated at well nests located on the Site ranged from zero to -0.0024, indicating a small potential for downward flow. At well nest MW-4/PZ-4, which is located on an adjacent property to the south, the calculations indicated an upward gradient of 0.0025. The vertical gradients observed at the individual well nests are consistent with prior results.


Analytical Results

The analytical results of samples collected from groundwater monitoring wells are summarized in **Table 3** and illustrated on **Figure 6**. The laboratory analytical reports are provided in **Attachment 2**. The groundwater analytical data are compared to the public health standards listed in Wisconsin Administrative Code Chapter NR 140.

Compounds detected at concentrations above laboratory method detection limits were PCE, trichloroethene (TCE), cis-1,2-dichloroethene, and trichlorofluoromethane. PCE is the most prevalent compound detected in groundwater at the Site. PCE was detected in all monitoring wells and piezometers at concentrations exceeding the preventive action limit (PAL) of 0.5 micrograms per liter ($\mu\text{g/L}$), and in five (5) wells at concentrations exceeding the enforcement

standard (ES) of 5 µg/L. PCE concentrations ranged from 2.94 µg/L in MW-1 (northwest) to 82 µg/L in PZ-4 (south). With the exception of MW-3/PZ-3, the piezometer sample collected at each well nest contained the higher concentration of PCE. Trichloroethene (TCE) was detected in only one (1) sample collected during the monitoring period - from piezometer PZ-2 in December 2020.

As illustrated in the chart below, the PCE concentration observed in source area monitoring well MW-3 has exhibited a steady decrease since monitoring began in 2013, accelerating after the source area excavation. The concentration has decreased by 95% from 750 µg/L to 34 µg/L.



As shown on **Table 3**, the PCE concentrations in all other wells and piezometers at the Site have also decreased over time, including MW-1, PZ-2, and MW-2 which currently show PCE concentrations below the ES.

CONCLUSIONS

The apparent direction of groundwater flow is during the monitoring period is south. The groundwater gradient across the Site is minimal, and infiltration from precipitation events likely affects localized flow directions.

The detected PCE concentrations in groundwater have decreased steadily since installation of the wells and piezometers, and especially following the interim action. The majority of the PCE source material has been removed, and the former leaky sewer lateral, which provided the primary mechanism for downward migration of contaminants to the water table, has been replaced. Therefore, the decrease in groundwater PCE concentrations is expected to continue.

The extent of PCE impacts in groundwater is depicted on **Figure 7**. The results of grab groundwater samples collected in 2013 are included on **Figure 7** to provide further delineation; however, the consistent decreasing trend observed across the Site suggests that concentrations at these locations have decreased over time as well. The extents of PCE impacts to the north and west of the Site are generally defined by the results of groundwater grab samples GP-8, GP-9, and GP-10. There are no groundwater monitoring points to the east due to structural impediments; however, the low PCE concentrations in sub-slab vapor previously detected beneath the adjacent commercial building indicate a lack of significant groundwater impacts.

At some point to the south, the groundwater impacts originating from the Site may meet the groundwater plume beneath the Northgate shopping center parking lot, which is associated with the release from the Laundry Land site. The source/contribution of impacts detected at well nest MW-4/PZ-4 is unclear. Nevertheless, the PCE concentrations in both the well and piezometer have decreased substantially over the past several years.

We appreciate the opportunity to continue working with you on this project. If you have any questions regarding this report, please do not hesitate to call me at (262) 290-4001.

Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Brian Kappen".

Brian Kappen, PG
Project Manager

cc: Richard Klinke, Klinke Cleaners

Attachments

- Table 1 – Monitoring Well Construction Information
- Table 2 – Groundwater Elevation Data Summary
- Table 3 – Summary of Groundwater Sample Analytical Results

Figure 1 – Site Layout Map

Figure 2 – Water Table Contour Map – July 29, 2020

Figure 3 – Piezometric Surface Contour Map – July 29, 2020

Figure 4 – Water Table Contour Map – April 27, 2021

Figure 5 – Piezometric Surface Contour Map – April 27, 2021

Figure 6 – Groundwater Analytical Results Summary: – February 2020 - April 2021

Figure 7 – Extent of PCE Impacts in Groundwater

Attachment 1 – Groundwater Field Sampling Forms

Attachment 2 – Laboratory Analytical Reports



TABLES

TABLE 1
MONITORING WELL CONSTRUCTION INFORMATION

Klinke Cleaners - Sherman Ave
 Madison, Wisconsin

Well ID	Date Installed	Drilling Method	Drilling Contractor	Northing	Easting	Ground Elevation (feet AMSL)	TOC Elevation (feet AMSL)	Screened Interval (feet BGS)	Total Depth (feet BGS)
MW-1	4/16/2013	Hollow-Stem Auger	On-Site Environmental	406,697.35	2,169,963.97	869.64	869.12	16.0 - 26.0	26.26
MW-2	4/16/2013	Hollow-Stem Auger	On-Site Environmental	406,703.91	2,170,035.64	865.87	865.45	13.2 - 23.2	23.42
MW-3	4/17/2013	Hollow-Stem Auger	On-Site Environmental	406,635.11	2,169,984.47	868.27	867.92	16.7 - 26.7	26.99
MW-4	4/24/2013	Hollow-Stem Auger	On-Site Environmental	406,511.10	2,169,992.04	866.36	865.97	16.0 - 26.0	26.24
PZ-1	4/16/2013	Hollow-Stem Auger	On-Site Environmental	406,700.59	2,169,967.04	869.43	869.02	40.9 - 45.9	46.16
PZ-2	4/16/2013	Hollow-Stem Auger	On-Site Environmental	406,710.41	2,170,037.54	865.48	865.11	42.4 - 47.4	47.69
PZ-3	4/17/2013	Hollow-Stem Auger	On-Site Environmental	406,635.22	2,169,988.08	868.28	867.91	42.1 - 47.1	47.32
PZ-4	4/24/2013	Hollow-Stem Auger	On-Site Environmental	406,511.67	2,170,002.06	866.27	865.79	42.6 - 47.6	47.88

Notes:

- All wells constructed of 2-inch diameter PVC
- Horizontal Datum is based on the Wisconsin State Plane coordinate system grid, Southern Zone (NAD 27)
- Vertical datum is based on NGVD 1929
- AMSL = Above Mean Sea Level
- BGS = Below Ground Surface
- TOC = Top of Casing

TABLE 2
GROUNDWATER ELEVATION DATA SUMMARY

Klinke Cleaners - Sherman Ave.
Madison, Wisconsin

Well ID	TOC Elevation (feet AMSL)	Date	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-1	869.12	5/21/2013	17.52	851.60
		8/21/2013	18.07	851.05
		11/20/2013	18.93	850.19
		2/21/2014	19.66	849.46
		9/23/2014	18.07	851.05
		2/3/2015	18.93	850.19
		2/4/2020	17.23	851.89
		7/29/2020	16.95	852.17
		12/9/2020	18.29	850.83
		4/27/2021	18.60	850.52
		<i>Minimum</i>	<i>16.95</i>	<i>849.46</i>
		<i>Maximum</i>	<i>19.66</i>	<i>852.17</i>
		<i>Average</i>	<i>18.23</i>	<i>850.90</i>
MW-2	865.45	5/21/2013	14.87	850.58
		8/21/2013	14.01	851.44
		11/20/2013	15.26	850.19
		2/21/2014	16.12	849.33
		9/23/2014	14.40	851.05
		2/3/2015	15.25	850.20
		2/4/2020	14.06	851.39
		7/29/2020	13.28	852.17
		12/9/2020	14.81	850.64
		4/27/2021	14.93	850.52
		<i>Minimum</i>	<i>13.28</i>	<i>849.33</i>
		<i>Maximum</i>	<i>16.12</i>	<i>852.17</i>
		<i>Average</i>	<i>14.70</i>	<i>850.75</i>
MW-3	867.92	5/21/2013	16.55	851.37
		8/21/2013	16.98	850.94
		11/20/2013	17.76	850.16
		2/21/2014	18.51	849.41
		9/23/2014	16.91	851.01
		2/3/2015	17.78	850.14
		2/4/2020	16.57	851.35
		7/29/2020	15.81	852.11
		12/9/2020	17.34	850.58
		4/27/2021	17.40	850.52
		<i>Minimum</i>	<i>15.81</i>	<i>849.41</i>
		<i>Maximum</i>	<i>18.51</i>	<i>852.11</i>
		<i>Average</i>	<i>17.16</i>	<i>850.76</i>

TABLE 2
GROUNDWATER ELEVATION DATA SUMMARY

Klinke Cleaners - Sherman Ave.
Madison, Wisconsin

Well ID	TOC Elevation (feet AMSL)	Date	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-4	865.97	5/21/2013	14.44	851.53
		8/21/2013	15.06	850.91
		11/20/2013	15.81	850.16
		2/21/2014	16.58	849.39
		9/23/2014	14.98	850.99
		2/3/2015	15.84	850.13
		2/4/2020	14.72	851.25
		7/29/2020	13.98	851.99
		12/9/2020	15.47	850.50
		4/27/2021	15.56	850.41
		Minimum	13.98	849.39
		Maximum	16.58	851.99
		Average	15.24	850.73
PZ-1	869.02	5/21/2013	17.48	851.54
		8/21/2013	18.02	851.00
		11/20/2013	18.89	850.13
		2/21/2014	19.61	849.41
		9/23/2014	18.00	851.02
		2/3/2015	18.80	850.22
		2/4/2020	17.60	851.42
		7/29/2020	16.89	852.13
		12/9/2020	18.44	850.58
		4/27/2021	18.55	850.47
		Minimum	16.89	849.41
		Maximum	19.61	852.13
		Average	18.23	850.79
PZ-2	865.11	5/21/2013	14.52	850.59
		8/21/2013	14.05	851.06
		11/20/2013	14.93	850.18
		2/21/2014	15.78	849.33
		9/23/2014	14.08	851.03
		2/3/2015	14.91	850.20
		2/4/2020	14.12	850.99
		7/29/2020	12.95	852.16
		12/9/2020	14.47	850.64
		4/27/2021	14.59	850.52
		Minimum	12.95	849.33
		Maximum	15.78	852.16
		Average	14.44	850.67

TABLE 2
GROUNDWATER ELEVATION DATA SUMMARY

Klinke Cleaners - Sherman Ave.
Madison, Wisconsin

Well ID	TOC Elevation (feet AMSL)	Date	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
PZ-3	867.91	5/21/2013	16.53	851.38
		8/21/2013	16.98	850.93
		11/20/2013	17.75	850.16
		2/21/2014	18.48	849.43
		9/23/2014	16.90	851.01
		2/3/2015	17.74	850.17
		2/4/2020	16.56	851.35
		7/29/2020	15.80	852.11
		12/9/2020	17.32	850.59
		4/27/2021	17.43	850.48
		<i>Minimum</i>	<i>15.80</i>	<i>849.43</i>
		<i>Maximum</i>	<i>18.48</i>	<i>852.11</i>
		<i>Average</i>	<i>17.15</i>	<i>850.76</i>
PZ-4	865.79	5/21/2013	14.24	851.55
		8/21/2013	14.81	850.98
		11/20/2013	15.62	850.17
		2/21/2014	16.37	849.42
		9/23/2014	14.78	851.01
		2/3/2015	15.62	850.17
		2/4/2020	14.40	851.39
		7/29/2020	13.71	852.08
		12/9/2020	15.21	850.58
		4/27/2021	15.32	850.47
		<i>Minimum</i>	<i>13.71</i>	<i>849.42</i>
		<i>Maximum</i>	<i>16.37</i>	<i>852.08</i>
		<i>Average</i>	<i>15.01</i>	<i>850.78</i>

Notes:

AMSL = above mean sea level

TOC = Top of Casing

TABLE 3
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Klinke Cleaners - Sherman Ave.
 Madison, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	Trichlorofluoromethane
Enforcement Standard		5	5	70	3,490
Preventive Action Limit		0.5	0.5	7	698
MW-1	5/21/2013	11	<0.19	<0.12	0.95 J
	8/21/2013	7.9	<0.19	<0.12	<0.19
	11/20/2013	11.6	<0.33	<0.38	0.83 J
	2/21/2014	9.8	0.42 J	<0.38	<0.35
	9/23/2014	8.9	<0.33	<0.38	<0.71
	2/4/2015	11.5	0.53 J	<0.45	<0.87
	2/10/2020	4.4	<0.3	<0.37	<0.35
	7/29/2020	2.4	<0.47	<0.39	0.49 J
	12/9/2020	1.79	<0.47	<0.39	<0.42
	4/27/2021 **	2.94	<0.47	<0.39	0.51 J
MW-2	5/21/2013	3.6	<0.19	<0.12	<0.19
	8/21/2013 **	13	1.2	<0.12	<0.19
	11/20/2013	12.9	1.19	<0.38	<0.71
	2/27/2014	10.8	1.26	<0.38	<0.35
	9/23/2014	13.2	0.85 J	<0.38	<0.71
	2/3/2015	12.4	1.38 J	<0.45	<0.87
	2/10/2020	6.9	<0.3	<0.37	<0.35
	7/29/2020 **	9.0	<0.47	<0.39	<0.42
	12/9/2020	3.8	<0.47	<0.39	<0.42
	4/27/2021	4.0	<0.47	<0.39	<0.49
MW-3	5/23/2013 **	750	2.0	2.1	4.9
	8/21/2013	580	2.2	5.7	5.6
	11/20/2013	420	<16.5	<19	<35.5
	2/21/2014 **	420	1.33	0.69 J	2.55
	9/24/2014	221	0.76 J	<0.38	<0.71
	2/4/2015	233	<4.7	<4.5	<8.7
	2/10/2020	71	<0.3	<0.37	2.38
	7/29/2020	73	<0.47	<0.39	2.96
	12/9/2020 **	52	<0.47	<0.39	1.64
	4/27/2021	34	<0.47	0.43 J	1.34 J

TABLE 3
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Klinke Cleaners - Sherman Ave.
 Madison, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	Trichlorofluoromethane
Enforcement Standard		5	5	70	3,490
Preventive Action Limit		0.5	0.5	7	698
MW-4	5/21/2013	38	0.26 J	<0.12	<0.19
	8/22/2013	81	<0.19	<0.12	<0.19
	11/20/2013	99	<0.33	<0.38	<0.71
	2/21/2014	103	0.76 J	<0.38	<0.35
	9/23/2014	183	<0.33	<0.38	<0.71
	2/4/2015	101	<0.47	<0.45	<0.87
	2/10/2020	16.6	<0.3	<0.37	<0.35
PZ-1	5/21/2013	20	0.40 J	<0.12	<0.19
	8/21/2013	15	0.27 J	<0.12	<0.19
	11/20/2013	13.6	<0.33	<0.38	<0.71
	2/21/2014	15.2	0.37 J	<0.38	<0.35
	9/23/2014	12.8	<0.33	<0.38	<0.71
	2/4/2015	11.8	<0.47	<0.45	<0.87
	2/10/2020	4.5	<0.3	<0.37	<0.35
	7/29/2020	8.7	<0.47	<0.39	<0.42
	12/9/2020	4.2	<0.47	<0.39	<0.42
	4/27/2021	3.9	<0.47	<0.39	<0.49
PZ-2	5/21/2013	38	4.7	<0.12	<0.19
	8/21/2013	35	4.1	<0.12	<0.19
	11/20/2013	28.8	3.07	<0.38	<0.71
	2/27/2014	32	3.02	<0.38	<0.35
	9/24/2014	36	3.20	<0.38	<0.71
	2/3/2015	26.4	2.63	<0.45	<0.87
	2/10/2020	5.1	<0.3	<0.37	<0.35
	7/29/2020	17.7	<0.47	<0.39	<0.42
	12/9/2020	14.1	0.64 J	<0.39	<0.42
	4/27/2021	8.1	<0.47	<0.39	<0.49

TABLE 3
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS

Klinke Cleaners - Sherman Ave.
 Madison, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	Trichlorofluoromethane
Enforcement Standard		5	5	70	3,490
Preventive Action Limit		0.5	0.5	7	698
PZ-3	5/23/2013	98	1.5	<0.12	2.5
	8/21/2013	82	1.1	<0.12	<0.19
	11/20/2013 **	64	1.03	<3.8	<7.1
	2/21/2014	21.3	0.37 J	<0.38	<0.35
	9/24/2014	65	0.70 J	<0.38	<0.71
	2/4/2015	62	0.75 J	<0.45	<0.87
	2/10/2020	22.8	<0.3	<0.37	<0.35
	7/29/2020	18.7	<0.47	<0.39	<0.42
	12/9/2020	15.7	<0.47	<0.39	<0.42
	4/27/2021	17.8	<0.47	<0.39	<0.49
PZ-4	5/21/2013	180	1.9	<0.12	<0.19
	8/21/2013	210	1.9	<0.12	<0.19
	11/20/2013	173	3.8 J	<3.8	<7.1
	2/21/2014	200	2.84	<0.38	<0.35
	9/23/2014	184	2.15 J	<1.9	<3.55
	2/3/2015	280	1.67	<0.45	<0.87
	2/10/2020 **	82	<0.3	<0.37	0.70 J

Notes:

All concentrations reported in micrograms per liter (µg/l)

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above the laboratory detection limit

Bolded and blue shaded values exceed the Public Health Preventive Action Limit

Bolded and orange shaded values exceed the Public Health Enforcement Standard


Public Health standards are listed in Wisconsin Administrative Code (WAC) Chapter NR 140

** = Reported concentrations are the highest detected in duplicate samples


J = Analyte concentration between the laboratory Method Detection Limit and Reporting Lim

NE = Not Established

FIGURES




- Legend**
- GAS — Underground gas utility line
 - WTR — Underground water utility line
 - SAN — Underground sanitary utility line
 - STM — Underground storm sewer utility line
 - UGE — Underground electrical utility line
 - UGT — Underground fiber optic line
 - - - Property boundary
 - Catch Basin
 - Manhole
 - Approximate location of dry cleaning machine
 - SSV-1 Sub-slab vapor sample location
 - GP-1 Soil boring location
 - B1600 Previous site assessment boring
 - MW-1 Water table monitoring well
 - PZ-1 Soil boring/ Groundwater piezometer



SITE LAYOUT MAP	
Klinke Cleaners 1295 North Sherman Avenue Madison, Wisconsin	
	Figure
	1
	Project
	6274
825 N. Capitol Avenue • Indianapolis, IN 46204 EnviroForensics.com	


Date:	7/14/14
Designed:	BK
Drawn:	EB
Checked:	WF
DWG file:	6274-0086



Legend

- Property boundary
- Former dry cleaning machine location (approximate)
- MW-1 Water table monitoring well
- 852.10 Water table elevation contour
- 852.17 Groundwater elevation in feet AMSL

Note:
AMSLS = Above Mean Sea Level




WATER TABLE CONTOUR MAP
JULY 29, 2020

Klinke Cleaners
 1295 North Sherman Avenue
 Madison, Wisconsin

Date:	8/17/20
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6274-0603


825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	2
Project	6274



- Legend**
- - - Property boundary
 - Former dry cleaning machine location (approximate)
 - PZ-1 ● Piezometer
 - 852.10 — Water table elevation contour
 - 852.13 Groundwater elevation in feet AMSL

Note:
 AMSL = Above Mean Sea Level



PIEZOMETRIC SURFACE CONTOUR MAP
 JULY 29, 2020


 Klinke Cleaners
 1295 North Sherman Avenue
 Madison, Wisconsin

Date:	5/12/21
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6274-0631




825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	3
Project	6274



- Legend**
- - - Property boundary
 - Former dry cleaning machine location (approximate)
 - MW-1 Water table monitoring well
 - 850.60 Water table elevation contour
 - 850.83 Groundwater elevation in feet AMSL
- Note:
 AMSL = Above Mean Sea Level




WATER TABLE CONTOUR MAP
 APRIL 27, 2021

 Klinke Cleaners
 1295 North Sherman Avenue
 Madison, Wisconsin

Date:	5/12/21
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6274-0633


825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	4
Project	6274



- Legend**
- - - Property boundary
 - Former dry cleaning machine location (approximate)
 - PZ-1 ● Piezometer
 - 850.50 — Water table elevation contour
 - 850.47 Groundwater elevation in feet AMSL

Note:
 AMSL = Above Mean Sea Level



PIEZOMETRIC SURFACE CONTOUR MAP
 APRIL 27, 2021

Klinke Cleaners
 1295 North Sherman Avenue
 Madison, Wisconsin

Date:	5/12/21
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6274-0632

825 North Capitol Avenue • Indianapolis, IN 46204
 EnviroForensics.com

Figure	5
Project	6274


Legend

- GAS — Underground gas utility line
- WTR — Underground water utility line
- SAN — Underground sanitary utility line
- UGE — Underground electrical utility line
- UGT — Underground fiber optic line
- - - Property boundary
- Former dry cleaning machine location (approximate)
- PZ-1 Soil boring/groundwater piezometer
- MW-1 Water table monitoring well

Analyte (ug/L)	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5
TCE	0.5	5
cis-1,2-DCE	7	70

Note:

1. Bolded and orange shaded values exceed the Public Health Enforcement Standard
2. Bolded and blue shaded values exceed the Public Health Preventive Action Limit
3. Bolded values are above detection limits
4. All results reported in units of micrograms per liter (ug/L)
5. PCE = Tetrachloroethene
6. TCE = Trichloroethene
7. cis-1,2-DCE = cis-1,2-Dichloroethene
8. NS = Not sampled
9. ** = Reported concentrations are highest detected in duplicate samples



PZ-1	2/10/20	7/29/20	12/9/20	4/27/21
PCE	4.5	8.7	4.2	3.9

PZ-2	2/10/20	7/29/20	7/29/20	4/27/21
PCE	5.1	17.7	14.1	8.1
TCE	<0.3	<0.47	0.64 J	<0.47

MW-1	2/10/20	7/29/20	12/9/20	4/27/21**
PCE	4.4	2.4	1.79	2.94


MW-2	2/10/20	7/29/20**	12/9/20	4/27/21
PCE	6.9	9.0	3.8	4.0

PZ-3	2/10/20	7/29/20	12/9/20	4/27/21
PCE	22.8	18.7	15.7	17.8

MW-3	2/10/20	7/29/20	12/9/20**	4/27/21
PCE	71	73	52	34
cis-1,2-DCE	<0.37	<0.39	<0.39	0.43 J

MW-4	2/10/20
PCE	16.6

PZ-4	2/10/20**
PCE	82




GROUNDWATER ANALYTICAL RESULTS SUMMARY
FEBRUARY 2020 - APRIL 2021

Klinke Cleaners
1295 North Sherman Avenue
Madison, Wisconsin

Date:	5/12/21
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6274-0630

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

Figure	6
Project	6274




- Legend**
- GAS — Underground gas utility line
 - WTR — Underground water utility line
 - SAN — Underground sanitary utility line
 - STM — Underground storm sewer utility line
 - UGE — Underground electrical utility line
 - UGT — Underground fiber optic line
 - - - Property boundary
 - Former dry cleaning machine location (approximate)
 - PZ-1 ● Soil boring/groundwater piezometer
 - MW-1 ⊕ Water table monitoring well

Analyte (ug/L)	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5

- Note:
1. Bolded and orange shaded values exceed the Public Health Enforcement Standard
 2. Bolded and blue shaded values exceed the Public Health Preventive Action Limit
 3. Bolded values are above detection limits
 4. All results reported in units of micrograms per liter (ug/L)
 5. PCE = Tetrachloroethene
 6. NS = Not sampled
 7. ** = Reported concentrations are highest detected in duplicate samples

- Estimated extent of PCE concentrations above the enforcement standard
- Dashed boundaries are inferred



EXTENT OF PCE IMPACTS IN GROUNDWATER

Klinke Cleaners
1295 North Sherman Avenue
Madison, Wisconsin

	Figure
	7
	Project
	6274

Date:	5/14/21
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6274-0641

825 North Capitol Avenue • Indianapolis, IN 46204
EnviroForensics.com

ATTACHMENT 1

GROUNDWATER FIELD SAMPLING FORMS

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinke

Well ID MW-1
 Sample ID 6274-MW-1
 Screened Interval 16.0 - 26
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 26.23 feet
 Depth to Water 17.23 feet
 Well Diameter 2 inches
 Casing Volume 1.46 gallons
 Volume Removed 0.79 gallons
 Total No. of Casing Volumes Removed 0.55
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1015			nS/cm				17.78		
1020	11.38	7.09	0.14	304.2	0.00	4.38	17.78	120	600
1025	11.06	7.10	0.11	311.2	0.02	9.32	17.78		1200
1030	10.77	7.29	0.09	318.3	0.00	9.16	17.78		1800
1035	10.30	7.45	0.06	323.7	0.00	9.06	17.78		2400
1040	10.13	7.49	0.06	327.4	0.00	9.03	17.78		3000

PURGE¹: START Date 2-10-20 Time 10:13
 SAMPLING: FINISH Date 2-10-20 Time 10:43

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40ML	HCL	7	n	-	-	-

NOTES:

Sampler Signature: [Signature]

Date: 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
PROJECT NO. 6274
CLIENT/CONTACT Richard Klinker

Well ID PZ-1
Sample ID 6274-PZ-1
Screened Interval 40.9 - 45.9
Sampler (print) Nathan Duda

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 46.33 feet
Depth to Water 17.60 feet
Well Diameter 2 inches
Casing Volume 4.68 gallons
Volume Removed 6.87 gallons
Total No. of Casing Volumes Removed 0.19
Date 2-10-20

SAMPLING METHOD:

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump X
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE		
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%
<u>1056</u>			<u>ns/c</u>
<u>1057</u>	<u>9.42</u>	<u>7.46</u>	<u>0.00</u>
<u>1102</u>	<u>8.02</u>	<u>7.33</u>	<u>0.00</u>
<u>1107</u>	<u>7.11</u>	<u>7.29</u>	<u>0.00</u>
<u>1112</u>	<u>6.43</u>	<u>7.29</u>	<u>0.00</u>
<u>1117</u>	<u>5.78</u>	<u>7.28</u>	<u>0.00</u>

Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%	AT LEAST ONE MUST BE STABLE	
			Sampling DTW (ft) <0.3ft	Flow Rate (ml/min) <250
				mL Removed
			<u>17.72</u>	
<u>309.6</u>	<u>0.00</u>	<u>10.36</u>	<u>17.72</u>	<u>110</u>
<u>318.8</u>	<u>0.00</u>	<u>10.77</u>	<u>17.72</u>	<u>1100</u>
<u>322.0</u>	<u>0.00</u>	<u>11.01</u>	<u>17.72</u>	<u>1650</u>
<u>324.5</u>	<u>0.00</u>	<u>11.19</u>	<u>17.72</u>	<u>2200</u>
<u>326.6</u>	<u>0.00</u>	<u>11.36</u>	<u>17.72</u>	<u>2750</u>
				<u>3300</u>

PURGE: START Date 2-10-20 Time 1050
SAMPLING: FINISH Date 2-10-20 Time 1120

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40ML	HCL	<u>3</u>	<u>N</u>			

NOTES:

Sampler Signature: N Duda Date: 2-10-20
1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinke

Well ID MW-2
 Sample ID 6274-MW-2
 Screened Interval 13.2 - 23.2
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 23.24 feet
 Depth to Water 14.06 feet
 Well Diameter 2 inches
 Casing Volume 1.49 gallons
 Volume Removed 0.92 gallons
 Total No. of Casing Volumes Removed 0.62
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1144</u>							<u>14.10</u>		
<u>1149</u>	<u>10.50</u>	<u>7.45</u>	<u>292.34</u>	<u>295.6</u>	<u>18.52</u>	<u>0.67</u>	<u>14.10</u>	<u>146</u>	<u>700</u>
<u>1154</u>	<u>10.55</u>	<u>7.52</u>	<u>284.11</u>	<u>287.1</u>	<u>10.62</u>	<u>0.72</u>	<u>14.10</u>		<u>1400</u>
<u>1159</u>	<u>10.22</u>	<u>7.57</u>	<u>286.88</u>	<u>285.0</u>	<u>12.09</u>	<u>0.70</u>	<u>14.10</u>		<u>2100</u>
<u>1204</u>	<u>10.01</u>	<u>7.55</u>	<u>287.06</u>	<u>284.4</u>	<u>16.54</u>	<u>0.72</u>	<u>14.10</u>		<u>2800</u>
<u>1209</u>	<u>9.97</u>	<u>7.55</u>	<u>283.77</u>	<u>284.2</u>	<u>15.29</u>	<u>0.73</u>	<u>14.10</u>		<u>3500</u>

PURGE¹: START Date 2-10-20 Time 1140

SAMPLING: FINISH Date 2-10-20 Time 1211

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40ML	HCL	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

Sampler Signature: N Duda

Date: 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinke

Well ID PZ-2
 Sample ID 6274-PZ-2
 Screened Interval 42.4 - 47.4
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 48.07 feet
 Depth to Water 14.12 feet
 Well Diameter 2 inches
 Casing Volume 5.57 gallons
 Volume Removed 0.81 gallons
 Total No. of Casing Volumes Removed 0.15
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1220</u>			<u>nS/cm</u>				<u>14.15</u>		
<u>1225</u>	<u>2.98</u>	<u>7.94</u>	<u>8,146.9</u>	<u>57.5</u>	<u>201.02</u>	<u>6.90</u>	<u>14.15</u>	<u>127</u>	<u>620</u>
<u>1230</u>	<u>3.18</u>	<u>7.23</u>	<u>8,997.7</u>	<u>59.0</u>	<u>231.25</u>	<u>7.14</u>	<u>14.15</u>		<u>1740</u>
<u>1235</u>	<u>3.54</u>	<u>7.22</u>	<u>9,705.3</u>	<u>59.7</u>	<u>248.40</u>	<u>7.25</u>	<u>14.15</u>		<u>1860</u>
<u>1240</u>	<u>4.26</u>	<u>7.24</u>	<u>10,325</u>	<u>59.8</u>	<u>893.36</u>	<u>7.63</u>	<u>14.15</u>		<u>2400</u>
<u>1245</u>	<u>4.38</u>	<u>7.21</u>	<u>10,506</u>	<u>58.8</u>	<u>889.11</u>	<u>6.63</u>	<u>14.15</u>		<u>3100</u>

PURGE¹: START Date 2-10-20 Time 1218

SAMPLING: FINISH Date 2-10-20 Time 1252

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ML</u>	<u>HCL</u>	<u>3</u>	<u>BY</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

salinity error, sample reaction

Sampler Signature: Nathan Duda Date: 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinke

Well ID MW-3
 Sample ID 6274-MW3
 Screened Interval 16.7 - 26.7
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 27.0 feet
 Depth to Water 16.57 feet
 Well Diameter 2 inches
 Casing Volume 1.70 gallons
 Volume Removed 0.72 gallons
 Total No. of Casing Volumes Removed 0.42
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1302</u>							<u>16.60</u>		
<u>1307</u>	<u>12.96</u>	<u>7.60</u>	<u>496.05</u>	<u>137.6</u>	<u>37.28</u>	<u>0.02</u>	<u>16.60</u>	<u>110</u>	<u>550</u>
<u>1312</u>	<u>12.97</u>	<u>7.58</u>	<u>461.68</u>	<u>149.2</u>	<u>26.59</u>	<u>0.09</u>	<u>16.60</u>		<u>1100</u>
<u>1317</u>	<u>13.10</u>	<u>7.54</u>	<u>418.52</u>	<u>165.9</u>	<u>19.31</u>	<u>0.09</u>	<u>16.60</u>		<u>1650</u>
<u>1322</u>	<u>13.23</u>	<u>7.53</u>	<u>400.37</u>	<u>172.0</u>	<u>20.54</u>	<u>0.12</u>	<u>16.60</u>		<u>2200</u>
<u>1327</u>	<u>13.17</u>	<u>7.52</u>	<u>396.05</u>	<u>179.0</u>	<u>23.31</u>	<u>0.13</u>	<u>16.60</u>		<u>2750</u>

PURGE¹: START Date 2-10-20 Time 1701

SAMPLING: FINISH Date 2-10-20 Time 1330

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40ML	HCL	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

Sampler Signature: [Signature] Date: 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinker

Well ID PZ-3
 Sample ID 6274-PZ-3
 Screened Interval 42.1 - 47.1
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 47.33 feet
 Depth to Water 16.56 feet
 Well Diameter 2 inches
 Casing Volume 5.08 gallons
 Volume Removed 0.92 gallons
 Total No. of Casing Volumes Removed 0.18
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1340</u>							<u>16.58</u>		
<u>1345</u>	<u>12.63</u>	<u>7.91</u>	<u>291.77</u>	<u>196.9</u>	<u>21.09</u>	<u>1.18</u>	<u>16.58</u>	<u>140</u>	<u>700</u>
<u>1350</u>	<u>12.77</u>	<u>7.91</u>	<u>291.88</u>	<u>197.3</u>	<u>21.01</u>	<u>1.19</u>	<u>16.58</u>		<u>1400</u>
<u>1355</u>	<u>12.90</u>	<u>7.91</u>	<u>291.49</u>	<u>198.1</u>	<u>20.15</u>	<u>1.20</u>	<u>16.58</u>		<u>2100</u>
<u>1400</u>	<u>12.87</u>	<u>7.91</u>	<u>291.06</u>	<u>199.0</u>	<u>21.31</u>	<u>1.20</u>	<u>16.58</u>		<u>2800</u>
<u>1405</u>	<u>12.63</u>	<u>7.90</u>	<u>291.65</u>	<u>199.4</u>	<u>19.89</u>	<u>1.19</u>	<u>16.58</u>		<u>3500</u>

PURGE: START Date 2-10-20 Time 1339

SAMPLING: FINISH Date 2-10-20 Time 1406

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ML</u>	<u>HCL</u>	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

Sampler Signature: Nathan Duda **Date:** 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinker

Well ID MW-4
 Sample ID 6274-MW-4
 Screened Interval 16.0 - 26
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 26.50 feet
 Depth to Water 14.72 feet
 Well Diameter 2 inches
 Casing Volume 1.92 gallons
 Volume Removed 0.99 gallons
 Total No. of Casing Volumes Removed 0.52
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1420</u>							<u>14.72</u>		
<u>1425</u>	<u>10.02</u>	<u>7.50</u>	<u>270.41</u>	<u>212.5</u>	<u>24.91</u>	<u>0.66</u>	<u>14.72</u>	<u>150</u>	<u>750</u>
<u>1430</u>	<u>10.21</u>	<u>7.48</u>	<u>268.72</u>	<u>212.4</u>	<u>25.27</u>	<u>0.59</u>	<u>14.72</u>		<u>1500</u>
<u>1435</u>	<u>10.00</u>	<u>7.49</u>	<u>268.38</u>	<u>212.0</u>	<u>32.08</u>	<u>0.54</u>	<u>14.72</u>		<u>2250</u>
<u>1440</u>	<u>9.97</u>	<u>7.49</u>	<u>268.16</u>	<u>211.6</u>	<u>36.04</u>	<u>0.57</u>	<u>14.72</u>		<u>3000</u>
<u>1445</u>	<u>9.94</u>	<u>7.50</u>	<u>267.90</u>	<u>211.1</u>	<u>77.70</u>	<u>0.55</u>	<u>14.72</u>	↓	<u>3750</u>

PURGE¹: START Date 2-10-20 Time 1419
 SAMPLING: FINISH Date 2-10-20 Time 1448

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ML</u>	<u>HCL</u>	<u>3</u>	<u>N</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

Sampler Signature: Nathan Duda

Date: 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinker Cleaners-Sherman Ave.
 LOCATION/ADDRESS 1295 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT/CONTACT Richard Klinker

Well ID PZ-4
 Sample ID 6274-PZ-4
 Screened Interval 42.6 - 47.6
 Sampler (print) Nathan Duda

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 48.00 feet
 Depth to Water 19.40 feet
 Well Diameter 2 inches
 Casing Volume 5.47 gallons
 Volume Removed 0.92 gallons
 Total No. of Casing Volumes Removed 0.17
 Date 2-10-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
1 ml	.000264 gal
3785 ml	1 gal

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump x
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1500							14.30		
1505	11.92	7.58	304.93	208.5	36.51	0.71	14.30	146	700
1510	11.96	7.58	304.54	208.7	45.02	0.71	14.30		1400
1515	11.79	7.58	305.06	208.8	38.63	0.71	14.30		2100
1520	12.00	7.57	309.02	208.3	46.44	0.65	14.30		2800
1525	11.77	7.56	312.90	208.2	39.54	0.58	14.30		3500

PURGE¹: START Date 2-10-20 Time 1459

SAMPLING: FINISH Date 2-10-20 Time 1451527

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40ML	HCL	6	N	-	Dup-1	-

NOTES:

Sampler Signature: Nathan Duda

Date: 2-10-20

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
LOCATION ADDRESS 1295 N-Sherman Ave
Madison, WI
PROJECT NO. 6274
CLIENT CONTACT _____

Well ID MW- 1
Sample ID 6274-MW- 1
Screened Interval 16 - 26
Sampler (print) M. Che

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 26.50 feet
Depth to Water 16.95 feet
Well Diameter 2 inches
Casing Volume 1.56 gallons
Volume Removed 0.84 gallons
Total No. of Casing Vol. Removed 0.54
Gauging Date 7/29 /2020

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:


Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump X
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) 21.75

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1414	28.88	7.22	1.20	180	707	7.79	15.86	1704	0
1419	20.88	7.02	1.71	195.2	1094	7.65	17.04	14	400
1422	19.63	7.00	1.76	200.5	726	7.59	17.04	100	800
1425	17.89	7.00	1.81	202	779	7.61	17.04	100	1200
1430	17.15	6.99	1.81	203	395	7.57	17.04	100	1600
1434	17.13	6.97	1.87	205	252	7.52	17.04	100	2000
1441	17.12	6.97	1.90	205	119	7.49	17.04	100	2400
1442	16.73	6.98	1.90	205	112	7.48	17.04	100	2800
1446	17.10	6.98	1.89	205	83.29	7.52	17.04	100	3200

DATE: 7/29/20 TIME: 1414
SAMPLING: FINISH Date 7/29/20 Time 1450

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS MSD
VOC 8260	40mL	VOA	HCl	3	N	NA		

NOTES:


Sampler Signature:
1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
LOCATION ADDRESS 1295 N. Sherman Ave
Madison, WI
PROJECT NO. 6274
CLIENT CONTACT -

Well ID PZ-1
Sample ID ~~046274~~ PZ-1
Screened Interval 429 - 459
Sampler (print) M. Che

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 46.58 feet
Depth to Water 16.89 feet
Well Diameter 2 inches
Casing Volume 4.81 gallons
Volume Removed 0.07 Mc 0.74 gallons
Total No. of Casing Vol. Removed 0.15
Gauging Date 7/29 /2020

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump X
Passive Diffusion Bag² _____
Other _____

Pump Depth (ft below TOC) (if applicable) 43.64

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1327	23.66	7.03	2.42	192.3	52.94	5.85	16.95	100	0
1331	22.29	6.94	2.54	197.4	40.13	3.96	16.95	100	400
1335	20.33	6.92	2.56	199.3	42.07	3.35	16.95	100	800
1339	21.06	6.90	2.58	199.2	31.62	3.27	16.95	100	1200
1343	20.60	6.91	2.59	198.7	27.83	3.17	16.95	100	1600
1347	21.73	6.90	2.59	197.2	24.6	3.09	16.95	100	2000
1351	21.93	6.90	2.60	195.6	20.14	3.08	16.95	100	2400
1355	22.24	6.90	2.59	194.8	15.26	3.02	16.95	100	2800

DATE: 7/29/20 TIME: 1327
SAMPLING: FINISH Date 7/29/20 Time 1457 mc 1357

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction N(y/n)	Filter Type	Duplicate	MS MSD
VOC 8260	40mL	VOA	HCl	3	N	NA		

NOTES:


Sampler Signature:
1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners Well ID MW- 2 Pump Placement:
 LOCATION ADDRESS 62 1295 N. Shamon Sample ID 6274-MW- 2 - If water level is above top of well screen, place pump in middle of well screen.
Madison, WI Screened Interval 13.2 - 23.2 -If water level is below top of well screen, place pump in middle of water column.
 PROJECT NO. 6274 Sampler (print) M. Che

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 23.66 feet
 Depth to Water 13.28 feet
 Well Diameter 2 inches
 Casing Volume 1.69 gallons
 Volume Removed 1.16 gallons
 Total No. of Casing Vol. Removed 0.69
 Gauging Date 7/29 /2020

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:
 Low-Flow
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 18.47

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
09:04:2	15.97	7.15	1.66	190	205	4.19	13.02	100	0
09:04:6	16.44	7.08	1.66	193	167	4.18	13.32	100	400
09:05:0	16.37	7.05	1.66	195	151	4.15	13.32	100	800
09:05:4	16.65	7.03	1.66	196	107	4.17	13.32	100	1200
09:05:8	16.86	7.02	1.65	196	127	4.20	13.32	100	1600
10:02	16.52	7.02	1.63	197	139	4.24	13.32	100	2000
10:06	17.03	7.02	1.61	197	110	4.31	13.32	100	2400
10:10	16.80	7.02	1.61	197	113	4.24	13.32	100	2800
10:14	16.50	7.02	1.60	198	100	4.28	13.32	100	3200
10:18	17.00	7.02	1.60	197	111	4.43	13.32	100	3600
10:22	16.81	7.02	1.58	197	110	4.35	13.32	100	4000
10:26	16.82	7.01	1.57	197	97.8	4.34	13.32	100	4400

DATE: 7/29/20 TIME: 10:30

SAMPLING: FINISH Date 7/29/20 Time 10:30

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS MSD
VOC 8260	40mL	VOA	HCl	6	N	NA	<input checked="" type="checkbox"/>	

NOTES:

Melody

Sampler Signature: _____
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 1 Clinker Cleaners
 LOCATION ADDRESS 1295 N. Sherman Ave
Madison, IN
 PROJECT NO. 6274
 CLIENT CONTACT _____

Well ID PZ-2
 Sample ID PZ-2
 Screened Interval 42.4 - 47.4
 Sampler (print) M. Che

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 47.92 feet
 Depth to Water 12.95 feet
 Well Diameter 2 inches
 Casing Volume 5.90 gallons
 Volume Removed 0.63 gallons
 Total No. of Casing Vol. Removed 0.11
 Gauging Date 7/29/2020

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:


Low-Flow
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump
 Passive Diffusion Bag² _____
 Other _____

Pump Depth (ft below TOC) (if applicable) 45.16

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time <u>hr</u> <u>min</u> <u>sec</u>	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
0901 0904	19.62	7.45	1.38	173	61	5.25	13.02	100	0
0905 0905 <u>me</u>	16.02	7.22	1.56	184	88	4.51	13.02	100	<u>ms 500</u> 400
0907 0907 <u>me</u>	15.35	7.14	1.63	188	84	4.49	13.02	100	<u>ms 1000</u> 800
0913 0915 <u>me</u>	15.30	7.08	1.73	191	89	4.45	13.02	100	<u>ms 1500</u> 1200
0917 0919 <u>me</u>	15.32	7.06	1.76	193	86	4.43	13.02	100	<u>ms 2000</u> 1600
0921 0921 <u>me</u>	15.80	7.04	1.78	194	79.2	4.52	13.02	100	<u>ms 2000</u> 2000
0925 0925 <u>me</u>	15.46	7.04	1.79	194	98.37	4.50	13.02	100	<u>ms 2000</u> 2400

DATE: 7/29/20 TIME: 0901 me ~~ms 500~~ 0901
 SAMPLING: FINISH Date 7/29/20 Time 1027 me ~~ms 1500~~ 0927
 Sample Analysis: VOC 8260 Volume: 40mL Type: VOA Preservative: HCl Number of Containers: 3 Reaction (y/n): N Filter Type: NA Duplicate: _____ MS MSD: _____

NOTES:


Sampler Signature:
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinkle Cleaners Well ID MW- 3 Pump Placement:
 LOCATION ADDRESS 1295 N. Sherman Ave Sample ID 6274 - MW - 3 - If water level is above top of well screen, place pump in middle of well screen.
Machian, VI
 PROJECT NO. 6274 Screened Interval 16.7 - 26.7 - If water level is below top of well screen, place pump in middle of water column.
 CLIENT CONTACT _____ Sampler (print) M. Che

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 27.18 feet
 Depth to Water 15.81 feet
 Well Diameter 2 inches
 Casing Volume 1.85 gallons
 Volume Removed 0.63 gallons
 Total No. of Casing Vol. Removed 6.34
 Gauging Date 7/21/2020

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump X
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 21.94

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1132	19.46	7.15	2.14	185	148	4.24	15.86	100	0
1136	17.60	7.00	2.20	193	213	2.95	15.86	100	4600
1140	17.42	6.99	2.19	193	195	2.91	15.86	100	800
1144	17.35	6.99	2.18	192	155	2.91	15.86	100	1200
1148	17.20	6.99	2.17	191	136	2.91	15.86	100	1600
1152	17.02	6.99	2.16	191	1000	2.94	15.86	100	2000
1156	17.02	6.99	2.16	190	93.5	2.94	15.86	100	2400
1200									

START: _____ Date: 7/29/20 Time: 1132
 SAMPLING: FINISH Date: 7/29/20 Time: 1200

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS MSD
VOC 8260	40mL	VOA	HCl	3	Y	N/A		

NOTES:

Melody Che

Sampler Signature:
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 1 Clinker Cleaners
 LOCATION ADDRESS 1259 N. Sherman Ave
Madison, WI
 PROJECT NO. 6274
 CLIENT CONTACT -

Well ID ~~MLL~~ PZ-3
 Sample ID ~~MLL~~ PZ-3
42.1 47.1
 Screened Interval
 Sampler (print) M. Che

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 47.60 feet
 Depth to Water 15.80 feet
 Well Diameter 2 inches
 Casing Volume 5.18 gallons
 Volume Removed 0.53 gallons
 Total No. of Casing Vol. Removed 0.10
 Gauging Date 7/29/2020

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge
 Bailer¹
 Peristaltic pump
 Submersible Pump X
 Passive Diffusion Bag²
 Other
 Pump Depth (ft below TOC) (if applicable) 154.85


Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1052	19.65	7.23	2.11	191	16.03	6.15	15.85	100	0
1056	19.09	7.05	2.34	197	23.55	2.91	15.86	100	600
1100	18.68	7.00	2.36	196	20.09	2.06	15.86	100	800
1104	18.75	6.99	2.37	194	12.08	0.73	15.86	100	1200
1108	18.50	6.99	2.32	192	8.80	0.68	15.86	100	1600
1112	18.78	6.98	2.57	190	6.56	0.64	15.86	100	2000

PURGE: 3 times Date: 7/29/20 Time: 1052

SAMPLING: FINISH Date: 7/29/20 Time: 1215 MC 1115

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS MSD
VOC 8260	40mL	VOA	HCl	3	Y	N/A		

NOTES:

 Sampler Signature:
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 6274
 LOCATION/ADDRESS _____
 PROJECT NO. _____
 CLIENT/CONTACT _____

Well ID MW-1
 Sample ID 6274-MW-1
 Screened Interval 16.0-26.0
 Sampler (print) RB

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 26.26 feet
 Depth to Water 18.29 feet
 Well Diameter 2 inches
 Casing Volume 1.3 gallons
 Volume Removed 2.80 gallons
 No. of Casing Volumes Removed 0.61
 Gauging Date 12-9-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailor¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
12:28	18.08	7.42	1.70	87.6	1597.3	8.53	18.29	160	160
12:32	15.31	7.42	1.92	70.4	2771.6	8.79	18.46	100	260
12:36	15.93	7.48	0.30	65.9	3107.0	8.67	18.48	100	360
12:40	16.22	7.47	0.28	66.9	2452.3	8.66	18.46	100	460
12:44	16.23	7.47	1.96	68.2	1779.0	8.66	18.48	100	560
12:48	16.43	7.45	2.03	69.9	372.45	8.55	18.48	100	660
12:52	16.44	7.42	1.97	72.6	387.58	8.54	18.49	100	760

PURGE: START 12:28 Date _____ Time _____
 SAMPLING: FINISH 12:52 Date 12-9-20 Time 12:52

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCl</u>	<u>3</u>	<u>n</u>		<u>n</u>	

NOTES:

Sampler Signature: RB

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 60774
 LOCATION/ADDRESS _____
 PROJECT NO. _____
 CLIENT/CONTACT _____

Well ID MW-2
 Sample ID 6274-MW-2
 Screened Interval 13.2-23.2
 Sampler (print) KB

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

SAMPLING METHOD:
 Low-Flow X
 Grab/No-purge _____
 Bailor¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 23.42 feet
 Depth to Water 14.81 feet
 Well Diameter 2 inches
 Casing Volume 1.40 gallons
 Volume Removed 0.65 gallons
 No. of Casing Volumes Removed 4.6
 Gauging Date 12.9

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
9:35	10.26	7.08	1.69	76.0	707.76	4.91	14.81	120	120
9:39	10.72	7.02	0.35	58.0	532.59	4.02	14.81	120	240
9:43	12.70	6.99	0.27	50.5	175.36	3.54	14.81	120	360
9:47	12.79	7.00	0.24	53.4	88.70	3.38	14.80	120	480
9:51	12.34	7.01	0.28	57.7	88.86	3.45	14.81	120	500
9:55	12.29	7.01	0.26	58.6	88.43	3.46	14.81	120	620

PURGE: START 9:35 Date _____ Time _____
 SAMPLING: FINISH 9:55 Date 12-9-20 Time 9:55

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCl</u>	<u>3</u>	<u>N</u>		<u>7</u>	

NOTES:

Sampler Signature: [Signature]
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 6274
 LOCATION/ADDRESS _____
 PROJECT NO. _____
 CLIENT/CONTACT _____

Well ID MW-3
 Sample ID 6274-MW-3
 Screened Interval 6.7-26.7
 Sampler (print) RB

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 26.99 feet
 Depth to Water 7.31 feet
 Well Diameter 2 inches
 Casing Volume 1.57 gallons
 Volume Removed 0.63 gallons
 No. of Casing Volumes Removed 0.40
 Gauging Date 12-9-10

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:
 Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
10:10	9.57	7.19	2.05	94.3	381.75	6.35	17.35	100	100
10:14	11.66	7.06	1.99	73.2	649.7	3.34	17.35	100	100
10:18	13.16	7.06	2.00	63.3	86.56	2.87	17.33	120	320
10:22	13.45	7.07	1.99	61.1	36.30	2.89	17.34	120	460
10:26	13.58	7.08	1.96	61.6	57.70	2.81	17.34	120	580
10:30	13.57	7.09	1.96	60.5	57.24	2.84	17.34	120	600

PURGE: START 10:10 Date _____ Time _____
 SAMPLING: FINISH 10:30 Date 12-9-10 Time 10:30
 Sample Analysis VOC Volume 40 Type V Preservative HCL Number of Containers 6 Reaction (y/n) n Filter Type _____ Duplicate X MS/MSD _____

NOTES:

Sampler Signature: RB
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 6274
 LOCATION/ADDRESS _____
 PROJECT NO. _____
 CLIENT/CONTACT _____

Well ID PZ-1
 Sample ID 6274-PZ-1
 Screened Interval 42.4 47.4
 Sampler (print) RTB

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 47.69 feet
 Depth to Water 18.44 feet
 Well Diameter 2 inches
 Casing Volume 476 gallons
 Volume Removed 0.63 gallons
 No. of Casing Volumes Removed 13
 Gauging Date 12-9-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
13:10	17.11	7.16	2.76	82.7	87.69	5.50	18.44	100	100
13:14	17.90	7.13	2.64	76.0	104.20	5.15	18.47	100	200
13:18	17.22	7.10	2.55	75.1	71.37	4.68	18.49	100	300
13:22	16.57	7.07	2.03	76.7	61.24	4.11	18.50	100	400
13:26	16.94	7.05	2.07	77.4	32.70	3.71	18.48	100	500
13:30	16.69	7.05	2.05	77.3	27.43	3.65	18.48	100	600
13:--									

PURGE¹: START 13:10 Date _____ Time _____
 SAMPLING: FINISH 13:30 Date 12-9-20 Time 13:30

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40	V	HCL	3	n		0	

NOTES:

- Sampler Signature: _____
- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 - Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME 6274
 LOCATION/ADDRESS _____
 PROJECT NO. _____
 CLIENT/CONTACT _____

Well ID PZ-2
 Sample ID 6274-PZ-2
 Screened Interval 42.4-47.4
 Sampler (print) RB

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 47.4 feet
 Depth to Water 14.47 feet
 Well Diameter 2 inches
 Casing Volume 5.37 gallons
 Volume Removed 0.74 gallons
 No. of Casing Volumes Removed 0.14
 Gauging Date 12-9-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:
 Low-Flow X
 Grab/No-purge _____
 Bailor¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
9:03	13.18	7.21	2.03	91.5	63.60	5.27	14.47	100	100
9:07	12.95	7.13	1.72	84.3	37.05	5.14	14.48	100	200
9:11	12.46	7.09	1.61	83.8	15.27	4.43	14.47	120	320
9:15	12.62	7.08	0.36	76.7	28.21	4.42	14.51	120	440
9:19	12.55	7.06	0.26	78.7	17.29	4.42	14.50	120	560
9:23	12.50	7.06	0.15	75.1	16.37	4.50	14.50	120	680
9:27	12.53	7.06	0.17	72.2	20.81	4.48	14.49	120	700

PURGE! START 9:03 Date _____ Time _____
 SAMPLING: FINISH 9:27 Date 12-9-20 Time 9:27

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCL</u>	<u>3</u>	<u>n</u>		<u>n</u>	

NOTES:

Sampler Signature: RB
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME _____
LOCATION/ADDRESS _____
PROJECT NO. _____
CLIENT/CONTACT _____

Well ID PZ-3
Sample ID 6274-PZ-3
Screened Interval 42.1-47.1
Sampler (print) RB

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 47.37 feet
Depth to Water 17.32 feet
Well Diameter 2 inches
Casing Volume 4.89 gallons
Volume Removed 0.74 gallons
No. of Casing Volumes Removed 0.15
Gauging Date 12-9-20

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump _____
Submersible Pump _____
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
10:47	0.63	7.53	1.99	77.8	443.00	6.87	17.32	100	100
10:51	1.04	7.35	2.06	68.0	19.03	5.02	17.34	100	200
10:55	11.70	7.22	2.09	64.5	20.42	3.05	17.35	100	300
10:59	11.98	7.16	2.15	62.2	395.20	1.71	17.35	100	400
11:03	12.26	7.14	2.28	60.8	60.73	1.31	17.34	100	500
11:07	12.28	7.13	2.10	61.5	173.83	1.76	17.34	100	600
11:11	12.15	7.13	2.11	61.8	3.49	0.92	17.35	100	700

PURGE: START 10:47 Date _____ Time _____
SAMPLING: FINISH 11:11 Date 12-9-20 Time 11:11

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCl</u>	<u>3</u>	<u>n</u>		<u>n</u>	

NOTES:

Sampler Signature:

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS _____
 PROJECT NO 6274
 CLIENT/CONTACT _____

Well ID MW-1
 Sample ID 6274-MW-1
 Screened Interval 16.0-26.0
 Sampler (print) R. Brown

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 26.26 feet
 Depth to Water 18.60 feet
 Well Diameter 2 inches
 Casing Volume 625 gallons
 Volume Removed 627 gallons
 No. of Casing Volumes Removed 0.01
 Gauging Date 4-27-21

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow _____
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1127	20.29	7.49	1.88	131.2	1973.1	6.74	18.60	200	200
1131	16.78	7.32	0.34	123.3	710.17	7.17	18.61	200	400
1135	16.41	7.32	0.31	121.4	232.90	6.37	18.60	200	600
1139	16.16	7.33	1.54	126.7	167.76	6.29	18.60	200	800
1143	16.38	7.34	1.33	122.1	119.7	6.81	18.61	200	1000
1147	16.27	7.34	1.54	125.4	86.97	6.41	18.61	200	1200 X4

PURGE¹: START _____ Date _____ Time _____
 SAMPLING: FINISH _____ Date 4-27-21 Time 1147

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCL</u>	<u>6</u>	<u>N</u>		<u>X</u>	

NOTES:

Sampler Signature: [Signature]

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS _____
 PROJECT NO. 6274
 CLIENT/CONTACT _____

Well ID MW-2
 Sample ID 6274-MW-2
 Screened Interval 13.2-23.2
 Sampler (print) _____

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 23.42 feet
 Depth to Water 14.93 feet
 Well Diameter 2 inches
 Casing Volume 1.38 gallons
 Volume Removed 1.29 gallons
 No. of Casing Volumes Removed 0.93
 Gauging Date 4-27-21

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow _____
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1414	19.25	7.28	1.83	175.5	6190.2	4.21	14.93	200	200
1418	16.31	7.19	1.83	121.8	829.84	3.60	14.94	200	400
1422	16.52	7.14	0.80	125.5	679.14	2.83	14.94	200	600
1426	16.43	7.14	0.25	122.8	35.63	4.30	14.93	200	800
1430	16.41	7.14	0.29	123.5	86.16	4.73	14.93	200	1000
1434	16.35	7.14	0.31	123.2	75.10	4.99	14.94	200	1200 x4

PURGE: START _____ Date _____ Time _____
SAMPLING: FINISH _____ Date 4-27-21 Time 1434

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOL</u>	<u>40</u>	<u>V</u>	<u>HCL</u>	<u>3</u>	<u>N</u>		<u>N</u>	

NOTES:

Sampler Signature: [Signature]

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners Well ID MW-3 Pump Placement:
 LOCATION/ADDRESS _____ Sample ID 6274-MW-3 - If water level is above top of well screen, place pump in middle of well screen.
 PROJECT NO. 6274 Screened Interval 16.7-76.7 -If water level is below top of well screen, place pump in middle of water column.
 CLIENT/CONTACT _____ Sampler (print) R. BROWN

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 26.99 feet
 Depth to Water 17.49 feet
 Well Diameter 2 inches
 Casing Volume 2.00 gallons
 Volume Removed 1.48 gallons
 No. of Casing Volumes Removed 0.74
 Gauging Date 4-27-11

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow _____
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1040	16.46	7.24	2.08	111.0	108.08	3.84	17.41	200	200
1044	15.92	7.26	1.83	94.1	110	6.89	17.41	200	400
1048	14.85	7.27	0.37	108.3	57.20	6.95	17.42	200	600
1052	14.96	7.24	1.61	99.4	49.17	3.29	17.41	200	800
1056	14.90	7.27	1.61	128.2	0.28	5.23	17.41	200	1000
1100	14.87	7.25	1.60	121.5	0.91	3.48	17.42	200	1200
1104	14.84	7.26	1.67	125.9	2.28	3.51	17.42	200	1400 x 4

PURGE: START _____ Date _____ Time _____
SAMPLING: FINISH _____ Date 4-27-11 Time 1104

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCL</u>	<u>3</u>	<u>N</u>		<u>N</u>	

NOTES:

Sampler Signature: [Signature]

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners Well ID PZ-1
 LOCATION/ADDRESS _____ Sample ID 6274-PZ-1
 PROJECT NO 6274 Screened Interval 40.9-45.9
 CLIENT/CONTACT _____ Sampler (print) R. Brown

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 6.16 feet
 Depth to Water 8.55 feet
 Well Diameter 2 inches
 Casing Volume 4.50 gallons
 Volume Removed 0.95 gallons
 No. of Casing Volumes Removed 0.21
 Gauging Date 4-27-21

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 43

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1245	26.38	7.31	2.33	116.4	173.18	7.13	18.55	200	200
1249	23.68	7.32	1.87	116.1	81.23	7.47	18.57	120	320
1253	23.63	7.29	1.15	119.1	85.15	6.87	18.55	120	440
1257	21.85	7.23	1.72	120.1	115.03	5.02	18.55	120	560
1301	21.60	7.22	1.61	116.5	97.06	4.75	18.55	120	780
1305	22.00	7.23	1.63	123.8	73.97	4.29	18.55	120	900 x4

PURGE¹: START _____ Date _____ Time _____
 SAMPLING: FINISH _____ Date 4-27-21 Time 1305

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40	✓	HCL	3	N		N	

NOTES:

Sampler Signature: [Signature]

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Klinke Cleaners
 LOCATION/ADDRESS _____
 PROJECT NO. 6274
 CLIENT/CONTACT _____

Well ID PZ-2
 Sample ID 6274-PZ-2
 Screened Interval 42.4-47.4
 Sampler (print) BROWN

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 47.69 feet
 Depth to Water 14.59 feet
 Well Diameter 2 inches
 Casing Volume 5.39 gallons
 Volume Removed 0.79 gallons
 No. of Casing Volumes Removed 0.15
 Gauging Date 4-27-21

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 15

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
13:35	25.14	7.27	1.55	117.7	63.06	6.04	14.60	150	150
13:39	20.32	7.29	0.46	104.2	24.66	6.62	14.61	120	270
13:43	19.46	7.32	0.27	114.8	28.88	6.93	14.59	120	390
13:47	18.00	7.30	0.22	124.4	62.97	7.05	14.59	120	510
13:51	17.99	7.31	0.21	127.2	29.09	7.21	14.59	120	630
13:55	17.90	7.31	0.21	127.6	24.13	7.23	14.59	120	750 X4

PURGE: START Date _____ Time _____
SAMPLING: FINISH Date 4-27-21 Time 1355

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40</u>	<u>V</u>	<u>HCL</u>	<u>2</u>	<u>N</u>		<u>N</u>	

NOTES:

Sampler Signature: [Signature]

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Kinke cleaners Well ID PZ-3 Pump Placement:
 LOCATION/ADDRESS _____ Sample ID 6274-PZ-3 - If water level is above top of well screen, place pump in middle of well screen.
 PROJECT NO 6274 Screened Interval 42.1-47.1 -If water level is below top of well screen, place pump in middle of water column.
 CLIENT/CONTACT _____ Sampler (print) RBrown

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 47.32 feet
 Depth to Water 17.43 feet
 Well Diameter 2 inches
 Casing Volume 4.87 gallons
 Volume Removed 0.30 gallons
 No. of Casing Volumes Removed 0.06
 Gauging Date 4-27-21

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	4" Well
0.000264	mL to Gallon

SAMPLING METHOD:
 Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) 43

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (mS/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
	1001	17.79	7.79	1.86	121.9	5.96			
1005	18.61	7.71	2.10	115.1	7.89	7.58	17.44	120	270
1009	15.80	7.32	1.18	96.0	148.56	2.57	17.45	150	420
1013	15.10	7.30	1.58	84.6	72.37	2.56	17.43	150	570
1017	14.95	7.30	1.47	85.4	56.58	2.78	17.43	150	720
1021	14.76	7.32	1.51	83.7	35.64	3.15	17.44	150	870
1025	14.83	7.32	1.50	86.7	31.90	3.30	17.44	150	1020 x4

PURGE!: START _____ Date _____ Time _____
SAMPLING: FINISH _____ Date 4-27-21 Time 10:25

Sample Analysis	Volume	Type	Preservative	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40	V	HCL	3	N		N	

NOTES:

Sampler Signature: RB

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

ATTACHMENT 2
LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 18-Feb-20

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489A
Sample ID 6274-MW-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/17/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/17/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/17/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/17/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/17/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/17/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/17/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/17/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/17/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/17/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489A
Sample ID 6274-MW-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/17/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/17/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/17/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/17/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/17/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/17/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/17/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/17/2020	CJR	1
Tetrachloroethene	4.4	ug/l	0.38	1.21	1	8260B		2/17/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/17/2020	CJR	1
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/17/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/17/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/17/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %			1	8260B		2/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/17/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		2/17/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489B
Sample ID 6274-MW-2
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/17/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/17/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/17/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/17/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/17/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/17/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/17/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/17/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/17/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/17/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/17/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/17/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/17/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/17/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/17/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/17/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/17/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/17/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/17/2020	CJR	1
Tetrachloroethene	6.9	ug/l	0.38	1.21	1	8260B		2/17/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489B
Sample ID 6274-MW-2
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/17/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/17/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/17/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		2/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		2/17/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/17/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489C
Sample ID 6274-MW-3
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	71	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489C
Sample ID 6274-MW-3
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	2.38	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489D
Sample ID 6274-MW-4
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	16.6	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489D
Sample ID 6274-MW-4
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489E
Sample ID 6274-PZ-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	4.5	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489E
Sample ID 6274-PZ-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	104	REC %			1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489F
Sample ID 6274-PZ-2
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	5.1	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489F
Sample ID 6274-PZ-2
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	108	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489G
Sample ID 6274-PZ-3
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	22.8	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489G
Sample ID 6274-PZ-3
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489H
Sample ID 6274-PZ-4
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	73	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489H
Sample ID 6274-PZ-4
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	0.70 "J"	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
 Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489I
 Sample ID 6274-DUP-1
 Sample Matrix Water
 Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/18/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/18/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/18/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/18/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/18/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/18/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/18/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/18/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/18/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/18/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/18/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/18/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/18/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/18/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/18/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/18/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/18/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/18/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/18/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/18/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/18/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/18/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/18/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/18/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/18/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/18/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/18/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/18/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/18/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/18/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/18/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/18/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/18/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/18/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/18/2020	CJR	1
Tetrachloroethene	82	ug/l	0.38	1.21	1	8260B		2/18/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/18/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489I
Sample ID 6274-DUP-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/18/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/18/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/18/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/18/2020	CJR	1
Trichlorofluoromethane	0.67 "J"	ug/l	0.35	1.1	1	8260B		2/18/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/18/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/18/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/18/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/18/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/18/2020	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		2/18/2020	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		2/18/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		2/18/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		2/18/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489J
Sample ID 6274-EB-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/17/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/17/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/17/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/17/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/17/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/17/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/17/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/17/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/17/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/17/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/17/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/17/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/17/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/17/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/17/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/17/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/17/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/17/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/17/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/17/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489J
Sample ID 6274-EB-1
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/17/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/17/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/17/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/17/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		2/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		2/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		2/17/2020	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489K
Sample ID 6274-TB
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.22	ug/l	0.22	0.71	1	8260B		2/17/2020	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.38	1	8260B		2/17/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33	1.06	1	8260B		2/17/2020	CJR	1
Bromoform	< 0.45	ug/l	0.45	1.44	1	8260B		2/17/2020	CJR	1
tert-Butylbenzene	< 0.25	ug/l	0.25	0.8	1	8260B		2/17/2020	CJR	1
sec-Butylbenzene	< 0.79	ug/l	0.79	2.53	1	8260B		2/17/2020	CJR	1
n-Butylbenzene	< 0.71	ug/l	0.71	2.25	1	8260B		2/17/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
Chlorobenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Chloroethane	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
Chloroform	< 0.26	ug/l	0.26	0.82	1	8260B		2/17/2020	CJR	1
Chloromethane	< 0.54	ug/l	0.54	1.72	1	8260B		2/17/2020	CJR	1
2-Chlorotoluene	< 0.31	ug/l	0.31	0.98	1	8260B		2/17/2020	CJR	1
4-Chlorotoluene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 2.96	ug/l	2.96	9.43	1	8260B		2/17/2020	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.69	1	8260B		2/17/2020	CJR	1
1,4-Dichlorobenzene	< 0.7	ug/l	0.7	2.22	1	8260B		2/17/2020	CJR	1
1,3-Dichlorobenzene	< 0.85	ug/l	0.85	2.7	1	8260B		2/17/2020	CJR	1
1,2-Dichlorobenzene	< 0.86	ug/l	0.86	2.74	1	8260B		2/17/2020	CJR	1
Dichlorodifluoromethane	< 0.32	ug/l	0.32	1.02	1	8260B		2/17/2020	CJR	1
1,2-Dichloroethane	< 0.25	ug/l	0.25	0.78	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethane	< 0.36	ug/l	0.36	1.14	1	8260B		2/17/2020	CJR	1
1,1-Dichloroethene	< 0.42	ug/l	0.42	1.34	1	8260B		2/17/2020	CJR	1
cis-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.16	1	8260B		2/17/2020	CJR	1
trans-1,2-Dichloroethene	< 0.34	ug/l	0.34	1.07	1	8260B		2/17/2020	CJR	1
1,2-Dichloropropane	< 0.44	ug/l	0.44	1.39	1	8260B		2/17/2020	CJR	1
1,3-Dichloropropane	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
trans-1,3-Dichloropropene	< 0.32	ug/l	0.32	1.01	1	8260B		2/17/2020	CJR	1
cis-1,3-Dichloropropene	< 0.26	ug/l	0.26	0.81	1	8260B		2/17/2020	CJR	1
Di-isopropyl ether	< 0.21	ug/l	0.21	0.66	1	8260B		2/17/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.34	ug/l	0.34	1.09	1	8260B		2/17/2020	CJR	1
Ethylbenzene	< 0.26	ug/l	0.26	0.83	1	8260B		2/17/2020	CJR	1
Hexachlorobutadiene	< 1.34	ug/l	1.34	4.28	1	8260B		2/17/2020	CJR	1
Isopropylbenzene	< 0.78	ug/l	0.78	2.47	1	8260B		2/17/2020	CJR	1
p-Isopropyltoluene	< 0.24	ug/l	0.24	0.76	1	8260B		2/17/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		2/17/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.28	ug/l	0.28	0.89	1	8260B		2/17/2020	CJR	1
Naphthalene	< 2.1	ug/l	2.1	6.65	1	8260B		2/17/2020	CJR	1
n-Propylbenzene	< 0.61	ug/l	0.61	1.95	1	8260B		2/17/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		2/17/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.35	ug/l	0.35	1.13	1	8260B		2/17/2020	CJR	1
Tetrachloroethene	< 0.38	ug/l	0.38	1.21	1	8260B		2/17/2020	CJR	1
Toluene	< 0.19	ug/l	0.19	0.6	1	8260B		2/17/2020	CJR	1
1,2,4-Trichlorobenzene	< 1.15	ug/l	1.15	3.67	1	8260B		2/17/2020	CJR	1

Project Name KLINKE CLEANERS
Project # 6274 PO#2020-1303

Invoice # E37489

Lab Code 5037489K
Sample ID 6274-TB
Sample Matrix Water
Sample Date 2/10/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1.71	ug/l	1.71	5.43	1	8260B		2/17/2020	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1.05	1	8260B		2/17/2020	CJR	1
1,1,2-Trichloroethane	< 0.42	ug/l	0.42	1.32	1	8260B		2/17/2020	CJR	1
Trichloroethene (TCE)	< 0.3	ug/l	0.3	0.94	1	8260B		2/17/2020	CJR	1
Trichlorofluoromethane	< 0.35	ug/l	0.35	1.1	1	8260B		2/17/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.8	ug/l	0.8	2.55	1	8260B		2/17/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.63	ug/l	0.63	2	1	8260B		2/17/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		2/17/2020	CJR	1
m&p-Xylene	< 0.43	ug/l	0.43	1.38	1	8260B		2/17/2020	CJR	1
o-Xylene	< 0.29	ug/l	0.29	0.93	1	8260B		2/17/2020	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		2/17/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		2/17/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		2/17/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		2/17/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: 8242
Project #: 6274
Sampler: (signature) [Signature]

Project (Name / Location): Klinke Cleaners - Sherman Ave / Madison, WI

Reports To: B. Kappen

Invoice To: _____

Company: Enviroforensics

Company: _____

Address: 116 W 23390 Stone Ridge Dr.

Address: _____

City State Zip: Waukesha, WI 53188

City State Zip: _____

Phone: 414-326-4412

Phone: _____

FAX: _____

FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date Time		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	8-PCRA METALS	PID/FID
<u>5037489k</u>	<u>6274-TB</u>	<u>-</u>	<u>-</u>		<u>X</u>	<u>N</u>	<u>1</u>	<u>GW</u>	<u>HCL</u>													<u>X</u>		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
PO# 2020-1307

Sample Integrity - To be completed by receiving lab.
Method of Shipment: GC
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time 1200 Date 2-12-20
Received By: (sign) Gold Cross Courier Time 1200 Date 2-12-20

Received in Laboratory By: [Signature] Time: 8:00 Date: 2/13/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 13-Aug-20

Project Name KLINKE
Project # 6274 PO#2020-1783
Lab Code 5038275A
Sample ID 6274 MW-1
Sample Matrix Water
Sample Date 7/29/2020

Invoice # E38275

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275A
Sample ID 6274 MW-1
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	2.4	ug/l	0.33	1	1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	0.49 "J"	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		8/6/2020	CJR	1

Project Name KLINKE
 Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275B
 Sample ID 6274 MW-2
 Sample Matrix Water
 Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	9	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275B
Sample ID 6274 MW-2
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		8/6/2020	CJR	1

Project Name KLINKE
 Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275C
 Sample ID 6274 MW-3
 Sample Matrix Water
 Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	73	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275C
Sample ID 6274 MW-3
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	2.96	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	103	REC %				8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	110	REC %				8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	95	REC %				8260B		8/6/2020	CJR	1

Project Name KLINKE
 Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275D
 Sample ID 6274 PZ-1
 Sample Matrix Water
 Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/6/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/6/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/6/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/6/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/6/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/6/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/6/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/6/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/6/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/6/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/6/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/6/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/6/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/6/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/6/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/6/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/6/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/6/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/6/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/6/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/6/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/6/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/6/2020	CJR	1
Tetrachloroethene	8.7	ug/l	0.33		1	8260B		8/6/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/6/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/6/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275D
Sample ID 6274 PZ-1
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/6/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/6/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/6/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/6/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/6/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/6/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/6/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/6/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/6/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/6/2020	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		8/6/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %			1	8260B		8/6/2020	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %			1	8260B		8/6/2020	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		8/6/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275E
Sample ID 6274 PZ-2
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/7/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/7/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/7/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/7/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/7/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/7/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/7/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/7/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/7/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/7/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/7/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/7/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/7/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/7/2020	CJR	1
Tetrachloroethene	17.7	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275E
Sample ID 6274 PZ-2
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/7/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/7/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/7/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/7/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/7/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
SUR - Toluene-d8	105	REC %			1	8260B		8/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	111	REC %			1	8260B		8/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		8/7/2020	CJR	1
SUR - Dibromofluoromethane	111	REC %			1	8260B		8/7/2020	CJR	1

Project Name KLINKE
 Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275F
 Sample ID 6274 PZ-3
 Sample Matrix Water
 Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/7/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/7/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/7/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/7/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/7/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/7/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/7/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/7/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/7/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/7/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/7/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/7/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/7/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/7/2020	CJR	1
Tetrachloroethene	18.7	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275F
Sample ID 6274 PZ-3
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/7/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/7/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/7/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/7/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/7/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
SUR - Toluene-d8	106	REC %				1	8260B	8/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %				1	8260B	8/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				1	8260B	8/7/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %				1	8260B	8/7/2020	CJR	1

Project Name KLINKE
 Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275G
 Sample ID 6274 DUP
 Sample Matrix Water
 Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/7/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/7/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/7/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/7/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/7/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/7/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/7/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/7/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/7/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/7/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/7/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/7/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/7/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/7/2020	CJR	1
Tetrachloroethene	8.9	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275G
Sample ID 6274 DUP
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/7/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/7/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/7/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/7/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/7/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		8/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		8/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		8/7/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		8/7/2020	CJR	1

Project Name KLINKE
 Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275H
 Sample ID 6274 EB
 Sample Matrix Water
 Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		8/7/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		8/7/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		8/7/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		8/7/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		8/7/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		8/7/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		8/7/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		8/7/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		8/7/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		8/7/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/7/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		8/7/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		8/7/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		8/7/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		8/7/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		8/7/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		8/7/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		8/7/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		8/7/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		8/7/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		8/7/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		8/7/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		8/7/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		8/7/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		8/7/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/7/2020	CJR	1

Project Name KLINKE
Project # 6274 PO#2020-1783

Invoice # E38275

Lab Code 5038275H
Sample ID 6274 EB
Sample Matrix Water
Sample Date 7/29/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		8/7/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		8/7/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		8/7/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		8/7/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		8/7/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		8/7/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/7/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		8/7/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		8/7/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		8/7/2020	CJR	1
SUR - Toluene-d8	106	REC %				8260B		8/7/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				8260B		8/7/2020	CJR	1
SUR - 4-Bromofluorobenzene	108	REC %				8260B		8/7/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %				8260B		8/7/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Sample Handling Request

Rush Analysis Date Required: _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6274
 Sampler: (signature) Melody Che

www.synergy-lab.net
1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • mrsynergy@wi.twcbc.com

Project (Name / Location): Klinka Cleaners, Madison WI
 Reports To: Brian Kappen Invoice To: Accounts Payable
 Company: EnviroForensics Company: EnviroForensics
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: 262-745-5054 Phone: 317-972-7870
 Email: bkappen@enviroforensics.com Email: accounts.payable@enviroforensics.com

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-PCRA METALS	PID/FID	
		Date	Time																					
<u>S038275A</u>	<u>6274-MW-1</u>	<u>7/29/20</u>	<u>1450</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
<u>B</u>	<u>6274-MW-2</u>	<u>7/29</u>	<u>1030</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
<u>C</u>	<u>6274-MW-3</u>	<u>7/29</u>	<u>1200</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
	<u>6274-MW-4</u>	<u>7/29</u>			<u>3</u>																			
<u>D</u>	<u>6274-P2-1</u>	<u>7/29</u>	<u>1357</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
<u>E</u>	<u>6274-P2-2</u>	<u>7/29</u>	<u>1030 0927</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
<u>F</u>	<u>6274-P2-3</u>	<u>7/29</u>	<u>1115</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
<u>G</u>	<u>6274-DUP</u>	<u>-</u>	<u>-</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	
<u>H</u>	<u>6274-EB</u>	<u>7/29</u>	<u>1500</u>		<u>3</u>	<u>GW</u>	<u>HCl</u>																	

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 2020-1783

Sample Integrity - To be completed by receiving lab.

Method of Shipment: GC

Temp. of Temp. Blank: _____ °C On Ice:

Cooler seal intact upon receipt: Yes No

Relinquished By: (sign)

Bjorn

Time

945

Date

8/3/20

Received By: (sign)

Gold Cross

Time

Date

Received in Laboratory By

Ch. [Signature]

Time:

8:00

Date:

8/4/20

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 18-Dec-20

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890A
Sample ID 6274 MW-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890A
Sample ID 6274 MW-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/15/2020	CJR	1
Tetrachloroethene	1.79	ug/l	0.33	1	1	8260B		12/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		12/15/2020	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890B
Sample ID 6274 MW-2
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/15/2020	CJR	1
Tetrachloroethene	3.8	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890B
Sample ID 6274 MW-2
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		12/15/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890C
Sample ID 6274 MW-3
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/15/2020	CJR	1
Tetrachloroethene	52	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890C
Sample ID 6274 MW-3
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Trichlorofluoromethane	1.64	ug/l	0.42	1.3	1	8260B		12/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
SUR - Toluene-d8	96	REC %				1	8260B	12/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				1	8260B	12/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %				1	8260B	12/15/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %				1	8260B	12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890D
Sample ID 6274 PZ-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/15/2020	CJR	1
Tetrachloroethene	4.2	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890D
Sample ID 6274 PZ-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		12/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			1	8260B		12/15/2020	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890E
Sample ID 6274 PZ-2
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/16/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/16/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/16/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/16/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/16/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/16/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/16/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/16/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/16/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/16/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/16/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/16/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/16/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/16/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/16/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/16/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/16/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/16/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/16/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/16/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/16/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/16/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/16/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/16/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/16/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/16/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/16/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/16/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/16/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/16/2020	CJR	1
Tetrachloroethene	14.1	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/16/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/16/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890E
Sample ID 6274 PZ-2
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/16/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/16/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
Trichloroethene (TCE)	0.64 "J"	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/16/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/16/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/16/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/16/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/16/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/16/2020	CJR	1
SUR - Toluene-d8	97	REC %				1	8260B	12/16/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1	8260B	12/16/2020	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				1	8260B	12/16/2020	CJR	1
SUR - Dibromofluoromethane	101	REC %				1	8260B	12/16/2020	CJR	1

Project Name KLINKE-SHERMAN
 Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890F
 Sample ID 6274 PZ-3
 Sample Matrix Water
 Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/16/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/16/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/16/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/16/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/16/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/16/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/16/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/16/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/16/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/16/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/16/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/16/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/16/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/16/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/16/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/16/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/16/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/16/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/16/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/16/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/16/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/16/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/16/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/16/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/16/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/16/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/16/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/16/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/16/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/16/2020	CJR	1
Tetrachloroethene	15.7	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/16/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/16/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890F
Sample ID 6274 PZ-3
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/16/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/16/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/16/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/16/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/16/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/16/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/16/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/16/2020	CJR	1
SUR - Toluene-d8	97	REC %				1	8260B	12/16/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				1	8260B	12/16/2020	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %				1	8260B	12/16/2020	CJR	1
SUR - Dibromofluoromethane	100	REC %				1	8260B	12/16/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890G
Sample ID 6274 DUP-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/16/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/16/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/16/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/16/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/16/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/16/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/16/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/16/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/16/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/16/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/16/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/16/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/16/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/16/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/16/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/16/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/16/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/16/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/16/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/16/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/16/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/16/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/16/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/16/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/16/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/16/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/16/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/16/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/16/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/16/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/16/2020	CJR	1
Tetrachloroethene	51	ug/l	0.33		1	8260B		12/16/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/16/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/16/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890G
Sample ID 6274 DUP-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/16/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/16/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/16/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/16/2020	CJR	1
Trichlorofluoromethane	1.5	ug/l	0.42	1.3	1	8260B		12/16/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/16/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/16/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/16/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/16/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/16/2020	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		12/16/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/16/2020	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		12/16/2020	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/16/2020	CJR	1

Project Name KLINKE-SHERMAN
 Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890H
 Sample ID 6274 EB-1
 Sample Matrix Water
 Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromobenzene	< 0.26	ug/l	0.26	0.84	1	8260B		12/15/2020	CJR	1
Bromodichloromethane	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Bromoform	< 0.65	ug/l	0.65	2.1	1	8260B		12/15/2020	CJR	1
tert-Butylbenzene	< 0.61	ug/l	0.61	1.9	1	8260B		12/15/2020	CJR	1
sec-Butylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
n-Butylbenzene	< 0.28	ug/l	0.28	0.89	1	8260B		12/15/2020	CJR	1
Carbon Tetrachloride	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
Chloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
Chloroform	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1
Chloromethane	< 0.8	ug/l	0.8	2.5	1	8260B		12/15/2020	CJR	1
2-Chlorotoluene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,2-Dibromo-3-chloropropane	< 0.82	ug/l	0.82	2.6	1	8260B		12/15/2020	CJR	1
Dibromochloromethane	< 0.23	ug/l	0.23	0.74	1	8260B		12/15/2020	CJR	1
1,4-Dichlorobenzene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
1,3-Dichlorobenzene	< 0.31	ug/l	0.31	0.98	1	8260B		12/15/2020	CJR	1
1,2-Dichlorobenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Dichlorodifluoromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/15/2020	CJR	1
1,2-Dichloroethane	< 0.39	ug/l	0.39	1.3	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/15/2020	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		12/15/2020	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.2	1	8260B		12/15/2020	CJR	1
trans-1,2-Dichloroethene	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
1,3-Dichloropropane	< 0.35	ug/l	0.35	1.1	1	8260B		12/15/2020	CJR	1
trans-1,3-Dichloropropene	< 0.3	ug/l	0.3	0.94	1	8260B		12/15/2020	CJR	1
cis-1,3-Dichloropropene	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Di-isopropyl ether	< 0.34	ug/l	0.34	1.1	1	8260B		12/15/2020	CJR	1
EDB (1,2-Dibromoethane)	< 0.24	ug/l	0.24	0.75	1	8260B		12/15/2020	CJR	1
Ethylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
Hexachlorobutadiene	< 0.72	ug/l	0.72	2.3	1	8260B		12/15/2020	CJR	1
Isopropylbenzene	< 0.32	ug/l	0.32		1	8260B		12/15/2020	CJR	1
p-Isopropyltoluene	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Methylene chloride	< 1.32	ug/l	1.32	4.21	1	8260B		12/15/2020	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Naphthalene	< 1.1	ug/l	1.1	3.6	1	8260B		12/15/2020	CJR	1
n-Propylbenzene	< 0.33	ug/l	0.33	1.1	1	8260B		12/15/2020	CJR	1
1,1,2,2-Tetrachloroethane	< 0.37	ug/l	0.37	1.2	1	8260B		12/15/2020	CJR	1
1,1,1,2-Tetrachloroethane	< 0.88	ug/l	0.88	3.3	1	8260B		12/15/2020	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33		1	8260B		12/15/2020	CJR	1
Toluene	< 0.26	ug/l	0.26	0.83	1	8260B		12/15/2020	CJR	1
1,2,4-Trichlorobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/15/2020	CJR	1

Project Name KLINKE-SHERMAN
Project # 6274 PO#2020-2142

Invoice # E38890

Lab Code 5038890H
Sample ID 6274 EB-1
Sample Matrix Water
Sample Date 12/9/2020

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 1	ug/l	1	3.2	1	8260B		12/15/2020	CJR	1
1,1,1-Trichloroethane	< 0.3	ug/l	0.3	0.95	1	8260B		12/15/2020	CJR	1
1,1,2-Trichloroethane	< 0.36	ug/l	0.36	1.1	1	8260B		12/15/2020	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/15/2020	CJR	1
Trichlorofluoromethane	< 0.42	ug/l	0.42	1.3	1	8260B		12/15/2020	CJR	1
1,2,4-Trimethylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		12/15/2020	CJR	1
1,3,5-Trimethylbenzene	< 0.32	ug/l	0.32	1	1	8260B		12/15/2020	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.65	1	8260B		12/15/2020	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.3	1	8260B		12/15/2020	CJR	1
o-Xylene	< 0.38	ug/l	0.38	1.2	1	8260B		12/15/2020	CJR	1
SUR - Toluene-d8	97	REC %				1	8260B	12/15/2020	CJR	1
SUR - 1,2-Dichloroethane-d4	90	REC %				1	8260B	12/15/2020	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %				1	8260B	12/15/2020	CJR	1
SUR - Dibromofluoromethane	98	REC %				1	8260B	12/15/2020	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code ***Comment***

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Environmental Lab, Inc.

www.synergy-lab.net
 1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • mrsynergy@wi.twcbc.com

Sample Handling Request

Rush Analysis Date Required: _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 QUOTE #: 8242
 Project #: 6274
 Sampler: (signature) *RLR*

Project (Name / Location): *Klinke - Sherman, Madison, WI*
 Reports To: *B. Kappen* Invoice To: *Accounts Payable*
 Company: *Enviroforensics, LLC* Company: *Enviroforensics, LLC*
 Address: _____ Address: _____
 City State Zip: _____ City State Zip: _____
 Phone: *262-745-5054* Phone: *317-972-7870*
 Email: *bkappen@enviroforensics.com* Email: *accounts payable@enviroforensics.com*

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 524.2)	VOC (EPA 8260)	VOC AIR (TO - 15)	8-RCRA METALS	PID/ FID	
		Date	Time																					
<i>5038890A</i>	<i>6274-MW-1</i>	<i>12-9-20</i>	<i>12:52</i>	<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCL</i>																	
<i>B</i>	<i>6274-MW-2</i>		<i>9:55</i>																					
<i>C</i>	<i>6274-MW-3</i>		<i>10:30</i>																					
<i>D</i>	<i>6274-P2-1</i>		<i>13:30</i>																					
<i>E</i>	<i>6274-P2-2</i>		<i>9:27</i>																					
<i>F</i>	<i>6274-P2-3</i>		<i>11:11</i>																					
<i>G</i>	<i>6274-DP-1</i>																							
<i>H</i>	<i>6274-EB-1</i>		<i>13:38</i>																					

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge, etc.)

PO# 2020-2142

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: *Ge*
 Temp. of Temp. Blank: _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) *RLR* Time *1600* Date *12-10-20*
 Received By: (sign) *CS Logistics* Time *1600* Date *12-10-20*
 Received in Laboratory By: *[Signature]* Time: *8:00* Date: *12/11/20*

Synergy Environmental Lab, INC

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W 23390 STONERIDGE DR
WAUKESHA WI 53188

Report Date 10-May-21

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358A
Sample ID 6274-MW-1
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358A
Sample ID 6274-MW-1
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	2.94	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	107	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	104	REC %			1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
 Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358B
 Sample ID 6274-MW-2
 Sample Matrix Water
 Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	4.0	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358B
Sample ID 6274-MW-2
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
 Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358C
 Sample ID 6274-MW-3
 Sample Matrix Water
 Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	0.43 "J"	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	34	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358C
Sample ID 6274-MW-3
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	1.34 "J"	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	96	REC %			1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
 Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358D
 Sample ID 6274-PZ-1
 Sample Matrix Water
 Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	3.9	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358D
Sample ID 6274-PZ-1
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	101	REC %				1 8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %				1 8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %				1 8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				1 8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358E
Sample ID 6274-PZ-2
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/7/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/7/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/7/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/7/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/7/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/7/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/7/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/7/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/7/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/7/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/7/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/7/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/7/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/7/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/7/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/7/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/7/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/7/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/7/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/7/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/7/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/7/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/7/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/7/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/7/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/7/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/7/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/7/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/7/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/7/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/7/2021	CJR	1
Tetrachloroethene	8.1	ug/l	0.54	2.22	1	8260B		5/7/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/7/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358E
Sample ID 6274-PZ-2
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/7/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/7/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/7/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/7/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/7/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %			1	8260B		5/7/2021	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		5/7/2021	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		5/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		5/7/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358F
Sample ID 6274-PZ-3
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/7/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/7/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/7/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/7/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/7/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/7/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/7/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/7/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/7/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/7/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/7/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/7/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/7/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/7/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/7/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/7/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/7/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/7/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/7/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/7/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/7/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/7/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/7/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/7/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/7/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/7/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/7/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/7/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/7/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/7/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/7/2021	CJR	1
Tetrachloroethene	17.8	ug/l	0.54	2.22	1	8260B		5/7/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/7/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358F
Sample ID 6274-PZ-3
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/7/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/7/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/7/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/7/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/7/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	108	REC %			1	8260B		5/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		5/7/2021	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		5/7/2021	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		5/7/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358G
Sample ID 6274-DUP-1
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/7/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/7/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/7/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/7/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/7/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/7/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/7/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/7/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/7/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/7/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/7/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/7/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/7/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/7/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/7/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/7/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/7/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/7/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/7/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/7/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/7/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/7/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/7/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/7/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/7/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/7/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/7/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/7/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/7/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/7/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/7/2021	CJR	1
Tetrachloroethene	2.6	ug/l	0.54	2.22	1	8260B		5/7/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/7/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358G
Sample ID 6274-DUP-1
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/7/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/7/2021	CJR	1
Trichlorofluoromethane	0.51 "J"	ug/l	0.49	2.01	1	8260B		5/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/7/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/7/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/7/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/7/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %			1	8260B		5/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	95	REC %			1	8260B		5/7/2021	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		5/7/2021	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		5/7/2021	CJR	1

Project Name KLINKE KLEANERS
 Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358H
 Sample ID 6274-EB-1
 Sample Matrix Water
 Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	0.99 "J"	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	1.52 "J"	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	0.76 "J"	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358H
Sample ID 6274-EB-1
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	100	REC %				1 8260B		5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				1 8260B		5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %				1 8260B		5/6/2021	CJR	1
SUR - Dibromofluoromethane	96	REC %				1 8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358I
Sample ID 6274-TB
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		5/6/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		5/6/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		5/6/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		5/6/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		5/6/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		5/6/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		5/6/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		5/6/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		5/6/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		5/6/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		5/6/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		5/6/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		5/6/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		5/6/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		5/6/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		5/6/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		5/6/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		5/6/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		5/6/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		5/6/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		5/6/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		5/6/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		5/6/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		5/6/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		5/6/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		5/6/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		5/6/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		5/6/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		5/6/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		5/6/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		5/6/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		5/6/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		5/6/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		5/6/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		5/6/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		5/6/2021	CJR	1

Project Name KLINKE KLEANERS
Project # 6274 PO#2021-0238

Invoice # E39358

Lab Code 5039358I
Sample ID 6274-TB
Sample Matrix Water
Sample Date 4/27/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		5/6/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		5/6/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		5/6/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		5/6/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		5/6/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		5/6/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		5/6/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		5/6/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		5/6/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		5/6/2021	CJR	1
SUR - Toluene-d8	101	REC %				1	8260B	5/6/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				1	8260B	5/6/2021	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %				1	8260B	5/6/2021	CJR	1
SUR - Dibromofluoromethane	98	REC %				1	8260B	5/6/2021	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code **Comment**

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

