




August 7, 2008
(400-1237)



Dennis Drews
Olde Tyme Cleaners
925 Horicon Street
Mayville, Wisconsin 53050

Re: Phase II Environmental Site Assessment Results, Olde Tyme Cleaners, 925 Horicon Street,
Mayville, Wisconsin, BRRTS # 02-14-551994

Dear Mr. Drews:

Northern Environmental Technologies, Incorporated (Northern Environmental) has prepared this letter summarizing the results of the limited Phase II Environmental Site Assessment (ESA) completed at the Olde Tyme Cleaners, 925 Horicon Street, Mayville, Wisconsin (the Site). The Site location is shown on Figure 1. This report provides the methods and results of the Phase II ESA.

BACKGROUND INFORMATION

The Site consists of approximately 0.32 acres and contains a 3,800 square foot one story building that is used as a dry cleaner. According to Mr. Drews, the property has operated a dry cleaner since the early 1950's. Perchloroethene (PCE), also known as tetrachloroethene, is the only known dry cleaning solvent used at the Site. To evaluate if a release has occurred in association with the dry cleaning operations at the Site, Northern Environmental was contracted to complete a Phase II ESA. The site layout is provided on Figure 2.

METHODS OF PHASE II ESA

On June 27, 2008, Northern Environmental oversaw the completion of four soil borings (B1 through B4) at the Property. Soil borings B1 through B3 were completed around the outside perimeter of the building using a Geoprobe operated by On-site Environmental Services, Inc. Soil boring B4 was completed by Northern Environmental Technologies personnel using a hand auger inside the building near the dry cleaning machine. Specifically, B1 was advanced near the northwest corner of the building. B2 and B3 were advanced near the south and west entrances to the building. The soil borings were advanced to a maximum depth of 10 feet below grade (fbg). Soil boring locations are shown on Figure 2.

Groundwater samples were collected from borings B1 and B2 using the Geoprobe sampling equipment. The soil boring/groundwater sampling locations are shown on Figure 2.

Soil samples were collected from the Geoprobe borings at 2-foot intervals and at 1-foot intervals from the hand auger borings. Northern Environmental personnel described each soil sample in the field. All downhole drilling and sampling equipment were cleaned prior to use on-site and between each boring. No lubricants or solvents were used on the downhole drilling or sampling equipment. The soil samples collected were properly containerized for field-screening and possible laboratory analysis. Soil sample collection, handling, and field-screening procedures followed Wisconsin Department of Natural Resources (WDNR) guidance. Field-screening was performed using a Thermal Environmental Instruments, Incorporated Model 580S or 580B photoionization detector (PID) outfitted with a 10.6 eV lamp and calibrated daily for direct response to isobutylene.

The soil sample exhibiting the highest PID reading from each soil boring was submitted for laboratory analysis. If no elevated PID readings were observed from the borings a sample collected between 1 to 4 fbg was submitted for laboratory analysis. A total of four soil samples were submitted under chain-of-custody protocol to a WDNR certified laboratory for analysis. Soil samples were submitted for laboratory analysis for volatile organic compounds (VOCs).

Groundwater samples (B-1 and B-2) were collected on the same day and submitted for laboratory analysis for VOCs.

RESULTS OF PHASE II ESA

Soil Results

Soil types encountered at the Site consisted of silty clay changing to fine to medium grained sands. Saturated soil was observed at approximately 10 fbg. Field screening of the soil samples collected from the borings produced no elevated PID readings.

Laboratory analysis detected PCE and/or its breakdown products in soil samples collected from B1, B2, B3, and B4. The highest concentrations of PCE were detected in soil samples collected from B4 advanced inside the building near the dry cleaning machine. Laboratory analytical results are summarized in Table 1. Soil laboratory analytical reports are included in Attachment A.

Groundwater Results

Standards for groundwater quality are established in Chapter NR 140, Wis. Adm. Code. A preventive action limit (PAL) and enforcement standard (ES) are established for many VOCs. If the concentration of any compound exceeds its PAL, a wide range of actions may be required, ranging from no action, to active remediation, to restoration of groundwater quality. If the concentration of any compound exceeds the ES, some action must be taken. This ranges from long-term monitoring to active remediation, depending on characteristics of the contaminants at the Site.

Laboratory analytical results detected PCE in excess of the PAL and ES in groundwater samples collected from B1 and B2. No other VOCs were detected in the groundwater samples in excess of the PAL or ES. Groundwater laboratory analytical results are summarized in Table 2. Copies of laboratory analytical reports are included in Attachment A.

CONCLUSIONS AND RECOMMENDATIONS

Results of laboratory analysis indicate that a release has occurred in association with the former dry cleaning operations. PCE and its associated breakdown products were detected in both soil and groundwater samples collected at the Site. The lateral and vertical extent of contamination was not determined during the Phase II ESA.

Chapter 292.11 Wisconsin Administrative Code requires that anyone who possesses or controls a hazardous substance or who causes the discharge of a hazardous substance notify the Department of Natural Resources (WDNR) immediately of any discharge. In compliance with state statutes, a release was reported to the WDNR on July 21, 2008. The WDNR has issued a letter requiring that a site investigation be performed to determine the extent of the soil and ground-water contamination and that appropriate remedial activities be conducted. The level of cleanup may range from natural attenuation monitoring to active soil and/or ground-water remediation, depending on results of the site investigation.

The investigation and remediation of the release may be eligible for reimbursement from the Dry cleaning Environmental Response Fund (DERF). Northern Environmental will assist you in securing eligibility for the fund and help you become familiar with the DERF program. We will also provide you with proposal to complete the site investigation at the Site.

The results of this study are based on interpretation of the information available to Northern Environmental. Northern Environmental does not warrant that this report represents an exhaustive study of all possible environmental concerns potentially associated with the Site. The items investigated as part of this study are believed to adequately address our client's needs at this time.

Thank you again for the opportunity to assist you with this important project. Please feel free to contact us at 920-592-8400 if you have any questions or concerns.

Sincerely,
**Northern Environmental
Technologies, Incorporated**



Michael A. Bach, EIT
Graduate Engineer




Lynelle P. Caine
Project Manager

MAB/mad

Enclosures

cc: Denise Nettesheim - WDNR

©2008 Northern Environmental Technologies, Incorporated



SCALE IN FEET

1" = 2000'



CONTOUR INTERVAL 10 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, MAYVILLE SOUTH, WISCONSIN, 1991 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)

Northern EnvironmentalSM
Hydrologists • Engineers • Surveyors • Scientists

1203 Storbeck Drive, Waupun, Wisconsin 53963
Phone: 800-498-3921 Fax: 920-324-3023

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

SITE LOCATION & LOCAL TOPOGRAPHY

Olde Tyme Cleaners
925 Horicon Street
Mayville, Wisconsin



HORICON STREET

STRIP MALL

DODGE COUNTY
HIGHWAY DEPT.

OLDE TYME CLEANERS
925 HORICON STREET

SB3

LEGEND
⊕ SOIL BORING LOCATION

SCALE IN FEET
20 0 20 40

Northern EnvironmentalSM

Hydrologists • Engineers • Surveyors • Scientists

1203 Storbeck Drive, Waupun, Wisconsin 53963
Phone: 800-498-3921 Fax: 920-324-3023

WISCONSIN ▲ MICHIGAN ▲ ILLINOIS ▲ IOWA

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE REPRODUCED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.

SITE LAYOUT WITH SOIL SAMPLE LOCATIONS

Olde Tyme Cleaners
925 Horicon Street
Mayville, Wisconsin

Table 1: Groundwater Analytical Results - Volatile Organic Compounds Analysis, Olde Tyme Cleaners, Mayville, Wisconsin

Well Identification	Date Sampled	Detected Volatile Organic Compounds VOCs (µg/l)																		
		1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Total Trimethylbenzene	1,2-Dichloroethane	Benzene	Chloromethane	cis-1,2-Dichloroethene	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	p-Isopropyltoluene	s-Butylbenzene	Toluene	Total Xylenes	Tetrachloroethene	Trichloroethene	Vinyl Chloride
NR 140 Preventative Action Limit (PAL)	NE	NE	96	85	0.5	10	NE	140	NE	12	8	NE	NE	200	1000	0.5	0.5	0.02		
NR 140 Enforcement Standard (ES)	NE	NE	480	850	5	100	NE	700	NE	60	40	NE	NE	1,000	10,000	5	5	0.2		
B-1	06/27/08	<1.1	<1.6	<2.7	<0.41	0.47"J"	<0.5	<0.44	0.4"J"	<0.6	<0.7	<1.8	<0.54	<0.77	<0.73	1.02"J"	<1.67	197	3.6	<0.2
B-2	06/27/08	<1.1	<1.6	<2.7	<0.41	0.29"J"	<0.5	<0.44	<0.35	<0.6	<0.7	<1.8	<0.54	<0.77	<0.73	0.59"J"	<1.67	132	<0.47	<0.2

Notes:

NE = Not Established

NA = Not Analyzed

NS = Not Sampled

<x = Analyte not detected to laboratory detection limit of x

All results reported in micrograms per liter (ug/l)

260 "J" Analyte detected between limit of detection and limit of quantitation

X Bold values indicate NR 140 ES Exceedance

X Italics indicate NR 140 PAL Exceedance

MTBE = Methyl tert-butyl ether

VOCs = Volatile Organic Compounds

Table 2: Soil Laboratory Analytical Results - VOC Analysis, Olde Tyme Cleaners, Mayville, Wisconsin

Boring Number	Soil Sample	Depth (feet)	Date Collected	Detected Volatile Organic Compounds VOCs (µg/kg)														
				Benzene	s-Butylbenzene	Ethylbenzene	Isopropylbenzene	p-Isopropyltoluene	MTBE	Naphthalene	n-Propylbenzene	Toluene	Tetrachloroethene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes	cis-1,2-Dichloroethane	Trichloroethene
			Wis. Admin Code Chapter NR720 RCLs	5.5	NE	2,900	NE	NE	NE	NE	NE	1,500	NE	NE	NE	4,100	4.9	NE
			Comm 46.06/ NR 746 Table 1 Indicators of Residual Product in Soil Pores	8,500	NE	4,600	NE	NE	NE	2,700	NE	38,000	NE	83,000	11,000	42,000	NE	NE
			Comm 46.06/ NR 746 Table 2 Direct Contact Criteria	1,100	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	540	NE	
B-1			06/27/08	<20	<25	<16	<30	<30	<23	<117	<29	<23	128	<20	<24	<48	<24	<20
B-2			06/27/08	<20	<35	<16	<30	<30	<23	<117	<29	<23	134	<20	<24	<48	<24	<20
B-3			06/27/08	<20	<25	<16	<30	<30	<23	<117	<29	<23	134	<20	<24	<48	<24	<20
B-4			06/27/08	<20	<25	<16	<30	<30	<23	<117	<29	<23	2,580	<20	<24	<48	<24	<20

NOTES:

iui = instrument units as isobutylene

NE = Not established

VOCs = Volatile Organic Compounds

MTBE = methyl-tertiary-butyl-ether

- - - = not submitted for laboratory analysis

mg/kg = milligrams per kilogram

µg/kg = micrograms per kilogram

X "J" = The analyte has been detected between the limit of detection (LOD) and limit of quantitation (LOQ)

X = Italic value indicates compound in excess of Wisconsin Administrative Code Chapter NR720 Residual Contaminant Levels (RCLs)

X = Bold value indicates compound in excess of Comm 46.06 Table 1 Indicators of Residual Product in Soil Pores

X = Compound in excess of Comm 46.06 Table 2 Direct Contact Criteria



ATTACHMENT A
LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

LYNELLE CAIN
NORTHERN ENVIRONMENTAL
1203 STORBECK
WAUPUN WI 53963

Report Date 09-Jul-08

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443A
Sample ID B-1
Sample Matrix Water
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.47 "J"	ug/l	0.24	0.75	1	8260B	7/3/2008	CJR	1	
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B	7/3/2008	CJR	1	
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B	7/3/2008	CJR	1	
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B	7/3/2008	CJR	1	
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B	7/3/2008	CJR	1	
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B	7/3/2008	CJR	1	
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	7/3/2008	CJR	1	
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B	7/3/2008	CJR	1	
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	7/3/2008	CJR	1	
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B	7/3/2008	CJR	1	
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B	7/3/2008	CJR	1	
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	7/3/2008	CJR	1	
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B	7/3/2008	CJR	1	
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B	7/3/2008	CJR	1	
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B	7/3/2008	CJR	1	
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B	7/3/2008	CJR	1	
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B	7/3/2008	CJR	1	
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B	7/3/2008	CJR	1	
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B	7/3/2008	CJR	1	
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B	7/3/2008	CJR	1	

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443A
Sample ID B-1
Sample Matrix Water
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/3/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		7/3/2008	CJR	1
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		7/3/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		7/3/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		7/3/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		7/3/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		7/3/2008	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		7/3/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		7/3/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		7/3/2008	CJR	1
Ethylbenzene	0.4 "J"	ug/l	0.35	1.1	1	8260B		7/3/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		7/3/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		7/3/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		7/3/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		7/3/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		7/3/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		7/3/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		7/3/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		7/3/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		7/3/2008	CJR	1
Tetrachloroethene	197	ug/l	0.5	1.6	1	8260B		7/3/2008	CJR	1
Toluene	1.02 "J"	ug/l	0.39	1.2	1	8260B		7/3/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		7/3/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		7/3/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		7/3/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		7/3/2008	CJR	1
Trichloroethene (TCE)	3.6	ug/l	0.47	1.5	1	8260B		7/3/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		7/3/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		7/3/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		7/3/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		7/3/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		7/3/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		7/3/2008	CJR	1

Lab Code 5017443B
Sample ID B-2
Sample Matrix Water
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic VOC's										
Benzene	0.29 "J"	ug/l	0.24	0.75	1	8260B		7/3/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		7/3/2008	CJR	1

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443B
Sample ID B-2
Sample Matrix Water
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B	7/3/2008	CJR	1	
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B	7/3/2008	CJR	1	
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B	7/3/2008	CJR	1	
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B	7/3/2008	CJR	1	
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B	7/3/2008	CJR	1	
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B	7/3/2008	CJR	1	
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B	7/3/2008	CJR	1	
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B	7/3/2008	CJR	1	
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B	7/3/2008	CJR	1	
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B	7/3/2008	CJR	1	
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B	7/3/2008	CJR	1	
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B	7/3/2008	CJR	1	
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B	7/3/2008	CJR	1	
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B	7/3/2008	CJR	1	
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B	7/3/2008	CJR	1	
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B	7/3/2008	CJR	1	
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B	7/3/2008	CJR	1	
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B	7/3/2008	CJR	1	
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B	7/3/2008	CJR	1	
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B	7/3/2008	CJR	1	
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B	7/3/2008	CJR	1	
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B	7/3/2008	CJR	1	
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B	7/3/2008	CJR	1	
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B	7/3/2008	CJR	1	
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B	7/3/2008	CJR	1	
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B	7/3/2008	CJR	1	
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B	7/3/2008	CJR	1	
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B	7/3/2008	CJR	1	
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B	7/3/2008	CJR	1	
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B	7/3/2008	CJR	1	
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B	7/3/2008	CJR	1	
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B	7/3/2008	CJR	1	
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B	7/3/2008	CJR	1	
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B	7/3/2008	CJR	1	
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B	7/3/2008	CJR	1	
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B	7/3/2008	CJR	1	
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B	7/3/2008	CJR	1	
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B	7/3/2008	CJR	1	
Tetrachloroethene	132	ug/l	0.5	1.6	1	8260B	7/3/2008	CJR	1	
Toluene	0.59 "J"	ug/l	0.39	1.2	1	8260B	7/3/2008	CJR	1	
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B	7/3/2008	CJR	1	
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B	7/3/2008	CJR	1	
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B	7/3/2008	CJR	1	

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443B
Sample ID B-2
Sample Matrix Water
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B	7/3/2008	CJR	1	
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	7/3/2008	CJR	1	
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B	7/3/2008	CJR	1	
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B	7/3/2008	CJR	1	
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B	7/3/2008	CJR	1	
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B	7/3/2008	CJR	1	
m&p-Xylene	< 1	ug/l		3.2	1	8260B	7/3/2008	CJR	1	
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B	7/3/2008	CJR	1	

Lab Code 5017443C
Sample ID B-3
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent										
	87.1	%			1	5021		7/1/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B	7/8/2008	CJR	1	
Bromobenzene	< 34	ug/kg	34	107	1	8260B	7/8/2008	CJR	1	
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B	7/8/2008	CJR	1	
Bromoform	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B	7/8/2008	CJR	1	
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B	7/8/2008	CJR	1	
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	7/8/2008	CJR	1	
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	7/8/2008	CJR	1	
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	7/8/2008	CJR	1	
Chloroethane	< 23	ug/kg	23	73	1	8260B	7/8/2008	CJR	1	
Chloroform	< 50	ug/kg	50	160	1	8260B	7/8/2008	CJR	1	
Chloromethane	< 43	ug/kg	43	136	1	8260B	7/8/2008	CJR	1	
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	7/8/2008	CJR	1	
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	7/8/2008	CJR	1	
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B	7/8/2008	CJR	1	
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B	7/8/2008	CJR	1	
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B	7/8/2008	CJR	1	
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B	7/8/2008	CJR	1	
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B	7/8/2008	CJR	1	
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B	7/8/2008	CJR	1	
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B	7/8/2008	CJR	1	
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443C
Sample ID B-3
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/8/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		7/8/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		7/8/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		7/8/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		7/8/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		7/8/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		7/8/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		7/8/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		7/8/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		7/8/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		7/8/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		7/8/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		7/8/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		7/8/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		7/8/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		7/8/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		7/8/2008	CJR	1
Tetrachloroethene	134	ug/kg	18	57	1	8260B		7/8/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		7/8/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		7/8/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		7/8/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		7/8/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		7/8/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		7/8/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		7/8/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		7/8/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		7/8/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		7/8/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		7/8/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		7/8/2008	CJR	1

Lab Code 5017443D
Sample ID B-4
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	83.9	%			1	5021		7/1/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		7/8/2008	CJR	1

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443D
Sample ID B-4
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Bromobenzene	< 34	ug/kg	34	107	1	8260B	7/8/2008	CJR	1	
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B	7/8/2008	CJR	1	
Bromoform	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B	7/8/2008	CJR	1	
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B	7/8/2008	CJR	1	
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	7/8/2008	CJR	1	
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	7/8/2008	CJR	1	
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	7/8/2008	CJR	1	
Chloroethane	< 23	ug/kg	23	73	1	8260B	7/8/2008	CJR	1	
Chloroform	< 50	ug/kg	50	160	1	8260B	7/8/2008	CJR	1	
Chloromethane	< 43	ug/kg	43	136	1	8260B	7/8/2008	CJR	1	
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	7/8/2008	CJR	1	
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	7/8/2008	CJR	1	
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B	7/8/2008	CJR	1	
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B	7/8/2008	CJR	1	
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B	7/8/2008	CJR	1	
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B	7/8/2008	CJR	1	
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B	7/8/2008	CJR	1	
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B	7/8/2008	CJR	1	
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B	7/8/2008	CJR	1	
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B	7/8/2008	CJR	1	
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B	7/8/2008	CJR	1	
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B	7/8/2008	CJR	1	
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B	7/8/2008	CJR	1	
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B	7/8/2008	CJR	1	
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B	7/8/2008	CJR	1	
Ethylbenzene	< 16	ug/kg	16	52	1	8260B	7/8/2008	CJR	1	
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B	7/8/2008	CJR	1	
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B	7/8/2008	CJR	1	
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B	7/8/2008	CJR	1	
Methylene chloride	< 44	ug/kg	44	140	1	8260B	7/8/2008	CJR	1	
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
Naphthalene	< 117	ug/kg	117	373	1	8260B	7/8/2008	CJR	1	
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B	7/8/2008	CJR	1	
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B	7/8/2008	CJR	1	
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	
Tetrachloroethene	2580	ug/kg	18	57	1	8260B	7/8/2008	CJR	1	
Toluene	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B	7/8/2008	CJR	1	
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B	7/8/2008	CJR	1	

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443D

Sample ID B-4

Sample Matrix Soil

Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		7/8/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		7/8/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		7/8/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		7/8/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		7/8/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		7/8/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		7/8/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		7/8/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		7/8/2008	CJR	1

Lab Code 5017443E

Sample ID B-1

Sample Matrix Soil

Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.2	%			1	5021		7/1/2008	MDK	1
Organic										
VOC's										
Benzene	< 20	ug/kg	20	64	1	8260B		7/8/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		7/8/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		7/8/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		7/8/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		7/8/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		7/8/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		7/8/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		7/8/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/8/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		7/8/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		7/8/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		7/8/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		7/8/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		7/8/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		7/8/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		7/8/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		7/8/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		7/8/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		7/8/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		7/8/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		7/8/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		7/8/2008	CJR	1

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443E
Sample ID B-1
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B	7/8/2008	CJR	1	
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B	7/8/2008	CJR	1	
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B	7/8/2008	CJR	1	
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B	7/8/2008	CJR	1	
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B	7/8/2008	CJR	1	
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B	7/8/2008	CJR	1	
Ethylbenzene	< 16	ug/kg	16	52	1	8260B	7/8/2008	CJR	1	
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B	7/8/2008	CJR	1	
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B	7/8/2008	CJR	1	
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B	7/8/2008	CJR	1	
Methylene chloride	< 44	ug/kg	44	140	1	8260B	7/8/2008	CJR	1	
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
Naphthalene	< 117	ug/kg	117	373	1	8260B	7/8/2008	CJR	1	
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B	7/8/2008	CJR	1	
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B	7/8/2008	CJR	1	
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	
Tetrachloroethene	128	ug/kg	18	57	1	8260B	7/8/2008	CJR	1	
Toluene	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B	7/8/2008	CJR	1	
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B	7/8/2008	CJR	1	
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B	7/8/2008	CJR	1	
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B	7/8/2008	CJR	1	
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B	7/8/2008	CJR	1	
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B	7/8/2008	CJR	1	
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B	7/8/2008	CJR	1	
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B	7/8/2008	CJR	1	
m&p-Xylene	< 33	ug/kg	33	104	1	8260B	7/8/2008	CJR	1	
o-Xylene	< 15	ug/kg	15	47	1	8260B	7/8/2008	CJR	1	

Lab Code 5017443F
Sample ID B-2
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	92.2	%			1	5021			MDK	1

Organic
VOC's

Project Name MAYVILLE
 Project # 400-1237

Invoice # E17443

Lab Code 5017443F
 Sample ID B-2
 Sample Matrix Soil
 Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Benzene	< 20	ug/kg	20	64	1	8260B	7/8/2008	CJR	1	
Bromobenzene	< 34	ug/kg	34	107	1	8260B	7/8/2008	CJR	1	
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B	7/8/2008	CJR	1	
Bromoform	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B	7/8/2008	CJR	1	
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B	7/8/2008	CJR	1	
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B	7/8/2008	CJR	1	
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B	7/8/2008	CJR	1	
Chlorobenzene	< 16	ug/kg	16	52	1	8260B	7/8/2008	CJR	1	
Chloroethane	< 23	ug/kg	23	73	1	8260B	7/8/2008	CJR	1	
Chloroform	< 50	ug/kg	50	160	1	8260B	7/8/2008	CJR	1	
Chloromethane	< 43	ug/kg	43	136	1	8260B	7/8/2008	CJR	1	
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B	7/8/2008	CJR	1	
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B	7/8/2008	CJR	1	
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B	7/8/2008	CJR	1	
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B	7/8/2008	CJR	1	
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B	7/8/2008	CJR	1	
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B	7/8/2008	CJR	1	
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B	7/8/2008	CJR	1	
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B	7/8/2008	CJR	1	
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B	7/8/2008	CJR	1	
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B	7/8/2008	CJR	1	
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B	7/8/2008	CJR	1	
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B	7/8/2008	CJR	1	
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B	7/8/2008	CJR	1	
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B	7/8/2008	CJR	1	
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B	7/8/2008	CJR	1	
Ethylbenzene	< 16	ug/kg	16	52	1	8260B	7/8/2008	CJR	1	
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B	7/8/2008	CJR	1	
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B	7/8/2008	CJR	1	
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B	7/8/2008	CJR	1	
Methylene chloride	< 44	ug/kg	44	140	1	8260B	7/8/2008	CJR	1	
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
Naphthalene	< 117	ug/kg	117	373	1	8260B	7/8/2008	CJR	1	
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B	7/8/2008	CJR	1	
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B	7/8/2008	CJR	1	
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B	7/8/2008	CJR	1	
Tetrachloroethene	66	ug/kg	18	57	1	8260B	7/8/2008	CJR	1	
Toluene	< 23	ug/kg	23	72	1	8260B	7/8/2008	CJR	1	
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B	7/8/2008	CJR	1	

Project Name MAYVILLE
Project # 400-1237

Invoice # E17443

Lab Code 5017443F
Sample ID B-2
Sample Matrix Soil
Sample Date 6/27/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B	7/8/2008	CJR	1	
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B	7/8/2008	CJR	1	
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B	7/8/2008	CJR	1	
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B	7/8/2008	CJR	1	
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B	7/8/2008	CJR	1	
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B	7/8/2008	CJR	1	
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B	7/8/2008	CJR	1	
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B	7/8/2008	CJR	1	
m&p-Xylene	< 33	ug/kg	33	104	1	8260B	7/8/2008	CJR	1	
o-Xylene	< 15	ug/kg	15	47	1	8260B	7/8/2008	CJR	1	

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection


LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Authorized Signature



CHAIN OF CUSTODY / CORD REQUEST FOR ANALYSIS

Page 1 of 1
No: 1264

Check office originating request

954 Circle Drive
Green Bay, WI 54304
920-592-8400
FAX 920-592-8444

330 South 4th Avenue
Park Falls, WI 54552
715-762-1544
Fax 715-762-1844

647 Academy Drive
Northbrook, IL 60062
847-562-8577
FAX 847-562-8552

3349 Southgate Court SW #102
Cedar Rapids, IA 52404
319-365-0466
FAX 319-365-0464

1214 W. Venture Ct.
Mequon, WI 53092
262-241-3133
FAX 262-241-8222

1203 Storbeck Drive
Waupun, WI 53963
920-324-8600
FAX 920-324-3023

203 West Upham Street
Marshfield, WI 54449
715-486-1300
FAX 715-486-1313

15851 S. U.S. 27 - Blg. 30, Suite 318
Lansing, MI 48906
517-702-0470
FAX 517-702-0477

Project No: <u>Olde Tyme Cleaners 400-1237</u>		Task No: <u>400-1237</u>		Laboratory: <u>Synergy</u>	Sample Integrity - To be completed by receiving lab Seal intact upon receipt <input checked="" type="checkbox"/> yes <input type="checkbox"/> no Method of shipment <u>Ground</u> Contents Temperature <u>in ice</u> °C Refrigerator No. _____											
Project Location: <u>Mayville, WI</u>				Wisconsin DNR Certification #:	ANALYSES REQUESTED											
Project Manager: <u>Lynelle Cain</u>				Laboratory Contact:												
Sampler: (name) <u>D. Posthumus</u>				Price Quote:												
Sampler: (Signature) <u>[Signature]</u>				TURNAROUND TIME REQUIRED												
Sampling Date(s): <u>6-27-08</u>				<input checked="" type="checkbox"/> Normal <input type="checkbox"/> Rush												
Reports to be Sent to: <u>Lynelle Cain</u>				Date Needed: _____												
SOT: 443A	Lab ID No.	Sample No.	Collection	No. of Containers, Size & Type	Description			Preservative			DRO (WI Modified Method)					
			Date	Time	Water	Soil	Other							GRO (WI Modified Method)	BETX (EPA Method 8020)	PVOC (EPA Method 8021)
														VOC (EPA Method 8021)	PAH (EPA Method)	Pb (EPA Method)
Packed for Shipping by: <u>DDP</u>			Comments: _____													
Shipment Date: <u>6-30-08</u>																
Relinquished By: <u>DDP</u>			Date: _____	Relinquished By: _____			Date: _____	Relinquished By: _____			Date: _____					
Company: <u>NETI</u>			Time: _____	Company: _____			Time: _____	Company: _____			Time: _____					
Received By: <u>M. Cain</u>			Date: <u>7-1-08</u>	Received By: _____			Date: _____	Received By: _____			Date: _____					
Company: <u>SGL</u>			Time: <u>9:10</u>	Company: _____			Time: _____	Company: _____			Time: _____					



ATTACHMENT B
SOIL BORING LOGS

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

Facility/Project Name OLDE TYME CLEANERS			License/Permit/Monitoring Number		Boring Number B-1
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: _____ Last Name: _____ Firm: On-site Environmental Services, Inc.			Date Drilling Started 6/ 27/ 008 m m d d y y y	Date Drilling Completed 6/ 27/ 008 m m d d y y y	Drilling Method GEOPROBE
WI Unique Well No. _____	DNR Well ID No. _____	Well Name _____	Final Static Water Level Feet MSL _____	Surface Elevation Feet MSL _____	Borehole Diameter 12" inches
Local Grid Origin <input type="checkbox"/> (estimated: <input checked="checked" type="checkbox"/>) or Boring Location <input type="checkbox"/> N. _____ E. _____ State Plane _____ N. _____ E. _____ NE 1/4 of SW 1/4 of Section 23, T 12 N, R 16 E			Lat 0° 0' 0"	Long 0° 0' 0"	Local Grid Location <input type="checkbox"/> N _____ <input type="checkbox"/> E _____ Feet <input type="checkbox"/> S _____ Feet <input type="checkbox"/> W _____
Facility ID	County DODGE	County Code 14	Civil Town/City/ or Village MAYVILLE		

Number and Type	Length Alt. & Recovered (in)	Blow Counts	Depth in Feet (below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	U S C S	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
				'0-5 Asphalt 1 .5 to 5' silty clay 2 changing to medium sands with gravel 3 4 5 5' to 10' medium sands 6 with gravel 7 8 9 10				O O O O O						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

NORTHERN ENVIRONMENTAL

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

Facility/Project Name OLDE TYME CLEANERS			License/Permit/Monitoring Number	Boring Number B2
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: _____ Last Name: _____ Firm: On-site Environmental Services, Inc.			Date Drilling Started 6/27/008 mm dd yy	Date Drilling Completed 6/27/008 mm dd yy
WI Unique Well No. _____	DNR Well ID No. _____	Well Name _____	Final Static Water Level Feet MSL _____	Drilling Method GEOPROBE
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane _____ N. _____ E NE 1/4 of SW 1/4 of Section 23, T 12 N, R 16 E			Surface Elevation Feet MSL Lat 0° 0' " Long 0° 0' "	Borehole Diameter inches Local Grid Location N <input type="checkbox"/> E <input type="checkbox"/> Feet <input type="checkbox"/> S <input type="checkbox"/> Feet <input type="checkbox"/> W
Facility ID _____	County DODGE	County Code 14	Civil Town/City or Village MAYVILLE	

Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	Soil/Rock Description And Geologic Origin For Each Major Unit	USCS	Graphic Log	Well Diagram	PID/FID	Soil Properties					RQD/Comments
									Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	
			1	0'-5' Asphalt				0						
			2	.5' to 5' silty clay				0						
			3	changing to medium				0						
			4	Sands with gravel				0						
			5	5' to 10' medium				0						
			6	Sands with gravel				0						
			7					0						
			8					0						
			9					0						
			10	End of Boring 10'				0						

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature 

Firm **NORTHERN ENVIRONMENTAL**

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

Facility/Project Name OLDE TYME CLEANERS			License/Permit/Monitoring Number		Boring Number B-3								
Boring Drilled By: Name of crew chief (first, last) and Firm First Name: Last Name: Firm: On-site Environmental Services, Inc.			Date Drilling Started 6/ 27/ 008 m m d d y y y y	Date Drilling Completed 6/ 27/ 008 m m d d y y y y	Drilling Method GEOPROBE								
WI Unique Well No.	DNR Well ID No.	Well Name	Final Static Water Level Feet MSL		Surface Elevation Feet MSL	Borehole Diameter inches							
Local Grid Origin <input type="checkbox"/> (estimated: <input type="checkbox"/>) or Boring Location <input checked="" type="checkbox"/> State Plane _____ N, _____ E NE 1/4 of Section 23, T 12 N, R 16 E			Lat 0° 0' "	Long 0° 0' "	Local Grid Location <input type="checkbox"/> N <input type="checkbox"/> E Feet <input type="checkbox"/> S <input type="checkbox"/> Feet <input type="checkbox"/> W								
Facility ID	County DODGE	County Code 14	Civil Town/City or Village MAYVILLE										
Sample			Soil Properties										
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	USCS	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/Comments
			1' 0 - 1' Topsoil				O						
			2' 0 - 5' silty clay				O						
			Channing to gravelly clay at 5'				O						
			6' 0 - 9' Refusal at 9'				O						
			10'										

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

NORTHERN ENVIRONMENTAL

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Route To: Watershed/Wastewater Waste Management
Remediation/Development Other

Page 1 of 1

I hereby certify that the information on this form is true and correct to the best of my knowledge.

Signature

Firm

NORTHERN ENVIRONMENTAL

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.