

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: Hazardous substance discharges must be reported immediately according to s. 292.11 Wis. Stats. Non-emergency hazardous substance discharges may be reported by telefaxing or e-mailing a completed report to the Department, or calling or visiting a Department office in person. If you choose to notify the Department by telefax or by email, you should use this form to be sure that all necessary information is included. However, use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 - 19.39, Wis. Stats.).

Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. **TYPE or PRINT LEGIBLY.** NOTIFY appropriate DNR region (see next page) **IMMEDIATELY** upon discovery of a potential release from (check one):

- Underground Petroleum Storage Tank System  
 Aboveground Petroleum Storage Tank System  
 Dry Cleaner Facility (DERP eligibility based on:  Facility owner/operator  Property owner of licensed facility)  
 Other - Describe: \_\_\_\_\_

ATTN DNR: **R & R Program Associate**

Date DNR Notified: July 8, 2008

**1. Discharge Reported By**

Name Ken Ebbott	Firm Alpha Terra Science	(Area Code) Phone Number 9208922444
Mailing Address 1237 S. Pilgrim Road, Plymouth, WI 53073		E-mail Address kenebbott@alphaterra.net

**2. Site Information**

Name of site at which discharge occurred. Include local name of site/business, not responsible party name, unless a residence/vacant property.

SHIRDON, INC. dba Shorewood Queensway Cleaners

Location: Include street address, not PO Box. If no street address, describe as precisely as possible, i.e., 1/4 mile NW of CTHs 60 & 123 on E side of CTH 60.

4300 Oakland Avenue

Municipality: (City, Village, Township) Specify municipality in which the site is located, not mailing address/city.

Shorewood

County: Milwaukee	Legal Description: NW 1/4 SW 1/4 Sec 3 Tn 7 Range 22	WTM: E X _____ Y _____
----------------------	---	------------------------------

**3. Responsible Party (RP) and/or RP Representative**

Responsible Party Name: Business or owner name that is responsible for cleanup. If more than one, list all. Attach additional pages as necessary.

SHIRDON, INC. dba Shorewood Queensway Cleaners

Reported in compliance with s. 292.11(2), Wis. Stats., by a local government exempt from liability under s. 292.11(9)(e), Wis. Stats. For more information see [http://dnr.wi.gov/org/aw/tr/liability/muni\\_1.html](http://dnr.wi.gov/org/aw/tr/liability/muni_1.html).

Contact Person Name (if different) Ms. Shirley Carlson	Phone Number 4149625150	E-mail Address None	
Mailing Address 4300 Oakland Avenue	City Shorewood	State WI	ZIP Code 53211

(continued)

**4. Hazardous Substance Impact Information**

Identify hazardous substance discharged (check all that apply):

- |   |   |   |
|---|---|---|
| <input checked="" type="checkbox"/> VOC's       | <input type="checkbox"/> Diesel                 | <input checked="" type="checkbox"/> PERC (Dry Cleaners)     |
| <input type="checkbox"/> PAH's                  | <input type="checkbox"/> Fuel Oil               | <input type="checkbox"/> RCRA Hazardous Waste               |
| <input type="checkbox"/> Metals (specify) _____ | <input type="checkbox"/> Gasoline               | <input type="checkbox"/> Leachate                           |
| <input type="checkbox"/> Arsenic                | <input type="checkbox"/> Hydraulic Oil          | <input type="checkbox"/> Fertilizer                         |
| <input type="checkbox"/> Chromium               | <input type="checkbox"/> Jet Fuel               | <input type="checkbox"/> Pesticide/Herbicide/Insecticide(s) |
| <input type="checkbox"/> Cyanide                | <input type="checkbox"/> Mineral Oil            | <input type="checkbox"/> Other (specify): _____             |
| <input type="checkbox"/> Lead                   | <input type="checkbox"/> Waste Oil              | <input type="checkbox"/> Unknown                            |
| <input type="checkbox"/> PCB's                  | <input type="checkbox"/> Petroleum-Unknown Type |   |

**5. Impacts to the Environment Information**

Enter "K" for known/confirmed or "P" for potential for all that apply.

- |  |  |  |
|--|--|--|
| <input type="checkbox"/> Air Contamination                       | <input type="checkbox"/> Contamination in Right of Way | <input type="checkbox"/> Sanitary Sewer Contamination  |
| <input type="checkbox"/> Co-Contamination                        | <input type="checkbox"/> Direct Contact                | <input checked="" type="checkbox"/> Soil Contamination |
| <input type="checkbox"/> Concrete/Asphalt                        | <input type="checkbox"/> Expanding Plume               | <input type="checkbox"/> Storm Sewer Contamination     |
| <input type="checkbox"/> Contained/Recovered                     | <input type="checkbox"/> Fire Explosion Threat         | <input type="checkbox"/> Surface Water Contamination   |
| <input type="checkbox"/> Contamination Within 1 Meter of Bedrock | <input type="checkbox"/> Free Product                  | <input type="checkbox"/> Within 100 ft of Private Well |
| <input type="checkbox"/> Contaminated Private Well               | <input type="checkbox"/> Groundwater Contamination     | <input type="checkbox"/> Within 1000 ft of Public Well |
| <input type="checkbox"/> Contaminated Public Well                | <input type="checkbox"/> Off-Site Contamination        |  |
| <input type="checkbox"/> Contamination in Fractured Bedrock      | <input type="checkbox"/> Other (specify): _____        |  |

Contamination was discovered as a result of:

- |  |   |   |
|--|---|---|
| <input type="checkbox"/> Tank closure assessment | <input checked="" type="checkbox"/> Site assessment | <input type="checkbox"/> Other - Describe _____ |
| Date: _____                                      | Date: June 13, 2008                                 | Date: _____                                     |

**6. Federal Energy Act Requirements (Section 9002(d) of the Solid Waste Disposal Act (SWDA))**

For all UST's please provide the following information:

Quantity	Source	Quantity	Cause
—	Tank	—	Spill
—	Piping	—	Overfill
—	Dispenser	—	Corrosion
—	Submersible Turbine Pump	—	Physical or Mechanical Damage
—	Delivery Problem	—	Installation Problem
—	Other (specify): _____	—	Other (does not fit any of above)
		—	Unknown

Lab results:  Lab results will be faxed upon receipt  Lab results are attached

Additional Comments: Include a brief description of immediate actions taken to halt the release and contain or cleanup hazardous substances that have been discharged.

Contact information to report non-emergency releases in DNR's five regions are as follows:

- Northeast Region (FAX: 920-662-5197); Attention – R&R Program Associate: DNRRRNER@wisconsin.gov**  
Brown, Calumet, Door, Fond du Lac (except City of Waupun - see South Central Region), Green Lake, Kewaunee, Manitowoc, Marinette, Marquette, Menominee, Oconto, Outagamie, Shawano, Waupaca, Waushara, Winnebago counties
- Northern Region (FAX: 715-623-6773); Attention – R&R Program Associate: DNRRRNOR@wisconsin.gov**  
Ashland, Barron, Bayfield, Burnett, Douglas, Forest, Florence, Iron, Langlade, Lincoln, Oneida, Polk, Price, Rusk, Sawyer, Taylor, Vilas, Washburn counties
- South Central Region (FAX: 608-275-3338); Attention -- R&R Program Associate: DNRRRSCR@wisconsin.gov**  
Columbia, Dane, Dodge, Fond du Lac (City of Waupun only), Grant, Green, Iowa, Jefferson, Lafayette, Richland, Rock, Sauk counties
- Southeast Region (FAX: 414-263-8550); Attention – R&R Program Associate: DNRRRSER@wisconsin.gov**  
Kenosha, Milwaukee, Ozaukee, Racine, Sheboygan, Walworth, Washington, Waukesha counties
- West Central Region (FAX: 715-839-6076); Attention -- R&R Program Associate: DNRRRWCR@wisconsin.gov**  
Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties



Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)469-2436

June 18, 2008

Ken Ebbott  
ALPHA TERRA SCIENCE - PLYMOUTH  
1237 South Pilgrim Rd  
Plymouth, WI 53073

RE: Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

Dear Ken Ebbott:

Enclosed are the analytical results for sample(s) received by the laboratory on June 16, 2008. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Eric Wied

eric.wied@pacelabs.com  
Project Manager

Enclosures

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)469-2436

**CERTIFICATIONS**

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

---

**Green Bay Certification IDs**

Florida (NELAP) Certification #: E87948  
Illinois Certification #: 200050  
California Certification #: 06246CA  
New York Certification #: 11888  
North Dakota Certification #: R-150  
North Carolina Certification #: 503

Minnesota Certification #: 055-999-334  
South Carolina Certification #: 83006001  
Wisconsin Certification #: 405132750  
Wisconsin DATCP Certification #: 105-444  
Kentucky Certification #: 82  
Louisiana Certification #: 04168

**Green Bay Volatiles Certification IDs**

Florida (NELAP) Certification #: E87951  
California Certification #: 06247CA  
Illinois Certification #: 200051  
New York Certification #: 11887  
North Dakota Certification #: R-200  
North Carolina Certification #: 503

Minnesota Certification #: 055-999-334  
South Carolina Certification #: 83006001  
Wisconsin Certification #: 405132750  
Wisconsin DATCP Certification #: 105-444  
Kentucky Certification #: 83  
Louisiana Certification #: 04169

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.

1241 Bellevue Street

Green Bay, WI 54302

(920)469-2436

**SAMPLE SUMMARY**

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

Lab ID	Sample ID	Matrix	Date Collected	Date Received
405182001	HA-1 6IN-18IN	Solid	06/13/08 09:30	06/16/08 14:30
405182002	MEOH BLANK	Solid	06/13/08 00:00	06/16/08 14:30

**REPORT OF LABORATORY ANALYSIS**

Page 3 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)469-2436

### SAMPLE ANALYTE COUNT

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
405182001	HA-1 6IN-18IN	ASTM D2974-87	AG	1	PASI-G
		EPA 8260	JJB	64	PASI-G
405182002	MEOH BLANK	EPA 8260	JJB	64	PASI-G

### REPORT OF LABORATORY ANALYSIS

Page 4 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)469-2436

## ANALYTICAL RESULTS

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

Sample: HA-1 6IN-18IN Lab ID: 405182001 Collected: 06/13/08 09:30 Received: 06/16/08 14:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	71-43-2	W
Bromobenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	108-86-1	W
Bromochloromethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	74-97-5	W
Bromodichloromethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	75-27-4	W
Bromoform	<207 ug/kg		480	207	8	06/17/08 10:35	06/17/08 17:11	75-25-2	W
Bromomethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	74-83-9	W
n-Butylbenzene	<323 ug/kg		480	323	8	06/17/08 10:35	06/17/08 17:11	104-51-8	W
sec-Butylbenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	135-98-8	W
tert-Butylbenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	98-06-6	W
Carbon tetrachloride	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	56-23-5	W
Chlorobenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	108-90-7	W
Chloroethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	75-00-3	W
Chloroform	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	67-66-3	W
Chloromethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	74-87-3	W
2-Chlorotoluene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	95-49-8	W
4-Chlorotoluene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	106-43-4	W
1,2-Dibromo-3-chloropropane	<658 ug/kg		2000	658	8	06/17/08 10:35	06/17/08 17:11	96-12-8	W
Dibromochloromethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	124-48-1	W
1,2-Dibromoethane (EDB)	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	106-93-4	W
Dibromomethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	74-95-3	W
1,2-Dichlorobenzene	<355 ug/kg		480	355	8	06/17/08 10:35	06/17/08 17:11	95-50-1	W
1,3-Dichlorobenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	541-73-1	W
1,4-Dichlorobenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	106-46-7	W
Dichlorodifluoromethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	75-71-8	W
1,1-Dichloroethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	75-34-3	W
1,2-Dichloroethane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	107-08-2	W
1,1-Dichloroethene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	75-35-4	W
cis-1,2-Dichloroethene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	156-59-2	W
trans-1,2-Dichloroethene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	156-60-5	W
1,2-Dichloropropane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	78-87-5	W
1,3-Dichloropropane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	142-28-9	W
2,2-Dichloropropane	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	594-20-7	W
1,1-Dichloropropene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	563-58-6	W
cis-1,3-Dichloropropene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	10061-01-5	W
trans-1,3-Dichloropropene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	10061-02-6	W
Diisopropyl ether	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	108-20-3	W
Ethylbenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	100-41-4	W
Hexachloro-1,3-butadiene	<211 ug/kg		480	211	8	06/17/08 10:35	06/17/08 17:11	87-68-3	W
Isopropylbenzene (Cumene)	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	98-82-8	W
p-Isopropyltoluene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	99-87-6	W
Methylene Chloride	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	75-09-2	W
Methyl-tert-butyl ether	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	1634-04-4	W
Naphthalene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	91-20-3	W
n-Propylbenzene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	103-65-1	W
Styrene	<200 ug/kg		480	200	8	06/17/08 10:35	06/17/08 17:11	100-42-5	W

Date: 06/18/2008 03:35 PM

## REPORT OF LABORATORY ANALYSIS

Page 5 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.

1241 Bellevue Street

Green Bay, WI 54302

(920)469-2438

## ANALYTICAL RESULTS

Project: SHOREWOOD QUEENSWAY

Pace Project No.: 405182

Sample: HA-1 6IN-18IN Lab ID: 405182001 Collected: 06/13/08 09:30 Received: 06/16/08 14:30 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	630-20-6	W
1,1,2,2-Tetrachloroethane	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	79-34-5	W
Tetrachloroethene	23100	ug/kg	557	232	8	06/17/08 10:35	06/17/08 17:11	127-18-4	
Toluene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	108-88-3	W
1,2,3-Trichlorobenzene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	87-61-6	W
1,2,4-Trichlorobenzene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	120-82-1	W
1,1,1-Trichloroethane	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	71-55-6	W
1,1,2-Trichloroethane	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	79-00-5	W
Trichloroethene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	79-01-6	W
Trichlorofluoromethane	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	75-69-4	W
1,2,3-Trichloropropane	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	96-18-4	W
1,2,4-Trimethylbenzene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	95-63-6	W
1,3,5-Trimethylbenzene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	108-67-8	W
Vinyl chloride	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	75-01-4	W
m&p-Xylene	<200	ug/kg	960	200	8	06/17/08 10:35	06/17/08 17:11	1330-20-7	W
o-Xylene	<200	ug/kg	480	200	8	06/17/08 10:35	06/17/08 17:11	95-47-6	W
Dibromofluoromethane (S)	124	%	64-140		8	06/17/08 10:35	06/17/08 17:11	1868-53-7	
Toluene-d8 (S)	114	%	67-139		8	06/17/08 10:35	06/17/08 17:11	2037-26-5	
4-Bromofluorobenzene (S)	105	%	64-133		8	06/17/08 10:35	06/17/08 17:11	460-00-4	
<b>Percent Moisture</b>		Analytical Method: ASTM D2974-87							
Percent Moisture	13.8	%	0.10	0.10	1		06/18/08 08:23		

Date: 06/18/2008 03:35 PM

## REPORT OF LABORATORY ANALYSIS

Page 6 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..







Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)468-2436

## ANALYTICAL RESULTS

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

Sample: MEOH BLANK Lab ID: 405182002 Collected: 06/13/08 00:00 Received: 06/16/08 14:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-27-4	W
Bromofom	<25.9	ug/kg	60.0	25.9	1	06/17/08 10:35	06/17/08 14:51	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/17/08 10:35	06/17/08 14:51	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/17/08 10:35	06/17/08 14:51	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/17/08 10:35	06/17/08 14:51	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	100-41-4	W
Hexachloro-1,3-butadiene	<25.4	ug/kg	60.0	26.4	1	06/17/08 10:35	06/17/08 14:51	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	100-42-5	W

Date: 06/18/2008 03:35 PM

## REPORT OF LABORATORY ANALYSIS

Page 7 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc.,





Pace Analytical Services, Inc.

1241 Bellevue Street

Green Bay, WI 54302

(920)468-2436

## ANALYTICAL RESULTS

Project: SHOREWOOD QUEENSWAY

Pace Project No.: 405182

Sample: MEOH BLANK Lab ID: 405182002 Collected: 06/13/08 00:00 Received: 06/16/08 14:30 Matrix: Solid

Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260 MSV Med Level Normal List</b>									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/17/08 10:35	06/17/08 14:51	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/17/08 10:35	06/17/08 14:51	95-47-6	W
Dibromofluoromethane (S)	101	%	64-140		1	06/17/08 10:35	06/17/08 14:51	1868-53-7	
Toluene-d8 (S)	98	%	67-139		1	06/17/08 10:35	06/17/08 14:51	2037-26-5	
4-Bromofluorobenzene (S)	100	%	64-133		1	06/17/08 10:35	06/17/08 14:51	460-00-4	

Date: 06/18/2008 03:35 PM

## REPORT OF LABORATORY ANALYSIS

Page 8 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.

1241 Bellevue Street

Green Bay, WI 54302

(920)468-2436

## QUALITY CONTROL DATA

Project: SHOREWOOD QUEENSWAY

Pace Project No.: 405182

QC Batch: MSV/1956

Analysis Method: EPA 8260

QC Batch Method: EPA 5035/5030B

Analysis Description: 8260 MSV Med Level Normal List

Associated Lab Samples: 405182001, 405182002

METHOD BLANK: 41379

Associated Lab Samples: 405182001, 405182002

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	60.0	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	
1,1-Dichloroethane	ug/kg	<25.0	60.0	
1,1-Dichloroethene	ug/kg	<25.0	60.0	
1,1-Dichloropropene	ug/kg	<25.0	60.0	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	
1,2-Dibromo-3-chloropropane	ug/kg	<82.3	250	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	
1,2-Dichlorobenzene	ug/kg	<44.4	60.0	
1,2-Dichloroethane	ug/kg	<25.0	60.0	
1,2-Dichloropropane	ug/kg	<25.0	60.0	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	
1,3-Dichloropropane	ug/kg	<25.0	60.0	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	
2,2-Dichloropropane	ug/kg	<25.0	60.0	
2-Chlorotoluene	ug/kg	<25.0	60.0	
4-Chlorotoluene	ug/kg	<25.0	60.0	
Benzene	ug/kg	<25.0	60.0	
Bromobenzene	ug/kg	<25.0	60.0	
Bromochloromethane	ug/kg	<25.0	60.0	
Bromodichloromethane	ug/kg	<25.0	60.0	
Bromoform	ug/kg	<25.9	60.0	
Bromomethane	ug/kg	<25.0	60.0	
Carbon tetrachloride	ug/kg	<25.0	60.0	
Chlorobenzene	ug/kg	<25.0	60.0	
Chloroethane	ug/kg	<25.0	60.0	
Chloroform	ug/kg	<25.0	60.0	
Chloroethane	ug/kg	<25.0	60.0	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	
Dibromochloromethane	ug/kg	<25.0	60.0	
Dibromomethane	ug/kg	<25.0	60.0	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	
Diisopropyl ether	ug/kg	<25.0	60.0	
Ethylbenzene	ug/kg	<25.0	60.0	
Hexachloro-1,3-butadiene	ug/kg	<26.4	60.0	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	

Date: 06/18/2008 03:35 PM

## REPORT OF LABORATORY ANALYSIS

Page 9 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)469-2436

### QUALITY CONTROL DATA

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

METHOD BLANK: 41379

Associated Lab Samples: 405182001, 405182002

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
m&p-Xylene	ug/kg	<25.0	120	
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	
Methylene Chloride	ug/kg	<25.0	60.0	
n-Butylbenzene	ug/kg	<40.4	60.0	
n-Propylbenzene	ug/kg	<25.0	60.0	
Naphthalene	ug/kg	<25.0	60.0	
o-Xylene	ug/kg	<25.0	60.0	
p-Isopropyltoluene	ug/kg	<25.0	60.0	
sec-Butylbenzene	ug/kg	<25.0	60.0	
Styrene	ug/kg	<25.0	60.0	
tert-Butylbenzene	ug/kg	<25.0	60.0	
Tetrachloroethene	ug/kg	<25.0	60.0	
Toluene	ug/kg	<25.0	60.0	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	
Trichloroethene	ug/kg	<25.0	60.0	
Trichlorofluoromethane	ug/kg	<25.0	60.0	
Vinyl chloride	ug/kg	<25.0	60.0	
4-Bromofluorobenzene (S)	%	103	64-133	
Dibromofluoromethane (S)	%	113	64-140	
Toluene-d8 (S)	%	111	67-139	

LABORATORY CONTROL SAMPLE & LCSD: 41380

41381

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2590	2570	104	103	75-125	.8	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2590	2440	103	97	75-125	6	20	
1,1,2-Trichloroethane	ug/kg	2500	2510	2470	100	99	75-125	2	20	
1,1-Dichloroethane	ug/kg	2500	2700	2610	106	105	75-125	3	20	
1,1-Dichloroethene	ug/kg	2500	2670	2750	107	110	54-149	3	20	
1,2-Dichloroethane	ug/kg	2500	2530	2440	101	98	75-125	3	20	
1,2-Dichloropropane	ug/kg	2500	2710	2610	108	104	75-125	4	20	
Benzene	ug/kg	2500	2600	2480	104	99	75-125	4	20	
Bromodichloromethane	ug/kg	2500	2610	2530	104	101	75-125	3	20	
Bromoform	ug/kg	2500	2390	2270	96	91	72-125	5	20	
Bromomethane	ug/kg	2500	2300	2270	92	91	40-159	1	20	
Carbon tetrachloride	ug/kg	2500	2610	2640	105	106	75-125	1	20	
Chlorobenzene	ug/kg	2500	2540	2480	102	99	75-125	2	20	
Chloroethane	ug/kg	2500	2290	2190	92	88	40-179	4	20	
Chloroform	ug/kg	2500	2520	2460	101	98	75-125	3	20	
Chloromethane	ug/kg	2500	2090	2120	84	85	42-125	1	20	
cis-1,2-Dichloroethene	ug/kg	2500	2660	2540	107	102	75-125	6	20	
cis-1,3-Dichloropropene	ug/kg	2500	2730	2630	109	105	75-125	4	20	
Dibromochloromethane	ug/kg	2500	2550	2470	102	99	75-125	3	20	
Ethylbenzene	ug/kg	2500	2680	2660	107	106	75-125	.7	20	

Date: 06/18/2008 03:35 PM

### REPORT OF LABORATORY ANALYSIS

Page 10 of 14

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Pace Analytical Services, Inc.

1241 Bellevue Street

Green Bay, WI 54302

(920)469-2436

## QUALITY CONTROL DATA

Project: SHOREWOOD QUEENSWAY

Pace Project No.: 405182

LABORATORY CONTROL SAMPLE &amp; LCSD: 41380

41381

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/kg	5000	5410	5300	108	106	75-127	2	20	
Methylene Chloride	ug/kg	2500	2360	2650	94	106	58-144	12	20	
o-Xylene	ug/kg	2500	2820	2760	113	110	75-125	2	20	
Styrene	ug/kg	2500	2390	2300	96	92	75-130	4	20	
Tetrachloroethene	ug/kg	2500	2560	2540	102	102	75-125	.8	20	
Toluene	ug/kg	2500	2600	2530	104	101	75-125	3	20	
trans-1,2-Dichloroethene	ug/kg	2500	2630	2680	105	103	75-125	2	20	
trans-1,3-Dichloropropene	ug/kg	2500	2580	2470	103	99	75-125	4	20	
Trichloroethene	ug/kg	2500	2620	2580	106	103	75-125	2	20	
Vinyl chloride	ug/kg	2500	2310	2390	92	96	49-125	4	20	
4-Bromofluorobenzene (S)	%				106	103	64-133			
Dibromofluoromethane (S)	%				112	110	64-140			
Toluene-d8 (S)	%				109	107	67-139			



Pace Analytical Services, Inc.  
 1241 Bellevue Street  
 Green Bay, WI 54302  
 (920)469-2436

**QUALITY CONTROL DATA**

Project: SHOREWOOD QUEENSWAY  
 Pace Project No.: 405182

QC Batch: PMST/1454 Analysis Method: ASTM D2974-87  
 QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture  
 Associated Lab Samples: 405182001

SAMPLE DUPLICATE: 41617

Parameter	Units	404677001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	10.5	10.7	1	10	





Pace Analytical Services, Inc.  
1241 Bellevue Street  
Green Bay, WI 54302  
(920)469-2436

## QUALIFIERS

Project: SHOREWOOD QUEENSWAY  
Pace Project No.: 405182

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

### LABORATORIES

PASI-G Pace Analytical Services - Green Bay

### BATCH QUALIFIERS

Batch: MSV/1957

[1] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

### ANALYTE QUALIFIERS

W Non-detect results are reported on a wet weight basis.



Pace Analytical Services, Inc.  
 1241 Bellevue Street  
 Green Bay, WI 54302  
 (920)469-2430

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: SHOREWOOD QUEENSWAY  
 Pace Project No.: 405182

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
405182001	HA-1 6IN-18IN	EPA 5035/5030B	MSV/1956	EPA 8260	MSV/1957
405182002	MEOH BLANK	EPA 5035/5030B	MSV/1956	EPA 8260	MSV/1957
405182001	HA-1 6IN-18IN	ASTM D2974-87	PMST/1454		



Sample Condition Upon Receipt



Client Name: Alpha Terra Science Project # 405182

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: \_\_\_\_\_

Custody Seal on Cooler/Box Present:  yes  no Seals Intact:  yes  no

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Thermometer Used NA Type of Ice: Wet Blue None  Samples on ice, cooling process has begun

Cooler Temperature 201 Biological Tissues Frozen: Yes No

Temp should be above freezing to 6°C

Comments: JAS ✓

Optical:
Project:
Date:
Project Name:
Date and Initials of person examining contents: <u>11/10/08 AB</u>

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>S</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Lot # of added preservative
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16. <u>Non pace Meth blank</u>
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: [Signature]

Date: 06/16/08

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office ( i.e out of hold, incorrect preservative, out of temp, incorrect containers)

(Please Print Clearly)



COC No. 012057

T-560 P. 018/018 F-360

920-892-2620

FROM-ALPHA TERRA SCIENCE

07-09-2008 09:05AM

Company Name: ALPHA TERRA SCIENCE  
 Address/Location: PLYMOUTH / WI  
 Contact: KEN EBBOTT  
 Phone: 920 892 2444  
 Project Number:  
 Project Name: Shorewood Queenway  
 Project State: WI  
 Prepared By (Print): KEN EBBOTT  
 Prepared By (Sign): Ken EBBOTT

**CHAIN OF CUSTODY**

*YSL*

\*Preservation Codes  
 A=None B=HCL C=H2SO4 D=HNO3 E=D Water F=Methanol G=NaOH  
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)  
PRESERVATION (CODE)\*

Y/N	Pick Letter	Analyses Requested									
N	F	VOC									
X											
X											

Quote #: DERF ANNUAL  
 Mail To Contact: KEN EBBOTT  
 Mail To Company: ALPHA TERRA SCIENCE  
 Mail To Address: 1237 PINGRIM RD PLYMOUTH WI 53073  
 Invoice To Contact: KEN EBBOTT  
 Invoice To Company: ALPHA TERRA SCIENCE  
 Invoice To Address: SAME  
 Invoice To Phone: 920 892 2444  
 CLIENT COMMENTS: DERF PAGE 252  
 LAB COMMENTS: 1-40Z POLYTA 1-ADMIF  
 Profile #:

**Matrix Codes**  
 A = Air W = Water  
 B = Biotin GW = Drinking Water  
 C = Charcoal GW = Ground Water  
 O = Oil SW = Surface Water  
 S = Soil WW = Waste Water  
 SI = Sludge WP = Wipe

**MS/MSD**  
 On your sample (billable)  
 NOT needed on your sample

**Matrix Codes**  
 EPA Level III  
 EPA Level IV

CLIENT LAB #	CLIENT FIELD ID	COLLECTION		MATRIX	Y/N	Pick Letter	Analyses Requested
		DATE	TIME				
001	HA-1 6"18"	6-16-08	9:30	SOIL	X		VOC
002	MEOH BLANK				X		

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)  
 Date Needed: \_\_\_\_\_

Relinquished By: *Michelle Bueh* Date/Time: *6-16-08 11:20am*  
 Received By: *R. Kemper* Date/Time: *6/16/08 11:20*

Relinquished By: *R. Kemper* Date/Time: *6/16/08 14:30*  
 Received By: *Wendy Buesky* Date/Time: *6/16/08 14:30*

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Relinquished By: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
 Received By: \_\_\_\_\_ Date/Time: \_\_\_\_\_

PACE Project No. *405182*  
 Receipt Temp = *201* °C  
 Sample Receipt pH: *NA*  
 Cooler Custody Seal: *Present / Not Present*  
 Intact / Not Intact: *Intact*