



RECEIVED

April 23, 2014

Aunt Pegs Oakland Avenue LLC
C/o William P. Scott
Gonzalez Saggio & Harlan LLP
111 East Wisconsin Avenue
Suite 1000
Milwaukee, WI 53202

MAY 1 2014

Initial:

Subject: Environmental Investigation Sampling Results
BRRTS#: 02-41-552089

FID 241 094 590

Dear Aunt Pegs Oakland Avenue LLC:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14 (2), Environmental Forensic Investigations, Inc. (EnviroForensics) is providing the results from environmental samples collected from your property located at 4312-4334 North Oakland Ave on April 4, 2014. The sampling activities are part of an environmental investigation being performed for the Shorewood Queensway Cleaners facility located at 4300 North Oakland Avenue in Shorewood, Wisconsin at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethylene (PCE) and its associated breakdown products.

The Responsible Party is:

SHOREWOOD QUEENSWAY DRY CLEANERS
4300 North Oakland Avenue Shorewood, Wisconsin 53211
414-962-5150

GROUNDWATER SAMPLING RESULTS

The following summarizes groundwater analytical results from the monitoring wells located on the Aunt Peg's property.

- MW-4
 - No analytes exceeded laboratory detection limits.

- MW-5
 - Cis-1,2-Dichloroethene (cis-1,2-DCE), PCE and trichloroethene (TCE) were

- detected at 62 ug/l, 750 ug/l, and 44ug/l respectively.
- PCE and TCE exceed the WDNR Enforcement Standard (ES) of 5 ug/l.
- Cis-1,2-DCE is above the preventive action limit(PAL) of 7 ug/l but below the ES.

- MW-7
 - No analytes exceeded laboratory detection limits.

- MW-9
 - Cis-1,2-DCE, Trans-1,2-Dichlorethene (trans-1,2-DCE), PCE and TCE were detected at 56 ug/l, 6.5 ug/l, 47 ug/l, and 6.0 ug/l respectively.
 - PCE and TCE exceed the WDNR ES of 5 ug/l.
 - Cis-1,2-DCE is below the WDNR ES but above the PAL of 7 ug/l.
 - Trans-1,2-DCE is below the WDNR ES and PAL.

Groundwater sampling locations can be identified visually in **Figure 1** with results from the entire monitoring well network for the Shorewood Queensway site. Groundwater analytical results are consistent with previous sampling events and are presented in **Table 1**. The results from the recently installed monitoring well, MW-9, have not significantly changed the conceptual site model from that submitted in Site Investigation Report dated August 1, 2013. Previously detected compounds benzenes, toluenes, chlorobenzene and chloromethane are not associated with PCE or its associated degradation products. Laboratory analytical reports are provided as **Attachment 1**.

If you have any questions or concerns, please contact me at 262-510-0612 or by email at rhoverman@enviroforensics.com. The WDNR project manager, J. Hnat, can be reached at 414-263-8644. We greatly appreciate your help and patience with this matter.

Sincerely,
Environmental Forensic Investigations, Inc.



Robert Hoverman, L.P.G.
Senior Project Manager

Attachments


Copy: William Mulligan, Davis & Kuelthau (electronically)
Michael Scott, Davis & Kuelthau (electronically)
J. Hnat, Wisconsin Department of Natural Resources (electronically)

TABLE 1
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS
 Shorewood Queensway Dry Cleaners
 Shorewood, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Chlorobenzene	Chloromethane	Toluene
Enforcement Standard (ug/L)		5	5	70	100	100	8.3	160
Preventive Action Limit (ug/L)		0.5	0.5	7	20	20	0.83	800
MW-4	11/19/2009	WI	WI	WI	WI	WI	WI	WI
	2/26/2010	< 0.45	< 0.48	< 0.83	< 0.89	< 0.41	< 0.24	< 0.67
	10/18/2010	< 0.45	< 0.48	< 0.83	< 0.89	< 0.41	< 0.24	< 0.67
	5/5/2011	< 0.45	< 0.48	< 0.83	< 0.89	< 0.41	< 0.24	< 0.67
	1/27/2012	< 0.50	< 0.20	< 0.20	< 0.20	< 0.20	< 1.0	< 0.50
	4/4/2014	< 0.33	< 0.33	< 0.38	< 0.35	< 0.24	< 0.81	< 0.69
MW-5	11/19/2009	WI	WI	WI	WI	WI	WI	WI
	2/26/2010	239	10.7	17.9	1.10	< 0.41	0.34J	< 0.67
	10/18/2010	978	45.1	63.7	< 8.9	< 4.1	< 2.4	< 6.7
	5/6/2011	747	31.0	44.2	2.4J	< 1.0	< 0.60	< 0.67
	1/27/2012	690	36	63	1.9J	0.20J	< 1.0	0.61J
	4/4/2014	750	44	63	< 3.5	< 2.4	< 8.1	< 6.9
MW-7	10/18/2010	< 0.45	< 0.48	< 0.83	< 0.89	< 0.41	0.92J	< 0.67
	5/6/2011	< 0.45	< 0.48	< 0.83	< 0.89	< 0.41	< 0.24	< 0.67
	1/27/2012	< 0.50	< 0.20	< 0.20	< 0.20	< 0.20	< 1.0	< 0.50
	4/4/2014	< 0.33	< 0.33	< 0.38	< 0.35	< 0.24	< 0.81	< 0.69
MW-9	4/4/2014	47	6.0	56	6.5	< 0.24	< 0.81	< 0.69

Notes:

- ug/L= micrograms per liter
- Samples analyzed using EPA SW-846 Method 8260
- VOCs = Volatile Organic Compounds
- Bolded** and orange shaded values are above Public Health Enforcement Standard
- Bolded** and blue shaded values are above Public Health Preventive Action Limit
- Bolded** values are above detection limits
- J=Analyte detected between the laboratory Reporting Limit and the laboratory Method Detection Limit
- NA = Not Analyzed
- WI = Well installed but not yet producing water
- NES = No Established Standard



Legend

--- Property boundary
 - - - Fence line

MW-1 Monitoring well location

Analyte	Public Health Preventive Action Limit	Public Health Enforcement Standard
PCE	0.5	5
TCE	0.5	5
cis-1,2-DCE	7	70
trans-1,2-DCE	20	100
Benzene	0.5	5
n-Butylbenzene	NE	NE
Ethylbenzene	140	700
Isopropylbenzene	NE	NE
Naphthalene	10	100
n-Propylbenzene	NE	NE
Toluene	200	1,000
p-Isopropyltoluene	NE	NE
1,2,4-TMB	96	480

Note:

1. Bolded and orange shaded values exceed the Public Health Enforcement Standard
2. Bolded and blue shaded values exceed the Public Health Preventive Action Limit
3. Bolded values are above detection limits
4. J = Analyte concentration less than laboratory detection limits
5. Samples analyzed using EPA SW-846 Method 8260
6. All results reported in units of micrograms per liter (ug/L)
7. PCE = Tetrachloroethene
8. TCE = Trichloroethene
9. 1,2,4-TMB = 1,2,4-Trimethylbenzene
10. VOCs = Volatile Organic Compounds
11. ND = Not detected
12. NE = Not established

No.	Date	Revision	Approved	 ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 802 N Capitol Ave, Suite 210 • Indianapolis, IN 46204 EnviroForensics.com	Date: 4/17/14	Designed: EB	MONITORING WELL ANALYTICAL RESULTS MAP Further Site Investigation Report Shorewood Queensway Cleaners 4300 N. Oakland Avenue; Shorewood, WI	Figure *

ATTACHMENT 1

Lab Code 5026781D
 Sample ID 6107-MW-4
 Sample Matrix Water
 Sample Date 4/4/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/15/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/15/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/15/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/15/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		4/15/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		4/15/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/15/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		4/15/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		4/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		4/15/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		4/15/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/15/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/15/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/15/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/15/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		4/15/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		4/15/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		4/15/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		4/15/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	4
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		4/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		4/15/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/15/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		4/15/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/15/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		4/15/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/15/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/15/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		4/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/15/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/15/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/15/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		4/15/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/15/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		4/15/2014	CJR	1
SUR - Dibromofluoromethane	87	REC %			1	8260B		4/15/2014	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		4/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		4/15/2014	CJR	1

Lab Code 5026781E
 Sample ID 6107-MW-5
 Sample Matrix Water
 Sample Date 4/4/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 2.4	ug/l	2.4	7.7	10	8260B		4/15/2014	CJR	1
Bromobenzene	< 3.2	ug/l	3.2	10	10	8260B		4/15/2014	CJR	1
Bromodichloromethane	< 3.7	ug/l	3.7	12	10	8260B		4/15/2014	CJR	1
Bromoform	< 3.5	ug/l	3.5	11	10	8260B		4/15/2014	CJR	1
tert-Butylbenzene	< 3.6	ug/l	3.6	12	10	8260B		4/15/2014	CJR	1
sec-Butylbenzene	< 3.3	ug/l	3.3	10	10	8260B		4/15/2014	CJR	1
n-Butylbenzene	< 3.5	ug/l	3.5	11	10	8260B		4/15/2014	CJR	1
Carbon Tetrachloride	< 3.3	ug/l	3.3	11	10	8260B		4/15/2014	CJR	1
Chlorobenzene	< 2.4	ug/l	2.4	7.7	10	8260B		4/15/2014	CJR	1
Chloroethane	< 6.3	ug/l	6.3	20	10	8260B		4/15/2014	CJR	1
Chloroform	< 2.8	ug/l	2.8	8.8	10	8260B		4/15/2014	CJR	1
Chloromethane	< 8.1	ug/l	8.1	26	10	8260B		4/15/2014	CJR	1
2-Chlorotoluene	< 2.1	ug/l	2.1	6.6	10	8260B		4/15/2014	CJR	1
4-Chlorotoluene	< 2.1	ug/l	2.1	6.8	10	8260B		4/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 8.8	ug/l	8.8	28	10	8260B		4/15/2014	CJR	1
Dibromochloromethane	< 2.2	ug/l	2.2	7	10	8260B		4/15/2014	CJR	1
1,4-Dichlorobenzene	< 3	ug/l	3	9.6	10	8260B		4/15/2014	CJR	1
1,3-Dichlorobenzene	< 2.8	ug/l	2.8	8.9	10	8260B		4/15/2014	CJR	1
1,2-Dichlorobenzene	< 3.6	ug/l	3.6	12	10	8260B		4/15/2014	CJR	1
Dichlorodifluoromethane	< 4.4	ug/l	4.4	14	10	8260B		4/15/2014	CJR	1
1,2-Dichloroethane	< 4.1	ug/l	4.1	13	10	8260B		4/15/2014	CJR	1
1,1-Dichloroethane	< 3	ug/l	3	9.7	10	8260B		4/15/2014	CJR	1
1,1-Dichloroethene	< 4	ug/l	4	13	10	8260B		4/15/2014	CJR	1
cis-1,2-Dichloroethene	62	ug/l	3.8	12	10	8260B		4/15/2014	CJR	1
trans-1,2-Dichloroethene	< 3.5	ug/l	3.5	11	10	8260B		4/15/2014	CJR	1
1,2-Dichloropropane	< 3.2	ug/l	3.2	10	10	8260B		4/15/2014	CJR	1
2,2-Dichloropropane	< 3.6	ug/l	3.6	12	10	8260B		4/15/2014	CJR	4
1,3-Dichloropropane	< 3.3	ug/l	3.3	10	10	8260B		4/15/2014	CJR	1
Di-isopropyl ether	< 2.3	ug/l	2.3	7.3	10	8260B		4/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 4.4	ug/l	4.4	14	10	8260B		4/15/2014	CJR	1
Ethylbenzene	< 5.5	ug/l	5.5	17	10	8260B		4/15/2014	CJR	1
Hexachlorobutadiene	< 15	ug/l	15	48	10	8260B		4/15/2014	CJR	1
Isopropylbenzene	< 3	ug/l	3	9.6	10	8260B		4/15/2014	CJR	1
p-Isopropyltoluene	< 3.1	ug/l	3.1	9.8	10	8260B		4/15/2014	CJR	1
Methylene chloride	< 5	ug/l	5	16	10	8260B		4/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 2.3	ug/l	2.3	7.4	10	8260B		4/15/2014	CJR	1
Naphthalene	< 17	ug/l	17	55	10	8260B		4/15/2014	CJR	1
n-Propylbenzene	< 2.5	ug/l	2.5	8.1	10	8260B		4/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 4.5	ug/l	4.5	14	10	8260B		4/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 3.3	ug/l	3.3	11	10	8260B		4/15/2014	CJR	1
Tetrachloroethene	750	ug/l	3.3	11	10	8260B		4/15/2014	CJR	1
Toluene	< 6.9	ug/l	6.9	22	10	8260B		4/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 9.8	ug/l	9.8	31	10	8260B		4/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 18	ug/l	18	58	10	8260B		4/15/2014	CJR	1
1,1,1-Trichloroethane	< 3.3	ug/l	3.3	10	10	8260B		4/15/2014	CJR	1
1,1,2-Trichloroethane	< 3.4	ug/l	3.4	11	10	8260B		4/15/2014	CJR	1
Trichloroethene (TCE)	44	ug/l	3.3	10	10	8260B		4/15/2014	CJR	1
Trichlorofluoromethane	< 7.1	ug/l	7.1	23	10	8260B		4/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 22	ug/l	22	69	10	8260B		4/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 14	ug/l	14	45	10	8260B		4/15/2014	CJR	1
Vinyl Chloride	< 1.8	ug/l	1.8	5.7	10	8260B		4/15/2014	CJR	1
m&p-Xylene	< 6.9	ug/l	6.9	22	10	8260B		4/15/2014	CJR	1
o-Xylene	< 6.3	ug/l	6.3	20	10	8260B		4/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			10	8260B		4/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	121	REC %			10	8260B		4/15/2014	CJR	6
SUR - Dibromofluoromethane	92	REC %			10	8260B		4/15/2014	CJR	1
SUR - Toluene-d8	109	REC %			10	8260B		4/15/2014	CJR	1

Lab Code 5026781G
 Sample ID 6107-MW-7
 Sample Matrix Water
 Sample Date 4/4/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/15/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/15/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/15/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/15/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		4/15/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		4/15/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/15/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		4/15/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		4/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		4/15/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		4/15/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/15/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/15/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/15/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/15/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		4/15/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		4/15/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		4/15/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		4/15/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	4
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		4/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		4/15/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/15/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		4/15/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/15/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		4/15/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/15/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/15/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		4/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/15/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/15/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/15/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		4/15/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/15/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		4/15/2014	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		4/15/2014	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		4/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %			1	8260B		4/15/2014	CJR	1

Lab Code 5026781I
 Sample ID 6107-MW-9
 Sample Matrix Water
 Sample Date 4/4/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/15/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		4/15/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		4/15/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		4/15/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		4/15/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		4/15/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		4/15/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		4/15/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		4/15/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		4/15/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		4/15/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/15/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		4/15/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		4/15/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		4/15/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		4/15/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		4/15/2014	CJR	1
cis-1,2-Dichloroethene	56	ug/l	0.38	1.2	1	8260B		4/15/2014	CJR	1
trans-1,2-Dichloroethene	6.5	ug/l	0.35	1.1	1	8260B		4/15/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		4/15/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		4/15/2014	CJR	4
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		4/15/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		4/15/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		4/15/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		4/15/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		4/15/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		4/15/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		4/15/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		4/15/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		4/15/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		4/15/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		4/15/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Tetrachloroethene	47	ug/l	0.33	1.1	1	8260B		4/15/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		4/15/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		4/15/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		4/15/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		4/15/2014	CJR	1
Trichloroethene (TCE)	6.0	ug/l	0.33	1	1	8260B		4/15/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		4/15/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		4/15/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		4/15/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		4/15/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		4/15/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		4/15/2014	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		4/15/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	87	REC %			1	8260B		4/15/2014	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		4/15/2014	CJR	1
SUR - Dibromofluoromethane	89	REC %			1	8260B		4/15/2014	CJR	1