



RECEIVED

JUL 21 2014

BY: VS

SAMPLE RESULTS NOTIFICATION TRANSMITTAL

Date of Sampling Event: June 30, 2014

Date of Mailing: July 17, 2014

List of Recipients:

Mr. Richard Paul, Jr., Public Works Director

Village of Elm Grove

13600 Juneau Blvd.

Elm Grove, WI 53122

Notice: This form may be used to comply with the requirements of s. NR 716.14 (2), Wis. Adm. Code; however, use of this form is not required. An alternate format may be used. The rule requires that notification be provided to 1) property owners when someone else is conducting the sampling, 2) to occupants of property belonging to the responsible person, and 3) to owners and occupants of property that does not belong to the responsible person but has been affected by contamination arising on his or her property. Notification is required within 10 business days of receiving the sample results. Personal information collected will be used for program administration and may be provided to requesters to the extent required by Wisconsin's Open Records law [ss. 19.31-19.39, Wis. Stats.].

NOTE: Under s. NR 716.14, Wis. Adm. Code, the responsible party must also submit sample results and other required information to the DNR. We recommend that copies of the sample results notifications be included with that submittal, along with all attachments. Using the same format used for data presentation for a closure request may be helpful to all parties. See s. NR 716.14, Wis. Adm. Code for the full list of information to be submitted to the DNR.

Notification of Property Owners and Occupants:

This notification form has been provided to you in order to provide the results of environmental sampling that has been conducted on property that you own or occupy. Samples were collected in accordance with the methods identified in the site investigation work plan, in accordance with s. NR. 716.09 and 716.13, Wis. Adm. Code. This sampling was conducted as a result of contamination originating at the following location.

Site Information

Site Name		DNR ID # (BRRTS #)	
One Hour Martinizing Cleaners		268104540	
Address		City	State ZIP Code
13405 Watertown Plank Road		Elm Grove	WI 53122

Responsible Party

The person(s) responsible for completing this environmental investigation is:

Property Owner

Brian Cass

Address		City	State	ZIP Code
W229 N2494 Hwy. F		Waukesha	WI	53186

Contact Person

Brenda Ruenger

Person or company that collected samples	Phone Number (include area code)
EnviroForensics	(317) 489-0964

Sample Results (Results Attached)

Reason for Sampling: Routine Other (define) determine extent and degree of soil/groundwater contamination

The contaminants that have been identified at this time on property that you own or occupy include:

Contaminant	In Soil?		In Groundwater?	
	Yes	No	Yes	No
Gasoline	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diesel or Fuel Oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Solvents	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Heavy Metals	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pesticides	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other: _____	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

This sampling event included sampling of a drinking water well.

Yes No

If yes, the sampled drinking water well had detectable contaminants.

Yes No

	Contaminants in Vapor	
	Yes	No
Indoor Air	<input type="radio"/>	<input type="radio"/>
Sub-slab	<input type="radio"/>	<input type="radio"/>
Exterior Soil Gas	<input type="radio"/>	<input type="radio"/>

Site Investigation Sample Results Notification

Form 4400-249 (R 03/14)

Page 2 of 2

Attached are:

- A map that shows the locations from which samples were collected. (The map needs to meet the requirements of s. NR 716.15 (4), Wis. Adm. Code.)
- A data table with specific contaminant levels at each sample location and whether or not the sample results exceed state standards.
- A copy of the laboratory results.

You are not identified as the person that is responsible for this contamination. However, your cooperation is important. Property owners may become legally responsible for contamination if they do not allow access to the person that is responsible so that person may complete the environmental investigation and clean up activities.

Option for written exemption: You have the option of requesting a written liability exemption from the DNR for contamination that originated on another property, or on property that you lease. To do this, you must present an adequate environmental assessment of your property and pay a \$700 fee for review of this information. If you are interested in this option, please see DNR publication # RR 589, "When Contamination Crosses a Property Line - Rights and Responsibilities of Property Owners", available at: dnr.wi.gov/files/PDF/pubs/rr/rr589.pdf.

Contact Information

Please address questions regarding this notification, or requests for additional information to the contact person listed above, or to one of the following contacts:

Environmental Consultant

Company Name		Contact Person Last Name	First Name	
EnviroForensics		Ruenger	Brenda	
Address		City	State	ZIP Code
N16W23390 Stone Ridge Dr, Suite G		Waukesha	WI	53188
Phone # (inc. area code)	Email			
(317) 489-0964	bruenger@enviroforensics.com			

Select which agency: Natural Resources Agriculture, Trade and Consumer Protection

State of Wisconsin Department of Natural Resources

Contact Person Last Name		First Name	Phone # (inc. area code)	
Delwiche		Jim	(262) 574-2145	
Address		City	State	ZIP Code
141 NW Barstow Room 180		Waukesha	WI	53188
Email				
Jim.Delwiche@wisconsin.gov				

TABLE 3
SUMMARY OF SOIL SAMPLE ANALYTICAL RESULTS INDICATING CONCENTRATIONS EXCEEDING THE MIGRATION TO GROUNDWATER RESIDUAL CONTAMINANT LEVELS
 One Hour Martinizing
 Elm Grove, Wisconsin

Location	Sample Name	Sample Date	Sample Depth	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Ethylbenzene	Hexachloro-1,3-butadiene	Methylene Chloride	Naphthalene	1,1,1,2-Tetrachloroethane	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Toluene	Isopropylbenzene (Cumene)	n-Propylbenzene	Xylenes, Total
Soil to Groundwater Residual Contaminant Level ^a				4.5	3.6	41.2	58.8	0.1	1,570	0.5	2.6	659	0.2	1,394	1,380	1,384	1,270	990	19,700
B-40	6142-B-40	6/30/2014	4-6	<49	<28	<24	<29	<21	<10	<95	<221	<114	<23	<26	<26	<20	<25	<24	<99
			8-10	<49	<28	<24	<29	<21	<10	<95	<221	<114	<23	<26	<26	<20	25	<24	<99
B-41	6142-B-41	6/30/2014	4-6	<49	<28	<24	<29	<21	<10	<95	<221	<114	<23	<26	<26	<20	<25	<24	<99
			8-10	<49	<28	<24	<29	<21	<10	<95	<221	<114	<23	<26	<26	<20	<25	<24	<99
B-42	6142-B-42	6/30/2014	4-6	<49	<28	<24	<29	<21	<10	<95	<221	<114	<23	<26	<26	<20	<25	<24	<99
			8-10	284	<28	<24	<29	<21	<10	<95	<221	<114	<23	<26	<26	<20	<25	<24	<99

Notes:

Residual contaminant level calculated according to the procedures described in WDNR Publication RR-890

Samples analyzed using EPA SW-846 Method 8260 with Prep Method 5030B

All concentrations reported in units of micrograms per kilogram (ug/kg)

Bolded and Shaded values exceed the WDNR Soil to Groundwater Residual Contaminant Level

J = Concentration is less than the reporting limit but greater than the method detection limit.

TABLE 5
SUMMARY OF GRAB GROUNDWATER SAMPLE ANALYTICAL RESULTS

One Hour Martinizing
 Elm Grove, Wisconsin

Sample Location	Sample ID	Sample Date	Sample Depth (ft)	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	Chloroform	Chloromethane	Toluene
Public Health Enforcement Standard (ug/l)				5	5	70	100	0.2	5	6	30	1,000
Public Health Preventive Action Limit (ug/l)				0.5	0.5	7	20	0.02	0.5	0.6	3	200
B-42	6142-B-42 (16-20W)	6/30/14	16-20	<0.33	<0.33	<0.38	<0.35	<0.18	<0.24	<0.28	<0.81	<0.69

Notes:


Samples analyzed using EPA SW-846 Method 8260

All concentrations reported in units of micrograms per liter (ug/l)


Bolded and Shaded values exceed the Public Health Enforcement Standard

Bolded values exceed the Public Health Preventive Action Limit

J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit



- Legend**
- GP-1 ● Direct-push boring sample location (by others)
 - DP-7,HA-1,B-9 ● Direct-push boring sample location
 - MW-2 ⊕ Monitoring well location
 - SG-1 ● Soil gas boring location
 - SS-1 ○ Sub-slab vapor sample location
 - Property boundary
 - GAS --- Underground gas utility line
 - WTR --- Underground water utility line
 - SAN --- Underground sanitary utility line (Arrow shows direction of flow)
 - CATV --- Underground cable television utility line
 - OVED --- Over head electrical utility line
 - UGE --- Underground electrical utility line
 - ⊙ Sanitary Sewer Manhole



SITE LAYOUT MAP

One Hour Martinizing
13405 Watertown Plank Road
Elm Grove, WI

Date:	3/28/14
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6142-0292

ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6142

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

B. RUENGER
 ENVIROFORENSICS
 N16 W23390 STONE RIDGE DRIVE
 WAUKESHA, WI 53188

Report Date 14-Jul-14

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265A
 Sample ID 6142-B-40-(4-6')
 Sample Matrix Soil
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	81.9	%			1	5021		7/3/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		7/11/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		7/11/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		7/11/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		7/11/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		7/11/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		7/11/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		7/11/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Chloromethane	< 245	ug/kg	245	780	1	8260B		7/11/2014	CJR	7
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		7/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		7/11/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		7/11/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		7/11/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		7/11/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		7/11/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/11/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		7/11/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		7/11/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		7/11/2014	CJR	2 4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		7/11/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
Project # 6142

Invoice # E27265

Lab Code 5027265A
Sample ID 6142-B-40-(4-6')
Sample Matrix Soil
Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		7/11/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		7/11/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		7/11/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
Methylene chloride	< 221	ug/kg	221	704	1	8260B		7/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		7/11/2014	CJR	7
Naphthalene	< 114	ug/kg	114	363	1	8260B		7/11/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		7/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		7/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		7/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		7/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		7/11/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		7/11/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		7/11/2014	CJR	1
Trichloro fluoromethane	< 86	ug/kg	86	273	1	8260B		7/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		7/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		7/11/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	7
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		7/11/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
SUR - 4-Bromofluorobenzene	82	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Dibromofluoromethane	91	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	94	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Toluene-d8	117	Rec %			1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265B
 Sample ID 6142-B-40-(8-10')
 Sample Matrix Soil
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.6	%			1	5021		7/3/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		7/11/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		7/11/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		7/11/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		7/11/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		7/11/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		7/11/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		7/11/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Chloromethane	< 245	ug/kg	245	780	1	8260B		7/11/2014	CJR	7
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		7/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		7/11/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		7/11/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		7/11/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		7/11/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		7/11/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/11/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		7/11/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		7/11/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		7/11/2014	CJR	2 4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		7/11/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		7/11/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		7/11/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		7/11/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		7/11/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
Methylene chloride	< 221	ug/kg	221	704	1	8260B		7/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		7/11/2014	CJR	7
Naphthalene	< 114	ug/kg	114	363	1	8260B		7/11/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		7/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		7/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		7/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		7/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		7/11/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		7/11/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		7/11/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		7/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		7/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		7/11/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	7
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		7/11/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
Project # 6142

Invoice # E27265

Lab Code 5027265B
Sample ID 6142-B-40-(8-10')
Sample Matrix Soil
Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	95	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Dibromofluoromethane	90	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	89	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 4-Bromofluorobenzene	82	Rec %			1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265C
 Sample ID 6142-B-41-(4-6')
 Sample Matrix Soil
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	88.1	%			1	5021		7/3/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		7/11/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		7/11/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		7/11/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		7/11/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		7/11/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		7/11/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		7/11/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Chloromethane	< 245	ug/kg	245	780	1	8260B		7/11/2014	CJR	7
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		7/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		7/11/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		7/11/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		7/11/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		7/11/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		7/11/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/11/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		7/11/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		7/11/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		7/11/2014	CJR	2 4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		7/11/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		7/11/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		7/11/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		7/11/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		7/11/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
Methylene chloride	< 221	ug/kg	221	704	1	8260B		7/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		7/11/2014	CJR	7
Naphthalene	< 114	ug/kg	114	363	1	8260B		7/11/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		7/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		7/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		7/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		7/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		7/11/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		7/11/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		7/11/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		7/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		7/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		7/11/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	7
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		7/11/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
Project # 6142

Invoice # E27265

Lab Code 5027265C
Sample ID 6142-B-41-(4-6')
Sample Matrix Soil
Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 4-Bromofluorobenzene	81	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Dibromofluoromethane	110	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Toluene-d8	91	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265D
 Sample ID 6142-B-41-(8-10')
 Sample Matrix Soil
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	80.6	%			1	5021		7/3/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		7/11/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		7/11/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		7/11/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		7/11/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		7/11/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		7/11/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		7/11/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Chloromethane	< 245	ug/kg	245	780	1	8260B		7/11/2014	CJR	7
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		7/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		7/11/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		7/11/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		7/11/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		7/11/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		7/11/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/11/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		7/11/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		7/11/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		7/11/2014	CJR	2 4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		7/11/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		7/11/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		7/11/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		7/11/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		7/11/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
Methylene chloride	< 221	ug/kg	221	704	1	8260B		7/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		7/11/2014	CJR	7
Naphthalene	< 114	ug/kg	114	363	1	8260B		7/11/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		7/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		7/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		7/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		7/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		7/11/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		7/11/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		7/11/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		7/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		7/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		7/11/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	7
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		7/11/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
Project # 6142

Invoice # E27265

Lab Code 5027265D
Sample ID 6142-B-41-(8-10')
Sample Matrix Soil
Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	94	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 4-Bromofluorobenzene	91	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Dibromofluoromethane	97	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Toluene-d8	93	Rec %			1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265E
 Sample ID 6142-B-42-(4-6')
 Sample Matrix Soil
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	90.1	%			1	5021		7/3/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		7/11/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		7/11/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		7/11/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		7/11/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		7/11/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		7/11/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		7/11/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Chloromethane	< 245	ug/kg	245	780	1	8260B		7/11/2014	CJR	7
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		7/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		7/11/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		7/11/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		7/11/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		7/11/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		7/11/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/11/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		7/11/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		7/11/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		7/11/2014	CJR	2 4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		7/11/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		7/11/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		7/11/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		7/11/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		7/11/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
Methylene chloride	< 221	ug/kg	221	704	1	8260B		7/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		7/11/2014	CJR	7
Naphthalene	< 114	ug/kg	114	363	1	8260B		7/11/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		7/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		7/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Tetrachloroethene	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		7/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		7/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		7/11/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		7/11/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		7/11/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		7/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		7/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		7/11/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	7
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		7/11/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
Project # 6142

Invoice # E27265

Lab Code 5027265E
Sample ID 6142-B-42-(4-6')
Sample Matrix Soil
Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - 1,2-Dichloroethane-d4	96	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 4-Bromofluorobenzene	80	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Dibromofluoromethane	90	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Toluene-d8	95	Rec %			1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265F
 Sample ID 6142-B-42-(8-10')
 Sample Matrix Soil
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	86.8	%			1	5021		7/3/2014	RKM	1
Organic										
VOC's										
Benzene	< 9.2	ug/kg	9.2	29	1	8260B		7/11/2014	CJR	1
Bromobenzene	< 13	ug/kg	13	40	1	8260B		7/11/2014	CJR	1
Bromodichloromethane	< 27	ug/kg	27	85	1	8260B		7/11/2014	CJR	1
Bromoform	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
tert-Butylbenzene	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
sec-Butylbenzene	< 41	ug/kg	41	132	1	8260B		7/11/2014	CJR	1
n-Butylbenzene	< 26	ug/kg	26	82	1	8260B		7/11/2014	CJR	1
Carbon Tetrachloride	< 25	ug/kg	25	79	1	8260B		7/11/2014	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
Chloroethane	< 42	ug/kg	42	133	1	8260B		7/11/2014	CJR	1
Chloroform	< 49	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Chloromethane	< 245	ug/kg	245	780	1	8260B		7/11/2014	CJR	7
2-Chlorotoluene	< 16	ug/kg	16	52	1	8260B		7/11/2014	CJR	1
4-Chlorotoluene	< 14	ug/kg	14	43	1	8260B		7/11/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 48	ug/kg	48	154	1	8260B		7/11/2014	CJR	1
Dibromochloromethane	< 14	ug/kg	14	45	1	8260B		7/11/2014	CJR	1
1,4-Dichlorobenzene	< 33	ug/kg	33	103	1	8260B		7/11/2014	CJR	1
1,3-Dichlorobenzene	< 30	ug/kg	30	95	1	8260B		7/11/2014	CJR	1
1,2-Dichlorobenzene	< 38	ug/kg	38	122	1	8260B		7/11/2014	CJR	1
Dichlorodifluoromethane	< 57	ug/kg	57	182	1	8260B		7/11/2014	CJR	1
1,2-Dichloroethane	< 36	ug/kg	36	114	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethane	< 19	ug/kg	19	60	1	8260B		7/11/2014	CJR	1
1,1-Dichloroethene	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		7/11/2014	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	93	1	8260B		7/11/2014	CJR	1
1,2-Dichloropropane	< 9.5	ug/kg	9.5	30	1	8260B		7/11/2014	CJR	1
2,2-Dichloropropane	< 46	ug/kg	46	148	1	8260B		7/11/2014	CJR	2 4 8
1,3-Dichloropropane	< 21	ug/kg	21	68	1	8260B		7/11/2014	CJR	1
Di-isopropyl ether	< 11	ug/kg	11	34	1	8260B		7/11/2014	CJR	1
EDB (1,2-Dibromoethane)	< 20	ug/kg	20	64	1	8260B		7/11/2014	CJR	1
Ethylbenzene	< 10	ug/kg	10	33	1	8260B		7/11/2014	CJR	1
Hexachlorobutadiene	< 95	ug/kg	95	304	1	8260B		7/11/2014	CJR	1
Isopropylbenzene	< 25	ug/kg	25	80	1	8260B		7/11/2014	CJR	1
p-Isopropyltoluene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1
Methylene chloride	< 221	ug/kg	221	704	1	8260B		7/11/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 30	ug/kg	30	96	1	8260B		7/11/2014	CJR	7
Naphthalene	< 114	ug/kg	114	363	1	8260B		7/11/2014	CJR	1
n-Propylbenzene	< 24	ug/kg	24	75	1	8260B		7/11/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 12	ug/kg	12	38	1	8260B		7/11/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Tetrachloroethene	284	ug/kg	49	157	1	8260B		7/11/2014	CJR	1
Toluene	< 20	ug/kg	20	65	1	8260B		7/11/2014	CJR	1
1,2,4-Trichlorobenzene	< 79	ug/kg	79	251	1	8260B		7/11/2014	CJR	1
1,2,3-Trichlorobenzene	< 129	ug/kg	129	411	1	8260B		7/11/2014	CJR	1
1,1,1-Trichloroethane	< 38	ug/kg	38	120	1	8260B		7/11/2014	CJR	1
1,1,2-Trichloroethane	< 23	ug/kg	23	74	1	8260B		7/11/2014	CJR	1
Trichloroethene (TCE)	< 28	ug/kg	28	88	1	8260B		7/11/2014	CJR	1
Trichlorofluoromethane	< 86	ug/kg	86	273	1	8260B		7/11/2014	CJR	1
1,2,4-Trimethylbenzene	< 26	ug/kg	26	81	1	8260B		7/11/2014	CJR	1
1,3,5-Trimethylbenzene	< 26	ug/kg	26	84	1	8260B		7/11/2014	CJR	1
Vinyl Chloride	< 21	ug/kg	21	66	1	8260B		7/11/2014	CJR	7
m&p-Xylene	< 68	ug/kg	68	216	1	8260B		7/11/2014	CJR	1
o-Xylene	< 31	ug/kg	31	98	1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
Project # 6142

Invoice # E27265

Lab Code 5027265F
Sample ID 6142-B-42-(8-10')
Sample Matrix Soil
Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
SUR - Toluene-d8	98	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	Rec %			1	8260B		7/11/2014	CJR	1
SUR - 4-Bromofluorobenzene	116	Rec %			1	8260B		7/11/2014	CJR	1
SUR - Dibromofluoromethane	95	Rec %			1	8260B		7/11/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265G
 Sample ID 6142-B-42-(16-20' W)
 Sample Matrix Water
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/8/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32		1	8260B		7/8/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		7/8/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/8/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		7/8/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		7/8/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		7/8/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		7/8/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		7/8/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		7/8/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		7/8/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/8/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		7/8/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/8/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/8/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/8/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		7/8/2014	CJR	1
cis-1.2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		7/8/2014	CJR	1
trans-1.2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
1.2-Dichloropropane	< 0.32	ug/l	0.32		1	8260B		7/8/2014	CJR	1
2.2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		7/8/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		7/8/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/8/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		7/8/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/8/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/8/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		7/8/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		7/8/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		7/8/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		7/8/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/8/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		7/8/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/8/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		7/8/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		7/8/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		7/8/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		7/8/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		7/8/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		7/8/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		7/8/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		7/8/2014	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		7/8/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		7/8/2014	CJR	1
SUR - 4-Bromofluorobenzene	84	REC %			1	8260B		7/8/2014	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		7/8/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265H
 Sample ID 6142-DUP-1
 Sample Matrix Water
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/8/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32	1	1	8260B		7/8/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		7/8/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33	1	1	8260B		7/8/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/8/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		7/8/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		7/8/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		7/8/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		7/8/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		7/8/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		7/8/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		7/8/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/8/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		7/8/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/8/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/8/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/8/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		7/8/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		7/8/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32	1	1	8260B		7/8/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33	1	1	8260B		7/8/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		7/8/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		7/8/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/8/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		7/8/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/8/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/8/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		7/8/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		7/8/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		7/8/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		7/8/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/8/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		7/8/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/8/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		7/8/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33	1	1	8260B		7/8/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		7/8/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33	1	1	8260B		7/8/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		7/8/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		7/8/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		7/8/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		7/8/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		7/8/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		7/8/2014	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		7/8/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		7/8/2014	CJR	1
SUR - 4-Bromofluorobenzene	85	REC %			1	8260B		7/8/2014	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		7/8/2014	CJR	1

Project Name OHM-ELM GROVE
 Project # 6142

Invoice # E27265

Lab Code 5027265I
 Sample ID TRIP BLANK
 Sample Matrix Water
 Sample Date 6/30/2014

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/8/2014	CJR	1
Bromobenzene	< 0.32	ug/l	0.32		1	8260B		7/8/2014	CJR	1
Bromodichloromethane	< 0.37	ug/l	0.37	1.2	1	8260B		7/8/2014	CJR	1
Bromoform	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
tert-Butylbenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	1
sec-Butylbenzene	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
n-Butylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
Carbon Tetrachloride	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Chlorobenzene	< 0.24	ug/l	0.24	0.77	1	8260B		7/8/2014	CJR	1
Chloroethane	< 0.63	ug/l	0.63	2	1	8260B		7/8/2014	CJR	1
Chloroform	< 0.28	ug/l	0.28	0.88	1	8260B		7/8/2014	CJR	1
Chloromethane	< 0.81	ug/l	0.81	2.6	1	8260B		7/8/2014	CJR	1
2-Chlorotoluene	< 0.21	ug/l	0.21	0.66	1	8260B		7/8/2014	CJR	1
4-Chlorotoluene	< 0.21	ug/l	0.21	0.68	1	8260B		7/8/2014	CJR	1
1,2-Dibromo-3-chloropropane	< 0.88	ug/l	0.88	2.8	1	8260B		7/8/2014	CJR	1
Dibromochloromethane	< 0.22	ug/l	0.22	0.7	1	8260B		7/8/2014	CJR	1
1,4-Dichlorobenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/8/2014	CJR	1
1,3-Dichlorobenzene	< 0.28	ug/l	0.28	0.89	1	8260B		7/8/2014	CJR	1
1,2-Dichlorobenzene	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	1
Dichlorodifluoromethane	< 0.44	ug/l	0.44	1.4	1	8260B		7/8/2014	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		7/8/2014	CJR	1
1,1-Dichloroethane	< 0.3	ug/l	0.3	0.97	1	8260B		7/8/2014	CJR	1
1,1-Dichloroethene	< 0.4	ug/l	0.4	1.3	1	8260B		7/8/2014	CJR	1
cis-1,2-Dichloroethene	< 0.38	ug/l	0.38	1.2	1	8260B		7/8/2014	CJR	1
trans-1,2-Dichloroethene	< 0.35	ug/l	0.35	1.1	1	8260B		7/8/2014	CJR	1
1,2-Dichloropropane	< 0.32	ug/l	0.32		1	8260B		7/8/2014	CJR	1
2,2-Dichloropropane	< 0.36	ug/l	0.36	1.2	1	8260B		7/8/2014	CJR	4 8
1,3-Dichloropropane	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
Di-isopropyl ether	< 0.23	ug/l	0.23	0.73	1	8260B		7/8/2014	CJR	1
EDB (1,2-Dibromoethane)	< 0.44	ug/l	0.44	1.4	1	8260B		7/8/2014	CJR	1
Ethylbenzene	< 0.55	ug/l	0.55	1.7	1	8260B		7/8/2014	CJR	1
Hexachlorobutadiene	< 1.5	ug/l	1.5	4.8	1	8260B		7/8/2014	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	0.96	1	8260B		7/8/2014	CJR	1
p-Isopropyltoluene	< 0.31	ug/l	0.31	0.98	1	8260B		7/8/2014	CJR	1
Methylene chloride	< 0.5	ug/l	0.5	1.6	1	8260B		7/8/2014	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.23	ug/l	0.23	0.74	1	8260B		7/8/2014	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.5	1	8260B		7/8/2014	CJR	1
n-Propylbenzene	< 0.25	ug/l	0.25	0.81	1	8260B		7/8/2014	CJR	1
1,1,2,2-Tetrachloroethane	< 0.45	ug/l	0.45	1.4	1	8260B		7/8/2014	CJR	1
1,1,1,2-Tetrachloroethane	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Tetrachloroethene	< 0.33	ug/l	0.33	1.1	1	8260B		7/8/2014	CJR	1
Toluene	< 0.69	ug/l	0.69	2.2	1	8260B		7/8/2014	CJR	1
1,2,4-Trichlorobenzene	< 0.98	ug/l	0.98	3.1	1	8260B		7/8/2014	CJR	1
1,2,3-Trichlorobenzene	< 1.8	ug/l	1.8	5.8	1	8260B		7/8/2014	CJR	1
1,1,1-Trichloroethane	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
1,1,2-Trichloroethane	< 0.34	ug/l	0.34	1.1	1	8260B		7/8/2014	CJR	1
Trichloroethene (TCE)	< 0.33	ug/l	0.33		1	8260B		7/8/2014	CJR	1
Trichlorofluoromethane	< 0.71	ug/l	0.71	2.3	1	8260B		7/8/2014	CJR	1
1,2,4-Trimethylbenzene	< 2.2	ug/l	2.2	6.9	1	8260B		7/8/2014	CJR	1
1,3,5-Trimethylbenzene	< 1.4	ug/l	1.4	4.5	1	8260B		7/8/2014	CJR	1
Vinyl Chloride	< 0.18	ug/l	0.18	0.57	1	8260B		7/8/2014	CJR	1
m&p-Xylene	< 0.69	ug/l	0.69	2.2	1	8260B		7/8/2014	CJR	1
o-Xylene	< 0.63	ug/l	0.63	2	1	8260B		7/8/2014	CJR	1
SUR - Toluene-d8	99	REC %				8260B		7/8/2014	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				8260B		7/8/2014	CJR	1
SUR - 4-Bromofluorobenzene	90	REC %				8260B		7/8/2014	CJR	1
SUR - Dibromofluoromethane	105	REC %				8260B		7/8/2014	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
2	Relative percent difference failed for laboratory spiked samples.
4	The continuing calibration standard not within established limits.
7	The LCS not within established limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Michael J. Paul

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. _____ Quote No.: _____
Project #: 6142
Sampler: (signature) *[Signature]*

Project (Name / Location): OHM - Elm Grove / Elm Grove WI
Reports To: B. Zwarg / K. Heinstead Invoice To: _____
Company: EnviroForensics Company: _____
Address: N16 W 23590 Stone Ridge Dr Address: _____
City State Zip: Waukesha WI 53188 City State Zip: _____
Phone: 317-972-7870 Phone: _____
FAX: _____ FAX: _____

Analysis Requested												Other Analysis	
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
<u>5027265A</u>	<u>6142-B-40-(46)</u>	<u>4/30/14</u>	<u>1350</u>		X	N	2	Soil	MeOH
<u>B</u>	<u>6142-B-40-(810)</u>	<u>4/30/14</u>	<u>1055</u>		X	N	2	Soil	MeOH
<u>C</u>	<u>6142-B-41-(46)</u>	<u>4/30/14</u>	<u>1010</u>		X	N	2	Soil	MeOH
<u>D</u>	<u>6142-B-41-(815)</u>	<u>4/30/14</u>	<u>1015</u>		X	N	2	Soil	MeOH
<u>E</u>	<u>6142-B-41-(46)</u>	<u>4/30/14</u>	<u>1140</u>		X	N	2	Soil	MeOH
<u>F</u>	<u>6142-B-42-(815)</u>	<u>4/30/14</u>	<u>1145</u>		X	N	2	Soil	MeOH
<u>G</u>	<u>6142-B-41-(815)</u>	<u>4/30/14</u>	<u>1020</u>		X	N	3	GW	HCL
<u>H</u>	<u>6142-Pop-1</u>	<u>4/30/14</u>	-		X	N	3	GW	HCL
<u>I</u>	<u>TRIP BLANK</u>	<u>4/30/14</u>	-				1		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Dunham
Temp. of Temp. Blank _____ °C On Ice.
Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) [Signature] Time: 11:00 Date: 7/1/14
Received By: (sign) [Signature] Time: 11:00 A Date: 7/1/14

Received in Laboratory By: [Signature] Time: 8:00 Date: 7/2/14