

**From:** Schultz, Rebecca <ras@alexandercompany.com>  
**Sent:** Tuesday, January 5, 2021 9:13 AM  
**To:** Koepke, Cynthia L - DNR  
**Subject:** RE: Northgate Vapor and Air Sampling Results, Madison, WI

Hi Cindy,

The e-mail went to everyone in the mall, below is a list of businesses and my contact for each.

Dream Bikes: Matt Martinez,  
Boomerangs: Lori Treibel, Bev Krizan  
CSN: Dove Burghardt & Nate Stoudt  
Weaver Auto: Leon Ganser  
V Nails: Peter  
Door Creek Church: David Smith  
Anytime Fitness: Kyle Woulf  
Madison Oriental Market: Kyle Lee, Cynthia Lee  
Dog Dog Daycare: Tracey Hasz  
Naly's Floral: Naly Jasengnou  
H&R Block: Cushman & Wakefield Management  
Falbos Pizza: Keith Maggot  
UPS Store: Margo Dixon  
VA: Jason Thilges  
Noah's Ark Pet Center: Joe Lloyd  
Kaylee's Garden Barb LaBarge  
ARTS for All Wisconsin: Christina Martin-Wright

Sincerely,



**Rebecca Schultz**  
Commercial Property  
Manager

2450 Rimrock Road, Ste. 100, Madison, WI 53713  
p: 608.268.8101 w: [www.alexandercompany.com](http://www.alexandercompany.com)

[historic preservation](#) | [urban revitalization](#) | [adaptive reuse](#)

---

**From:** Koepke, Cynthia L - DNR <[Cynthia.Koepke@wisconsin.gov](mailto:Cynthia.Koepke@wisconsin.gov)>  
**Sent:** Tuesday, January 5, 2021 8:36 AM  
**To:** Schultz, Rebecca <[ras@alexandercompany.com](mailto:ras@alexandercompany.com)>  
**Subject:** RE: Northgate Vapor and Air Sampling Results, Madison, WI

[EXTERNAL SENDER]

Hi Rebecca,

Thanks for getting to this so quickly. Could you please give me a list of who this was sent to?

Thanks much!

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Cindy Koepke, P.G.**

**NEW PHONE NUMBER: 608-219-2181**

Email: [cynthia.koepke@wisconsin.gov](mailto:cynthia.koepke@wisconsin.gov)

---

**From:** Schultz, Rebecca <[ras@alexandercompany.com](mailto:ras@alexandercompany.com)>

**Sent:** Monday, January 4, 2021 11:40 AM

**To:** Schultz, Rebecca <[ras@alexandercompany.com](mailto:ras@alexandercompany.com)>

**Cc:** Alexander, Nic <[npa@alexandercompany.com](mailto:npa@alexandercompany.com)>; Sterling, Alex <[ars@alexandercompany.com](mailto:ars@alexandercompany.com)>;

Socha, Betty <[BSocha@scsengineers.com](mailto:BSocha@scsengineers.com)>; Koepke, Cynthia L - DNR <[Cynthia.Koepke@wisconsin.gov](mailto:Cynthia.Koepke@wisconsin.gov)>

**Subject:** Northgate Vapor and Air Sampling Results, Madison, WI

Alexander Company would like to thank everyone for their cooperation with the recent rounds of testing. SCS Engineers has shared the results received to date in the attached report. Similar to previous reports it is our duty to inform you of all test results. If you have any questions after your review of the attached, you can contact Cynthia Koepke, a hydrogeologist with the Wisconsin Department of Natural Resources. Cindy is the project manager for the DNR and is working closely with SCS Engineers and their continued remediation work. Cindy is copied to this message and her information is below. As always you can also contact Nic Alexander (cc'd to this message) or myself with questions regarding the property.

**Cindy Koepke, P.G.**

[she/her/hers]

Hydrogeologist – Remediation & Redevelopment Program

Wisconsin Department of Natural Resources

South Central Region

3911 Fish Hatchery Road

Fitchburg WI 53711

Phone: 608-219-2181

Email: [cynthia.koepke@wisconsin.gov](mailto:cynthia.koepke@wisconsin.gov)

Sincerely,



**Rebecca Schultz**  
Commercial Property  
Manager

---

2450 Rimrock Road, Ste. 100, Madison, WI 53713

p: 608.268.8101 w: [www.alexandercompany.com](http://www.alexandercompany.com)

[historic preservation](#) | [urban revitalization](#) | [adaptive reuse](#)

**Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).

## **Disclaimer**

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).

**From:** Socha, Betty <BSocha@scsengineers.com>  
**Sent:** Wednesday, December 30, 2020 3:26 PM  
**To:** Schultz, Rebecca (ras@alexandercompany.com)  
**Cc:** Sterling, Alex (ars@alexandercompany.com); Alexander, Nic (npa@alexandercompany.com); Leigh, Jeremiah (jl@alexandercompany.com); Alexander, Joe (jma@alexandercompany.com); Paul; Langdon, Robert; Koepke, Cynthia L - DNR; Radunzel, Ashley  
**Subject:** Sub-slab Vapor Test Results Northgate November 2020  
**Attachments:** 201230\_Alexander\_Vapor Monitoring Results.pdf  
**Follow Up Flag:** Follow up  
**Due By:** Monday, January 4, 2021 8:00 AM  
**Flag Status:** Completed

Rebecca,  
Attached is a letter report with the results of the sub-slab vapor testing that was done at Northgate in November 2020. Please let us know if any questions.  
Thank you,  
Betty

Betty J. Socha, PhD, PG  
Senior Project Manager/Hydrogeologist  
SCS ENGINEERS  
608.212.6664 (cell)

December 30, 2020  
File No. 25211374.50

Ms. Rebecca Schultz, Commercial Property Manager  
The Alexander Company  
2450 Rimrock Road, Suite 100  
Madison, WI 53713

Subject: November 2020 Sub-slab Vapor Testing Results  
Northgate Shopping Center, Madison, Wisconsin

Dear Rebecca:

SCS Engineers (SCS), on behalf of Northgate Partnership, recently conducted vapor testing at the Northgate Shopping Center. Samples were collected on November 16 & 17, 2020, at the following locations:

- 1159 N. Sherman Weaver Auto Parts
- 1171 N. Sherman V Nails & Spa Pedicure
- 1181 N. Sherman Door Creek Church
- 1191 N. Sherman CSN
- 1193 N. Sherman Anytime Fitness
- 1197 N. Sherman Madison Oriental Market
- 1201 N. Sherman Dog Dog Daycare

The sampling locations are shown on the attached figure, and the sampling results are summarized in the attached table. The lab report is also attached.

Low concentrations of two chemicals (tetrachloroethene and trichloroethene) were detected in the samples. All the concentrations are less than the applicable Wisconsin Department of Natural Resources (WDNR) vapor risk screening levels.

The purpose of the vapor testing was to obtain information needed to design vapor mitigation systems for areas of the shopping center. Some of the retail spaces sampled in this event were previously tested and none were identified as having vapors in the subsurface that are greater than the applicable WDNR screening levels. The recent results are consistent with previous results.

The WDNR requires that property owners and tenants are notified of the results. We understand that Alexander Company will notify their tenants of the results. The attached WDNR fact sheet explaining vapor intrusion may be helpful when notifying tenants. The WDNR has requested that you copy the WDNR on the notification to your tenants. The WDNR project manager's contact information is listed on the next page.

Thank you for your cooperation.

Please feel free to contact Betty at 608.212.6664 or [bsocha@scsengineers.com](mailto:bsocha@scsengineers.com) if you have any questions.



Ms. Rebecca Schultz  
December 30, 2020  
Page 2

Sincerely,



Betty J. Socha, PhD, PG  
Senior Project Manager  
SCS Engineers



Robert E. Langdon  
Senior Project Manager  
SCS Engineers

BJS/AJR/REL

cc: Mr. Paul Roth, Northgate Partnership (e-copy)  
Mr. Alex Sterling, The Alexander Company (e-copy)  
Mr. Joseph Alexander, The Alexander Company (e-copy)  
Mr. Jeremiah Leigh, The Alexander Company (e-copy)

Ms. Cindy Koepke, WDNR  
South Central Region  
3911 Fish Hatchery Road  
Fitchburg, WI 53711-5397  
608-275-3257  
[cynthia.koepke@wisconsin.gov](mailto:cynthia.koepke@wisconsin.gov)

Encl. Table 1 – Sub-Slab Vapor Analytical Results Summary  
Figure 1 – Vapor Sampling Locations  
Pace Analytical Laboratory Report dated December 14, 2020  
WDNR Vapor Intrusion Quick Facts, Pub-RR-892

I:\3745\Correspondence-Other\2020 Alexander Vapor Update\201230\_Alexander\_Vapor Monitoring Results.docx

**Table 1. Sub-Slab Vapor Analytical Results Summary**  
**Laundry Land Cleaners / SCS Engineers Project #25211374.51**  
 (Results are in ppbv)

N. Sherman Ave. (or as noted)	Business as of November 16, 2020	Sample Name	Date	Lab Notes	cis-1,2-DCE	trans-1,2- DCE	PCE	TCE	Vinyl Chloride
1159	Weaver Auto Parts	Weaver Auto Parts	3/31/2015	--	<43	<43	480	<43	<43
		1159 N	11/16/2020	(5)	<0.06	<0.074	190	<0.06	<0.058
		1159 S	11/16/2020	(5)	<0.06	<0.074	741	<0.06	<0.058
1171	VNails	1171 N	11/16/2020	(5)	<0.067	<0.082	11.2	<0.068	<0.065
		1171 S	11/16/2020	(5)	<0.067	<0.082	173	<0.068	<0.065
1181	Door Creek Church	Precious Moments	4/21/2015	--	<2.1	<2.1	39	<2.1	<2.1
		1181 E	11/16/2020	(5)	<0.05	<0.06	4.8	0.24	<0.046
		1181 W	11/16/2020	(5)	<0.065	<0.077	7.9	<0.064	<0.062
1191	CSN	1191 E	11/16/2020	(5)	<0.062	<0.074	10	<0.062	<0.058
		1191 W	11/16/2020	(5)	<0.06	<0.072	36	<0.059	<0.054
1193	Anytime Fitness	1193 E	11/17/2020	(5)	<0.06	<0.074	18.1	<0.06	<0.058
		1193 W	11/17/2020	(5)	<0.06	<0.074	39.5	<0.06	<0.058
1197	Madison Oriental Market	1197 E	11/16/2020	(5)	<0.06	<0.074	6.2	<0.06	<0.058
		1197 W	11/16/2020	(5)	<0.057	<0.067	29.6	<0.057	<0.054
1201	Dog Dog Daycare	Northside Restaurant	4/1/2015	--	<43	<43	420	<43	<43
		1201 E	11/17/2020	(5)	<0.055	<0.065	16.8	0.15 J	<0.05
		1201 W	11/17/2020	(5)	<0.06	<0.074	53.5	<0.06	<0.058
Vapor Risk Screening Level (Small Commercial Buildings)					NE	NE	900	53	370

Abbreviations:

ppbv = parts per billion by volume

NE = No Established Standard

DUP = Duplicate sample

Notes:

1. Samples were collected in 6L summa canisters over 30 minute period and analyzed using the US EPA TO-15 analytical method.
2. Vapor Risk Screening Levels are from Wisconsin Department of Natural Resources' WI Vapor Quick Look-Up Table, which is based on November 2017 USEPA Regional Screening Level Tables.
3. **Bold & underlined** values meet or exceed Vapor Risk Screening Levels for small commercial buildings.

Laboratory Notes:



J = Estimated concentration at or above the Limit of Detection (LOD) and below the Limit of Quantitation (LOQ).

(5) These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

Created by: TLC  
 Last Rev by: JSN  
 Checked by: AJR  
 Proj Mgr QA/QC: BJS



Date: 10/26/2012  
 Date: 12/11/2020  
 Date: 12/14/2020  
 Date: 12/14/2020

I:\3745\Correspondence-Other\2020 Alexander Vapor Update\[Table 1\_Sub-Slab-Vapor\_Results\_12-2020v.xls]VOCs



- LEGEND
- 1291 STREET ADDRESS
  - FORMER LAUNDRY LAND  
DRY CLEANERS  
1131 N. SHERMAN AVENUE
  - APPROXIMATE LOT LINE
  - APPROXIMATE SUB-SLAB  
SAMPLE LOCATION 2019-2020
  - APPROXIMATE INDOOR AIR  
SAMPLE LOCATION
  - APPROXIMATE OUTDOOR AIR  
SAMPLE LOCATION
  - UNIT SAMPLED FOR VAPORS  
(2012-2016); NO SCREENING  
LEVELS EXCEEDED  
SEE TABLES 1 AND 2

- NOTE:
1. UTILITY LOCATIONS ARE APPROXIMATE AND SHOULD NOT BE USED FOR LOCATING PURPOSES. LOCATIONS BASED ON UTILITY MAP PROVIDED BY CITY OF MADISON GIS/MAPPING.
  2. INTERIOR LAYOUTS MAY BE DIFFERENT THAN SHOWN.



PROJECT NO. 2521374.51  
 DRAWN BY: RP/MT  
 CHECKED BY: BUS  
 DRAWN: 09/15/2020  
 CHECKED BY: BUS  
 12/29/2020  
 APPROVED BY: BUS 12/30/2020



December 14, 2020

Rob Langdon  
SCS Engineers  
2830 Dairy Dr.  
Madison, WI 53718

RE: Project: 25211374.53 Laundry Land-Revised Report  
Pace Project No.: 10539883

Dear Rob Langdon:

Enclosed are the analytical results for sample(s) received by the laboratory on November 19, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.


The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

This report was revised December 14, 2020, to change the sample IDs for 10539883013 and 10539883014.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Kirsten Hogberg  
kirsten.hogberg@pacelabs.com  
(612)607-1700  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

---

### **Pace Analytical Services - Minneapolis MN**

1700 Elm Street SE, Minneapolis, MN 55414

1800 Elm Street SE, Minneapolis, MN 55414--Satellite Air Lab

A2LA Certification #: 2926.01\*

Alabama Certification #: 40770

Alaska Contaminated Sites Certification #: 17-009\*

Alaska DW Certification #: MN00064

Arizona Certification #: AZ0014\*

Arkansas DW Certification #: MN00064

Arkansas WW Certification #: 88-0680

California Certification #: 2929

Colorado Certification #: MN00064

Connecticut Certification #: PH-0256

EPA Region 8+Wyoming DW Certification #: via MN 027-053-137

Florida Certification #: E87605\*

Georgia Certification #: 959

Hawaii Certification #: MN00064

Idaho Certification #: MN00064

Illinois Certification #: 200011

Indiana Certification #: C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky DW Certification #: 90062

Kentucky WW Certification #: 90062

Louisiana DEQ Certification #: AI-03086\*

Louisiana DW Certification #: MN00064

Maine Certification #: MN00064\*

Maryland Certification #: 322

Massachusetts DWP Certification #: via MN 027-053-137

Michigan Certification #: 9909

Minnesota Certification #: 027-053-137\*

Minnesota Dept of Ag Certification #: via MN 027-053-137

Minnesota Petrofund Certification #: 1240\*

Mississippi Certification #: MN00064

Missouri Certification #: 10100

Montana Certification #: CERT0092

Nebraska Certification #: NE-OS-18-06

Nevada Certification #: MN00064

New Hampshire Certification #: 2081\*

New Jersey Certification #: MN002

New York Certification #: 11647\*

North Carolina DW Certification #: 27700

North Carolina WW Certification #: 530

North Dakota Certification #: R-036

Ohio DW Certification #: 41244

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507\*

Oregon Primary Certification #: MN300001

Oregon Secondary Certification #: MN200001\*

Pennsylvania Certification #: 68-00563\*

Puerto Rico Certification #: MN00064

South Carolina Certification #:74003001

Tennessee Certification #: TN02818

Texas Certification #: T104704192\*

Utah Certification #: MN00064\*

Vermont Certification #: VT-027053137

Virginia Certification #: 460163\*

Washington Certification #: C486\*

West Virginia DEP Certification #: 382

West Virginia DW Certification #: 9952 C

Wisconsin Certification #: 999407970

Wyoming UST Certification #: via A2LA 2926.01

USDA Permit #: P330-19-00208

\*Please Note: Applicable air certifications are denoted with an asterisk (\*).

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10539883001	1159 S	Air	11/16/20 09:10	11/19/20 15:05
10539883002	1159 N	Air	11/16/20 09:53	11/19/20 15:05
10539883003	1171 S	Air	11/16/20 11:16	11/19/20 15:05
10539883004	1171 N	Air	11/16/20 11:45	11/19/20 15:05
10539883005	1181 E	Air	11/16/20 12:50	11/19/20 15:05
10539883006	1181 W	Air	11/16/20 13:30	11/19/20 15:05
10539883007	1191 E	Air	11/16/20 14:45	11/19/20 15:05
10539883008	1191 W	Air	11/16/20 15:15	11/19/20 15:05
10539883009	1197 E	Air	11/16/20 16:20	11/19/20 15:05
10539883010	1197 W	Air	11/16/20 16:47	11/19/20 15:05
10539883011	1193 E	Air	11/17/20 12:50	11/19/20 15:05
10539883012	1193 W	Air	11/17/20 13:40	11/19/20 15:05
10539883013	1201 E	Air	11/17/20 19:04	11/19/20 15:05
10539883014	1201 W	Air	11/17/20 19:22	11/19/20 15:05

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10539883001	1159 S	TO-15	AFV, MJL	5	PASI-M
10539883002	1159 N	TO-15	AFV, MJL	5	PASI-M
10539883003	1171 S	TO-15	AFV, MJL	5	PASI-M
10539883004	1171 N	TO-15	AFV	5	PASI-M
10539883005	1181 E	TO-15	AFV	5	PASI-M
10539883006	1181 W	TO-15	AFV	5	PASI-M
10539883007	1191 E	TO-15	AFV	5	PASI-M
10539883008	1191 W	TO-15	AFV	5	PASI-M
10539883009	1197 E	TO-15	MJL	5	PASI-M
10539883010	1197 W	TO-15	MJL	5	PASI-M
10539883011	1193 E	TO-15	AFV	5	PASI-M
10539883012	1193 W	TO-15	AFV, MJL	5	PASI-M
10539883013	1201 E	TO-15	AFV	5	PASI-M
10539883014	1201 W	TO-15	AFV, MJL	5	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SUMMARY OF DETECTION

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

Lab Sample ID Method	Client Sample ID Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
<b>10539883001</b>	<b>1159 S</b>					
TO-15	Tetrachloroethene	5110	ug/m3	289	12/04/20 17:44	
<b>10539883002</b>	<b>1159 N</b>					
TO-15	Tetrachloroethene	1310	ug/m3	36.2	12/04/20 16:29	
<b>10539883003</b>	<b>1171 S</b>					
TO-15	Tetrachloroethene	1190	ug/m3	39.7	12/04/20 17:06	
<b>10539883004</b>	<b>1171 N</b>					
TO-15	Tetrachloroethene	77.3	ug/m3	1.3	12/04/20 05:10	
<b>10539883005</b>	<b>1181 E</b>					
TO-15	Tetrachloroethene	33.1	ug/m3	0.99	12/04/20 05:51	
TO-15	Trichloroethene	1.3	ug/m3	0.79	12/04/20 05:51	
<b>10539883006</b>	<b>1181 W</b>					
TO-15	Tetrachloroethene	54.6	ug/m3	1.3	12/04/20 06:31	
<b>10539883007</b>	<b>1191 E</b>					
TO-15	Tetrachloroethene	69.2	ug/m3	1.2	12/04/20 07:12	
<b>10539883008</b>	<b>1191 W</b>					
TO-15	Tetrachloroethene	248	ug/m3	1.2	12/04/20 07:53	
<b>10539883009</b>	<b>1197 E</b>					
TO-15	Tetrachloroethene	42.6	ug/m3	1.2	12/04/20 19:46	
<b>10539883010</b>	<b>1197 W</b>					
TO-15	Tetrachloroethene	204	ug/m3	1.1	12/04/20 18:25	
<b>10539883011</b>	<b>1193 E</b>					
TO-15	Tetrachloroethene	125	ug/m3	1.2	12/03/20 19:17	
<b>10539883012</b>	<b>1193 W</b>					
TO-15	Tetrachloroethene	272	ug/m3	12.1	12/04/20 13:34	
<b>10539883013</b>	<b>1201 E</b>					
TO-15	Tetrachloroethene	116	ug/m3	1.1	12/03/20 22:40	
TO-15	Trichloroethene	0.83J	ug/m3	0.85	12/03/20 22:40	
<b>10539883014</b>	<b>1201 W</b>					
TO-15	Tetrachloroethene	369	ug/m3	12.1	12/04/20 15:52	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

Sample: 1159 S      Lab ID: 10539883001      Collected: 11/16/20 09:10      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR      Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		12/04/20 03:08	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.75		12/04/20 03:08	156-60-5	
Tetrachloroethene	5110	ug/m3	289	91.1	420		12/04/20 17:44	127-18-4	
Trichloroethene	<0.33	ug/m3	0.96	0.33	1.75		12/04/20 03:08	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		12/04/20 03:08	75-01-4	

Sample: 1159 N      Lab ID: 10539883002      Collected: 11/16/20 09:53      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR      Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		12/04/20 03:48	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.75		12/04/20 03:48	156-60-5	
Tetrachloroethene	1310	ug/m3	36.2	11.4	52.5		12/04/20 16:29	127-18-4	
Trichloroethene	<0.33	ug/m3	0.96	0.33	1.75		12/04/20 03:48	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		12/04/20 03:48	75-01-4	

Sample: 1171 S      Lab ID: 10539883003      Collected: 11/16/20 11:16      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR      Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.27	ug/m3	1.5	0.27	1.92		12/04/20 04:29	156-59-2	
trans-1,2-Dichloroethene	<0.33	ug/m3	1.5	0.33	1.92		12/04/20 04:29	156-60-5	
Tetrachloroethene	1190	ug/m3	39.7	12.5	57.6		12/04/20 17:06	127-18-4	
Trichloroethene	<0.37	ug/m3	1.0	0.37	1.92		12/04/20 04:29	79-01-6	
Vinyl chloride	<0.17	ug/m3	0.50	0.17	1.92		12/04/20 04:29	75-01-4	

Sample: 1171 N      Lab ID: 10539883004      Collected: 11/16/20 11:45      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR      Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.27	ug/m3	1.5	0.27	1.92		12/04/20 05:10	156-59-2	
trans-1,2-Dichloroethene	<0.33	ug/m3	1.5	0.33	1.92		12/04/20 05:10	156-60-5	
Tetrachloroethene	77.3	ug/m3	1.3	0.42	1.92		12/04/20 05:10	127-18-4	
Trichloroethene	<0.37	ug/m3	1.0	0.37	1.92		12/04/20 05:10	79-01-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

**Sample: 1171 N**      **Lab ID: 10539883004**      Collected: 11/16/20 11:45      Received: 11/19/20 15:05      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
Vinyl chloride	<0.17	ug/m3	0.50	0.17	1.92		12/04/20 05:10	75-01-4	

**Sample: 1181 E**      **Lab ID: 10539883005**      Collected: 11/16/20 12:50      Received: 11/19/20 15:05      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.20	ug/m3	1.2	0.20	1.44		12/04/20 05:51	156-59-2	
trans-1,2-Dichloroethene	<0.24	ug/m3	1.2	0.24	1.44		12/04/20 05:51	156-60-5	
Tetrachloroethene	33.1	ug/m3	0.99	0.31	1.44		12/04/20 05:51	127-18-4	
Trichloroethene	1.3	ug/m3	0.79	0.28	1.44		12/04/20 05:51	79-01-6	
Vinyl chloride	<0.12	ug/m3	0.37	0.12	1.44		12/04/20 05:51	75-01-4	

**Sample: 1181 W**      **Lab ID: 10539883006**      Collected: 11/16/20 13:30      Received: 11/19/20 15:05      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.26	ug/m3	1.5	0.26	1.83		12/04/20 06:31	156-59-2	
trans-1,2-Dichloroethene	<0.31	ug/m3	1.5	0.31	1.83		12/04/20 06:31	156-60-5	
Tetrachloroethene	54.6	ug/m3	1.3	0.40	1.83		12/04/20 06:31	127-18-4	
Trichloroethene	<0.35	ug/m3	1.0	0.35	1.83		12/04/20 06:31	79-01-6	
Vinyl chloride	<0.16	ug/m3	0.48	0.16	1.83		12/04/20 06:31	75-01-4	

**Sample: 1191 E**      **Lab ID: 10539883007**      Collected: 11/16/20 14:45      Received: 11/19/20 15:05      Matrix: Air

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.25	ug/m3	1.4	0.25	1.79		12/04/20 07:12	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.79		12/04/20 07:12	156-60-5	
Tetrachloroethene	69.2	ug/m3	1.2	0.39	1.79		12/04/20 07:12	127-18-4	
Trichloroethene	<0.34	ug/m3	0.98	0.34	1.79		12/04/20 07:12	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.47	0.15	1.79		12/04/20 07:12	75-01-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: 25211374.53 Laundry Land-Revised Report  
Pace Project No.: 10539883

Sample: 1191 W      Lab ID: 10539883008      Collected: 11/16/20 15:15      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.68		12/04/20 07:53	156-59-2	
trans-1,2-Dichloroethene	<0.29	ug/m3	1.4	0.29	1.68		12/04/20 07:53	156-60-5	
Tetrachloroethene	248	ug/m3	1.2	0.36	1.68		12/04/20 07:53	127-18-4	
Trichloroethene	<0.32	ug/m3	0.92	0.32	1.68		12/04/20 07:53	79-01-6	
Vinyl chloride	<0.14	ug/m3	0.44	0.14	1.68		12/04/20 07:53	75-01-4	

Sample: 1197 E      Lab ID: 10539883009      Collected: 11/16/20 16:20      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		12/04/20 19:46	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.75		12/04/20 19:46	156-60-5	
Tetrachloroethene	42.6	ug/m3	1.2	0.38	1.75		12/04/20 19:46	127-18-4	
Trichloroethene	<0.33	ug/m3	0.96	0.33	1.75		12/04/20 19:46	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		12/04/20 19:46	75-01-4	

Sample: 1197 W      Lab ID: 10539883010      Collected: 11/16/20 16:47      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.23	ug/m3	1.3	0.23	1.61		12/04/20 18:25	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/m3	1.3	0.27	1.61		12/04/20 18:25	156-60-5	
Tetrachloroethene	204	ug/m3	1.1	0.35	1.61		12/04/20 18:25	127-18-4	
Trichloroethene	<0.31	ug/m3	0.88	0.31	1.61		12/04/20 18:25	79-01-6	
Vinyl chloride	<0.14	ug/m3	0.42	0.14	1.61		12/04/20 18:25	75-01-4	

Sample: 1193 E      Lab ID: 10539883011      Collected: 11/17/20 12:50      Received: 11/19/20 15:05      Matrix: Air									
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
<b>TO15 MSV AIR</b>									
Analytical Method: TO-15 Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		12/03/20 19:17	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.75		12/03/20 19:17	156-60-5	
Tetrachloroethene	125	ug/m3	1.2	0.38	1.75		12/03/20 19:17	127-18-4	
Trichloroethene	<0.33	ug/m3	0.96	0.33	1.75		12/03/20 19:17	79-01-6	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

Sample: 1193 E		Lab ID: 10539883011	Collected: 11/17/20 12:50	Received: 11/19/20 15:05	Matrix: Air				
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		12/03/20 19:17	75-01-4	

Sample: 1193 W		Lab ID: 10539883012	Collected: 11/17/20 13:40	Received: 11/19/20 15:05	Matrix: Air				
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		12/03/20 22:00	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.75		12/03/20 22:00	156-60-5	
Tetrachloroethene	272	ug/m3	12.1	3.8	17.5		12/04/20 13:34	127-18-4	
Trichloroethene	<0.33	ug/m3	0.96	0.33	1.75		12/03/20 22:00	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		12/03/20 22:00	75-01-4	

Sample: 1201 E		Lab ID: 10539883013	Collected: 11/17/20 19:04	Received: 11/19/20 15:05	Matrix: Air				
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.22	ug/m3	1.2	0.22	1.55		12/03/20 22:40	156-59-2	
trans-1,2-Dichloroethene	<0.26	ug/m3	1.2	0.26	1.55		12/03/20 22:40	156-60-5	
Tetrachloroethene	116	ug/m3	1.1	0.34	1.55		12/03/20 22:40	127-18-4	
Trichloroethene	0.83J	ug/m3	0.85	0.30	1.55		12/03/20 22:40	79-01-6	
Vinyl chloride	<0.13	ug/m3	0.40	0.13	1.55		12/03/20 22:40	75-01-4	

Sample: 1201 W		Lab ID: 10539883014	Collected: 11/17/20 19:22	Received: 11/19/20 15:05	Matrix: Air				
Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
TO15 MSV AIR									
Analytical Method: TO-15									
Pace Analytical Services - Minneapolis									
cis-1,2-Dichloroethene	<0.24	ug/m3	1.4	0.24	1.75		12/03/20 20:38	156-59-2	
trans-1,2-Dichloroethene	<0.30	ug/m3	1.4	0.30	1.75		12/03/20 20:38	156-60-5	
Tetrachloroethene	369	ug/m3	12.1	3.8	17.5		12/04/20 15:52	127-18-4	
Trichloroethene	<0.33	ug/m3	0.96	0.33	1.75		12/03/20 20:38	79-01-6	
Vinyl chloride	<0.15	ug/m3	0.46	0.15	1.75		12/03/20 20:38	75-01-4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA**

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

QC Batch:	714143	Analysis Method:	TO-15
QC Batch Method:	TO-15	Analysis Description:	TO15 MSV AIR Low Level
		Laboratory:	Pace Analytical Services - Minneapolis
Associated Lab Samples:	10539883001, 10539883002, 10539883003, 10539883004, 10539883005, 10539883006, 10539883007, 10539883008, 10539883011, 10539883012, 10539883013, 10539883014		

METHOD BLANK:	3812157	Matrix:	Air
Associated Lab Samples:	10539883001, 10539883002, 10539883003, 10539883004, 10539883005, 10539883006, 10539883007, 10539883008, 10539883011, 10539883012, 10539883013, 10539883014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.14	0.81	12/03/20 12:31	
Tetrachloroethene	ug/m3	<0.22	0.69	12/03/20 12:31	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	12/03/20 12:31	
Trichloroethene	ug/m3	<0.19	0.55	12/03/20 12:31	
Vinyl chloride	ug/m3	<0.086	0.26	12/03/20 12:31	

LABORATORY CONTROL SAMPLE: 3812158

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	41.6	45.5	109	70-132	
Tetrachloroethene	ug/m3	71	71.8	101	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	46.9	111	70-132	
Trichloroethene	ug/m3	56.3	57.9	103	70-132	
Vinyl chloride	ug/m3	26.7	29.2	109	68-141	

SAMPLE DUPLICATE: 3813160

Parameter	Units	10539883011 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.24	<0.24			25
Tetrachloroethene	ug/m3	125	124	1		25
trans-1,2-Dichloroethene	ug/m3	<0.30	<0.30			25
Trichloroethene	ug/m3	<0.33	<0.33			25
Vinyl chloride	ug/m3	<0.15	<0.15			25

SAMPLE DUPLICATE: 3813164

Parameter	Units	10539883014 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.24	<0.24			25
Tetrachloroethene	ug/m3	369	461	22		25 E
trans-1,2-Dichloroethene	ug/m3	<0.30	<0.30			25
Trichloroethene	ug/m3	<0.33	<0.33			25
Vinyl chloride	ug/m3	<0.15	<0.15			25

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 25211374.53 Laundry Land-Revised Report  
Pace Project No.: 10539883

QC Batch: 714372	Analysis Method: TO-15
QC Batch Method: TO-15	Analysis Description: TO15 MSV AIR Low Level
	Laboratory: Pace Analytical Services - Minneapolis

Associated Lab Samples: 10539883009, 10539883010

METHOD BLANK: 3813191 Matrix: Air

Associated Lab Samples: 10539883009, 10539883010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.14	0.81	12/04/20 10:50	
Tetrachloroethene	ug/m3	<0.22	0.69	12/04/20 10:50	
trans-1,2-Dichloroethene	ug/m3	<0.17	0.81	12/04/20 10:50	
Trichloroethene	ug/m3	<0.19	0.55	12/04/20 10:50	
Vinyl chloride	ug/m3	<0.086	0.26	12/04/20 10:50	

LABORATORY CONTROL SAMPLE: 3813192

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/m3	41.6	45.7	110	70-132	
Tetrachloroethene	ug/m3	71	70.4	99	70-136	
trans-1,2-Dichloroethene	ug/m3	42.2	46.8	111	70-132	
Trichloroethene	ug/m3	56.3	58.0	103	70-132	
Vinyl chloride	ug/m3	26.7	30.2	113	68-141	

SAMPLE DUPLICATE: 3814022

Parameter	Units	10540870001 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.19	<0.19		25	
Tetrachloroethene	ug/m3	<0.30	<0.30		25	
trans-1,2-Dichloroethene	ug/m3	<0.24	<0.24		25	
Trichloroethene	ug/m3	<0.27	<0.27		25	
Vinyl chloride	ug/m3	<0.12	<0.12		25	

SAMPLE DUPLICATE: 3814023

Parameter	Units	10540870003 Result	Dup Result	RPD	Max RPD	Qualifiers
cis-1,2-Dichloroethene	ug/m3	<0.22	<0.22		25	
Tetrachloroethene	ug/m3	<0.34	<0.34		25	
trans-1,2-Dichloroethene	ug/m3	<0.27	<0.27		25	
Trichloroethene	ug/m3	<0.30	<0.30		25	
Vinyl chloride	ug/m3	<0.14	<0.14		25	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above LOD.

J - Estimated concentration at or above the LOD and below the LOQ.

LOD - Limit of Detection adjusted for dilution factor, percent moisture, initial weight and final volume.

LOQ - Limit of Quantitation adjusted for dilution factor, percent moisture, initial weight and final volume.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected at or above the adjusted LOD.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### SAMPLE QUALIFIERS

Sample: 10539883001

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883002

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883003

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883004

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883005

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883006

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883007

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883008

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883011

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883012

[1] Analysis performed at 1800 Elm Street.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

---

### SAMPLE QUALIFIERS

Sample: 10539883013

[1] Analysis performed at 1800 Elm Street.

Sample: 10539883014

[1] Analysis performed at 1800 Elm Street.

### ANALYTE QUALIFIERS

E Analyte concentration exceeded the calibration range. The reported result is estimated.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE


Project: 25211374.53 Laundry Land-Revised Report

Pace Project No.: 10539883

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10539883001	1159 S	TO-15	714143		
10539883002	1159 N	TO-15	714143		
10539883003	1171 S	TO-15	714143		
10539883004	1171 N	TO-15	714143		
10539883005	1181 E	TO-15	714143		
10539883006	1181 W	TO-15	714143		
10539883007	1191 E	TO-15	714143		
10539883008	1191 W	TO-15	714143		
10539883009	1197 E	TO-15	714372		
10539883010	1197 W	TO-15	714372		
10539883011	1193 E	TO-15	714143		
10539883012	1193 W	TO-15	714143		
10539883013	1201 E	TO-15	714143		
10539883014	1201 W	TO-15	714143		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



Pace Analytical  
www.pacelabs.com

**AIR: CHAIN-OF-CUSTODY**  
The Chain-of-Custody is a LEGAL DOCUMENT

WO#: 10539883  
1539883

<b>Section A</b> Required Client Information: Company: SCS Engineers Address: 2830 Dairy Drive Madison, WI 53718 Email To: Phone: Fax: Requested Due Date/TAT:		<b>Section B</b> Required Project Information: Report To: Robert Langdon Copy To: Purchase Order No.: Project Name: Laundry Land Project Number: 2521374-53		<b>Section C</b> Invoice Information: Attention: Robert Langdon Company Name: SCS Engineers Address: 2830 Dairy Dr, Madison WI 53718 Pace Quote Reference: Pace Project Manager/Sales Rep. Pace Profile #: 32630		Page: 1 of 2 41202											
<b>Section D</b> Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE		<b>COLLECTED</b> MEDIA CODE Valid Media Codes: TB 1 Liter Summa Can 6LC LVP High Volume Puff PM10		PID Reading (Client only) DATE TIME		Canister Pressure (Initial Field - In Hg) Canister Pressure (Final Field - In Hg) Summa Can Number Flow Control Number											
ITEM #	1159 S	66050	11/16	840	11/16	910	28	8	263	1587	01						
2	1159 N	851	923	1040	983	285	8	1708	0993	02							
3	1171 S	899	1110	1220	1112	29	10	3796	0925	03							
4	1171 N	315	1415	1300	1145	29	10	1569	1512	04							
5	1181 E	1000	1445	1550	1250	23	1	521	0835	05							
6	1181 W	780	1445	1550	1330	29	8.5	646	0629	06							
7	1191 E	182	1415	1550	1445	28	6	1037	0734	07							
8	1191 W	618	1415	1550	1515	28	6	804	1635	08							
9	1197 E	571	1417	1617	1620	28	7	689	1170	09							
10	1197 W	571	1417	1617	1250	29	5	1618	1707	10							
11	1193 E	571	1417	1617	1250	29	8	424	1617	11							
12	1193 W	571	1417	1617	1340	30	8	575	2332	12							
Comments: * Analyze for PCBs, TCE, cis 1,2 DCE, Trans-1,2 DCE, and Vinyl chloride		RELINQUISHED BY / AFFILIATION Robert Langdon / SCS		DATE 11/16/10		TIME 1500		ACCEPTED BY / AFFILIATION Robert Langdon / SCS		DATE 11-19-20		TIME 1505		SAMPLE CONDITIONS Temp in C: _____ Received on Ice: Y/N _____ Custody Sealed Cooler: Y/N _____ Samples Intact: Y/N _____			
SAMPLER NAME AND SIGNATURE PRINT Name of SAMPLER: Robert Langdon SIGNATURE of SAMPLER: [Signature]												DATE Signed (MM/DD/YY) 11/18/20					

ORIGINAL

# AIR: CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**41227**

<b>Section A</b> Required Client Information: Company: <u>SCS Engineers</u> Address: <u>2830 Dairy Dr Madison WI 53708</u> Email To: <u>Madison, WI 53708</u> Phone: _____ Fax: _____ Requested Due Date/TAT: _____			<b>Section B</b> Required Project Information: Report To: <u>Robert Langston</u> Copy To: _____ Purchase Order No.: _____ Project Name: <u>Laundry Land</u> Project Number: <u>05211374.53</u>			<b>Section C</b> Invoice Information: Attention: <u>Robert Langston</u> Company Name: <u>SCS Engineers</u> Address: <u>2830 Dairy Dr Madison WI 53708</u> Pace Quote Reference: _____ Pace Project Manager/Sales Rep: _____ Pace Profile #: <u>32630</u>			Program <input type="checkbox"/> UST <input type="checkbox"/> Superfund <input type="checkbox"/> Emissions <input type="checkbox"/> Clean Air Act <input type="checkbox"/> Voluntary Clean Up <input type="checkbox"/> Dry Clean <input type="checkbox"/> RCRA <input type="checkbox"/> Other _____ Location of Sampling by State: <u>WI</u> Reporting Units: <u>mg/m<sup>3</sup></u> <input type="checkbox"/> PPMV <input type="checkbox"/> PPMV <input type="checkbox"/> Other _____ Report Level: II ___ III ___ IV ___ Other ___		
<b>Section D</b> Required Client Information <b>AIR SAMPLE ID</b> Sample IDs MUST BE UNIQUE <u>1201 E</u> <u>1201 W</u>			Valid Media Codes MEDIA CODE Tedlar Bag TB 1 Liter Summa Can 1LC 6 Liter Summa Can 6LC Low Volume Puff LVP High Volume Puff HVP Other PNA <u>755 A/B</u>			COLLECTED PID Reading (Client only) _____ MEDIA CODE _____ DATE TIME DATE TIME Composite Start End <u>11/14/20 11:40 11:42</u> <u>11/14/20 11:42 11:44</u> <u>11/14/20 11:44 11:46</u> <u>11/14/20 11:46 11:48</u> Canister Pressure (Initial Field - in Hg) _____ Canister Pressure (Final Field - in Hg) _____ Summa Can Number _____ Flow Control Number _____ Report Level: II ___ III ___ IV ___ Other ___			Method: _____ TO-15 Full List VOCs TO-15 Short List Chlormethane TO-15 Short List BTX TO-15 Short List BTX TO-14 TO-3M (Methane) TO-3 BTX 3C - Fixed Gas (%) PM10 Pace Lab ID <u>013</u> <u>014</u>		
ITEM #	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS				
1	<u>Robert Langston / SCS</u>	<u>11/14/20</u>	<u>1500</u>	<u>Robert Langston / PACE</u>	<u>11/19/20</u>	<u>1505</u>	Temp in °C _____ Received on Ice Y/N _____ Custody Sealed Cooler Y/N _____ Samples Intact Y/N _____				
2											
3											
4											
5											
6											
7											
8											
9											
10											
11											
12											

Comments: \* Analyze for PCB, TOC, C, B, D, EE, Trms 1201E and 1201W

SAMPLER NAME AND SIGNATURE  
 PRINT Name of SAMPLER: Robert Langston  
 SIGNATURE of SAMPLER: \_\_\_\_\_  
 DATE Signed (MM / DD / YY) \_\_\_\_\_

**ORIGINAL**





Document Name:  
**Sample Condition Upon Receipt (SCUR) - Air**  
 Document No.:  
**ENV-FRM-MIN4-0113 Rev.00**

Document Revised: 24Mar2020  
**Page 1 of 1**  
 Pace Analytical Services -  
 Minneapolis

**Air Sample Condition  
 Upon Receipt**

**Client Name:**  
 SCS ENA

**Project #:**

**WO# : 10539883**  
 PM: KNH  
 Due Date: 11/30/20  
 CLIENT: SCS Engineer

**Courier:**  Fed Ex  UPS  USPS  Client  
 Pace  SpeedDee  Commercial  See Exception

**Tracking Number:** \_\_\_\_\_

**Custody Seal on Cooler/Box Present?**  Yes  No **Seals Intact?**  Yes  No

**Packing Material:**  Bubble Wrap  Bubble Bags  Foam  None  Tin Can  Other: \_\_\_\_\_ **Temp Blank rec:**  Yes  No

**Temp. (TO17 and TO13 samples only) (°C):** X **Corrected Temp (°C):** X **Thermometer Used:**  G87A9170600254  G87A9155100842

**Temp should be above freezing to 6°C** **Correction Factor:** X **Date & Initials of Person Examining Contents:** 11-19-20 CMY

**Type of ice Received**  Blue  Wet  None

**Comments:**

Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used? (Tedlar bags not acceptable container for TO-14, TO-15 or APH) -Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
Containers Intact? (visual inspection/no leaks when pressurized)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Media: <u>Air Can</u> Airbag Filter TDT Passive		11. Individually Certified Cans Y <u>(N)</u> (list which samples)
Is sufficient information available to reconcile samples to the COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
Do cans need to be pressurized? (DO NOT PRESSURIZE 3C or ASTM 1946!!!)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13.

**Gauge #**  10AIR26  10AIR34  10AIR35  4097

**Canisters**

**Canisters**

Sample Number	Can ID	Flow Controller	Initial Pressure	Final Pressure	11-19-20 Sample Number <sup>CMY</sup>	Can ID	Flow Controller	Initial Pressure	Final Pressure
1159 S	0263	1587	-7	+5	1197 WE	0689	1170	-7	+5
1159 N	1708	0993	-7	+5	1197 W	1618	1767	-5.5	+5
1171 S	3796	0925	-9	+5	1193 E	0424	1617	-7	+5
1171 N	1569	1512	-9	+5	1193 W	0575	2332	-7	+5
1181 E	0521	0835	-2	+5	1201 E	1530	2281	-4	+5
1181 W	0646	0629	-8	+5	1201 W	2807	0786	-7	+5
1191 E	1637	0734	-7.5	+5					
1191 W	0804	1635	-6	+5					

**CLIENT NOTIFICATION/RESOLUTION**

**Field Data Required?**  Yes  No


**Person Contacted:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Comments/Resolution:** \_\_\_\_\_

**Project Manager Review:** Kirsten Hooper

**Date:** 11/20/2020

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Document Name:  
**Sample Condition Upon Receipt (SCUR) Exception Form**

Document Revised: 04Jun2020  
 Page 1 of 1

Document No.:  
 ENV-FRM-MIN4-0142 Rev.01

Pace Analytical Services -  
 Minneapolis

**SCUR Exceptions:**

**Workorder #:**

Out of Temp Sample IDs	Container Type	# of Containers	PM Notified? <input type="checkbox"/> Yes <input type="checkbox"/> No																																							
			If yes, indicate who was contacted/date/time. If no, indicate reason why.																																							
			Multiple Cooler Project? <input type="checkbox"/> Yes <input type="checkbox"/> No If you answered yes, fill out information to the left.																																							
			<table border="1"> <thead> <tr> <th colspan="3">No Temp Blank</th> </tr> <tr> <th>Read Temp</th> <th>Corrected Temp</th> <th>Average Temp</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </tbody> </table>	No Temp Blank			Read Temp	Corrected Temp	Average Temp																																	
No Temp Blank																																										
Read Temp	Corrected Temp	Average Temp																																								
			<table border="1"> <thead> <tr> <th>Issue Type:</th> <th>Container Type</th> <th># of Containers</th> </tr> <tr> <th>Sample ID</th> <td></td> <td></td> </tr> </thead> <tbody> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </tbody> </table>	Issue Type:	Container Type	# of Containers	Sample ID																																			
Issue Type:	Container Type	# of Containers																																								
Sample ID																																										

Tracking Number/Temperature		
1723	2547	4392
"		4382
"		4956
"		4967

Issue Type:	Container Type	# of Containers
Sample ID		

**pH Adjustment Log for Preserved Samples**

Sample ID	Type of Preserv.	pH Upon Receipt	Date Adjusted	Time Adjusted	Amount Added (mL)	Lot # Added	pH After	In Compliance after addition? <input type="checkbox"/> Yes <input type="checkbox"/> No	Initials
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	
								<input type="checkbox"/> Yes <input type="checkbox"/> No	

**Comments:**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_





Pace Analytical Services, LLC  
1700 Elm Street, Suite 200  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers  
Phone: 843.746.8525

Lab Project Number: 10539883  
Project Name: 25211374.53 Laundry Land

Lab Sample No: 10539883002  
Client Sample ID: 1159 N

ProjSampleNum: 10539883002  
Matrix: Air

Date Collected: 11/16/20 9:53  
Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

**Air**  
TO-15

cis-1,2-Dichloroethene	<0.06	ppbv	0.35	1.75	12/04/20 3:48	AFV 156-59-2
Tetrachloroethene	190	ppbv	5.3	52.5	12/04/20 16:29	MJL 127-18-4
trans-1,2-Dichloroethene	<0.074	ppbv	0.35	1.75	12/04/20 3:48	AFV 156-60-5
Trichloroethene	<0.06	ppbv	0.18	1.75	12/04/20 3:48	AFV 79-01-6
Vinyl chloride	<0.058	ppbv	0.18	1.75	12/04/20 3:48	AFV 75-01-4

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**

Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

### ANALYTICAL RESULTS

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883003 ProjSampleNum: 10539883003 Date Collected: 11/16/20 11:16  
 Client Sample ID: 1171 S Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.067	ppbv	0.37	1.92	12/04/20 4:29 AFV	156-59-2	
Tetrachloroethene	173	ppbv	5.8	57.6	12/04/20 17:06 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.082	ppbv	0.37	1.92	12/04/20 4:29 AFV	156-60-5	
Trichloroethene	<0.068	ppbv	0.18	1.92	12/04/20 4:29 AFV	79-01-6	
Vinyl chloride	<0.065	ppbv	0.19	1.92	12/04/20 4:29 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

### SUPPLEMENTAL REPORT Units Conversion Request



**ANALYTICAL RESULTS**

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883004 ProjSampleNum: 10539883004 Date Collected: 11/16/20 11:45  
 Client Sample ID: 1171 N Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.067	ppbv	0.37	1.92	12/04/20 5:10 AFV	156-59-2	
Tetrachloroethene	11.2	ppbv	0.19	1.92	12/04/20 5:10 AFV	127-18-4	
trans-1,2-Dichloroethene	<0.082	ppbv	0.37	1.92	12/04/20 5:10 AFV	156-60-5	
Trichloroethene	<0.068	ppbv	0.18	1.92	12/04/20 5:10 AFV	79-01-6	
Vinyl chloride	<0.065	ppbv	0.19	1.92	12/04/20 5:10 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

### ANALYTICAL RESULTS

Client: SCS Engineers  
 Phone: 843.746.8525

Lab Project Number: 10539883  
 Project Name: 25211374.53 Laundry Land

Lab Sample No: 10539883005  
 Client Sample ID: 1181 E

ProjSampleNum: 10539883005  
 Matrix: Air

Date Collected: 11/16/20 12:50  
 Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analized	CAS No.	Qualifiers
------------	---------	-------	--------------	----	----------	---------	------------

**Air**  
TO-15

cis-1,2-Dichloroethene	<0.05	ppbv	0.3	1.44	12/04/20 5:51 AFV	156-59-2	
Tetrachloroethene	4.8	ppbv	0.14	1.44	12/04/20 5:51 AFV	127-18-4	
trans-1,2-Dichloroethene	<0.06	ppbv	0.3	1.44	12/04/20 5:51 AFV	156-60-5	
Trichloroethene	0.24	ppbv	0.14	1.44	12/04/20 5:51 AFV	79-01-6	
Vinyl chloride	<0.046	ppbv	0.14	1.44	12/04/20 5:51 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT  
 Units Conversion Request



ANALYTICAL RESULTS

Client: SCS Engineers Lab Project Number: 10539883
Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land
Lab Sample No: 10539883006 ProjSampleNum: 10539883006 Date Collected: 11/16/20 13:30
Client Sample ID: 1181 W Matrix: Air Date Received: 11/19/20 15:05

Parameters Results Units Report Limit DF Analyzed CAS No. Qualifiers

Air TO-15

Table with 8 columns: Compound Name, Results, Units, Report Limit, DF, Analyzed, CAS No., Qualifiers. Rows include cis-1,2-Dichloroethene, Tetrachloroethene, trans-1,2-Dichloroethene, Trichloroethene, and Vinyl chloride.

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

SUPPLEMENTAL REPORT
Units Conversion Request





Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883007 ProjSampleNum: 10539883007 Date Collected: 11/16/20 14:45  
 Client Sample ID: 1191 E Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.062	ppbv	0.35	1.79	12/04/20 7:12 AFV	156-59-2	
Tetrachloroethene	10	ppbv	0.17	1.79	12/04/20 7:12 AFV	127-18-4	
trans-1,2-Dichloroethene	<0.074	ppbv	0.35	1.79	12/04/20 7:12 AFV	156-60-5	
Trichloroethene	<0.062	ppbv	0.18	1.79	12/04/20 7:12 AFV	79-01-6	
Vinyl chloride	<0.058	ppbv	0.18	1.79	12/04/20 7:12 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

### ANALYTICAL RESULTS

Client: SCS Engineers	Lab Project Number: 10539883
Phone: 843.746.8525	Project Name: 25211374.53 Laundry Land
Lab Sample No: 10539883008	ProjSampleNum: 10539883008
Client Sample ID: 1191 W	Date Collected: 11/16/20 15:15
	Date Received: 11/19/20 15:05
	Matrix: Air

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.06	ppbv	0.35	1.68	12/04/20 7:53 AFV	156-59-2	
Tetrachloroethene	36	ppbv	0.17	1.68	12/04/20 7:53 AFV	127-18-4	
trans-1,2-Dichloroethene	<0.072	ppbv	0.35	1.68	12/04/20 7:53 AFV	156-60-5	
Trichloroethene	<0.059	ppbv	0.17	1.68	12/04/20 7:53 AFV	79-01-6	
Vinyl chloride	<0.054	ppbv	0.17	1.68	12/04/20 7:53 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

### SUPPLEMENTAL REPORT Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883009 ProjSampleNum: 10539883009 Date Collected: 11/16/20 16:20  
 Client Sample ID: 1197 E Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.06	ppbv	0.35	1.75	12/04/20 19:46 MJL	156-59-2	
Tetrachloroethene	6.2	ppbv	0.17	1.75	12/04/20 19:46 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.074	ppbv	0.35	1.75	12/04/20 19:46 MJL	156-60-5	
Trichloroethene	<0.06	ppbv	0.18	1.75	12/04/20 19:46 MJL	79-01-6	
Vinyl chloride	<0.058	ppbv	0.18	1.75	12/04/20 19:46 MJL	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883010 ProjSampleNum: 10539883010 Date Collected: 11/16/20 16:47  
 Client Sample ID: 1197 W Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.057	ppbv	0.32	1.61	12/04/20 18:25 MJL	156-59-2	
Tetrachloroethene	29.6	ppbv	0.16	1.61	12/04/20 18:25 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.067	ppbv	0.32	1.61	12/04/20 18:25 MJL	156-60-5	
Trichloroethene	<0.057	ppbv	0.16	1.61	12/04/20 18:25 MJL	79-01-6	
Vinyl chloride	<0.054	ppbv	0.16	1.61	12/04/20 18:25 MJL	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers  
 Phone: 843.746.8525  
 Lab Sample No: 10539883011  
 Client Sample ID: 1193 E

ProjSampleNum: 10539883011  
 Matrix: Air

Lab Project Number: 10539883  
 Project Name: 25211374.53 Laundry Land  
 Date Collected: 11/17/20 12:50  
 Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
<b>TO-15</b>							
cis-1,2-Dichloroethene	<0.06	ppbv	0.35	1.75	12/03/20 19:17	AFV 156-59-2	
Tetrachloroethene	18.1	ppbv	0.17	1.75	12/03/20 19:17	AFV 127-18-4	
trans-1,2-Dichloroethene	<0.074	ppbv	0.35	1.75	12/03/20 19:17	AFV 156-60-5	
Trichloroethene	<0.06	ppbv	0.18	1.75	12/03/20 19:17	AFV 79-01-6	
Vinyl chloride	<0.058	ppbv	0.18	1.75	12/03/20 19:17	AFV 75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883012 ProjSampleNum: 10539883012 Date Collected: 11/17/20 13:40  
 Client Sample ID: 1193 W Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.06	ppbv	0.35	1.75	12/03/20 22:00 AFV	156-59-2	
Tetrachloroethene	39.5	ppbv	1.8	17.5	12/04/20 13:34 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.074	ppbv	0.35	1.75	12/03/20 22:00 AFV	156-60-5	
Trichloroethene	<0.06	ppbv	0.18	1.75	12/03/20 22:00 AFV	79-01-6	
Vinyl chloride	<0.058	ppbv	0.18	1.75	12/03/20 22:00 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers Lab Project Number: 10539883  
 Phone: 843.746.8525 Project Name: 25211374.53 Laundry Land  
 Lab Sample No: 10539883013 ProjSampleNum: 10539883013 Date Collected: 11/17/20 19:04  
 Client Sample ID: 1201 E Matrix: Air Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.055	ppbv	0.3	1.55	12/03/20 22:40 AFV	156-59-2	
Tetrachloroethene	16.8	ppbv	0.16	1.55	12/03/20 22:40 AFV	127-18-4	
trans-1,2-Dichloroethene	<0.065	ppbv	0.3	1.55	12/03/20 22:40 AFV	156-60-5	
Trichloroethene	0.15J	ppbv	0.16	1.55	12/03/20 22:40 AFV	79-01-6	
Vinyl chloride	<0.05	ppbv	0.15	1.55	12/03/20 22:40 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request



Pace Analytical Services, LLC  
 1700 Elm Street, Suite 200  
 Minneapolis, MN 55414  
 Phone: 612.607.1700  
 Fax: 612.607.6444

**ANALYTICAL RESULTS**

Client: SCS Engineers  
 Phone: 843.746.8525

Lab Project Number: 10539883  
 Project Name: 25211374.53 Laundry Land

Lab Sample No: 10539883014  
 Client Sample ID: 1201 W

ProjSampleNum: 10539883014  
 Matrix: Air

Date Collected: 11/17/20 19:22  
 Date Received: 11/19/20 15:05

Parameters	Results	Units	Report Limit	DF	Analyzed	CAS No.	Qualifiers
<b>Air</b>							
TO-15							
cis-1,2-Dichloroethene	<0.06	ppbv	0.35	1.75	12/03/20 20:38 AFV	156-59-2	
Tetrachloroethene	53.5	ppbv	1.8	17.5	12/04/20 15:52 MJL	127-18-4	
trans-1,2-Dichloroethene	<0.074	ppbv	0.35	1.75	12/03/20 20:38 AFV	156-60-5	
Trichloroethene	<0.06	ppbv	0.18	1.75	12/03/20 20:38 AFV	79-01-6	
Vinyl chloride	<0.058	ppbv	0.18	1.75	12/03/20 20:38 AFV	75-01-4	

DISCLAIMER: These results have been converted to the units shown from the original units of measurement assuming 20 degrees Celsius and 1 atmosphere pressure. Values were not rounded according to EPA rounding rules. THC is quantitated based on the average response factors of several compounds; the nominal molecular weight of THC used for units conversion is the average of the molecular weights of the compounds used for quantitation.

**SUPPLEMENTAL REPORT**  
 Units Conversion Request





Pace Analytical Services, LLC  
1700 Elm Street, Suite 200  
Minneapolis, MN 55414  
Phone: 612.607.1700  
Fax: 612.607.6444

## ANALYTICAL RESULTS

Client: SCS Engineers  
Phone: 843.746.8525

Lab Project Number: 10539883  
Project Name: 25211374.53 Laundry Land

---

## PARAMETER FOOTNOTES

## SUPPLEMENTAL REPORT

Units Conversion Request

## What is Vapor Intrusion?



Chemicals used in commercial or industrial activities – dry cleaning chemicals, chemical degreasers and petroleum products such as gasoline – are sometimes spilled and leak into nearby soil or groundwater. When this happens, these chemicals may release gases or vapors, which travel from the contaminated groundwater or soil and move into nearby homes or businesses. This is called vapor intrusion.

*The process when chemical vapors from contaminated soil or groundwater enter a home or other structure is called vapor intrusion.*

### Why are these chemical vapors a problem?

The chemicals that cause vapor intrusion are known as volatile organic compounds, or VOCs. Even when spilled into soil or water, these chemicals easily evaporate. They don't cause human health problems when they evaporate into the outside air, but when their vapors move into homes or businesses, they may cause long-term health problems for the people who live or work in those buildings. These vapors are usually odorless and colorless and undetectable without special testing equipment.

### Why is vapor intrusion a concern?

Exposure to some chemical gases or vapors can cause an increased risk of adverse health effects. Whether or not a person experiences any health effects depends on several factors, including the amount and length of exposure, the toxicity of the chemical, and the individual's sensitivity to the chemical. When harmful chemical vapor intrusion is the result of environmental contamination, the Wisconsin Department of Natural Resources (DNR) requires that steps be taken to reduce or eliminate exposures which could be harmful to human health.


### What should I expect if vapor intrusion is suspected near my home or business?

For businesses or other locations where VOC contamination has been found, the DNR requires that the potential for vapor intrusion be investigated. If you live near a site being cleaned up, you may be contacted by the site owner or others working on the cleanup. Your cooperation and consent will be requested before any testing or sampling is conducted on your property. Ask the person contacting you any questions you have about the work being done, or contact the DNR for more information (see DNR contact information on reverse). For more information about testing for vapor intrusion, see DNR-Pub-RR-954, "What to Expect During Vapor Intrusion Sampling."



## How Vapors Enter a Building

If you live near a commercial or industrial facility or landfill where VOCs have entered either the soil or groundwater, there may be a potential for those chemicals to travel as vapors into your home or business. Vapors can enter buildings in various ways, including through cracks in the foundation and openings for utility lines. Building ventilation and weather can influence the extent of vapor intrusion.



Adapted from U.S. Environmental Protection Agency (EPA) graphic.  
[www.epa.gov/oswer/vaporintrusion/basic.html](http://www.epa.gov/oswer/vaporintrusion/basic.html)

## Where can I find more information?

Health and vapor-related information can be found at the Wisconsin Department of Health Services (DHS) website at [dhs.wisconsin.gov](http://dhs.wisconsin.gov), search "Vapor." For other health-related questions, please contact your local health department: [www.dhs.wisconsin.gov/localhealth](http://www.dhs.wisconsin.gov/localhealth).

For more DNR information, please visit the DNR's Remediation and Redevelopment (RR) Program's Vapor Intrusion page at [dnr.wi.gov/topic/Brownfields/Vapor.html](http://dnr.wi.gov/topic/Brownfields/Vapor.html).

Additional information can be obtained through the DNR field office in your region. To find the correct office, visit the RR Program Staff Contacts page at [dnr.wi.gov/topic/Brownfields/Contact.html](http://dnr.wi.gov/topic/Brownfields/Contact.html) or call the RR Program at (608) 266-2111.

This document contains information about certain state statutes and administrative rules but does not necessarily include all of the details found in the statutes and rules. Readers should consult the actual language of the statutes and rules to answer specific questions. The Wisconsin Department of Natural Resources provides equal opportunity in its employment, programs, services, and functions under an Affirmative Action Plan. If you have any questions, please write to Equal Opportunity Office, Department of Interior, Washington, D.C. 20240. This publication is available in alternative format upon request. Please call 608-267-3543 for more information.