



JAN 05 2015

December 22, 2015

Rick & Cathy Gulick
5231 40th Ave
Kenosha, WI 53142

**Subject: Environmental Investigation Sampling Results
BRRTS#: 02-30-552186**

Dear Mr. and Mrs. Gulick:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, Environmental Forensic Investigations, Inc. (EnviroForensics) is providing the results of an environmental sample collected from your property located at 5231 40th Avenue in Kenosha, Wisconsin. The sample was collected on December 3, 2015. The sampling activities are part of an environmental investigation being performed for the Martino's Master Drycleaner facility located at 3917 52nd Street in Kenosha, Wisconsin at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Martino's Master Drycleaners
3917 52nd Street
Kenosha, WI
262-694-7545

Sampling Results

One groundwater sample designated 6190-MW-6 was collected from sampling point MW-6. A sample was not collected from sampling point MW-8 during this monitoring event. Rainwater had pooled around MW-8 and the surface was submerged during our visit. The location of the groundwater sampling point is shown on the attached figure. The results of the groundwater sample are summarized and compared to WDNR standards on the attached Table 1. An excerpt from the laboratory report that relates to the groundwater sample is also attached.

As shown on Table 1, groundwater sample 6190-MW-6 contained PCE and trichloroethene (TCE) at concentrations above the preventive action limits but below the enforcement standards. Toluene and cis-1,2-dichloroethene were also detected in the sample at concentrations below the applicable criteria.

Document: 6190-0739
Environmental Forensic Investigations, Inc.
N16 W23390 Stone Ridge Drive, Suite G, Waukesha, WI 53188
Phone: 262-290-4001 • Fax 317-972-7875



We will re-sample the groundwater sampling points periodically during our investigations. We will contact you to schedule these additional sampling events. If you have any questions or concerns, please contact us at 262-290-4001 or by email at bkappen@enviroforensics.com. The WDNR project manager, Doug Cieslak, can be reached at 262-884-2344. We greatly appreciate your help and patience with this matter.

Sincerely,
Environmental Forensic Investigations, Inc.

A handwritten signature in cursive script, appearing to read "Brian Kappen".

Brian Kappen, PG
Project Manager


A handwritten signature in cursive script, appearing to read "Wayne Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager


Copy: Doug Cieslak, Wisconsin Department of Natural Resources

Attachments: Sample Location Map
Groundwater Sample Results Summary
Analytical Laboratory Report Excerpt

K:\Drawings\6190 Martino's Cleaners 52nd-WA\12 FSI (2) Investigation\12a FSI (2) Work Scope Development\6190-12a_12wsd0.dwg



- Legend**
- ◆ Groundwater sample location
 - Slab foundation #1
 - Slab foundation #2
 - Slab foundation #3



SAMPLE LOCATION MAP

Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin

Date:	8/02/12
Designed:	MM
Drawn:	MM
Checked:	JG
DWG file:	6190-12a_12wsd0

ENVIROforensics

ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
802 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	4
Project	6190

Table 1
Groundwater Sample Results Summary - 5231 40th Avenue
 Martino's 52nd Street
 Kenosha, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Chloroform	Toluene
Enforcement Standard		5	5	70	100	0.2	6	800
Preventive Action Limit		0.5	0.5	7	20	0.02	0.6	160
MW-6	12/9/2014	4.4	0.92 J	0.45 J	<0.35	<0.18	<0.28	<0.69
	3/17/2015	1.67 J	<0.47	<0.45	<0.54	<0.17	<0.43	<0.44
	6/18/2015	1.79 J	0.71 J	0.75 J	<0.54	<0.17	<0.43	<0.44
	9/16/2015	2.19	0.54 J	<0.45	<0.54	<0.17	<0.43	<0.44
	12/3/2015	3.2	0.94 J	0.52 J	<0.54	<0.17	<0.43	0.56 J
MW-8	10/24/2014	<1.65	3.15 J	120	3.15 J	12.4	<1.4	<3.45
	12/9/2014	0.73 J	3.8	192	5.4	3.3	0.41 J	<0.69
	3/17/2015	226	6.4	169	4.1	6.1	<0.43	<0.44
	6/17/2015	155	6.9	61	1.48 J	5.7	<0.43	<0.44
	9/16/2015	47	37	650	12.4	21.8	<0.43	<0.44

Notes:

Samples analyzed for VOCs according to EPA Method 8260

Only detected compounds are listed

All concentrations reported in micrograms per liter (ug/L)

Bolded values are above method detection limits

Bolded and orange shaded values are above Public Health Enforcement Standard

Bolded and blue shaded values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the Method Detection Limit and Reporting Limit

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163F
 Sample ID 6190 MW-6
 Sample Matrix Water
 Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	0.52 "J"	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	3.2	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	0.56 "J"	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	0.94 "J"	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %				8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	93	REC %				8260B		12/10/2015	CJR	1
SUR - Toluene-d8	102	REC %				8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature





December 22, 2015

Stephanie Espinoza
5233 40th Ave
Kenosha, WI 53142

**Subject: Environmental Investigation Sampling Results
BRRTS#: 02-30-552186**

Dear Ms. Espinoza:

In accordance with the executed Agreement to Provide Access for Sampling Activities, and in accordance with Wisconsin Department of Natural Resources (WDNR) regulation NR 716.14, Environmental Forensic Investigations, Inc. (EnviroForensics) is providing the results of an environmental sample collected from your property located at 5233 40th Avenue in Kenosha, Wisconsin. The sample was collected on December 3, 2015. The sampling activities are part of an environmental investigation being performed for the Martino's Master Drycleaner facility located at 3917 52nd Street in Kenosha, WI at the direction of the WDNR pursuant to the authority granted to it under State and Federal law. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Martino's Master Drycleaners
3917 52nd Street
Kenosha, WI
262-694-7545

Sampling Results

One (1) groundwater sample designated 6190-MW-7 was collected from sampling point MW-7 shown on the attached map. The results of the groundwater sample are summarized and compared to WDNR standards on the attached Table 1. An excerpt from the laboratory report that relates to the groundwater sample is also attached.

As shown on Table 1, groundwater sample 6190-MW-7 contained cis-1,2-dichloroethene at a concentration below the preventive action limit. No other chemicals of concern were detected in the groundwater sample. Chloroform, which is unrelated to the breakdown of PCE, was detected in the groundwater sample at a concentration below the enforcement standard.



We will re-sample the groundwater sampling point periodically during our investigations. We will contact you to schedule these additional sampling events. If you have any questions or concerns, please contact us at 262-290-4001 or by email at bkappen@enviroforensics.com. The WDNR project manager, Doug Cieslak, can be reached at 262-884-2344. We greatly appreciate your help and patience with this matter.

Sincerely,
Environmental Forensic Investigations, Inc.

A handwritten signature in black ink, appearing to read "B. J. Kappen".


Brian Kappen, PG
Project Manager

A handwritten signature in black ink, appearing to read "Wayne Fassbender".


Wayne Fassbender, PG, PMP
Senior Project Manager

Copy: Doug Cieslak, Wisconsin Department of Natural Resources

Attachments: Sample Location Map
Groundwater Sample Results Summary
Analytical Laboratory Report Excerpt



- Legend**
- ◆ Groundwater Sample Location
 - Slab foundation #1
 - Slab foundation #2
 - Slab foundation #3



SAMPLE LOCATION MAP

Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin

<p style="font-size: small;">ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC. 602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204 EnviroForensics.com</p>	Figure
	4
	Project
	6190

Date:	8/02/12
Designed:	MM
Drawn:	MM
Checked:	JG
DWG file:	6190-12a_12wscd0

Table 1
Groundwater Sample Results Summary - 5233 40th Avenue
 Martino's 52nd Street
 Kenosha, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Chloroform
Enforcement Standard		5	5	70	100	6
Preventive Action Limit		0.5	0.5	7	20	0.6
MW-7	10/24/2014	0.46 J	0.48 J	2.24	<0.35	3.8
	12/9/2014	0.67 J	0.63 J	1.99	0.39 J	1.75
	3/17/2015	<0.74	<0.47	2.44	<0.54	<0.17
	6/17/2015	<0.74	0.58 J	4.9	<0.54	5.9
	9/16/2015	<0.49	<0.47	2.95	<0.54	0.96 J
	12/3/2015	<0.49	<0.47	1.65	<0.54	0.74 J

Notes:

Samples analyzed for VOCs according to EPA Method 8260

Only detected compounds are listed

All concentrations reported in micrograms per liter (ug/L)

Bolded values are above method detection limits

Bolded and orange shaded values are above Public Health Enforcement Standard

Bolded and blue shaded values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the Method Detection Limit and Reporting Limit

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163G
 Sample ID 6190 MW-7
 Sample Matrix Water
 Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	0.74 "J"	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	1.65	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

"J" Flag: Analyte detected between LOD and LOQ


LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)

Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: 6190-17A
Sampler assigned: Marge Stettin

Project (Name / Location): Martin's 50th Ave
Reports To: B. Keppen
Company: EnviroForensics
Address: 116 W 233rd St, Stone Ridge Dr
City State Zip: Waukegan, WI 53158
Phone: 312-970-7870
FAX: _____

Analysis Requested												Other Analysis			
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542-2)	VOC (EPA 8260)	B-RCRA METALS	PID/FID	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542-2)	VOC (EPA 8260)	B-RCRA METALS	PID/FID
5050163A	6190-MW-1	10/3	0955		X	N	3	GW	HCl													X		
B	6190-MW-2	12/4	1019		X	N	3	GW	HCl													X		
C	6190-MW-3	12/2	1420		X	N	3	GW	HCl													X		
D	6190-MW-4	12/4	1000		X	N	3	GW	HCl													X		
E	6190-MW-5	12/4	0914		X	N	3	GW	HCl													X		
F	6190-MW-6	12/3	1313		X	N	3	GW	HCl													X		
G	6190-MW-7	12/3	1440		X	N	3	GW	HCl													X		
MS	6190-MW-8				X	N	3	GW	HCl													X		
H	6190-MW-9	12/3	1525		X	N	3	GW	HCl													X		
I	6190-MW-10	12/4	1026		X	N	3	GW	HCl													X		

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
PO# 20151043

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Refrigerated
Temp. of Temp. Blank _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) _____ Time: 1:25 Date: 12/7/15
Received By: (sign) _____ Time: _____ Date: 11:25 (12/7/15)

Received in Laboratory By: Christopher J. R... Time: 8:00 Date: 12/8/15