

Cieslak, Douglas J - DNR

From: Cieslak, Douglas J - DNR
Sent: Friday, January 29, 2016 3:08 PM
To: 'Wayne Fassbender'
Subject: RE: Martino's 52nd Response BRRTS 02-30-552186

Hi Wayne,

Thanks for the call today regarding the above named site.

→ During our call we discussed the need for sub slab monitoring at 3935 52nd Street.
I approve the indoor air monitoring at this address as proposed.

I appreciate your important work on this site. Please feel free to contact me directly if you have any additional questions.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Doug Cieslak
Hydrogeologist - Remediation and Redevelopment Bureau
Wisconsin Department of Natural Resources
Phone: (262) 884-2344
Douglas.Cieslak@wisconsin.gov



From: Wayne Fassbender [<mailto:WFassbender@enviroforensics.com>]
Sent: Friday, January 29, 2016 11:20 AM
To: Cieslak, Douglas J - DNR
Subject: Martino's 52nd Response

Hi Doug:

Nice talking with you today. Here is the response I put together for you. Let me know if this seems reasonable to you.

Wayne P. Fassbender, PG, PMP
Senior Project Manager

EnviroForensics | N16 W23390 Stone Ridge Drive, Suite G | Waukesha, WI 53188
P. 414-982-3988 | C. 262-490-6472 | F. 262-510-0460
www.enviroforensics.com

Turning Environmental Liabilities Into Assets®



 View my
LinkedIn Profile



Privileged and Confidential

This communication and any attachments constitutes an electronic communication within the meaning of the Electronic Communications Privacy Act, 18 USC 2510, and its disclosure is strictly limited to the recipient intended by the sender of this message. This communication may contain confidential and privileged material for the sole use of the intended recipient and receipt by anyone other than the intended recipient does not constitute a loss of the confidential or privileged nature of the communication. Any interception, review, copying, disclosure, use or distribution of this communication by others is strictly prohibited. The sender takes no responsibility for any unauthorized reliance on this communication. If you have received this communication in error, please immediately notify the sender and delete the communication.

This email has been scanned for email related threats and delivered safely by Mimecast.
For more information please visit <http://www.mimecast.com>
