



February 16, 2016

MAR 1 2016

Dan Martino, Sr.
Martino's Master Dry Cleaners
7513 41st Avenue
Kenosha, Wisconsin 53188

**Re: 2015 Groundwater Monitoring Report
Martino's Master Dry Cleaners
3917 52nd Street
Kenosha, Wisconsin
BRRTS#: 02-30-552186**

FID # 230007030

Dear Mr. Martino:

Environmental Forensic Investigations, Inc. (EnviroForensics) is pleased to provide this annual Groundwater Monitoring Report for activities conducted at the Martino's Master Dry Cleaners facility located at 3917 52nd Street in Kenosha, Wisconsin (Site). This report includes groundwater monitoring data collected during March, June September, and December 2015. The groundwater monitoring activities were conducted as part of the overall investigation of the nature and extent of subsurface impacts at the Site. The investigation is being performed as required by the Wisconsin Department of Natural Resources (WDNR) in accordance with Wisconsin Administrative Code (WAC) Chapters NR 169 and NR 716.

BACKGROUND AND SITE DESCRIPTION

The Site is located at 3917 52nd Street in central Kenosha, approximately two (2) miles west of Lake Michigan. The Site consists of a slab-on-grade, one-story, commercial ("strip mall") building with multiple spaces that are separately leased, an asphalt paved parking area, and a free standing restaurant space. The Site is bound by 52nd Street to the north, 40th Street to the west, a residential property to the south, and 39th Street to the east. The Site is situated in an area of mixed commercial and residential land use. The Site layout is depicted on **Figure 1**.

Historical releases of the dry cleaning solvent tetrachloroethene (PCE) have resulted in impacts to the subsurface, including soil, soil gas, and groundwater. The PCE source area is present beneath the former dry cleaning machine location. Chlorinated volatile organic compound (CVOC) impacts have migrated to the south, east, and west of the source area.

The Site stratigraphy is comprised of up to 4 feet of fill material followed by an upper zone of silty clay to silty clayey sand, which extends to an approximate depth of 5.5 to 8 feet below ground surface (bgs). This upper zone is underlain by clay which extends to a depth of approximately 20 feet bgs. Soil lithology exhibited a coarsening trend below 20 feet bgs with sandy clay and a few fine-grained sand lenses.

A perched groundwater zone is present in the fill material and more permeable sediments in the upper stratigraphic zone at the Site. The perched zone is encountered at depths of approximately 3 to 4 feet bgs. The local water table appears to be located within the deeper interval comprised of fine-grained sediment encountered at a depth of between 9 and 13 feet bgs, as represented by fairly consistent water levels in monitoring wells MW-1, MW-2, MW-4, MW-5, MW-6, MW-9 and MW-10.

INVESTIGATION METHODS

EnviroForensics installed two (2) new monitoring wells designated MW-9 and MW-10 on properties south and east of the Site to define the extent of impacts. In addition, piezometer PZ-5 was installed immediately adjacent to existing well MW-5T to vertically delineate groundwater impacts. Well installation activities were completed on April 20 and 28, 2015. Monitoring well construction details are presented on **Table 1**.

Monitoring activities included depth to water measurements and the collection of groundwater samples from the entire monitoring well network, with the exception of MW-8 in the 4th quarter because it was submerged in water. Recently installed wells MW-9, MW-10 and PZ-5 were included in the monitoring program beginning with the 2nd quarter event.

Depth to water in each well at the Site was measured to the nearest 0.01 foot using an electronic water level indicator. Groundwater samples were collected by bailing or low-flow (minimal drawdown) groundwater purging procedures (EPA/540/S-95/504, April 1996). The procedure involves low volume groundwater purging rates while maintaining minimal drawdowns, typically less than 0.1 meters. EnviroForensics used a peristaltic pump to evacuate water from the screened portion of the well and to maintain flow through a multi-parameter water quality meter that measured groundwater geochemical parameters such as pH, oxidation-reduction potential (ORP), specific conductivity, temperature, turbidity, and dissolved oxygen. Water quality parameters were monitored throughout purging to verify stabilization prior to groundwater sample collection. Monitoring wells with limited recharge were bailed dry and sampled when recovery was sufficient. Field sampling data forms associated with the groundwater sampling activities are presented in **Attachment 1**.

Groundwater samples were collected directly into laboratory-provided containers having hydrochloric acid as a preservative. Sample containers were placed into a cooler containing ice for preservation purposes. All samples were submitted to a state-certified laboratory for

analysis. Proper chain-of-custody documentation was maintained at all times. Groundwater samples were analyzed for volatile organic compounds (VOCs) utilizing U.S. Environmental Protection Agency (EPA) SW-846 Method 8260.

INVESTIGATION RESULTS

Groundwater Elevation and Flow Direction

Groundwater elevation data are summarized in **Table 2**. Water table contour maps for the 2nd, 3rd, and 4th quarter monitoring events are presented on **Figures 2 through 4**. (Note: a contour map for the 1st quarter monitoring event is not included because MW-9 and MW-10 were not yet installed). The groundwater elevations exhibited normal seasonal variations during quarters one through three in 2015. Due to above average temperatures and rain during December 2015, groundwater elevations were unusually high for early winter, especially at MW-1 where the elevation was approximately 8 feet higher than average.

Shallower monitoring wells (MW-1, MW-2, MW-4, MW-5T, MW-9 and MW-10) at the Site indicate an uppermost, unconfined potentiometric surface at approximately 8 to 12 feet bgs. The indicated direction of groundwater flow using these monitoring points is to the east. However, in wells MW-3, MW-7, and MW-8 static groundwater levels are within two feet of ground surface. The non-conforming water levels may be due to the geology at this Site, which is a complex assemblage of discontinuous layers, lenses, and seams of sand, silt, and clay that are not well sorted. There is also a layer of fill 3-5 feet thick along the alleyway that appears to continue to a lesser thickness under the Site building. It is not unusual in this type of depositional environment for there to be zones of perched water.

The relative difference in the water table elevation between MW-2 and MW-4 averages 2.35 feet, indicating a horizontal hydraulic gradient of 0.008 across the monitoring well network. The vertical gradient between wells MW-5T and PZ-5 ranged from 0.014 to 0.041, indicating a downward gradient across the clay unit.

Groundwater Analytical Results

Groundwater analytical results are summarized in **Table 3** and illustrated on **Figure 5**. The laboratory analytical reports associated with each monitoring event are provided in **Attachment 2**. The analytical results are compared to public health criteria listed in WAC Chapter NR 140.

Samples collected from monitoring wells MW-1, MW-5T, and MW-8 contained PCE, trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), and/or vinyl chloride at concentrations above enforcement standards (ESs). Monitoring well MW-8, which is located approximately 50 feet due south of the source area and just off the edge of the alley, exhibited

the highest concentrations of PCE. MW-5T, which is located just upgradient, exhibited no PCE but had higher concentrations of breakdown product cis-1,2-DCE. Samples from MW-1 exhibited higher PCE concentrations during 2015 than in previous years.

Samples from MW-2 and MW-7, which are located further from the source area, contained relatively minor concentrations of TCE and/or cis-1,2-DCE only. The contaminants of concern were not detected in samples collected from perimeter monitoring wells MW-3, MW-4, MW-9 and MW-10.

The horizontal extent of impacts in groundwater above ESs and preventive action limits (PALs) is depicted on **Figure 5**. The extent of impacts above ESs is limited the alley south of the Site building, as well as within and just downgradient of the source area. Contaminants of concern were not detected in samples collected from piezometer PZ-5.

CONCLUSIONS AND RECOMMENDATIONS

Groundwater elevations measured across the monitoring well network are highly variable.^{*} Groundwater is encountered in some monitoring wells at approximately 13 feet bgs, and in other wells within 2 feet of the surface. EnviroForensics suspects this variation is due to the complex glacial geology and development near the Site building resulting in areas of perched groundwater. Overall, an evaluation of the data indicates a component of flow toward the east.

The concentrations of CVOCs detected in Site monitoring wells have been stable over the past three (3) years of quarterly monitoring. The groundwater plume has not expanded, and recently installed monitoring wells MW-9 and MW-10 have defined the downgradient extent. The results of samples collected from piezometer PZ-5 demonstrate that a clay layer occurring from approximately 8-20 feet bgs has limited the vertical migration of the groundwater plume.

EnviroForensics^{*} recommends that periodic monitoring continue during 2016 to maintain an updated evaluation of dissolved phase contaminant concentrations and distribution until remediation is implemented. Additional monitoring locations are not required.

GW depth = 2 ft bgs - 13 ft bgs

E.F. states:
- [CVOCs] @ MWS have been
stable for 3 yrs

We appreciate the opportunity to provide you with this Groundwater Monitoring Report. If you have any questions or require additional information, please don't hesitate to contact us at 262-290-4001.

Sincerely,

Environmental Forensic Investigations, Inc.

A handwritten signature in blue ink, appearing to read "Brian Kappen".

Brian Kappen, PG
Project Manager

A handwritten signature in blue ink, appearing to read "Wayne Fassbender".

Wayne Fassbender, PG, PMP
Senior Project Manager

cc: Doug Cieslak, Wisconsin Department of Natural Resources
Ted Warpinski, Friebert, Finerty & St. John, S.C.

List of Attachments

- Table 1 – Monitoring Well Construction Details
- Table 2 – Groundwater Elevation Data Summary
- Table 3 – Summary of Monitoring Well Sample Analytical Results

- Figure 1 – Monitoring Well Location Map
- Figure 2 – Water Table Contour Map – June 17, 2015
- Figure 3 – Water Table Contour Map – September 15, 2015
- Figure 4 – Water Table Contour Map – December 2, 2015
- Figure 5 – Monitoring Well Sample Analytical Results

- Attachment 1 – Groundwater Field Sampling Forms
- Attachment 2 – Laboratory Analytical Reports

TABLES

TABLE 1
MONITORING WELL CONSTRUCTION DETAILS
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Date Installed	Date Abandoned	Well Diameter (inches)	Northing	Easting	Ground Elevation (feet AMSL)	TOC Elevation (feet AMSL)	Total Depth (feet below TOC)	Total Depth (feet bgs)	Screened Interval (feet bgs)
MW-1	10/18/2011	--	2	221,557.13	2,577,273.04	654.95	654.37	17.53	18.1	8.1 - 18.1
MW-2	10/18/2011	--	2	221,583.07	2,577,372.27	654.10	653.77	19.13	19.5	9.5 - 19.5
MW-3	10/18/2011	--	2	221,643.07	2,577,255.22	654.99	654.44	17.43	18.0	8.0 - 18.0
MW-4	10/18/2011	--	2	221,533.56	2,577,061.66	655.34	654.97	18.89	19.3	9.3 - 19.3
MW-5	10/18/2011	4/20/2015	2	221,536.89	2,577,195.62	655.42	654.83	18.50	19.1	9.1 - 19.1
MW-5T	10/22/2014	--	1	221,537.33	2,577,198.63	655.26	654.94	20.36	20.7	10.7 - 20.7
PZ-5	4/20/2015	--	2	221,537.13	2,577,201.81	655.41	654.92	39.87	40.4	35.4 - 40.4
MW-6	10/22/2014	--	1	221,522.72	2,577,151.70	655.78	655.56	14.30	14.5	9.5 - 14.5
MW-7	10/22/2014	--	1	221,461.94	2,577,224.97	652.61	652.56	12.28	12.3	7.3 - 12.3
MW-8	10/22/2014	--	1	221,522.80	2,577,258.98	653.31	653.19	13.15	13.3	8.3 - 13.3
MW-9	4/28/2015	--	2	221,377.86	2,577,349.54	651.41	651.08	16.24*	19.4	9.4 - 19.4
MW-10	4/28/2015	--	2	221,518.47	2,577,428.06	652.26	651.94	19.06	19.4	9.4 - 19.4

Notes:

AMSL = above mean sea level

bgs = below ground surface

TOC = top of casing

* = the measured depth does not correspond to the well depth as installed

TABLE 2
GROUNDWATER ELEVATION DATA SUMMARY
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Date	TOC Elevation (feet AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-1	10/19/2011	654.37	12.25	642.12
	10/30/2012	654.37	15.20	639.17
	3/22/2013	654.37	12.10	642.27
	7/17/2013	654.37	11.79	642.58
	9/30/2013	654.37	13.53	640.84
	12/30/2013	654.37	14.20	640.17
	3/11/2014	654.37	13.82	640.55
	6/5/2014	654.37	12.01	642.36
	9/8/2014	654.37	12.70	641.67
	12/8/2014	654.37	12.90	641.47
	3/16/2015	654.37	11.60	642.77
	6/17/2015	654.37	11.89	642.48
	9/15/2015	654.37	13.13	641.24
	12/2/2015	654.37	5.15	649.22
MW-2	10/19/2011	653.77	12.40	641.37
	10/30/2012	653.77	14.84	638.93
	3/22/2013	653.77	12.46	641.31
	7/17/2013	653.77	12.34	641.43
	9/30/2013	653.77	13.69	640.08
	12/30/2013	653.77	14.15	639.62
	3/11/2014	653.77	13.65	640.12
	6/5/2014	653.77	11.36	642.41
	9/8/2014	653.77	12.50	641.27
	12/8/2014	653.77	12.78	640.99
	3/16/2015	653.77	12.74	641.03
	6/17/2015	653.77	11.96	641.81
	9/15/2015	653.77	13.10	640.67
	12/2/2015	653.77	11.01	642.76
MW-3	10/19/2011	654.44	4.09	650.35
	10/30/2012	654.44	3.22	651.22
	3/22/2013	654.44	2.64	651.80
	7/17/2013	654.44	2.92	651.52
	9/30/2013	654.44	3.48	650.96
	12/30/2013	654.44	4.16	650.28
	3/11/2014	654.44	7.43	647.01
	6/5/2014	654.44	7.45	646.99
	9/8/2014	654.44	2.96	651.48
	12/8/2014	654.44	2.12	652.32
	3/16/2015	654.44	2.67	651.77
	6/17/2015	654.44	2.40	652.04
	9/15/2015	654.44	3.31	651.13
	12/2/2015	654.44	2.25	652.19

TABLE 2
GROUNDWATER ELEVATION DATA SUMMARY
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Date	TOC Elevation (feet AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-4	10/19/2011	654.97	10.89	644.08
	10/30/2012	654.97	15.40	639.57
	3/22/2013	654.97	10.64	644.33
	7/17/2013	654.97	10.52	644.45
	9/30/2013	654.97	12.43	642.54
	12/30/2013	654.97	13.55	641.42
	3/11/2014	654.97	12.71	642.26
	6/5/2014	654.97	9.52	645.45
	9/8/2014	654.97	11.54	643.43
	12/8/2014	654.97	11.65	643.32
	3/16/2015	654.97	11.15	643.82
	6/17/2015	654.97	10.55	644.42
	9/15/2015	654.97	12.41	642.56
12/2/2015	654.97	9.32	645.65	
MW-5 (Abandoned)	10/19/2011	654.83	12.35	642.48
	10/30/2012	654.83	15.12	639.71
	3/22/2013	654.83	11.27	643.56
	7/17/2013	654.83	11.60	643.23
	9/30/2013	654.83	13.55	641.28
	12/30/2013	654.83	14.34	640.49
	3/11/2014	654.83	12.84	641.99
	6/5/2014	654.83	10.48	644.35
	9/8/2014	654.83	12.47	642.36
12/8/2014	654.83	11.96	642.87	
MW-5T	10/24/2014	654.94	12.07	642.87
	12/8/2014	654.94	12.76	642.18
	3/16/2015	654.94	12.60	642.34
	6/17/2015	654.94	11.93	643.01
	9/15/2015	654.94	12.87	642.07
	12/2/2015	654.94	11.18	643.76
PZ-5	6/17/2015	654.92	12.79	642.13
	9/15/2015	654.92	13.14	641.78
	12/2/2015	654.92	11.50	643.42
MW-6	10/24/2014		DRY	
	12/8/2014	655.56	11.44	644.12
	3/16/2015	655.56	11.54	644.02
	6/17/2015	655.56	10.66	644.90
	9/15/2015	655.56	12.87	642.69
	12/2/2015	655.56	10.06	645.50

TABLE 2
GROUNDWATER ELEVATION DATA SUMMARY
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Date	TOC Elevation (feet AMSL)	Depth to Water (feet below TOC)	Groundwater Elevation (feet AMSL)
MW-7	10/24/2014	652.56	2.24	650.32
	12/8/2014	652.56	2.43	650.13
	3/16/2015	652.56	1.56	651.00
	6/17/2015	652.56	1.33	651.23
	9/15/2015	652.56	8.74	643.82
	12/2/2015	652.56	0.40	652.16
MW-8	10/24/2014	653.19	2.34	650.85
	12/8/2014	653.19	1.00	652.19
	3/16/2015	653.19	1.48	651.71
	6/17/2015	653.19	1.87	651.32
	9/15/2015	653.19	4.38	648.81
	12/2/2015	653.19	NM	--
MW-9	6/17/2015	651.08	8.04	643.04
	9/15/2015	651.08	9.63	641.45
	12/2/2015	651.08	7.41	643.67
MW-10	6/17/2015	651.94	9.62	642.32
	9/15/2015	651.94	11.03	640.91
	12/2/2015	651.94	8.60	643.34

Notes:

AMSL = above mean sea level
 TOC = Top of Casing

TABLE 3
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Naphthalene	1,2,4-Trimethylbenzene	Methyl Tert-Butyl Ether
Enforcement Standard		5	5	70	100	0.2	100	480¹	60
Preventive Action Limit		0.5	0.5	7	20	0.02	10	96¹	12
MW-1	10/20/2011	1.3 J	0.43 J	0.60 J	<0.50	<0.20	1.8 J	0.34 J	<0.50
	10/30/2012	<0.17	0.56	<0.12	<0.25	<0.10	<0.16	<0.14	<0.24
	3/22/2013 *	<0.17	0.47 J	3.7	<0.25	<0.10	<0.16	<0.31	<0.24
	7/17/2013 *	<0.17	1.4	9.9	<0.25	<0.10	<0.16	<0.31	<0.24
	9/30/2013	0.64 J	4.1	19.4	0.65 J	<0.18	<1.7	<2.2	<0.23
	12/30/2013 *	<0.33	2.27	14.9	<0.35	<0.18	<1.7	<2.2	<0.23
	3/11/2014	0.57 J	1.49	7.8	<0.35	<0.18	<1.7	<2.2	<0.23
	6/5/2014 *	0.44 J	3.2	25.4	0.52 J	<0.18	<1.7	<2.2	<0.23
	9/8/2014 *	0.37 J	2.1	26.2	0.77 J	<0.18	<1.7	<2.2	<0.23
	12/8/2014 *	1.31	5.1	70	2.15	<0.18	<1.7	<2.2	<0.23
	3/16/2015	278	3.8	12.8	<0.54	<0.17	<1.6	<1.7	<1.1
	6/17/2015 *	8.1	2.59	16.4	<0.54	<0.17	<1.6	<1.7	<1.1
	9/16/2015	6.5	4.2	25.1	<0.54	<0.17	<1.6	<1.6	<1.1
12/3/2015	7.8	3.7	14.1	<0.54	<0.17	<1.6	<1.6	<1.1	
MW-2	10/20/2011	<0.50	<0.20	4.6	<0.50	0.26 J	0.29J	<0.20	<0.50
	10/30/2012	<0.17	<0.19	4.3	<0.25	<0.10	<0.16	<0.14	<0.24
	3/22/2013	<0.17	<0.19	3.7	<0.25	<0.10	<0.16	<0.14	<0.24
	7/17/2013	<0.17	<0.19	4.0	<0.25	<0.10	<0.16	<0.14	<0.24
	9/30/2013	<0.33	<0.33	6.0	<0.35	0.21 J	<1.7	<2.2	<0.23
	12/30/2013	<0.33	<0.33	3.6	<0.35	<0.18	<1.7	<2.2	<0.23
	3/11/2014	<0.33	<0.33	2.83	<0.35	0.21 J	<1.7	<2.2	<0.23
	6/5/2014	<0.33	<0.33	1.21	<0.35	<0.18	<1.7	<2.2	<0.23
	9/8/2014	<0.33	<0.33	4.3	<0.35	<0.18	<1.7	<2.2	<0.23
	12/8/2014	<0.33	<0.33	4.6	<0.35	0.23 J	<1.7	<2.2	<0.23
	3/17/2015	<0.74	<0.47	4.5	<0.54	<0.17	<1.6	<1.7	<1.1
	6/17/2015	<0.74	<0.47	4.8	<0.54	<0.17	<1.6	<1.7	<1.1
	9/16/2015	<0.49	<0.47	4.6	<0.54	<0.17	<1.6	<1.6	<1.1
12/4/2015	<0.49	<0.47	3.2	<0.54	<0.17	<1.6	<1.6	<1.1	

TABLE 3
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Naphthalene	1,2,4-Trimethylbenzene	Methyl Tert-Butyl Ether
Enforcement Standard		5	5	70	100	0.2	100	480¹	60
Preventive Action Limit		0.5	0.5	7	20	0.02	10	96¹	12
MW-3	10/20/2011	<0.50	<0.20	<0.50	<0.50	<0.20	<0.25	<0.20	1.0 J
	10/30/2012	<0.17	<0.19	<0.12	<0.25	<0.10	<0.16	<0.14	0.81 J
	3/22/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.16	<0.14	0.70 J
	7/17/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.16	<0.14	0.70 J
	9/30/2013	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	0.39 J
	12/30/2013	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	3/11/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	0.62 J
	6/5/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	0.53 J
	9/8/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	1.04
	12/9/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	1.03
	3/17/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	6/17/2015 *	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	9/16/2015 *	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	1.24 J
12/2/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1	
MW-4	10/20/2011	<0.50	<0.20	<0.50	<0.50	<0.20	<0.25	<0.20	<0.50
	10/30/2012	<0.17	<0.19	<0.12	<0.25	<0.10	<0.16	<0.14	<0.24
	3/22/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.16	<0.14	<0.24
	7/17/2013	<0.17	<0.19	<0.12	<0.25	<0.10	<0.16	<0.14	<0.24
	9/30/2013	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	12/30/2013	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	3/11/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	6/5/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	9/8/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	12/8/2014	<0.33	<0.33	<0.38	<0.35	<0.18	<1.7	<2.2	<0.23
	3/17/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	6/17/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	9/15/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1
12/4/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1	

TABLE 3
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Naphthalene	1,2,4-Trimethylbenzene	Methyl Tert-Butyl Ether
Enforcement Standard		5	5	70	100	0.2	100	480¹	60
Preventive Action Limit		0.5	0.5	7	20	0.02	10	96¹	12
MW-5 (Abandoned)	10/20/2011	<0.50	<0.20	0.66 J	<0.50	<0.20	<0.25	<0.20	<0.50
	10/30/2012	<0.85	14	2,000	66	21	<0.80	<0.70	<1.2
	3/22/2013	34	64	1,300	46	14	<0.80	<0.70	<1.2
	7/17/2013	75	150	1,900	54	21	<0.32	<0.28	<0.48
	9/30/2013 *	46	128	1,570	53	16.2	<1.7	<2.2	<0.23
	12/30/2013	27.5	63	1,190	31.5	12.2	<17	<22	<2.3
	3/11/2014 *	36	48	540	16.1	<1.8	<17	<22	<2.3
	6/5/2014	78	140	1,230	39	12.9	<17	<22	<2.3
	9/8/2014	86	163	1,060	37	12.8	<17	<22	<2.3
12/8/2014	55	79	610	23.3	<1.8	<17	<22	<2.3	
MW-5T	10/24/2014	<16.5	<16.5	1,350	38 J	11.5 J	<85	<110	<11.5
	12/9/2014	<3.3	23.7	1,190	41	3.3 J	<17	<22	<2.3
	3/17/2015	<7.4	25	810	25.6	<1.7	<16	<17	<11
	6/17/2015	<7.4	7.7 J	500	22.1	2.9 J	<16	<17	<11
	9/16/2015	<4.9	8.6 J	410	16.6	5.5	<16	<16	<11
	12/4/2015	<2.45	7.6	670	23.6	2.3 J	<8	<8	<5.5
PZ-5	6/18/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	9/15/2015	<0.49	<0.47	1.67	<0.54	<0.17	<1.6	<1.6	<1.1
	12/4/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1
MW-6	10/24/2014	Dry							
	12/9/2014	4.4	0.92 J	0.45 J	<0.35	<0.18	<1.7	<2.2	<0.23
	3/17/2015	1.67 J	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	6/18/2015	1.79 J	0.71 J	0.75 J	<0.54	<0.17	<1.6	<1.7	<1.1
	9/16/2015	2.19	0.54 J	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1
	12/3/2015 *^	3.2	0.94 J	0.52 J	<0.54	<0.17	<1.6	<1.6	<1.1
MW-7	10/24/2014 ^	0.46 J	0.48 J	2.24	<0.35	<0.18	<1.7	<2.2	<0.23
	12/9/2014 ^	0.67 J	0.63 J	1.99	0.39 J	<0.18	<1.7	<2.2	<0.23
	3/17/2015 *^	<0.74	<0.47	2.44	<0.54	<0.17	<1.6	<1.7	<1.1
	6/17/2015 ^	<0.74	0.58 J	4.9	<0.54	<0.17	<1.6	<1.7	<1.1
	9/16/2015 ^	<0.49	<0.47	2.95	<0.54	<0.17	<1.6	<1.6	<1.1
	12/3/2015 ^	<0.49	<0.47	1.65	<0.54	<0.17	<1.6	<1.6	<1.1

TABLE 3
SUMMARY OF MONITORING WELL SAMPLE ANALYTICAL RESULTS
 Martino's Master Drycleaners
 3917 52nd Street, Kenosha, Wisconsin

Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Naphthalene	1,2,4-Trimethylbenzene	Methyl Tert-Butyl Ether
Enforcement Standard		5	5	70	100	0.2	100	480¹	60
Preventive Action Limit		0.5	0.5	7	20	0.02	10	96¹	12
MW-8	10/24/2014	<1.65	3.15 J	120	3.15 J	12.4	<8.5	<11	<1.15
	12/9/2014 ^	0.73 J	3.8	192	5.4	3.3	<1.7	<2.2	<0.23
	3/16/2015	226	6.4	169	4.1	6.1	<1.6	<1.7	<1.1
	6/17/2015	155	6.9	61	1.48 J	5.7	<1.6	<1.7	<1.1
	9/16/2015	47	37	650	12.4	21.8	<1.6	<1.6	<1.1
	12/3/2015	Not Sampled							
MW-9	6/18/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	9/15/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1
	12/3/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1
MW-10	6/18/2015	<0.74	<0.47	<0.45	<0.54	<0.17	<1.6	<1.7	<1.1
	9/15/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1
	12/4/2015	<0.49	<0.47	<0.45	<0.54	<0.17	<1.6	<1.6	<1.1

Notes:

Samples analyzed for VOCs according to EPA Method 8260

Only detected compounds are listed

All concentrations reported in micrograms per liter (ug/L)

* Indicates the highest concentrations detected in duplicate samples are reported

¹ Value applies to total combined trimethylbenzenes

Bolded values are above method detection limits


Bolded and orange shaded values are above Public Health Enforcement Standard

Bolded and blue shaded values are above Public Health Preventive Action Limit

J = Analyte concentration detected between the Method Detection Limit and Reporting Limit


^ Indicates detection of chloroform or toluene less than the enforcement standard

FIGURES



Legend

- MW-1 ◈ Monitoring well
- GAS — Underground gas utility line
- WTR — Underground water utility line
- SAN — Underground sanitary utility line
- OVHD — Over head electrical utility line
- CATV - - - - - Underground cable television utility line



MONITORING WELL LOCATION MAP




Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin



Date:	1/12/16
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6190-0781

ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6190

Legend

- MW-1  Monitoring well
- 642.0  Groundwater elevation contour
- 642.48  Groundwater elevation (feet above mean sea level)



WATER TABLE CONTOUR MAP
JUNE 17, 2015

Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin




Date:	8/18/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6190-0654





ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	2
Project	6190

Legend

- MW-1  Monitoring well
- 642.0  Groundwater elevation contour
- 641.24  Groundwater elevation (feet above mean sea level)



WATER TABLE CONTOUR MAP
SEPTEMBER 15, 2015

Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin




Date:	1/12/16
Designed:	EB
Drawn:	EB
Checked:	MS
DWG file:	6190-0769




ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	3
Project	6190

Legend


- MW-1  Monitoring well
- 643.0  Groundwater elevation contour
- 642.48  Groundwater elevation (feet above mean sea level)



40th AVENUE

39th AVENUE

Parking Lot



WATER TABLE CONTOUR MAP
DECEMBER 2, 2015

Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin

Date:	1/12/16
Designed:	EB
Drawn:	EB
Checked:	MS
DWG file:	6190-0770



ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	4
Project	6190

MW-9
643.67

3929

5302

Legend

- MW-1 Monitoring well location
- Grab groundwater sample from soil gas sampling point
- Slab foundation #1
- Slab foundation #2
- Slab foundation #3

Analytes	Public Health	
	Preventive Action Limit	Enforcement Standard
PCE	0.5	5
TCE	0.5	5
cis-1,2-DCE	7	70
trans-1,2-DCE	20	100
VC	0.02	0.2

Notes:

1. Bold, shaded orange values exceed Public Health Enforcement Standard
2. Bold, shaded blue values exceed Public Health Preventive Action Limit
3. Bold values equal or exceed laboratory detection limits
4. Only compounds exceeding public health standards are shown in this figure
5. Results reported in micrograms per liter (ug/L)
6. PCE = Tetrachloroethene
7. TCE = Trichloroethene
8. cis-1,2-DCE = cis-1,2-Dichloroethene
9. trans-1,2-DCE = trans-1,2-Dichloroethene
10. VC = Vinyl Chloride
11. J = Analyte concentration detected between the laboratory Reporting Limit and the laboratory Method Detection Limit
12. Samples analyzed for VOCs according to EPA Method 8260
13. * = Indicated the highest concentrations detected in duplicate sample are reported

- Extent of CVOC groundwater impacts above enforcement standards (dashed where inferred)
- Extent of CVOC groundwater impacts above preventive action limits (dashed where inferred)

MONITORING WELL SAMPLE ANALYTICAL RESULTS

Martino's Cleaners
3917 52nd Street
Kenosha, Wisconsin



ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com


Figure

5

Project

6190

Date:	8/5/15
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6190-0647



MW-3					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/17/15	<0.74	<0.47	<0.45	<0.54	<0.17
6/17/15*	<0.74	<0.47	<0.45	<0.54	<0.17
9/16/15*	<0.49	<0.47	<0.45	<0.54	<0.17
12/2/15	<0.49	<0.47	<0.45	<0.54	<0.17

MW-2					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/17/15	<0.74	<0.47	4.5	<0.54	<0.17
6/17/15	<0.74	<0.47	4.8	<0.54	<0.17
9/16/15	<0.49	<0.47	4.6	<0.54	<0.17
12/4/15	<0.49	<0.47	3.2	<0.54	<0.17

MW-1					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/16/15	278	3.8	12.8	<0.54	<0.17
6/17/15*	8.1	2.59	16.4	<0.54	<0.17
9/16/15	6.5	4.2	25.1	<0.54	<0.17
12/3/15	7.8	3.7	14.1	<0.54	<0.17

MW-8					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/16/15	226	6.4	169	4.1	6.1
6/17/15	155	6.9	61	1.48 J	5.7
9/16/15	47	37	650	12.4	21.8
12/3/15	NS				

MW-10					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
6/18/15	<0.74	<0.47	<0.45	<0.54	<0.17
9/15/15	<0.49	<0.47	<0.45	<0.54	<0.17
12/4/15	<0.49	<0.47	<0.45	<0.54	<0.17

MW-7					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/17/15*	<0.74	<0.47	2.44	<0.54	<0.17
6/17/15	<0.74	0.58 J	4.9	<0.54	<0.17
9/16/15	<0.49	<0.47	2.95	<0.54	<0.17
12/3/15	<0.49	<0.47	1.65	<0.54	<0.17


PZ-5					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
6/18/15	<0.74	<0.47	<0.45	<0.54	<0.17
9/15/15	<0.49	<0.47	1.67	<0.54	<0.17
12/4/15	<0.49	<0.47	<0.45	<0.54	<0.17

MW-9					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
6/18/15	<0.74	<0.47	<0.45	<0.54	<0.17
9/15/15	<0.49	<0.47	<0.45	<0.54	<0.17
12/3/15	<0.49	<0.47	<0.45	<0.54	<0.17

MW-4					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/17/15	<0.74	<0.47	<0.45	<0.54	<0.17
6/17/15	<0.74	<0.47	<0.45	<0.54	<0.17
9/15/15	<0.49	<0.47	<0.45	<0.54	<0.17
12/4/15	<0.49	<0.47	<0.45	<0.54	<0.17

MW-6					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/17/15	1.67 J	<0.47	<0.45	<0.54	<0.17
6/18/15	1.79 J	0.71 J	0.75 J	<0.54	<0.17
9/16/15	2.19	0.54 J	<0.45	<0.54	<0.17
12/3/15*	3.2	0.94 J	0.52 J	<0.54	<0.17

MW-5T					
Sample Date	PCE	TCE	cis-1,2-DCE	trans-1,2-DCE	VC
3/17/15	<7.4	25	810	25.6	<1.7
6/17/15	<7.4	7.7 J	500	22.1	2.9 J
9/16/15	<4.9	8.6 J	410	16.6	5.5
12/4/15	<2.45	7.6	670	23.6	2.3 J





ATTACHMENT 1

GROUNDWATER FIELD SAMPLING DATA FORMS

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. MW-1
 LOCATION/ADDRESS 3917 52nd Avenue Sample Designation 6190- MW-1
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Sr. Personnel _____

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 17.78 feet
 Depth to Water 11.60 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3-14-15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow _____
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
3:25									
3:30	15.09	7.04	129	0.754	99.6	4.21	11.60	200	1000
3:35	15.19	7.55	155	0.623	133	6.31			2000
3:40	15.28	7.61	178	0.606	536	5.70	12.30		3000
3:45	15.40	7.62	190	0.606	379	5.59			4000
3:50	15.51	7.57	194	0.602	360	5.45	12.41		5000
3:55	15.71	7.59	192	0.601	36.3	5.45			6000
4:00	15.85	7.55	196	0.600	35.6	5.39	12.44		7000

* Only one (1) of these need to reach stability.

PURGE: Date _____ Time _____
 SAMPLING: Date 3-16-15 Time 4:05

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCl	N	-	-	-

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. MW-3
 LOCATION/ADDRESS 3917 52nd Avenue Sample Designation 6190- MW-3
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Sr. Personnel _____

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 17.68 feet
 Depth to Water 2.76 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3-17-15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:
 Low-Flow _____
 Grab/No-purge _____
 Bailor _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (mL/min)	mL Removed
8:45	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
8:50	7.73	6.76	121	9.45	55.3	1.18	2.76	200	1000
8:55	7.93	6.69	120	9.57	9.2	0.78			2000
9:00	7.81	6.67	122	9.64	4.6	0.47	3.13		3000
9:05	7.63	6.67	116	9.69	2.5	0.23			4000
9:10	7.47	6.66	105	9.76	1.0	0.04	3.17		5000
9:15	7.33	6.66	100	9.80	1.0	0.00			6000
9:20	7.26	6.65	98	9.82	0.5	0.00	3.19		7000

* Only one (1) of these need to reach stability.


PURGE¹: Date _____ Time _____
SAMPLING: Date 3-17-15 Time 9:25

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCl	N			

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. MW-5T
 LOCATION/ADDRESS 3917 52nd Avenue Sample Designation 6190- MW-5T
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Sr. Personnel _____

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 20.41 feet
 Depth to Water 12.60 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3-17-15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:
 Low-Flow _____
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
10:35	10.21	6.91	45	1.97	800	0.97	12.60	200	1000
10:40	10.30	6.90	26	1.93	116	0.31			2000
10:45	10.44	6.89	14	1.85	35.4	0.17			3000
10:50	10.48	6.89	7	1.86	15.0	0.01			4000
10:55	10.68	6.90	3	1.82	9.8	0.00			5000
11:00	10.96	6.91	-3	1.83	2.8	0.00			6000
11:05	10.96	6.91	-4	1.81	1.5	0.00			7000
11:10									

* Only one (1) of these need to reach stability.


PURGE¹: Date 3-17-15 Time _____
SAMPLING: Date 3-17-15 Time 11:15

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCl	N			

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. MW-7
 LOCATION/ADDRESS 3917 52nd Avenue Sample Designation 6190- MW-7
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Sr. Personnel _____

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 2.48 feet
 Depth to Water 1.56 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3-17-15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow _____
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>12:35</u>	<u>12.60</u>	<u>7.32</u>	<u>246</u>	<u>1.33</u>	<u>0.0</u>	<u>7.79</u>	<u>1.56</u>	<u>200</u>	<u>1000</u>
<u>12:40</u>	<u>11.97</u>	<u>7.30</u>	<u>263</u>	<u>1.32</u>	<u>800</u>	<u>6.95</u>			<u>2000</u>
<u>12:45</u>	<u>11.36</u>	<u>7.25</u>	<u>274</u>	<u>1.35</u>	<u>734</u>	<u>6.58</u>			<u>3000</u>
<u>12:50</u>	<u>10.83</u>	<u>7.19</u>	<u>283</u>	<u>1.38</u>	<u>607</u>	<u>6.57</u>			<u>4000</u>
<u>1:00</u>	<u>10.44</u>	<u>7.16</u>	<u>287</u>	<u>1.40</u>	<u>522</u>	<u>6.51</u>			<u>5000</u>
<u>1:05</u>	<u>10.18</u>	<u>7.13</u>	<u>294</u>	<u>1.41</u>	<u>456</u>	<u>6.44</u>			<u>6000</u>
<u>1:10</u>	<u>9.82</u>	<u>7.10</u>	<u>300</u>	<u>1.40</u>	<u>347</u>	<u>7.54</u>	<u>1.59</u>		<u>7000</u>

* Only one (1) of these need to reach stability.

PURGE: Date _____ Time _____
SAMPLING: Date 3-17-15 Time 1:20

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>6</u>	<u>HCl</u>	<u>N</u>	<u>-</u>	<u>(Dup-1)</u>	<u>-</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. MW-8
 LOCATION/ADDRESS 3917 52nd Avenue Sample Designation 6190- MW-8
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Sr. Personnel _____

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 13.42 feet
 Depth to Water 1.48 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 3-16-15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:
 Low-Flow _____
 Grab/No-purge _____
 Bailor _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
2:35									
2:40	17.40	6.97	111	0.758	0.0	2.20	1.48	200	1000
2:45	16.21	6.82	137	0.802	746	1.90			2000
2:50	15.43	6.77	150	0.849	660	1.58			3000
2:55	15.05	6.73	163	0.873	423	1.29			4000
3:00	14.83	6.74	171	0.885	212	1.76			5000
3:05	14.69	6.72	179	0.893	125	1.60			6000
3:10	14.42	6.79	170	0.894	119	1.46			7000

* Only one (1) of these need to reach stability.


PURGE¹: Date _____ Time _____
SAMPLING: Date 3-16-15 Time 3:15

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCl	N			

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-1
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-1
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 17.90 feet
 Depth to Water 11.89 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3.785 mL

SAMPLING METHOD:
 Low-Flow
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 R? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 14.89

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1459</u>	<u>16.61</u>	<u>7.86</u>	<u>165</u>	<u>0.838</u>	<u>73.8</u>	<u>2.48</u>	<u>11.95</u>	<u>178</u>	<u>890</u>
<u>1509</u>	<u>15.57</u>	<u>7.67</u>	<u>118</u>	<u>0.843</u>	<u>105</u>	<u>1.63</u>	<u>12.06</u>	<u>200</u>	<u>1890</u>
<u>1508</u>	<u>15.25</u>	<u>7.63</u>	<u>80</u>	<u>0.863</u>	<u>157</u>	<u>2.02</u>	<u>12.12</u>	<u>200</u>	<u>2890</u>
<u>1519</u>	<u>15.13</u>	<u>7.61</u>	<u>50</u>	<u>0.883</u>	<u>243</u>	<u>8.86</u>	<u>12.19</u>	<u>218</u>	<u>4070</u>
<u>1518</u>	<u>14.99</u>	<u>7.67</u>	<u>36</u>	<u>0.901</u>	<u>319</u>	<u>1.27</u>	<u>12.27</u>	<u>218</u>	<u>5160</u>
<u>1523</u>	<u>15.42</u>	<u>7.63</u>	<u>28</u>	<u>0.918</u>	<u>367</u>	<u>1.06</u>	<u>12.23</u>	<u>171</u>	<u>6015</u>
<u>1528</u>	<u>15.36</u>	<u>7.65</u>	<u>18</u>	<u>0.915</u>	<u>163</u>	<u>1.79</u>	<u>12.27</u>	<u>192</u>	<u>6975</u>
<u>1533</u>	<u>15.37</u>	<u>7.66</u>	<u>13</u>	<u>0.926</u>	<u>118</u>	<u>1.06</u>	<u>12.25</u>	<u>171</u>	<u>7650</u>
<u>1538</u>	<u>15.24</u>	<u>7.67</u>	<u>6</u>	<u>0.924</u>	<u>116</u>	<u>1.06</u>	<u>12.27</u>	<u>166</u>	<u>8480</u>
<u>1543</u>	<u>15.39</u>	<u>7.68</u>	<u>1</u>	<u>0.936</u>	<u>110</u>	<u>0.89</u>	<u>12.25</u>	<u>166</u>	<u>9310</u>
<u>1548</u>	<u>15.32</u>	<u>7.69</u>	<u>-2</u>	<u>0.940</u>	<u>251</u>	<u>3.13</u>	<u>12.24</u>	<u>150</u>	<u>10,060</u>

* Only one (1) of these need to reach stability.


PURGE: Date 6/17 Time _____
 SAMPLING: Date 6/17 Time 1553

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	6	HCL	N	none	DUP-1	NA

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES: *DUP-1*

Sampler Signature: 

*Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 *Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-2
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-2
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 19.8 feet
 Depth to Water 11.96 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailor _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 13.63

Stability Parameter Readings:

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1625</u>	<u>+/- 3%</u>	<u>+/- 0.1</u>	<u>+/- 10mV*</u>	<u>+/- 3%</u>	<u>+/- 10%*</u>	<u>+/- 10%*</u>	<u><0.3ft</u>	<u><250</u>	
<u>1630</u>	<u>20.87</u>	<u>6.80</u>	<u>150</u>	<u>629</u>	<u>6.56</u>	<u>56.6</u>	<u>12.03</u>	<u>185</u>	<u>925</u>
<u>1635</u>	<u>16.67</u>	<u>7.43</u>	<u>86</u>	<u>7.08</u>	<u>33.4</u>	<u>7.42</u>	<u>12.15</u>	<u>185</u>	<u>1850</u>
<u>1640</u>	<u>16.22</u>	<u>7.51</u>	<u>57</u>	<u>6.77</u>	<u>34</u>	<u>8.64</u>	<u>12.42</u>	<u>178</u>	<u>2740</u>
<u>1645</u>	<u>16.52</u>	<u>7.54</u>	<u>31</u>	<u>6.85</u>	<u>31.8</u>	<u>5.29</u>	<u>12.48</u>	<u>141</u>	<u>3245</u>
<u>1650</u>	<u>16.60</u>	<u>7.58</u>	<u>9</u>	<u>5.18</u>	<u>27.0</u>	<u>8.05</u>	<u>12.49</u>	<u>133</u>	<u>4110</u>

* Only one (1) of these need to reach stability.

PURGE: Date _____ Time _____
 SAMPLING: Date 6/17 Time 1853

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>none</u>	<u>_____</u>	<u>NA</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-3
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-3
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 17.69 feet
 Depth to Water 2.40 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 12.69

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1843</u>									
<u>1848</u>	<u>18.74</u>	<u>6.96</u>	<u>85</u>	<u>6.76</u>	<u>50.0</u>	<u>1.44</u>	<u>2.35</u>	<u>240</u>	<u>1200</u>
<u>1853</u>	<u>17.69</u>	<u>6.98</u>	<u>65</u>	<u>6.99</u>	<u>5.2</u>	<u>7.02</u>	<u>2.72</u>	<u>185</u>	<u>2125</u>
<u>1858</u>	<u>17.36</u>	<u>6.96</u>	<u>65</u>	<u>7.25</u>	<u>2.9</u>	<u>6.87</u>	<u>2.98</u>	<u>166</u>	<u>2955</u>
<u>1903</u>	<u>17.26</u>	<u>6.95</u>	<u>66</u>	<u>7.30</u>	<u>1.8</u>	<u>6.83</u>	<u>2.75</u>	<u>160</u>	<u>3255</u>
<u>1908</u>	<u>17.06</u>	<u>6.94</u>	<u>67</u>	<u>7.54</u>	<u>2.2</u>	<u>6.39</u>	<u>2.77</u>	<u>171</u>	<u>4610</u>

* Only one (1) of these need to reach stability.

PURGE: Date _____ Time _____
SAMPLING: Date 6/17 Time 1912


Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	6	HCL	N	none	DUP-2	NA

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

* DUP-2 *

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-4
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-4
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 19.14 feet
 Depth to Water 10.25 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:
 Low-Flow
 Grab/No-purge _____
 Bailer
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 14.14

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1710</u>	<u>+/- 3%</u>	<u>+/- 0.1</u>	<u>+/- 10mV*</u>	<u>+/- 3%</u>	<u>+/- 10%</u>	<u>+/- 10%</u>	<u>< 0.3ft</u>	<u>< 250</u>	
<u>1715</u>	<u>17.13</u>	<u>8.06</u>	<u>124</u>	<u>2.28</u>	<u>4.2</u>	<u>1.52</u>	<u>10.72</u>	<u>200</u>	<u>1000</u>
<u>1720</u>	<u>15.28</u>	<u>7.84</u>	<u>128</u>	<u>2.24</u>	<u>1.5</u>	<u>8.33</u>	<u>11.20</u>	<u>240</u>	<u>2200</u>
<u>1725</u>	<u>15.09</u>	<u>7.84</u>	<u>131</u>	<u>2.25</u>	<u>1.4</u>	<u>8.17</u>	<u>11.64</u>	<u>209</u>	<u>2545</u>
<u>1730</u>	<u>15.02</u>	<u>7.31</u>	<u>132</u>	<u>2.24</u>	<u>4.5</u>	<u>8.18</u>	<u>11.89</u>	<u>185</u>	<u>4168</u>
<u>1735</u>	<u>14.93</u>	<u>7.29</u>	<u>134</u>	<u>2.24</u>	<u>2.8</u>	<u>7.51</u>	<u>12.10</u>	<u>178</u>	<u>5058</u>

* Only one (1) of these need to reach stability.


PURGE: Date 6/17 Time 1737

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>none</u>	<u>—</u>	<u>NA</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-5T
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-5T
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 16.70 feet
 Depth to Water 11.93 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____

Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 16.70 17.70

Stability Parameter Readings:

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1750</u>	<u>16.56</u>	<u>7.48</u>	<u>64</u>	<u>1.97</u>	<u>0-</u>	<u>9.07</u>	<u>12.48</u>	<u>160</u>	<u>800</u>
<u>1800</u>	<u>16.02</u>	<u>7.45</u>	<u>31</u>	<u>1.78</u>	<u>900</u>	<u>8.30</u>	<u>15.13</u>	<u>150</u>	<u>1550</u>
<u>1805</u>	<u>16.32</u>	<u>7.42</u>	<u>27</u>	<u>1.68</u>	<u>656</u>	<u>8.16</u>	<u>17.02</u>	<u>98</u>	<u>2040</u>
<u>1810 - KV</u>									
<u>1815 - KV</u>									
			<u>Purged dry</u>	<u>at</u>	<u>1809</u>				

* Only one (1) of these need to reach stability.

PURGE: Date 6/17 Time _____
 SAMPLING: Date 6/17 Time 1808

Sample Analysis	Volume	Type	Number Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40ml	VOA	<u>6-3</u>	HCL	<u>N</u>	none	<u>Dup-3</u>	NA

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

*Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

*Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-7
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-7
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 12.50 feet
 Depth to Water 1.33 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 4/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) N
 Pump Depth (ft below TOC) (if applicable) 7.5

Stability Parameter Readings:

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1358</u>	<u>18.26</u> ^{+/- 3%}	<u>7.81</u> ^{+/- 0.1}	<u>159</u> ^{+/- 10mV*}	<u>1.12</u> ^{+/- 3%}	<u>207</u> ^{+/- 10%*}	<u>8.91</u> ^{+/- 10%*}	<u>1.50</u> ^{< 0.3ft}	<u>185</u> ^{< 250}	<u>925</u>
<u>1404</u>	<u>17.63</u>	<u>7.41</u>	<u>163</u>	<u>1.12</u>	<u>170</u>	<u>8.23</u>	<u>1.52</u>	<u>185</u>	<u>1850</u>
<u>1414</u>	<u>17.70</u>	<u>7.55</u>	<u>169</u>	<u>1.26</u>	<u>78.8</u>	<u>7.57</u>	<u>1.53</u>	<u>200</u>	<u>2850</u>
<u>1418</u>	<u>17.78</u>	<u>7.74</u>	<u>175</u>	<u>1.25</u>	<u>25.9</u>	<u>7.05</u>	<u>1.54</u>	<u>185</u>	<u>3375</u>
<u>1424</u>	<u>18.02</u>	<u>7.40</u>	<u>176</u>	<u>1.25</u>	<u>12.8</u>	<u>6.43</u>	<u>1.57</u>	<u>200</u>	<u>4775</u>

* Only one (1) of these need to reach stability.

PURGE: Date 4/17 Time _____
SAMPLING: Date 4/17 Time 1428

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40rL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>none</u>	<u>_____</u>	<u>NA</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature]
 *Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 †Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-8
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-8
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 13.43 feet
 Depth to Water 1.94 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 8.43

Stability Parameter Readings:

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1129</u>	<u>15.86</u>	<u>7.23</u>	<u>72</u>	<u>0.413</u>	<u>262</u>	<u>10.24</u>	<u>3.73</u>	<u>200</u>	<u>1000</u>
<u>1134</u>	<u>15.36</u>	<u>7.65</u>	<u>64</u>	<u>0.531</u>	<u>37.1</u>	<u>5.90</u>	<u>2.74</u>	<u>178</u>	<u>1898</u>
<u>1139</u>	<u>15.36</u>	<u>7.48</u>	<u>64</u>	<u>0.549</u>	<u>19.4</u>	<u>8.26</u>	<u>2.84</u>	<u>200</u>	<u>2898</u>
<u>1144</u>	<u>15.36</u>	<u>7.41</u>	<u>64</u>	<u>0.551</u>	<u>15.1</u>	<u>7.60</u>	<u>2.55</u>	<u>171</u>	<u>3845</u>
<u>1149</u>	<u>15.52</u>	<u>7.36</u>	<u>62</u>	<u>0.557</u>	<u>9.7</u>	<u>7.06</u>	<u>2.39</u>	<u>178</u>	<u>4635</u>

* Only one (1) of these need to reach stability.

PURGE: Date 6/17 Time 11:57
 SAMPLING: Date 6/17 Time 11:57

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>none</u>	<u>—</u>	<u>NA</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-10
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-10
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:
 19.05 ← Well Depth 19.05 feet
 9.60 ← Depth to Water 9.60 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow ✓
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump ✓
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other Y
 Was drawdown greater than 0.3 R? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) 11.05

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius) +/- 3%	pH +/- 0.1	Oxidation-Reduction Potential (mV) +/- 10mV	Specific Conductance (umhos/cm) +/- 3%	Turbidity (NTU) +/- 10%	Dissolved Oxygen (mg/L) +/- 10%	Sampling DTW (R) < 0.3R	Flow Rate (ml/min) < 250	mL Removed
1210									
1215	18.17	7.24	177	3.95	108	8.36	9.78	175	890
1220	18.05	7.41	174	4.09	80.1	7.39	9.87	178	1790
1225	17.28	7.45	173	3.94	33.9	7.06	8.06	138	2620
1230	17.1	7.47	173	3.70	31.3	7.95	0.11	200	3670
1235							19.40	209	4715

* Only one (1) of these need to reach stability.

PURGE: Date 6/18 Time 1238


SAMPLING: Date 6/18 Time 1238

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	none	—	NA

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - PZ-S
 LOCATION/ADDRESS 3917 52nd St Sample Designation PZ-S
Kenosha, WI
 PROJECT NO. 6190
 CLIENT/CONTACT Dan Martino Personnel K. Vander Heiden

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 39.64 feet
 Depth to Water 12.675 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 6/17

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 37.37

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	<0.3ft	<250		
1308	20.21	8.8	129	0.421	0-	4.1	14.70	192	960
1305	18.14	8.92	122	0.373	0-	8.30	16.66	192	1920
1310	18.68	8.92	112	0.377	200	8.18	17.58	178	2810
1315	18.74	8.93	101	0.350	200	7.75	18.02	171	2665
1320	18.63	8.96	82	0.368	681	7.16	18.57	166	4495
1325	18.86	8.95	66	0.352	647	6.59	18.99	155	5770
1330	18.77	8.94	54	0.357	637	6.92	19.27	200	6270
1335	19-	8.93	43	0.367	558	7.80	19.79	160	7070
1340	19.01	8.93	37	0.333	534	7.42	19.80	171	7925
1345	19.94	8.91	32	0.367	448	6.61	20.04	171	8730
1350	20.06	8.91	28	0.359	484	5.88	20.24	185	9705
1355	19.89	8.97	18	0.370	449	6.03	20.39	185	10630
1400	19.89	8.89	16	0.363	374	7.15	20.56	178	11520

* Only one (1) of these need to reach stability.

PURGE: Date 6/18 Time _____
SAMPLING: Date 6/18 Time 1404

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	none	—	NA

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

would advise to develop 1 more time

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-2
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-2
Kensosha, WI
 PROJECT NO. 6190.17a
 CLIENT/CONTACT _____ Personnel K. Vander Heide

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 19.11 feet
 Depth to Water 13.10 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 9/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:
 Low-Flow X
 Grab/No-purge _____
 Bailor _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 17.11

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
<u>1354</u>	<u>19.71</u>	<u>7.32</u>	<u>-15</u>	<u>628</u>	<u>63.8</u>	<u>0.26</u>	<u>13.45</u>	<u>165</u>	
<u>1359</u>									
<u>1404</u>									
<u>1409</u>									
<u>1414</u>									
<u>1419</u>									
<u>1424</u>									
<u>KV</u>									

DRAWDOWN EXCEEDED; WELL PURGE ENTIRE WELL VOLUME ~ 8.6 gallons purged

* Only one (1) of these need to reach stability.

PURGE: Date 9/16/15 Time 1404
SAMPLING: Date 9/16/15 Time 1447

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	<u>3</u>	HCL	<u>N</u>	NA	<u>-</u>	

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature]

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - mw-4
 LOCATION/ADDRESS 3917 52nd St Sample Designation mw-4
Kenosha, WI
 PROJECT NO. 6190.17a
 CLIENT/CONTACT _____ Personnel K. Vander Heide

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 19.14 feet
 Depth to Water 12.41 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 9/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:
 Low-Flow X
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 16.64

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	(Celsius) +/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	< 0.3ft	< 250	
<u>1508</u>									
<u>1513</u>	<u>25.20</u>	<u>6.94</u>	<u>246</u>	<u>2.3</u>	<u>11.6</u>	<u>0.41</u>	<u>12.77</u>	<u>110</u>	<u>550</u>
<u>1518</u>	<u>24.55</u>	<u>6.93</u>	<u>224</u>	<u>2.31</u>	<u>4.3</u>	<u>0.29</u>	<u>12.77</u>	<u>125</u>	<u>1175</u>
<u>1523</u>	<u>24.29</u>	<u>6.92</u>	<u>193</u>	<u>2.3</u>	<u>3</u>	<u>0.25</u>	<u>12.77</u>	<u>100</u>	<u>1675</u>
<u>1528</u>	<u>23.80</u>	<u>6.94</u>	<u>146</u>	<u>2.34</u>	<u>2.6</u>	<u>0.23</u>	<u>12.77</u>	<u>120</u>	<u>2275</u>
<u>1533</u>	<u>24.40</u>	<u>6.93</u>	<u>128</u>	<u>2.3</u>	<u>2.3</u>	<u>0.21</u>	<u>12.77</u>	<u>130</u>	<u>2925</u>
<u>1538</u>	<u>24.47</u>	<u>6.93</u>	<u>128</u>	<u>2.3</u>	<u>1.9</u>	<u>0.18</u>	<u>12.77</u>	<u>100</u>	<u>3425</u>

* Only one (1) of these need to reach stability.

PURGE: Date 9/15 Time _____
SAMPLING: Date 9/15 Time 1545

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>6</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>DUP-1</u>	<u>-</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: [Signature] **★ DUP-1 ★**

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
Indianapolis, IN 46204
T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-5T
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-5T
Kenosha, WI
 PROJECT NO. 6190.17a
 CLIENT/CONTACT _____ Personnel K. Vander Heide

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 15.08 feet
 Depth to Water 12.87 feet
 Well Diameter 1 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 9/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) _____
 Pump Depth (ft below TOC) (if applicable) 17.21

Stability Parameter Readings:

Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
<u>1323</u>									
<u>1328</u>	<u>27.90</u>	<u>7.71</u>	<u>125</u>	<u>1.70</u>	<u>466</u>	<u>1.20</u>	<u>15.91</u>	<u>150</u>	
<u>1333</u>	<u>27.10</u>	<u>7.14</u>	<u>15</u>	<u>1.49</u>	<u>453</u>	<u>0.23</u>	<u>17.90</u>	<u>140</u>	
<u>@ 1336, DRAWDOWN EXCEEDED; WILL PURGE ENTIRE WELL VOLUME</u>									
<u>↳ PURGED DRY</u>									
<u>PUMP DEPTH BECOMES NA</u>									

* Only one (1) of these need to reach stability.

PURGE¹: Date _____ Time _____
 SAMPLING: Date 9/16 Time 1340

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>—</u>	<u>—</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples.

Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - MW-9
 LOCATION/ADDRESS 3917 52nd St Sample Designation MW-9
Kenosha, WI
 PROJECT NO. 6190.17a
 CLIENT/CONTACT _____ Personnel _____

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 16.21 feet
 Depth to Water 9.63 feet
 Well Diameter _____ inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 9/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow _____
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump _____
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) Y
 Pump Depth (ft below TOC) (if applicable) 13.71

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	+/- 3%	+/- 0.1	+/- 10mV*	+/- 3%	+/- 10%*	+/- 10%*	<0.3ft	<250	
1422									
1427	22.75	7.55	66	0.663	72.2	0.45	9.82	160	800
1432	20.79	7.52	35	0.651	62	0.37	9.87	160	1600
1437	20.29	7.52	24	0.641	55.6	0.33	9.92	190	2550
1442	19.82	7.53	21	0.637	47.3	0.29	9.94	180	2735
1447	19.74	7.54	19	0.634	40.7	0.27	9.99	210	3085
1452	19.55	7.55	22	0.632	40.1	0.25	10.01	190	4735

* Only one (1) of these need to reach stability.


PURGE: Date 9/15/15 Time 1457

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC 8260	40mL	VOA	3	HCL	N	NA	-	-

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: 

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

602 N. Capital Ave
 Indianapolis, IN 46204
 T: 317-972-7870 F: 317-972-7875

PROJECT NAME Martino's Master Dry Cleaners Well/Surface Station I.D. 6190 - PZ-5
 LOCATION/ADDRESS 3917 52nd St Sample Designation PZ-5
Kensosha, WI
 PROJECT NO. 6190.17a
 CLIENT/CONTACT _____ Personnel K. Vanderheide

WATER LEVEL MEASUREMENTS DURING GAUGING:
 Well Depth 39.24 feet
 Depth to Water 13.14 feet
 Well Diameter 2 inches
 Casing Volume _____ gallons
 Volume Removed _____ gallons
 Total No. of Casing Volumes Removed _____
 Date 9/15

Factor * Water Column Height Equals Gallons	
Factor	Diameter
0.163	2" Well
0.653	4" Well
1.469	6" Well
Conversions	
1 mL	= 0.0003 gal
1 gal	= 3,785 mL

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag _____
 Other _____
 Was drawdown greater than 0.3 ft? (y/n) y
 Pump Depth (ft below TOC) (if applicable) 36.74

Stability Parameter Readings: Readings every five minutes for at least three readings to achieve stability for ALL parameters except as noted.

Start Time	Temperature (Celsius)	pH	Oxidation-Reduction Potential (mV)	Specific Conductance (umhos/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
			+/- 10mV*	+/- 3%	+/- 10%*	< 0.3ft	< 250		
<u>11:57</u>									
<u>12:07</u>	<u>19.28</u>	<u>7.92</u>	<u>151</u>	<u>0.421</u>	<u>133</u>	<u>10.65</u>	<u>14.31</u>	<u>135</u>	<u>675</u>
<u>12:07</u>	<u>18.99</u>	<u>7.89</u>	<u>161</u>	<u>0.420</u>	<u>117</u>	<u>10.48</u>	<u>15.62</u>	<u>130</u>	<u>1325</u>
<u>12:12</u>	<u>18.59</u>	<u>7.92</u>	<u>156</u>	<u>0.422</u>	<u>107</u>	<u>5.06</u>	<u>16.25</u>	<u>150</u>	<u>2075</u>
<u>12:17</u>	<u>18.10</u>	<u>7.95</u>	<u>148</u>	<u>0.418</u>	<u>106</u>	<u>4.67</u>	<u>16.77</u>	<u>135</u>	<u>2750</u>
<u>12:22</u>	<u>18.22</u>	<u>7.90</u>	<u>138</u>	<u>0.416</u>	<u>103</u>	<u>4.44</u>	<u>17.07</u>	<u>160</u>	<u>3580</u>
<u>12:27</u>	<u>17.97</u>	<u>7.94</u>	<u>117</u>	<u>0.412</u>	<u>94</u>	<u>4.03</u>	<u>17.58</u>	<u>155</u>	<u>4325</u>

* Only one (1) of these need to reach stability.

PURGE: Date _____ Time _____
SAMPLING: Date 9/15/15 Time 12:32

Sample Analysis	Volume	Type	Number of Containers	Preservative Type	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC 8260</u>	<u>40mL</u>	<u>VOA</u>	<u>3</u>	<u>HCL</u>	<u>N</u>	<u>NA</u>	<u>---</u>	<u>---</u>

EQUIPMENT DECONTAMINATION PROCEDURES:

DECONTAMINATION METHOD: Non Phosphatic detergent wash/distilled water rinse
 Methanol rinse

NOTES:

Sampler Signature: K. Vanderheide

¹Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery for collection of samples. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

²Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
 LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
 PROJECT NO. 6190, 17a
 CLIENT/CONTACT Don Martino

Well ID MW-1
 Sample ID 6190-MW-1
 Screened Interval _____
 Sampler (print) Meagan Stettinisch

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 17.80 feet
 Depth to Water 3.15 feet
 Well Diameter 2 inches
 Casing Volume 2.90 gallons
 Volume Removed 0.9 gallons
 Total No. of Casing Volumes Removed 2.231
 Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
0930	12.46	7.53	0.569	-27	847	0.75	11.46	~100	500
0935	12.32	7.56	0.562	-26	316	0.40	11.56	~100	1000
0940	12.28	7.64	0.581	-24	101	0.06	11.60	~100	1500
0945	12.25	7.71	0.623	-24	89.1	0.00	11.65	~100	2000
0950	12.31	7.72	0.663	-22	48.1	0.00	11.67	~100	2500
0955	12.36	7.73	0.698	-19	69.2	0.00	11.70	~100	3000

PURGE: START Date 12/3/15 Time 0927

SAMPLING: FINISH Date 12/3/15 Time 0955

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOCs</u>	<u>40L</u>	<u>HCl</u>	<u>3</u>	<u>n</u>	<u>-</u>	<u>-</u>	<u>-</u>

NOTES:

Sampler Signature: Meagan Stettinisch

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
PROJECT NO. 6190, 17a
CLIENT/CONTACT Don Martino

Well ID MW-2
Sample ID 6190-MW-2
Screened Interval _____
Sampler (print) Meagan Stettinisch

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 19.60 feet
Depth to Water 11.01 feet
Well Diameter 2 inches
Casing Volume 3.19 gallons
Volume Removed 0.45 gallons
Total No. of Casing Volumes Removed 0.141
Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump X
Submersible Pump _____
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
0840	8.84	7.46	18500	-36	1000	1.26	11.50	~100	500
0845	10.91	7.39	4.80	-5	372	0.58	11.66	~100	1000
0850	11.68	7.37	4.75	-23	158	0.26	11.81	~100	1500
Excess drawdown 50.3', purge all & sample after recharge.									

PURGE: START Date 12/3/15 Time 0837

SAMPLING: FINISH Date 12/4/15 Time 1019

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ml</u>	<u>HCl</u>	<u>3</u>				

NOTES: 50.3' drawdown, sample after purge + recharge.

Sampler Signature: Meagan Stettinisch

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
 LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
 PROJECT NO. 6190, 17a
 CLIENT/CONTACT Don Martino

Well ID MW- 3
 Sample ID 6190-MW-3
 Screened Interval _____
 Sampler (print) Meagan Stettinisch

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 17.70 feet
 Depth to Water 0.25 feet
 Well Diameter 2 inches
 Casing Volume 2.89 gallons
 Volume Removed 0.9 gallons
 Total No. of Casing Volumes Removed 0.311
 Date 12/2/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow X
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump X
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1355	11.17	6.78	7.56	121	36.8	1.29	2.44	~100	500
1400	10.31	6.70	7.79	106	6.0	0.22	2.56	~100	1000
1405	10.22	6.69	7.83	102	0.0	0.00	2.51	~100	1500
1410	10.49	6.69	7.85	102	0.0	0.00	2.56	~100	2000
1415	10.83	6.68	7.86	102	0.0	0.00	2.60	~100	2500
1420	10.76	6.71	7.56	106	0.0	1.25	2.62	~100	3000

PURGE: START Date 12/2/15 Time 1351

SAMPLING: FINISH Date 12/2/15 Time 1420

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40mL	HCl	3	n	-	-	-

NOTES:

Sampler Signature: Meagan Stettinisch
 1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
 LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
 PROJECT NO. 6190, 17a
 CLIENT/CONTACT Don Martino

Well ID MW-4
 Sample ID 6190-MW-4
 Screened Interval _____
 Sampler (print) Megan Stettinisch

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 19.14 feet
 Depth to Water 9.32 feet
 Well Diameter 2 inches
 Casing Volume 3.2 gallons
 Volume Removed 0.3 gallons
 Total No. of Casing Volumes Removed 0.096
 Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1240</u>	<u>12.72</u>	<u>7.00</u>	<u>2.08</u>	<u>50</u>	<u>11.0</u>	<u>0.69</u>	<u>9.72</u>	<u>~100</u>	<u>500</u>
<u>1245</u>	<u>12.45</u>	<u>6.99</u>	<u>2.09</u>	<u>54</u>	<u>1.2</u>	<u>0.42</u>	<u>10.20</u>	<u>~100</u>	<u>1000</u>

PURGE: START Date 12/3/15 Time 1237
 SAMPLING: FINISH Date 12/4/15 Time 1000

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ml</u>	<u>HCl</u>	<u>3</u>				

NOTES: >0.3' drawdown, purge dry and sample when recharged

Sampler Signature: Megan Stettinisch

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
 LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
 PROJECT NO. 6190, 17a
 CLIENT/CONTACT Don Martino

Well ID MW-5T
 Sample ID 6190-MW-5T
 Screened Interval _____
 Sampler (print) Meagan Stettinisch

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 16.86 feet
 Depth to Water 11.18 feet
 Well Diameter 1 inches
 Casing Volume 0.77 gallons
 Volume Removed 0.3 gallons
 Total No. of Casing Volumes Removed 0.390
 Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1220</u>	<u>13.32</u>	<u>7.07</u>	<u>197</u>	<u>15</u>	<u>0.0</u>	<u>5.63</u>	<u>13.01</u>	<u>~100</u>	<u>500</u>
<u>1225</u>	<u>13.30</u>	<u>6.99</u>	<u>2.02</u>	<u>14</u>	<u>0.0</u>	<u>2.45</u>	<u>dry</u>	<u>~100</u>	<u>1000</u>

PURGE: START Date 12/3/15 Time 1218

SAMPLING: FINISH Date 12/4/15 Time 0914

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOCs</u>	<u>40ml</u>	<u>HCl</u>	<u>3</u>	<u>-</u>	<u>-</u>	<u>yes</u>	<u>-</u>

NOTES: dry - sample when recharged.

A Dup - 1 A

Sampler Signature: Meagan Stettinisch

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
PROJECT NO. 6190, 17a
CLIENT/CONTACT Don Martino

Well ID MW-6
Sample ID 6190-MW-6
Screened Interval _____
Sampler (print) Meagan Stettinisch

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:
Well Depth NM ^{15.08} feet
Depth to Water 10.06 feet
Well Diameter 1 inches
Casing Volume 2.62 gallons
Volume Removed 0.45 gallons
Total No. of Casing Volumes Removed 5.726
Date 12/2/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump X
Submersible Pump _____
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1440	11.16	7.39	1.19	116	689	3.06	14.10	~100	500
1445	10.67	7.42	1.18	115	655	3.65	14.16	~100	1000
1456	10.51	7.40	1.16	120	881	4.09	Dry	~100	1500
	Well went dry -			wait 20 min for recharge then sample.					

PURGE: START Date 12/2/15 Time 1437

SAMPLING: FINISH Date 12/2/15 Time 1343

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40ml	HCl	3	n	-	4	-

NOTES: went dry

** Dup - 2 **

Sampler Signature: Meagan Stettinisch

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.

2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
 LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
 PROJECT NO. 6190, 17a
 CLIENT/CONTACT Don Martino

Well ID MW-7
 Sample ID 6190-MW-7
 Screened Interval _____
 Sampler (print) Megan Stettinisch

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 12.44 feet
 Depth to Water 0.4 feet
 Well Diameter 1 inches
 Casing Volume 0.51 gallons
 Volume Removed 0.9 gallons
 Total No. of Casing Volumes Removed 1,765
 Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1415	14.90	7.42	1.13	110	252	13.37	~0.4	~100	500
1420	14.58	7.32	1.06	103	148	7.26	~0.4	~100	1000
1425	13.31	7.32	1.07	98	127	6.62	~0.4	~100	1500
1430	12.62	7.29	1.09	95	66.2	6.28	~0.5	~100	2000
1435	12.00	7.28	1.11	93	94.1	5.98	~0.5	~100	2500
1440	11.89	7.29	1.13	91	75.6	5.72	~0.5	~100	3000

PURGE: START Date 12/3/15 Time 1413
 SAMPLING: FINISH Date 12/3/15 Time 1440

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ml</u>	<u>HCl</u>	<u>3</u>				

NOTES:

Sampler Signature: Megan Stettinisch

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
 2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
 LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
 PROJECT NO. 6190, 17a
 CLIENT/CONTACT Don Martino

Well ID MW-9
 Sample ID 6190-MW-9
 Screened Interval _____
 Sampler (print) Megan Stettinisch

Pump Placement:
 - If water level is above top of well screen, place pump in middle of well screen.
 - If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 16' 24" feet
 Depth to Water 7.41 feet
 Well Diameter 2 inches
 Casing Volume 2.15 gallons
 Volume Removed 0.9 gallons
 Total No. of Casing Volumes Removed 0.340
 Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow
 Grab/No-purge _____
 Bailer¹ _____
 Peristaltic pump
 Submersible Pump _____
 Passive Diffusion Bag² _____
 Other _____
 Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
1500	9.45	7.60	0.772	125	136	0.74	7.85	~100	500
1505	9.52	7.58	0.740	115	33.9	0.26	7.86	~100	1000
1510	9.54	7.56	0.741	104	25.1	0.00	7.92	~100	1500
1515	9.56	7.54	0.739	88	60.9	0.00	7.91	~100	2000
1520	9.51	7.54	0.728	62	38.1	0.00	7.92	~100	2500
1525	9.49	7.53	0.733	43	487	0.00	7.92	~100	3000

PURGE: START Date 12/3/15 Time 1457
 SAMPLING: FINISH Date 12/3/15 Time 1525

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ml</u>	<u>HCl</u>	<u>3</u>	<u>n</u>	<u>—</u>	<u>—</u>	<u>—</u>

NOTES:

Sampler Signature: Megan Stettinisch

- Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
- Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
PROJECT NO. 6190, 17a
CLIENT/CONTACT Don Martino

Well ID MW-10
Sample ID 6190-MW-10
Screened Interval _____
Sampler (print) Megan Stettinisch

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 19.08 feet
Depth to Water 8.120 feet
Well Diameter 2 inches
Casing Volume 3.11 gallons
Volume Removed 0.45 gallons
Total No. of Casing Volumes Removed 0.145
Date 12/4/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow
Grab/No-purge _____
Bailler¹ _____
Peristaltic pump
Submersible Pump _____
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
0915	6.35	7.39	3.72	214	164	11.53	9.20	700	500
0820	7.44	7.21	3.55	210	27.4	0.81	9.40	700	1600
0825	8.01	7.21	3.53	206	0.0	0.29	9.52	700	1500

PURGE: START Date 12/4/15 Time 0812
SAMPLING: FINISH Date 12/4/15 Time 1026

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
VOC	40mL	HCl	3		-	-	-

NOTES: 0.3' drawdown, bail dry and sample when recharged.

Sampler Signature: Megan Stettinisch
1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.

PROJECT NAME Martino's 52nd St
LOCATION/ADDRESS 3917 52nd St.
Kenosha, WI
PROJECT NO. 6190, 17a
CLIENT/CONTACT Don Martino

Well ID W2 P2-5
Sample ID 6190-W2-P2-5
Screened Interval _____
Sampler (print) Meagan Stettinisch

Pump Placement:
- If water level is above top of well screen, place pump in middle of well screen.
- If water level is below top of well screen, place pump in middle of water column.

WATER LEVEL MEASUREMENTS DURING GAUGING:

Well Depth 39.19 feet
Depth to Water 11.50 feet
Well Diameter 8 inches
Casing Volume 6.39 gallons
Volume Removed 0.30 gallons
Total No. of Casing Volumes Removed 0.047
Date 12/3/15

Conversion Factor for Well Volume	
0.01025	0.75" Well
0.041	1" Well
0.163	2" Well
0.653	2" Well

SAMPLING METHOD:

Low-Flow X
Grab/No-purge _____
Bailer¹ _____
Peristaltic pump X
Submersible Pump _____
Passive Diffusion Bag² _____
Other _____
Pump Depth (ft below TOC) (if applicable) _____

Stability Readings: Collect readings every 3 to 5 minutes for a minimum of 20 minutes and no less than 5 readings. If not equilibrated after 40 minutes, call PM.

Time	MUST BE STABLE			AT LEAST ONE MUST BE STABLE			Sampling DTW (ft)	Flow Rate (ml/min)	mL Removed
	Temperature (Celsius) +/- 3%	pH (S.U.) +/- 0.1	Specific Conductance (umSi/cm) +/- 3%	Oxidation-Reduction Potential (mV) +/- 10mV	Turbidity (NTU) <100 and +/- 10%	Dissolved Oxygen (mg/L) +/- 10%			
<u>1015</u>	<u>12.12</u>	<u>7.80</u>	<u>0.448</u>	<u>35</u>	<u>27.5</u>	<u>0.14</u>	<u>11.80</u>	<u>~100</u>	<u>500</u>
<u>1020</u>	<u>12.45</u>	<u>7.73</u>	<u>0.439</u>	<u>19</u>	<u>0.0</u>	<u>0.37</u>	<u>12.92</u>	<u>~100</u>	<u>1000</u>

PURGE: START Date 12/3/15 Time 1013
SAMPLING: FINISH Date 12/4/15 Time 1048

Sample Analysis	Volume	Type	Number of Containers	Reaction (y/n)	Filter Type	Duplicate	MS/MSD
<u>VOC</u>	<u>40ml</u>	<u>HCl</u>	<u>3</u>				

NOTES: > @ 0.3' drawdown, purge until dry & sample later once recharged.

Sampler Signature: Meagan Stettinisch

1. Monitoring wells sampled with a bailer require at least 3 to 5 well volumes to be purged prior to sampling unless the well bails dry prior to the removal of three (3) well volumes. Wells bailed dry should be sampled upon sufficient recovery of water in the well. Record the time of purging and the time of sampling on the Groundwater Sampling Form.
2. Include Date PDB Installed in well, and Date PDB removed and sampled in NOTES section.



ATTACHMENT 2

GROUNDWATER LABORATORY ANALYTICAL REPORTS

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W23390 STONE RIDGE DRIVE
WAUKESHA, WI 53188

Report Date 25-Mar-15

Project Name MARTINO'S 52ND STREET
Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636A
Sample ID 6190-MW-8
Sample Matrix Water
Sample Date 3/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/19/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/19/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/19/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/19/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/19/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/19/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/19/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/19/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/19/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/19/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
cis-1,2-Dichloroethene	169	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
trans-1,2-Dichloroethene	4.1	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/19/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/19/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/19/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/19/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/19/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/19/2015	CJR	1

Project Name MARTINO'S 52ND STREET
Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636A
Sample ID 6190-MW-8
Sample Matrix Water
Sample Date 3/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/19/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/19/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/19/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/19/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/19/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/19/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Tetrachloroethene	226	ug/l	7.4	24	10	8260B		3/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/19/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/19/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/19/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/19/2015	CJR	1
Trichloroethene (TCE)	6.4	ug/l	0.47	1.5	1	8260B		3/19/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/19/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/19/2015	CJR	1
Vinyl Chloride	6.1	ug/l	0.17	0.54	1	8260B		3/19/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/19/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/19/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		3/19/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		3/19/2015	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		3/19/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/19/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636B
 Sample ID 6190-MW-1
 Sample Matrix Water
 Sample Date 3/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		3/19/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		3/19/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		3/19/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		3/19/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		3/19/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		3/19/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		3/19/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		3/19/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		3/19/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		3/19/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
cis-1,2-Dichloroethene	12.8	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		3/19/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		3/19/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		3/19/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		3/19/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		3/19/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		3/19/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		3/19/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		3/19/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		3/19/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		3/19/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		3/19/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		3/19/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Tetrachloroethene	278	ug/l	7.4	24	10	8260B		3/24/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		3/19/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		3/19/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		3/19/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		3/19/2015	CJR	1
Trichloroethene (TCE)	3.8	ug/l	0.47	1.5	1	8260B		3/19/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		3/19/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		3/19/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		3/19/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		3/19/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		3/19/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %				8260B		3/19/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %				8260B		3/19/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %				8260B		3/19/2015	CJR	1
SUR - Toluene-d8	100	REC %				8260B		3/19/2015	CJR	1

Project Name MARTINO'S 52ND STREET
Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636C
Sample ID 6190-MW-3
Sample Matrix Water
Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		3/19/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		3/19/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		3/19/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		3/19/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		3/19/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		3/19/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		3/19/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		3/19/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		3/19/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		3/19/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		3/19/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		3/19/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		3/19/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		3/19/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		3/19/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		3/19/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		3/19/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		3/19/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		3/19/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		3/19/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		3/19/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		3/19/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		3/19/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		3/19/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		3/19/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		3/19/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		3/19/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		3/19/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		3/19/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		3/19/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		3/19/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		3/19/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		3/19/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				8260B		3/19/2015	CJR	1
SUR - Toluene-d8	98	REC %				8260B		3/19/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				8260B		3/19/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %				8260B		3/19/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636D
 Sample ID 6190-MW-4
 Sample Matrix Water
 Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/19/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/19/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/19/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/19/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/19/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/19/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/19/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/19/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/19/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/19/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/19/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/19/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/19/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/19/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/19/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/19/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/19/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/19/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/19/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/19/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/19/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/19/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/19/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/19/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/19/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/19/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/19/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/19/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/19/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/19/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/19/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/19/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/19/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/19/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/19/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/19/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/19/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/19/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/19/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/19/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/19/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/19/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/19/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		3/19/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		3/19/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/19/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636E
 Sample ID 6190-MW-5T
 Sample Matrix Water
 Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		3/24/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		3/24/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		3/24/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		3/24/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		3/24/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		3/24/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		3/24/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		3/24/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		3/24/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		3/24/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		3/24/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		3/24/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		3/24/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		3/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		3/24/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		3/24/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		3/24/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		3/24/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		3/24/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		3/24/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		3/24/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		3/24/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		3/24/2015	CJR	1
cis-1,2-Dichloroethene	810	ug/l	4.5	14	10	8260B		3/24/2015	CJR	3
trans-1,2-Dichloroethene	25.6	ug/l	5.4	17	10	8260B		3/24/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		3/24/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		3/24/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		3/24/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		3/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		3/24/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		3/24/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		3/24/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		3/24/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		3/24/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		3/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		3/24/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		3/24/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		3/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		3/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		3/24/2015	CJR	1
Tetrachloroethene	< 7.4	ug/l	7.4	24	10	8260B		3/24/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		3/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		3/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		3/24/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		3/24/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		3/24/2015	CJR	1
Trichloroethene (TCE)	25	ug/l	4.7	15	10	8260B		3/24/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		3/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		3/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		3/24/2015	CJR	1
Vinyl Chloride	< 1.7	ug/l	1.7	5.4	10	8260B		3/24/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		3/24/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		3/24/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %				10 8260B		3/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	88	REC %				10 8260B		3/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %				10 8260B		3/24/2015	CJR	1
SUR - Toluene-d8	101	REC %				10 8260B		3/24/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636F
 Sample ID 6190-MW-2
 Sample Matrix Water
 Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Bromoforn	<0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		3/24/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		3/24/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		3/24/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		3/24/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		3/24/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		3/24/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		3/24/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		3/24/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		3/24/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		3/24/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
cis-1,2-Dichloroethene	4.5	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		3/24/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		3/24/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		3/24/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		3/24/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		3/24/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		3/24/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		3/24/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		3/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		3/24/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		3/24/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		3/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		3/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		3/24/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		3/24/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		3/24/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		3/24/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		3/24/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		3/24/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		3/24/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		3/24/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		3/24/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		3/24/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		3/24/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		3/24/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		3/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		3/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		3/24/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636G
 Sample ID 6190-MW-7
 Sample Matrix Water
 Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chloroform	3.07	ug/l	0.43	1.4	1	8260B		3/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
cis-1,2-Dichloroethene	2.44	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		3/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		3/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/24/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		3/24/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		3/24/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636H
 Sample ID 6190-MW-6
 Sample Matrix Water
 Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		3/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		3/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		3/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		3/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		3/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		3/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		3/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		3/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		3/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		3/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		3/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		3/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		3/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		3/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		3/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		3/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		3/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		3/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		3/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		3/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		3/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		3/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Tetrachloroethene	1.67 "J"	ug/l	0.74	2.4	1	8260B		3/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		3/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		3/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		3/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		3/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		3/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		3/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		3/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		3/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		3/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		3/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		3/24/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		3/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	99	REC %			1	8260B		3/24/2015	CJR	1
SUR - Dibromofluoromethane	95	REC %			1	8260B		3/24/2015	CJR	1

Project Name MARTINO'S 52ND STREET
 Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636I
 Sample ID 6190-DUP-1
 Sample Matrix Water
 Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		3/24/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		3/24/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		3/24/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		3/24/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
Chloroform	3.6	ug/l	0.43	1.4	1	8260B		3/24/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		3/24/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		3/24/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		3/24/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		3/24/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		3/24/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		3/24/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		3/24/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		3/24/2015	CJR	1
cis-1,2-Dichloroethene	2.44	ug/l	0.45	1.4	1	8260B		3/24/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		3/24/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		3/24/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		3/24/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		3/24/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		3/24/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		3/24/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		3/24/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		3/24/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		3/24/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		3/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		3/24/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		3/24/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		3/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		3/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		3/24/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		3/24/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		3/24/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		3/24/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		3/24/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		3/24/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		3/24/2015	CJR	1
Trichloroethene (TCE)	0.56 "J"	ug/l	0.47	1.5	1	8260B		3/24/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/24/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		3/24/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		3/24/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		3/24/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		3/24/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		3/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %				8260B		3/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	100	REC %				8260B		3/24/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %				8260B		3/24/2015	CJR	1
SUR - Toluene-d8	98	REC %				8260B		3/24/2015	CJR	1

Project Name MARTINO'S 52ND STREET
Project # 6190.17a PO2015183

Invoice # E28636

Lab Code 5028636J
Sample ID 6190-EB-1
Sample Matrix Water
Sample Date 3/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		3/23/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		3/23/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		3/23/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		3/23/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		3/23/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		3/23/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		3/23/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		3/23/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		3/23/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		3/23/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		3/23/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		3/23/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		3/23/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		3/23/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		3/23/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		3/23/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		3/23/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		3/23/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		3/23/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/23/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		3/23/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		3/23/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		3/23/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		3/23/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		3/23/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		3/23/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		3/23/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		3/23/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		3/23/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		3/23/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		3/23/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		3/23/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		3/23/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		3/23/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		3/23/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		3/23/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		3/23/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		3/23/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		3/23/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		3/23/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		3/23/2015	CJR	1
Toluene	0.55 "J"	ug/l	0.44	1.4	1	8260B		3/23/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		3/23/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		3/23/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		3/23/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		3/23/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		3/23/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		3/23/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		3/23/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		3/23/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		3/23/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		3/23/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		3/23/2015	CJR	1
SUR - Toluene-d8	98	REC %			1	8260B		3/23/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		3/23/2015	CJR	1
SUR - 4-Bromofluorobenzene	98	REC %			1	8260B		3/23/2015	CJR	1
SUR - Dibromofluoromethane	96	REC %			1	8260B		3/23/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ


LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
3	The matrix spike not within established limits.
4	The continuing calibration standard not within established limits.
8	Closing calibration standard not within established limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read 'Michael P. ...', is written over a horizontal line.

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No.: _____ Quote No.: _____
Project #: 6190, 17a
Sampler: (signature) Adelphi

Project (Name / Location): Martino's 52nd St

Reports To: B. Kappen Invoice To: _____
Company: Enviro Forensics Company: _____
Address: N16 W23390 Stone Ridge Dr Address: _____
City State Zip: Waukesha, WI 53155 City State Zip: _____
Phone: 317-972-7870 Phone: _____
FAX: _____ FAX: _____

Analysis Requested										Other Analysis				
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8 PCRA METALS	PIC/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No of Containers	Sample Type (Matrix)	Preservation
5028650A	6190-MW-8	3/16/15	1515		X	N	3	GW	HCL
B	6190-MW-1	3/16/15	1605		X	N	3	GW	HCL
C	6190-MW-3	3/17/15	0925		X	N	3	GW	HCL
D	6190-MW-4	3/17/15	1020		X	N	3	GW	HCL
E	6190-MW-5T	3/17/15	1115		X	N	3	GW	HCL
F	6190-MW-2	3/17/15	1210		X	N	3	GW	HCL
G	6190-MW-7	3/17/15	1320		X	N	3	GW	HCL
H	6190-MW-6	3/17/15	1405		X	N	3	GW	HCL
I	6190-DUP-1	3/17/15			X	N	3	GW	HCL
J	6190-EB-1	3/17/15	1210		X	N	3	GW	HCL

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

PO # 2015183

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Air
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By: (signature) _____ Time: 11:28 Date: 3/18/15
Received By: (signature) _____ Time: _____ Date: 3/18/15

Received in Laboratory By: (signature) _____ Time: _____ Date: 3/17/15

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
 ENVIROFORENSICS
 N16 W23390 STONE RIDGE DRIVE
 WAUKESHA, WI 53188

Report Date 01-Jul-15

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140A
 Sample ID 6190-MW-1
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B	6/24/2015	6/24/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B	6/24/2015	6/24/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B	6/24/2015	6/24/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B	6/24/2015	6/24/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B	6/24/2015	6/24/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B	6/24/2015	6/24/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B	6/24/2015	6/24/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B	6/24/2015	6/24/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B	6/24/2015	6/24/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B	6/24/2015	6/24/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B	6/24/2015	6/24/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B	6/24/2015	6/24/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B	6/24/2015	6/24/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B	6/24/2015	6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B	6/24/2015	6/24/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B	6/24/2015	6/24/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B	6/24/2015	6/24/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B	6/24/2015	6/24/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B	6/24/2015	6/24/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B	6/24/2015	6/24/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B	6/24/2015	6/24/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B	6/24/2015	6/24/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B	6/24/2015	6/24/2015	CJR	1
cis-1,2-Dichloroethene	16.4	ug/l	0.45	1.4	1	8260B	6/24/2015	6/24/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B	6/24/2015	6/24/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B	6/24/2015	6/24/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B	6/24/2015	6/24/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B	6/24/2015	6/24/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B	6/24/2015	6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B	6/24/2015	6/24/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B	6/24/2015	6/24/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B	6/24/2015	6/24/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B	6/24/2015	6/24/2015	CJR	1

Project Name MARTINO'S
Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140A
Sample ID 6190-MW-1
Sample Matrix Water
Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	8.1	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	2.59	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140B
 Sample ID 6190-MW-2
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	4.8	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	111	REC %			1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140C
 Sample ID 6190-MW-3
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	99	REC %			1	8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140D
 Sample ID 6190-MW-4
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140E
 Sample ID 6190-MW-5T
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		6/26/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		6/26/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		6/26/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		6/26/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		6/26/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		6/26/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		6/26/2015	CJR	1
Carbon Tetrachloride	< 6.5	ug/l	6.5	21	10	8260B		6/26/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		6/26/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		6/26/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		6/26/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		6/26/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		6/26/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		6/26/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		6/26/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		6/26/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		6/26/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		6/26/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		6/26/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/26/2015	CJR	1
1,2-Dichloroethane	< 5.4	ug/l	5.4	17	10	8260B		6/26/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		6/26/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		6/26/2015	CJR	1
cis-1,2-Dichloroethene	500	ug/l	4.5	14	10	8260B		6/26/2015	CJR	1
trans-1,2-Dichloroethene	22.1	ug/l	5.4	17	10	8260B		6/26/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		6/26/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		6/26/2015	CJR	8
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		6/26/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		6/26/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		6/26/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		6/26/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		6/26/2015	CJR	33
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		6/26/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		6/26/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		6/26/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		6/26/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		6/26/2015	CJR	33
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		6/26/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		6/26/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		6/26/2015	CJR	1
Tetrachloroethene	< 7.4	ug/l	7.4	24	10	8260B		6/26/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		6/26/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		6/26/2015	CJR	33
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		6/26/2015	CJR	33
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		6/26/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		6/26/2015	CJR	1
Trichloroethene (TCE)	7.7 "J"	ug/l	4.7	15	10	8260B		6/26/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		6/26/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		6/26/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		6/26/2015	CJR	1
Vinyl Chloride	2.9 "J"	ug/l	1.7	5.4	10	8260B		6/26/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		6/26/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		6/26/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		6/26/2015	CJR	1
SUR - 4-Bromofluorobenzene	102	REC %			10	8260B		6/26/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			10	8260B		6/26/2015	CJR	1
SUR - Toluene-d8	95	REC %			10	8260B		6/26/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140F
 Sample ID 6190-MW-6
 Sample Matrix Water
 Sample Date 6/18/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	0.75 "J"	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	1.79 "J"	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	0.71 "J"	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %			1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140G
 Sample ID 6190-MW-7
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	5.9	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	4.9	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	0.58 "J"	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	95	REC %				8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	101	REC %				8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %				8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	105	REC %				8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140H
 Sample ID 6190-MW-8
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	61	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	1.48 "J"	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	155	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	6.9	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	5.7	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %				8260B		6/24/2015	CJR	1
SUR - Toluene-d8	98	REC %				8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %				8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %				8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140I
 Sample ID 6190-MW-9
 Sample Matrix Water
 Sample Date 6/18/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/25/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/25/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/25/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/25/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/25/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/25/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/25/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/25/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/25/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/25/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/25/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/25/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/25/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/25/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/25/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/25/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/25/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/25/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/25/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/25/2015	CJR	33
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/25/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/25/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/25/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/25/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/25/2015	CJR	33
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/25/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/25/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/25/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/25/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/25/2015	CJR	33
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/25/2015	CJR	33
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/25/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/25/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/25/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/25/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/25/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/25/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/25/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/25/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %				8260B		6/25/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				8260B		6/25/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %				8260B		6/25/2015	CJR	1
SUR - Toluene-d8	93	REC %				8260B		6/25/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140J
 Sample ID 6190-MW-10
 Sample Matrix Water
 Sample Date 6/18/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/25/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/25/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/25/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/25/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/25/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/25/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/25/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/25/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/25/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/25/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/25/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/25/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/25/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/25/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/25/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/25/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/25/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/25/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/25/2015	CJR	8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/25/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/25/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/25/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/25/2015	CJR	33
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/25/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/25/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/25/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/25/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/25/2015	CJR	33
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/25/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/25/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/25/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/25/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/25/2015	CJR	33
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/25/2015	CJR	33
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/25/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/25/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/25/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/25/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/25/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/25/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/25/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/25/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/25/2015	CJR	1
SUR - Toluene-d8	92	REC %				8260B		6/25/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %				8260B		6/25/2015	CJR	1
SUR - 4-Bromofluorobenzene	105	REC %				8260B		6/25/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				8260B		6/25/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140K
 Sample ID 6190-PZ-5
 Sample Matrix Water
 Sample Date 6/18/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		6/25/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		6/25/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		6/25/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		6/25/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		6/25/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		6/25/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		6/25/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		6/25/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		6/25/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		6/25/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		6/25/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		6/25/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		6/25/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		6/25/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/25/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		6/25/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		6/25/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		6/25/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		6/25/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		6/25/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		6/25/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		6/25/2015	CJR	8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		6/25/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		6/25/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		6/25/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		6/25/2015	CJR	33
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		6/25/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		6/25/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		6/25/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		6/25/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		6/25/2015	CJR	33
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		6/25/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		6/25/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		6/25/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		6/25/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		6/25/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		6/25/2015	CJR	33
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		6/25/2015	CJR	33
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		6/25/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		6/25/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		6/25/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/25/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		6/25/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		6/25/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		6/25/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		6/25/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		6/25/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	106	REC %			1	8260B		6/25/2015	CJR	1
SUR - 4-Bromofluorobenzene	103	REC %			1	8260B		6/25/2015	CJR	1
SUR - Dibromofluoromethane	98	REC %			1	8260B		6/25/2015	CJR	1
SUR - Toluene-d8	95	REC %			1	8260B		6/25/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140L
 Sample ID 6190-DUP-1
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/26/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/26/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/26/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/26/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/26/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/26/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/26/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/26/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/26/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/26/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/26/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/26/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/26/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/26/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/26/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/26/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/26/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/26/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/26/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/26/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/26/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/26/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/26/2015	CJR	1
cis-1,2-Dichloroethene	15.6	ug/l	0.45	1.4	1	8260B		6/26/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/26/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/26/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/26/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/26/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/26/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/26/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/26/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/26/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/26/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/26/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/26/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/26/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/26/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/26/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/26/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/26/2015	CJR	1
Tetrachloroethene	7.3	ug/l	0.74	2.4	1	8260B		6/26/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/26/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/26/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/26/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/26/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/26/2015	CJR	1
Trichloroethene (TCE)	2.15	ug/l	0.47	1.5	1	8260B		6/26/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/26/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/26/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/26/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/26/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/26/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/26/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		6/26/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/26/2015	CJR	1
SUR - 4-Bromofluorobenzene	101	REC %			1	8260B		6/26/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		6/26/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140M
 Sample ID 6190-DUP-2
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		6/26/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		6/26/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		6/26/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		6/26/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		6/26/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		6/26/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		6/26/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		6/26/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		6/26/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		6/26/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		6/26/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		6/26/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		6/26/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		6/26/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		6/26/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		6/26/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		6/26/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		6/26/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		6/26/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/26/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		6/26/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		6/26/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		6/26/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		6/26/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		6/26/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		6/26/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		6/26/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		6/26/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		6/26/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		6/26/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		6/26/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		6/26/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		6/26/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		6/26/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		6/26/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		6/26/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		6/26/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		6/26/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		6/26/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		6/26/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		6/26/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		6/26/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		6/26/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		6/26/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		6/26/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		6/26/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		6/26/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/26/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		6/26/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		6/26/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		6/26/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		6/26/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		6/26/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		6/26/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %			1	8260B		6/26/2015	CJR	1
SUR - Dibromofluoromethane	107	REC %			1	8260B		6/26/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/26/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140N
 Sample ID 6190-EB-1
 Sample Matrix Water
 Sample Date 6/17/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	0.66 "J"	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	94	REC %			1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		6/24/2015	CJR	1
SUR - Toluene-d8	97	REC %			1	8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140O
 Sample ID 6190-EB-2
 Sample Matrix Water
 Sample Date 6/18/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	<0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	<0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	0.70 "J"	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	107	REC %				8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %				8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %				8260B		6/24/2015	CJR	1
SUR - Toluene-d8	96	REC %				8260B		6/24/2015	CJR	1

Project Name MARTINO'S
 Project # 6190.17a PO#2015559

Invoice # E29140

Lab Code 5029140P
 Sample ID 6190-TRIP-1
 Sample Matrix Water
 Sample Date 6/18/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		6/24/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		6/24/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		6/24/2015	CJR	1
Carbon Tetrachloride	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		6/24/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		6/24/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		6/24/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		6/24/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		6/24/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		6/24/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		6/24/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		6/24/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2-Dichloroethane	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		6/24/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		6/24/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		6/24/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		6/24/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		6/24/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		6/24/2015	CJR	4 8
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		6/24/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		6/24/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		6/24/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		6/24/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		6/24/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		6/24/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		6/24/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		6/24/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		6/24/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		6/24/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		6/24/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		6/24/2015	CJR	1
Tetrachloroethene	< 0.74	ug/l	0.74	2.4	1	8260B		6/24/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		6/24/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		6/24/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		6/24/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		6/24/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		6/24/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		6/24/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		6/24/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		6/24/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		6/24/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		6/24/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		6/24/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		6/24/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	105	REC %				8260B		6/24/2015	CJR	1
SUR - 4-Bromofluorobenzene	106	REC %				8260B		6/24/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %				8260B		6/24/2015	CJR	1
SUR - Toluene-d8	98	REC %				8260B		6/24/2015	CJR	1

"J" Flag: Analyte detected between LOD and LOQ LOD Limit of Detection LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.
4	The continuing calibration standard not within established limits.
8	Closing calibration standard not within established limits.
33	Area percent recovery greater than 200%.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read 'Michael J. ...', is written over a horizontal line.

CHAIN OF CUSTODY RECORD

PC #2015559

Synergy

Environmental Lab, Inc.

Chain # No. 245

Page 1 of 2

Sample Handling Request
 Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 ← Normal Turn Around

Lab I.D. # _____
 Account No. _____ Quote No.: _____
 Project #: 6190-17g
 Sampler: (signature) *[Signature]*

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Project (Name / Location): Martinez 52nd / Kenosha
 Reports To: B Krappen / K VanderHeider Invoice To: _____
 Company: Graviton Forensics Company: _____
 Address: 116 W2350 Stone Ridge Dr Suite 6 Address: _____
 City State Zip: Kenosha, WI 53188 City State Zip: _____
 Phone: 317 472-7870 Phone: _____
 FAX: _____ FAX: _____

Analysis Requested		Other Analysis	
DRO (Mod DRO Sep 95)	GRD (Mod GRO Sep 95)	PID/ FID	
		LEAD	
		NITRATE/NITRITE	
		OIL & GREASE	
		PAH (EPA 8270)	
		PVOC (EPA 8021)	
		PVOC + NAPHTHALENE	
		SULFATE	
		TOTAL SUSPENDED SOLIDS	
		VOC DW (EPA 547.2)	
		VOC (EPA 8260)	
		8-PCRA METALS	

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
5029140A	6190-MW-1	6/17	1553		✓	N	3	GW	HCL
B	6190-MW-2	6/17	1653		✓	N	3	GW	HCL
C	6190-MW-3	6/17	1712		✓	N	3	GW	HCL
D	6190-MW-4	6/17	1737		✓	N	3	GW	HCL
E	6190-MW-5	6/17	1808		✓	N	3	GW	HCL
F	6190-MW-6	6/18	0930		✓	N	3	GW	HCL
G	6190-MW-7	6/17	1428		✓	N	2	GW	HCL
H	6190-MW-8	6/17	1157		✓	N	3	GW	HCL
I	6190-MW-9	6/18	1153		✓	N	3	GW	HCL
J	6190-MW-10	6/18	1238		✓	N	3	GW	HCL

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Refrigerated
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes No

Relinquished By: (signature) *[Signature]* Time: 0949 Date: 6/19
 Received By: (signature) *[Signature]* Time: 0949 Date: 6/19/15
 Received in Laboratory By: *[Signature]* Time: 10:00 Date: 6/20/15

CHAIN OF CUSTODY RECORD

PO # 2015559

Synergy

Environmental Lab, Inc.

Chain # **N 245**

BJK

Page 2 of 2

Lab I.D. # _____
 Account No. : _____ Quote No.: _____
 Project #: 6190-17a
 Sampler: (signature) [Signature]

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location) Martino's 52nd / Kenosha

Reports To: B. Kappen / K. Vanderhede Invoice To: _____
 Company EnviroForensics Company _____
 Address 216 W233rd Street Dr Address _____
 City State Zip Waukegan, WI 53188 City State Zip _____
 Phone 317-970-7870 Phone _____
 FAX _____ FAX _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PVCOC (EPA 8021)	PVOC - NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	B-RCHA METALS	PID: FID
		Date	Time																				
<u>S029140k</u>	<u>6190-PE-5</u>	<u>6/18</u>	<u>1404</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>														
<u>L</u>	<u>6190-DLP 1</u>	<u>6/17</u>	<u>—</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>														
<u>M</u>	<u>6190-DLP 2</u>	<u>6/17</u>	<u>—</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>														
<u>N</u>	<u>6190-EB-1</u>	<u>6/17</u>	<u>1433</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>														
<u>O</u>	<u>6190-EB-2</u>	<u>6/18</u>	<u>1410</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>														
<u>P</u>	<u>6190-TRIP-1</u>	<u>—</u>	<u>—</u>		<input checked="" type="checkbox"/>	<u>N</u>	<u>1</u>	<u>GW</u>	<u>HCL</u>														

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Rush
 Temp. of Temp. Blank _____ °C On Ice
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) [Signature] Time 0949 Date 6/19
 Received By: (sign) [Signature] Time 9:49 Date 6/19/16
 Received in Laboratory By: [Signature] Time: 10:00 Date 6/20/16

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
ENVIROFORENSICS
N16 W23390 STONE RIDGE DRIVE
WAUKESHA, WI 53188

Report Date 23-Sep-15

Project Name MARTINOS
Project # 6190.17A PO#2015848
Lab Code 5029705A
Sample ID 6190-MW-1
Sample Matrix Water
Sample Date 9/16/2015

Invoice # E29705

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	25.1	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705A
 Sample ID 6190-MW-1
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	6.5	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	4.2	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	104	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705B
 Sample ID 6190-MW-2
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	4.6	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705C
 Sample ID 6190-MW-3
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	1.24 "J"	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	119	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705D
 Sample ID 6190-MW-4
 Sample Matrix Water
 Sample Date 9/15/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	107	REC %				8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %				8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	112	REC %				8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	105	REC %				8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705E
 Sample ID 6190-MW-5T
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 4.4	ug/l	4.4	14	10	8260B		9/21/2015	CJR	1
Bromobenzene	< 4.8	ug/l	4.8	15	10	8260B		9/21/2015	CJR	1
Bromodichloromethane	< 4.6	ug/l	4.6	15	10	8260B		9/21/2015	CJR	1
Bromoform	< 4.6	ug/l	4.6	15	10	8260B		9/21/2015	CJR	1
tert-Butylbenzene	< 11	ug/l	11	34	10	8260B		9/21/2015	CJR	1
sec-Butylbenzene	< 12	ug/l	12	38	10	8260B		9/21/2015	CJR	1
n-Butylbenzene	< 10	ug/l	10	33	10	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	< 5.1	ug/l	5.1	16	10	8260B		9/21/2015	CJR	1
Chlorobenzene	< 4.6	ug/l	4.6	14	10	8260B		9/21/2015	CJR	1
Chloroethane	< 6.5	ug/l	6.5	21	10	8260B		9/21/2015	CJR	1
Chloroform	< 4.3	ug/l	4.3	14	10	8260B		9/21/2015	CJR	1
Chloromethane	< 19	ug/l	19	60	10	8260B		9/21/2015	CJR	1
2-Chlorotoluene	< 4	ug/l	4	13	10	8260B		9/21/2015	CJR	1
4-Chlorotoluene	< 6.3	ug/l	6.3	20	10	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 14	ug/l	14	45	10	8260B		9/21/2015	CJR	1
Dibromochloromethane	< 4.5	ug/l	4.5	14	10	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	< 4.9	ug/l	4.9	16	10	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	< 5.2	ug/l	5.2	16	10	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	< 4.6	ug/l	4.6	15	10	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	< 8.7	ug/l	8.7	28	10	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	< 4.8	ug/l	4.8	15	10	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	< 11	ug/l	11	36	10	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	< 6.5	ug/l	6.5	21	10	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	410	ug/l	4.5	14	10	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	16.6 "J"	ug/l	5.4	17	10	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	< 4.3	ug/l	4.3	13.7	10	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	< 31	ug/l	31	98	10	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	< 4.2	ug/l	4.2	13	10	8260B		9/21/2015	CJR	1
Di-isopropyl ether	< 4.4	ug/l	4.4	14	10	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	< 6.3	ug/l	6.3	20	10	8260B		9/21/2015	CJR	1
Ethylbenzene	< 7.1	ug/l	7.1	23	10	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	< 22	ug/l	22	71	10	8260B		9/21/2015	CJR	1
Isopropylbenzene	< 8.2	ug/l	8.2	26	10	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	< 11	ug/l	11	35	10	8260B		9/21/2015	CJR	1
Methylene chloride	< 13	ug/l	13	42	10	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 11	ug/l	11	37	10	8260B		9/21/2015	CJR	1
Naphthalene	< 16	ug/l	16	52	10	8260B		9/21/2015	CJR	1
n-Propylbenzene	< 7.7	ug/l	7.7	24	10	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 5.2	ug/l	5.2	17	10	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 4.8	ug/l	4.8	15	10	8260B		9/21/2015	CJR	1
Tetrachloroethene	< 4.9	ug/l	4.9	15	10	8260B		9/21/2015	CJR	1
Toluene	< 4.4	ug/l	4.4	14	10	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	< 17	ug/l	17	56	10	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	< 27	ug/l	27	86	10	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	< 8.4	ug/l	8.4	27	10	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	< 4.8	ug/l	4.8	15.2	10	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	8.6 "J"	ug/l	4.7	15	10	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	< 8.7	ug/l	8.7	28	10	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	< 16	ug/l	16	50	10	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	< 15	ug/l	15	48	10	8260B		9/21/2015	CJR	1
Vinyl Chloride	5.5	ug/l	1.7	5.4	10	8260B		9/21/2015	CJR	1
m&p-Xylene	< 22	ug/l	22	69	10	8260B		9/21/2015	CJR	1
o-Xylene	< 9	ug/l	9	29	10	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	107	REC %			10	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			10	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			10	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	105	REC %			10	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705F
 Sample ID 6190-MW-6
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	2.19	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	0.54 "J"	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	122	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	106	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705G
Sample ID 6190-MW-7
Sample Matrix Water
Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/22/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/22/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/22/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/22/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/22/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
Chloroform	0.96 "J"	ug/l	0.43	1.4	1	8260B		9/22/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/22/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/22/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/22/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/22/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/22/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
cis-1,2-Dichloroethene	2.95	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/22/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/22/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/22/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/22/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/22/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/22/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/22/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/22/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/22/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/22/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/22/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/22/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/22/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/22/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/22/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/22/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/22/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/22/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/22/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/22/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/22/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/22/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/22/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/22/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		9/22/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/22/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		9/22/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/22/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705H
 Sample ID 6190-MW-8
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	650	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	12.4	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	47	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	37	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	21.8	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	100	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705I
 Sample ID 6190-MW-9
 Sample Matrix Water
 Sample Date 9/15/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	101	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705J
 Sample ID 6190-MW-10
 Sample Matrix Water
 Sample Date 9/15/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705K
 Sample ID 6190-PZ-5
 Sample Matrix Water
 Sample Date 9/15/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	1.67	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	106	REC %				8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %				8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %				8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	109	REC %				8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705L
 Sample ID 6190-DUP-1
 Sample Matrix Water
 Sample Date 9/15/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/22/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/22/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/22/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/22/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/22/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/22/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/22/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/22/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/22/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/22/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/22/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/22/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/22/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/22/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/22/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/22/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/22/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/22/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/22/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/22/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/22/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/22/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/22/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/22/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/22/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/22/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/22/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/22/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/22/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/22/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/22/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/22/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/22/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/22/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/22/2015	CJR	1
SUR - Toluene-d8	111	REC %			1	8260B		9/22/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	93	REC %			1	8260B		9/22/2015	CJR	1
SUR - 4-Bromofluorobenzene	114	REC %			1	8260B		9/22/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/22/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705M
 Sample ID 6190-DUP-2
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/22/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/22/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/22/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/22/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/22/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/22/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/22/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/22/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/22/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/22/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/22/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/22/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/22/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/22/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/22/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/22/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/22/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/22/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/22/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/22/2015	CJR	1
Methyl tert-butyl ether (MTBE)	1.17 "J"	ug/l	1.1	3.7	1	8260B		9/22/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/22/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/22/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/22/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/22/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/22/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/22/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/22/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/22/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/22/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/22/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/22/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/22/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/22/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/22/2015	CJR	1
SUR - Toluene-d8	106	REC %			1	8260B		9/22/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		9/22/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		9/22/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/22/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705N
 Sample ID 6190-EB-1
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	0.62 "J"	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	107	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	102	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705O
 Sample ID 6190-EB-2
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/21/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/21/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/21/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/21/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/21/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/21/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/21/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/21/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/21/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/21/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/21/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/21/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/21/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/21/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/21/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/21/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/21/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/21/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/21/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/21/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/21/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/21/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/21/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/21/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/21/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/21/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/21/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/21/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/21/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/21/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/21/2015	CJR	1
Toluene	0.63 "J"	ug/l	0.44	1.4	1	8260B		9/21/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/21/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/21/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/21/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/21/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/21/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/21/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/21/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/21/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/21/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/21/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/21/2015	CJR	1
SUR - Toluene-d8	108	REC %			1	8260B		9/21/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		9/21/2015	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		9/21/2015	CJR	1
SUR - Dibromofluoromethane	105	REC %			1	8260B		9/21/2015	CJR	1

Project Name MARTINOS
 Project # 6190.17A PO#2015848

Invoice # E29705

Lab Code 5029705P
 Sample ID 6190-TB-1
 Sample Matrix Water
 Sample Date 9/16/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		9/22/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		9/22/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		9/22/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		9/22/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		9/22/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		9/22/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		9/22/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		9/22/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		9/22/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		9/22/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		9/22/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		9/22/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		9/22/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		9/22/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		9/22/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		9/22/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		9/22/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		9/22/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		9/22/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		9/22/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		9/22/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		9/22/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		9/22/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		9/22/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		9/22/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		9/22/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		9/22/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		9/22/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		9/22/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		9/22/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		9/22/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		9/22/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		9/22/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		9/22/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		9/22/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		9/22/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		9/22/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		9/22/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		9/22/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		9/22/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		9/22/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		9/22/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		9/22/2015	CJR	1
SUR - Toluene-d8	109	REC %			1	8260B		9/22/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		9/22/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		9/22/2015	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		9/22/2015	CJR	1

Project Name MARTINOS
Project # 6190.17A PO#2015848

Invoice # E29705

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

<i>Code</i>	<i>Comment</i>
1	Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read 'Michael P. ...', is written over a horizontal line.

PO# 2013848

Lab I.D. # _____
 Account No. : _____ Quote No. : _____
 Project # **6190-179**
 Sampler: (signature) *[Signature]*

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): **Martino's / Kenosha**

Reports To: **B. Kipper** Invoice To: _____
 Company: **Environmental Services** Company: _____
 Address: **N16 W23391 Stone Ridge Dr Sekt** Address: _____
 City State Zip: **Kenosha WI 53148** City State Zip: _____
 Phone: **317 978 7873** Phone: _____
 FAX: _____ FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DRO Sep 95)	GRO (Mix GRO Sep 95)	LEAD	NITRATE-NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID
5029705A	6190-MW-1	9/16	1552		-	N	3	GW	HCL													X		
B	6190-MW-2	9/16	1447		<	N	3	GW	HCL													X		
C	6190-MW-3	9/16	1145		<	N	3	GW	HCL													X		
D	6190-MW-4	9/15	1525		<	N	3	GW	HCL													X		
E	6190-MW-5T	9/16	1340		<	N	3	GW	HCL													X		
F	6190-MW-6	9/16	0935		<	N	3	GW	HCL													X		
G	6190-MW-7	9/16	1205		<	N	3	GW	HCL													X		
H	6190-MW-8	9/16	1150		x	N	3	GW	HCL													X		
I	6190-MW-9	9/15	1457		<	N	3	GW	HCL													X		
J	6190-MW-10	9/15	1330		<	N	3	GW	HCL													X		

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: **Rush**
 Temp. of Temp. Blank: _____ °C On Ice
 Cooler seal intact upon receipt: Yes _____ No

Relinquished By: (sign) *[Signature]* Time **9/18** Date **11:42** Received By: (sign) *[Signature]* Time **11:42** Date **9/18/15**

Received in Laboratory By: *[Signature]* Time: **10:00** Date: **9/15/15**

CHAIN OF CUSTODY RECORD

POT# 2015848

Synergy

Environmental Lab, Inc.

Chain # **274**

Page 2 of 2

Lab I.D. # _____
 Account No.: _____ Quote No.: _____
 Project #: 6190-17a
 Sampler: is-grab

1990 Prospect Ct. • Appleton, WI 54914
 920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Project (Name / Location): Martindale / Kenosha
 Reports To: S. Kypen
 Company: EnviroForensics
 Address: 216 W 23rd St Stone Ridge Dr Suite
 City State Zip: Kenosha, WI 53148
 Phone: 317 972 7870
 FAX: _____

Invoice To: _____
 Company: _____
 Address: _____
 City State Zip: _____
 Phone: _____
 FAX: _____

Analysis Requested

Other Analysis

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation	DRO (Mod DHO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	6-HCRA METALS	PID/FID	
		Date	Time																						
<u>5029705k</u>	<u>6190-PE-5</u>	<u>9/15</u>	<u>1230</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>																
<u>L</u>	<u>6190-DUP 1</u>	<u>9/15</u>	<u>/</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>x</u>			
<u>M</u>	<u>6190-DUP 2</u>	<u>9/16</u>	<u>/</u>		<u>x</u>	<u>N</u>	<u>3</u>	<u>GW</u>	<u>HCL</u>													<u>x</u>			
<u>N</u>	<u>6190-EB-1</u>	<u>9/16</u>	<u>1030</u>		<u>x</u>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>													<u>x</u>			
<u>O</u>	<u>6190-EB-2</u>	<u>9/16</u>	<u>1305</u>		<u>x</u>	<u>N</u>	<u>2</u>	<u>GW</u>	<u>HCL</u>													<u>x</u>			
<u>P</u>	<u>6190-TB-1</u>	<u>/</u>	<u>/</u>		<u>x</u>	<u>N</u>	<u>1</u>	<u>GW</u>	<u>HCL</u>													<u>x</u>			

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Dry Ice
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) [Signature] Time 9/18 Date 11:42
 Received By: (sign) [Signature] Time 11:42 Date 9/18/15
 Received in Laboratory By: [Signature] Time: 10:00 Date: 9/18/15

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

BRIAN KAPPEN
 ENVIROFORENSICS
 N16 W23390 STONE RIDGE DRIVE
 WAUKESHA, WI 53188

Report Date 15-Dec-15

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163A
 Sample ID 6190 MW-1
 Sample Matrix Water
 Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	14.1	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163A
 Sample ID 6190 MW-1
 Sample Matrix Water
 Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	7.8	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	3.7	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	96	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163B
 Sample ID 6190 MW-2
 Sample Matrix Water
 Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	3.2	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %				8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %				8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %				8260B		12/10/2015	CJR	1
SUR - Toluene-d8	101	REC %				8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163C
 Sample ID 6190 MW-3
 Sample Matrix Water
 Sample Date 12/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	97	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163D
 Sample ID 6190 MW-4
 Sample Matrix Water
 Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B		12/9/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B		12/9/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B		12/9/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B		12/9/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B		12/9/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B		12/9/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B		12/9/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B		12/9/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B		12/9/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B		12/9/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B		12/9/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B		12/9/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B		12/9/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B		12/9/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B		12/9/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B		12/9/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B		12/9/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B		12/9/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B		12/9/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/9/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/9/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B		12/9/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B		12/9/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B		12/9/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B		12/9/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B		12/9/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B		12/9/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B		12/9/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B		12/9/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B		12/9/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B		12/9/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B		12/9/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B		12/9/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B		12/9/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B		12/9/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B		12/9/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B		12/9/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B		12/9/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B		12/9/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B		12/9/2015	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B		12/9/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B		12/9/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B		12/9/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B		12/9/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B		12/9/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B		12/9/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B		12/9/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B		12/9/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B		12/9/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B		12/9/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B		12/9/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B		12/9/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B		12/9/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		12/9/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B		12/9/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	92	REC %			1	8260B		12/9/2015	CJR	1
SUR - Toluene-d8	92	REC %			1	8260B		12/9/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163E
 Sample ID 6190 MW-5T
 Sample Matrix Water
 Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<2.2	ug/l	2.2	7	5	8260B		12/10/2015	CJR	1
Bromobenzene	<2.4	ug/l	2.4	7.5	5	8260B		12/10/2015	CJR	1
Bromodichloromethane	<2.3	ug/l	2.3	7.5	5	8260B		12/10/2015	CJR	1
Bromoform	<2.3	ug/l	2.3	7.5	5	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<5.5	ug/l	5.5	17	5	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<6	ug/l	6	19	5	8260B		12/10/2015	CJR	1
n-Butylbenzene	<5	ug/l	5	16.5	5	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<2.55	ug/l	2.55	8	5	8260B		12/10/2015	CJR	1
Chlorobenzene	<2.3	ug/l	2.3	7	5	8260B		12/10/2015	CJR	1
Chloroethane	<3.25	ug/l	3.25	10.5	5	8260B		12/10/2015	CJR	1
Chloroform	<2.15	ug/l	2.15	7	5	8260B		12/10/2015	CJR	1
Chloromethane	<9.5	ug/l	9.5	30	5	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<2	ug/l	2	6.5	5	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<3.15	ug/l	3.15	10	5	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<7	ug/l	7	22.5	5	8260B		12/10/2015	CJR	1
Dibromochloromethane	<2.25	ug/l	2.25	7	5	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<2.45	ug/l	2.45	8	5	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<2.6	ug/l	2.6	8	5	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<2.3	ug/l	2.3	7.5	5	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<4.35	ug/l	4.35	14	5	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<2.4	ug/l	2.4	7.5	5	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<5.5	ug/l	5.5	18	5	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<3.25	ug/l	3.25	10.5	5	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	670	ug/l	2.25	7	5	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	23.6	ug/l	2.7	8.5	5	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<2.15	ug/l	2.15	6.85	5	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<15.5	ug/l	15.5	49	5	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<2.1	ug/l	2.1	6.5	5	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<2.2	ug/l	2.2	7	5	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<3.15	ug/l	3.15	10	5	8260B		12/10/2015	CJR	1
Ethylbenzene	<3.55	ug/l	3.55	11.5	5	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<11	ug/l	11	35.5	5	8260B		12/10/2015	CJR	1
Isopropylbenzene	<4.1	ug/l	4.1	13	5	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<5.5	ug/l	5.5	17.5	5	8260B		12/10/2015	CJR	1
Methylene chloride	<6.5	ug/l	6.5	21	5	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<5.5	ug/l	5.5	18.5	5	8260B		12/10/2015	CJR	1
Naphthalene	<8	ug/l	8	26	5	8260B		12/10/2015	CJR	1
n-Propylbenzene	<3.85	ug/l	3.85	12	5	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<2.6	ug/l	2.6	8.5	5	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<2.4	ug/l	2.4	7.5	5	8260B		12/10/2015	CJR	1
Tetrachloroethene	<2.45	ug/l	2.45	7.5	5	8260B		12/10/2015	CJR	1
Toluene	<2.2	ug/l	2.2	7	5	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<8.5	ug/l	8.5	28	5	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<13.5	ug/l	13.5	43	5	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<4.2	ug/l	4.2	13.5	5	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<2.4	ug/l	2.4	7.6	5	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	7.6	ug/l	2.35	7.5	5	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<4.35	ug/l	4.35	14	5	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<8	ug/l	8	25	5	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<7.5	ug/l	7.5	24	5	8260B		12/10/2015	CJR	1
Vinyl Chloride	2.3 "J"	ug/l	0.85	2.7	5	8260B		12/10/2015	CJR	1
m&p-Xylene	<11	ug/l	11	34.5	5	8260B		12/10/2015	CJR	1
o-Xylene	<4.5	ug/l	4.5	14.5	5	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	102	REC %			5	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			5	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			5	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	102	REC %			5	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163F
Sample ID 6190 MW-6
Sample Matrix Water
Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	0.52 "J"	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	3.2	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	0.56 "J"	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	0.94 "J"	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163G
 Sample ID 6190 MW-7
 Sample Matrix Water
 Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	0.74 "J"	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	1.65	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	117	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163H
Sample ID 6190 MW-9
Sample Matrix Water
Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	97	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	103	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	92	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163I
Sample ID 6190 MW-10
Sample Matrix Water
Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.44	ug/l	0.44	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
Bromobenzene	< 0.48	ug/l	0.48	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Bromodichloromethane	< 0.46	ug/l	0.46	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
tert-Butylbenzene	< 1.1	ug/l	1.1	3.4	1	8260B	12/10/2015	12/10/2015	CJR	1
sec-Butylbenzene	< 1.2	ug/l	1.2	3.8	1	8260B	12/10/2015	12/10/2015	CJR	1
n-Butylbenzene	< 1	ug/l	1	3.3	1	8260B	12/10/2015	12/10/2015	CJR	1
Carbon Tetrachloride	< 0.51	ug/l	0.51	1.6	1	8260B	12/10/2015	12/10/2015	CJR	1
Chlorobenzene	< 0.46	ug/l	0.46	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
Chloroethane	< 0.65	ug/l	0.65	2.1	1	8260B	12/10/2015	12/10/2015	CJR	1
Chloroform	< 0.43	ug/l	0.43	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
Chloromethane	< 1.9	ug/l	1.9	6	1	8260B	12/10/2015	12/10/2015	CJR	1
2-Chlorotoluene	< 0.4	ug/l	0.4	1.3	1	8260B	12/10/2015	12/10/2015	CJR	1
4-Chlorotoluene	< 0.63	ug/l	0.63	2	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	< 1.4	ug/l	1.4	4.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
1,4-Dichlorobenzene	< 0.49	ug/l	0.49	1.6	1	8260B	12/10/2015	12/10/2015	CJR	1
1,3-Dichlorobenzene	< 0.52	ug/l	0.52	1.6	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2-Dichlorobenzene	< 0.46	ug/l	0.46	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Dichlorodifluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2-Dichloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
1,1-Dichloroethane	< 1.1	ug/l	1.1	3.6	1	8260B	12/10/2015	12/10/2015	CJR	1
1,1-Dichloroethene	< 0.65	ug/l	0.65	2.1	1	8260B	12/10/2015	12/10/2015	CJR	1
cis-1,2-Dichloroethene	< 0.45	ug/l	0.45	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
trans-1,2-Dichloroethene	< 0.54	ug/l	0.54	1.7	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2-Dichloropropane	< 0.43	ug/l	0.43	1.37	1	8260B	12/10/2015	12/10/2015	CJR	1
2,2-Dichloropropane	< 3.1	ug/l	3.1	9.8	1	8260B	12/10/2015	12/10/2015	CJR	1
1,3-Dichloropropane	< 0.42	ug/l	0.42	1.3	1	8260B	12/10/2015	12/10/2015	CJR	1
Di-isopropyl ether	< 0.44	ug/l	0.44	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	< 0.63	ug/l	0.63	2	1	8260B	12/10/2015	12/10/2015	CJR	1
Ethylbenzene	< 0.71	ug/l	0.71	2.3	1	8260B	12/10/2015	12/10/2015	CJR	1
Hexachlorobutadiene	< 2.2	ug/l	2.2	7.1	1	8260B	12/10/2015	12/10/2015	CJR	1
Isopropylbenzene	< 0.82	ug/l	0.82	2.6	1	8260B	12/10/2015	12/10/2015	CJR	1
p-Isopropyltoluene	< 1.1	ug/l	1.1	3.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Methylene chloride	< 1.3	ug/l	1.3	4.2	1	8260B	12/10/2015	12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	< 1.1	ug/l	1.1	3.7	1	8260B	12/10/2015	12/10/2015	CJR	1
Naphthalene	< 1.6	ug/l	1.6	5.2	1	8260B	12/10/2015	12/10/2015	CJR	1
n-Propylbenzene	< 0.77	ug/l	0.77	2.4	1	8260B	12/10/2015	12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	< 0.52	ug/l	0.52	1.7	1	8260B	12/10/2015	12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	< 0.48	ug/l	0.48	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Tetrachloroethene	< 0.49	ug/l	0.49	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Toluene	< 0.44	ug/l	0.44	1.4	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2,4-Trichlorobenzene	< 1.7	ug/l	1.7	5.6	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2,3-Trichlorobenzene	< 2.7	ug/l	2.7	8.6	1	8260B	12/10/2015	12/10/2015	CJR	1
1,1,1-Trichloroethane	< 0.84	ug/l	0.84	2.7	1	8260B	12/10/2015	12/10/2015	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.52	1	8260B	12/10/2015	12/10/2015	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	1	8260B	12/10/2015	12/10/2015	CJR	1
Trichlorofluoromethane	< 0.87	ug/l	0.87	2.8	1	8260B	12/10/2015	12/10/2015	CJR	1
1,2,4-Trimethylbenzene	< 1.6	ug/l	1.6	5	1	8260B	12/10/2015	12/10/2015	CJR	1
1,3,5-Trimethylbenzene	< 1.5	ug/l	1.5	4.8	1	8260B	12/10/2015	12/10/2015	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.54	1	8260B	12/10/2015	12/10/2015	CJR	1
m&p-Xylene	< 2.2	ug/l	2.2	6.9	1	8260B	12/10/2015	12/10/2015	CJR	1
o-Xylene	< 0.9	ug/l	0.9	2.9	1	8260B	12/10/2015	12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B	12/10/2015	12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	116	REC %			1	8260B	12/10/2015	12/10/2015	CJR	1
SUR - Dibromofluoromethane	99	REC %			1	8260B	12/10/2015	12/10/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B	12/10/2015	12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163J
 Sample ID 6190 PZ-5
 Sample Matrix Water
 Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoforn	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	120	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	93	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163K
 Sample ID 6190 DUP-1
 Sample Matrix Water
 Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	730	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	29.3	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	1.83	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	9.2	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	2.88	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	119	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163L
Sample ID 6190 DUP-2
Sample Matrix Water
Sample Date 12/3/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/11/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/11/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/11/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/11/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/11/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/11/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/11/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/11/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/11/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/11/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/11/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/11/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/11/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/11/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/11/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/11/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/11/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/11/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/11/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/11/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/11/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/11/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/11/2015	CJR	1
cis-1,2-Dichloroethene	0.84 "J"	ug/l	0.45	1.4	1	8260B		12/11/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/11/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/11/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/11/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/11/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/11/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/11/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/11/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/11/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/11/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/11/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/11/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/11/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/11/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/11/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/11/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/11/2015	CJR	1
Tetrachloroethene	3.03	ug/l	0.49	1.5	1	8260B		12/11/2015	CJR	1
Toluene	0.56 "J"	ug/l	0.44	1.4	1	8260B		12/11/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/11/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/11/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/11/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/11/2015	CJR	1
Trichloroethene (TCE)	0.86 "J"	ug/l	0.47	1.5	1	8260B		12/11/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/11/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/11/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/11/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/11/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/11/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/11/2015	CJR	1
SUR - Toluene-d8	102	REC %			1	8260B		12/11/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/11/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	103	REC %			1	8260B		12/11/2015	CJR	1
SUR - 4-Bromofluorobenzene	113	REC %			1	8260B		12/11/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163M
 Sample ID 6190 EB-1
 Sample Matrix Water
 Sample Date 12/2/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	95	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163N
Sample ID 6190 EB-2
Sample Matrix Water
Sample Date 12/4/2015

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	98	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	118	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
 Project # 6190.17a PO#20151043

Invoice # E30163

Lab Code 5030163O
 Sample ID 6190 TB-1
 Sample Matrix Water
 Sample Date

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
Bromobenzene	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Bromodichloromethane	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Bromoform	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
tert-Butylbenzene	<1.1	ug/l	1.1	3.4	1	8260B		12/10/2015	CJR	1
sec-Butylbenzene	<1.2	ug/l	1.2	3.8	1	8260B		12/10/2015	CJR	1
n-Butylbenzene	<1	ug/l	1	3.3	1	8260B		12/10/2015	CJR	1
Carbon Tetrachloride	<0.51	ug/l	0.51	1.6	1	8260B		12/10/2015	CJR	1
Chlorobenzene	<0.46	ug/l	0.46	1.4	1	8260B		12/10/2015	CJR	1
Chloroethane	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
Chloroform	<0.43	ug/l	0.43	1.4	1	8260B		12/10/2015	CJR	1
Chloromethane	<1.9	ug/l	1.9	6	1	8260B		12/10/2015	CJR	1
2-Chlorotoluene	<0.4	ug/l	0.4	1.3	1	8260B		12/10/2015	CJR	1
4-Chlorotoluene	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
1,2-Dibromo-3-chloropropane	<1.4	ug/l	1.4	4.5	1	8260B		12/10/2015	CJR	1
Dibromochloromethane	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
1,4-Dichlorobenzene	<0.49	ug/l	0.49	1.6	1	8260B		12/10/2015	CJR	1
1,3-Dichlorobenzene	<0.52	ug/l	0.52	1.6	1	8260B		12/10/2015	CJR	1
1,2-Dichlorobenzene	<0.46	ug/l	0.46	1.5	1	8260B		12/10/2015	CJR	1
Dichlorodifluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2-Dichloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethane	<1.1	ug/l	1.1	3.6	1	8260B		12/10/2015	CJR	1
1,1-Dichloroethene	<0.65	ug/l	0.65	2.1	1	8260B		12/10/2015	CJR	1
cis-1,2-Dichloroethene	<0.45	ug/l	0.45	1.4	1	8260B		12/10/2015	CJR	1
trans-1,2-Dichloroethene	<0.54	ug/l	0.54	1.7	1	8260B		12/10/2015	CJR	1
1,2-Dichloropropane	<0.43	ug/l	0.43	1.37	1	8260B		12/10/2015	CJR	1
2,2-Dichloropropane	<3.1	ug/l	3.1	9.8	1	8260B		12/10/2015	CJR	1
1,3-Dichloropropane	<0.42	ug/l	0.42	1.3	1	8260B		12/10/2015	CJR	1
Di-isopropyl ether	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
EDB (1,2-Dibromoethane)	<0.63	ug/l	0.63	2	1	8260B		12/10/2015	CJR	1
Ethylbenzene	<0.71	ug/l	0.71	2.3	1	8260B		12/10/2015	CJR	1
Hexachlorobutadiene	<2.2	ug/l	2.2	7.1	1	8260B		12/10/2015	CJR	1
Isopropylbenzene	<0.82	ug/l	0.82	2.6	1	8260B		12/10/2015	CJR	1
p-Isopropyltoluene	<1.1	ug/l	1.1	3.5	1	8260B		12/10/2015	CJR	1
Methylene chloride	<1.3	ug/l	1.3	4.2	1	8260B		12/10/2015	CJR	1
Methyl tert-butyl ether (MTBE)	<1.1	ug/l	1.1	3.7	1	8260B		12/10/2015	CJR	1
Naphthalene	<1.6	ug/l	1.6	5.2	1	8260B		12/10/2015	CJR	1
n-Propylbenzene	<0.77	ug/l	0.77	2.4	1	8260B		12/10/2015	CJR	1
1,1,2,2-Tetrachloroethane	<0.52	ug/l	0.52	1.7	1	8260B		12/10/2015	CJR	1
1,1,1,2-Tetrachloroethane	<0.48	ug/l	0.48	1.5	1	8260B		12/10/2015	CJR	1
Tetrachloroethene	<0.49	ug/l	0.49	1.5	1	8260B		12/10/2015	CJR	1
Toluene	<0.44	ug/l	0.44	1.4	1	8260B		12/10/2015	CJR	1
1,2,4-Trichlorobenzene	<1.7	ug/l	1.7	5.6	1	8260B		12/10/2015	CJR	1
1,2,3-Trichlorobenzene	<2.7	ug/l	2.7	8.6	1	8260B		12/10/2015	CJR	1
1,1,1-Trichloroethane	<0.84	ug/l	0.84	2.7	1	8260B		12/10/2015	CJR	1
1,1,2-Trichloroethane	<0.48	ug/l	0.48	1.52	1	8260B		12/10/2015	CJR	1
Trichloroethene (TCE)	<0.47	ug/l	0.47	1.5	1	8260B		12/10/2015	CJR	1
Trichlorofluoromethane	<0.87	ug/l	0.87	2.8	1	8260B		12/10/2015	CJR	1
1,2,4-Trimethylbenzene	<1.6	ug/l	1.6	5	1	8260B		12/10/2015	CJR	1
1,3,5-Trimethylbenzene	<1.5	ug/l	1.5	4.8	1	8260B		12/10/2015	CJR	1
Vinyl Chloride	<0.17	ug/l	0.17	0.54	1	8260B		12/10/2015	CJR	1
m&p-Xylene	<2.2	ug/l	2.2	6.9	1	8260B		12/10/2015	CJR	1
o-Xylene	<0.9	ug/l	0.9	2.9	1	8260B		12/10/2015	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		12/10/2015	CJR	1
SUR - 1,2-Dichloroethane-d4	100	REC %			1	8260B		12/10/2015	CJR	1
SUR - 4-Bromofluorobenzene	115	REC %			1	8260B		12/10/2015	CJR	1
SUR - Dibromofluoromethane	94	REC %			1	8260B		12/10/2015	CJR	1

Project Name MARTINO'S 52ND AVE.,
Project # 6190.17a PO#20151043

Invoice # E30163

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code *Comment*

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature



A handwritten signature in blue ink, appearing to read "Michael P. ...", is written over a horizontal line.

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
Rush Analysis Date Required
(Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
Account No. : _____ Quote No.: _____
Project #. 6190-17a
Sampler (signature): M. J. Johnson

Project (Name / Location): Martins Sand Me
Reports To: B. Kappen Invoice To: _____
Company: EnviroFenetics Company: _____
Address: 116 W 233rd St. Ste. Ridge Dr Address: _____
City State Zip: Waukegan, WI 53188 City State Zip: _____
Phone: 312-970-1220 Phone: _____
FAX: _____ FAX: _____

Analysis Requested		Other Analysis												
DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE-NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)	Preservation
5030163 A	6190-MW-1	12/3	0755		X	N	3	GW	HCl
B	6190-MW-3	12/4	1019		X	N	3	GW	HCl
C	6190-MW-3	12/2	1420		X	N	3	GW	HCl
D	6190-MW-4	12/4	1000		X	N	3	GW	HCl
E	6190-MW-5	12/4	0914		X	N	3	GW	HCl
F	6190-MW-6	12/3	1313		X	N	3	GW	HCl
G	6190-MW-7	12/3	1440		X	N	3	GW	HCl
AS	6190-MW-8				X	N	3	GW	HCl
H	6190-MW-9	12/3	1523		X	N	3	GW	HCl
I	6190-MW-10	12/4	1026		X	N	3	GW	HCl

Comments: Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
PD# 20151043

Sample Integrity - To be completed by receiving lab.
Method of Shipment: Refrigeration
Temp. of Temp. Blank: _____ °C On Ice:
Cooler seal intact upon receipt: Yes No

Relinquished By (sign): [Signature] Time: 11:25 Date: 12/7/15
Received By (sign): [Signature] Time: 8:00 Date: 12/8/15

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request
 Rush Analysis Date Required _____
 (Rushes accepted only with prior authorization)
 Normal Turn Around

Lab I.D. # _____
 Account No.: _____ Quote No.: _____
 Project #: 6140-17a
 Sampler: (signature) Morgan Gettins

Project (Name / Location): Martins 5th Ave
 Reports To: B. Kopp Invoice To: _____
 Company: Fruit Forensic Company: _____
 Address: N16 W3330 Ste 4 Steen Rock Dr Address: _____
 City State Zip: Waukesha WI 53188 City State Zip: _____
 Phone: 317-272-7870 Phone: _____
 FAX: _____ FAX: _____

Analysis Requested **Other Analysis**

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID
		Date	Time																					
5030163J	6140-FZ-5	12/4	10:45		X	ZZ	3	GL	HC1													X		
K	6140-DW-1	12/4	-		X	ZZ	3	GL	HC1													X		
L	6140-DW-2	12/5	-		X	ZZ	3	GL	HC1													X		
M	6140-FZ-1	12/2	14:26		X	ZZ	2	GL	HC1													X		
N	6140-FZ-2	12/4	09:01		X	ZZ	2	GL	HC1													X		
O	6140-FZ-1	-	-		X	ZZ	-	GL	HC1													X		

Comments/Special Instructions ("Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)
PO# 20151043

Sample Integrity - To be completed by receiving lab.
 Method of Shipment: Refrigerated
 Temp. of Temp. Blank _____ °C On Ice:
 Cooler seal intact upon receipt: Yes No

Relinquished By: (sign) H. H. H. Time 11:35 Date 12-7-15
 Received By: (sign) [Signature] Time 8:00 Date 12/8/15

Received in Laboratory By: [Signature] Time _____ Date _____