

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

| | | | | | | |
|--|---|---|--|---|--|--|
| County Kenosha | WI Unique Well # of Removed Well _____ | Hicap # _____ | Latitude / Longitude (see instructions) _____ N _____ W | | Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM | Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001 |
| 1/4 1/4 NE 1/4 SE or Gov't Lot # | Section 35 | Township 02 N | Range 22 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Well Street Address 3917 52nd Street | |
| Well City, Village or Town Kenosha | | | Well ZIP Code 53144 | | Subdivision Name _____ | |
| Reason for Removal from Service Case Closure | | WI Unique Well # of Replacement Well _____ | | | | |

2. Facility / Owner Information

| | | |
|--|--------------------|--------------------------|
| Facility Name Martinos / Better Cleaners | | |
| Facility ID (FID or PWS) 230007030 | | |
| License/Permit/Monitoring # 02-30-552186 | | |
| Original Well Owner Martinos | | |
| Present Well Owner Martinos | | |
| Mailing Address of Present Owner 7513 41st Ave | | |
| City of Present Owner Kenosha | State WI | ZIP Code 53142 |

3. Filled & Sealed Well / Drillhole / Borehole Information

| | |
|---|--|
| <input checked="" type="checkbox"/> Monitoring Well | Original Construction Date (mm/dd/yyyy) 10/18/2011 |
| <input type="checkbox"/> Water Well | |
| <input type="checkbox"/> Borehole / Drillhole | |
| If a Well Construction Report is available, please attach. | |
| Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____ | |
| Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | |
| Total Well Depth From Ground Surface (ft.) 19.5 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) 8 | Casing Depth (ft.) 19.5 |
| Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | Depth to Water (feet) 11.90 |
| If yes, to what depth (feet)? 19.5 | |

4. Pump, Liner, Screen, Casing & Sealing Material

| | | | |
|---|---|--|---|
| Pump and piping removed? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Liner(s) removed? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Liner(s) perforated? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Screen removed? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A |
| Casing left in place? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Was casing cut off below surface? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Did sealing material rise to surface? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Did material settle after 24 hours? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A |
| If yes, was hole retopped? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| If bentonite chips were used, were they hydrated with water from a known safe source? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Required Method of Placing Sealing Material | | | |
| <input type="checkbox"/> Conductor Pipe-Gravity | <input type="checkbox"/> Conductor Pipe-Pumped | | |
| <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) | <input type="checkbox"/> Other (Explain): _____ | | |

| | | | |
|--|---|--|--|
| Sealing Materials | | | |
| <input type="checkbox"/> Neat Cement Grout | <input type="checkbox"/> Concrete | | |
| <input type="checkbox"/> Sand-Cement (Concrete) Grout | <input type="checkbox"/> Bentonite Chips | | |
| For Monitoring Wells and Monitoring Well Boreholes Only: | | | |
| <input checked="" type="checkbox"/> Bentonite Chips | <input type="checkbox"/> Bentonite - Cement Grout | | |
| <input type="checkbox"/> Granular Bentonite | <input type="checkbox"/> Bentonite - Sand Slurry | | |

5. Material Used to Fill Well / Drillhole

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|----------------|-------------|---|-------------------------|
| Surface | 19.5 | 2.8 gallons | |

6. Comments

MCO-2

7. Supervision of Work

| | | | | | |
|--|--------------------|---|---|---------------------|--------------------------------|
| Name of Person or Firm Doing Filling & Sealing EnviroForensics LLC | | License # _____ | Date of Filling & Sealing or Verification (mm/dd/yyyy) 10/18/22 | DNR Use Only | |
| Street or Route N16W23390 Stone Ridge Dr, Ste G | | Telephone Number (262) 290-4001 | Date Received | Noted By | |
| City Waukesha | State WI | ZIP Code 53188 | Signature of Person Doing Work [Signature] | | Date Signed 10/19/22 |

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

| | | |
|---|--|--|
| County Kenosha | WI Unique Well # of Removed Well | Hicap # |
| Latitude / Longitude (see instructions) _____ N _____ W | Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM | Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001 |
| 1/4 1/4 NE 1/4 SE or Gov't Lot # | Section 35 | Township 02 N |
| Well Street Address 3917 52nd Street | Well ZIP Code 53144 | Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W |
| Well City, Village or Town Kenosha | Subdivision Name | Lot # |
| Reason for Removal from Service Case closure | WI Unique Well # of Replacement Well | |

2. Facility / Owner Information

| | | |
|--|--------------------|--------------------------|
| Facility Name Martinos / Better Cleaners | | |
| Facility ID (FID or PWS) 230007030 | | |
| License/Permit/Monitoring # 02-30-552186 | | |
| Original Well Owner Martinos | | |
| Present Well Owner Martinos | | |
| Mailing Address of Present Owner 7513 41st Ave | | |
| City of Present Owner Kenosha | State WI | ZIP Code 53142 |

3. Filled & Sealed Well / Drillhole / Borehole Information

| | |
|---|--|
| <input checked="" type="checkbox"/> Monitoring Well | Original Construction Date (mm/dd/yyyy) 10/18/2011 |
| <input type="checkbox"/> Water Well | If a Well Construction Report is available, please attach. |
| <input type="checkbox"/> Borehole / Drillhole | |
| Construction Type: <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug <input type="checkbox"/> Other (specify): _____ | |
| Formation Type: <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | |
| Total Well Depth From Ground Surface (ft.) 18.0 | Casing Diameter (in.) 2 |
| Lower Drillhole Diameter (in.) 8 | Casing Depth (ft.) 18.0 |
| Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | |
| If yes, to what depth (feet)? 18.0 | Depth to Water (feet) 3.53 |

4. Pump, Liner, Screen, Casing & Sealing Material

| | |
|---|---|
| Pump and piping removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Liner(s) removed? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Liner(s) perforated? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| Screen removed? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |
| Casing left in place? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Was casing cut off below surface? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Did sealing material rise to surface? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Did material settle after 24 hours? | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |
| If yes, was hole retopped? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |
| If bentonite chips were used, were they hydrated with water from a known safe source? | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |
| Required Method of Placing Sealing Material | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____ |
| Sealing Materials | <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips |
| For Monitoring Wells and Monitoring Well Boreholes Only: | <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry |

5. Material Used to Fill Well / Drillhole

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------|-------------|---|-------------------------|
| Surface | 18.0 | 2.6 gallons | |

6. Comments

MW-3

7. Supervision of Work

| | | | | |
|--|---|---|---|--------------------------------|
| Name of Person or Firm Doing Filling & Sealing EnviroForensics LLC | License # | Date of Filling & Sealing or Verification (mm/dd/yyyy) 10/18/12 | DNR Use Only | |
| Street or Route N16W23390 Stone Ridge Dr, Ste G | Telephone Number (262) 290-4001 | Comments | Date Received | Noted By |
| City Waukesha | State WI | ZIP Code 53188 | Signature of Person-Doing Work 7272 | Date Signed 10/19/12 |

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Kenosha WI Unique Well # of Removed Well: _____ Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 1/4 NE 1/4 SE Section: 35 Township: 02 N Range: 22 E W
 or Gov't Lot #: _____
 Well Street Address: 3917 52nd Street
 Well City, Village or Town: Kenosha Well ZIP Code: 53144
 Subdivision Name: _____ Lot #: _____
 Reason for Removal from Service: Case closure WI Unique Well # of Replacement Well: _____

Facility Name: Martinos / Better Cleaners
 Facility ID (FID or PWS): 230007030
 License/Permit/Monitoring #: 02-30-552186
 Original Well Owner: Martinos
 Present Well Owner: Martinos
 Mailing Address of Present Owner: 7513 41st Ave
 City of Present Owner: Kenosha State: WI ZIP Code: 53142

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 10/18/2011
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach. _____
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____
 Formation Type:
 Unconsolidated Formation Bedrock
 Total Well Depth From Ground Surface (ft.): 19.3 Casing Diameter (in.): 2
 Lower Drillhole Diameter (in.): 8 Casing Depth (ft.): 19.3
 Was well annular space grouted? Yes No Unknown
 If yes, to what depth (feet)? 19.3 Depth to Water (feet): 10.22

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A
 Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____
 Sealing Materials:
 Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips
 For Monitoring Wells and Monitoring Well Boreholes Only:
 Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------|----------|---|-------------------------|
| Surface | 19.3 | 2.8 gallons | |

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------|----------|---|-------------------------|
| Surface | 19.3 | 2.8 gallons | |

6. Comments

MW-4

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: EnviroForensics LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 10/18/22 Date Received: _____ Noted By: _____
 Street or Route: N16W23390 Stone Ridge Dr, Ste G Telephone Number: (262) 290-4001 Comments: _____
 City: Waukesha State: WI ZIP Code: 53188 Signature of Person Doing Work: [Signature] Date Signed: 10/19/22

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information

County: Kenosha WI Unique Well # of Removed Well: _____ Hicap #: _____

Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001

1/4 1/4 NE 1/4 SE Section: 35 Township: 02 N Range: 22 E W

Well Street Address: 3917 52nd Street

Well City, Village or Town: Kenosha Well ZIP Code: 53144

Subdivision Name: _____ Lot #: _____

2. Facility / Owner Information

Facility Name: Martinos / Better Cleaners

Facility ID (FID or PWS): 230007030

License/Permit/Monitoring #: 02-30-552186

Original Well Owner: Martinos

Present Well Owner: Martinos

Mailing Address of Present Owner: 7513 41st Ave

City of Present Owner: Kenosha State: WI ZIP Code: 53142

Reason for Removal from Service: Case Closure WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 10-22-2014
 Water Well If a Well Construction Report is available, please attach.
 Borehole / Drillhole

Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:
 Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 20.7 Casing Diameter (in.): 2

Lower Drillhole Diameter (in.): 8 Casing Depth (ft.): 20.7

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? 20.7 Depth to Water (feet): 11.50

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material:
 Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

5. Material Used to Fill Well / Drillhole

| Material | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|-----------------------------|----------------|-------------|---|-------------------------|
| <u>Bentonite Chips 3/8"</u> | <u>Surface</u> | <u>20.7</u> | | |

6. Comments

MW-ST

7. Supervision of Work

| | | | DNR Use Only | |
|---|------------------|--|--|------------------------------|
| Name of Person or Firm Doing Filling & Sealing | License # | Date of Filling & Sealing or Verification (mm/dd/yyyy) | Date Received | Noted By |
| <u>EnviroForensics LLC</u> | | <u>10/18/22</u> | | |
| Street or Route: <u>N16W23390 Stone Ridge Dr, Ste G</u> | | Telephone Number: <u>(262) 290-4001</u> | Comments | |
| City: <u>Waukesha</u> | State: <u>WI</u> | ZIP Code: <u>53188</u> | Signature of Person Doing Work: <u>[Signature]</u> | Date Signed: <u>10-19-22</u> |

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Kenosha WI Unique Well # of Removed Well: _____ Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 ¼ 1/4 NE ¼ SE Section: 35 Township: 02 N Range: 22 E W
 or Gov't Lot #
 Well Street Address: 3917 52nd Street
 Well City, Village or Town: Kenosha Well ZIP Code: 53144
 Subdivision Name: _____ Lot #: _____
 Reason for Removal from Service: Case closure WI Unique Well # of Replacement Well: _____

Facility Name: Martinos / Better Cleaners
 Facility ID (FID or PWS): 230007030
 License/Permit/Monitoring #: 02-30-552186
 Original Well Owner: Martinos
 Present Well Owner: Martinos
 Mailing Address of Present Owner: 7513 41st Ave
 City of Present Owner: Kenosha State: WI ZIP Code: 53142

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 10/22/2014
 Water Well If a Well Construction Report is available, please attach.
 Borehole / Drillhole
 Construction Type:
 Drilled Driven (Sandpoint) Dug
 Other (specify): _____

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 14.5 Casing Diameter (in.): 1

Lower Drillhole Diameter (in.): 4 Casing Depth (ft.): 14.5

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? 14.5 Depth to Water (feet): 9.40

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------|----------|---|-------------------------|
| Surface | 14.5 | 0.6 gallons | |

6. Comments

MW-6

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: Enviro Forensics LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 10/18/22
 Street or Route: N16W23390 Stone Ridge Dr, Ste G Telephone Number: (262) 290-4001
 City: Waukesha State: WI ZIP Code: 53188 Signature of Person Doing Work: [Signature] Date Signed: 10/19/22

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

| | | | |
|---|--|--|--|
| County Kenosha | WI Unique Well # of Removed Well | Hicap # | Facility Name Martinos / Better Cleaners |
| Latitude / Longitude (see instructions) N _____ W _____ | Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM | Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001 | Facility ID (FID or PWS) 230007030 |
| 1/4 1/4 NE 1/4 SE or Gov't Lot # | Section 35 | Township 02 N | License/Permit/Monitoring # 02-30-552186 |
| Well Street Address 3917 52nd Street | Range 22 | <input checked="" type="checkbox"/> E <input type="checkbox"/> W | Original Well Owner Martinos |
| Well City, Village or Town Kenosha | Well ZIP Code 53144 | | Present Well Owner Martinos |
| Subdivision Name | Lot # | | Mailing Address of Present Owner 7513 41st Ave |
| | | | City of Present Owner Kenosha |
| | | | State WI |
| | | | ZIP Code 53142 |

3. Filled & Sealed Well / Drillhole / Borehole Information

Reason for Removal from Service
Case closure

WI Unique Well # of Replacement Well

Monitoring Well Original Construction Date (mm/dd/yyyy)
10/22/2014

Water Well

Borehole / Drillhole If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug

Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.)
12.3

Casing Diameter (in.)
7

Lower Drillhole Diameter (in.)
4

Casing Depth (ft.)
12.3

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)
12.3 **2.33**

4. Pump, Liner, Screen, Casing & Sealing Material

| | | | |
|---|---|--|---|
| Pump and piping removed? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Liner(s) removed? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Liner(s) perforated? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Screen removed? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A |
| Casing left in place? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Was casing cut off below surface? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Did sealing material rise to surface? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Did material settle after 24 hours? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A |
| If yes, was hole retopped? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| If bentonite chips were used, were they hydrated with water from a known safe source? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped

Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete

Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout

Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------|-------------|---|-------------------------|
| Surface | 12.3 | 0.5 gallons | |

6. Comments

7. Supervision of Work

Name of Person or Firm Doing Filling & Sealing
EnviroForensics LLC

License #

Date of Filling & Sealing or Verification (mm/dd/yyyy)
10/17/22

Street or Route
116W23390 Stone Ridge Dr, Ste G

Telephone Number
(262) 290-4001

City
Waukesha

State
WI

ZIP Code
53188

Signature of Person Doing Work
TCT

Date Signed
10/19/22

DNR Use Only

Date Received

Noted By

Comments

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

County: Kenosha WI Unique Well # of Removed Well: _____ Hicap #: _____
 Latitude / Longitude (see instructions): _____ N Format Code: DD Method Code: GPS008
 _____ W DDM SCR002
 _____ OTH001
 1/4 1/4 NE 1/4 SE Section: 35 Township: 02 N Range: 22 E W
 or Gov't Lot # _____
 Well Street Address: 3917 52nd Street
 Well City, Village or Town: Kenosha Well ZIP Code: 53144
 Subdivision Name: _____ Lot #: _____

Facility Name: Martinos / Better Cleaners
 Facility ID (FID or PWS): 230007030
 License/Permit/Monitoring #: 02-30-552186
 Original Well Owner: Martinos
 Present Well Owner: Martinos
 Mailing Address of Present Owner: 7513 41st Ave
 City of Present Owner: Kenosha State: WI ZIP Code: 53142

Reason for Removal from Service: Case Closure WI Unique Well # of Replacement Well: _____

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well Original Construction Date (mm/dd/yyyy): 10/22/2014
 Water Well
 Borehole / Drillhole If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.): 13.3 Casing Diameter (in.): 4

Lower Drillhole Diameter (in.): 4 Casing Depth (ft.): 13.3

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? 13.3 Depth to Water (feet): 3.84

4. Pump, Liner, Screen, Casing & Sealing Material

Pump and piping removed? Yes No N/A
 Liner(s) removed? Yes No N/A
 Liner(s) perforated? Yes No N/A
 Screen removed? Yes No N/A
 Casing left in place? Yes No N/A
 Was casing cut off below surface? Yes No N/A
 Did sealing material rise to surface? Yes No N/A
 Did material settle after 24 hours? Yes No N/A
 If yes, was hole retopped? Yes No N/A
 If bentonite chips were used, were they hydrated with water from a known safe source? Yes No N/A

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

| 5. Material Used to Fill Well / Drillhole | | From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|---|--|------------|-------------|---|-------------------------|
| <u>Bentonite Chips 3/8"</u> | | Surface | <u>13.3</u> | <u>0.5 gallons</u> | |
| | | | | | |

6. Comments

7. Supervision of Work **DNR Use Only**

Name of Person or Firm Doing Filling & Sealing: EnviroForensics LLC License #: _____ Date of Filling & Sealing or Verification (mm/dd/yyyy): 10/17/22
 Street or Route: N16W23390 Stone Ridge Dr, Ste G Telephone Number: (262) 290-4001
 City: Waukesha State: WI ZIP Code: 53188 Signature of Person Doing Work: [Signature] Date Signed: 10/19/22

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

Drinking Water Watershed/Wastewater Remediation/Redevelopment

Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

| | | | | | | | |
|---|--|--|--|--|--|---|--|
| County Kenosha | | WI Unique Well # of Removed Well | | Hicap # | | Facility Name Martinos / Better Cleaners | |
| Latitude / Longitude (see instructions) _____ N _____ W | | Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM | | Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001 | | Facility ID (FID or PWS) 230007030 | |
| 1/4 1/4 NE 1/4 SE or Gov't Lot # | | Section 35 | | Township 02 N | | Range 22 <input checked="" type="checkbox"/> E <input type="checkbox"/> W | |
| Well Street Address 3917 52nd Street | | | | Original Well Owner Martinos | | | |
| Well City, Village or Town Kenosha | | | | Present Well Owner Martinos | | | |
| Subdivision Name | | | | Well ZIP Code 53144 | | Mailing Address of Present Owner 7513 41st Ave | |
| | | | | Lot # | | City of Present Owner Kenosha | |
| | | | | State WI | | ZIP Code 53142 | |

3. Filled & Sealed Well / Drillhole / Borehole Information **4. Pump, Liner, Screen, Casing & Sealing Material**

| | | | | | |
|--|--|---|--|--|--|
| Reason for Removal from Service Case Closure | | WI Unique Well # of Replacement Well | | Pump and piping removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Monitoring Well | | Original Construction Date (mm/dd/yyyy) 4/28/2015 | | Liner(s) removed? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Water Well | | If a Well Construction Report is available, please attach. | | Liner(s) perforated? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| <input type="checkbox"/> Borehole / Drillhole | | | | Screen removed? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| Construction Type: | | | | Casing left in place? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Drilled <input type="checkbox"/> Driven (Sandpoint) <input type="checkbox"/> Dug | | | | Was casing cut off below surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| <input type="checkbox"/> Other (specify): _____ | | | | Did sealing material rise to surface? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Formation Type: | | | | Did material settle after 24 hours? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | |
| <input checked="" type="checkbox"/> Unconsolidated Formation <input type="checkbox"/> Bedrock | | | | If yes, was hole retopped? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | |
| Total Well Depth From Ground Surface (ft.) 19.4 | | Casing Diameter (in.) 2 | | If bentonite chips were used, were they hydrated with water from a known safe source? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | |
| Lower Drillhole Diameter (in.) 8 | | Casing Depth (ft.) 19.4 | | Required Method of Placing Sealing Material | |
| Was well annular space grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Unknown | | | | <input type="checkbox"/> Conductor Pipe-Gravity <input type="checkbox"/> Conductor Pipe-Pumped | |
| If yes, to what depth (feet)? 19.4 | | Depth to Water (feet) 7.94 | | <input checked="" type="checkbox"/> Screened & Poured (Bentonite Chips) <input type="checkbox"/> Other (Explain): _____ | |
| | | | | Sealing Materials | |
| | | | | <input type="checkbox"/> Neat Cement Grout <input type="checkbox"/> Concrete | |
| | | | | <input type="checkbox"/> Sand-Cement (Concrete) Grout <input type="checkbox"/> Bentonite Chips | |
| | | | | For Monitoring Wells and Monitoring Well Boreholes Only: | |
| | | | | <input checked="" type="checkbox"/> Bentonite Chips <input type="checkbox"/> Bentonite - Cement Grout | |
| | | | | <input type="checkbox"/> Granular Bentonite <input type="checkbox"/> Bentonite - Sand Slurry | |

| 5. Material Used to Fill Well / Drillhole | | | |
|---|----------|---|-------------------------|
| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
| Surface | 19.4 | 3.16 | |
| | | | |

6. Comments

MW-9

| | | | |
|--|---|---|--------------------------------|
| 7. Supervision of Work | | DNR Use Only | |
| Name of Person or Firm Doing Filling & Sealing EnviroForensics LLC | License # | Date of Filling & Sealing or Verification (mm/dd/yyyy) 10/17/22 | Date Received |
| Street or Route N16W23390 Stone Ridge Dr, Ste G | Telephone Number (262) 290-4001 | Noted By | |
| City Waukesha | State WI | ZIP Code 53188 | Comments |
| Signature of Person Doing Work TR | | | Date Signed 10/19/22 |

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and chs. NR 141 and 812, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information.

Verification Only of Fill and Seal

Route to DNR Bureau:

- Drinking Water Watershed/Wastewater Remediation/Redevelopment
 Waste Management Other: _____

1. Well Location Information **2. Facility / Owner Information**

| | | | | | | | |
|---|--|--|--|--|--|--|--|
| County Kenosha | | WI Unique Well # of Removed Well _____ | | Hicap # _____ | | Facility Name Martinos / Better Cleaners | |
| Latitude / Longitude (see instructions) _____ N _____ W | | Format Code <input type="checkbox"/> DD <input type="checkbox"/> DDM | | Method Code <input type="checkbox"/> GPS008 <input type="checkbox"/> SCR002 <input type="checkbox"/> OTH001 | | Facility ID (FID or PWS) 230007030 | |
| ¼ 1/4 NE ¼ SE or Gov't Lot # | | Section 35 | | Township 02 N | | License/Permit/Monitoring # 02-30-552186 | |
| Well Street Address 3917 52nd Street | | Range <input checked="" type="checkbox"/> E <input type="checkbox"/> W | | Original Well Owner Martinos | | Present Well Owner Martinos | |
| Well City, Village or Town Kenosha | | Well ZIP Code 53144 | | Mailing Address of Present Owner 7513 41st Ave | | City of Present Owner Kenosha | |
| Subdivision Name | | Lot # | | State WI | | ZIP Code 53142 | |

Reason for Removal from Service
Case closure

WI Unique Well # of Replacement Well

3. Filled & Sealed Well / Drillhole / Borehole Information

Monitoring Well
 Water Well
 Borehole / Drillhole

Original Construction Date (mm/dd/yyyy)
4/28/2015

If a Well Construction Report is available, please attach.

Construction Type:

Drilled Driven (Sandpoint) Dug
 Other (specify): _____

Formation Type:

Unconsolidated Formation Bedrock

Total Well Depth From Ground Surface (ft.) Casing Diameter (in.)

19.4 **2**

Lower Drillhole Diameter (in.) Casing Depth (ft.)

8 **19.4**

Was well annular space grouted? Yes No Unknown

If yes, to what depth (feet)? Depth to Water (feet)

19.4 **9.35**

4. Pump, Liner, Screen, Casing & Sealing Material

| | | | |
|---|---|--|---|
| Pump and piping removed? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Liner(s) removed? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Liner(s) perforated? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| Screen removed? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A |
| Casing left in place? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Was casing cut off below surface? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Did sealing material rise to surface? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |
| Did material settle after 24 hours? | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> N/A |
| If yes, was hole retopped? | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A |
| If bentonite chips were used, were they hydrated with water from a known safe source? | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input type="checkbox"/> N/A |

Required Method of Placing Sealing Material

Conductor Pipe-Gravity Conductor Pipe-Pumped
 Screened & Poured (Bentonite Chips) Other (Explain): _____

Sealing Materials

Neat Cement Grout Concrete
 Sand-Cement (Concrete) Grout Bentonite Chips

For Monitoring Wells and Monitoring Well Boreholes Only:

Bentonite Chips Bentonite - Cement Grout
 Granular Bentonite Bentonite - Sand Slurry

5. Material Used to Fill Well / Drillhole

| From (ft.) | To (ft.) | No. Yards, Sacks Sealant or Volume (circle one) | Mix Ratio or Mud Weight |
|------------|-------------|---|-------------------------|
| Surface | 19.4 | 3.2 gallons | |

6. Comments

MW-10

7. Supervision of Work

| | | | | | |
|--|--------------------|---|---|---------------------|----------|
| Name of Person or Firm Doing Filling & Sealing EnviroForensics LLC | | License # _____ | Date of Filling & Sealing or Verification (mm/dd/yyyy) 10/18/22 | DNR Use Only | |
| Street or Route N16W23390 Stone Ridge Dr, Ste G | | Telephone Number (262) 290-4001 | | Date Received | Noted By |
| City Waukesha | State WI | ZIP Code 53188 | Signature of Person Doing Work JEL | Comments | |
| | | | Date Signed 10/19/22 | | |