



April 15, 2021

Carmelo Tenuta
Double D Two Investments, LLC
9687 42nd Ct
Pleasant Prairie, Wisconsin 53158

**Subject: Environmental Sampling Results - 4003 75th St, Kenosha, Wisconsin
BRRTS# 02-30-552188**

Dear Mr. Tenuta:

In accordance with the executed Agreement to Provide Access for Sampling Activities, EnviroForensics, LLC is providing the attached sampling results. A groundwater sample was collected from one (1) monitoring well located at 4003 75th Street in Kenosha, Wisconsin on March 24, 2021. The sampling activities are part of an environmental investigation being performed at the Martino's Master Dry Cleaners (Martino's) facility located at 7513 41st Avenue in Kenosha, Wisconsin at the direction of the Wisconsin Department of Natural Resources (WDNR) pursuant to the authority granted to it under State and Federal law. The WDNR has assigned the following identification to the Martino's facility: BRRTS# 02-30-552188. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Martino's Master Drycleaners
7513 41st Avenue
Kenosha, WI

Sampling Results

One (1) groundwater sample designated 6165 MW-8 was collected from monitoring well MW-8 and analyzed for volatile organic compounds (VOCs). The location of MW-8 is shown on the attached **Figure 1**. The results of the groundwater sample are summarized and compared to WDNR standards on **Table 1**. An excerpt of the laboratory report that relates to the MW-8 groundwater sample is also attached.

As shown on **Table 1**, the sample collected from MW-8 contained benzene, trimethylbenzenes, and xylenes at concentrations above laboratory detection limits. The concentration of benzene [0.52 micrograms per liter ($\mu\text{g/L}$)] was above the preventive action limit but below the

Document: 6165-1803

enforcement standard of 5 µg/L. The concentrations of other detected compounds were below the applicable standards.

Additional groundwater samples may be collected from monitoring well MW-8 in the future. The results of any samples will be provided to you. If you have any questions or concerns, please contact me at 262-745-5054 or by email at bkappen@enviroforensics.com. The WDNR project manager, Jane Pfeiffer, can be reached at 414-435-8021. We greatly appreciate your help and patience with this matter.


Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Brian Kappen".

Brian Kappen, PG
Project Manager

Attachments: Figure 1 - Monitoring Well Location Map
Table 1 – Summary of Groundwater Analytical Results
Laboratory Analytical Report Excerpt

Copy: Jane Pfeiffer, Wisconsin Department of Natural Resources



Legend

- Property boundary
- Fence line
- GAS— Underground gas utility line
- WTR— Underground water utility line
- SAN— Underground sanitary utility line
- - - - - Underground storm utility line
- OVHD— Over head electrical utility line
- UGE— Underground electrical utility line
- UGT— Underground cable television utility line
- MW-8 ⊕ Monitoring well location



MONITORING WELL LOCATION MAP

Martino's Cleaners
7513 41st Avenue
Kenosha, WI

Date:	12/31/13
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6165-0342

ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6165



Table 1
Summary of Groundwater Analytical Results - 4003 75th Street
 Martino's Master Dry Cleaners
 7513 41st Avenue, Kenosha, Wisconsin

Monitoring Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	n-Butylbenzene	sec-Butylbenzene	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	p-Isopropyltoluene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes (total)
Public Health Enforcement Standard		5	5	70	100	0.2	5	NE	NE	5	700	NE	60	100	NE	NE	1,000	480	480	10,000
Public Health Preventive Action Limit		0.5	0.5	7	20	0.02	0.5	NE	NE	0.5	140	NE	12	10	NE	NE	200	96	96	1,000
MW-8	12/17/13	<0.33	<0.33	<0.38	<0.35	<0.18	25.8	0.81 J	0.51 J	<0.41	8.8	4.4	<0.23	12.1	16	<0.31	2.06 J	5.3 J	2.63 J	25.4 J
	03/12/14	<0.33	<0.33	<0.38	<0.35	<0.18	25.6	3.8	1.1	<0.41	22.2	3.9	<0.23	9.7	14.7	0.46 J	3.12	71	21.5	178.1
	05/29/14	<0.33	<0.33	<0.38	<0.35	<0.18	19.5	0.49 J	0.33 J	<0.41	1.33 J	2.78	<0.23	8.4	13	<0.31	<0.69	2.7 J	<1.4	5.5
	09/22/14	<0.33	<0.33	<0.38	<0.35	<0.18	0.85	<0.35	<0.33	<0.41	1.7	<0.3	<0.23	<1.7	0.69 J	<0.31	<0.69	<2.2	<1.4	4.7
	11/13/14	<0.33	<0.33	<0.38	<0.35	1.28	7.2	<0.35	<0.33	<0.41	<0.55	1.19	0.37 J	2.25 J	4.9	<0.31	<0.69	<2.2	<1.4	3.3
	03/20/15	<0.74	<0.47	<0.45	<0.54	0.99	43	1.95 J	<1.2	<0.54	51	5.2	<1.1	18.7	18.2	<1.1	5.0	63	16.6	195.1
	06/22/15	<0.74	<0.47	<0.45	<0.54	2.47	22.8	<1	<1.2	<0.54	8.4	2.13 J	<1.1	5.4	9.9	<1.1	1.13 J	9.1	2.21 J	26.88
	09/18/15	<0.49	<0.47	<0.45	<0.54	1.32	25.8	<1	<1.2	<0.48	6.8	3.13	<1.1	7.9	13.4	<1.1	1.39 J	8.0	2.57 J	25.76
	12/02/15	<0.49	<0.47	<0.45	<0.54	<0.17	2.17	<1	<1.2	<0.48	1.68 J	<0.82	<1.1	2.12 J	<0.77	<1.1	<0.44	4.1 J	2.21 J	13.59 J
	03/10/16	<0.49	<0.47	<0.45	<0.54	0.63	2.0	<1	<1.2	<0.48	<0.71	<0.82	<1.1	<1.6	<0.77	<1.1	<0.44	<1.6	<1.5	<3.1
	06/06/16	<0.49	<0.47	<0.45	<0.54	7.6	72	<1	<1.2	<0.48	24.1	6.3	<1.1	8.7	25.7	<1.1	1.8	16.8	3.5 J	49.14
	07/25/18	<0.38	<0.3	<0.37	<0.34	5.4	18.3	<0.71	<0.79	0.69 J	2.05	2.04 J	<0.28	<2.1	6.3	<0.24	0.52 J	1.22 J	<0.63	3.04
	09/14/20	<0.33	<0.47	<0.39	<0.37	3.13	17.1	<0.28	<0.32	<0.39	4.1	0.75 J	<0.47	<1.1	1.66	<0.47	0.49 J	34	23.6	79.29
03/24/21	<0.54	<0.47	<0.39	<0.6	<0.17	0.52 J	<0.46	<0.31	<0.44	<0.37	<0.3	<0.46	<1.4	<0.44	<0.43	<0.42	<0.35	0.40 J	0.78 J	

Notes:

Martino's Master Dry Cleaners is not responsible for the petroleum-related contamination in groundwater.

All concentrations reported in micrograms per liter µg/l

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Orange Shaded values indicates an exceedance of the Public Health Enforcement Standard

Bolded and Blue Shaded values indicates an exceedance the Public Health Preventive Action Limit

J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit

NE = Not Established

Project Name MARTINO'S 41ST AVE.,
Project # 6165 PO#2021-0170

Invoice # E39223

Lab Code 5039223F
Sample ID 6165 MW-8
Sample Matrix Water
Sample Date 3/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	0.52 "J"	ug/l	0.38	1.55	1	8260B		4/7/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/7/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/7/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/7/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/7/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/7/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/7/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/7/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/7/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/7/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/7/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/7/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/7/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/7/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/7/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/7/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/7/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/7/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/7/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/7/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/7/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/7/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/7/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/7/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/7/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/7/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/7/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/7/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/7/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/7/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/7/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/7/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/7/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/7/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/7/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/7/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/7/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/7/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/7/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/7/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/7/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/7/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/7/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/7/2021	CJR	1

Project Name MARTINO'S 41ST AVE.,
Project # 6165 PO#2021-0170

Invoice # E39223

Lab Code 5039223F
Sample ID 6165 MW-8
Sample Matrix Water
Sample Date 3/24/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/7/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/7/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/7/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/7/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/7/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/7/2021	CJR	1
1,3,5-Trimethylbenzene	0.40 "J"	ug/l	0.38	1.55	1	8260B		4/7/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/7/2021	CJR	1
m&p-Xylene	0.78 "J"	ug/l	0.77	3.14	1	8260B		4/7/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/7/2021	CJR	1
SUR - 4-Bromofluorobenzene	109	REC %			1	8260B		4/7/2021	CJR	1
SUR - Dibromofluoromethane	103	REC %			1	8260B		4/7/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	99	REC %			1	8260B		4/7/2021	CJR	1
SUR - Toluene-d8	101	REC %			1	8260B		4/7/2021	CJR	1



April 15, 2021

June Evans
Vice-President
BMO Harris Bank
111 W Monroe, 4W
Chicago, IL 60603

**Subject: Environmental sampling results - 7535 Pershing Blvd, Kenosha, Wisconsin
BRRTS# 02-30-552188**

Dear Ms. Evans:

In accordance with the executed Agreement to Provide Access for Sampling Activities, EnviroForensics, LLC is providing the attached sampling results. A groundwater sample was collected from one (1) monitoring well located at 7535 Pershing Blvd in Kenosha, Wisconsin on March 22, 2021. The sampling activities are part of an environmental investigation being performed at the Martino's Master Dry Cleaners (Martino's) facility located at 7513 41st Avenue in Kenosha, Wisconsin at the direction of the Wisconsin Department of Natural Resources (WDNR) pursuant to the authority granted to it under State and Federal law. The WDNR has assigned the following identification to the Martino's facility: BRRTS# 02-30-552188. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Martino's Master Drycleaners
7513 41st Avenue
Kenosha, WI

Sampling Results

One (1) groundwater sample designated 6165 MW-9 was collected from monitoring well MW-9 and analyzed for volatile organic compounds (VOCs). The location of MW-9 is shown on the attached **Figure 1**. The results of the groundwater sample are summarized and compared to WDNR standards on **Table 1**. An excerpt of the laboratory report that relates to the MW-9 groundwater sample is also attached. As shown on **Table 1**, the chemicals of concern were not detected in the MW-9 sample.

Additional groundwater samples may be collected from monitoring well MW-9 in the future. We will schedule the work with you prior to accessing the property, and the results of any samples will be provided to you. If you have any questions or concerns, please contact me at 262-745-5054 or by email at bkappen@enviroforensics.com. The WDNR project manager, Jane Pfeiffer, can be reached at 414-435-8021. We greatly appreciate your help and patience with this matter.


Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink, appearing to read "Brian Kappen".

Brian Kappen, PG
Project Manager

Attachments: Figure 1 - Monitoring Well Location Map
Table 1 – Summary of Groundwater Analytical Results
Laboratory Analytical Report Excerpt

Copy: Jane Pfeiffer, Wisconsin Department of Natural Resources



Legend

- Property boundary
- Fence line
- GAS— Underground gas utility line
- WTR— Underground water utility line
- SAN— Underground sanitary utility line
- - - - - Underground storm utility line
- OVHD— Over head electrical utility line
- UGE— Underground electrical utility line
- UGT— Underground cable television utility line
- MW-9 ⊕ Monitoring well location



MONITORING WELL LOCATION MAP

Martino's Cleaners
7513 41st Avenue
Kenosha, WI

Date:	12/31/13
Designed:	EB
Drawn:	EB
Checked:	BK
DWG file:	6165-0342



ENVIRONMENTAL FORENSIC INVESTIGATIONS, INC.
602 N. Capitol Ave., Ste. 210 • Indianapolis, IN 46204
EnviroForensics.com

Figure	1
Project	6165



Table 1
Summary of Groundwater Analytical Results - 7535 Pershing Blvd
 Martino's Master Dry Cleaners
 7513 41st Avenue, Kenosha, Wisconsin

Monitoring Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
Public Health Enforcement Standard		5	5	70	100	0.2
Public Health Preventive Action Limit		0.5	0.5	7	20	0.02
MW-9	12/17/13	<0.33	<0.33	0.42 J	<0.35	<0.18
	03/12/14	<0.33	<0.33	<0.38	<0.35	<0.18
	05/29/14	<0.33	<0.33	0.60 J	<0.35	0.59
	09/22/14	<0.33	<0.33	0.71 J	<0.35	0.34 J
	11/12/14	<0.33	<0.33	0.69 J	<0.35	0.51 J
	03/18/15	<0.74	<0.47	0.58 J	<0.54	0.95
	06/22/15	<0.74	<0.47	0.65 J	<0.54	1.35
	09/18/15	<0.49	<0.47	0.73 J	<0.54	0.70
	12/02/15	<0.49	<0.47	0.80 J	<0.54	3.01
	09/15/20	<0.33	<0.47	<0.39	<0.37	<0.2
	12/08/20	<0.33	<0.47	<0.39	<0.37	<0.2
03/22/21	<0.54	<0.47	<0.39	<0.6	<0.17	

Notes:

All concentrations reported in micrograms per liter µg/l

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Orange Shaded values indicates an exceedance of the Public Health Enforcement Standard

Bolded and Blue Shaded values indicates an exceedance the Public Health Preventive Action Limit

J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit

Project Name MARTINO'S 41ST AVE.,
Project # 6165 PO#2021-0170

Invoice # E39223

Lab Code 5039223G
Sample ID 6165 MW-9
Sample Matrix Water
Sample Date 3/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/2/2021	CJR	1
Bromobenzene	< 0.4	ug/l	0.4	1.65	1	8260B		4/2/2021	CJR	1
Bromodichloromethane	< 0.47	ug/l	0.47	1.93	1	8260B		4/2/2021	CJR	1
Bromoform	< 0.46	ug/l	0.46	1.87	1	8260B		4/2/2021	CJR	1
tert-Butylbenzene	< 0.45	ug/l	0.45	1.84	1	8260B		4/2/2021	CJR	1
sec-Butylbenzene	< 0.31	ug/l	0.31	1.28	1	8260B		4/2/2021	CJR	1
n-Butylbenzene	< 0.46	ug/l	0.46	1.88	1	8260B		4/2/2021	CJR	1
Carbon Tetrachloride	< 0.44	ug/l	0.44	1.79	1	8260B		4/2/2021	CJR	1
Chlorobenzene	< 0.38	ug/l	0.38	1.53	1	8260B		4/2/2021	CJR	1
Chloroethane	< 0.78	ug/l	0.78	3.16	1	8260B		4/2/2021	CJR	1
Chloroform	< 0.4	ug/l	0.4	1.64	1	8260B		4/2/2021	CJR	1
Chloromethane	< 0.84	ug/l	0.84	3.42	1	8260B		4/2/2021	CJR	1
2-Chlorotoluene	< 0.36	ug/l	0.36	1.47	1	8260B		4/2/2021	CJR	1
4-Chlorotoluene	< 0.4	ug/l	0.4	1.62	1	8260B		4/2/2021	CJR	1
1,2-Dibromo-3-chloropropane	< 0.54	ug/l	0.54	2.2	1	8260B		4/2/2021	CJR	1
Dibromochloromethane	< 0.45	ug/l	0.45	1.85	1	8260B		4/2/2021	CJR	1
1,4-Dichlorobenzene	< 0.48	ug/l	0.48	1.97	1	8260B		4/2/2021	CJR	1
1,3-Dichlorobenzene	< 0.38	ug/l	0.38	1.54	1	8260B		4/2/2021	CJR	1
1,2-Dichlorobenzene	< 0.44	ug/l	0.44	1.81	1	8260B		4/2/2021	CJR	1
Dichlorodifluoromethane	< 0.55	ug/l	0.55	2.24	1	8260B		4/2/2021	CJR	1
1,2-Dichloroethane	< 0.44	ug/l	0.44	1.81	1	8260B		4/2/2021	CJR	1
1,1-Dichloroethane	< 0.48	ug/l	0.48	1.95	1	8260B		4/2/2021	CJR	1
1,1-Dichloroethene	< 0.55	ug/l	0.55	2.25	1	8260B		4/2/2021	CJR	1
cis-1,2-Dichloroethene	< 0.39	ug/l	0.39	1.59	1	8260B		4/2/2021	CJR	1
trans-1,2-Dichloroethene	< 0.6	ug/l	0.6	2.46	1	8260B		4/2/2021	CJR	1
1,2-Dichloropropane	< 0.38	ug/l	0.38	1.54	1	8260B		4/2/2021	CJR	1
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.64	1	8260B		4/2/2021	CJR	1
trans-1,3-Dichloropropene	< 0.45	ug/l	0.45	1.82	1	8260B		4/2/2021	CJR	1
cis-1,3-Dichloropropene	< 0.51	ug/l	0.51	2.07	1	8260B		4/2/2021	CJR	1
Di-isopropyl ether	< 0.47	ug/l	0.47	1.93	1	8260B		4/2/2021	CJR	1
EDB (1,2-Dibromoethane)	< 0.47	ug/l	0.47	1.9	1	8260B		4/2/2021	CJR	1
Ethylbenzene	< 0.37	ug/l	0.37	1.51	1	8260B		4/2/2021	CJR	1
Hexachlorobutadiene	< 0.75	ug/l	0.75	3	1	8260B		4/2/2021	CJR	1
Isopropylbenzene	< 0.3	ug/l	0.3	1.24	1	8260B		4/2/2021	CJR	1
p-Isopropyltoluene	< 0.43	ug/l	0.43	1.76	1	8260B		4/2/2021	CJR	1
Methylene chloride	< 0.89	ug/l	0.89	3.38	1	8260B		4/2/2021	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.46	ug/l	0.46	1.88	1	8260B		4/2/2021	CJR	1
Naphthalene	< 1.4	ug/l	1.4	5.67	1	8260B		4/2/2021	CJR	1
n-Propylbenzene	< 0.44	ug/l	0.44	1.79	1	8260B		4/2/2021	CJR	1
1,1,2,2-Tetrachloroethane	< 0.36	ug/l	0.36	1.46	1	8260B		4/2/2021	CJR	1
1,1,1,2-Tetrachloroethane	< 0.76	ug/l	0.76	3.1	1	8260B		4/2/2021	CJR	1
Tetrachloroethene	< 0.54	ug/l	0.54	2.22	1	8260B		4/2/2021	CJR	1
Toluene	< 0.42	ug/l	0.42	1.71	1	8260B		4/2/2021	CJR	1
1,2,4-Trichlorobenzene	< 0.67	ug/l	0.67	2.73	1	8260B		4/2/2021	CJR	1

Project Name MARTINO'S 41ST AVE.,
Project # 6165 PO#2021-0170

Invoice # E39223

Lab Code 5039223G
Sample ID 6165 MW-9
Sample Matrix Water
Sample Date 3/22/2021

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,2,3-Trichlorobenzene	< 0.66	ug/l	0.66	2.82	1	8260B		4/2/2021	CJR	1
1,1,1-Trichloroethane	< 0.41	ug/l	0.41	1.69	1	8260B		4/2/2021	CJR	1
1,1,2-Trichloroethane	< 0.48	ug/l	0.48	1.96	1	8260B		4/2/2021	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.92	1	8260B		4/2/2021	CJR	1
Trichlorofluoromethane	< 0.49	ug/l	0.49	2.01	1	8260B		4/2/2021	CJR	1
1,2,4-Trimethylbenzene	< 0.35	ug/l	0.35	1.4	1	8260B		4/2/2021	CJR	1
1,3,5-Trimethylbenzene	< 0.38	ug/l	0.38	1.55	1	8260B		4/2/2021	CJR	1
Vinyl Chloride	< 0.17	ug/l	0.17	0.65	1	8260B		4/2/2021	CJR	1
m&p-Xylene	< 0.77	ug/l	0.77	3.14	1	8260B		4/2/2021	CJR	1
o-Xylene	< 0.44	ug/l	0.44	1.8	1	8260B		4/2/2021	CJR	1
SUR - 1,2-Dichloroethane-d4	85	REC %			1	8260B		4/2/2021	CJR	1
SUR - 4-Bromofluorobenzene	97	REC %			1	8260B		4/2/2021	CJR	1
SUR - Dibromofluoromethane	84	REC %			1	8260B		4/2/2021	CJR	1
SUR - Toluene-d8	100	REC %			1	8260B		4/2/2021	CJR	1