



October 9, 2023

Carmelo Tenuta
Double D Two Investments, LLC
9687 42nd Ct
Pleasant Prairie, Wisconsin 53158

**Subject: Environmental Sampling Results - 4003 75th St, Kenosha, Wisconsin
BRRTS# 02-30-552188**

Dear Mr. Tenuta:

In accordance with the executed Agreement to Provide Access for Sampling Activities, EnviroForensics, LLC is providing the attached sampling results. A groundwater sample was collected from one (1) monitoring well located at 4003 75th Street in Kenosha, Wisconsin on August 2, 2023. The sampling activities are part of an environmental investigation being performed at the Martino's Master Dry Cleaners (Martino's) facility located at 7513 41st Avenue in Kenosha, Wisconsin at the direction of the Wisconsin Department of Natural Resources (WDNR) pursuant to the authority granted to it under State and Federal law. The WDNR has assigned the following identification to the Martino's facility: BRRTS# 02-30-552188. The chemicals of concern for the investigation are the dry cleaning solvent tetrachloroethene (PCE) and its associated breakdown products.

The Responsible Party is:

Martino's Master Drycleaners
7513 41st Avenue
Kenosha, WI

Sampling Results

One (1) groundwater sample designated 6165 MW-8 was collected from monitoring well MW-8 and analyzed for volatile organic compounds (VOCs) and for per and polyfluorinated alkyl substances (PFAS). The location of MW-8 is shown on the attached **Figure 1**. The results of the groundwater sample are summarized and compared to WDNR standards on **Table 1**. An excerpt of the laboratory report that relates to the MW-8 groundwater sample is also attached.

As shown on **Table 1**, the sample collected from MW-8 contained benzene, sec-butylbenzene, ethylbenzene, isopropylbenzene, naphthalene, n-propylbenzene, trimethylbenzenes, and xylenes at concentrations above laboratory detection limits. The concentration of benzene [32 micrograms per liter ($\mu\text{g/L}$)] was above the enforcement standard of 5 $\mu\text{g/L}$. The concentrations of other detected VOC compounds were below the applicable standards.

As shown on **Table 2**, the sample collected from MW-8 contained PFOA, PFOS, PFHxA, PFHxS, PFBA, PFBS, and PFPeA, at concentrations above laboratory detection limits. The concentration of PFOA [2.3 nanograms per liter (ng/L)] was above the proposed preventative action limit but below the enforcement standard of 20 ng/L . The concentrations of other detected PFAS compounds were below the applicable standards.

Additional groundwater samples may be collected from monitoring well MW-8 in the future. The results of any samples will be provided to you. If you have any questions or concerns, please contact me at 317-696-7409 or by email at blewis@enviroforensics.com. The WDNR project manager, Jane Pfeiffer, can be reached at 414-435-8021. We greatly appreciate your help and patience with this matter.

Sincerely,
EnviroForensics, LLC

A handwritten signature in blue ink that reads "Brad K. Lewis".

Brad K. Lewis
Project Manager

Attachments: Figure 1 - Monitoring Well Location Map
Table 1 – Summary of Groundwater Analytical Results
Laboratory Analytical Report Excerpt

Copy: Jane Pfeiffer, Wisconsin Department of Natural Resources




Table 1
Summary of Groundwater Analytical Results - 4003 75th Street
 Martino's Master Dry Cleaners
 7513 41st Avenue, Kenosha, Wisconsin

Monitoring Well Identification	Sample Date	Tetrachloroethene	Trichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	Benzene	n-Butylbenzene	sec-Butylbenzene	1,2-Dichloroethane	Ethylbenzene	Isopropylbenzene	MTBE	Naphthalene	n-Propylbenzene	p-Isopropyltoluene	Toluene	1,2,4-Trimethylbenzene	1,3,5-Trimethylbenzene	Xylenes (total)
Public Health Enforcement Standard		5	5	70	100	0.2	5	NE	NE	5	700	NE	60	100	NE	NE	1,000	480	480	10,000
Public Health Preventive Action Limit		0.5	0.5	7	20	0.02	0.5	NE	NE	0.5	140	NE	12	10	NE	NE	200	96	96	1,000
MW-8	12/17/13	<0.33	<0.33	<0.38	<0.35	<0.18	25.8	0.81 J	0.51 J	<0.41	8.8	4.4	<0.23	12.1	16	<0.31	2.06 J	5.3 J	2.63 J	25.4 J
	03/12/14	<0.33	<0.33	<0.38	<0.35	<0.18	25.6	3.8	1.1	<0.41	22.2	3.9	<0.23	9.7	14.7	0.46 J	3.12	71	21.5	178.1
	05/29/14	<0.33	<0.33	<0.38	<0.35	<0.18	19.5	0.49 J	0.33 J	<0.41	1.33 J	2.78	<0.23	8.4	13	<0.31	<0.69	2.7 J	<1.4	5.5
	09/22/14	<0.33	<0.33	<0.38	<0.35	<0.18	0.85	<0.35	<0.33	<0.41	1.7	<0.3	<0.23	<1.7	0.69 J	<0.31	<0.69	<2.2	<1.4	4.7
	11/13/14	<0.33	<0.33	<0.38	<0.35	1.28	7.2	<0.35	<0.33	<0.41	<0.55	1.19	0.37 J	2.25 J	4.9	<0.31	<0.69	<2.2	<1.4	3.3
	03/20/15	<0.74	<0.47	<0.45	<0.54	0.99	43	1.95 J	<1.2	<0.54	51	5.2	<1.1	18.7	18.2	<1.1	5.0	63	16.6	195.1
	06/22/15	<0.74	<0.47	<0.45	<0.54	2.47	22.8	<1	<1.2	<0.54	8.4	2.13 J	<1.1	5.4	9.9	<1.1	1.13 J	9.1	2.21 J	26.88
	09/18/15	<0.49	<0.47	<0.45	<0.54	1.32	25.8	<1	<1.2	<0.48	6.8	3.13	<1.1	7.9	13.4	<1.1	1.39 J	8.0	2.57 J	25.76
	12/02/15	<0.49	<0.47	<0.45	<0.54	<0.17	2.17	<1	<1.2	<0.48	1.68 J	<0.82	<1.1	2.12 J	<0.77	<1.1	<0.44	4.1 J	2.21 J	13.59 J
	03/10/16	<0.49	<0.47	<0.45	<0.54	0.63	2.0	<1	<1.2	<0.48	<0.71	<0.82	<1.1	<1.6	<0.77	<1.1	<0.44	<1.6	<1.5	<3.1
	06/06/16	<0.49	<0.47	<0.45	<0.54	7.6	72	<1	<1.2	<0.48	24.1	6.3	<1.1	8.7	25.7	<1.1	1.8	16.8	3.5 J	49.14
	07/25/18	<0.38	<0.3	<0.37	<0.34	5.4	18.3	<0.71	<0.79	0.69 J	2.05	2.04 J	<0.28	<2.1	6.3	<0.24	0.52 J	1.22 J	<0.63	3.04
	09/14/20	<0.33	<0.47	<0.39	<0.37	3.13	17.1	<0.28	<0.32	<0.39	4.1	0.75 J	<0.47	<1.1	1.66	<0.47	0.49 J	34	23.6	79.29
03/24/21	<0.54	<0.47	<0.39	<0.6	<0.17	0.52 J	<0.46	<0.31	<0.44	<0.37	<0.3	<0.46	<1.4	<0.44	<0.43	<0.42	<0.35	0.40 J	0.78 J	
08/01/23	<1.3	<1.4	<1.4	<1.6	<1.8	32	NA	1.6	<1.4	7.3	9.4	<1.5	2.2J	29	<0.88	0.49J	13	3	24	

Notes:

Martino's Master Dry Cleaners is not responsible for the petroleum-related contamination in groundwater.

All concentrations reported in micrograms per liter µg/l

Samples analyzed using EPA SW-846 Method 8260

Bolded values are above detection limits

Bolded and Orange Shaded values indicates an exceedance of the Public Health Enforcement Standard

Bolded and Blue Shaded values indicates an exceedance the Public Health Preventive Action Limit

J = Estimated concentration between the laboratory Reporting Limit and Method Detection Limit

NE = Not Established

**TABLE 2
PFAS IN GROUNDWATER
Martino's Master Drycleaners
7513 41st Avenue, Kenosha, Wisconsin**

Monitoring Well	Sample Date	PFOA	PFOS	PFHxA	PFHxS	PFHpA	PFHpS	PFBA	PFBS	PFNA	PFNS	PFDA	PFDS	PFODA	PFPeA	PFPeS	HFPO-DA	PFDoA	PFDoS	PFUnA	PFTrDA	PFTeDA	4:2 FTSA	6:2 FTSA	8:2 FTSA	10:2 FTSA	9CL-PF3ONS	11CL-PF3OBS	DONA	FOSA	N-MeFOSAA	N-EtFOSAA	N-MeFOSA	N-MeFOSE	N-EtFOSA	N-EtFOSE	
Proposed Groundwater Enforcement Standard		20*	20*	150,000	40	NE	NE	10,000	450,000	30	NE	300	NE	400,000	NE	NE	300	500	NE	3,000	NE	10,000	NE	NE	NE	NE	NE	3,000	20*	NE	20*	NE	NE	NE	20*	20*	
Proposed Groundwater Preventative Action Limit		2*	2*	30,000	4	NE	NE	2,000	90,000	3	NE	60	NE	80,000	NE	NE	30	100	NE	600	NE	2,000	NE	NE	NE	NE	NE	600	2*	NE	2*	NE	NE	NE	2*	2*	
MW-8	8/1/2023	2.3	0.96 J	3.6 J	1.0 J	<5.1	<5.1	6.5	3.0 J	<5.1	<5.1	<5.1	<5.1	<5.1	4.8 J	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1	<5.1

Notes:
 All concentrations reported in units of nanograms per liter (ng/L)
Bolded and blue shaded values are above proposed groundwater preventative action limits
Bolded and orange shaded values are above proposed groundwater enforcement standards
Bolded values are above detection limits
 * Proposed groundwater standard applies to individual compound or combined PFOA and PFOS
 J = Analyte concentration detected between the laboratory level of detection and the level of quantification
 FRB = Compound detected in field reagent blank
 NA = Not Analyzed
 NR = Not reported due to failure of laboratory QC
 NE = Not Established

Client: EnviroForensics
 Project: Martinos Cleaners 41st
 Sample ID: 6165-MW-8
 Collection Date: 8/1/2023 11:45 AM

Work Order: 23080570
 Lab ID: 23080570-08
 Matrix: WATER

Analyses	Result	Qual	MDL	PQL	Units	Dilution Factor	Date Analyzed
WISCONSIN PFAS BY ISOTOPIC DILUTION			Method: E537 MOD			Analyst: MNM	
Fluorotelomer Sulphonic Acid 4:2 (FtS 4:2)	U		0.96	5.1	ng/L	1	8/10/2023 14:30
Fluorotelomer Sulphonic Acid 6:2 (FtS 6:2)	U		2.0	5.1	ng/L	1	8/9/2023 22:19
Fluorotelomer Sulphonic Acid 8:2 (FtS 8:2)	U		1.2	5.1	ng/L	1	8/9/2023 22:19
Fluorotelomer Sulphonic Acid 10:2 (FtS 10:2)	U		2.4	5.1	ng/L	1	8/9/2023 22:19
Perfluorobutanesulfonic Acid (PFBS)	3.0	J	0.36	5.1	ng/L	1	8/9/2023 22:19
Perfluorobutanoic Acid (PFBA)	6.5		2.7	5.1	ng/L	1	8/9/2023 22:19
Perfluorodecanesulfonic Acid (PFDS)	U		1.4	5.1	ng/L	1	8/9/2023 22:19
Perfluorodecanoic Acid (PFDA)	U		1.3	5.1	ng/L	1	8/9/2023 22:19
Perfluorododecanesulfonic Acid (PFDoS)	U		0.64	5.1	ng/L	1	8/9/2023 22:19
Perfluorododecanoic Acid (PFDoA)	U		0.71	5.1	ng/L	1	8/9/2023 22:19
Perfluoroheptanesulfonic Acid (PFHpS)	U		0.58	5.1	ng/L	1	8/9/2023 22:19
Perfluoroheptanoic Acid (PFHpA)	U		1.8	5.1	ng/L	1	8/9/2023 22:19
Perfluorohexadecanoic Acid (PFHxDA)	U		1.8	5.1	ng/L	1	8/9/2023 22:19
Perfluorohexanesulfonic Acid (PFHxS)	1.0	J	0.92	5.1	ng/L	1	8/9/2023 22:19
Perfluorohexanoic Acid (PFHxA)	3.6	J	1.2	5.1	ng/L	1	8/9/2023 22:19
Perfluorononanesulfonic Acid (PFNS)	U		0.51	5.1	ng/L	1	8/9/2023 22:19
Perfluorononanoic Acid (PFNA)	U		0.89	5.1	ng/L	1	8/9/2023 22:19
Perfluorooctadecanoic Acid (PFODA)	U		0.66	5.1	ng/L	1	8/9/2023 22:19
Perfluorooctanesulfonamide (PFOSA)	U		0.73	5.1	ng/L	1	8/9/2023 22:19
Perfluorooctanesulfonic Acid (PFOS)	0.96	J	0.91	2.0	ng/L	1	8/9/2023 22:19
Perfluorooctanoic Acid (PFOA)	2.3		0.72	2.0	ng/L	1	8/9/2023 22:19
Perfluoropentanesulfonic Acid (PFPeS)	U		0.57	5.1	ng/L	1	8/9/2023 22:19
Perfluoropentanoic Acid (PFPeA)	4.8	J	1.3	5.1	ng/L	1	8/9/2023 22:19
Perfluorotetradecanoic Acid (PFTeA)	U		2.7	5.1	ng/L	1	8/9/2023 22:19
Perfluorotridecanoic Acid (PFTriA)	U		2.0	5.1	ng/L	1	8/9/2023 22:19
Perfluoroundecanoic Acid (PFUnA)	U		1.0	5.1	ng/L	1	8/9/2023 22:19
N-ethylperfluoro-1-octanesulfonamide	U		1.2	5.1	ng/L	1	8/10/2023 14:30
N-Ethylperfluorooctanesulfonamidoacetic Acid	U		1.6	5.1	ng/L	1	8/9/2023 22:19
N-Ethylperfluorooctanesulfonamidoethanol	U		1.1	5.1	ng/L	1	8/9/2023 22:19
N-methylperfluoro-1-octanesulfonamide	U		0.81	5.1	ng/L	1	8/9/2023 22:19

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 18-Aug-23

Client: EnviroForensics
Project: Martinos Cleaners 41st
Sample ID: 6165-MW-8
Collection Date: 8/1/2023 11:45 AM

Work Order: 23080570
Lab ID: 23080570-08
Matrix: WATER

Analyses	Result	Qual	MDL	PQL	Units	Dilution Factor	Date Analyzed
N-Methylperfluorooctanesulfonamidoacetic Acid	U		0.66	5.1	ng/L	1	8/9/2023 22:19
N-Methylperfluorooctanesulfonamidoethanol	U		1.5	5.1	ng/L	1	8/9/2023 22:19
Hexafluoropropylene oxide dimer acid (HFPO-DA)	U		1.2	5.1	ng/L	1	8/9/2023 22:19
4,8-Dioxa-3H-perfluorononanoic Acid (DONA)	U		0.58	5.1	ng/L	1	8/9/2023 22:19
11Cl-Pf3OUdS	U		0.48	5.1	ng/L	1	8/9/2023 22:19
9Cl-PF3ONS	U		0.46	5.1	ng/L	1	8/9/2023 22:19
Surr: 13C2-FtS 4:2	239	S		25-150	%REC	1	8/10/2023 14:30
Surr: 13C2-FtS 6:2	241	S		25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-FtS 8:2	112			25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-PFDA	73.8			25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-PFDoA	65.5			25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-PFHxA	97.5			25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-PFHxDA	85.2			25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-PFTeA	70.6			25-150	%REC	1	8/9/2023 22:19
Surr: 13C2-PFUnA	73.0			25-150	%REC	1	8/9/2023 22:19
Surr: 13C3-HFPO-DA	112			25-150	%REC	1	8/9/2023 22:19
Surr: 13C3-PFBS	105			25-150	%REC	1	8/9/2023 22:19
Surr: 13C4-PFBA	86.7			25-150	%REC	1	8/9/2023 22:19
Surr: 13C4-PFHpA	120			25-150	%REC	1	8/9/2023 22:19
Surr: 13C4-PFOA	93.6			25-150	%REC	1	8/9/2023 22:19
Surr: 13C4-PFOS	75.8			25-150	%REC	1	8/9/2023 22:19
Surr: 13C5-PFNA	85.8			25-150	%REC	1	8/9/2023 22:19
Surr: 13C5-PFPeA	105			25-150	%REC	1	8/9/2023 22:19
Surr: 13C8-FOSA	75.7			10-150	%REC	1	8/9/2023 22:19
Surr: 18O2-PFHxS	96.5			25-150	%REC	1	8/9/2023 22:19
Surr: d5-N-EtFOSA	66.7			10-150	%REC	1	8/10/2023 14:30
Surr: d5-N-EtFOSAA	95.6			25-150	%REC	1	8/9/2023 22:19
Surr: d9-N-EtFOSE	70.1			10-150	%REC	1	8/9/2023 22:19
Surr: d3-N-MeFOSA	71.4			10-150	%REC	1	8/9/2023 22:19
Surr: d3-N-MeFOSAA	96.9			25-150	%REC	1	8/9/2023 22:19
Surr: d7-N-MeFOSE	72.2			10-150	%REC	1	8/9/2023 22:19

VOLATILE ORGANIC COMPOUNDS

Method: SW8260D

Analyst: NAD

1,1,1-Trichloroethane	U		0.46	1.5	µg/L	1	8/10/2023 01:19
1,1,2,2-Tetrachloroethane	U		0.40	1.3	µg/L	1	8/10/2023 01:19
1,1,2-Trichloroethane	U		0.46	1.5	µg/L	1	8/10/2023 01:19

Note: See Qualifiers page for a list of qualifiers and their definitions.

Revision: 1

ALS Group, USA

Date: 18-Aug-23

Client: EnviroForensics
Project: Martinos Cleaners 41st
Sample ID: 6165-MW-8
Collection Date: 8/1/2023 11:45 AM

Work Order: 23080570
Lab ID: 23080570-08
Matrix: WATER

Analyses	Result	Qual	MDL	PQL	Units	Dilution Factor	Date Analyzed
1,1,2-Trichlorotrifluoroethane	U		0.52	1.7	µg/L	1	8/10/2023 01:19
1,1-Dichloroethane	U		0.44	1.5	µg/L	1	8/10/2023 01:19
1,1-Dichloroethene	U		0.40	1.4	µg/L	1	8/10/2023 01:19
1,2,3-Trichlorobenzene	U		0.42	1.4	µg/L	1	8/10/2023 01:19
1,2,3-Trichloropropane	U		0.40	1.3	µg/L	1	8/10/2023 01:19
1,2,4-Trichlorobenzene	U		0.45	1.5	µg/L	1	8/10/2023 01:19
1,2,4-Trimethylbenzene	13		0.45	1.5	µg/L	1	8/10/2023 01:19
1,2-Dibromo-3-chloropropane	U		0.43	1.4	µg/L	1	8/10/2023 01:19
1,2-Dibromoethane	U		0.41	1.4	µg/L	1	8/10/2023 01:19
1,2-Dichlorobenzene	U		0.32	1.1	µg/L	1	8/10/2023 01:19
1,2-Dichloroethane	U		0.44	1.4	µg/L	1	8/10/2023 01:19
1,2-Dichloropropane	U		0.48	1.6	µg/L	1	8/10/2023 01:19
1,3,5-Trimethylbenzene	3.0		0.65	2.2	µg/L	1	8/10/2023 01:19
1,3-Dichlorobenzene	U		0.33	1.1	µg/L	1	8/10/2023 01:19
1,4-Dichlorobenzene	U		0.35	1.2	µg/L	1	8/10/2023 01:19
2-Butanone	3.1		0.52	1.7	µg/L	1	8/10/2023 01:19
2-Hexanone	U		0.59	2.0	µg/L	1	8/10/2023 01:19
4-Methyl-2-pentanone	U		0.52	1.7	µg/L	1	8/10/2023 01:19
Acetone	U		6.2	21	µg/L	1	8/10/2023 01:19
Benzene	32		0.46	1.5	µg/L	1	8/10/2023 01:19
Bromochloromethane	U		0.45	1.5	µg/L	1	8/10/2023 01:19
Bromodichloromethane	U		0.49	1.6	µg/L	1	8/10/2023 01:19
Bromoform	U		0.56	1.9	µg/L	1	8/10/2023 01:19
Bromomethane	U		0.90	3.0	µg/L	1	8/10/2023 01:19
Carbon disulfide	0.79	J	0.49	1.6	µg/L	1	8/10/2023 01:19
Carbon tetrachloride	U		0.40	1.4	µg/L	1	8/10/2023 01:19
Chlorobenzene	U		0.40	1.3	µg/L	1	8/10/2023 01:19
Chloroethane	U		0.68	2.3	µg/L	1	8/10/2023 01:19
Chloroform	U		0.46	1.5	µg/L	1	8/10/2023 01:19
Chloromethane	U		0.83	2.8	µg/L	1	8/10/2023 01:19
cis-1,2-Dichloroethene	U		0.42	1.4	µg/L	1	8/10/2023 01:19
cis-1,3-Dichloropropene	U		0.57	1.9	µg/L	1	8/10/2023 01:19
Cyclohexane	39		0.63	2.1	µg/L	1	8/10/2023 01:19
Dibromochloromethane	U		0.40	1.3	µg/L	1	8/10/2023 01:19
Dichlorodifluoromethane	U		0.68	2.3	µg/L	1	8/10/2023 01:19
Ethylbenzene	7.3		0.34	1.1	µg/L	1	8/10/2023 01:19
Isopropylbenzene	9.4		0.35	1.2	µg/L	1	8/10/2023 01:19
m,p-Xylene	23		0.81	2.7	µg/L	1	8/10/2023 01:19
Methyl acetate	U		0.59	2.0	µg/L	1	8/10/2023 01:19
Methyl tert-butyl ether	U		0.45	1.5	µg/L	1	8/10/2023 01:19

Note: See Qualifiers page for a list of qualifiers and their definitions.

ALS Group, USA

Date: 18-Aug-23

Client: EnviroForensics
Project: Martinos Cleaners 41st
Sample ID: 6165-MW-8
Collection Date: 8/1/2023 11:45 AM

Work Order: 23080570
Lab ID: 23080570-08
Matrix: WATER

Analyses	Result	Qual	MDL	PQL	Units	Dilution Factor	Date Analyzed
Methylcyclohexane	18		0.35	1.2	µg/L	1	8/10/2023 01:19
Methylene chloride	U		0.86	2.9	µg/L	1	8/10/2023 01:19
Naphthalene	2.2	J	0.77	2.6	µg/L	1	8/10/2023 01:19
n-Propylbenzene	29		0.48	1.6	µg/L	1	8/10/2023 01:19
o-Xylene	0.53	J	0.31	1.0	µg/L	1	8/10/2023 01:19
p-Isopropyltoluene	U		0.26	0.88	µg/L	1	8/10/2023 01:19
sec-Butylbenzene	1.6		0.30	1.0	µg/L	1	8/10/2023 01:19
Styrene	U		0.33	1.1	µg/L	1	8/10/2023 01:19
Tetrachloroethene	U		0.39	1.3	µg/L	1	8/10/2023 01:19
Toluene	0.49	J	0.45	1.5	µg/L	1	8/10/2023 01:19
trans-1,2-Dichloroethene	U		0.48	1.6	µg/L	1	8/10/2023 01:19
trans-1,3-Dichloropropene	U		0.38	2.7	µg/L	1	8/10/2023 01:19
Trichloroethene	U		0.43	1.4	µg/L	1	8/10/2023 01:19
Trichlorofluoromethane	U		0.52	1.7	µg/L	1	8/10/2023 01:19
Vinyl chloride	U		0.53	1.8	µg/L	1	8/10/2023 01:19
Xylenes, Total	24		0.81	4.4	µg/L	1	8/10/2023 01:19
Surr: 1,2-Dichloroethane-d4	98.6			80-120	%REC	1	8/10/2023 01:19
Surr: 4-Bromofluorobenzene	103			80-120	%REC	1	8/10/2023 01:19
Surr: Dibromofluoromethane	104			80-120	%REC	1	8/10/2023 01:19
Surr: Toluene-d8	103			80-120	%REC	1	8/10/2023 01:19

Note: See Qualifiers page for a list of qualifiers and their definitions.