


July 14, 2008

Lanette Altenbach
STS Consultants, LTD.
11425 West Lake Park Drive
Milwaukee, WI 53224




RE: Project: 200802257
Pace Project No.: 405744

Dear Lanette Altenbach:

Enclosed are the analytical results for sample(s) received by the laboratory on June 27, 2008. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Eric Wied

eric.wied@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



CERTIFICATIONS

Project: 200802257
Pace Project No.: 405744

Green Bay Certification IDs

Florida (NELAP) Certification #: E87948
Illinois Certification #: 200050
California Certification #: 06246CA
New York Certification #: 11888
North Dakota Certification #: R-150
North Carolina Certification #: 503

Minnesota Certification #: 055-999-334
South Carolina Certification #: 83006001
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
Kentucky Certification #: 82
Louisiana Certification #: 04168

Green Bay Volatiles Certification IDs

Florida (NELAP) Certification #: E87951
California Certification #: 06247CA
Illinois Certification #: 200051
New York Certification #: 11887
North Dakota Certification #: R-200
North Carolina Certification #: 503

Minnesota Certification #: 055-999-334
South Carolina Certification #: 83006001
Wisconsin Certification #: 405132750
Wisconsin DATCP Certification #: 105-444
Kentucky Certification #: 83
Louisiana Certification #: 04169

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE SUMMARY

Project: 200802257
Pace Project No.: 405744

Lab ID	Sample ID	Matrix	Date Collected	Date Received
405744001	8516 DURAND	Water	06/26/08 00:00	06/27/08 14:45
405744002	2801 DURAND 1	Water	06/26/08 00:00	06/27/08 14:45
405744003	2801 DURAND 2	Water	06/26/08 00:00	06/27/08 14:45
405744004	3406 DOUGLAS	Water	06/26/08 00:00	06/27/08 14:45
405744005	TRIP BLANK	Water	06/26/08 00:00	06/27/08 14:45

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

SAMPLE ANALYTE COUNT

Project: 200802257
Pace Project No.: 405744

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
405744001	8516 DURAND	EPA 8260	JJS	64	PASI-G
405744002	2801 DURAND 1	EPA 8260	JJS	64	PASI-G
405744003	2801 DURAND 2	EPA 8260	JJS	64	PASI-G
405744004	3406 DOUGLAS	EPA 8260	JJS	64	PASI-G
405744005	TRIP BLANK	EPA 8260	JJS	64	PASI-G

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 8516 DURAND Lab ID: 405744001 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		06/30/08 14:47	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/30/08 14:47	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/30/08 14:47	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/30/08 14:47	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/30/08 14:47	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/30/08 14:47	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/30/08 14:47	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/30/08 14:47	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 14:47	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/30/08 14:47	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/30/08 14:47	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/30/08 14:47	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/30/08 14:47	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/30/08 14:47	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/30/08 14:47	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/30/08 14:47	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/30/08 14:47	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/30/08 14:47	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/30/08 14:47	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/30/08 14:47	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 14:47	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/30/08 14:47	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/30/08 14:47	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/30/08 14:47	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/30/08 14:47	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/30/08 14:47	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/30/08 14:47	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		06/30/08 14:47	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/30/08 14:47	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/30/08 14:47	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/30/08 14:47	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/30/08 14:47	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/30/08 14:47	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 14:47	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 14:47	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/30/08 14:47	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/30/08 14:47	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/30/08 14:47	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/30/08 14:47	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/30/08 14:47	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		06/30/08 14:47	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/30/08 14:47	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/30/08 14:47	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/30/08 14:47	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/30/08 14:47	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/30/08 14:47	630-20-6	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 8516 DURAND Lab ID: 405744001 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/30/08 14:47	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		06/30/08 14:47	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/30/08 14:47	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/30/08 14:47	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 14:47	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/30/08 14:47	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/30/08 14:47	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		06/30/08 14:47	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/30/08 14:47	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/30/08 14:47	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 14:47	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 14:47	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/30/08 14:47	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/30/08 14:47	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/30/08 14:47	95-47-6	
4-Bromofluorobenzene (S)	101	%	64-132		1		06/30/08 14:47	460-00-4	
Dibromofluoromethane (S)	107	%	68-122		1		06/30/08 14:47	1868-53-7	
Toluene-d8 (S)	103	%	73-127		1		06/30/08 14:47	2037-26-5	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 2801 DURAND 1 Lab ID: 405744002 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		06/30/08 15:58	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/30/08 15:58	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/30/08 15:58	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/30/08 15:58	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/30/08 15:58	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/30/08 15:58	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/30/08 15:58	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/30/08 15:58	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:58	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/30/08 15:58	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/30/08 15:58	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/30/08 15:58	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/30/08 15:58	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/30/08 15:58	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/30/08 15:58	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/30/08 15:58	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/30/08 15:58	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/30/08 15:58	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/30/08 15:58	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/30/08 15:58	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:58	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/30/08 15:58	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/30/08 15:58	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/30/08 15:58	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/30/08 15:58	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/30/08 15:58	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/30/08 15:58	75-35-4	
cis-1,2-Dichloroethene	1.2	ug/L	1.0	0.83	1		06/30/08 15:58	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/30/08 15:58	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/30/08 15:58	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/30/08 15:58	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/30/08 15:58	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/30/08 15:58	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 15:58	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 15:58	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/30/08 15:58	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/30/08 15:58	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:58	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/30/08 15:58	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:58	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		06/30/08 15:58	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/30/08 15:58	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/30/08 15:58	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/30/08 15:58	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/30/08 15:58	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/30/08 15:58	630-20-6	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 2801 DURAND 1 Lab ID: 405744002 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/30/08 15:58	79-34-5	
Tetrachloroethene	36.3	ug/L	1.0	0.45	1		06/30/08 15:58	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:58	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/30/08 15:58	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:58	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/30/08 15:58	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/30/08 15:58	79-00-5	
Trichloroethene	0.85J	ug/L	1.0	0.48	1		06/30/08 15:58	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/30/08 15:58	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/30/08 15:58	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:58	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:58	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/30/08 15:58	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/30/08 15:58	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:58	95-47-6	
4-Bromofluorobenzene (S)	104	%	64-132		1		06/30/08 15:58	460-00-4	
Dibromofluoromethane (S)	108	%	68-122		1		06/30/08 15:58	1868-53-7	
Toluene-d8 (S)	106	%	73-127		1		06/30/08 15:58	2037-26-5	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 2801 DURAND 2 Lab ID: 405744003 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		06/30/08 15:10	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/30/08 15:10	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/30/08 15:10	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/30/08 15:10	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/30/08 15:10	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/30/08 15:10	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/30/08 15:10	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/30/08 15:10	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:10	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/30/08 15:10	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/30/08 15:10	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/30/08 15:10	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/30/08 15:10	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/30/08 15:10	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/30/08 15:10	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/30/08 15:10	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/30/08 15:10	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/30/08 15:10	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/30/08 15:10	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/30/08 15:10	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:10	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/30/08 15:10	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/30/08 15:10	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/30/08 15:10	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/30/08 15:10	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/30/08 15:10	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/30/08 15:10	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:10	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/30/08 15:10	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/30/08 15:10	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/30/08 15:10	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/30/08 15:10	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/30/08 15:10	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 15:10	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 15:10	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/30/08 15:10	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/30/08 15:10	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:10	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/30/08 15:10	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:10	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		06/30/08 15:10	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/30/08 15:10	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/30/08 15:10	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/30/08 15:10	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/30/08 15:10	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/30/08 15:10	630-20-6	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 2801 DURAND 2 Lab ID: 405744003 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/30/08 15:10	79-34-5	
Tetrachloroethene	25.2	ug/L	1.0	0.45	1		06/30/08 15:10	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:10	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/30/08 15:10	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:10	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/30/08 15:10	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/30/08 15:10	79-00-5	
Trichloroethene	1.2	ug/L	1.0	0.48	1		06/30/08 15:10	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/30/08 15:10	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/30/08 15:10	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:10	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:10	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/30/08 15:10	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/30/08 15:10	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:10	95-47-6	
4-Bromofluorobenzene (S)	103	%	64-132		1		06/30/08 15:10	460-00-4	
Dibromofluoromethane (S)	106	%	68-122		1		06/30/08 15:10	1868-53-7	
Toluene-d8 (S)	106	%	73-127		1		06/30/08 15:10	2037-26-5	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 3406 DOUGLAS Lab ID: 405744004 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		06/30/08 15:34	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/30/08 15:34	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/30/08 15:34	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/30/08 15:34	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/30/08 15:34	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/30/08 15:34	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/30/08 15:34	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/30/08 15:34	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:34	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/30/08 15:34	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/30/08 15:34	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/30/08 15:34	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/30/08 15:34	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/30/08 15:34	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/30/08 15:34	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/30/08 15:34	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/30/08 15:34	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/30/08 15:34	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/30/08 15:34	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/30/08 15:34	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:34	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/30/08 15:34	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/30/08 15:34	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/30/08 15:34	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/30/08 15:34	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/30/08 15:34	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/30/08 15:34	75-35-4	
cis-1,2-Dichloroethene	5.0	ug/L	1.0	0.83	1		06/30/08 15:34	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/30/08 15:34	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/30/08 15:34	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/30/08 15:34	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/30/08 15:34	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/30/08 15:34	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 15:34	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 15:34	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/30/08 15:34	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/30/08 15:34	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:34	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/30/08 15:34	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:34	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		06/30/08 15:34	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/30/08 15:34	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/30/08 15:34	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/30/08 15:34	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/30/08 15:34	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/30/08 15:34	630-20-6	

Date: 07/14/2008 11:31 AM

REPORT OF LABORATORY ANALYSIS

Page 11 of 20

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: 3406 DOUGLAS Lab ID: 405744004 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/30/08 15:34	79-34-5	
Tetrachloroethene	5.1	ug/L	1.0	0.45	1		06/30/08 15:34	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/30/08 15:34	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/30/08 15:34	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:34	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/30/08 15:34	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/30/08 15:34	79-00-5	
Trichloroethene	0.65J	ug/L	1.0	0.48	1		06/30/08 15:34	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/30/08 15:34	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/30/08 15:34	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 15:34	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:34	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/30/08 15:34	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/30/08 15:34	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/30/08 15:34	95-47-6	
4-Bromofluorobenzene (S)	101	%	64-132		1		06/30/08 15:34	460-00-4	
Dibromofluoromethane (S)	108	%	68-122		1		06/30/08 15:34	1868-53-7	
Toluene-d8 (S)	103	%	73-127		1		06/30/08 15:34	2037-26-5	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: TRIP BLANK Lab ID: 405744005 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		06/30/08 11:15	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/30/08 11:15	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/30/08 11:15	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/30/08 11:15	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/30/08 11:15	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/30/08 11:15	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/30/08 11:15	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/30/08 11:15	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 11:15	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/30/08 11:15	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/30/08 11:15	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/30/08 11:15	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/30/08 11:15	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/30/08 11:15	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/30/08 11:15	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/30/08 11:15	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/30/08 11:15	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/30/08 11:15	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/30/08 11:15	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/30/08 11:15	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 11:15	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/30/08 11:15	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/30/08 11:15	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/30/08 11:15	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/30/08 11:15	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/30/08 11:15	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/30/08 11:15	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		06/30/08 11:15	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/30/08 11:15	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/30/08 11:15	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/30/08 11:15	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/30/08 11:15	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/30/08 11:15	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 11:15	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/30/08 11:15	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/30/08 11:15	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/30/08 11:15	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/30/08 11:15	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/30/08 11:15	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/30/08 11:15	99-87-6	
Methylene Chloride	1.2J	ug/L	1.4	0.43	1		06/30/08 11:15	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/30/08 11:15	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/30/08 11:15	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/30/08 11:15	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/30/08 11:15	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/30/08 11:15	630-20-6	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405744

Sample: TRIP BLANK Lab ID: 405744005 Collected: 06/26/08 00:00 Received: 06/27/08 14:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/30/08 11:15	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		06/30/08 11:15	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/30/08 11:15	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/30/08 11:15	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 11:15	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/30/08 11:15	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/30/08 11:15	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		06/30/08 11:15	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/30/08 11:15	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/30/08 11:15	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/30/08 11:15	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/30/08 11:15	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/30/08 11:15	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/30/08 11:15	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/30/08 11:15	95-47-6	
4-Bromofluorobenzene (S)	102	%	64-132		1		06/30/08 11:15	460-00-4	
Dibromofluoromethane (S)	106	%	68-122		1		06/30/08 11:15	1868-53-7	
Toluene-d8 (S)	105	%	73-127		1		06/30/08 11:15	2037-26-5	

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405744

QC Batch: MSV/2048 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 405744001, 405744002, 405744003, 405744004, 405744005

METHOD BLANK: 46797

Associated Lab Samples: 405744001, 405744002, 405744003, 405744004, 405744005

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	0.67	
1,1,2-Trichloroethane	ug/L	<0.42	1.4	
1,1-Dichloroethane	ug/L	<0.75	1.0	
1,1-Dichloroethene	ug/L	<0.57	1.0	
1,1-Dichloropropene	ug/L	<0.75	1.0	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	
1,2,4-Trichlorobenzene	ug/L	<0.97	1.0	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	
1,2-Dibromo-3-chloropropane	ug/L	<0.87	2.9	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.9	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	
1,2-Dichloroethane	ug/L	<0.36	1.0	
1,2-Dichloropropane	ug/L	<0.46	1.0	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	
1,3-Dichloropropane	ug/L	<0.61	2.0	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	
2,2-Dichloropropane	ug/L	<0.62	1.0	
2-Chlorotoluene	ug/L	<0.85	1.0	
4-Chlorotoluene	ug/L	<0.74	1.0	
Benzene	ug/L	<0.41	1.0	
Bromobenzene	ug/L	<0.82	1.0	
Bromochloromethane	ug/L	<0.97	1.0	
Bromodichloromethane	ug/L	<0.56	1.9	
Bromoform	ug/L	<0.94	3.1	
Bromomethane	ug/L	<0.91	3.0	
Carbon tetrachloride	ug/L	<0.49	1.0	
Chlorobenzene	ug/L	<0.41	1.0	
Chloroethane	ug/L	<0.97	1.0	
Chloroform	ug/L	<0.37	1.2	
Chloromethane	ug/L	<0.24	0.80	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	
cis-1,3-Dichloropropene	ug/L	<0.19	0.63	
Dibromochloromethane	ug/L	<0.81	1.0	
Dibromomethane	ug/L	<0.60	1.0	
Dichlorodifluoromethane	ug/L	<0.99	1.0	
Diisopropyl ether	ug/L	<0.76	1.0	
Ethylbenzene	ug/L	<0.54	1.0	
Hexachloro-1,3-butadiene	ug/L	<0.67	1.0	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	

Date: 07/14/2008 11:31 AM

REPORT OF LABORATORY ANALYSIS

Page 15 of 20

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405744

METHOD BLANK: 46797

Associated Lab Samples: 405744001, 405744002, 405744003, 405744004, 405744005

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
m&p-Xylene	ug/L	<1.8	2.0	
Methyl-tert-butyl ether	ug/L	<0.61	2.0	
Methylene Chloride	ug/L	<0.43	1.4	
n-Butylbenzene	ug/L	<0.93	1.0	
n-Propylbenzene	ug/L	<0.81	1.0	
Naphthalene	ug/L	<0.74	5.0	
o-Xylene	ug/L	<0.83	1.0	
p-Isopropyltoluene	ug/L	<0.67	1.0	
sec-Butylbenzene	ug/L	<0.89	1.0	
Styrene	ug/L	<0.86	1.0	
tert-Butylbenzene	ug/L	<0.97	1.0	
Tetrachloroethene	ug/L	<0.45	1.0	
Toluene	ug/L	<0.67	1.0	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	
trans-1,3-Dichloropropene	ug/L	<0.19	0.63	
Trichloroethene	ug/L	<0.48	1.0	
Trichlorofluoromethane	ug/L	<0.79	1.0	
Vinyl chloride	ug/L	<0.18	0.60	
4-Bromofluorobenzene (S)	%	102	64-132	
Dibromofluoromethane (S)	%	103	68-122	
Toluene-d8 (S)	%	104	73-127	

LABORATORY CONTROL SAMPLE & LCSD: 46798

46799

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	58.0	58.6	116	117	75-128	1	20	
1,1,2,2-Tetrachloroethane	ug/L	50	48.8	51.9	98	104	67-125	6	20	
1,1,2-Trichloroethane	ug/L	50	53.2	54.2	106	108	75-125	2	20	
1,1-Dichloroethane	ug/L	50	56.7	57.1	113	114	71-130	.8	20	
1,1-Dichloroethene	ug/L	50	56.9	57.7	114	115	75-125	1	20	
1,2-Dichloroethane	ug/L	50	60.3	62.2	121	124	71-132	3	20	
1,2-Dichloropropane	ug/L	50	52.4	53.9	105	108	73-125	3	20	
Benzene	ug/L	50	53.2	53.4	106	107	75-125	.5	20	
Bromodichloromethane	ug/L	50	55.9	57.2	112	114	75-125	2	20	
Bromoform	ug/L	50	45.9	49.1	92	98	75-125	7	20	
Bromomethane	ug/L	50	58.0	59.1	116	118	66-125	2	20	
Carbon tetrachloride	ug/L	50	58.5	57.8	117	116	75-125	1	20	
Chlorobenzene	ug/L	50	53.0	52.9	106	106	75-125	.1	20	
Chloroethane	ug/L	50	56.7	58.2	113	116	72-126	3	20	
Chloroform	ug/L	50	55.5	56.4	111	113	75-125	1	20	
Chloromethane	ug/L	50	45.4	45.9	91	92	46-143	.9	20	
cis-1,2-Dichloroethene	ug/L	50	52.2	51.8	104	104	75-125	.8	20	
cis-1,3-Dichloropropene	ug/L	50	52.9	55.1	106	110	75-125	4	20	
Dibromochloromethane	ug/L	50	52.7	54.2	105	108	75-125	3	20	
Ethylbenzene	ug/L	50	54.9	55.1	110	110	75-125	.4	20	

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405744

LABORATORY CONTROL SAMPLE & LCSD: 46798

46799

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/L	100	106	108	106	108	75-125	1	20	
Methylene Chloride	ug/L	50	59.5	60.1	119	120	75-125	1	20	
o-Xylene	ug/L	50	51.8	51.4	104	103	75-125	.9	20	
Styrene	ug/L	50	49.8	49.8	100	100	75-125	.06	20	
Tetrachloroethene	ug/L	50	53.8	53.7	108	107	75-130	.2	20	
Toluene	ug/L	50	52.9	52.6	106	105	75-125	.5	20	
trans-1,2-Dichloroethene	ug/L	50	52.2	53.7	104	107	75-125	3	20	
trans-1,3-Dichloropropene	ug/L	50	54.8	56.4	110	113	75-125	3	20	
Trichloroethene	ug/L	50	53.9	54.5	108	109	75-125	1	20	
Vinyl chloride	ug/L	50	51.9	52.4	104	105	65-130	.9	20	
4-Bromofluorobenzene (S)	%				105	105	64-132			
Dibromofluoromethane (S)	%				106	104	68-122			
Toluene-d8 (S)	%				105	105	73-127			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 46893

46894

Parameter	Units	405768001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.90	50	50	55.8	57.3	112	115	70-130	3	30	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	46.8	49.5	94	99	70-130	6	30	
1,1,2-Trichloroethane	ug/L	<0.42	50	50	49.8	51.9	100	104	70-130	4	30	
1,1-Dichloroethane	ug/L	<0.75	50	50	54.9	55.7	110	111	70-130	2	30	
1,1-Dichloroethene	ug/L	<0.57	50	50	54.5	55.6	109	111	70-135	2	30	
1,2-Dichloroethane	ug/L	<0.36	50	50	58.3	60.4	117	121	70-130	3	30	
1,2-Dichloropropane	ug/L	<0.46	50	50	51.2	52.7	102	105	70-130	3	30	
Benzene	ug/L	<0.41	50	50	51.0	51.9	102	104	70-130	2	30	
Bromodichloromethane	ug/L	<0.56	50	50	54.3	55.8	109	112	70-130	3	30	
Bromoform	ug/L	<0.94	50	50	43.8	47.3	88	95	70-130	8	30	
Bromomethane	ug/L	<0.91	50	50	55.4	57.2	111	114	63-147	3	30	
Carbon tetrachloride	ug/L	<0.49	50	50	56.4	57.4	113	115	70-131	2	30	
Chlorobenzene	ug/L	<0.41	50	50	50.3	51.7	101	103	70-130	3	30	
Chloroethane	ug/L	<0.97	50	50	55.2	56.4	110	113	67-138	2	30	
Chloroform	ug/L	0.90J	50	50	54.0	54.9	106	108	70-130	2	30	
Chloromethane	ug/L	<0.24	50	50	43.1	43.7	86	87	43-150	1	30	
cis-1,2-Dichloroethene	ug/L	<0.83	50	50	48.6	51.1	97	102	70-130	5	30	
cis-1,3-Dichloropropene	ug/L	<0.19	50	50	51.3	52.8	103	106	70-130	3	30	
Dibromochloromethane	ug/L	<0.81	50	50	49.1	52.5	98	105	70-130	7	30	
Ethylbenzene	ug/L	<0.54	50	50	52.7	53.4	105	107	70-136	1	30	
m&p-Xylene	ug/L	<1.8	100	100	102	104	102	104	70-137	2	30	
Methylene Chloride	ug/L	<0.43	50	50	56.4	58.9	113	118	70-130	4	30	
o-Xylene	ug/L	<0.83	50	50	48.2	50.0	96	100	70-130	4	30	
Styrene	ug/L	<0.86	50	50	47.1	48.9	94	98	70-130	4	30	
Tetrachloroethene	ug/L	<0.45	50	50	50.0	51.2	100	102	70-130	2	30	
Toluene	ug/L	<0.67	50	50	50.5	51.4	100	102	70-130	2	30	
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	50.0	50.8	100	102	70-130	2	30	
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	51.6	54.3	103	109	70-130	5	30	
Trichloroethene	ug/L	<0.48	50	50	52.4	53.2	105	106	70-130	1	30	

Date: 07/14/2008 11:31 AM

REPORT OF LABORATORY ANALYSIS

Page 17 of 20

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405744

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 46893 46894

Parameter	Units	405768001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
			Spike Conc.	Spike Conc.	MS Result	MSD Result					
Vinyl chloride	ug/L	<0.18	50	50	50.2	50.8	100	102	62-138	1	30
4-Bromofluorobenzene (S)	%						105	106	64-132		
Dibromofluoromethane (S)	%						105	105	68-122		
Toluene-d8 (S)	%						105	106	73-127		

QUALIFIERS

Project: 200802257
Pace Project No.: 405744

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200802257
Pace Project No.: 405744

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
405744001	8516 DURAND	EPA 8260	MSV/2048		
405744002	2801 DURAND 1	EPA 8260	MSV/2048		
405744003	2801 DURAND 2	EPA 8260	MSV/2048		
405744004	3406 DOUGLAS	EPA 8260	MSV/2048		
405744005	TRIP BLANK	EPA 8260	MSV/2048		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 8516 DURAND 1-2' Lab ID: 405374001 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid
Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	630-20-6	W
1,1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 16:33	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:33	95-47-6	W
Dibromofluoromethane (S)	130	%	64-140		1	06/24/08 10:03	06/24/08 16:33	1868-53-7	
Toluene-d8 (S)	107	%	67-139		1	06/24/08 10:03	06/24/08 16:33	2037-26-5	
4-Bromofluorobenzene (S)	110	%	64-133		1	06/24/08 10:03	06/24/08 16:33	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	19.5	%	0.10	0.10	1		06/23/08 12:17		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 8516 DURAND 8-9' Lab ID: 405374002 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/24/08 10:03	06/24/08 16:55	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/24/08 10:03	06/24/08 16:55	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	56-23-5	L3,W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/24/08 10:03	06/24/08 16:55	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/24/08 10:03	06/24/08 16:55	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-35-4	W
→ cis-1,2-Dichloroethene	40.8J	ug/kg	68.8	28.7	1	06/24/08 10:03	06/24/08 16:55	156-59-2	
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/24/08 10:03	06/24/08 16:55	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	100-42-5	W

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 8516 DURAND 8-9' Lab ID: 405374002 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	79-34-5	W
Tetrachloroethene	90.6	ug/kg	68.8	28.7	1	06/24/08 10:03	06/24/08 16:55	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	79-00-5	W
Trichloroethene	38.3J	ug/kg	68.8	28.7	1	06/24/08 10:03	06/24/08 16:55	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 16:55	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 16:55	95-47-6	W
Dibromofluoromethane (S)	117	%	64-140		1	06/24/08 10:03	06/24/08 16:55	1868-53-7	
Toluene-d8 (S)	100	%	67-139		1	06/24/08 10:03	06/24/08 16:55	2037-26-5	
4-Bromofluorobenzene (S)	104	%	64-133		1	06/24/08 10:03	06/24/08 16:55	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.8	%	0.10	0.10	1		06/23/08 12:17		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 2801 DURAND 1-2' Lab ID: 405374003 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/24/08 10:03	06/24/08 17:18	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/24/08 10:03	06/24/08 17:18	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	56-23-5	L3,W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/24/08 10:03	06/24/08 17:18	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/24/08 10:03	06/24/08 17:18	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/24/08 10:03	06/24/08 17:18	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	100-42-5	W

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 9 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257

Pace Project No.: 405374

Sample: 2801 DURAND 1-2' Lab ID: 405374003 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	79-34-5	W
Tetrachloroethene	445	ug/kg	68.5	28.5	1	06/24/08 10:03	06/24/08 17:18	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	79-00-5	W
Trichloroethene	31.3J	ug/kg	68.5	28.5	1	06/24/08 10:03	06/24/08 17:18	79-01-6	
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 17:18	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:18	95-47-6	W
Dibromofluoromethane (S)	129	%	64-140		1	06/24/08 10:03	06/24/08 17:18	1868-53-7	
Toluene-d8 (S)	107	%	67-139		1	06/24/08 10:03	06/24/08 17:18	2037-26-5	
4-Bromofluorobenzene (S)	112	%	64-133		1	06/24/08 10:03	06/24/08 17:18	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.4	%	0.10	0.10	1		06/23/08 12:17		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 2801 DURAND 2 1-2' Lab ID: 405374004 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/24/08 10:03	06/24/08 17:40	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/24/08 10:03	06/24/08 17:40	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	56-23-5	L3,W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/24/08 10:03	06/24/08 17:40	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/24/08 10:03	06/24/08 17:40	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/24/08 10:03	06/24/08 17:40	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	100-42-5	W

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 11 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 2801 DURAND 2 1-2' Lab ID: 405374004 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	79-34-5	W
Tetrachloroethene	5440	ug/kg	71.0	29.6	1	06/24/08 10:03	06/24/08 17:40	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 17:40	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 17:40	95-47-6	W
Dibromofluoromethane (S)	116	%	64-140		1	06/24/08 10:03	06/24/08 17:40	1868-53-7	
Toluene-d8 (S)	96	%	67-139		1	06/24/08 10:03	06/24/08 17:40	2037-26-5	
4-Bromofluorobenzene (S)	99	%	64-133		1	06/24/08 10:03	06/24/08 17:40	460-00-4	

Percent Moisture

Analytical Method: ASTM D2974-87

Percent Moisture	15.5 %	0.10	0.10	1	06/23/08 12:17
------------------	--------	------	------	---	----------------

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 2801 DURAND 2 8-10' Lab ID: 405374005 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/24/08 10:03	06/24/08 18:02	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/24/08 10:03	06/24/08 18:02	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	56-23-5	L3,W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/24/08 10:03	06/24/08 18:02	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/24/08 10:03	06/24/08 18:02	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/24/08 10:03	06/24/08 18:02	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	100-42-5	W

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 13 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 2801 DURAND 2 8-10' Lab ID: 405374005 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	630-20-6	W
1,1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 18:02	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:02	95-47-6	W
Dibromofluoromethane (S)	119	%	64-140		1	06/24/08 10:03	06/24/08 18:02	1868-53-7	
Toluene-d8 (S)	97	%	67-139		1	06/24/08 10:03	06/24/08 18:02	2037-26-5	
4-Bromofluorobenzene (S)	101	%	64-133		1	06/24/08 10:03	06/24/08 18:02	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.1	%	0.10	0.10	1		06/23/08 12:18		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 4606 WASHINGTON 1-3' Lab ID: 405374006 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/24/08 10:03	06/24/08 18:24	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/24/08 10:03	06/24/08 18:24	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	56-23-5	L3,W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/24/08 10:03	06/24/08 18:24	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/24/08 10:03	06/24/08 18:24	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/24/08 10:03	06/24/08 18:24	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	100-42-5	W

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 15 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 4606 WASHINGTON 1-3' Lab ID: 405374006 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 18:24	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:24	95-47-6	W
Dibromofluoromethane (S)	145	%	64-140		1	06/24/08 10:03	06/24/08 18:24	1868-53-7	S3
Toluene-d8 (S)	123	%	67-139		1	06/24/08 10:03	06/24/08 18:24	2037-26-5	
4-Bromofluorobenzene (S)	125	%	64-133		1	06/24/08 10:03	06/24/08 18:24	460-00-4	

Percent Moisture

Analytical Method: ASTM D2974-87

Percent Moisture	20.6 %	0.10	0.10	1	06/23/08 12:18
------------------	--------	------	------	---	----------------

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 4606 WASHINGTON 10-12' Lab ID: 405374007 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/24/08 10:03	06/24/08 18:46	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/24/08 10:03	06/24/08 18:46	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	56-23-5	L3,W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/24/08 10:03	06/24/08 18:46	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/24/08 10:03	06/24/08 18:46	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/24/08 10:03	06/24/08 18:46	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-09-2	W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	100-42-5	W

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 4606 WASHINGTON 10-12' Lab ID: 405374007 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	630-20-6	W
1,1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/24/08 10:03	06/24/08 18:46	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/24/08 10:03	06/24/08 18:46	95-47-6	W
Dibromofluoromethane (S)	115	%	64-140		1	06/24/08 10:03	06/24/08 18:46	1868-53-7	
Toluene-d8 (S)	96	%	67-139		1	06/24/08 10:03	06/24/08 18:46	2037-26-5	
4-Bromofluorobenzene (S)	99	%	64-133		1	06/24/08 10:03	06/24/08 18:46	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	12.8	%	0.10	0.10	1		06/23/08 12:18		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 301 MAIN 1-2' Lab ID: 405374008 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	71-43-2	W
Bromobenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	108-86-1	W
Bromochloromethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	74-97-5	W
Bromodichloromethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-27-4	W
Bromoform	<207	ug/kg	480	207	8	06/24/08 10:03	06/24/08 19:09	75-25-2	W
Bromomethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	74-83-9	W
n-Butylbenzene	<323	ug/kg	480	323	8	06/24/08 10:03	06/24/08 19:09	104-51-8	W
sec-Butylbenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	135-98-8	W
tert-Butylbenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	98-06-6	W
Carbon tetrachloride	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	56-23-5	L3,W
Chlorobenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	108-90-7	W
Chloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-00-3	W
Chloroform	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	67-66-3	W
Chloromethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	74-87-3	W
2-Chlorotoluene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	95-49-8	W
4-Chlorotoluene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	106-43-4	W
1,2-Dibromo-3-chloropropane	<658	ug/kg	2000	658	8	06/24/08 10:03	06/24/08 19:09	96-12-8	W
Dibromochloromethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	124-48-1	W
1,2-Dibromoethane (EDB)	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	106-93-4	W
Dibromomethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	74-95-3	W
1,2-Dichlorobenzene	<355	ug/kg	480	355	8	06/24/08 10:03	06/24/08 19:09	95-50-1	W
1,3-Dichlorobenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	541-73-1	W
1,4-Dichlorobenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	106-46-7	W
Dichlorodifluoromethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-71-8	W
1,1-Dichloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-34-3	W
1,2-Dichloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	107-06-2	W
1,1-Dichloroethene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-35-4	W
cis-1,2-Dichloroethene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	156-59-2	W
trans-1,2-Dichloroethene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	156-60-5	W
1,2-Dichloropropane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	78-87-5	W
1,3-Dichloropropane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	142-28-9	W
2,2-Dichloropropane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	594-20-7	W
1,1-Dichloropropene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	563-58-6	W
cis-1,3-Dichloropropene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	10061-01-5	W
trans-1,3-Dichloropropene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	10061-02-6	W
Diisopropyl ether	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	108-20-3	W
Ethylbenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	100-41-4	W
Hexachloro-1,3-butadiene	<211	ug/kg	480	211	8	06/24/08 10:03	06/24/08 19:09	87-68-3	W
Isopropylbenzene (Cumene)	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	98-82-8	W
p-Isopropyltoluene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	99-87-6	W
Methylene Chloride	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-09-2	W
Methyl-tert-butyl ether	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	1634-04-4	W
Naphthalene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	91-20-3	W
n-Propylbenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	103-65-1	W
Styrene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	100-42-5	W

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 301 MAIN 1-2' Lab ID: 405374008 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid
Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	630-20-6	W
1,1,2,2-Tetrachloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	79-34-5	W
Tetrachloroethene	27600	ug/kg	536	223	8	06/24/08 10:03	06/24/08 19:09	127-18-4	
Toluene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	108-88-3	W
1,2,3-Trichlorobenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	87-61-6	W
1,2,4-Trichlorobenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	120-82-1	W
1,1,1-Trichloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	71-55-6	W
1,1,2-Trichloroethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	79-00-5	W
Trichloroethene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	79-01-6	W
Trichlorofluoromethane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-69-4	W
1,2,3-Trichloropropane	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	96-18-4	W
1,2,4-Trimethylbenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	95-63-6	W
1,3,5-Trimethylbenzene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	108-67-8	W
Vinyl chloride	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	75-01-4	W
m&p-Xylene	<200	ug/kg	960	200	8	06/24/08 10:03	06/24/08 19:09	1330-20-7	W
o-Xylene	<200	ug/kg	480	200	8	06/24/08 10:03	06/24/08 19:09	95-47-6	W
Dibromofluoromethane (S)	120	%	64-140		8	06/24/08 10:03	06/24/08 19:09	1868-53-7	
Toluene-d8 (S)	89	%	67-139		8	06/24/08 10:03	06/24/08 19:09	2037-26-5	
4-Bromofluorobenzene (S)	87	%	64-133		8	06/24/08 10:03	06/24/08 19:09	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	10.4	%	0.10	0.10	1		06/23/08 12:18		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 3406 DOUGLAS 1-2' Lab ID: 405374009 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	71-43-2	W
Bromobenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	108-86-1	W
Bromochloromethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	74-97-5	W
Bromodichloromethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-27-4	W
Bromoform	<27.5	ug/kg	63.8	27.5	1	06/25/08 10:50	06/25/08 15:01	75-25-2	W
Bromomethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	74-83-9	W
n-Butylbenzene	<43.0	ug/kg	63.8	43.0	1	06/25/08 10:50	06/25/08 15:01	104-51-8	W
sec-Butylbenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	135-98-8	W
tert-Butylbenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	98-06-6	W
Carbon tetrachloride	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	56-23-5	W
Chlorobenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	108-90-7	W
Chloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-00-3	W
Chloroform	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	67-66-3	W
Chloromethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	74-87-3	W
2-Chlorotoluene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	95-49-8	W
4-Chlorotoluene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	106-43-4	W
1,2-Dibromo-3-chloropropane	<87.6	ug/kg	266	87.6	1	06/25/08 10:50	06/25/08 15:01	96-12-8	W
Dibromochloromethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	124-48-1	W
1,2-Dibromoethane (EDB)	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	106-93-4	W
Dibromomethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	74-95-3	W
1,2-Dichlorobenzene	<47.2	ug/kg	63.8	47.2	1	06/25/08 10:50	06/25/08 15:01	95-50-1	W
1,3-Dichlorobenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	541-73-1	W
1,4-Dichlorobenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	106-46-7	W
Dichlorodifluoromethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-71-8	W
1,1-Dichloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-34-3	W
1,2-Dichloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	107-06-2	W
1,1-Dichloroethene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-35-4	W
cis-1,2-Dichloroethene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	156-59-2	W
trans-1,2-Dichloroethene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	156-60-5	W
1,2-Dichloropropane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	78-87-5	W
1,3-Dichloropropane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	142-28-9	W
2,2-Dichloropropane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	594-20-7	W
1,1-Dichloropropene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	563-58-6	W
cis-1,3-Dichloropropene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	10061-01-5	W
trans-1,3-Dichloropropene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	10061-02-6	W
Diisopropyl ether	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	108-20-3	W
Ethylbenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	100-41-4	W
Hexachloro-1,3-butadiene	<28.1	ug/kg	63.8	28.1	1	06/25/08 10:50	06/25/08 15:01	87-68-3	W
Isopropylbenzene (Cumene)	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	98-82-8	W
p-Isopropyltoluene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	99-87-6	W
Methylene Chloride	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-09-2	R1,W
Methyl-tert-butyl ether	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	1634-04-4	W
Naphthalene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	91-20-3	W
n-Propylbenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	103-65-1	W
Styrene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	100-42-5	W

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 3406 DOUGLAS 1-2' Lab ID: 405374009 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	630-20-6	W
1,1,1,2,2-Tetrachloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	79-34-5	W
Tetrachloroethene	114	ug/kg	76.5	31.9	1	06/25/08 10:50	06/25/08 15:01	127-18-4	
Toluene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	108-88-3	W
1,2,3-Trichlorobenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	87-61-6	W
1,2,4-Trichlorobenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	120-82-1	W
1,1,1-Trichloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	71-55-6	W
1,1,2-Trichloroethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	79-00-5	W
Trichloroethene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	79-01-6	W
Trichlorofluoromethane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-69-4	W
1,2,3-Trichloropropane	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	96-18-4	W
1,2,4-Trimethylbenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	95-63-6	W
1,3,5-Trimethylbenzene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	108-67-8	W
Vinyl chloride	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	75-01-4	W
m&p-Xylene	<26.6	ug/kg	128	26.6	1	06/25/08 10:50	06/25/08 15:01	1330-20-7	W
o-Xylene	<26.6	ug/kg	63.8	26.6	1	06/25/08 10:50	06/25/08 15:01	95-47-6	W
Dibromofluoromethane (S)	113	%	64-140		1	06/25/08 10:50	06/25/08 15:01	1868-53-7	
Toluene-d8 (S)	112	%	67-139		1	06/25/08 10:50	06/25/08 15:01	2037-26-5	
4-Bromofluorobenzene (S)	105	%	64-133		1	06/25/08 10:50	06/25/08 15:01	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	16.5	%	0.10	0.10	1		06/23/08 12:18		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 3406 DOUGLAS 8-9' Lab ID: 405374010 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List									
Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B									
Benzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/25/08 10:50	06/25/08 15:24	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/25/08 10:50	06/25/08 15:24	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/25/08 10:50	06/25/08 15:24	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/25/08 10:50	06/25/08 15:24	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-35-4	W
cis-1,2-Dichloroethene	233	ug/kg	69.3	28.9	1	06/25/08 10:50	06/25/08 15:24	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/25/08 10:50	06/25/08 15:24	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-09-2	R1,W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	100-42-5	W

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 23 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 3406 DOUGLAS 8-9' Lab ID: 405374010 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	630-20-6	W
1,1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	79-34-5	W
Tetrachloroethene	395	ug/kg	69.3	28.9	1	06/25/08 10:50	06/25/08 15:24	127-18-4	
Toluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/25/08 10:50	06/25/08 15:24	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 15:24	95-47-6	W
Dibromofluoromethane (S)	114	%	64-140		1	06/25/08 10:50	06/25/08 15:24	1868-53-7	
Toluene-d8 (S)	111	%	67-139		1	06/25/08 10:50	06/25/08 15:24	2037-26-5	
4-Bromofluorobenzene (S)	108	%	64-133		1	06/25/08 10:50	06/25/08 15:24	460-00-4	
Percent Moisture		Analytical Method: ASTM D2974-87							
Percent Moisture	13.4	%	0.10	0.10	1		06/23/08 12:18		

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 301 MAIN Lab ID: 405374011 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		06/24/08 13:26	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/24/08 13:26	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/24/08 13:26	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/24/08 13:26	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/24/08 13:26	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/24/08 13:26	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/24/08 13:26	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/24/08 13:26	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 13:26	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/24/08 13:26	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/24/08 13:26	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/24/08 13:26	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/24/08 13:26	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/24/08 13:26	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/24/08 13:26	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/24/08 13:26	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/24/08 13:26	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/24/08 13:26	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/24/08 13:26	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/24/08 13:26	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/24/08 13:26	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/24/08 13:26	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/24/08 13:26	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/24/08 13:26	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/24/08 13:26	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/24/08 13:26	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/24/08 13:26	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		06/24/08 13:26	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/24/08 13:26	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/24/08 13:26	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/24/08 13:26	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/24/08 13:26	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/24/08 13:26	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/24/08 13:26	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/24/08 13:26	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/24/08 13:26	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/24/08 13:26	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/24/08 13:26	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/24/08 13:26	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/24/08 13:26	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		06/24/08 13:26	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/24/08 13:26	1634-04-4	
Naphthalene	5.5	ug/L	5.0	0.74	1		06/24/08 13:26	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/24/08 13:26	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/24/08 13:26	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/24/08 13:26	630-20-6	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 301 MAIN Lab ID: 405374011 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/24/08 13:26	79-34-5	
Tetrachloroethene	3.0	ug/L	1.0	0.45	1		06/24/08 13:26	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/24/08 13:26	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/24/08 13:26	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 13:26	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/24/08 13:26	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/24/08 13:26	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		06/24/08 13:26	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/24/08 13:26	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/24/08 13:26	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 13:26	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/24/08 13:26	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/24/08 13:26	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/24/08 13:26	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/24/08 13:26	95-47-6	
4-Bromofluorobenzene (S)	103	%	64-132		1		06/24/08 13:26	460-00-4	
Dibromofluoromethane (S)	102	%	68-122		1		06/24/08 13:26	1868-53-7	
Toluene-d8 (S)	100	%	73-127		1		06/24/08 13:26	2037-26-5	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: 4606 WASHINGTON Lab ID: 405374012 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
Benzene	<0.41	ug/L	1.0	0.41	1		06/24/08 17:44	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/24/08 17:44	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/24/08 17:44	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/24/08 17:44	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/24/08 17:44	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/24/08 17:44	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/24/08 17:44	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/24/08 17:44	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 17:44	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/24/08 17:44	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/24/08 17:44	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/24/08 17:44	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/24/08 17:44	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/24/08 17:44	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/24/08 17:44	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/24/08 17:44	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/24/08 17:44	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/24/08 17:44	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/24/08 17:44	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/24/08 17:44	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/24/08 17:44	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/24/08 17:44	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/24/08 17:44	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/24/08 17:44	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/24/08 17:44	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/24/08 17:44	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/24/08 17:44	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		06/24/08 17:44	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/24/08 17:44	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/24/08 17:44	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/24/08 17:44	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/24/08 17:44	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/24/08 17:44	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/24/08 17:44	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/24/08 17:44	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/24/08 17:44	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/24/08 17:44	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/24/08 17:44	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/24/08 17:44	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/24/08 17:44	99-87-6	
Methylene Chloride	<0.43	ug/L	1.4	0.43	1		06/24/08 17:44	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/24/08 17:44	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/24/08 17:44	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/24/08 17:44	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/24/08 17:44	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/24/08 17:44	630-20-6	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 27 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: **4606 WASHINGTON** Lab ID: **405374012** Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 8260							
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/24/08 17:44	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		06/24/08 17:44	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/24/08 17:44	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/24/08 17:44	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 17:44	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/24/08 17:44	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/24/08 17:44	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		06/24/08 17:44	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/24/08 17:44	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/24/08 17:44	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 17:44	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/24/08 17:44	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/24/08 17:44	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/24/08 17:44	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/24/08 17:44	95-47-6	
4-Bromofluorobenzene (S)	104	%	64-132		1		06/24/08 17:44	460-00-4	
Dibromofluoromethane (S)	102	%	68-122		1		06/24/08 17:44	1868-53-7	
Toluene-d8 (S)	100	%	73-127		1		06/24/08 17:44	2037-26-5	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: MEOH BLANK Lab ID: 405374013 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid
Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
Benzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	71-43-2	W
Bromobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	108-86-1	W
Bromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	74-97-5	W
Bromodichloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-27-4	W
Bromoform	<25.9	ug/kg	60.0	25.9	1	06/25/08 10:50	06/25/08 14:15	75-25-2	W
Bromomethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	74-83-9	W
n-Butylbenzene	<40.4	ug/kg	60.0	40.4	1	06/25/08 10:50	06/25/08 14:15	104-51-8	W
sec-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	135-98-8	W
tert-Butylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	98-06-6	W
Carbon tetrachloride	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	56-23-5	W
Chlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	108-90-7	W
Chloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-00-3	W
Chloroform	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	67-66-3	W
Chloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	74-87-3	W
2-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	95-49-8	W
4-Chlorotoluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	106-43-4	W
1,2-Dibromo-3-chloropropane	<82.3	ug/kg	250	82.3	1	06/25/08 10:50	06/25/08 14:15	96-12-8	W
Dibromochloromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	124-48-1	W
1,2-Dibromoethane (EDB)	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	106-93-4	W
Dibromomethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	74-95-3	W
1,2-Dichlorobenzene	<44.4	ug/kg	60.0	44.4	1	06/25/08 10:50	06/25/08 14:15	95-50-1	W
1,3-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	541-73-1	W
1,4-Dichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	106-46-7	W
Dichlorodifluoromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-71-8	W
1,1-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-34-3	W
1,2-Dichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	107-06-2	W
1,1-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-35-4	W
cis-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	156-59-2	W
trans-1,2-Dichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	156-60-5	W
1,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	78-87-5	W
1,3-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	142-28-9	W
2,2-Dichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	594-20-7	W
1,1-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	563-58-6	W
cis-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	10061-01-5	W
trans-1,3-Dichloropropene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	10061-02-6	W
Diisopropyl ether	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	108-20-3	W
Ethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	100-41-4	W
Hexachloro-1,3-butadiene	<26.4	ug/kg	60.0	26.4	1	06/25/08 10:50	06/25/08 14:15	87-68-3	W
Isopropylbenzene (Cumene)	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	98-82-8	W
p-Isopropyltoluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	99-87-6	W
Methylene Chloride	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-09-2	R1,W
Methyl-tert-butyl ether	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	1634-04-4	W
Naphthalene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	91-20-3	W
n-Propylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	103-65-1	W
Styrene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	100-42-5	W

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 29 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: MEOH BLANK Lab ID: 405374013 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Solid
Results reported on a "wet-weight" basis

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Med Level Normal List		Analytical Method: EPA 8260 Preparation Method: EPA 5035/5030B							
1,1,1,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	630-20-6	W
1,1,2,2-Tetrachloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	79-34-5	W
Tetrachloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	127-18-4	W
Toluene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	108-88-3	W
1,2,3-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	87-61-6	W
1,2,4-Trichlorobenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	120-82-1	W
1,1,1-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	71-55-6	W
1,1,2-Trichloroethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	79-00-5	W
Trichloroethene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	79-01-6	W
Trichlorofluoromethane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-69-4	W
1,2,3-Trichloropropane	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	96-18-4	W
1,2,4-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	95-63-6	W
1,3,5-Trimethylbenzene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	108-67-8	W
Vinyl chloride	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	75-01-4	W
m&p-Xylene	<25.0	ug/kg	120	25.0	1	06/25/08 10:50	06/25/08 14:15	1330-20-7	W
o-Xylene	<25.0	ug/kg	60.0	25.0	1	06/25/08 10:50	06/25/08 14:15	95-47-6	W
Dibromofluoromethane (S)	113	%	64-140		1	06/25/08 10:50	06/25/08 14:15	1868-53-7	
Toluene-d8 (S)	102	%	67-139		1	06/25/08 10:50	06/25/08 14:15	2037-26-5	
4-Bromofluorobenzene (S)	108	%	64-133		1	06/25/08 10:50	06/25/08 14:15	460-00-4	

ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: TRIP BLANK Lab ID: 405374014 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
Benzene	<0.41	ug/L	1.0	0.41	1		06/24/08 09:09	71-43-2	
Bromobenzene	<0.82	ug/L	1.0	0.82	1		06/24/08 09:09	108-86-1	
Bromochloromethane	<0.97	ug/L	1.0	0.97	1		06/24/08 09:09	74-97-5	
Bromodichloromethane	<0.56	ug/L	1.9	0.56	1		06/24/08 09:09	75-27-4	
Bromoform	<0.94	ug/L	3.1	0.94	1		06/24/08 09:09	75-25-2	
Bromomethane	<0.91	ug/L	3.0	0.91	1		06/24/08 09:09	74-83-9	
n-Butylbenzene	<0.93	ug/L	1.0	0.93	1		06/24/08 09:09	104-51-8	
sec-Butylbenzene	<0.89	ug/L	1.0	0.89	1		06/24/08 09:09	135-98-8	
tert-Butylbenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 09:09	98-06-6	
Carbon tetrachloride	<0.49	ug/L	1.0	0.49	1		06/24/08 09:09	56-23-5	
Chlorobenzene	<0.41	ug/L	1.0	0.41	1		06/24/08 09:09	108-90-7	
Chloroethane	<0.97	ug/L	1.0	0.97	1		06/24/08 09:09	75-00-3	
Chloroform	<0.37	ug/L	1.2	0.37	1		06/24/08 09:09	67-66-3	
Chloromethane	<0.24	ug/L	0.80	0.24	1		06/24/08 09:09	74-87-3	
2-Chlorotoluene	<0.85	ug/L	1.0	0.85	1		06/24/08 09:09	95-49-8	
4-Chlorotoluene	<0.74	ug/L	1.0	0.74	1		06/24/08 09:09	106-43-4	
1,2-Dibromo-3-chloropropane	<0.87	ug/L	2.9	0.87	1		06/24/08 09:09	96-12-8	
Dibromochloromethane	<0.81	ug/L	1.0	0.81	1		06/24/08 09:09	124-48-1	
1,2-Dibromoethane (EDB)	<0.56	ug/L	1.9	0.56	1		06/24/08 09:09	106-93-4	
Dibromomethane	<0.60	ug/L	1.0	0.60	1		06/24/08 09:09	74-95-3	
1,2-Dichlorobenzene	<0.83	ug/L	1.0	0.83	1		06/24/08 09:09	95-50-1	
1,3-Dichlorobenzene	<0.87	ug/L	1.0	0.87	1		06/24/08 09:09	541-73-1	
1,4-Dichlorobenzene	<0.95	ug/L	1.0	0.95	1		06/24/08 09:09	106-46-7	
Dichlorodifluoromethane	<0.99	ug/L	1.0	0.99	1		06/24/08 09:09	75-71-8	
1,1-Dichloroethane	<0.75	ug/L	1.0	0.75	1		06/24/08 09:09	75-34-3	
1,2-Dichloroethane	<0.36	ug/L	1.0	0.36	1		06/24/08 09:09	107-06-2	
1,1-Dichloroethene	<0.57	ug/L	1.0	0.57	1		06/24/08 09:09	75-35-4	
cis-1,2-Dichloroethene	<0.83	ug/L	1.0	0.83	1		06/24/08 09:09	156-59-2	
trans-1,2-Dichloroethene	<0.89	ug/L	1.0	0.89	1		06/24/08 09:09	156-60-5	
1,2-Dichloropropane	<0.46	ug/L	1.0	0.46	1		06/24/08 09:09	78-87-5	
1,3-Dichloropropane	<0.61	ug/L	2.0	0.61	1		06/24/08 09:09	142-28-9	
2,2-Dichloropropane	<0.62	ug/L	1.0	0.62	1		06/24/08 09:09	594-20-7	
1,1-Dichloropropene	<0.75	ug/L	1.0	0.75	1		06/24/08 09:09	563-58-6	
cis-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/24/08 09:09	10061-01-5	
trans-1,3-Dichloropropene	<0.19	ug/L	0.63	0.19	1		06/24/08 09:09	10061-02-6	
Diisopropyl ether	<0.76	ug/L	1.0	0.76	1		06/24/08 09:09	108-20-3	
Ethylbenzene	<0.54	ug/L	1.0	0.54	1		06/24/08 09:09	100-41-4	
Hexachloro-1,3-butadiene	<0.67	ug/L	1.0	0.67	1		06/24/08 09:09	87-68-3	
Isopropylbenzene (Cumene)	<0.59	ug/L	1.0	0.59	1		06/24/08 09:09	98-82-8	
p-Isopropyltoluene	<0.67	ug/L	1.0	0.67	1		06/24/08 09:09	99-87-6	
Methylene Chloride	0.93J	ug/L	1.4	0.43	1		06/24/08 09:09	75-09-2	
Methyl-tert-butyl ether	<0.61	ug/L	2.0	0.61	1		06/24/08 09:09	1634-04-4	
Naphthalene	<0.74	ug/L	5.0	0.74	1		06/24/08 09:09	91-20-3	
n-Propylbenzene	<0.81	ug/L	1.0	0.81	1		06/24/08 09:09	103-65-1	
Styrene	<0.86	ug/L	1.0	0.86	1		06/24/08 09:09	100-42-5	
1,1,1,2-Tetrachloroethane	<0.92	ug/L	1.0	0.92	1		06/24/08 09:09	630-20-6	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 31 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



ANALYTICAL RESULTS

Project: 200802257
Pace Project No.: 405374

Sample: TRIP BLANK Lab ID: 405374014 Collected: 06/18/08 00:00 Received: 06/20/08 08:45 Matrix: Water

Parameters	Results	Units	LOQ	LOD	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV									
Analytical Method: EPA 8260									
1,1,2,2-Tetrachloroethane	<0.20	ug/L	0.67	0.20	1		06/24/08 09:09	79-34-5	
Tetrachloroethene	<0.45	ug/L	1.0	0.45	1		06/24/08 09:09	127-18-4	
Toluene	<0.67	ug/L	1.0	0.67	1		06/24/08 09:09	108-88-3	
1,2,3-Trichlorobenzene	<0.74	ug/L	1.0	0.74	1		06/24/08 09:09	87-61-6	
1,2,4-Trichlorobenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 09:09	120-82-1	
1,1,1-Trichloroethane	<0.90	ug/L	1.0	0.90	1		06/24/08 09:09	71-55-6	
1,1,2-Trichloroethane	<0.42	ug/L	1.4	0.42	1		06/24/08 09:09	79-00-5	
Trichloroethene	<0.48	ug/L	1.0	0.48	1		06/24/08 09:09	79-01-6	
Trichlorofluoromethane	<0.79	ug/L	1.0	0.79	1		06/24/08 09:09	75-69-4	
1,2,3-Trichloropropane	<0.99	ug/L	1.0	0.99	1		06/24/08 09:09	96-18-4	
1,2,4-Trimethylbenzene	<0.97	ug/L	1.0	0.97	1		06/24/08 09:09	95-63-6	
1,3,5-Trimethylbenzene	<0.83	ug/L	1.0	0.83	1		06/24/08 09:09	108-67-8	
Vinyl chloride	<0.18	ug/L	0.60	0.18	1		06/24/08 09:09	75-01-4	
m&p-Xylene	<1.8	ug/L	2.0	1.8	1		06/24/08 09:09	1330-20-7	
o-Xylene	<0.83	ug/L	1.0	0.83	1		06/24/08 09:09	95-47-6	
4-Bromofluorobenzene (S)	103	%	64-132		1		06/24/08 09:09	460-00-4	
Dibromofluoromethane (S)	102	%	68-122		1		06/24/08 09:09	1868-53-7	
Toluene-d8 (S)	99	%	73-127		1		06/24/08 09:09	2037-26-5	

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

QC Batch: PMST/1464 Analysis Method: ASTM D2974-87
 QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
 Associated Lab Samples: 405374001, 405374002, 405374003, 405374004, 405374005, 405374006, 405374007, 405374008, 405374009,
 405374010

SAMPLE DUPLICATE: 43382

Parameter	Units	405428001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	33.5	35.4	6	10	

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

QC Batch: MSV/1983 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV
Associated Lab Samples: 405374011, 405374012, 405374014

METHOD BLANK: 43593
Associated Lab Samples: 405374011, 405374012, 405374014

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<0.92	1.0	
1,1,1-Trichloroethane	ug/L	<0.90	1.0	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	0.67	
1,1,2-Trichloroethane	ug/L	<0.42	1.4	
1,1-Dichloroethane	ug/L	<0.75	1.0	
1,1-Dichloroethene	ug/L	<0.57	1.0	
1,1-Dichloropropene	ug/L	<0.75	1.0	
1,2,3-Trichlorobenzene	ug/L	<0.74	1.0	
1,2,3-Trichloropropane	ug/L	<0.99	1.0	
1,2,4-Trichlorobenzene	ug/L	<0.97	1.0	
1,2,4-Trimethylbenzene	ug/L	<0.97	1.0	
1,2-Dibromo-3-chloropropane	ug/L	<0.87	2.9	
1,2-Dibromoethane (EDB)	ug/L	<0.56	1.9	
1,2-Dichlorobenzene	ug/L	<0.83	1.0	
1,2-Dichloroethane	ug/L	<0.36	1.0	
1,2-Dichloropropane	ug/L	<0.46	1.0	
1,3,5-Trimethylbenzene	ug/L	<0.83	1.0	
1,3-Dichlorobenzene	ug/L	<0.87	1.0	
1,3-Dichloropropane	ug/L	<0.61	2.0	
1,4-Dichlorobenzene	ug/L	<0.95	1.0	
2,2-Dichloropropane	ug/L	<0.62	1.0	
2-Chlorotoluene	ug/L	<0.85	1.0	
4-Chlorotoluene	ug/L	<0.74	1.0	
Benzene	ug/L	<0.41	1.0	
Bromobenzene	ug/L	<0.82	1.0	
Bromochloromethane	ug/L	<0.97	1.0	
Bromodichloromethane	ug/L	<0.56	1.9	
Bromoform	ug/L	<0.94	3.1	
Bromomethane	ug/L	<0.91	3.0	
Carbon tetrachloride	ug/L	<0.49	1.0	
Chlorobenzene	ug/L	<0.41	1.0	
Chloroethane	ug/L	<0.97	1.0	
Chloroform	ug/L	<0.37	1.2	
Chloromethane	ug/L	<0.24	0.80	
cis-1,2-Dichloroethene	ug/L	<0.83	1.0	
cis-1,3-Dichloropropene	ug/L	<0.19	0.63	
Dibromochloromethane	ug/L	<0.81	1.0	
Dibromomethane	ug/L	<0.60	1.0	
Dichlorodifluoromethane	ug/L	<0.99	1.0	
Diisopropyl ether	ug/L	<0.76	1.0	
Ethylbenzene	ug/L	<0.54	1.0	
Hexachloro-1,3-butadiene	ug/L	<0.67	1.0	
Isopropylbenzene (Cumene)	ug/L	<0.59	1.0	

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

METHOD BLANK: 43593

Associated Lab Samples: 405374011, 405374012, 405374014

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
m&p-Xylene	ug/L	<1.8	2.0	
Methyl-tert-butyl ether	ug/L	<0.61	2.0	
Methylene Chloride	ug/L	<0.43	1.4	
n-Butylbenzene	ug/L	<0.93	1.0	
n-Propylbenzene	ug/L	<0.81	1.0	
Naphthalene	ug/L	<0.74	5.0	
o-Xylene	ug/L	<0.83	1.0	
p-Isopropyltoluene	ug/L	<0.67	1.0	
sec-Butylbenzene	ug/L	<0.89	1.0	
Styrene	ug/L	<0.86	1.0	
tert-Butylbenzene	ug/L	<0.97	1.0	
Tetrachloroethene	ug/L	<0.45	1.0	
Toluene	ug/L	<0.67	1.0	
trans-1,2-Dichloroethene	ug/L	<0.89	1.0	
trans-1,3-Dichloropropene	ug/L	<0.19	0.63	
Trichloroethene	ug/L	<0.48	1.0	
Trichlorofluoromethane	ug/L	<0.79	1.0	
Vinyl chloride	ug/L	<0.18	0.60	
4-Bromofluorobenzene (S)	%	103	64-132	
Dibromofluoromethane (S)	%	101	68-122	
Toluene-d8 (S)	%	100	73-127	

LABORATORY CONTROL SAMPLE & LCSD: 43594

43595

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/L	50	55.0	56.3	110	113	75-128	2	20	
1,1,2,2-Tetrachloroethane	ug/L	50	48.5	47.3	97	95	67-125	2	20	
1,1,2-Trichloroethane	ug/L	50	50.8	50.9	102	102	75-125	4	20	
1,1-Dichloroethane	ug/L	50	54.8	56.5	110	113	71-130	3	20	
1,1-Dichloroethene	ug/L	50	52.7	55.8	105	112	75-125	6	20	
1,2-Dichloroethane	ug/L	50	54.7	55.3	109	111	71-132	1	20	
1,2-Dichloropropane	ug/L	50	52.3	52.5	105	105	73-125	3	20	
Benzene	ug/L	50	53.1	54.8	106	110	75-125	3	20	
Bromodichloromethane	ug/L	50	52.9	54.1	106	108	75-125	2	20	
Bromoform	ug/L	50	44.0	45.1	88	90	75-125	3	20	
Bromomethane	ug/L	50	53.8	57.7	108	115	66-125	7	20	
Carbon tetrachloride	ug/L	50	54.7	56.7	109	113	75-125	4	20	
Chlorobenzene	ug/L	50	50.4	50.8	101	102	75-125	7	20	
Chloroethane	ug/L	50	55.3	56.4	111	113	72-126	2	20	
Chloroform	ug/L	50	52.7	54.0	105	108	75-125	2	20	
Chloromethane	ug/L	50	50.0	51.6	100	103	46-143	3	20	
cis-1,2-Dichloroethene	ug/L	50	52.3	53.1	105	106	75-125	2	20	
cis-1,3-Dichloropropene	ug/L	50	52.8	53.6	106	107	75-125	1	20	
Dibromochloromethane	ug/L	50	48.4	49.4	97	99	75-125	2	20	
Ethylbenzene	ug/L	50	51.2	51.9	102	104	75-125	1	20	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 35 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

LABORATORY CONTROL SAMPLE & LCSD: 43594		43595								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/L	100	102	103	102	103	75-125	1	20	
Methylene Chloride	ug/L	50	53.0	53.8	106	108	75-125	1	20	
o-Xylene	ug/L	50	50.0	51.0	100	102	75-125	2	20	
Styrene	ug/L	50	48.5	48.5	97	97	75-125	.1	20	
Tetrachloroethene	ug/L	50	51.0	51.4	102	103	75-130	.7	20	
Toluene	ug/L	50	50.6	51.2	101	102	75-125	1	20	
trans-1,2-Dichloroethene	ug/L	50	53.1	54.0	106	108	75-125	2	20	
trans-1,3-Dichloropropene	ug/L	50	51.6	51.8	103	104	75-125	.4	20	
Trichloroethene	ug/L	50	52.8	52.7	106	105	75-125	.2	20	
Vinyl chloride	ug/L	50	54.4	55.7	109	111	65-130	3	20	
4-Bromofluorobenzene (S)	%				103	104	64-132			
Dibromofluoromethane (S)	%				100	102	68-122			
Toluene-d8 (S)	%				99	100	73-127			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 43710		43711										
Parameter	Units	405421001	MS Spike	MSD Spike	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		Result	Conc.	Conc.	Result	Result	% Rec	% Rec	RPD	RPD	RPD	Qual
1,1,1-Trichloroethane	ug/L	<0.90	50	50	54.8	54.9	110	110	70-130	.08	30	
1,1,2,2-Tetrachloroethane	ug/L	<0.20	50	50	48.0	48.9	96	98	70-130	2	30	
1,1,2-Trichloroethane	ug/L	<0.42	50	50	50.7	50.1	101	100	70-130	1	30	
1,1-Dichloroethane	ug/L	<0.75	50	50	54.8	54.7	110	109	70-130	.2	30	
1,1-Dichloroethene	ug/L	<0.57	50	50	53.0	53.3	106	107	70-135	.5	30	
1,2-Dichloroethane	ug/L	<0.36	50	50	54.2	55.1	108	110	70-130	2	30	
1,2-Dichloropropane	ug/L	<0.46	50	50	51.6	52.2	103	104	70-130	1	30	
Benzene	ug/L	<0.41	50	50	52.8	53.2	106	106	70-130	.7	30	
Bromodichloromethane	ug/L	<0.56	50	50	53.6	52.2	107	104	70-130	3	30	
Bromoform	ug/L	<0.94	50	50	44.4	44.6	89	89	70-130	.5	30	
Bromomethane	ug/L	<0.91	50	50	57.3	58.3	115	117	63-147	2	30	
Carbon tetrachloride	ug/L	<0.49	50	50	54.6	54.5	109	109	70-131	.1	30	
Chlorobenzene	ug/L	<0.41	50	50	50.4	50.0	101	100	70-130	.7	30	
Chloroethane	ug/L	<0.97	50	50	55.4	54.6	111	109	67-138	1	30	
Chloroform	ug/L	<0.37	50	50	52.4	52.8	105	106	70-130	.7	30	
Chloromethane	ug/L	<0.24	50	50	50.3	49.4	101	99	43-150	2	30	
cis-1,2-Dichloroethene	ug/L	<0.83	50	50	51.3	51.4	103	103	70-130	.2	30	
cis-1,3-Dichloropropene	ug/L	<0.19	50	50	53.4	52.8	107	106	70-130	1	30	
Dibromochloromethane	ug/L	<0.81	50	50	49.6	49.1	99	98	70-130	1	30	
Ethylbenzene	ug/L	<0.54	50	50	51.3	50.4	102	100	70-136	2	30	
m&p-Xylene	ug/L	<1.8	100	100	102	100	102	100	70-137	2	30	
Methylene Chloride	ug/L	<0.43	50	50	52.8	53.2	106	106	70-130	.7	30	
o-Xylene	ug/L	<0.83	50	50	49.6	49.5	99	99	70-130	.1	30	
Styrene	ug/L	<0.86	50	50	47.3	47.2	95	94	70-130	.007	30	
Tetrachloroethene	ug/L	<0.45	50	50	50.3	50.3	101	101	70-130	.1	30	
Toluene	ug/L	<0.67	50	50	50.5	50.2	101	100	70-130	.5	30	
trans-1,2-Dichloroethene	ug/L	<0.89	50	50	52.5	53.3	105	107	70-130	2	30	
trans-1,3-Dichloropropene	ug/L	<0.19	50	50	50.6	51.0	101	102	70-130	.6	30	
Trichloroethene	ug/L	<0.48	50	50	53.3	52.0	107	104	70-130	2	30	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 36 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

Parameter	Units	43710		43711		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	Qual
		405421001 Result	MS Spike Conc.	MSD Spike Conc.								
Vinyl chloride	ug/L	<0.18	50	50	54.8	54.4	110	109	62-138	.7	30	
4-Bromofluorobenzene (S)	%						104	103	64-132			
Dibromofluoromethane (S)	%						101	101	68-122			
Toluene-d8 (S)	%						100	99	73-127			

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

QC Batch: MSV/2011 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Associated Lab Samples: 405374001, 405374002, 405374003, 405374004, 405374005, 405374006, 405374007, 405374008

METHOD BLANK: 44117

Associated Lab Samples: 405374001, 405374002, 405374003, 405374004, 405374005, 405374006, 405374007, 405374008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	
1,1,2,2-Tetrachloroethane	ug/kg	<25.0	60.0	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	
1,1-Dichloroethane	ug/kg	<25.0	60.0	
1,1-Dichloroethene	ug/kg	<25.0	60.0	
1,1-Dichloropropene	ug/kg	<25.0	60.0	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	
1,2-Dibromo-3-chloropropane	ug/kg	<82.3	250	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	
1,2-Dichlorobenzene	ug/kg	<44.4	60.0	
1,2-Dichloroethane	ug/kg	<25.0	60.0	
1,2-Dichloropropane	ug/kg	<25.0	60.0	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	
1,3-Dichloropropane	ug/kg	<25.0	60.0	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	
2,2-Dichloropropane	ug/kg	<25.0	60.0	
2-Chlorotoluene	ug/kg	<25.0	60.0	
4-Chlorotoluene	ug/kg	<25.0	60.0	
Benzene	ug/kg	<25.0	60.0	
Bromobenzene	ug/kg	<25.0	60.0	
Bromochloromethane	ug/kg	<25.0	60.0	
Bromodichloromethane	ug/kg	<25.0	60.0	
Bromoform	ug/kg	<25.9	60.0	
Bromomethane	ug/kg	<25.0	60.0	
Carbon tetrachloride	ug/kg	<25.0	60.0	
Chlorobenzene	ug/kg	<25.0	60.0	
Chloroethane	ug/kg	<25.0	60.0	
Chloroform	ug/kg	<25.0	60.0	
Chloromethane	ug/kg	<25.0	60.0	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	
Dibromochloromethane	ug/kg	<25.0	60.0	
Dibromomethane	ug/kg	<25.0	60.0	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	
Diisopropyl ether	ug/kg	<25.0	60.0	
Ethylbenzene	ug/kg	<25.0	60.0	
Hexachloro-1,3-butadiene	ug/kg	<26.4	60.0	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 38 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

METHOD BLANK: 44117

Associated Lab Samples: 405374001, 405374002, 405374003, 405374004, 405374005, 405374006, 405374007, 405374008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
m&p-Xylene	ug/kg	<25.0	120	
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	
Methylene Chloride	ug/kg	<25.0	60.0	
n-Butylbenzene	ug/kg	<40.4	60.0	
n-Propylbenzene	ug/kg	<25.0	60.0	
Naphthalene	ug/kg	<25.0	60.0	
o-Xylene	ug/kg	<25.0	60.0	
p-Isopropyltoluene	ug/kg	<25.0	60.0	
sec-Butylbenzene	ug/kg	<25.0	60.0	
Styrene	ug/kg	<25.0	60.0	
tert-Butylbenzene	ug/kg	<25.0	60.0	
Tetrachloroethene	ug/kg	<25.0	60.0	
Toluene	ug/kg	<25.0	60.0	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	
Trichloroethene	ug/kg	<25.0	60.0	
Trichlorofluoromethane	ug/kg	<25.0	60.0	
Vinyl chloride	ug/kg	<25.0	60.0	
4-Bromofluorobenzene (S)	%	103	64-133	
Dibromofluoromethane (S)	%	110	64-140	
Toluene-d8 (S)	%	106	67-139	

LABORATORY CONTROL SAMPLE & LCSD: 44118

44119

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2950	2990	118	120	75-125	1	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2320	2300	93	92	75-125	1	20	
1,1,2-Trichloroethane	ug/kg	2500	2410	2440	96	98	75-125	1	20	
1,1-Dichloroethane	ug/kg	2500	2680	2750	107	110	75-125	2	20	
1,1-Dichloroethene	ug/kg	2500	2980	2950	119	118	54-149	1	20	
1,2-Dichloroethane	ug/kg	2500	3020	3070	121	123	75-125	2	20	
1,2-Dichloropropane	ug/kg	2500	2430	2380	97	95	75-125	2	20	
Benzene	ug/kg	2500	2230	2250	89	90	75-125	.6	20	
Bromodichloromethane	ug/kg	2500	2820	2780	113	111	75-125	1	20	
Bromoform	ug/kg	2500	2920	2900	117	116	72-125	.6	20	
Bromomethane	ug/kg	2500	3240	3100	130	124	40-159	4	20	
Carbon tetrachloride	ug/kg	2500	3110	3260	125	130	75-125	5	20	
Chlorobenzene	ug/kg	2500	2540	2520	101	101	75-125	.8	20	
Chloroethane	ug/kg	2500	3240	3240	130	130	40-179	.002	20	
Chloroform	ug/kg	2500	2720	2710	109	109	75-125	.03	20	
Chloromethane	ug/kg	2500	2260	2250	90	90	42-125	.7	20	
cis-1,2-Dichloroethene	ug/kg	2500	2410	2530	97	101	75-125	5	20	
cis-1,3-Dichloropropene	ug/kg	2500	2760	2670	110	107	75-125	3	20	
Dibromochloromethane	ug/kg	2500	2780	2900	111	116	75-125	4	20	
Ethylbenzene	ug/kg	2500	2780	2810	111	112	75-125	1	20	

QUALITY CONTROL DATA

Project: 200802257

Pace Project No.: 405374

LABORATORY CONTROL SAMPLE & LCSD: 44118		44119									
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers	
m&p-Xylene	ug/kg	5000	5560	5530	111	111	75-127	.5	20		
Methylene Chloride	ug/kg	2500	2730	2670	109	107	58-144	2	20		
o-Xylene	ug/kg	2500	2790	2770	111	111	75-125	.4	20		
Styrene	ug/kg	2500	2540	2500	102	100	75-130	2	20		
Tetrachloroethene	ug/kg	2500	2660	2720	107	109	75-125	2	20		
Toluene	ug/kg	2500	2510	2520	100	101	75-125	.7	20		
trans-1,2-Dichloroethene	ug/kg	2500	2840	2920	114	117	75-125	3	20		
trans-1,3-Dichloropropene	ug/kg	2500	2750	2840	110	113	75-125	3	20		
Trichloroethene	ug/kg	2500	2760	2670	110	107	75-125	3	20		
Vinyl chloride	ug/kg	2500	2520	2540	101	102	49-125	.8	20		
4-Bromofluorobenzene (S)	%				106	107	64-133				
Dibromofluoromethane (S)	%				110	111	64-140				
Toluene-d8 (S)	%				106	106	67-139				

QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

QC Batch: MSV/2016 Analysis Method: EPA 8260
QC Batch Method: EPA 5035/5030B Analysis Description: 8260 MSV Med Level Normal List
Associated Lab Samples: 405374009, 405374010, 405374013

METHOD BLANK: 44823

Associated Lab Samples: 405374009, 405374010, 405374013

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	
1,1,1-Trichloroethane	ug/kg	<25.0	60.0	
1,1,1,2-Tetrachloroethane	ug/kg	<25.0	60.0	
1,1,2-Trichloroethane	ug/kg	<25.0	60.0	
1,1-Dichloroethane	ug/kg	<25.0	60.0	
1,1-Dichloroethene	ug/kg	<25.0	60.0	
1,1-Dichloropropene	ug/kg	<25.0	60.0	
1,2,3-Trichlorobenzene	ug/kg	<25.0	60.0	
1,2,3-Trichloropropane	ug/kg	<25.0	60.0	
1,2,4-Trichlorobenzene	ug/kg	<25.0	60.0	
1,2,4-Trimethylbenzene	ug/kg	<25.0	60.0	
1,2-Dibromo-3-chloropropane	ug/kg	<82.3	250	
1,2-Dibromoethane (EDB)	ug/kg	<25.0	60.0	
1,2-Dichlorobenzene	ug/kg	<44.4	60.0	
1,2-Dichloroethane	ug/kg	<25.0	60.0	
1,2-Dichloropropane	ug/kg	<25.0	60.0	
1,3,5-Trimethylbenzene	ug/kg	<25.0	60.0	
1,3-Dichlorobenzene	ug/kg	<25.0	60.0	
1,3-Dichloropropane	ug/kg	<25.0	60.0	
1,4-Dichlorobenzene	ug/kg	<25.0	60.0	
2,2-Dichloropropane	ug/kg	<25.0	60.0	
2-Chlorotoluene	ug/kg	<25.0	60.0	
4-Chlorotoluene	ug/kg	<25.0	60.0	
Benzene	ug/kg	<25.0	60.0	
Bromobenzene	ug/kg	<25.0	60.0	
Bromochloromethane	ug/kg	<25.0	60.0	
Bromodichloromethane	ug/kg	<25.0	60.0	
Bromoform	ug/kg	<25.9	60.0	
Bromomethane	ug/kg	<25.0	60.0	
Carbon tetrachloride	ug/kg	<25.0	60.0	
Chlorobenzene	ug/kg	<25.0	60.0	
Chloroethane	ug/kg	<25.0	60.0	
Chloroform	ug/kg	<25.0	60.0	
Chloromethane	ug/kg	<25.0	60.0	
cis-1,2-Dichloroethene	ug/kg	<25.0	60.0	
cis-1,3-Dichloropropene	ug/kg	<25.0	60.0	
Dibromochloromethane	ug/kg	<25.0	60.0	
Dibromomethane	ug/kg	<25.0	60.0	
Dichlorodifluoromethane	ug/kg	<25.0	60.0	
Diisopropyl ether	ug/kg	<25.0	60.0	
Ethylbenzene	ug/kg	<25.0	60.0	
Hexachloro-1,3-butadiene	ug/kg	<26.4	60.0	
Isopropylbenzene (Cumene)	ug/kg	<25.0	60.0	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 41 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 200802257

Pace Project No.: 405374

METHOD BLANK: 44823

Associated Lab Samples: 405374009, 405374010, 405374013

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
m&p-Xylene	ug/kg	<25.0	120	
Methyl-tert-butyl ether	ug/kg	<25.0	60.0	
Methylene Chloride	ug/kg	<25.0	60.0	
n-Butylbenzene	ug/kg	<40.4	60.0	
n-Propylbenzene	ug/kg	<25.0	60.0	
Naphthalene	ug/kg	<25.0	60.0	
o-Xylene	ug/kg	<25.0	60.0	
p-Isopropyltoluene	ug/kg	<25.0	60.0	
sec-Butylbenzene	ug/kg	<25.0	60.0	
Styrene	ug/kg	<25.0	60.0	
tert-Butylbenzene	ug/kg	<25.0	60.0	
Tetrachloroethene	ug/kg	<25.0	60.0	
Toluene	ug/kg	<25.0	60.0	
trans-1,2-Dichloroethene	ug/kg	<25.0	60.0	
trans-1,3-Dichloropropene	ug/kg	<25.0	60.0	
Trichloroethene	ug/kg	<25.0	60.0	
Trichlorofluoromethane	ug/kg	<25.0	60.0	
Vinyl chloride	ug/kg	<25.0	60.0	
4-Bromofluorobenzene (S)	%	111	64-133	
Dibromofluoromethane (S)	%	120	64-140	
Toluene-d8 (S)	%	116	67-139	

LABORATORY CONTROL SAMPLE & LCSD: 44824

44825

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1,1-Trichloroethane	ug/kg	2500	2900	2980	116	119	75-125	3	20	
1,1,2,2-Tetrachloroethane	ug/kg	2500	2410	2660	97	107	75-125	10	20	
1,1,2-Trichloroethane	ug/kg	2500	2640	2770	105	111	75-125	5	20	
1,1-Dichloroethane	ug/kg	2500	2810	2950	112	118	75-125	5	20	
1,1-Dichloroethene	ug/kg	2500	3000	3150	120	126	54-149	5	20	
1,2-Dichloroethane	ug/kg	2500	2690	2880	108	115	75-125	7	20	
1,2-Dichloropropane	ug/kg	2500	2760	2860	111	115	75-125	4	20	
Benzene	ug/kg	2500	2680	2770	107	111	75-125	3	20	
Bromodichloromethane	ug/kg	2500	2720	2870	109	115	75-125	5	20	
Bromoform	ug/kg	2500	2510	2630	100	105	72-125	5	20	
Bromomethane	ug/kg	2500	2650	2840	106	114	40-159	7	20	
Carbon tetrachloride	ug/kg	2500	2870	3030	115	121	75-125	5	20	
Chlorobenzene	ug/kg	2500	2680	2820	107	113	75-125	5	20	
Chloroethane	ug/kg	2500	2570	2590	103	103	40-179	6	20	
Chloroform	ug/kg	2500	2710	2790	108	112	75-125	3	20	
Chloromethane	ug/kg	2500	2370	2420	95	97	42-125	2	20	
cis-1,2-Dichloroethene	ug/kg	2500	2730	2850	109	114	75-125	4	20	
cis-1,3-Dichloropropene	ug/kg	2500	2740	2890	109	116	75-125	6	20	
Dibromochloromethane	ug/kg	2500	2670	2880	107	115	75-125	8	20	
Ethylbenzene	ug/kg	2500	2870	3030	115	121	75-125	5	20	

Date: 06/27/2008 10:46 AM

REPORT OF LABORATORY ANALYSIS

Page 42 of 45

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..



QUALITY CONTROL DATA

Project: 200802257
Pace Project No.: 405374

LABORATORY CONTROL SAMPLE & LCSD: 44824		44825								
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
m&p-Xylene	ug/kg	5000	5780	6060	116	121	75-127	5	20	
Methylene Chloride	ug/kg	2500	2410	3110	96	124	58-144	25	20	
o-Xylene	ug/kg	2500	3000	3110	120	124	75-125	4	20	
Styrene	ug/kg	2500	2520	2690	101	107	75-130	6	20	
Tetrachloroethene	ug/kg	2500	2760	2900	110	116	75-125	5	20	
Toluene	ug/kg	2500	2740	2860	109	114	75-125	4	20	
trans-1,2-Dichloroethene	ug/kg	2500	2780	2930	111	117	75-125	5	20	
trans-1,3-Dichloropropene	ug/kg	2500	2660	2780	106	111	75-125	4	20	
Trichloroethene	ug/kg	2500	2780	2870	111	115	75-125	3	20	
Vinyl chloride	ug/kg	2500	2670	2800	107	112	49-125	4	20	
4-Bromofluorobenzene (S)	%				111	113	64-133			
Dibromofluoromethane (S)	%				115	123	64-140			
Toluene-d8 (S)	%				115	118	67-139			

QUALIFIERS

Project: 200802257
Pace Project No.: 405374

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-G Pace Analytical Services - Green Bay

BATCH QUALIFIERS

Batch: MSV/2012

[1] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

Batch: MSV/2017

[1] A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.

ANALYTE QUALIFIERS

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

R1 RPD value was outside control limits.

S3 Surrogate recovery exceeded laboratory control limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

W Non-detect results are reported on a wet weight basis.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 200802257
Pace Project No.: 405374

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
405374001	8516 DURAND 1-2'	ASTM D2974-87	PMST/1464		
405374002	8516 DURAND 8-9'	ASTM D2974-87	PMST/1464		
405374003	2801 DURAND 1-2'	ASTM D2974-87	PMST/1464		
405374004	2801 DURAND 2 1-2'	ASTM D2974-87	PMST/1464		
405374005	2801 DURAND 2 8-10'	ASTM D2974-87	PMST/1464		
405374006	4606 WASHINGTON 1-3'	ASTM D2974-87	PMST/1464		
405374007	4606 WASHINGTON 10-12'	ASTM D2974-87	PMST/1464		
405374008	301 MAIN 1-2'	ASTM D2974-87	PMST/1464		
405374009	3406 DOUGLAS 1-2'	ASTM D2974-87	PMST/1464		
405374010	3406 DOUGLAS 8-9'	ASTM D2974-87	PMST/1464		
405374011	301 MAIN	EPA 8260	MSV/1983		
405374012	4606 WASHINGTON	EPA 8260	MSV/1983		
405374014	TRIP BLANK	EPA 8260	MSV/1983		
405374001	8516 DURAND 1-2'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374002	8516 DURAND 8-9'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374003	2801 DURAND 1-2'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374004	2801 DURAND 2 1-2'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374005	2801 DURAND 2 8-10'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374006	4606 WASHINGTON 1-3'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374007	4606 WASHINGTON 10-12'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374008	301 MAIN 1-2'	EPA 5035/5030B	MSV/2011	EPA 8260	MSV/2012
405374009	3406 DOUGLAS 1-2'	EPA 5035/5030B	MSV/2016	EPA 8260	MSV/2017
405374010	3406 DOUGLAS 8-9'	EPA 5035/5030B	MSV/2016	EPA 8260	MSV/2017
405374013	MEOH BLANK	EPA 5035/5030B	MSV/2016	EPA 8260	MSV/2017

(Please Print Clearly)

Company Name: STB
 Branch/Location: Milwaukee
 Project Contact: Lanette Altenbach
 Phone: 414-577-1363
 Project Number: 200802257
 Project Name:
 Project State: WI
 Sampled By (Print): Bryan Bergman
 Sampled By (Sign): [Signature]
 PO #:
 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=DI Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED?
(YES/NO)
 PRESERVATION
(CODE)*

Y/N	Pick Letter	Analysis Requested	Matrix Codes														
			A	B	C	D	E	F	G	H	I	J	K	L			
N	B	VOC 8260															

Quote #:
 Mail To Contact:
 Mail To Company:
 Mail To Address:
 Invoice To Contact:
 Invoice To Company:
 Invoice To Address:
 Invoice To Phone:
 CLIENT COMMENTS
 LAB COMMENTS (Lab Use Only)
 Profile #

3-40mL
 ↓

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge) Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: [Signature] Date/Time: 6-27-08 1:55
 Relinquished By: [Signature] Date/Time: 6/27/08 11:30
 Relinquished By: [Signature] Date/Time: 6/27/08 12:45
 Relinquished By:

Received By: [Signature] Date/Time: 6/27/08 1:55
 Received By: [Signature] Date/Time: 6/27/08 11:30
 Received By: [Signature] Date/Time: 6/27/08 14:48
 Received By:

PACE Project No. 405744
 Receipt Temp = RO2 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present
 Intact / Not Intact



Sample Condition Upon Receipt

Client Name: STS Project # 405374

Courier: Fed Ex UPS USPS Client Commercial Pace Other WALCO

Tracking #: _____

Custody Seal on Cooler/Box Present: yes no Seals intact: yes no

Packing Material: Bubble Wrap Bubble Bags None Other _____

Thermometer Used N/A Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temperature 201 Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Optional
Proj. Due Date:
Proj. Name:

Date and Initials of person examining contents: <u>[Signature]</u>
--

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	12. ON COC BSL6 Durand 1-21, 8-9' actually BSL5 Durand
-Includes date/time/ID/Analysis Matrix: <u>SLW</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: VOA, coliform, TOC, O&G, WI-DRO (water)	<input type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Lot # of added preservative
Headspace in VOA Vials. (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	14.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Pace Trip Blank Lot # (if purchased): _____		

Client Notification/ Resolution: _____ Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature] Date: 062008

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

(Please Print Clearly)

Company Name: **STS**
 Branch/Location: **Milwaukee**
 Project Contact: **Lanette Altenbach**
 Phone: **414-577-1363**
 Project Number: **200802257**
 Project Name:
 Project State: **WI**
 Sampled By (Print): **Bryan Bergmann**
 Sampled By (Sign): *Bryan Bergmann*
 PO #:
 Regulatory Program:



UPPER MIDWEST REGION
 MN: 612-607-1700 WI: 920-469-2436

CHAIN OF CUSTODY

***Preservation Codes**
 A=None B=HCL C=H2SO4 D=HNO3 E=D1 Water F=Methanol G=NaOH
 H=Sodium Bisulfate Solution I=Sodium Thiosulfate J=Other

FILTERED? (YES/NO)
 PRESERVATION (CODE)*

Y/N	Y	Y										
Pick Letter	F	B										
Analyses Requested	VOC	8260										
	VOC	8260B										
	X											
	X											
	X											
	X											
	X											
	X											
	X											
	X											
	X											
	X											

Quote #:

Mail To Contact: Lanette Altenbach

Mail To Company: STS

Mail To Address: 11425 W. Lake Park Dr.
Milwaukee, WI 53224

Invoice To Contact:

Invoice To Company:

Invoice To Address:

Invoice To Phone:

CLIENT COMMENTS

LAB COMMENTS (Lab Use Only)

Profile #

1-40zAg^A 1-40ml

3-40ml

1-40ml (both)

Data Package Options (billable)
 EPA Level III
 EPA Level IV

MS/MSD
 On your sample (billable)
 NOT needed on your sample

Matrix Codes
 A = Air W = Water
 B = Biota DW = Drinking Water
 C = Charcoal GW = Ground Water
 O = Oil SW = Surface Water
 S = Soil WW = Waste Water
 Sl = Sludge WP = Wipe

PACE LAB #	CLIENT FIELD ID	COLLECTION		MATRIX
		DATE	TIME	
001	8576 Durand 1-2'	6-18-08		S
003	8576 Durand 8-9'			
003	2801 Durand 1-2'			
004	2801 Durand 2 1-2'			
005	2801 Durand 2 8-10'			
006	4606 Washington 1-3'			
007	4606 Washington 10-12'			
008	301 Main 1-2'			
009	3406 Douglas 1-2'			
010	3406 Douglas 8-9'			
011	301 Main			GW
012	4606 Washington			
013	MeOH Blank			
014	Tap Blank			

Rush Turnaround Time Requested - Prelims (Rush TAT subject to approval/surcharge)
 Date Needed:
 Transmit Prelim Rush Results by (complete what you want):
 Email #1:
 Email #2:
 Telephone:
 Fax:
 Samples on HOLD are subject to special pricing and release of liability

Relinquished By: *Bryan Bergmann* Date/Time: 6-19-08
 Relinquished By: *D. Farnell* Date/Time: 6/19/08 1730
 Relinquished By: *Walter* Date/Time: 6/20/08 845
 Relinquished By:

Received By: *D. Farnell* Date/Time: 6/19/08 1630
 Received By: *Walter*
 Received By: *Cherifer Schust* Date/Time: 6/20/08 945
 Received By:

PACE Project No. 405374
 Receipt Temp = 18.1 °C
 Sample Receipt pH OK / Adjusted
 Cooler Custody Seal Present / Not Present Intact / Not Intact



Sample Condition Upon Receipt

Client Name: STS

Project # 10574

Courier: [] Fed Ex [] UPS [] USPS [] Client [] Commercial [x] Pace Other

Tracking #: _____

Optional
Proj. Due Date:
Proj. Name:

Custody Seal on Cooler/Box Present: [] yes [x] no Seals intact: [] yes [] no

Packing Material: [] Bubble Wrap [x] Bubble Bags [] None [] Other

Thermometer Used N/A Type of Ice: [x] Wet Blue None [] Samples on ice, cooling process has begun

Cooler Temperature Re-I Biological Tissue is Frozen: Yes No

Temp should be above freezing to 6°C

Date and Initials of person examining contents: 6/27/08 EL

Comments:

Table with 16 rows of checklist items and checkboxes. Items include Chain of Custody Present, Chain of Custody Filled Out, Chain of Custody Relinquished, Sampler Name & Signature on COC, Samples Arrived within Hold Time, Short Hold Time Analysis (<72hr), Rush Turn Around Time Requested, Sufficient Volume, Correct Containers Used, Containers Intact, Filtered volume received for Dissolved tests, Sample Labels match COC, All containers needing preservation have been checked, All containers needing preservation are found to be in compliance with EPA recommendation, exceptions: VOA, coliform, TOC, O&G, WI-DRO (water), Samples checked for dechlorination, Headspace in VOA Vials (>6mm), Trip Blank Present, Trip Blank Custody Seals Present, Pace Trip Blank Lot # (if purchased).

Client Notification/ Resolution: Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

Project Manager Review: [Signature]

Date: 062708

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e out of hold, incorrect preservative, out of temp, incorrect containers)