F10341088220

Fax Notification For Hazardous Substance Discharge (Non-Emergency Only)

SEP 2 - 2008

Form 4400-225 (07-03) Page 1 of 2

Emergency Discharges / Spills should be reported via the 24-Hour Hotline: 1-800-943-0003

Notice: <u>Hazardous substance discharges must be reported immediately</u> according to the "Spills Law", s. 292.11 Wis. Stats., Section NR 706.05(1)(b), Wis. Adm. Code, requires that hazardous substance discharges are to be reported by one of three methods: telephoning the Department (toll free Spill Hotline number above), telefaxing a report to the Department or visiting a Department office in person. If you choose to notify the Department by telefax, you should use this form to be sure that all necessary information is included. However use of this form is not mandatory. Under s. 292.99, Wis. Stats., the penalty for violating the reporting requirements of ch. 292 Wis. Stats., shall be no less than \$10 nor more than \$5000 for each violation. Each day of continued violation is a separate offense. It is not the Department's intention to use any personally identifiable information from this form for any purpose other than program administration. However, information submitted on this form may also be made available to requesters under Wisconsin's Open Records Law (ss. 19.31 – 19.39, Wis. Stats.). Confirmatory laboratory data should be included with this form, to assist the DNR in processing this Hazardous Substance Release Notification.

Complete this form. TYPE or PRINT LEGIBLY. discovery of a potential release from (check on Underground Petroleum Storage Tank Synchronic Dry Cleaner Facility (DERP eligibility base Other - Describe:	e) : ystem ystem						
TO DNR, ATTN: R & R Program Assistan	nt					(Area (Code) FAX Number
1. Discharge reported by:		62 10					
Name Andrew Swaim	Firm N	lorthern I	Envi	ironme	ntal	Date F/ 8/29/2	AXed to DNR 2008
Mailing Address 12075 N. Corpo	orate	Parkwa	ıy, S	Suite 2	210		ode) Phone Number 241-3133
2. Site Information		The state of the s					TREAT TO THE PARTY OF THE PARTY
Name of site at which discharge occurred. Incresidence / vacant property Cypress Cle	clude local eaners	I name of site/l	busine	ess, <u>not</u> res	ponsibl	e party i	name, unless a
Location: Include street address, not PO Box. i.e., 1/4 mile NW of CTHs 60 & 123 on E side			scribe	as precise	ly as po	ossible,	
3813 South 108th Street							
Municipality (City, Village, Township) Specify	municipal	ity in which the	e site i	s located, <u>r</u>	not mail	ing add	ress/city
Greenfield							
County: Legal Description: SE 1	/4, SE	_1/4, Section	18	_, _{Tn_} 6	, Ran	ge _20	E / W (circle one)
3. Responsible Party (RP) and/or RP Responsible Party Name: Business or Attach additional pages as necessary	epresenta	ative	light in				
Cypress Cleaners							
Reported in compliance with s. 292.11(2 s. 292.11(9)(e), Wis. Stats. For more into							
Contact Person Name (if different) Woo C	hang I	Kim	Ş.			hone N 14-329	
Mailing Address		City			5	State	ZIP Code
3813 South 108th Street	۷I	53228					

Fax Notification For Hazardous Substance Discharge (Non-Emergency Only)

Form 4400-225 (07-03) Page 2 of 2

4. Hazardous Substance In			
Identify hazardous substance dis	scharged (check all	that apply):	
METALS Arsenic Chromium Lead Mercury Metals (specify): SOLVENTS Solvent-Chlorinated Solvent-Non Chlorinated MERCC VOC's	INDUSTRIAL Ammonia Cyanide Paint PCB's VOC's Fertilizers Pesticide/Her Leachate RCRA Hazar	rbicide/Insecticide(s)	PETROLEUM Diesel/Fuel Oil Engine Oil/Waste Oil Mineral/Transmission/Hydraulic Oil Gasoline (Pb/Non-Pb/Unknown) Jet Fuel/Kerosene MTBE VOC's PAH's/SVOC Petroleum-Unknown Type
Impacts to the environment (enter	yr "K" for known/oor	nfirmed or "D" for natential for	Other (specify):
Air Contamination Co-contamination Concrete/Asphalt Contained/Recovered Contamination Within 1 Contaminated Private V Contaminated Public W Contamination in Fracti	Vell /eil	Contamination in Right of No. Direct Contact Expanding Plume Fire Explosion Threat Free Product Groundwater Contamination Off-Site Contamination Other	K Soil Contamination Storm Sewer Contamination Surface Water Contamination Within 100 ft of Private Well
Date [s a result of: 년Site assessment Date	Other – Describe: Date	
Lab results: Lab results will be faxed Lab results are attached Additional Comments: Include a hazardous substances that have	brief description of	immediate actions taken to h	alt the release and contain or cleanup
Manitowoc, Marinette, Marc Northern Region (715-365-8932)); Attention - RR P d du Lac (except C quette, Menominee, ; Attention - RR Pr Burnett, Douglas, Fo	Program Assistant: Pity of Waupun - see South Concord, Outagamie, Shawano Program Assistant:	entral Region), Green Lake, Kewaunee, , Waupaca, Waushara, Winnebago counties Lincoln, Oneida, Polk, Price, Rusk,
South Central Region (608-275-3	3338); Attention - R and du Lac <i>(City of</i>	Waupun only), Grant, Green,	Iowa, Jefferson, Lafayette, Richland, Rock,
		ygan, Walworth, Washington, '	Waukesha counties

West Central Region (715-839-6076); Attention – RR Program Assistant:

Adams, Buffalo, Chippewa, Clark, Crawford, Dunn, Eau Claire, Jackson, Juneau, LaCrosse, Marathon, Monroe, Pepin, Pierce, Portage, St. Croix, Trempealeau, Vernon, Wood counties





12075 North Corporate Parkway Suite 210 Mequon WI 53092 (262) 241-3133 (800) 776-7140 Fax (262) 241-8222 www.northernenvironmental.com

August 29, 2008 (100-1296)

Mr. Woo Chang Kim Cypress Cleaners 3813 South 108th Street Greenfield, Wisconsin 53228

RE: Summary of Pre-Discovery Activities; Cypress Cleaners, 3813 South 108th Street, Greenfield,

Wisconsin

Dear Mr. Kim:

Northern Environmental Technologies, Incorporated (Northern Environmental) prepared this letter to document the results of pre-discovery activities completed at Cypress Cleaners, 3813 South 108th Street, Greenfield, Wisconsin (the Site). The occupies approximately 1300 square feet of a strip mall building located in the southeast quarter of the southeast quarter of Section 18, Township 6 North, Range 20 East, city of Greenfield, Milwaukee County, Wisconsin (Figure 1). Figure 2 shows the Site layout.

Pre-discovery activities were performed to evaluate the presence or absence of a chlorinated solvent release resulting from historic dry cleaning operations. Pre-discovery activities included gathering site-specific data (i.e., site investigation scoping) and a Phase II environmental site assessment (ESA).

SITE INVESTIGATION SCOPING

Northern Environmental completed site investigation scoping to address the items specified in section NR 169.05 (27), Wisconsin Administrative Code (s. NR 169.05 [27], Wis. Adm. Code). The items are re-stated in italics below and followed by Northern Environmental's findings.

(a) History of the facility, including the location of dry cleaning equipment and chemical and filter storage

The Site is part of a single-story strip mall building with no basement that is served by a public water supply and sewer system. Mr. Woo Chang Kim, Cypress Cleaners owner and store manager, was interviewed to determine the history of the facility. Mr. Kim provided the following information.

- Mr. Kim owned and operated the dry cleaning business at the Site for 4 years.
- The strip mall was constructed during 1987. The location contained a restaurant before Cypress Cleaners opened.
- A Cypress Cleaners has been located at the Site for approximately 9 years.
- A One dry cleaning machine is currently located within the building and there have been no changes in the layout of the Site.
- Tetrachloroethene (PCE) has been the only cleaning solvent used at the Site.
- (b) Knowledge of the type of contamination and the amount of contamination

The exact source and quantity of the released PCE is unknown.

(c) Environmental media affected by contamination

Chlorinated solvents have been detected in soil at the Site. Information regarding the results of a limited Phase II ESA performed by Northern Environmental is also presented in this letter.

(d) Location of the site and its proximity to other sources of contamination

No other sources of contamination are believed to be present at the Site.

(e) Assessment of potential or known impacts to receptors

Numerous buried utilities are present at the Site. Buried water and natural-gas utilities run along the west side the facility. Based on soil samples collected at the Site, the depth to groundwater is between 4 and 8 feet below grade (fbg). Silty clay soils may create perched water conditions.

(f) Assessment of potential impacts to sensitive areas

There are no known sensitive areas on or adjacent to the Property.

(g) A map showing the site boundaries, location of source areas, including utility corridors, sewer lines, adjacent streets, receptor locations and sample locations and results of sampling

The Site layout is shown in Figure 2.

LIMITED PHASE II INVESTIGATION METHODS

On August 15, 2008, Northern Environmental completed three soil boreholes (B1 through B3) at the Site using direct-push sampling methods. One additional borehole (B4) was installed within the building adjacent to the dry cleaning machine using a hand auger and sampler. The soil boreholes were advanced to a maximum of 16 fbg. Borehole B3 only extended to 3 fbg because of the close proximity to buried utilities. Soil samples were collected continuously during borehole advancement. The soil borehole locations are shown in the Figure 2.

Northern Environmental personnel described each soil sample in the field. Field soil borehole logs were prepared and included information on soil type, structural characteristics, color, moisture content, consistency, odor, and photoionizable constituents. Each borehole was abandoned by backfilling with bentonite pellets immediately after drilling. Copies of borehole logs and abandonment forms are included in Attachment A. All downhole drilling and sampling equipment was cleaned before on-site use and between each borehole.

A Northern Environmental hydrogeologist maintained borehole logs; examined and described the soil field screened samples; and collected samples for laboratory analysis. In addition, soil samples from each borehole were field screened for volatile organic compounds (VOCs) using a photoionization detector (PID). These samples were placed in a sealable 1-quart plastic bag. Care was taken to maintain a relatively constant soil volume to headspace volume ratio for all samples. The sealed headspace sample was agitated to break up soil clods before being left in a warm environment for at least 15 minutes to allow volatilization to occur. The PID probe was then carefully inserted into the plastic bag and the highest stable response was recorded. The PID used was a Thermo Environmental Instruments Model 580A Organic Vapor Meter equipped with a 10.6 eV lamp. Based on field screening results, one sample from each borehole was submitted under chain-of-custody for VOC analysis by Synergy Environmental Lab, Incorporated (Synergy).

FINDINGS

Sediments encountered in the boreholes consisted of silty sand and silty clay. The depth the groundwater ranged between 4 and 8 fbg. Based on topography, groundwater likely flows southwest across the Site toward Root River.

Elevated PID responses were only detected in screened soil samples collected from B3. PCE, the only detected VOC in soil, was present in borehole B3 at a concentration of 400 micrograms per kilogram. PCE was not detected in any other samples submitted for analysis. Soil quality results are summarized in Table 1. Laboratory reports and chain-of-custody records are provided in Attachment B.

The only VOC detected in groundwater was toluene present in B1 at a concentration of .83 "J" micrograms per liter. Groundwater quality results are summarized in Table 2. The laboratory reports are provided in Attachment B.

CONCLUSIONS AND RECOMMENDATIONS

Based on the analytical results of collected soil samples, PCE was released at the Site. However, PCE was not detected in the area directly beneath the dry cleaning machine, and appears to be limited to the area adjacent to the back door of the dry cleaning facility. The case should be reviewed by the Wisconsin Department of Natural Resources to determine additional investigation needed to determine the magnitude and extent of contaminated soil and groundwater. The goal of the investigative work is to further evaluate contaminant concentrations and determine the vertical and horizontal extent of released dry cleaning solvent.

DISCLAIMER

Northern Environmental completed this work in general conformance with federal, state, and local requirements and made all appropriate inquiry consistent with good commercial or customary practice. The results provided in the report are based upon professional interpretation of the information available to Northern Environmental given the time and budget constraints of this project. Northern Environmental has assumed the information provided by the client and property owner and included in the report is factual, complete, and correct. Northern Environmental does not warrant that this report represents an exhaustive study of all possible environmental concerns associated with the Property. However, the items included in this report are believed to adequately address soil and groundwater quality at the Site and the client's needs at this time.

Thank you again for the opportunity to assist you with this important project. Please contact us at (262) 241-3133 if you have any questions or concerns.

Sincerely,

Northern Environmental

Technologies, Incorporated

Andrew J Swaim


Graduate Geologist

Christopher C. Hatfield, PG

Project Manager

AJS/lmh Attachments

c: Wisconsin Department of Natural Resources





1" = 2000'

CONTOUR INTERVAL 10 FEET NATIONAL GEODETIC VERTICAL DATUM OF 1929

SCALE IN FEET



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS 7.5 MINUTE QUADRANGLE, HALES CORNERS, WISCONSIN, 1992 (NATIONAL GEOGRAPHIC HOLDINGS, INC.)

A Northern Environmental

Hydrologists • Engineers • Surveyors • Scientists

12075 North Corporate Parkway, Suite 210, Mequon, Wisconsin 53092 Phone: 800-776-7140 Fax: 262-241-8222

WISCONSIN & MICHIGAN & ILLINOIS & IOWA

This drawing and all information contained thereon is the property of Northern Environmental. Northern Environmental will not be held liable for improper or incorrect usage. Professional seals and signatures do not apply to electronic drawing files. The user assumes all responsibility and risk for the accuracy and verification of all information contained in electronic files.

CYPRESS CLEANERS

SITE LOCATION

& LOCAL TOPOGRAPHY

GREENFIELD, WI

DATE: 08/27/08 DRAWN BY:

PROJECT NUMBER:

100-1296

FIGURE




Table 1 Soil Sample Field Screening and Laboratory Analytical Results
Cypress Cleaners, 3813 South 108th Street, Greenfield, Wisconsin

						Detected VOCs (μg/kg)
Borehole Number	Sample Number	Date Sampled	Sample Depth (feet)	PID Response (iui)	Description	Tetrachloroethene
B1	S101	08/15/08	0-2	0	Gravel, sand, clay, fill	_
	S102	08/15/08	2-4	0	Silty clay, some gravel	-
	S103	08/15/08	4-6	0	Silty clay, asphalt, gravel	<18
	S104	08/15/08	6-8	0	Silty clay, asphalt, gravel	-
	S105	08/15/08	8-10	0	Silty clay	-
	S106	08/15/08	10-12	0	Silty clay	-
	S107	08/15/08	12-14	0	Sand	-
	S108	08/15/08	14-16	0	Sand	-
B2	S201 S202	08/15/08 08/15/08	0-2 2-4	0	Top soil, silty clay, gravel	-
	S202 S203	08/15/08	2-4 4-6	0	Asphalt, silty clay, gravel Silty clay, gravel	- ,
	S203 S204	08/15/08	6-8		Silty clay	-
	S204 S205	08/15/08	8-10		Silty clay	• •
	S205 S206	08/15/08	10-12	0	Silty clay	_
	S200 S207	08/15/08	12-14		Sand	_
	S207	08/15/08	14-16	1	Sand	<18
В3	S301	08/15/08	1-2	3	Silty sand	_
	S302	08/15/08	2-3	11	Silty sand	400
В4	S401 S402	08/15/08 08/15/08	1-2 2-3	0 0	Silty sand Silty clay	- <18

Note:

VOCs = volatile organic compounds μg/kg = micrograms per kilogram PID = photoionization detector iui = instrument units as isobutylene

< x = compound not detected to a detection limit of x

not analyzed

Table 2 Groundwater Analytical Results
Cypress Cleaners, Greenfield, Wisconsin

Well ID	Date Sampled	Detected VOC (μg/l) Toluene
NR 140, Wis	. Adm. Code PAL	200
NR 140, Wi	s. Adm. Code ES	1000
B1	08/15/08	0.83 "J"
B2	08/15/08	<0.39

Key:

VOC = volatile organic compounds

 μ g/l = micrograms per liter

<x = not detected above laboratory Limit of Detection of X</p>

XXX = exceeds Chapter NR 140, Wisconsin Administrative Code (NR 140, Wis.Adm. Code preventive action limit (PAL)

XXX = exceeds NR 140, Wis. Adm. Code enforcement standard (ES)



ATTACHMENT A
BOREHOLE LOGS

Signature

SOIL BORING LOG INFORMATION

Tel: 262-241-3133

Form 4400-122 Rev. 7-98

			<u>R</u>	oute To:	Watershed/W				Mana	gemen	t 🔲							
					Remediation	/Redevel	opment L	Other	LJ									
Facil	ity/Proje	ect Na	me					License	/Permi	t/Mon	itoring	Numl	er	Boring	Pa _l Numb		of	1
Су	press	Clear	iers					0			_					B1		
	-		Name	of crew cl	hief (first, last)	and Firm	1	Date Dr	illing S	Startec			ate Drill	ing Co	mplete	d	Drill	ing Method
	n War sconsi		il Test	ting					8/15	/200	8			8/15/2	2008		Di	rect Push
	nique V				Vell ID No.	Commo	n Well Nam	e Final St	atic Wa	ater L	evel	Surf	ce Eleva	tion		Bo	rehole	Diameter
Loca	Grid O	rigin	FT (e	etimated:	☐) or Bor	ing Loca	B1		Feet	MSL		ľ	Fee Local C	et MS			2.0	inches
	Plane	ng		simatou.			/C/N	L	at	<u> </u>			; Localit	3110 120	N 🔲			□Е
SE		of S	E	1/4 of Sect		т 6	n, r 20 e	Lon		0	1				ı 🗆 s)	Feet W
Facil	ity ID			C	County			County C	ode	Civil	Town/	City/ c	or Village)				
Sa	mple													Soil	Prop	erties		
	. هر (in)	ıts	ig i	1		ock Desc	•						e Ve					
ype	h Ati	Cou	In F			ologic O h Major 1			S	i;	[oressi gth	ure u	-	city		nents
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet		Lac	it iviajoi	Oint		usc	Graphic	Well	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
S101 CS	24	щ	E	GRAV	VEL, some s	sand, di	y, no odo	r (Fill)		100		0	1 0 02	2.0			14	<u> </u>
CS	12		-1.5						GW		9					:		
S102	24		E	SILTY	Y CLAY, fe	w sand	, dry beco	ming	-	m		0	3.5					
CS	12		3.0	wet 8	feet, dark gi k gray (10Y	ayish b	brown (10	YR4/2)										
S103	24		E -4.5	to dan	K giay (101	1.5, 1	no odoi					0						
CS	20		E ^{4.3}													:		
9104	24		-6.0									0						
S104 CS	20		E						CL-M									
2100			-7.5 -									0	0.5					
S105 CS	24 20		E 9.0									"	0.5					
			Ē										Ì					
S10€ CS	24 20		10.5									0	ľ					
L			E 12.0															
S107 CS	24 22		E 12.0	Sand,	some grave 0YR3/1) no	, wet,v	ery dark		1	6 V		0						
			-13.5	gray(r	1011(3/1) 110	Odoi			an))								
S108 CS	24 22		- 15.0						SP	O	3	0						
	22		- 15.0 -							• 0								
1	1			End of	f Borehole (2) 16 fb	g			<u> </u>	1							
			<u> </u>						<u> </u>	<u> </u>		<u> </u>						
I have	has aartil	hi that	the inf	ormation a	on this form is	tona and	correct to the	a haat all m	u know	iadaa								

Northern Environmental Technologies 12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092 Fax: 262-241-8222 This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may

result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

should be sent.

SOIL BORING LOG INFORMATION Form 4400-122 Rev. 7-98

			<u>R</u>		Wastewater □ n/Redevelopment □	Waste Other	Manag	gement								
													Paj	. 1	of	:1:
Facil	ity/Proj	ect Na	me			License	/Permit	/Monit	oring l	Vumber		Boring	Numb		01	1
	press					0								B2		
	_		Name	of crew chief (first, last) and Firm	Date Dr	illing S	tarted		Da	te Drill	ing Co	mplete	1	Dril	ling Method
	n Wai scons		il Test	ing			8/15	/2008	3		.0 -5i	8/15/2	2008		D	irect Push
	nique \			DNR Well ID No.	Common Well Name	1.	atic Wa	iter Lev		Surfac	e Eleva	tion		Bo	rehole	Diameter
Local	Grid C)riain	П (а	stimated: []) or Bo	B2	<u> </u>	Feet 1	MSL		: 	Fee Local C	t MS			2.0	inches
	Plane	Migin	Щ: <u>Д</u>	N,	E S/C/N	La	at	0	1	. H	DUCAL C	1110 170				Ξε
SE		of S	E 1	/4 of Section 18,	т 6 N, R 20 E	Lon	g	<u> </u>	+	10		Feet	\Box s			Feet W
Facili	ty ID			County		County Co	ode	Civil T	own/C	ity/ or	Village		,			
Sai	nple		1				1		T:			Soil	Prope	rties		
	T			Soil/I	Rock Description								Tiops	31 (103		
63	Length Att. & Recovered (in)	Blow Counts	Depth In Feet	[·	eologic Origin For						sive			į		্য মূ
nber Typ	Length Att. Recovered	ပိ	후		ch Major Unit		CS	Graphic Log	Well Diagram	PID/FID	ngth	sture tent	nid it	Plasticity Index	. 0	RQD/ Comments
Number and Type	Len	Blo	Dep				n S	Grap Log	Wel	<u> </u>	Compressive Strength	Moisture Content	Liquid Limit	Plastic Index	P 200	Ş 20 10 10 10 10 10 10 10 10 10 10 10 10 10 1
S201 CS	24 23		E	_TOPSOIL	and an area of the second seco	-1-				0						
N Table			-1.5	yellowish brown	w gravel, moist, d (10YR4/4), no odo	ark or (Fill	CL-MI									
S202	24		Ē	\ASPHALT						0				:		-
CS	23		-3.0		w sand, dry becom rayish brown (10Y											
S203	24		E -4.5	to dark gray (10Y	R4/1), no odor	K4/2)				0			:			
S203 CS	24		F											:		
5204	24		-6.0							_			:	:		
S204 CS	24 24		F							0						
			-7.5				CL-MI		-							
S205 CS	24 24		E , l							0						
			一9.0 -													
S206	24		- -10.5			. :			À	0						
CS	24		-			:								:]		
S207	24		_12.0							0						
S207 CS	24		Ε., ʃ	Sand, some grave	l, wet, very dark											
5205	24		— 13.5 –	gray(10YR3/1,) n	o odor		sw							:1		
S208 CS	24						311	o.		1						
Ш			= [íV.	::: v ::		. :					
				End of Borehole (@ 16 fbg											
											:		.			
													1			
					<u> </u>					į						
		y that	the info	rmation on this form is		est of my	knowl	edge.		1.2						
Signati	ire /	1		14/	Firm Nort	hern En	viron	menta	l Tec	hnolo	gies				Tel: 20	62-241-3133

12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092 Fax: 262-241-8222 This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be be used for any other purpose. NOTE: See instructions for more information, including where the completed form

SOIL BORING LOG INFORMATION

Tel: 262-241-3133

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater Remediation/Redevelopment					Waste Management ☐ Other ☐													
						·									Pa	ge 1	of	1
	ty/Proje							License	/Permi	/Monit	oring N	Jumbe	г	Boring	Numb	er		
	oress (of crew c	hief (first, last)	and Firm		Date Dr	illing S	tarted		Da	te Drill	ing Co	mnlete	B3		ling Method
	ı War	•	Ivanue	or crew c	inci (mai, iasi,	and I him		Date Di	ming c	Raited			ic Diiii	g				mig wethou
Wis	sconsi	n So	il Test							/2008				8/15/2	2008			irect Push
WIU	nique V	Vell N	0.	DNR V	Vell ID No.		Well Name	:1			vel	Surfac	e Eleva	ition et MS	т	Вс		Diameter
Local	Grid O	rigin	☐ (e	stimated:) or Box	ring Location		1	Feet	······································				Grid Lo			2.0	inches
	Plane				•		C/N	La	ıt	<u> </u>								□Е
SE Facili		of S	E 1	1/4 of Sec		T 6 N,	R 20 E	Lon		o Civil 1	num/C	<u>"</u> '	Village		: 🗆 s			Feet W
racin	y ID				County			County Co	oue	CIVIL	own/C	ny/ or	vinage	3				
Sar	nple													Soil	Prop	erties		
	જ (ii)	ts	Į į		Soil/R	lock Descri	otion											:
F 8	Att	Coun	In Fe			eologic Orig			S	0	E	Ω	essiv	e t		ity		ents
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet		Eac	h Major Ur	nit		SC	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
Za	그~~	В	0	CON	CRETE				Þ	900	βΩ	<u>a</u>	0.22	∑ ∪	22	교교	d.	<u> 20</u>
S301	12		Ē	SILT	Y SAND, fe	w gravel,	no odor,	wet,			1	3	:					
CS	6		1.5	light y	yellowish br	own (103	/R6/4) (F	ill)	SM									
S302 CS	12 6		E -3.0					,	<u> </u>			11						
				End o	f Borehole (@ 3 fbg				1	·	[ľ
									f:									
									=									i,
	Ē																	
:	:												·					
									ŀ									
:													14	-1		. 4		
																	-	
										1								
I hereb	v certii	v that	the infe	ormation (on this form is	true and co	rrect to the b	est of my	know	ledge.	l·		L					

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

Firm Northern Environmental Technologies

12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092 Fax: 262-241-8222

SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

			<u>R</u> c		Vastewater □ /Redevelopment □	Waste Other	e Manag	gement								
													Pag	ge 1	of	1
	ty/Proj			· · · · · · · · · · · · · · · · · · ·		1	e/Permi	/Monit	oring N	lumber		Boring	Numb		,	
	press g Drill			of crew chief (first, last)	and Firm	Date Drilling Started Date Drilling Complet							mplete	B4		ling Method
Tin	ı Waı	m														
Wis	scons	in So	il Test	ing DNR Well ID No.	Common Well Nar	ne Final S		/2008		Con fac					irect Push	
WI UI	nique v	мен и	0.	DINK WELL ID NO.	B4	ne irmai s	Feet		/ei	Surrac	Feet MSL Borehole Diameter 2.0 inches					
		rigin	☐ (e:		ing Location 🛛	1 .	at	o		u		Grid Lo				
State	Plane	of S	E 1	N, /4 of Section 18,	E s/c/n t6 n, r 20 e			-	4:	- 11		Fee	N □ S □ ı		Arty.	☐ E Feet ☐ W
Facilit		01 5	1. 1	County	1 0 10,10 20 1	County C		Civil T	own/C	ity/ or	Village		· 🗀 : 0		1.7	TCCC C YV
			1				<u>.</u>	-	··		1	G 21	-			7
Sar	nple			0.25					E	:		Son	Prop	erties		
: : :	d (in	ınts	Feet		ock Description ologic Origin For						sive					Na Na
lber Type	Length Att. & Recovered (in)	Blow Counts	Depth In Feet		h Major Unit		CS	ohic	Well Diagram	PID/FID	Compressive Strength	sture	pi t	Plasticity Index	0)/
Number and Type	Pec Leng	Blo	Dep				ΩS	Graphic Log	Wel Diag	PID,	Compres Strength	Moisture Content	Liquid Limit	Plastic Index	P 200	RQD/ Comments
			=	CONCRETE SILTY SAND, fe	w graval no ad-											
S401 CS	12 6		-1.5	light yellowish br	w graver, no odd own (10YR6/4)	(Fill)	SM									
S402 CS	12		E	SILTY CLAY, fe	w gravel, no odo	or, moist,	CL-M									
C3 LI			-3.0	dark yellowish bro End of Borehole (own (10YK4/4) @ 3 fbg	(1111)		mm								
					9 g 8						:	:	:			
		:				•										
																· -
																i.
:																
					•											
				· · · · · · · · · · · · · · · · · · ·												
	_	fy that	the info	rmation on this form is t		ne best of m	y know	ledge.								
ignatı	ire	7 1		100	Firm No	orthern Ei	viron	menta	1 Tec	hnolo	gies				Tel: 2	62-241-3133

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

12075 N. Corporate Parkway, Suite 210 Mequon, Wisconsin, 53092 Fax: 262-241-8222

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5 2/2000 Page 1 of 2

		hed/Wastewater										
(1) GENERAL INFO			(2) FACILITY /OWNER INFORMATION									
WI Unique Well No.	DNR Well ID N	lo. County	Facility Nan									
			Cypress	Cleaners	1 1:	27.						
Common Well Name		Gov't Lot (if applicable)	Facility ID	:	License/Permit/Mon	nitoring No.						
SE 1/4 of SE 1	/4 of Sec18	; T. 6 N; R. 20 E W	Street Addre	ess of Well								
		n. 🗆 E. 🗆 w.	City, Villago	or Town								
-) or Well Location	Present Wel	l Owner	Original O	wner						
Lat	Long	OT S OC N	Woo Cha	ang Kim	wner	mine and the state of the state						
State Plane	_ n. n	ft_E. 🔲 🔲 Zonc	3813 So	uth 108th Stree								
Reason For Abandonment	t [W	I Unique Well No.	City, State, 2	•								
Exploration Borehol		Replacement Well		ld, WI 53228								
(3) WELL/DRILLHO	DLE/BOREHO	LE INFORMATION	(4) PUMP, 1	LINER, SCRI	EEN, CASING, & S	EALING MATERIAL						
Original Construction Monitoring Well	1	If a Well-Construction Report	Liner(s)	Piping Remove Removed? Removed?	Yes T	No Not Applicable No Not Applicable No Not Applicable						
Water Well ☑ Drillhole / Boreh		s available, please attach.		Left in Place? sing Cut Off Bel	Yes L	Yes No						
Construction Type:			i i	ling Material Ris	K-7	Yes No						
Drilled	☐ Driver	(Sandpoint) Dug	Did Ma	terial Settle After	r 24 Hours?	Yes 🛛 No						
Other (Specify)	***************************************	angun and a state of the state		, Was Hole Reto		Yes L No						
Formation Type:			5-3		cing Sealing Material							
Unconsolidated F	ormation	Bedrock	1 —	nductor Pipe - G cened & Poured	<i>'</i> —	ctor Pipe - Pumped (Explain)						
Total Well Depth (ft)		Casing Diameter (in.)	(E	Bentonite Chips)								
(From ground surface)	Casing Depth (ft.)	Sealing	Materials	For	monitoring wells and						
	eter (in) 2.	_	Ne	at Cement Grout	mon	itoring well boreholes only						
Lower Drillhole Diam	.cici (iii.)		i	nd-Cement (Cond	crete) Grout	Bentonite Chips						
Was Well Annular Sp	ace Grouted?	Yes No Unknown	, , , , , , , , , , , , , , , , , , ,	y-Sand Slurry	íF	Granular Bentonite						
If Yes, To Wi	nat Depth?	Feet		ry-sanu Suury ntonite-Sand Slur	! 	Bentonite-Cement Grout						
			1 1	ipped Bentonite	''y -	Bentonite - Sand Slurry						
Depth to Water (Feet)				ipped Bentonne	, h	The state of the s						
(5)	Scaling Mate	rial Used	From (Ft.)	To (Ft.)	Sacks Sealant	Mix Ratio or Mud Weight						
Bentonite			Surface	16.0	0.5	:						
And the state of t			and the stiff country of the s									
(6) Comments	***************************************			· · · · · · · · · · · · · · · · · · ·								
(7) Name of Person or Fin	n Doing Sealing	Work Date of Abandon	ment	Telefullation of		No. The control of the second						
Wisconsin Soil Testi		8/15/08	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	FOR	DNR OR COUNTY U	ISE ONLY						
Signature of Person Doing		Jam 8/26/08	Date	Received	Noted By							
Street or Route	F \$F (# 1, m)	Telephone Number	Com	iments								
5105 N 124th Street	PO Box 66	262-783-7645	Ž									
City, State, Zip Code												
Butler, WI 53077			11/13	<u> </u>	S 12 Min was to be seen							

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5 2/2000 Page 1 of 2

Route to: Drinking V		Vastewater	Waste Manager				
(1) GENERAL INFO			The Whee			R INFORMATION	
WI Unique Well No.	DNR Well ID No. C	ounty	n vistor regin reter	Facility Nar			
	1				Cleaners		
Common Well Name				Facility ID		License/Permit/Mor	ntoring No.
SE 1/4 of SE Grid Location	1/4 of Sec; T	. <u> 6 </u>	_20 ⊠ E □ W	Street Addre	ss of Well		
] н. 🗆 s.,			City, Village	e, or Town	Helicon III.	
Local Grid Origin	(estimated: 🔲)	or Well Loca	tion 🛛	Present Wel	Owner	Original O	wner
Lat	Long		or or	Woo Ch			
		S	CN		ess or Route of C		
State Plane			LILI Zone		uth 108th Stre	et	***************************************
Reason For Abandonmer	1 11	que Well No.		City, State,	* 1 Jay 11 11 11	and the second s	
Exploration Boreho		acement Well	OM		ld, WI 53228		TATES OF A CONTRACT
(3) WELL/DRILLH	OLE/BOREHOLE	NFORMAT	ION	1		1777	EALING MATERIAL
Original Construction Monitoring Well Water Well Drillhole / Borel	l If a W	'ell Construction	n Report ach.	Liner(s Screen	t Piping Remov Removed? Removed? Left in Place?	Yes	No Not Applicable No Not Applicable No Not Applicable No
Construction Type:				1	sing Cut Off Be lling Material R	elow Surface?	6-3
Drilled	Driven (San	dpoint)	Dug Dug		terial Settle Aft	[77]	Ycs 🖾 No
Other (Specify)				1: 1	, Was Hole Ret	:	Yes 🔲 No
Formation Type:						acing Scaling Material	
Unconsolidated I	Formation	☐ Bedroo	ek .		nductor Pipe - C cened & Pource		ctor Pipe - Pumped Explain)
Total Well Depth (ft)		ing Diameter (ir			Bentonite Chips) · · · · · · · · · · · · · · · · · · ·	
(From ground surface	Cas	ing Depth (ft.)			Materials		nonitoring wells and
Lower Drillhole Dian	A A			-	at Cement Grou id-Cement (Cor		toring well boreholes only
Was Well Annular Sp If Yes, To W Depth to Water (Feet	hat Depth?	es 🔲 No	Unknown Feet	Co	ncrete ny-Sand Shurry ntonite-Sand Sh ipped Bentonite	my E	Bentonite Chips Granular Bentonite Bentonite-Cement Grout Bentonite - Sand Slurry
(5)	Sealing Material U	sed		From (Ft.)	To (Ft.)	Sacks Sealant	Mix Ratio or Mud Weight
- A de la companya de						Application of the second of t	was up - vannymilitäninin aan ammana usa -
Bentonite				Surface	16.0	0,5	
						\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.	
(6) Comments							
(o) Comments	1 40						
/m> > 1	- D.: 0. :	· · · · · · · · · · · · · · · · · · ·	5.1.6.1				
(7) Name of Person or Fir			Date of Abandonn	ient	r A	R DNR OR COUNTY U	SEONIV
Wisconsin Soil Testi			8/15/08	— I			A CASA CONTRACTOR OF THE PARTY
Signature of Person Doing	Tim Warn	Date Sig	126/68		Received	Noted By	
Street or Route	1.2.2	phone Number		Com	ments		
5105 N 124th Street City, State, Zip Code	ro box oo 2	62-783-7645		- 1		eren er enderen er	
Butler, WI 53077				00 (1) 20 (1) 20 (1)			log Win and Late to the State of the Late of of the La

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5 2/2000 Page 1 of 2

Route to; Drinking Water Watershed/Wastewater Waste Manag	
(1) GENERAL INFORMATION	(2) FACILITY /OWNER INFORMATION
WI Unique Well No. DNR Well ID No. County	Facility Name
	Cypress Cleaners
Common Well NameB3 Gov't Lot (if applicable)	Facility ID License/Permit/Monitoring No.
<u>SE</u> 1/4 of <u>SE</u> 1/4 of Sec. <u>18</u> ; T. <u>6</u> N; R. <u>20</u> ⊠ E Grid Location	Street Address of Well
n. N. s.,n. E. W.	City, Village, or Town
Local Grid Origin (estimated:) or Well Location	Present Well Owner Original Owner
Lat o Long o or	Woo Chang Kim Street Address or Route of Owner
State Plane ft. N. tt. E. T. Zone	3813 South 108th Street
Reason For Abandonment WI Unique Well No.	City, State, Zip Code
Exploration Borehole of Replacement Well	Greenfield, WI 53228
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(4) PUMP, LINER, SCREEN, CASING, & SEALING MATERIAL
Original Construction Date	
Monitoring Well	
Water Well If a Well Construction Report is available, please attach.	Screen Removed? Yes No Not Applicable Casing Left in Place? Yes No
☑ Drillhole / Borchole Construction Type:	Was Casing Cut Off Below Surface? Yes No
	Did Sealing Material Rise to Surface? Yes No
☐ Drilled ☐ Driven (Sandpoint) ☐ Dug	Did Material Settle After 24 Hours?
Other (Specify)	If Yes, Was Hole Retopped?
Formation Type:	Required Method of Placing Scaling Material
Unconsolidated Formation Bedrock	Conductor Pipe - Gravity Conductor Pipe - Pumped
Onconsolidated Formation beatock	Screened & Poured Uther (Explain)
Total Well Depth (ft) Casing Diameter (in.)	(Bentonite Chips)
(From ground surface)	Sealing Materials For monitoring wells and
Casing Depth (fl.)	Neat Cement Grout monitoring well boreholes only
Lower Drillhole Diameter (in.)2.0	Sand-Cement (Concrete) Grout
	Commute I D Boutonite China
Was Well Annular Space Grouted? Yes No Unknown	3:
If Yes, To What Depth? Feet	Clay-Sand Slurry Granular Bentonite
	Bentonite-Sand Slurry Bentonite-Cement Grout
Depth to Water (Feet)	☐ Chipped Bentonite ☐ Bentonite - Sand Slurry
(5) Scaling Material Used	From (Ft.) To (Ft.) Sacks Scalant Mix Ratio or Mud Weight
Concrete	Surface 0.5 0.1
Bentonite	0.5 3.0 0.1
(6) Comments	
(7) Name of Person or Finn Doing Scaling Work Date of Abandon	nmant
	FOR DNR OR COUNTY USE ONLY
Northern Environmental 8/15/08	3. 15 15 20 15 15 15 15 15 15 15 15 15 15 15 15 15
Signature of Person Doing-Work Date Signed 8/26/68	Date Received Noted By
Street or Route Telephone Number	Comments
12075 N. Corporate Parkway, Suite 210 262-241-3133	
City, State, Zip Code	
Measion, WI 53092	■ 動態報告計算をしているお願いましている情報の記述の記述と呼吸を持ち的表現している場合課題

WELL/DRILLHOLE/BOREHOLE ABANDONMENT Form 3300-5 2/2000 Page 1 of 2

Route to: Drinking Water Watershed/Wastewater Wa (1) GENERAL INFORMATION				velopment Other R INFORMATION	
WI Unique Well No. DNR Well ID No. County		Facility Nar		K II II ORUMINI ION	
		100	Cleaners		
		Facility ID	Cleaners	License/Pennit/Mon	itoring No
Common Well Name B4 Gov't Lot (if ap	plicable)	racinty ID		0	noring tvo.
SE 1/4 of SE 1/4 of Sec. 18 ; T. 6 N; R. 20	-⊠e	Street Addre	ess of Well	<u> </u>	
n. 🗆 N. 🗆 s.,n. 🗆 E.		City, Village	e, or Town		
Local Grid Origin (estimated:) or Well Location	⊠ -	Present Wel	l Owner	Original Ov	vner
Lat Cong Cong N	ог		ang Kim		
S C N		Street Addre	ess or Route of	Owner	
State Plane ft. N. ft. E.			uth 108th Str	eet	
Reason For Abandonment WI Unique Well No.		City, State,		•	
Exploration Borehole of Replacement Well			ld, WI 5322		
(3) WELL/DRILLHOLE/BOREHOLE INFORMATION	(6	4) PUMP, I	<u>LINER, SCF</u>	<u>WEN, CASING, & SE</u>	CALING MATERIAL
Original Construction Date Monitoring Well	Dug	Liner(s) Screen Casing Was Ca Did Sea Did Ma If Yes Require Scaling Nea Scaling Cool Scaling Bar	terial Settle Aff s, Was Hole Re	elow Surface? Lise to Surface? tire 24 Hours? topped? acing Scaling Material Gravity	No Not Applicable No No Applicable No No No Yes No No Yes No No Yes No No Yes No
(5) Scaling Material Used		From (Ft.)	To (Ft.)	Sacks Scalant	Mix Ratio or Mud Weight
Concrete		Surface	0.5	0.1	
Bentonite		0.5	3.0	0.1	
				:	
				<u> </u>	<u> </u>
(6) Corrunents	**.				erej i tegut italij
	f Abandonmen	t TELEVIS	The state of the s	D DAID OD COSTANIO	
	5/08			R DNR OR COUNTY US	A CITURIO AC
Signature of Person Doing Work Date Signod	6/68	Date	Received	Noted By	
Street or Route Telephone Number		- Com	ments		
12075 N. Corporate Parkway, Suite 210 262-241-3133					
City, State, Zip Code				neagaighta caidhlighdh an ceal	
Mequon, WI 53092					10.000



ATTACHMENT B

LABORATORY RESULTS AND CHAIN-OF-CUSTODY DOCUMENTATION

Synergy Environmental Lab, INC.

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

ANDREW SWAIM NORTHERN ENVIRONMENTAL 12075 N. CORPORATE PARKWAY MEQUON WI 53092

Report Date 25-Aug-08

Project Name GREENFIELD

Project # 100-1296

Lab Code

Sample ID

5017678A S103

Sample Matrix Soil

	/15/2008										
		Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General											
General											
Solids Percent		87.2	%			1	5021		8/19/2008	MDK	1
Organic											
VOC's											
Benzene		< 20	ug/kg	20	64	1	8260B		8/21/2008	CJR	1
Bromobenzene		< 34	ug/kg	34	107	1	8260B		8/21/2008	CJR	1
Bromodichloromethan	e	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
Bromoform		< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
tert-Butylbenzene		< 23	ug/kg	23	75	1	8260B		8/21/2008	CJR	1
sec-Butylbenzene		< 25	ug/kg	25	81	1 -	8260B		8/21/2008	CJR	1
n-Butylbenzene		< 35	ug/kg	35	110	1	8260B		8/21/2008	CJR	1
Carbon Tetrachloride		< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Chlorobenzene		< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Chloroethane		< 23	ug/kg	23	73	1	8260B		8/21/2008	CJR	1
Chloroform		< 50	ug/kg	50	160	1	8260B		8/21/2008	CJR	1
Chloromethane		< 43	ug/kg	43	136	1	8260B		8/21/2008	CJR	1
2-Chlorotoluene		< 31	ug/kg	31	97	1	8260B		8/21/2008	CJR	1
4-Chlorotoluene		< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
1,2-Dibromo-3-chlorop	oropane	< 37	ug/kg	37	118	1	8260B		8/21/2008	CJR	1
Dibromochloromethan	e	< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
1,4-Dichlorobenzene		< 42	ug/kg	42	132	1	8260B		8/21/2008	CJR	1
1,3-Dichlorobenzene		< 41	ug/kg	41	130	1	8260B		8/21/2008	CJR	1
1,2-Dichlorobenzene		< 32	ug/kg	32	103	1	8260B		8/21/2008	CJR	1
Dichlorodifluorometha	ne	< 33	ug/kg	33	105	1	8260B		8/21/2008	CJR	1
1,2-Dichloroethane		< 24	ug/kg	24	75	1	8260B		8/21/2008	CJR	1
1,1-Dichloroethane		< 22	ug/kg	22	69	1	8260B		8/21/2008	CJR	47

Invoice # E17678

GREENFIELD Project Name Project # 100-1296

Lab Code

5017678A

Sample ID

Sample Matrix Soil

S103

Sample Date 8/15/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/21/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/21/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/21/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/21/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/21/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	. 1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/21/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/21/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/21/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/21/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
Tetrachloroethene	< 18	ug/kg	18	57	1	8260B		8/21/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/21/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/21/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/21/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/21/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/21/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/21/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/21/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/21/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/21/2008	CJR	1

Lab Code

5017678B

Sample ID Sample Matrix Soil

S208

Sample Date

8/15/2008

Sample Date	0/13/2000										
		Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General											
General											
Solids Percent		87.1	%			1	5021		8/19/2008	MDK	1
Organic											
VOC's											
Benzene		< 20	ug/kg	20	64	1	8260B		8/21/2008	CJR	1
Bromobenzene		< 34	ug/kg	34	107	1	8260B		8/21/2008	CJR	1
Bromodichloromet	hane	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
Bromoform		< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
tert-Butylbenzene		< 23	ug/kg	23	75	1	8260B		8/21/2008	CJR	1
sec-Butylbenzene		< 25	ug/kg	25	81	1	8260B		8/21/2008	CJR	1

Project Name

GREENFIELD

Project #

100-1296

Lab Code

5017678B

Sample ID

S208

Sample Matrix Soil

Sample Date

8/15/2008

Sample Date 8/13/2008	*									
	Result	Unit		LOQ	Dil	Method	Ext Date	Run Date	_	Code
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		8/21/2008	CJR	1
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	1	8260B		8/21/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		8/21/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		8/21/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	. 1	8260B		8/21/2008	CJR	1 .
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		8/21/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		8/21/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1.	8260B		8/21/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		8/21/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		8/21/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		8/21/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		8/21/2008	CJR	4 7
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/21/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/21/2008	CJR	1
2,2-Dichloropropane	< 115	ug/kg	. 115	365	1	8260B		8/21/2008	CJR	1
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/21/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/21/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/21/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/21/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/21/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/21/2008	CJR	1
1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
Tetrachloroethene	< 18	ug/kg ug/kg	18	57	1	8260B		8/21/2008	CJR	1
Toluene	< 23	ug/kg ug/kg	23	72	1	8260B		8/21/2008	CJR	1
1.2.4-Trichlorobenzene	< 53	ug/kg ug/kg	53	169	1	8260B		8/21/2008	CJR	1
1,2,4-Trichlorobenzene	< 87		33 87	277	1	8260B		8/21/2008	CJR	1
, ,		ug/kg		84		8260B 8260B		8/21/2008	CJR	
1,1,1-Trichloroethane	< 27	ug/kg	27		1					1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/21/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/21/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/21/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/21/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/21/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/21/2008	CJR	1

Project Name GREENFIELD

Project #

100-1296

Lab Code

5017678C

Sample ID

S302

Sample Matrix Soil

Sample Date 8/15/2008

Sample Date	8/15/2008											
		Resu	ılt	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General											_	
General	•											
Solids Percent		94.8		%			1	5021		8/19/2008	MDV	1
		24.0		. 70			1	3021		6/19/2008	MDK	1
Organic												
VOC's												
Benzene			< 20	ug/kg	20	64	1	8260B		8/21/2008	CJR	1
Bromobenzene			< 34	ug/kg	34	107	1	8260B		8/21/2008	CJR	1
Bromodichlorometh	ane		< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
Bromoform			< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
tert-Butylbenzene			< 23	ug/kg	23	75	1	· 8260B		8/21/2008	CJR	1
sec-Butylbenzene			< 25	ug/kg	25	81	1	8260B		8/21/2008	CJR	1
n-Butylbenzene			< 35	ug/kg	35	110	1	8260B		8/21/2008	CJR	1
Carbon Tetrachlorid	le		< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Chlorobenzene			< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Chloroethane			< 23	ug/kg	23	73	1	8260B		8/21/2008	CJR	1
Chloroform			< 50	ug/kg	50	160	1	8260B		8/21/2008	CJR	1
Chloromethane			< 43	ug/kg	43	136	1	8260B		8/21/2008	CJR	1
2-Chlorotoluene			< 31	ug/kg	31	97	1	8260B		8/21/2008	CJR	1
4-Chlorotoluene			< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
1,2-Dibromo-3-chlo	ropropane		< 37	ug/kg	37	118	1	8260B		8/21/2008	CJR	1
Dibromochlorometh	ane		< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
1,4-Dichlorobenzen	e		< 42	ug/kg	42	132	1	8260B		8/21/2008	CJR	1
1,3-Dichlorobenzen	e		< 41	ug/kg	41	130	1	8260B		8/21/2008	CJR	1
1,2-Dichlorobenzen	e		< 32	ug/kg	32	103	1	8260B		8/21/2008	CJR	1
Dichlorodifluorome	thane		< 33	ug/kg	33	105	1	8260B		8/21/2008	CJR	1
1,2-Dichloroethane			< 24	ug/kg	24	. 75	1	8260B		8/21/2008	CJR	1
1,1-Dichloroethane			< 22	ug/kg	22	69	1	8260B		8/21/2008	CJR	4 7
1,1-Dichloroethene			< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
cis-1,2-Dichloroethe	ene		< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
trans-1,2-Dichloroet	hene		< 29	ug/kg	29	92	1	8260B		8/21/2008	CJR	1
1,2-Dichloropropand	e		< 19	ug/kg	19	59	1	8260B		8/21/2008	CJR	1
2,2-Dichloropropand	e		< 115	ug/kg	115	365	1	8260B		8/21/2008	CJR	1
1,3-Dichloropropand	e		< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Di-isopropyl ether			< 15	ug/kg	15	48	1	8260B		8/21/2008	CJR	1
EDB (1,2-Dibromoe	ethane)		< 21	ug/kg	21	66	1	8260B	•	8/21/2008	CJR	1
Ethylbenzene			< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Hexachlorobutadien	e		< 50	ug/kg	50	159	1	8260B		8/21/2008	CJR	1
Isopropylbenzene			< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
p-Isopropyltoluene			< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
Methylene chloride			< 44	ug/kg	44	140	1	8260B		8/21/2008	CJR	1
Methyl tert-butyl eth	er (MTBE)		< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
Naphthalene			< 117	ug/kg	117	373	1	8260B		8/21/2008	CJR	1
n-Propylbenzene			< 29	ug/kg	29	93	1	8260B		8/21/2008	CJR	1
1,1,2,2-Tetrachloroe	thane		< 25	ug/kg	25	79	1	8260B		8/21/2008	CJR	1
1,1,1,2-Tetrachloroe	thane		< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
Tetrachloroethene		400		ug/kg	18	57	1	8260B		8/21/2008	CJR	1
Toluene			< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
1,2,4-Trichlorobenz	ene		< 53	ug/kg	53	169	1	8260B		8/21/2008	CJR	1

Project Name	GREENFIEL
Project #	100-1296
Lab Code	5017678C
Sample ID	S302
Sample Matrix	s Soil
Sample Date	8/15/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code	
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/21/2008	CJR	1	
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/21/2008	CJR	1	
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/21/2008	CJR	1 .	
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/21/2008	CJR	1	
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1	
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/21/2008	CJR	1	
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1	
Vinyl Chloride	< 17,	ug/kg	17	56	1	8260B		8/21/2008	CJR	1	
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/21/2008	CJR	1	
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/21/2008	CJR	1	

 Lab Code
 5017678D

 Sample ID
 \$402

 Sample Matrix
 Soil

 Sample Date
 \$/15/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
General										
General										
Solids Percent	91.1	%			1	5021		8/19/2008	MDK	1
Organic										
VOC's										*
Benzene	< 20	ug/kg	20	64	1	8260B		8/21/2008	CJR	1
Bromobenzene	< 34	ug/kg	34	107	1	8260B		8/21/2008	CJR	1
Bromodichloromethane	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
Bromoform	< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
tert-Butylbenzene	< 23	ug/kg	23	75	1	8260B		8/21/2008	CJR	1
sec-Butylbenzene	< 25	ug/kg	25	81	1	8260B		8/21/2008	CJR	1
n-Butylbenzene	< 35	ug/kg	35	110	1	8260B		8/21/2008	CJR	1 '
Carbon Tetrachloride	< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Chlorobenzene	< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Chloroethane	< 23	ug/kg	23	73	- 1	8260B		8/21/2008	CJR	1
Chloroform	< 50	ug/kg	50	160	1	8260B		8/21/2008	CJR	1
Chloromethane	< 43	ug/kg	43	136	1	8260B		8/21/2008	CJR	1
2-Chlorotoluene	< 31	ug/kg	31	97	1	8260B		8/21/2008	CJR	1
4-Chlorotoluene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 37	ug/kg	37	118	1	8260B		8/21/2008	CJR	1
Dibromochloromethane	< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
1,4-Dichlorobenzene	< 42	ug/kg	42	132	1	8260B		8/21/2008	CJR	1
1,3-Dichlorobenzene	< 41	ug/kg	41	130	1	8260B		8/21/2008	CJR	1
1,2-Dichlorobenzene	< 32	ug/kg	32	103	1	8260B		8/21/2008	CJR	1
Dichlorodifluoromethane	< 33	ug/kg	33	105	1	8260B		8/21/2008	CJR	1
1,2-Dichloroethane	< 24	ug/kg	24	75	1	8260B		8/21/2008	CJR	1
1,1-Dichloroethane	< 22	ug/kg	22	69	1	8260B		8/21/2008	CJR	47
1,1-Dichloroethene	< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
cis-1,2-Dichloroethene	< 24	ug/kg	24	77	1 -	8260B		8/21/2008	CJR	1
trans-1,2-Dichloroethene	< 29	ug/kg	29	92	1	8260B		8/21/2008	CJR	1
1,2-Dichloropropane	< 19	ug/kg	19	59	1	8260B		8/21/2008	CJR	1 -
2,2-Dichloropropane	< 115	ug/kg	115	365	1	8260B		8/21/2008	CJR	1

Project Name GREENFIELD Project # 100-1296

Lab Code Sample ID 5017678D

S402 Sample Matrix Soil

Sample Date 8/15/2008

•	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
1,3-Dichloropropane	< 21	ug/kg	21	67	1	8260B		8/21/2008	CJR	1
Di-isopropyl ether	< 15	ug/kg	15	48	1	8260B		8/21/2008	CJR	1
EDB (1,2-Dibromoethane)	< 21	ug/kg	21	66	1	8260B		8/21/2008	CJR	1
Ethylbenzene	< 16	ug/kg	16	52	1	8260B		8/21/2008	CJR	1
Hexachlorobutadiene	< 50	ug/kg	50	159	1	8260B		8/21/2008	CJR	1
Isopropylbenzene	< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
p-Isopropyltoluene	< 30	ug/kg	30	95	1	8260B		8/21/2008	CJR	1
Methylene chloride	< 44	ug/kg	44	140	1	8260B		8/21/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
Naphthalene	< 117	ug/kg	117	373	1	8260B		8/21/2008	CJR	1
n-Propylbenzene	< 29	ug/kg	29	93	1	8260B		8/21/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 25	ug/kg	25	79	1	8260B		8/21/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 27	ug/kg	27	87	1	8260B		8/21/2008	CJR	1
Tetrachloroethene	< 18	ug/kg	18	57	1	8260B		8/21/2008	CJR	1
Toluene	< 23	ug/kg	23	72	1	8260B		8/21/2008	CJR	1
1,2,4-Trichlorobenzene	< 53	ug/kg	53	169	1	8260B		8/21/2008	CJR	1
1,2,3-Trichlorobenzene	< 87	ug/kg	87	277	1	8260B		8/21/2008	CJR	1
1,1,1-Trichloroethane	< 27	ug/kg	27	84	1	8260B		8/21/2008	CJR	1
1,1,2-Trichloroethane	< 30	ug/kg	30	94	1	8260B		8/21/2008	CJR	1
Trichloroethene (TCE)	< 20	ug/kg	20	65	1	8260B		8/21/2008	CJR	1
Trichlorofluoromethane	< 16	ug/kg	16	51	1	8260B		8/21/2008	CJR	1
1,2,4-Trimethylbenzene	< 20	ug/kg	20	63	1	8260B		8/21/2008	CJR	1
1,3,5-Trimethylbenzene	< 24	ug/kg	24	77	1	8260B		8/21/2008	CJR	1
Vinyl Chloride	< 17	ug/kg	17	56	1	8260B		8/21/2008	CJR	1
m&p-Xylene	< 33	ug/kg	33	104	1	8260B		8/21/2008	CJR	1
o-Xylene	< 15	ug/kg	15	47	1	8260B		8/21/2008	CJR	1

Lab Code

5017678E

Sample ID В1 Sample Matrix Water Sample Date 8/15/2008

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		8/22/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/22/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		8/22/2008	CJR	1
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		8/22/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/22/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	ľ	8260B		8/22/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		8/22/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		8/22/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/22/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		8/22/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		8/22/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/22/2008	CJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		8/22/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1	8260B	•	8/22/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		8/22/2008	CJR	1

Project Name GREENFIELD **Project #** 100-1296

Lab Code

5017678E

Sample ID

B1

Sample Matrix Water
Sample Date 8/15/20

ample Date	8/15/2008

Sample Date 0/13/2000	D	TT 24	LOD	1.00	D21	Madhad	Ent Data	Run Date	Analyzat	Code
	Result	Unit		LOQ		Method	Ext Date	8/22/2008	CJR	
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		8/22/2008		1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B			CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		8/22/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88		1	8260B		8/22/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76		1	8260B		8/22/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/22/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59		1	8260B		8/22/2008	CJR	3
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/22/2008	CJR	1 .
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		8/22/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	-1	8260B		8/22/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		8/22/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		8/22/2008	CJR	8
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		8/22/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/l	0.37	1.2	1	8260B		8/22/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		8/22/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1.1	1	8260B		8/22/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		8/22/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		8/22/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		8/22/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		8/22/2008	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.7	ug/l	0.7	2.2	1	8260B		8/22/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		8/22/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54	1.7	1	8260B		8/22/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/22/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32	1	1	8260B		8/22/2008	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/22/2008	CJR	1
Toluene	0.83 "J"	ug/l	0.39	1.2	1	8260B		8/22/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5	1	8260B		8/22/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6	5	1	8260B		8/22/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28	0.9	1	8260B		8/22/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39	1.2	1	8260B		8/22/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47	1.5	.1	8260B		8/22/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l	0.81	2.6	1	8260B		8/22/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l	0.51	1.6	1	8260B		8/22/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l	0.23	0.74	1	8260B		8/22/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l	0.2	0.63	1	8260B		8/22/2008	CJR	1
m&p-Xylene	< 1	ug/l	1	3.2	1	8260B		8/22/2008	CJR	1
o-Xylene	< 0.67	ug/l	0.67	2.1	1	8260B		8/22/2008	CJR	1
			,		-			· ·		

Lab Code

5017678F

Sample ID

B2

Sample Matrix Water

Sample Date 8/15/2008

•	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
VOC's										
Benzene	< 0.24	ug/l	0.24	0.75	1	8260B		8/22/2008	CJR	1
Bromobenzene	< 0.44	ug/l	0.44	1.4	1	8260B		8/22/2008	CJR	1
Bromodichloromethane	< 0.3	ug/l	0.3	0.94	1	8260B		8/22/2008	CJR	1

Project Name GREENFIELD

Project #

100-1296

Lab Code

5017678F

Sample ID

B2

Sample Matrix Water Sample Date 8/15/2008

Sample Date 8/15/20										
	Result	Unit		LOQ		Method	Ext Date	Run Date	_	Code
Bromoform	< 0.7	ug/l	0.7	2.2	1	8260B		8/22/2008	CJR	1
tert-Butylbenzene	< 0.32	ug/l	0.32	1	1	8260B		8/22/2008	CJR	1
sec-Butylbenzene	< 0.73	ug/l	0.73	2.3	1	8260B		8/22/2008	CJR	1
n-Butylbenzene	< 0.55	ug/l	0.55	1.8	1	8260B		8/22/2008	CJR	1
Carbon Tetrachloride	< 0.3	ug/l	0.3	0.96	1	8260B		8/22/2008	CJR	1
Chlorobenzene	< 0.39	ug/l	0.39	1.2	1	8260B		8/22/2008	CJR	1
Chloroethane	< 0.97	ug/l	0.97	3.1	1	8260B		8/22/2008	CJR	1
Chloroform	< 0.47	ug/l	0.47	1.5	1	8260B		8/22/2008	CJR	1
Chloromethane	< 0.5	ug/l	0.5	1.6	1	8260B		8/22/2008	СJR	1
2-Chlorotoluene	< 0.41	ug/l	0.41	1.3	1	8260B		8/22/2008	CJR	1
4-Chlorotoluene	< 0.3	ug/l	0.3	0.96	1.	8260B		8/22/2008	CJR	1
1,2-Dibromo-3-chloropropane	< 1.7	ug/l	1.7	5.5	1	8260B		8/22/2008	CJR	1
Dibromochloromethane	< 0.4	ug/l	0.4	1.3	1	8260B		8/22/2008	CJR	1
1,4-Dichlorobenzene	< 0.74	ug/l	0.74	2.3	1	8260B		8/22/2008	CJR	1
1,3-Dichlorobenzene	< 0.67	ug/l	0.67	2.1	1	8260B		8/22/2008	CJR	1
1,2-Dichlorobenzene	< 0.88	ug/l	0.88	2.8	1	8260B		8/22/2008	CJR	1
Dichlorodifluoromethane	< 0.76	ug/l	0.76	2.4	1	8260B		8/22/2008	CJR	1
1,2-Dichloroethane	< 0.41	ug/l	0.41	1.3	1	8260B		8/22/2008	CJR	1
1,1-Dichloroethane	< 0.59	ug/l	0.59	1.9	1	8260B		8/22/2008	CJR	3
1,1-Dichloroethene	< 0.5	ug/l	0.5	1.6	1	8260B		8/22/2008	CJR	1
cis-1,2-Dichloroethene	< 0.44	ug/l	0.44	1.4	1	8260B		8/22/2008	CJR	1
trans-1,2-Dichloroethene	< 0.61	ug/l	0.61	2	1	8260B		8/22/2008	CJR	1
1,2-Dichloropropane	< 0.27	ug/l	0.27	0.85	1	8260B		8/22/2008	CJR	1
2,2-Dichloropropane	< 0.53	ug/l	0.53	1.7	1	8260B		8/22/2008	CJR	8
1,3-Dichloropropane	< 0.4	ug/l	0.4	1.3	1	8260B		8/22/2008	CJR	1
Di-isopropyl ether	< 0.37	ug/I	0.37	1.2	1	8260B		8/22/2008	CJR	1
EDB (1,2-Dibromoethane)	< 0.76	ug/l	0.76	2.4	1	8260B		8/22/2008	CJR	1
Ethylbenzene	< 0.35	ug/l	0.35	1,1	1	8260B		8/22/2008	CJR	1
Hexachlorobutadiene	< 1.7	ug/l	1.7	5.3	1	8260B		8/22/2008	CJR	1
Isopropylbenzene	< 0.6	ug/l	0.6	1.9	1	8260B		8/22/2008	CJR	1
p-Isopropyltoluene	< 0.77	ug/l	0.77	2.5	1	8260B		8/22/2008	CJR	1
Methylene chloride	< 0.99	ug/l	0.99	3.1	1	8260B		8/22/2008	CJR	1
Methyl tert-butyl ether (MTBI		ug/l	0.7	2.2	1	8260B		8/22/2008	CJR	1
Naphthalene	< 1.8	ug/l	1.8	5.7	1	8260B		8/22/2008	CJR	1
n-Propylbenzene	< 0.54	ug/l	0.54		1	8260B		8/22/2008	CJR	1
1,1,2,2-Tetrachloroethane	< 0.5	ug/l	0.5		1	8260B		8/22/2008	CJR	1
1,1,1,2-Tetrachloroethane	< 0.32	ug/l	0.32		1	8260B		8/22/2008	CJR	1
Tetrachloroethene	< 0.5	ug/l	0.5		1	8260B		8/22/2008	CJR	1
Toluene	< 0.39	ug/l	0.39		1	8260B		8/22/2008	CJR	1
1,2,4-Trichlorobenzene	< 1.1	ug/l	1.1	3.5		8260B		8/22/2008	CJR	1
1,2,3-Trichlorobenzene	< 1.6	ug/l	1.6			8260B		8/22/2008	CJR	1
1,1,1-Trichloroethane	< 0.28	ug/l	0.28			8260B		8/22/2008	CJR	1
1,1,2-Trichloroethane	< 0.39	ug/l	0.39			8260B		8/22/2008	CJR	1
Trichloroethene (TCE)	< 0.47	ug/l	0.47			8260B		8/22/2008	CJR	1
Trichlorofluoromethane	< 0.81	ug/l ug/l	0.47	2.6	1	8260B		8/22/2008	CJR	1
1,2,4-Trimethylbenzene	< 0.51	ug/l ug/l	0.51	1.6		8260B		8/22/2008	CJR	1
1,3,5-Trimethylbenzene	< 0.23	ug/l ug/l	0.23		1	8260B		8/22/2008	CJR	1
Vinyl Chloride	< 0.2	ug/l ug/l	0.23		1	8260B		8/22/2008	CJR	1
m&p-Xylene	< 1	ug/I ug/I	1	3.2		8260B		8/22/2008	CJR	1
mep-xylene	~ 1	ug/i	1	ع.د		02000		0/22/2000	Colt	1

Project Name GREENFIELD 100-1296

Lab Code 5017678F Sample ID B2 Sample Matrix Water Sample Date 8/15/2008

"J" Flag: Analyte

o-Xylene

Invoice # E17678

Ext Date Run Date Analyst Code

	< 0.67	ug/l	0.67	2.1	1	8260B	8/22/2008 CJR	1
e detected betw	een LOD and LO)Q	LC	D Limi	of D	etection	LOQ Limit of Quantitation	
Code	Commer	ıt						
1	Laboratory	QC within	limits.					
3	The matrix	spike not w	vithin estal	blished	limits			
4	The continu	uing calibra	tion stand	ard not	withi	n established lir	mits.	
7	The LCS n	ot within es	tablished l	imits.				

Method

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight.

Closing calibration standard not within established limits.

LOD LOQ Dil

Authorized Signature

Unit

Result

8

Company:

Time:

:		irti n iydrologists • Eng		-	- -	CHA	IN C)F C	UST	ODY	, .coi	RD F	REQ	UES	ST	FOI	RA	NA	LYS	IS		Į	No: E	<u>.31</u>	<u>.53</u>	-		
	Check office originating request		Greer 920-5	954 Circle Drive Green Bay, Wi 54304 920-592-8400 7X 920-592-8444			330 South 4th Avenue Park Falls, WI 54552 715-762-1544 Fax 715-762-1844			Norti 847-	647 Academy Drive Northbrook, IL, 60062 847-562-8577 FAX 847-562-8552				3349 Southgate Court SW #102 Cedar Rapids, IA 52404 319-365-0466 FAX 319-365-0464													
				Mequ 262-2	i N. Corporate i on, WI 53092 41-3133 262-241-8222	?	и 92	/aupun, V 20-324-8	beck Drive NI 53963 600 124-3023	•	Mars 715-	West Up hfield, W 486-130 715-486	VI 54449 O		E	La. 51	951 S. (nsing, l 7-702-0 X 517-7	AI 4890 470	06 Š	10, Suite 3	318							
	Project N	·100-12	16 Tas	k No:			Laborat	tory:	iner	64		Sam	ple Integ	rity - To	be co	mplete	d by re	ceiving	lab							_		
	Project Location: Greenfield WI Project Manager: C. Halfield Sampler: (name) A. Swain		NI		Wisconsin DNA/ Certification #: Laboratory Contact: M. R. K.									Vyes no Calce °C Refrigerator No.														
			ld						 υ					ANALYSES REQUESTED														
				Price Quote:				No.	ू हु	(por (c)	8020)	F	~	~														
	Sampler: (Signatu	ire) Cu	du	115	TURNAROUND TIME REQUIRED Normal Rush Date Needed 2/25/09			3 Mett			d 802																	
	Sampling Date(s): 3/15/09 Reports to be Sent to: A. Swain	115/0	9					sh	MI Modified M WI Modified IV (EPA Method (Jetho	lethoc	DOE E														
		n						3	DRO (WI Modified Method)	GRO (WI Modified Method) GRO (WI Modified Method) BETX (EPA Method 8020) PVOC (FPA Method 8020)		VOC (EPA Method 8021)	PAH (EPA Method	(EPA Method														
	Lab ID No.	Sample No.	Colle Date	ection Time	No. of Cr Size (ontainers, LType	Water	Descripti Soil	ion Other	Pre	servative	26	GRO ETJ	PVOC	8	PAH	ъ Э											
Solq	504-84 \$103 8-5-01 B \$308 8-5-05	11:00	1×40m1	ኒ [‡]		X		MeOH	34.				X															
							X							X														
	<u></u>	530a	8-15-08		1.1			X	<u> </u>		- 1				X			1				1	<u> </u>	\sqcup				
	0	5383	815-08	12:52	3 1/2				<u> </u>	HU	- %	++						+		 		+	-					
	F	B2	8/15/08	12:45	1×40		\Rightarrow			IVI	1	+-+			X		\dashv	+	+	 	+-	+-	+-	\vdash				
		Da	801010	14:70	וטד און			 		Re	1	++		-	X	\dashv	-+	+		╂╼╂╌	+	+	+	\vdash	_			
						· 				1		1 1							1		+	+	+		_			
											1																	
	Packed for	or Shipping by:	m,		Comments	Could	not	C	ollec	t e	new 187	Wo	ter	fis	m	1	31	4	82	fo	N .	Lu	//	3				
	Shipmen		8		Sa.	mple	viel	5	Gran	رو کھ	beIn	530	3 to	540	2	6ء	H	,-Su	~ <i>c</i> ,ce	(-C)	R 8/	1B/U	>					
	Relinquis	hed By: A	5		Date 8/15	80/2	Relir	nquished	Ву:			Dat	he:			Relin	quished	Ву:			,		Date	r:				
	Company	NE	I		Time:	80	Com	pany:				Tim				Comp	any:						Time	F:				
Received By:				Date:	Received By - On-					1	Date:					Received By:								Date:				

Company: Syn

Time:

Company: