

## Joslin, Richard R - DNR

---

**From:** Joslin, Richard R - DNR  
**Sent:** Tuesday, January 15, 2019 9:55 AM  
**To:** Hodgson, Scott A.  
**Subject:** RE: Dry Cleaners Etc (BRRTS #02-69-552218)-Status 011019

Scott

Per our discussion I agree with your proposed scope moving forward. Vapor is a priority and I would like to see us get that completed as soon as possible. I want to see things to continue to move forward and agree that dropping the three borings from the scope now in order to focus on vapor is fine with me. Keep me in the loop with schedule and results.

Thanks

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

### Richard R. Joslin

Hydrogeologist / NER Spills Coordinator – Remediation & Redevelopment Bureau  
Wisconsin Department of Natural Resources  
625 East County Road Y, Suite 700, Oshkosh, WI 54901-9731  
Phone: (920) 424-7077  
Cell Phone: (920) 360-4291  
[Richard.Joslin@Wisconsin.gov](mailto:Richard.Joslin@Wisconsin.gov)



---

**From:** Hodgson, Scott A. <Scott.Hodgson@terracon.com>  
**Sent:** Friday, January 11, 2019 11:39 AM  
**To:** Joslin, Richard R - DNR <Richard.Joslin@wisconsin.gov>  
**Subject:** [WARNING: ATTACHMENT(S) MAY CONTAIN MALWARE]RE: Dry Cleaners Etc (BRRTS #02-69-552218)-Status 011019

Hi Rick,

Are you still the project manager for this site or did it get passed along to someone else? The RP received reimbursement and so we are gearing up for doing the next investigation phase as outlined in Change Order #1 in February, while it is still cold for the purposes of sub-slab sampling. However, the RP does not have quite the funding he thought he would have at this point and would like to cut \$3,000 off the workscope. I would propose to not do the three soil borings around MW-2 with their 21 soil analyses. I think the vapor investigation-related items are most important, followed by the gw investigation items as the gw information will help us determine additional at-risk buildings for vapor intrusion. Would like to discuss further with you (or the current project manager). I have attached the proposed boring map from the 2015 status report/change order for reference.

**Scott A. Hodgson, P.G.**  
**Senior Project Manager | Environmental Services**  
**Terracon**  
9856 S. 57th Street | Franklin, WI 53132

D (414) 209 7640 | F (414) 423 0566 | M (920) 791 9206\*  
[sahodgson@terracon.com](mailto:sahodgson@terracon.com) | [www.terracon.com](http://www.terracon.com)

**\*Note new mobile number**

---

**From:** Joslin, Richard R - DNR <[Richard.Joslin@wisconsin.gov](mailto:Richard.Joslin@wisconsin.gov)>  
**Sent:** Tuesday, February 7, 2017 4:05 PM  
**To:** Hodgson, Scott A. <[Scott.Hodgson@terracon.com](mailto:Scott.Hodgson@terracon.com)>  
**Subject:** RE: Dry Cleaners Etc (BRRTS #02-69-552218)

Thanks Scott!

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Richard R. Joslin**

Hydrogeologist – Remediation & Redevelopment Bureau  
Wisconsin Department of Natural Resources  
2984 Shawano Avenue, Green Bay WI 54313-6727  
Phone: (920) 662-5165  
Cell Phone: (920) 360-4291  
[Richard.Joslin@Wisconsin.gov](mailto:Richard.Joslin@Wisconsin.gov)



---

**From:** Hodgson, Scott A. [<mailto:Scott.Hodgson@terracon.com>]  
**Sent:** Tuesday, February 07, 2017 4:04 PM  
**To:** Joslin, Richard R - DNR  
**Subject:** RE: Dry Cleaners Etc (BRRTS #02-69-552218)

Rick,

I did see that Jennifer added it to the list with projected payment in February 2020. I would agree that the site would likely best fit a medium priority. The costs are primarily for the original approved scope, but does include one invoice for the change order that covered the development of the scope/work plan for the change order. No other work under the approved scope for Change Order #1 has been completed nor can be completed until receipt of the reimbursement. I will be available most of the day Wednesday if you have any questions or need to discuss further.

**Scott A. Hodgson, P.G.**  
**Senior Project Manager | Environmental Services**  
**Terracon**  
9856 S. 57th Street | Franklin, WI 53132  
D (414) 209 7640 | F (414) 423 0566 | M (920) 791 9206\*  
[sahodgson@terracon.com](mailto:sahodgson@terracon.com) | [www.terracon.com](http://www.terracon.com)

**\*Note new mobile number**

---

**From:** Joslin, Richard R - DNR [<mailto:Richard.Joslin@wisconsin.gov>]  
**Sent:** Tuesday, February 7, 2017 3:54 PM  
**To:** Hodgson, Scott A. <[Scott.Hodgson@terracon.com](mailto:Scott.Hodgson@terracon.com)>  
**Subject:** RE: Dry Cleaners Etc (BRRTS #02-69-552218)

Scott

I received the Dry Cleaner Environmental Response Program Reimbursement Application for Dry Cleaners Etc. on January 9, 2017. I sent Jennifer Feyerherm an email on Friday January 13, 2017, with the Linking Spreadsheet that you submitted asking that she add you to the list of applicants (for reimbursement) as soon as possible. Right now it looks like reimbursements are out approximately 3.5 years.

I still have to review the entire packet that you sent to me and I'm doing that now. Two questions came up:

1. I have to prioritize the site as low, medium, or high per Wisc. Admin. ch. NR169.05 definitions. Would you agree that the site would fit "Medium Priority". Based on what I see I think medium is the best fit and not a high priority.
2. The costs included in this reimbursement application is for the original SI activities? The change order (CO #1) that I approved in a letter dated November 19, 2015 have not been completed yet correct?

Sorry to bother you with these questions. If you want to discuss I can call tomorrow and discuss.

Thanks Scott!

Rick

**We are committed to service excellence.**

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

**Richard R. Joslin**

Hydrogeologist – Remediation & Redevelopment Bureau

Wisconsin Department of Natural Resources

2984 Shawano Avenue, Green Bay WI 54313-6727

Phone: (920) 662-5165

Cell Phone: (920) 360-4291

[Richard.Joslin@Wisconsin.gov](mailto:Richard.Joslin@Wisconsin.gov)



[dnr.wi.gov](http://dnr.wi.gov)



---

**From:** Hodgson, Scott A. [<mailto:Scott.Hodgson@terracon.com>]

**Sent:** Friday, November 04, 2016 8:15 AM

**To:** Joslin, Richard R - DNR

**Subject:** Dry Cleaners Etc (BRRTS #02-69-552218)

Rick,

We now have the initial claim for this site ready to send to you. However, my client is currently out of the country. Just wanted to verify with you that scanned signed electronic copies of the application form and W-9 form would be acceptable. That would make things much easier. I know that in some situations original signatures are required. Please let me know.

Thanks.

**Scott A. Hodgson, P.G.**

**Senior Project Manager | Environmental Services**

**Terracon**

9856 S. 57th Street | Franklin, WI 53132

D (414) 209 7640 | F (414) 423 0566 | M (920) 791 9206\*  
[sahodgson@terracon.com](mailto:sahodgson@terracon.com) | [www.terracon.com](http://www.terracon.com)

**\*Note new mobile number**

Terracon provides environmental, facilities, geotechnical, and materials consulting engineering services delivered with responsiveness, resourcefulness, and reliability.

---

*Private and confidential as detailed here ([www.terracon.com/disclaimer](http://www.terracon.com/disclaimer)). If you cannot access hyperlink, please e-mail sender.*

Terracon provides environmental, facilities, geotechnical, and materials consulting engineering services delivered with responsiveness, resourcefulness, and reliability.

---

*Private and confidential as detailed here ([www.terracon.com/disclaimer](http://www.terracon.com/disclaimer)). If you cannot access hyperlink, please e-mail sender.*

Terracon provides environmental, facilities, geotechnical, and materials consulting engineering services delivered with responsiveness, resourcefulness, and reliability.

---

*Private and confidential as detailed here ([www.terracon.com/privacy-policy](http://www.terracon.com/privacy-policy)). If you cannot access hyperlink, please e-mail sender.*