SOIL BORING LOG INFORMATION

Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater Waste Management Remediation/Revelopment Other W USEPA																
				· . —								Page		_ of	\	
Facilit	y/Proje	ct Nan	ne .	Ci Clannics RI winds	Licens	se/Pern	nit/Mor	nitorin	g Numl	ber]	Boring		er			
Boring	g Drille	d By:	Name	of crew chief (first, last) and Firm	Date D	Prilling	Starte	d T	Date D	rilling	Comp	leted	- M Drillin	g Meth	nod	
	Tame:			Last Name: Gerrits	LL	16	120	ĻĻ	$\frac{1}{\mathbf{m}}\frac{\mathbf{j}}{\mathbf{m}}$	16,	201	<u>.</u> [Hollow Stem			
WI U	nique V	Vell No). \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	DNR Well ID No. Well Name	Final S								Borehole Diameter			
VV350 SOC-MW-1 Local Grid Origin □ (estimated: □) or Boring Location □							Feet M	SL	I conl (Cara L	Feet M	MSL .	inches			
State Plane N, E W 1/4 of SE 1/4 of Section V, T N, R 150 Facility ID County County							016.	759	Local (□ E			
Facili	ty ID	<u> </u>	1/4 of	County K	Lor County C	ode	Civil '	Town/	City/ or	Villag	æt 🗖	<u>s</u> _	Feet□ W			
							<u></u>	144	é C	hi	40					
San		.	if uface)	Califfront Description					(qdd)			rope	rties			
H 8.	Att.	ounts	n Fee	Soil/Rock Description And Geologic Origin For		တ		g		ssive h	e		ž.		ints	
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)	cpth i	Each Major Unit		USC	Graphic Log	Well Diagram	PID/FID	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
	1 2	<u>m</u>			. ,	 - -	0.7	- 11	<u> </u>	Ωw	20	-	<u> </u>	Α.	<u> </u>	
				readish brown si	l by											
				clay-no odoc		ŀ	Ì	ļ	0				1	· ·		
			10	moisture at 10'		<u> </u>								<u> </u>	ļ	
				moist red brow.	γ											
	1			clay-no odor					0							
*			15											1		
				moist brown silty day no odor			Ì					1				
				purpue orosorr]	
		ļ		silty day												
		1	20	no odor								ļ			1	
	1		20							ĺ		İ				
		1							1							
								1								
	1		ŀ						1						İ	
			1													
							1									
									1							
	l			1			1									
	aber a t	<u> </u>	 	information on this form is true - 1		<u> </u>	nt of -	<u> </u>			<u></u>			<u> </u>		
Signa		ruty ti		information on this form is true and co	Firm											
	t	L		tma		$^{\prime\prime}$	716	<u> </u>	125	FI	4	(0)	NH	0 C F	C/	

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin	
Department of Natural	Resources

SOIL BORING LOG INFORMATION Form 4400-122 Rev. 7-98

			Koute	Remediation/Revelopment Oth	ner 🔀		EPF	٦	_						
Facili	y/Proje	ct Nan	ne		Licens	e/Perm	nit/Mor	nitorin	g Numl	per li	Borino	Page	er	of	
5)G (1)	die	. <i>D</i> c	y Okany S& Laundry of crew chief (first, last) and Firm	Licens	-, i 0iii	11011101	nwi m	8 1 101111	~	_		~ N.V.	12	••
Borin	g Drille	d By:	Name	of crew chief (first, last) and Firm	Date D	rilling	Starte	d	Date D	rilling	Comp	leted	Drilling	Meth	nod
rim r	Came: N	/4 K	د م20	Last Name: Gercits		1 10/	<u> 20</u>	<u>[</u>]	$\left \frac{1}{m}\frac{\ell}{m}\ell\right $	15/	<u> 25</u>	<u>/</u> /	Hollow Stem		
WI Unique Well No. DNR Well ID No. Well Name Fi									Surface				Borehole Diameter		
<u>V</u>)	<u> </u>	<u> 5 T</u>		SDC-MW-2	<u> </u>		Feet M	SL			Feet N	ISL		iг	nches
Local State 1	Ond O Plane _	rigin	(est		L	at <u></u> 넥	016 1	<u> 153"</u>	Local (Grid L	ocation	ı N			D E
Nu	1/4 of	58/	1/4 of	N, E Section 2 , T 2 N, R 48/	Lon	g 88	0 ₁₈ '	911	₩	Fe	æt 🗖	S			o w
Facili	ty ID			County	ounty C	ode	Civil T	Fown/	/City/ or Village 1e Chute						
San	nple		ફ્ર	***************************************					T			mpe	rties		
	r. (jr.)	nts	8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1	Soil/Rock Description					(ydd	,e					
F 5	h At ered	Com	in F	And Geologic Origin For Each Major Unit		S	ပ္	Ę	<u> </u>	cssi	왕는	_	ity		ents
Number and Type	Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Bolow ground surface)	Bash Major Shik		usc	Graphic Log	Well Diagram	PID/FID(Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments
<u> </u>	1 22	<u> </u>	0	Lock because they up			6.3	7 Q	Δ.	ర్రాల	ζ	-1-1	d. ii		
				dark brown / brown											
				no odor					0						
			0.5	NO 0000		l	l	Į							
		•	00	red brown dry		<u> </u>									
				day		\				l	l	Į .	l		
]		'	~			1		10	\		1	\		
		1		no oder				ļ		}	1		1		
	1	ŀ	8	moisture level		İ	Ì		į	İ	١.				
				redibrown moist											The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
		1		01311		Į.				İ		1			
						ı		1			1	l	1		
	ļ			We goter		ļ			<u> </u>		<u> </u>	<u> </u>		<u> </u>	
		Į.	12							Ì					
			1 6	purple brown		1		Ì			l	l			
	1			moist silty day	1	1				}		1			
		1	1	[110.31	,	Į.	1		Į		Į	Į	1	Į	
								1	1				1		1
						1			1			1			-
							1						1		
	,									1	-				
									1				1		
		:·c		in Comment on the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Comment of the Com		41 - 1				<u></u>					<u> </u>
I her Sign:		ruty t	nat the	information on this form is true and cor	rect to		st of n	ny kn	owledg	ge.			-		
	((_)	1	Ma		0	7/16		- <i>0</i>	SE	124	- Ci	nt	rac	for

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.

State of Wisconsin Department of Natural Resources

SOIL BORING LOG INFORMATION Form 4400-122 Rev. 7-98

Route To: Watershed/Wastewater Waste Management Remediation/Revelopment Other Waste Management Remediation/Revelopment Other Waste Management Remediation/Revelopment Management Waste Management Remediation/Revelopment Other Waste Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Remediation/Revelopment Management Remediation/Revelopment Management Remediation/Revelopment Remedi

					t	~						Page		of		
Facility/Proje					Page of License/Permit/Monitoring Number Boring Number											
Jan	dir	52 t	4	50C-MW-3												
First Name: M. K. Last Name: G. C. C. H.S. Firm: G. Co. A.S. O. C. WI Unique Well No. V. 252 Local Grid Origin (estimated:) or Boring Location State Plane N, E NN 1/4 of Scotion 1, T. N, R. 156													Drilling	, Meu	nod	
													Hollow Sterr			
							Feet M	Surface		Feet N	ASI.	Borehole Diameter inches				
							0 11.	7.40"	Local C	Grid L	ocation	1	D E			
							0,01	9124	<u>۱</u>		_					
							0 18 '948" Civil Town				æt 🗖	<u>s</u> _	Feet□ W			
							Lit		le	ch	ut					
Sample		ace)							(C)		Soil F	rope	rties			
n. &	atin	G Sterf		ck Description				1	99	ķ			ļ		s,	
ype th A	Š	rin (logic Origin For Major Unit		CS	ု့	E E	E	rcss	יות	₩	city	_	nent /	
Number and Type Length Att. & Recovered (in)	Blow Counts	Depth in Feet (Below ground surface)		·		O S (Graphic	Well Diagram	Рір⁄гіц (₹	Compressive Strength	Moisture Content	Liquid Limit	Plasticity Index	P 200	RQD/ Comments	
7 8 - 2	-	0					10.7	1	 	SC	~0			<u> </u>	120	
				browns	این				0							
			no ode)·C		-									1	
	1	lì					 	 	 							
ĺ	•	'	proun a			ĺ	1	1	İ	ĺ]			
			red ch	ay .		-	ŀ	1	120			Į .			1	
			no od	.v(ľ			İ	<u> </u>		1	
	1	١.		e level)		1	1								
ļ	1	6	-MO-314	(Leve		-	1	1			}	ŀ	1		<u> </u>	
			1	a b at cold]						1				
	1		prountr no od	eadag			1		\circ	ì			}			
			no od	06			1	1				1				
		114				+	\top	1	1			1		Į	Į	
]		1' '	1	1									1			
			brown	purple c dor	lay				10							
					_											
-		-	no o	O/O/A					 	<u> </u>		-			 	
		20					1		ì				1	1	1	
		``								•			Ĭ			
		Ì							-				1			
							ļ						1			
	1												1			
											1					
I hereby ce	ertify t	hat the	information on this	form is true and o	correct t	o the b	est of a	nv kn	owleda							
Signature	Prince 1	7	- IIIOIIIIIIIOII OII UIE		Fir						,					
			Un-			1	1		F -	- [/	SE	-12	7 C.	nn	tralto	

This form is authorized by Chapters 281, 283, 289, 291, 292, 293, 295, and 299, Wis. Stats. Completion of this form is mandatory. Failure to file this form may result in forfeiture of between \$10 and \$25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. NOTE: See instructions for more information, including where the completed form should be sent.