


future. Final determination regarding the eligibility of costs will be made by the claim reviewer when the entire claim, including all invoices and reports, is submitted for payment.

Thank you for your efforts to protect Wisconsin's environment. If you have any questions, please contact me in writing at the letterhead address or by telephone at (715) 365-8942.

Sincerely,



Carrie Stoltz
Hydrogeologist
Remediation and Redevelopment Program

Enclosure: Usual and Customary Cost Schedule Worksheet

cc: Jason Powell-Metco

Usual & Customary Cost Schedule Worksheet #24 (July 2018 - December 2018) for Form RR-100a

PECFA #:	54487-1334-11	<table border="1"> <tr> <td>Cost Schedule Total</td> <td>\$4,759.53</td> </tr> <tr> <td>Variance Total</td> <td>\$0.00</td> </tr> <tr> <td>Grand Total</td> <td>\$4,759.53</td> </tr> </table>	Cost Schedule Total	\$4,759.53	Variance Total	\$0.00	Grand Total	\$4,759.53
Cost Schedule Total	\$4,759.53							
Variance Total	\$0.00							
Grand Total	\$4,759.53							
BRRTS #:	03-35-554426							
Site Name:	Luedtke Property							
Site Address:	11 West Wisconsin Avenue, Tomahawk							
Date:	September 7, 2018							

#	Task	Provider	Ref Code	Activity Reference Code Description	Unit	Units	Unit Cost	Total Cost	Notes
1	Groundwater Sampling		GS05	Sample Collection	Well	18	\$ 72.45	\$ 1,304.10	
1	Groundwater Sampling		GS15	Incremental Sample Collection (cadmium & lead)	Well	6	\$ 26.25	\$ 157.50	
1	Groundwater Sampling		GS25	Primary Mob/Demob	Site	2	\$ 628.11	\$ 1,256.22	
6	Letter Report/Addendum		LRA05	Letter Report/Addendum	Letter	1	\$ 1,039.29	\$ 1,039.29	
33	Water Sample	Laboratory	W4	PVOC + Naphthalene	Sample	18	\$ 30.35	\$ 546.30	
33	Water Sample	Laboratory	W7	Lead	Sample	6	\$ 12.39	\$ 74.34	
36	Change Order Request		COR05	Change Order Request	Change Order	1	\$ 381.78	\$ 381.78	