#### Letter of Transmittal

Date:

4/14/2020

Attached

Job:

Luedtke Property

OUnder Separate Cover

Contents:

Well Abandonment Forms for Luedtke Property site located at 11 W. Wisconsin Avenue in Tomahawk, WI. BRRTS #: 03-35-554426

#### Remarks:

Attached are the well abandonment forms for the above site as requested in your email correspondence dated 3/11/20. The wells have been properly abandoned and no investigative waste remains on-site. Attached are well abandonment forms documenting that the work was completed. Following your review of this information please forward the "Final Closure" letter to our client and copy METCO.

If you have any questions please call or email.

Signed: Jason Powell cc: Todd Luedtke - Client

METCO 709 Gillette St., Ste 3 La Crosse, WI 54603-2382 (608)781-8879 fax (608)781-8893

709 Gillette St., Ste #3

State

WI

ZIP Code

54603-

City

La Crosse

### Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Drinking Water Watershed/Wastewater Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information Facility / Owner Information County WI Unique Well # of acility Name Hicap # Removed Well Luedtke Property VR691 LINCOLN acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 735041230 28.23 License/Permit/Monitoring # 89 43.78 Original Well Owner 1/4/1/4 SW Section Township Range SW [x]E Todd Luedtke or Gov't Lot# 34 35 6 W Present Well Owner Well Street Address Todd Luedtke 11 W Wisconsin Ave Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 426 Crowfoot Ave Tomahawk 54487-City of Present Owner ZIP Code State Subdivision Name ot # 54935-Fond Du Lac WI Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason For Removal From Service ∐No. Ves Pump and piping removed? Sampling Complete Yes No 3. Well / Drillhole / Borehole Information Liner(s) removed?  $\square_{\text{Yes}} [X]_{\text{No}}$ Original Construction Date (mm/dd/yyyy) Screen removed? [X] Monitoring Well [x]<sub>Yes</sub>  $\square$ <sub>No</sub> 11/14/2017 Casing left in place? Water Well L No Xyes If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. LINO X Did sealing material rise to surface? Construction Type: [X]<sub>No</sub> Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug  $[X]_{N/A}$ If yes, was hole retopped? □<sub>No</sub> If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify):  $\square_{Yes} \square_{No} [x]_{N/A}$ Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured [X] Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Clay-Sand Slurry (11 lb./gal. wt.) 8.25 25 Bentonite-Sand Slurry " " Sand-Cement (Concrete) Grout Concrete Bentonite Chips No  $[x]_{Yes}$ Unknown Was well annular space grouted? For Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonile - Cement Grout 7.51 23 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft) To (ft) lbs Bentonite Chips Surface 30 48 6. Comments Monitoring/Piezometer Well PZ-1 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Noted By Date of Filling & Sealing (mm/dd/yyyy) License # Date Received **Rob Wilmoth - METCO** 4/8/2020 Street or Route Telephone Number Comments

608) 781-8879

Signature of Person Doing Work

Date Signed

4/9/2020

709 Gillette St., Ste #3

State

WI

ZIP Code

54603-

City

La Crosse

## Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2 Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information Route to: Watershed/Wastewater X Remediation/Redevelopment Drinking Water Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information Facility / Owner Information County WI Unique Well # of Hicap # acility Name Removed Well Luedtke Property VR692 LINCOLN acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 735041230 28.23 icense/Permit/Monitoring # 89 43.78 Original Well Owner 1/4/1/4 Section Fownship SW Ranoe SW X E Todd Luedtke or Gov't Lot # 34 35 6 N W resent Well Owner Well Street Address **Todd Luedtke** 11 W Wisconsin Ave Mailing Address of Present Owner Well ZIP Code Well City, Village or Town 426 Crowfoot Ave Tomahawk 54487-City of Present Owner State ZIP Code Subdivision Name ot# 54935-WI Fond Du Lac Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason For Removal From Service Yes L No Pump and piping removed? Sampling Complete  $\square_{\text{Yes}} \square_{\text{No}} [x]_{\text{N/A}}$ 3. Well / Drillhole / Borehole Information Liner(s) removed? Yes [X]No Original Construction Date (mm/dd/yvyy) Screen removed? [X] Monitoring Well . [x]<sub>Yes</sub>  $\square$ <sub>No</sub> 11/14/2017 Casing left in place? Water Well [X]Yes No If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. [X]<sub>Yes</sub>  $\square$ <sub>No</sub> Did sealing material rise to surface? Construction Type: Yes [X]No Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug If yes, was hole retopped? No X N/A If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity . Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured [X] Other (Explain): \_Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) Sealing Materials Lower Drillhole Diameter (in.) Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.) Casing Depth (ft.) 5 8.25 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Concrete Bentonite Chips [x]<sub>Yes</sub> Unknown No Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: Depth to Water (feet) If yes, to what depth (feet)? [X] Bentonite Chips Bentonite - Cement Grout 5.4 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft) To (ft.) lbs **Bentonite Chips** Surface 24 15 6. Comments Monitoring Well MW-1 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Noted By Date of Filling & Sealing (mm/dd/yyyy) Date Received License # 4/8/2020 Rob Wilmoth - METCO Street or Route Telephone Number Comments

608) 781-8879

Signature of Person Doing Work

Date Signed

2020

#### Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return

form to the appropriate DNR office and bureau. See instructions on reverse for more information Route to: X Remediation/Redevelopment Watershed/Wastewater Drinking Water Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information Facility / Owner Information County WI Unique Well # of Hicap # acility Name Removed Well Luedtke Property VR693 LINCOLN acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 735041230 28.23 icense/Permit/Monitoring # 89 43.78 Original Well Owner 1/4/11/4 SW Section Township Ranoe SW X E Todd Luedtke or Gov't Lot # 34 35 6 W N resent Well Owner Well Street Address **Todd Luedtke** 11 W Wisconsin Ave Mailing Address of Present Owner Well City, Village or Town Well ZIP Code 426 Crowfoot Ave Tomahawk 54487-City of Present Owner State ZIP Code Subdivision Name ot# WI 54935-Fond Du Lac Pump, Liner, Screen, Casing & Sealing Material Reason For Removal From Service WI Unique Well # of Replacement Well Pump and piping removed? Sampling Complete  $\square_{\text{Yes}} \square_{\text{No}} [x]_{\text{N/A}}$ 3. Well / Drillhole / Borehole Information Liner(s) removed?  $\square_{\text{Yes}} [x]_{\text{No}}$ Original Construction Date (mm/dd/yvyy) Screen removed? X Monitoring Well [x]<sub>Yes</sub>  $\square_{No}$ 11/14/2017 Casing left in place? Water Well [x]<sub>Yes</sub>  $\square$ <sub>No</sub> If a Well Construction Report is available, Was casing cut off below surface? Borehole / Drillhole please attach. [X]<sub>Ves</sub>  $\square_{No}$ Did sealing material rise to surface? Construction Type: Yes [X] No Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug □ No If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured [X] Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) Sealing Materials Lower Drillhole Diameter (in.) Casing Depth (ft.) **Neat Cement Grout** Clay-Sand Slurry (11 lb./gal. wt.) 8.25 5 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry \* \* Bentonite Chips Concrete  $[x]_{Yes}$ Unknown No Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonile - Cement Grout 6.13 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft.) To (ft.) lbs **Bentonite Chips** Surface 15 24 6. Comments Monitoring Well MW-2 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing (mm/dd/yyyy) Date Received Noted By License # 4/8/2020 Rob Wilmoth - METCO Street or Route Telephone Number 709 Gillette St., Ste #3 608) 781-8879 City ZIP Code State Signature of Person Doing Work Date Signed 4/9/2020 La Crosse 54603-141 WI

# Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 o

Verification Only of Fill		Drinking Waste N	Water Ianagemen	= =	Vatershed/Was Other:	stewater [X	Remedi	ation/Redevelopmen				
1. Well Location Information	THE PARTY		6.78	attainmet l	2. Facility	/ Owner Info	rmation					
	ue Well # of		сар#		Facility Name	A THE RESERVE	400-40-40-40-40-40-40-40-40-40-40-40-40-	Marie Indian Park				
LINCOLN Remove	ed Well VR6	94			95	Luedtke l	Property					
Lattitude / Longitude (Degrees and		-	Code (see in	etauctionel	Facility ID (F	ID or PWS)						
45 • 28.23	'N	ieniou C	2008 (508 11)	au ucuona)			735041230					
					License/Perr	nit/Monitoring	#					
89 43.78	- 'W					- The second						
WIN SW W SW	ship Rang	e [x] E	Original Well		d Luedtke							
or Gov't Lot #	34	35	N 6	Ŭ₩	Present Well		Lucuike					
Well Street Address					1 ICSCIII VVCII	TOWN TRANSPORTER	ld Luedtke					
11 W Wisconsin Ave					Mailing Addr	ess of Present						
Well City, Village or Town			Well ZIP C	ode			426 Crowfoo	t Ave				
Tomahawk			54487-		City of Present Owner State ZIP Code							
Subdivision Name			Lot#			Fond 1	Du Lac	WI	54935-			
5 5 5 5 6	- Martinian	~ 10JoH di	of Replacer	nant Mall	-4. Pump, Liner, Screen, Casing & Sealing Material							
Reason For Removal From Service	e An nuidn	e vveil #	or Replacer	nent vveii								
Sampling Complete	north and a series where											
3. Well / Drillhole / Borehole	THE PARTY SHAPE TO SELECT THE		Data Issail	della const								
[X] Monitoring Well	Original Cons		1 Date (min/ 4/2017	daryyyy)	Screen removed?  Casing left in place?  Lyes LANo LN/A  [X] <sub>Yes</sub> No N/A							
Water Well	If a Well Cor			9.11	Was casing cut off below surface?   X Yes   No   N/A							
Borehole / Drillhole	1											
Construction Type:	please attac					g material rise			Yes □No □N Yes [X]No □N			
X Drilled Driven (Sandpoint) Dug												
								m hate				
Other (specify):							sed, were they hydra safe source?		Yes No X N			
Formation Type:							Sealing Material					
[X] Unconsolidated Formation		Bedroc	k		Conductor Pipe-Gravity Conductor Pipe-Pumped Screened & Poured (Bentonite Chips) Gravity Gravity							
Total Well Depth From Ground Su	. 12 (2	asing DI	ameter (in.)									
				2	Sealing Mate		_					
Lower Drillhole Diameter (in.)	.25	asing De	epth (ft.)	5	Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)							
0.					Sand-Cement (Concrete) Grout Bentonite-Sand Sturry "							
Was well annular space grouted?	$[x]_Y$	es [	□No □	Unknown	Concrete Bentonite Chips							
If yes, to what depth (feet)?		o Water	(feet)		For Monitoring Wells and Monitoring Well Boreholes Only:							
3			6.12	,	X Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry							
THE STATE OF THE S	CONTRACTOR OF THE PARTY OF THE	Lister (e.b.)	U.I.	RESERVATION OF STREET	BILLINGS PURSUES	EREPTISASON I	Man of the second	ile - Sand	Siuity			
5. Material Used To Fill Well / D		From (ft.)	To (ft.)	lbs								
Bentonite Chips					Surface	15	24					
	- 4											
111111111111111111111111111111111111111												
6. Comments	7-7-1	C-2 (100)	3	THE WENT OF	A APPARTURE SIN							
Monitoring Well MW-3												
7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0							1 3 - 1 2 - 1 - 1	MD II	~ 1			
7. Supervision of Work  Name of Person or Firm Doing Filling & Sealing License # Date of Fill						n (mane) del d'e e e		NR Use				
Rob Wilmoth - METCO	4/8/2020	) (mm/dd/yyyy	) Date Received	No	ted By							
Street or Route	lr.	dephone Num	her	Comments								
709 Gillette St.,	Ste #3				(608) 781-8879							
City State ZIP Code					Signature of Person Doing Work Date Signar							
La Crosse WI 54603-				That We 4/9/2020								

City

La Crosse

#### Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Watershed/Wastewater Verification Only of Fill and Seal Drinking Water Waste Management Other: 1. Well Location Information Facility / Owner Information County WI Unique Well # of Hicap # **Facility Name** Removed Well Luedtke Property VR695 LINCOLN acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 735041230 28.23 icense/Permit/Monitoring # 89 43.78 Original Well Owner 1/11/4 SW Section **Fownship** Range SW [x] E **Todd Luedtke** or Gov't Lot # 6 34 35 W Present Well Owner Well Street Address Todd Luedtke 11 W Wisconsin Ave Mailing Address of Present Owner Well City, Village or Town Well ZIP Code 426 Crowfoot Ave Tomahawk 54487-ZIP Code City of Present Owner State Subdivision Name ot # WI 54935-Fond Du Lac Pump, Liner, Screen, Casing & Sealing Material Reason For Removal From Service WI Unique Well # of Replacement Well Pump and piping removed? Sampling Complete LI No 3. Well / Drillhole / Borehole Information Liner(s) removed? Yes [X]No Original Construction Date (mm/dd/yyyy) Screen removed? X Monitoring Well . 11/14/2017 Casing left in place? Water Well [X]<sub>Yes</sub> If a Well Construction Report is available. Was casing cut off below surface? Borehole / Drillhole please attach.  $[x]_{Yes}$ □<sub>No</sub> Did sealing material rise to surface? Construction Type:  $[x]_{No}$ Did material settle after 24 hours? X Drilled Driven (Sandpoint) Dug If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured (Bentonite Chips) [X] Other (Explain): Gravity Total Well Depth From Ground Surface (fl.) Casing Diameter (in.) 15 Sealing Materials Lower Drillhole Diameter (in.) Clay-Sand Slurry (11 lb./gal. wt.) Casing Depth (ft.) Neat Cement Grout 5 8.25 Bentonite-Sand Slurry " " Sand-Cement (Concrete) Grout Bentonite Chips Concrete [X] Yes No Unknown Was well annular space grouted? or Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) [X] Bentonite Chips Bentonite - Cement Grout 6.34 Granular Bentonite Bentonite - Sand Slurry 5. Material Used To Fill Well / Drillhole From (ft) To (ft.) Ibs Bentonite Chips Surface 24 15 6. Comments Monitoring Well MW-4 7. Supervision of Work **DNR Use Only** Date of Filling & Sealing (mm/dd/yyyy) Name of Person or Firm Doing Filling & Sealing Date Received Noted By 4/8/2020 **Rob Wilmoth - METCO** Street or Route Telephone Number Comments 709 Gillette St., Ste #3 (608) 781-8879

ZIP Code

54603-

Signature of Person Doing Work

Ma

mul 7

Date Signed

2020

State

WI

# Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 or

Page 1 of 2

Verification Only of Fill	and Seal		o. inking Water aste Managemen	. =	Vatershed/Was Other:	tewater [3	[X] Remediation/Redevelopment			
1. Well Location Information			Section 1	2. Facility	/ Owner Info	rmation	Semi-stati			
Remov	que Well # of red Well	Hicap #		Facility Name	Carlotte and Carlotte and Carlotte					
LINCOLN	VR696_			Facility ID (F	NO. THE CONTRACTOR OF THE					
Lattitude / Longitude (Degrees and		d Code (s	see instructions)	15	5000/A00 10 1000 10	735041230				
45	'N			License/Pern	nit/Monitoring if	į.				
89 • _43.78 .	·w									
14/4 SW 14 SW	Section Toy	vnship	Range [v1E	Original Well	Owner					
or Gov't Lot #	The restriction of the second		A	Todd Luedtke						
Well Street Address	1 54   5	55 N	9 M	Present Well	Owner					
11 W Wisconsin Ave						d Luedtke				
Well City, Village or Town		Mall	ZIP Code	Mailing Addn	ess of Present					
Tomahawk		1011/02/02/02	187-			426 Crowfo		·		
Subdivision Name		Lot#	107-	City of Present Owner State ZIP Code						
ous and the same		F-01.2		Fond Du Lac WI 54935-						
Reason For Removal From Service	e WI Unique We	II # of Rea	placement Well	4. Pump, L	Iner, Screen	, Casing & Seal	ing Mate	rial		
Sampling Complete		WE SAWER		Pump and piping removed?						
3. Well / Drillhole / Borehole	Information	Majinsii.		Liner(s) removed?						
	Original Construct	ion Date	(mm/dd/vvvv)	Screen removed?						
X Monitoring Well .		/14/201	A. STORY CO.	Casing left in place? [x] <sub>Yes</sub> $\square$ <sub>No</sub> $\square$ <sub>1</sub>						
Water Well	If a Well Construc			Was casing cut off below surface? [X]Yes No N/A						
Borehole / Drillhole	please attach.	non rept	or is a tallable,	Did sealing material rise to surface? [X] Yes No NA						
Construction Type:				Did material settle after 24 hours?						
[X] Drilled Driven (S	1	If yes, was hole retopped?								
		Dug		If bentonite chips were used, were they hydrated						
Other (specify):			····		THE RESERVE THE PARTY OF THE PA			Yes No [X]N/A		
Formation Type:	_				- I - I - I - I - I - I - I - I - I - I	Sealing Material	D' - 0			
X Unconsolidated Formation	Bedr	rock		Conductor Pipe-Gravity Conductor Pipe-Pumped Screened & Poured X Other (Explain): Gravity						
Total Well Depth From Ground Su		Diameter		(Bentonite Chips) Sealing Materials						
15			2							
Lower Drillhole Diameter (in.) 8	.25 Casing	Depth (ft	5	Neat Cement Grout Clay-Sand Slurry (11 lb./gal. wt.)						
		Sand-Cement (Concrete) Grout Bentonite-Sand Slurry "								
Was well annular space grouted?	$[x]_{Yes}$	☐ No	Unknown	☐ Concre			Bentonite	0 10 10 10 10 10 10 10 10 10 10 10 10 10		
If yes, to what depth (feet)?	Depth to Wa	ter (feet)		For Monitoring Wells and Monitoring Well Boreholes Only:						
3		· · · · · · · · · · · · · · · · · · ·	E 74	X Bentonite Chips Bentonite - Cement Grout Granular Bentonite Bentonite - Sand Slurry						
3	ocardon la la 192 a rev	of and star	5.74	\$12mm=400 k.198m2	COLORESCHOOL OF	L Bento	nne - Sano	Siurry		
5. Material Used To Fill Well / D	rillhole			From (ft.)	To (ft)	lbs				
Bentonite Chips				Surface	15	24				
	31									
6. Comments	# 5 80 Feb. 2 13									
Monitoring Well MW-5	8									
7. Supervision of Work			THE LETT			NAME EL WI	DNR Use	Only		
Name of Person or Firm Doing Fil	Date of Fi	lling & Sealing	g (mm/dd/yyyy)			ited By				
Rob Wilmoth - METCO		4/8/2020			6. 20					
Street or Route					mber Comments					
709 Gillette St.,	, Ste #3		(	608) 781-8	3879	<b>建筑。"在建筑建筑建筑,"大大"。</b>				
City	State	ZIP	Code		Person Doing	Work	Da	te Signed		
la Crosse	1 32/1	1 5	1603	1311	1 Lat			4/9/20:20		

# Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 of

Verification Only of		Drinking	Water lanagemer		Watershed/Wa	stewater	[X] Remedi	ation/Redevelopment				
1. Well Location Informa	tion			nia luos	E I A	2. Facility	/ Owner Info	ormation				
Re	1 Unique \ amoved W	/ell	Hicap	#		Facility Name	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		THE SAME OF THE SAME			
LINCOLN _		_VR69′	-			Facility ID (F		roperty				
Lattitude / Longitude (Degree	es and Mir	utes) Me	thod Code	e (see ins	structions)	1		735041230				
<u>45</u> • <u>28.23</u> · _		_ 'N				License/Perr	nit/Monitoring					
89 43.78		·w						**.				
414 SW 14 SW	Se	ction	Township	Range	e [x] E	Original Well						
or Gov't Lot #		34	35	N 6	Hw			d Luedtke				
Well Street Address				11		Present Well	C. 1984 C. S.					
11 W Wisconsin Ave								ld Luedtke				
Well City, Village or Town			We	II ZIP Co	ode	-Mailing Addr	ess of Present					
Tomahawk			2000	54487-		426 Crowfoot Ave						
Subdivision Name				#		City of Prese		State	ZIP Code			
			41.5			Value Zedon Helli N		Du Lac	WI 54935-			
Reason For Removal From S	Service V	VI Unique	Well # of I	Replacen	nent Well	4. Pump, I	iner, Screen	n, Casing & Se	aling Mate			
Sampling Complete					_	Pump and	piping remov	ed?		Yes UNO X N/A		
3. Well / Drillhole / Borel	ole Info	rmation	risk i i j	4-14-1	The state of	Liner(s) removed?						
F 1	Origi	nal Constr	uction Da	te (mm/c	id/yyyy)	Screen removed?						
X Monitoring Well	"		11/14/2	017		Casing left in place? [X]Yes No N/A						
Water Well	lf a	Well Const	ruction R	eport is a	vailable.	Was casing cut off below surface? [x]Yes □ No □ N/A						
If a Well Construction Report is available, please attach.							Did sealing material rise to surface?					
Construction Type:							-			Yes [x]No NA		
X Dritled Driven (Sandpoint) Dug						Did material settle after 24 hours?  If yes, was hole retopped?  LYes LANO LANA  Yes LANO LANA  NO LANA						
							If hentonite chins were used were they hydrated					
Other (specify):										Yes No XINA		
Formation Type:								Sealing Materia				
[X] Unconsolidated Format	ion	∐В	edrock				ctor Pipe-Gravi					
Total Well Depth From Groun	nd Surface	(ft.) Cas	ing Diame	eter (in.)		Screened & Poured (Bentonite Chips)  Sealing Materials  Neat Cement Grout  Screened & Poured (Explain): Gravity  Clay-Sand Slurry (11 lb./gal, wt.)						
	15		12111		2							
Lower Drillhole Diameter (in.)	0 25	Cas	ing Depth	(ft.)	5							
8.25				•	<del></del>	Sand-Cement (Concrete) Grout Bentonite-Sand Slurry * *						
Was well annular space grou	rted?	$[x]_{Yes}$	. П	4o 🔲	Unknown	Concrete Bentonile Chips						
						For Monitorin		fonitoring Well Bo	reholes Onl	y:		
If yes, to what depth (feet)?		Depth to	vvater (re	0.00		X Benton	ite Chips		tonite - Cem			
3	HECHWAY E. CAN		- WILLIAM CONTROL	6.16	)	Granul	ar Bentonite	L Ben	tonite - Sand	Slurry		
<ol><li>Material Used To Fill We</li></ol>	ell / Drillh	ole				From (ft.)	To (ft.)	lbs				
Bentonite Chips						Surface	15	24				
		1										
	0.0000000000000000000000000000000000000											
6. Comments	1 1017	TI	102.00	3/1		A 4114 20			TENNE TOTAL			
Monitoring Well MW-6												
7. Supervision of Work						F		TEAK AT TE	DNR Use	Only		
						illing & Spalin	g (mm/dd/yyyy	/) Date Received		oted By		
Rob Wilmoth - METCO	A CHILID	a cealing	License	W.	Date Of F	4/8/2020	у (пинистуууу	Data Received	No	ned by		
Street or Route					l Fr	elephone Nun	nher	Comments	53 Res 62 P			
						608) 781-8						
City			ate Z	IP Code			Person Doing	Work	Da	ite Signed		
La Crosse WI 54603-								4/9/2021				

# Well / Drillhole / Borehole Filling & Sealing Form 3300-005 (R 4/08) Page 1 or

Page 1 of 2

☐ Verification Only of Fill and Seal				Drinking Water			Watershed/Wastewater			[X] Remediation/Redevelopment		
		Шw	aste Ma	nagemer		Other:						
1. Well Location Informati	FAX #43749 - 120111 18011 5				leijae!		/ Owner Info	rmation				
Ounty WI Unique Well # of Hicap # Removed Well VR698						Facility Nam	Facility Name  Luedtke Property					
							ID or PWS)					
Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 45 • 28.23 'N								735041230				
							mit/Monitoring	#				
89 * 43.78	'w											
74174 SW 1/4 SW	Section 34	ship	Range	Original Well Owner Todd Luedtke								
or Gov't Lot #	N	6	Present Wel	Present Well Owner								
Well Street Address						0.0000000000000000000000000000000000000	Tod	d Luedtke				
11 W Wisconsin Ave			L	WIE 6		Mailing Add	ress of Present	Owner				
Well City, Village or Town				ZIP Coo	ie			426 Crowfo	oot Ave			
Tomahawk				487-		City of Prese	ent Owner		State	ZIP Code		
Subdivision Name			Lot #	•			Fond 1	WI	54935-			
Reason For Removal From Se	ruine MI Unio	ue Weil #	t of Re	nlaceme	ant Well	4. Pump, Liner, Screen, Casing & Sealing Material						
	MICE WITH	lac ston n	r UI IXO	риссии	ant even	Pump and	d nining remov	ed?		Yes DNo [X]N/A		
Sampling Complete 3. Well / Drillhole / Boreho	la Informatio				Wanta M	Pump and piping removed?  Liner(s) removed?  Pump and piping removed?						
3. Well / Drilliole / Borello	Original Co	Control of the Party	n Date	Immlde	Mannel	Screen removed?						
X Monitoring Well .	Onginal Co		4/201	The state of the s	иуууу					Yes No NA		
Water Well	16 = 146=11 C				ailabla	Casing left in place?  Was casing cut off below surface?  LAIYes No NA  No N/A						
Borehole / Drillhole	If a vveil Construction Report is available,						Did sealing material rise to surface?					
Construction Type:							-			Iv1 I		
	n (Sandpoint)	Г	Du	n			rial settle after : , was hole reto		11			
	··· (Ourropointy	-		9				sed, were they hy safe source?	dratad -	The state of the s		
Other (specify):										Yes No [X]N/A		
Formation Type:	-	-						Sealing Material				
[X] Unconsolidated Formation		Bedroo					ctor Pipe-Gravi ned & Poured	ty Conducto				
Total Well Depth From Ground	Surface (ft.)	Casing D	iamete		2	Screened & Poured (Bentonite Chips)  Sealing Materials  [X] Other (Explain): Gravity						
Lower Drillhole Diameter (in.) Casing Depth							ement Grout		Clay-San	nd Slumy (11 lb./gal. wt.)		
8.25							Cement (Concre	7	e-Sand Slurry " "			
Was well annular space groute	d? [X]	Yes	□No	$\Box$ u	Jnknown	Concrete Bentonite Chips						
If yes, to what depth (feet)?		to Water	(feet)					onitoring Well Boi				
	Бери	10 114101	(1001)			X Benton		parties of the latest and the latest	onite - Cem			
3	- Listan Health and	ENISTE S	1041 July	7.77	HISTOURIS		ar Bentonite	Bent	onite - Sano	Slurry		
5. Material Used To Fill Well	/ Drillhole	12/10/22				From (ft.)	To (ft.)	lbs		1		
Bentonite Chips						Surface	15	24				
6. Comments		T Talk							Missipare			
Monitoring Well MW-7	3)											
7. Supervision of Work							DNR Use Only					
Name of Person or Firm Doing Filling & Sealing License # Date of Fi							g (mm/dd/yyyy	) Date Received	No	ited By		
Rob Wilmoth - METCO						4/8/2020		Property From the	4 4 (1)	The Standard Company		
The state of the s						elephone Nur		Comments				
709 Gillette	St., Ste #3				(	608) 781-		A THE WASTER	in the			
City		State		Code		Signature of Person Doing Work  Put The Date			Date Signed			
La Crosse		WI 54603-					C/W		4/9/2020			

709 Gillette St., Ste #3

State

WI

ZIP Code

54603-

City

La Crosse

## Well / Drillhole / Borehole Filling & Sealing

Form 3300-005 (R 4/08)

Page 1 of 2

Notice: Completion of this report is required by chs. 160, 281, 283, 289, 291-293, 295, and 299, Wis. Stats., and ch. NR 141, Wis. Adm. Code. In accordance with chs. 281, 289, 291-293, 295, and 299, Wis. Stats., failure to file this form may result in a forfeiture of between \$10-25,000, or imprisonment for up to one year, depending on the program and conduct involved. Personally identifiable information on this form is not intended to be used for any other purpose. Return form to the appropriate DNR office and bureau. See instructions on reverse for more information. Route to: X Remediation/Redevelopment Watershed/Wastewater Drinking Water ☐ Verification Only of Fill and Seal Waste Management Other: 1. Well Location Information Facility / Owner Information County WI Unique Well # of licap # acility Name Removed Well **Luedtke Property** VR699 LINCOLN acility ID (FID or PWS) Lattitude / Longitude (Degrees and Minutes) Method Code (see instructions) 735041230 28.23 icense/Permit/Monitoring # 89 43.78 Original Well Owner 1/4/1/4 SW Section ownship Range X E Todd Luedtke or Gov't Lot # 34 35 6 N W resent Well Owner Well Street Address Todd Luedtke 11 W Wisconsin Ave Mailing Address of Present Owner Well City, Village or Town Well ZIP Code 426 Crowfoot Ave Tomahawk 54487-City of Present Owner ZIP Code State Subdivision Name ot# 54935-Fond Du Lac WI Pump, Liner, Screen, Casing & Sealing Material WI Unique Well # of Replacement Well Reason For Removal From Service No Pump and piping removed? Sampling Complete 3. Well / Drillhole / Borehole Information Liner(s) removed?  $\square_{\text{Yes}} [x]_{\text{No}}$ Screen removed? Original Construction Date (mm/dd/yyyy) [X] Monitoring Well No 11/14/2017 Casing left in place? Water Well [X]<sub>Yes</sub> Was casing cut off below surface? If a Well Construction Report is available, Borehole / Drillhole please attach. LINO X Did sealing material rise to surface? Construction Type: [X]<sub>No</sub> Did material settle after 24 hours? X Drilled Driven (Sandpoint) If yes, was hole retopped? If bentonite chips were used, were they hydrated with water from a known safe source? Other (specify): No Required Method of Placing Sealing Material Formation Type: Conductor Pipe-Gravity Conductor Pipe-Pumped X Unconsolidated Formation Bedrock Screened & Poured X Other (Explain): Gravity Total Well Depth From Ground Surface (ft.) Casing Diameter (in.) (Bentonite Chips) 2 15 Sealing Materials Lower Drillhole Diameter (in.) Clay-Sand Slurry (11 lb./gal. wt.) Casing Depth (ft.) Neat Cement Grout 5 8.25 Sand-Cement (Concrete) Grout Bentonite-Sand Slurry " " Concrete Bentonite Chips [x]<sub>Yes</sub> Unknown No Was well annular space grouted? For Monitoring Wells and Monitoring Well Boreholes Only: If yes, to what depth (feet)? Depth to Water (feet) X Bentonite Chips Bentonile - Cement Grout 3 7.27 Bentonite - Sand Slurry Granular Bentonite 5. Material Used To Fill Well / Drillhole From (ft) To (ft.) lbs Surface Bentonite Chips 15 24 Comments Monitoring Well MW-8 7. Supervision of Work **DNR Use Only** Name of Person or Firm Doing Filling & Sealing Date of Filling & Sealing (mm/dd/yyyy) Noted By Date Received **Rob Wilmoth - METCO** 4/8/2020 Street or Route Telephone Number Comments

(608) 781-8879

Signature of Person Doing Work

21

Date Signed

4/9/2020