



Excellence through experience™

709 Gillette St., Ste 3, La Crosse, WI 54603 ♦ 1-800-552-2932 ♦ Fax (608) 781-8893 Email: rona@metcohq.com ♦ www.metcohq.com

August 31, 2017

BRRTS #: 03-52-554656
PECFA #: 53403-3346-05-A

Lee Delcore
Wisconsin Department of Natural Resources
1155 Pilgrim Road
Plymouth, WI 53073

Subject: Wilsons Fish Market – Groundwater Monitoring Report

Dear Mr. Delcore,

Enclosed is the report for the Wilsons Fish Market site located in Mt. Pleasant, Wisconsin. **This completes the Public Bidding Deferred workscope approved on October 5, 2015.**

Groundwater Monitoring Workscope

On February 13, 2017, METCO collected groundwater samples from six monitoring wells (MW-1, MW-2R, MW-3, MW-4, MW-5, and MW-6) for PVOC and Naphthalene analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, specific conductance, and temperature were collected from the sampled monitoring wells.

On May 11, 2017, METCO collected groundwater samples from six monitoring wells (MW-1, MW-2R, MW-3, MW-4, MW-5, and MW-6) for PVOC and Naphthalene analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, specific conductance, and temperature were collected from the sampled monitoring wells.

On August 9, 2017, METCO collected groundwater samples from six monitoring wells (MW-1, MW-2R, MW-3, MW-4, MW-5, and MW-6) for PVOC and Naphthalene analysis. Field measurements for water level, Dissolved Oxygen, pH, ORP, specific conductance, and temperature were collected from the sampled monitoring wells.

Waste Disposal

On March 21, 2017, DKS Transport Services, LLC, of Menomonie, Wisconsin picked-up and disposed of one drum of soil cuttings at the Advanced Disposal Seven Mile Creek Landfill in Eau Claire, Wisconsin.

Groundwater Results

Monitoring Well MW-1: Currently shows an NR140 Enforcement Standard (ES) exceedance for Benzene (9.3 ppb) as well as a NR140 Preventative Action Limit (PAL) exceedance for Naphthalene (14.3 ppb). Based on historic groundwater results, the contaminant concentrations appear to be stable to decreasing.

Monitoring Well MW-2R: Currently shows detects but no exceedances for any contaminants of concern.

Monitoring Well MW-3: Currently shows no detects for all contaminants of concern.

Monitoring Well MW-4: Currently shows no detects for all contaminants of concern.

Monitoring Well MW-5: Currently shows no detects for all contaminants of concern.

Monitoring Well MW-6: Currently shows no detects for all contaminants of concern.

Conclusions/Recommendations

Based on current groundwater results, METCO recommends that the Wilsons Fish Market site be reviewed for the possibility of "closure" for the following reasons:

- 1) The extent and degree of petroleum contamination in soil and groundwater has been adequately defined.
- 2) The majority of accessible contaminated soil has been removed.
- 3) No free product has been encountered during the site investigation.
- 4) Following the excavation project, contaminant levels have significantly decreased.
- 5) Soil and groundwater contamination does not appear to extend underneath the on-site building foundation, therefore vapor intrusion appears unlikely.
- 6) The subject property and surrounding properties are all served by the Village of Mount Pleasant municipal water supply, which draws its potable water from Lake Michigan. METCO is not aware of any private water supply wells within 1,200 feet of the subject property.

However, if the state determines that additional monitoring will be required prior to closure, please contact METCO to discuss.

Per WDNR response to this conclusion/recommendation METCO will proceed.

A Detailed Site Map, Groundwater Flow Maps (3), Groundwater Isoconcentration Map, Data Tables, Waste Disposal Documentation, and Laboratory Documents have been attached.

If you have any questions or comments please feel free to call (608-781-8879) or email at jasonp@metcohq.com.



Sincerely,

A handwritten signature in black ink, appearing to read "Jason T. Powell". The signature is fluid and cursive, with a long horizontal stroke extending to the left.


Jason T. Powell
Staff Scientist

Attachments


c: Steve Wilson – Client



NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER




- ▲ - DOT SOIL BORING LOCATION
- - GEOPROBE BORING LOCATION
- - SOIL BORING LOCATION
- ⊙ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- ≡≡≡≡ - OVERHEAD LINES
- · — · — · - SANITARY SEWER LINE
- · — · — · - STORM SEWER LINE
- · — · — · - WATER LINE
- · — · — · - PHONE LINE
- · — · — · - NATURAL GAS LINE
- · — · — · - UNDERGROUND ELECTRIC LINE
- · — · — · - PROPERTY LINE




GROUNDWATER FLOW MAP (2/13/17)	
WILSON'S FISH MARKET	
 709 Gillette Street, Suite 3 La Crosse, WI 54603 Tel: (608) 781-8879 Fax: (608) 781-8893	MOUNT PLEASANT, WISCONSIN DRAWN BY: ED DATE: 07/12/2012 MODIFIED BY: JJ DATE: 02/7/2017

NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER



- ▲ - DOT SOIL BORING LOCATION
- - GEOPROBE BORING LOCATION
- - SOIL BORING LOCATION
- ⊙ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- ≡≡≡≡ - OVERHEAD LINES
- - SANITARY SEWER LINE
- - STORM SEWER LINE
- - WATER LINE
- - PHONE LINE
- - NATURAL GAS LINE
- - UNDERGROUND ELECTRIC LINE
- - PROPERTY LINE



GROUNDWATER FLOW MAP

(5/11/17)

WILSON'S FISH MARKET


709 Gillette Street, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893

Excellence through experience™


**MOUNT PLEASANT,
WISCONSIN**

DRAWN BY: ED
DATE: 07/12/2012
MODIFIED BY: JJ
DATE: 02/7/2017

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER



- ▲ - DOT SOIL BORING LOCATION
- - GEOPROBE BORING LOCATION
- - SOIL BORING LOCATION
- ⊙ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- ≡ ≡ ≡ ≡ - OVERHEAD LINES
- · — · — · — · - SANITARY SEWER LINE
- · — · — · - STORM SEWER LINE
- · — · — · - WATER LINE
- - PHONE LINE
- · — · — · - NATURAL GAS LINE
- · — · — · - UNDERGROUND ELECTRIC LINE
- ===== - PROPERTY LINE



GROUNDWATER FLOW MAP

(8/9/17)

WILSON'S FISH MARKET




METCO
709 Gillette Street, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893
Excellence through experience™


**MOUNT PLEASANT,
WISCONSIN**

DRAWN BY: ED
DATE: 07/12/2012
MODIFIED BY: JJ
DATE: 02/7/2017

NOTE: INFORMATION BASED ON AVAILABLE DATA. ACTUAL CONDITIONS MAY DIFFER



- ▲ - DOT SOIL BORING LOCATION
- - GEOPROBE BORING LOCATION
- - SOIL BORING LOCATION
- ⊙ - MONITORING WELL LOCATION
- ⊙ - ABANDONED MONITORING WELL LOCATION
- ≡≡≡≡ - OVERHEAD LINES
- · — · — · - SANITARY SEWER LINE
- · — · — · - STORM SEWER LINE
- · — · — · - WATER LINE
- - PHONE LINE
- · — · — · - NATURAL GAS LINE
- · — · — · - UNDERGROUND ELECTRIC LINE
- ===== - PROPERTY LINE



GROUNDWATER
ISOCONCENTRATION (8/9/17)

WILSON'S FISH MARKET




709 Gillette Street, Suite 3
La Crosse, WI 54603
Tel: (608) 781-8879
Fax: (608) 781-8893

MOUNT PLEASANT,
WISCONSIN

DRAWN BY: ED
DATE: 07/12/2012
MODIFIED BY: JJ
DATE: 02/7/2017

NOTE: INFORMATION BASED ON AVAILABLE
DATA. ACTUAL CONDITIONS MAY DIFFER



- ▲ - DOT SOIL BORING LOCATION
- - GEOPROBE BORING LOCATION
- ⊙ - SOIL BORING LOCATION
- ⊕ - MONITORING WELL LOCATION
- ⊖ - ABANDONED MONITORING WELL LOCATION
- ≡≡≡≡ - OVERHEAD LINES
- · — · — · - SANITARY SEWER LINE
- · — · — · - STORM SEWER LINE
- · — · — · - WATER LINE
- - PHONE LINE
- · — · — · - NATURAL GAS LINE
- · — · — · - UNDERGROUND ELECTRIC LINE
- · — · — · - PROPERTY LINE

A.1 Groundwater Analytical Table
Wilson's Fish Market LUST Site BRTS# 03-52-554656

Well MW-1

PVC Elevation =

621.82 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/04/13	614.98	6.84	<0.7	7.9	25.3	<0.23	22.4	<0.69	2.63-4.83	1.24-1.87
03/06/14	614.14	7.68	<0.7	3.3	0.84	<0.37	<1.2	<0.8	<1.69	<2.41
11/14/16	615.34	6.48	NS	12.5	28.1	<0.49	50	0.93	<1.51	<2.06
02/13/17	614.97	6.85	NS	3.6	0.68	<0.82	<2.17	<0.67	<2.05	<1.95
05/11/17	616.13	5.69	NS	7.6	2.22	<0.82	2.34	<0.67	<2.05	<1.95
08/09/17	615.76	6.06	NS	9.3	9.0	<0.43	14.3	0.62	<1.14	1.34-1.95
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion

(ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-2/2R

MW-2R

621.59

PVC Elevation =

622.20

(feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/04/13	615.26	6.94	9.1	14	660	<11.5	252	<34.5	1830	500-531.5
03/06/14	614.76	7.44	2.8	88	640	<18.5	320	<40	1630	450-490.5
08/01/16	MW-2 Abandoned/Removed during Soil Excavation Project									
11/02/16	Drilling Project: MW-2 replaced with MW-2R									
11/14/16	610.20	11.39	NS	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
02/13/17	618.58	3.01	NS	<0.17	0.47	<0.82	<2.17	<0.67	<2.05	<1.95
05/11/17	618.75	2.84	NS	<0.17	0.98	<0.82	<2.17	<0.67	<2.05	<1.95
08/09/17	618.37	3.22	NS	<0.17	0.35	<0.82	<2.17	<0.67	<2.05	<1.95
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion

(ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

PVC Elevation =

621.91

(feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/04/13	615.07	6.84	<0.7	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
03/06/14	614.92	6.99	<0.7	<0.27	<0.82	<0.37	<1.2	<0.8	<1.69	<2.41
11/14/16	617.30	4.61	NS	<0.46	<0.73	<0.49	<2.6	0.43	<1.51	<2.06
02/13/17	616.34	5.57	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
05/11/17	617.63	4.28	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
08/09/17	616.08	5.83	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion

(ppm) = parts per million

ns = not sampled

nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.1 Groundwater Analytical Table
Wilson's Fish Market LUST Site BRTS# 03-52-554656

Well MW-4

PVC Elevation = 620.23 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/04/13	615.31	4.92	<0.7	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
03/06/14	614.06	6.17	<0.7	<0.27	<0.82	<0.37	<1.2	<0.8	<1.69	<2.41
11/14/16	617.09	3.14	NS	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
02/13/17	615.92	4.31	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
05/11/17	618.21	2.02	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
08/09/17	616.16	4.07	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

PVC Elevation = 620.84 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/04/13	615.18	5.66	<0.7	<0.24	<0.55	<0.23	1.83	<0.69	<3.6	<1.32
03/06/14	614.46	6.38	<0.7	<0.27	<0.82	<0.37	<1.2	<0.8	<1.69	<2.41
11/14/16	616.50	4.34	NS	<0.44	<0.71	<1.1	<1.6	<0.44	<3.1	<3.1
02/13/17	615.67	5.17	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
05/11/17	619.13	1.71	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
08/09/17	616.53	4.31	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

PVC Elevation = 621.42 (feet) (MSL)

Date	Water Elevation (in feet msl)	Depth to Water (in feet)	Lead (ppb)	Benzene (ppb)	Ethyl Benzene (ppb)	MTBE (ppb)	Naphthalene (ppb)	Toluene (ppb)	Trimethylbenzenes (ppb)	Xylene (Total) (ppb)
12/04/13	614.35	7.07	<0.7	<0.24	<0.55	<0.23	<1.7	<0.69	<3.6	<1.32
03/06/14	614.07	7.35	<0.7	<0.27	<0.82	<0.37	<1.2	<0.8	<1.69	<2.41
11/14/16	614.53	6.89	NS	<0.46	<0.73	<0.49	<2.6	<0.39	<1.51	<2.06
02/13/17	614.21	7.21	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
05/11/17	615.42	6.00	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
08/09/17	614.42	7.00	NS	<0.17	<0.2	<0.82	<2.17	<0.67	<2.05	<1.95
ENFORCEMENT STANDARD ES = Bold			15	5	700	60	100	800	480	2000
PREVENTIVE ACTION LIMIT PAL = Italics			1.5	0.5	140	12	10	160	96	400

(ppb) = parts per billion (ppm) = parts per million
 ns = not sampled nm = not measured
 Note: Elevations are presented in feet mean sea level (msl).

A.7 Other

Groundwater NA Indicator Results

Wilson's Fish Market LUST Site BRRTS# 03-52-554656

Well MW-1

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
12/04/13	0.23	6.90	-67	15.2	1121	0.22	15.5	0.27	308
03/06/14	0.41	6.69	21	9.5	1064	NS	NS	NS	NS
11/14/16	1.91	6.56	103	15.1	184	NS	NS	NS	NS
02/13/17	1.58	7.07	29	8.7	927	NS	NS	NS	NS
05/11/17	0.23	6.56	273	12.5	657	NS	NS	NS	NS
08/09/17	0.19	6.87	142	15.9	873	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-2/2R

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
12/04/13	0.21	6.84	-60	21.9	1066	<0.15	39.8	0.95	858
03/06/14	0.19	6.61	-44	8.8	9	NS	NS	NS	NS
11/14/16	2.65	6.89	168	14.9	810	NS	NS	NS	NS
02/13/17	2.06	7.06	252	7.1	1482	NS	NS	NS	NS
05/11/17	0.35	7.15	212	11.4	1281	NS	NS	NS	NS
08/09/17	0.63	7.08	200	16.0	1348	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-3

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
12/04/13	1.11	6.67	226	13.3	960	<0.15	48.1	<0.06	167
03/06/14	0.84	6.25	218	9.1	942	NS	NS	NS	NS
11/14/16	3.17	6.95	253	14.9	916	NS	NS	NS	NS
02/13/17	7.97	6.88	261	11.6	955	NS	NS	NS	NS
05/11/17	1.28	7.04	263	12.8	789	NS	NS	NS	NS
08/09/17	0.58	7.01	211	16.2	782	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.7 Other

Groundwater NA Indicator Results

Wilson's Fish Market LUST Site BRRTS# 03-52-554656

Well MW-4

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
12/04/13	0.62	7.43	163	11.6	1031	0.33	48.5	<0.06	143
03/06/14	0.30	6.98	76	8.4	3395	NS	NS	NS	NS
11/14/16	3.82	6.67	243	14.8	347	NS	NS	NS	NS
02/13/17	4.47	7.45	217	7.7	1617	NS	NS	NS	NS
05/11/17	0.68	7.66	215	11.6	886	NS	NS	NS	NS
08/09/17	1.27	7.36	273	16.8	1218	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-5

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
12/04/13	0.34	7.11	117	12.7	1465	<0.15	36.4	<0.06	145
03/06/14	0.26	7.00	120	7.1	3177	NS	NS	NS	NS
11/14/16	2.69	6.41	211	15.1	1261	NS	NS	NS	NS
02/13/17	2.54	7.35	223	7.6	2064	NS	NS	NS	NS
05/11/17	0.64	7.58	229	12.2	597	NS	NS	NS	NS
08/09/17	0.89	7.37	182	16.3	868	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

Well MW-6

Date	Dissolved Oxygen (ppm)	pH	ORP	Temp (C)	Specific Conductance	Nitrate + Nitrite (ppm)	Total Sulfate (ppm)	Dissolved Iron (ppm)	Manganese (ppb)
12/04/13	1.30	7.14	145	12.1	688	0.28	46	<0.06	30.3
03/06/14	0.95	7.00	189	7.5	985	NS	NS	NS	NS
11/14/16	2.81	6.69	231	14.7	688	NS	NS	NS	NS
02/13/17	2.79	7.12	237	7.9	1396	NS	NS	NS	NS
05/11/17	5.83	7.42	235	11.2	981	NS	NS	NS	NS
08/09/17	3.26	7.19	272	16.1	1124	NS	NS	NS	NS
ENFORCE MENT STANDARD = ES - Bold						10	-	-	300
PREVENTIVE ACTION LIMIT = <i>PAL - Italics</i>						2	-	-	60

(ppb) = parts per billion (ppm) = parts per million

ns = not sampled nm = not measured

Note: Elevations are presented in feet mean sea level (msl).

A.6 Water Level Elevations
Wilson's Fish Market LUST Site BRRS# 03-52-554656
Mt. Pleasant Wisconsin

	MW-1	MW-2	MW-2R	MW-3	MW-4	MW-5	MW-6
Ground Surface (feet msl)	622.23	622.56	621.92	622.38	620.74	621.34	621.96
PVC top (feet msl)	621.82	622.20	621.59	621.91	620.23	620.84	621.42
Well Depth (feet)	14.00	14.00	14.00	14.00	13.00	13.00	14.00
Top of screen (feet msl)	618.23	618.56	617.92	618.38	617.74	618.34	617.96
Bottom of screen (feet msl)	608.23	608.56	607.92	608.38	607.74	608.34	607.96
Depth to Water From Top of PVC (feet)							
12/04/13	6.84	6.94	NI	6.84	4.92	5.66	7.07
03/06/14	7.68	7.44	NI	6.99	6.17	6.38	7.35
11/14/16	6.48	A	11.39	4.61	3.14	4.34	6.89
02/13/17	6.85	A	3.01	5.57	4.31	5.17	7.21
05/11/17	5.69	A	2.84	4.28	2.02	1.71	6.00
08/09/17	6.06	A	3.22	5.83	4.07	4.31	7.00
Depth to Water From Ground Surface (feet)							
12/04/13	7.25	7.30	NI	7.31	5.43	6.16	7.61
03/06/14	8.09	7.80	NI	7.46	6.68	6.88	7.89
11/14/16	6.89	A	11.72	5.08	3.65	4.84	7.43
02/13/17	7.26	A	3.34	6.04	4.82	5.67	7.75
05/11/17	6.10	A	3.17	4.75	2.53	2.21	6.54
08/09/17	6.47	A	3.55	6.30	4.58	4.81	7.54
Groundwater Elevation (feet msl)							
12/04/13	614.98	615.26	NI	615.07	615.31	615.18	614.35
03/06/14	614.14	614.76	NI	614.92	614.06	614.46	614.07
11/14/16	615.34	A	610.20	617.30	617.09	616.50	614.53
02/13/17	614.97	A	618.58	616.34	615.92	615.67	614.21
05/11/17	616.13	A	618.75	617.63	618.21	619.13	615.42
08/09/17	615.76	A	618.37	616.08	616.16	616.53	614.42

Note: Elevations are presented in feet mean sea level (msl).

NI = Not Installed

A = Abandoned

N7349 548th Street
Menomonie, WI 54751
715-556-2604

INVOICE

3-21

20 /

CUSTOMER

JOB NAME

metzo % Steve Wilson
709 Gill + He St
La Crosse WI 54603

Wilson's Fish Market
2305 Pacific St
Mt Pleasant LA

☐ CASH ☐ CHECK # _____ ☒ IN-HOUSE ACCOUNT

[illegible]

Due upon receipt of invoice.

1.5% per month Service Charge (18% Annual Percentage Rate) will be added to past due accounts.

SIGNATURE _____

12

In Waste Dispos^{al}
Reviewed 3/21/17
OK

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

STEVE WILSON
STEVE WILSON
518 WASHINGTON STREET
KARNAK, IL 62956

Report Date 23-Feb-17

Project Name WILSON'S FISH MARKET
Project #

Invoice # E32470

Lab Code 5032470A
Sample ID MW-3
Sample Matrix Water
Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		2/16/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		2/16/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		2/16/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		2/16/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		2/16/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		2/16/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		2/16/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		2/16/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		2/16/2017	CJR	1

Lab Code 5032470B
Sample ID MW-4
Sample Matrix Water
Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		2/16/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		2/16/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		2/16/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		2/16/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		2/16/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		2/16/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		2/16/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		2/16/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		2/16/2017	CJR	1

Project Name WILSON'S FISH MARKET

Invoice # E32470

Project

Lab Code 5032470C

Sample ID MW-5

Sample Matrix Water

Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		2/16/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		2/16/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		2/16/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		2/16/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		2/16/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		2/16/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		2/16/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		2/16/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		2/16/2017	CJR	1

Lab Code 5032470D

Sample ID MW-6

Sample Matrix Water

Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		2/16/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		2/16/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		2/16/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		2/16/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		2/16/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		2/16/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		2/16/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		2/16/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		2/16/2017	CJR	1

Lab Code 5032470E

Sample ID MW-2R

Sample Matrix Water

Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		2/16/2017	CJR	1
Ethylbenzene	0.47 "J"	ug/l	0.2	0.63	1	8260B		2/16/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		2/16/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		2/16/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		2/16/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		2/16/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		2/16/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		2/16/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		2/16/2017	CJR	1

Project Name WILSON'S FISH MARKET

Invoice # E32470

Project #

Lab Code 5032470F

Sample ID MW-1

Sample Matrix Water

Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	3.6	ug/l	0.17	0.55	1	8260B		2/16/2017	CJR	1
Ethylbenzene	0.68	ug/l	0.2	0.63	1	8260B		2/16/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		2/16/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		2/16/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		2/16/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		2/16/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		2/16/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		2/16/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		2/16/2017	CJR	1

Lab Code 5032470G

Sample ID TB

Sample Matrix Water

Sample Date 2/13/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.27	ug/l	0.27	0.87	1	GRO95/8021		2/22/2017	TCC	1
Ethylbenzene	< 0.56	ug/l	0.56	1.77	1	GRO95/8021		2/22/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.43	ug/l	0.43	1.36	1	GRO95/8021		2/22/2017	TCC	1
Naphthalene	< 1.7	ug/l	1.7	5.27	1	GRO95/8021		2/22/2017	TCC	1
Toluene	< 0.33	ug/l	0.33	1.06	1	GRO95/8021		2/22/2017	TCC	1
1,2,4-Trimethylbenzene	< 0.56	ug/l	0.56	1.78	1	GRO95/8021		2/22/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.58	ug/l	0.58	1.84	1	GRO95/8021		2/22/2017	TCC	1
m&p-Xylene	< 1.1	ug/l	1.1	3.49	1	GRO95/8021		2/22/2017	TCC	1
o-Xylene	< 0.61	ug/l	0.61	1.92	1	GRO95/8021		2/22/2017	TCC	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code**Comment**

1

Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF CUSTODY RECORD

SynergyChain # N^o 290

Page 1 of 1

Environmental Lab, Inc.1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631**Sample Handling Request**Rush Analysis Date Required _____
(Rushes accepted only with prior authorization)☒ Normal Turn Around

Lab I.D. #	
Account No.:	Quote No.:
Project #:	
Sampler: (signature) <i>Jon Jensen</i>	

Project (Name / Location): <i>Wilson's Fish Market / Mt. Pleasant</i>	
Reports To: <i>Steve Wilson</i>	Invoice To: <i>Steve Wilson</i>
Company	Company <i>C/O METCO</i>
Address <i>518 Washington St</i>	Address <i>709 Gillett St, Ste. 3</i>
City State Zip <i>Karnak, IL 62956</i>	City State Zip <i>La Crosse, WI 54603</i>
Phone	Phone
FAX	FAX

Lab I.D.	Sample I.D.	Collection		Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod)	GRO (Mod)	LEAD	NITRATE	OIL & GREASE	PAH (EP)	PCB	PVOC (E)	PVOC + NAPHTHALENE	SULFATE	TOTAL S	VOC DW	VOC (EP)	8-PCRA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
----------	-------------	------------	--	------	------	-----------------	----------------------	-----------------------------	--------------	-----------	-----------	------	---------	--------------	----------	-----	----------	-----------------------	---------	---------	--------	----------	--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO / Jason P. (Invoice to METCO)

** utc rates apply*

** Agent status*

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>SM</i> Temp. of Temp. Blank: _____ °C On Ice: ☒ Cooler seal intact upon receipt: ☒ Yes _____ No	Relinquished By: (sign) <i>Jon Jensen</i>	Time <i>3:00 PM</i>	Date <i>2-13-17</i>	Received By: (sign) _____	Time _____	Date _____
	Received in Laboratory By: <i>Christopher J. P...</i>					
	Time: <i>8:00</i> Date: <i>2/15/17</i>					

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

STEVE WILSON
STEVE WILSON
518 WASHINGTON STREET
KARNAK, IL 62956

Report Date 17-May-17

Project Name WILSON'S FISH MARKET
Project #

Invoice # E32909

Lab Code 5032909A
Sample ID MW-3
Sample Matrix Water
Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

Lab Code 5032909B
Sample ID MW-4
Sample Matrix Water
Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

Project Name WILSON'S FISH MARKET
Project #

Invoice # E32909

Lab Code 5032909C
Sample ID MW-5
Sample Matrix Water
Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

Lab Code 5032909D
Sample ID MW-6
Sample Matrix Water
Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

Lab Code 5032909E
Sample ID MW-2R
Sample Matrix Water
Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	0.98	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

Project Name WILSON'S FISH MARKET

Invoice # E32909

Project #

Lab Code 5032909F

Sample ID MW-1

Sample Matrix Water

Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	7.6	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	2.22	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	2.34 "J"	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

Lab Code 5032909G

Sample ID TB

Sample Matrix Water

Sample Date 5/11/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		5/16/2017	TCC	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		5/16/2017	TCC	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		5/16/2017	TCC	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		5/16/2017	TCC	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		5/16/2017	TCC	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		5/16/2017	TCC	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		5/16/2017	TCC	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		5/16/2017	TCC	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		5/16/2017	TCC	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF STUDY RECORD

Synergy

Environmental Lab, Inc.

Chain # N2 311

Page 1 of 1

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature) <i>Bryce Tjorne</i>	

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)

☒ Normal Turn Around

Project (Name / Location): <i>Wilson's Fish Market / Mt. Pleasant</i>	
Reports To: <i>Steve Wilson</i>	Invoice To: <i>Steve Wilson</i>
Company	Company <i>c/o METCO</i>
Address <i>518 Washington St.</i>	Address <i>709 Gillette Street, Suite 3</i>
City State Zip <i>Karnak, IL 62956</i>	City State Zip <i>La Crosse, WI 54603</i>
Phone	Phone
FAX	FAX

Lab I.D.	Sample I.D.	Collection Date	Time	Comp	Grab	Filtered Y/N	No. of Containers	Sample Type (Matrix)*	Preservation	DRO (Mod DRO Sep 95)	GRO (Mod GRO Sep 95)	LEAD	NITRATE/NITRITE	OIL & GREASE	PAH (EPA 8270)	PCB	PVOC (EPA 8021)	PVOC + NAPHTHALENE	SULFATE	TOTAL SUSPENDED SOLIDS	VOC DW (EPA 542.2)	VOC (EPA 8260)	8-PCRA METALS	PID/ FID
<i>5032909A</i>	<i>MW-3</i>	<i>5/11/17</i>	<i>945</i>			<i>N</i>	<i>3</i>	<i>GW</i>	<i>HCl</i>									<i>X</i>						
<i>B</i>	<i>MW-4</i>	<i>↓</i>	<i>1015</i>			<i>↓</i>	<i>↓</i>	<i>↓</i>	<i>↓</i>									<i>X</i>						
<i>C</i>	<i>MW-5</i>	<i>↓</i>	<i>1045</i>			<i>↓</i>	<i>↓</i>	<i>↓</i>	<i>↓</i>									<i>X</i>						
<i>D</i>	<i>MW-6</i>	<i>↓</i>	<i>1110</i>			<i>↓</i>	<i>↓</i>	<i>↓</i>	<i>↓</i>									<i>X</i>						
<i>E</i>	<i>MW-2R</i>	<i>↓</i>	<i>1135</i>			<i>↓</i>	<i>↓</i>	<i>↓</i>	<i>↓</i>									<i>X</i>						
<i>F</i>	<i>MW-1</i>	<i>↓</i>	<i>1155</i>			<i>↓</i>	<i>↓</i>	<i>↓</i>	<i>↓</i>									<i>X</i>						
<i>G</i>	<i>TB</i>						<i>1</i>		<i>HCl</i>									<i>X</i>						

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO/Tason P. (Infile to METCO)

** U + C rates apply*
** Agent Status*

Sample Integrity - To be completed by receiving lab. Method of Shipment: <i>STANDARD</i> Temp. of Temp. Blank: <i>5</i> °C On Ice Cooler seal intact upon receipt: <i>Yes</i>	Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	<i>Bryce Tjorne</i>	<i>8:00AM</i>	<i>5/12/17</i>			
Received in Laboratory By:				Time:	Date:	
<i>[Signature]</i>				<i>9:00 AM</i>	<i>5-13-17</i>	

Synergy Environmental Lab,

1990 Prospect Ct., Appleton, WI 54914 *P 920-830-2455 * F 920-733-0631

STEVE WILSON
STEVE WILSON
518 WASHINGTON STREET
KARNAK, IL 62956

Report Date 17-Aug-17

Project Name WILSON'S FISH MARKET
Project #

Invoice # E33385

Lab Code 5033385A
Sample ID MW-3
Sample Matrix Water
Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		8/12/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		8/12/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		8/12/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		8/12/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		8/12/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		8/12/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		8/12/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		8/12/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		8/12/2017	CJR	1

Lab Code 5033385B
Sample ID MW-4
Sample Matrix Water
Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		8/12/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		8/12/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		8/12/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		8/12/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		8/12/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		8/12/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		8/12/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		8/12/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		8/12/2017	CJR	1

Project Name WILSON'S FISH MARKET
Project #

Invoice # E33385

Lab Code 5033385C
Sample ID MW-5
Sample Matrix Water
Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		8/12/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		8/12/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		8/12/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		8/12/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		8/12/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		8/12/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		8/12/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		8/12/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		8/12/2017	CJR	1

Lab Code 5033385D
Sample ID MW-6
Sample Matrix Water
Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		8/12/2017	CJR	1
Ethylbenzene	< 0.2	ug/l	0.2	0.63	1	8260B		8/12/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		8/12/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		8/12/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		8/12/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		8/12/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		8/12/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		8/12/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		8/12/2017	CJR	1

Lab Code 5033385E
Sample ID MW-2R
Sample Matrix Water
Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.17	ug/l	0.17	0.55	1	8260B		8/12/2017	CJR	1
Ethylbenzene	0.35 "J"	ug/l	0.2	0.63	1	8260B		8/12/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.82	ug/l	0.82	2.6	1	8260B		8/12/2017	CJR	1
Naphthalene	< 2.17	ug/l	2.17	6.9	1	8260B		8/12/2017	CJR	1
Toluene	< 0.67	ug/l	0.67	2.13	1	8260B		8/12/2017	CJR	1
1,2,4-Trimethylbenzene	< 1.14	ug/l	1.14	3.63	1	8260B		8/12/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.91	ug/l	0.91	2.9	1	8260B		8/12/2017	CJR	1
m&p-Xylene	< 1.56	ug/l	1.56	4.95	1	8260B		8/12/2017	CJR	1
o-Xylene	< 0.39	ug/l	0.39	1.25	1	8260B		8/12/2017	CJR	1

Project Name WILSON'S FISH MARKET

Invoice # E33385

Project #

Lab Code 5033385F

Sample ID MW-1

Sample Matrix Water

Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	9.3	ug/l	0.27	0.87	1	GRO95/8021		8/15/2017	CJR	1
Ethylbenzene	9.0	ug/l	0.56	1.77	1	GRO95/8021		8/15/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.43	ug/l	0.43	1.36	1	GRO95/8021		8/15/2017	CJR	1
Naphthalene	14.3	ug/l	1.7	5.27	1	GRO95/8021		8/15/2017	CJR	1
Toluene	0.62 "J"	ug/l	0.33	1.06	1	GRO95/8021		8/15/2017	CJR	1
1,2,4-Trimethylbenzene	< 0.56	ug/l	0.56	1.78	1	GRO95/8021		8/15/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.58	ug/l	0.58	1.84	1	GRO95/8021		8/15/2017	CJR	1
m&p-Xylene	1.34 "J"	ug/l	1.1	3.49	1	GRO95/8021		8/15/2017	CJR	1
o-Xylene	< 0.61	ug/l	0.61	1.92	1	GRO95/8021		8/15/2017	CJR	1

Lab Code 5033385G

Sample ID TB

Sample Matrix Water

Sample Date 8/9/2017

	Result	Unit	LOD	LOQ	Dil	Method	Ext Date	Run Date	Analyst	Code
Organic										
PVOC + Naphthalene										
Benzene	< 0.27	ug/l	0.27	0.87	1	GRO95/8021		8/15/2017	CJR	1
Ethylbenzene	< 0.56	ug/l	0.56	1.77	1	GRO95/8021		8/15/2017	CJR	1
Methyl tert-butyl ether (MTBE)	< 0.43	ug/l	0.43	1.36	1	GRO95/8021		8/15/2017	CJR	1
Naphthalene	< 1.7	ug/l	1.7	5.27	1	GRO95/8021		8/15/2017	CJR	1
Toluene	< 0.33	ug/l	0.33	1.06	1	GRO95/8021		8/15/2017	CJR	1
1,2,4-Trimethylbenzene	< 0.56	ug/l	0.56	1.78	1	GRO95/8021		8/15/2017	CJR	1
1,3,5-Trimethylbenzene	< 0.58	ug/l	0.58	1.84	1	GRO95/8021		8/15/2017	CJR	1
m&p-Xylene	< 1.1	ug/l	1.1	3.49	1	GRO95/8021		8/15/2017	CJR	1
o-Xylene	< 0.61	ug/l	0.61	1.92	1	GRO95/8021		8/15/2017	CJR	1

"J" Flag: Analyte detected between LOD and LOQ

LOD Limit of Detection

LOQ Limit of Quantitation

Code Comment

1 Laboratory QC within limits.

All solid sample results reported on a dry weight basis unless otherwise indicated. All LOD's and LOQ's are adjusted for dilutions but not dry weight. Subcontracted results are denoted by SUB in the analyst field.

Authorized Signature

Michael Ricker

CHAIN OF STUDY RECORD

Synergy

Chain # No 3379

Page 1 of 1

Environmental Lab, Inc.

1990 Prospect Ct. • Appleton, WI 54914
920-830-2455 • FAX 920-733-0631

Sample Handling Request

Rush Analysis Date Required
(Rushes accepted only with prior authorization)

X Normal Turn Around

Lab I.D. #	
Account No. :	Quote No.:
Project #:	
Sampler: (signature) <i>Bornu Thiruvann</i>	

Project (Name / Location): <u>W. Lewis Fish Market / Mt. Pleasant</u>	
Reports To: <u>Steve Wilson</u>	Invoice To: <u>Steve Wilson</u>
Company	Company <u>C/O METCO</u>
Address <u>518 Washington Street.</u>	Address <u>709 Gillette Street, Suite 3</u>
City State Zip <u>Karnak, IL 62956</u>	City State Zip <u>La Crosse, WI 54603</u>
Phone	Phone
FAX	FAX

[illegible]

Comments/Special Instructions (*Specify groundwater "GW", Drinking Water "DW", Waste Water "WW", Soil "S", Air "A", Oil, Sludge etc.)

Lab to send copy of report to METCO / Jason P. (Invoice to METCO)

- * Ut Crates Apply
- * Agent Status

Sample Integrity - To be completed by receiving lab. Method of Shipment: <u>Gr</u> Temp. of Temp. Blank: <u> </u> °C On Ice ☒ Cooler seal intact upon receipt: ☒ Yes ☐ No	Relinquished By: (sign)	Time	Date	Received By: (sign)	Time	Date
	<u>Bryan Byrnes</u>	<u>8:00 AM</u>	<u>8/10/17</u>			
	Received in Laboratory By <u>Daniel</u>	Time <u>8:00</u>		Date: <u>8/1/17</u>		